National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : ENVIRO CULTURE POLLUTION CONTROL CONSULTANT SERVICES, 234, POLARIS, SURAT, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10880 **Page No** 1 of 4

Validity 02/08/2022 to 01/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Nitrogen Dioxide (NO2)	IS 5182 (Part 6)
2	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Particulate Matter PM 10	IS 5182 (Part 23)
3	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Particulate Matter PM 2.5	IS 5182 (Part 24)
4	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Sulphur Dioxide (SO2)	IS 5182 (Part 2)
5	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Oxide of Nitrogen (NO2)	IS 11255 (Part 7)
6	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Particulate Matter	IS 11255 (Part 1)
7	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Sulphur Dioxide (SO2)	IS 11255 (Part 2)
8	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Acidity	IS 3025 (Part 22)
9	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Alkalinity	IS 3025 (Part 23)
10	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Ammonical Nitrogen	IS 3025 (Part 34)
11	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Bio-Chemical Oxygen Demand	IS 3025 (Part 44)
12	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Calcium as Ca	IS 3025 (Part 40)
13	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Calcium Hardness	IS 3025 (Part 40)
14	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Chemical Oxygen Demand	IS 3025 (Part 58)
15	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Chloride	IS 3025 (Part 32)
16	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Dissolved Oxygen	IS 3025 (Part 38)
17	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Electrical Conductivity	IS 3025 (Part 14)
18	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Magnesium as Mg	IS 3025 (Part 46)

SCOPE OF ACCREDITATION

Laboratory Name : ENVIRO CULTURE POLLUTION CONTROL CONSULTANT SERVICES, 234, POLARIS, SURAT, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10880 **Page No** 2 of 4

Validity 02/08/2022 to 01/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
19	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Magnesium Hardness	IS 3025 (Part 46)
20	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Oil & Grease	IS 3025 (Part 39)
21	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	pH	IS 3025 (Part 11)
22	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Phenolic Compound	IS 3025 (Part 43)
23	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Sulphate	IS 3025 (Part 24)
24	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Sulphide	IS 3025 (Part 29)
25	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Temperature	IS 3025 (Part 9)
26	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Total Dissolved Solids	IS 3025 (Part 16)
27	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Total Hardness	IS 3025 (Part 21)
28	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Total Solids	IS 3025 (Part 15)
29	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Total Suspended Solids	IS 3025 (Part 17)
30	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Turbidity	IS 3025 (Part 10)
31	CHEMICAL- WATER	Drinking Water	Acidity	IS 3025 (Part 22)
32	CHEMICAL- WATER	Drinking Water	Alkalinity	IS 3025 (Part 23)
33	CHEMICAL- WATER	Drinking Water	Ammonical Nitrogen	IS 3025 (Part 34)
34	CHEMICAL- WATER	Drinking Water	Bio-Chemical Oxygen Demand	IS 3025 (Part 44)
35	CHEMICAL- WATER	Drinking Water	Calcium as Ca	IS 3025 (Part 40)
36	CHEMICAL- WATER	Drinking Water	Calcium Hardness	IS 3025 (Part 40)
37	CHEMICAL- WATER	Drinking Water	Chemical Oxygen Demand	IS 3025 (Part 58)
38	CHEMICAL- WATER	Drinking Water	Chloride	IS 3025 (Part 32)
39	CHEMICAL- WATER	Drinking Water	Dissolved Oxygen	IS 3025 (Part 38)
40	CHEMICAL- WATER	Drinking Water	Electrical Conductivity	IS 3025 (Part 14)
41	CHEMICAL- WATER	Drinking Water	Magnesium as Mg	IS 3025 (Part 46)

National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : ENVIRO CULTURE POLLUTION CONTROL CONSULTANT SERVICES, 234, POLARIS, SURAT, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10880 **Page No** 3 of 4

Validity 02/08/2022 to 01/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
42	CHEMICAL- WATER	Drinking Water	Magnesium Hardness	IS 3025 (Part 46)
43	CHEMICAL- WATER	Drinking Water	pH	IS 3025 (Part 11)
44	CHEMICAL- WATER	Drinking Water	Temperature	IS 3025 (Part 09)
45	CHEMICAL- WATER	Drinking Water	Total Dissolved Solids	IS 3025 (Part 16)
46	CHEMICAL- WATER	Drinking Water	Total Hardness	IS 3025 (Part 21)
47	CHEMICAL- WATER	Drinking Water	Total Solids	IS 3025 (Part 15)
48	CHEMICAL- WATER	Drinking Water	Total Suspended Solids	IS 3025 (Part 17)
49	CHEMICAL- WATER	Drinking Water	Turbidity	IS 3025 (Part 10)
50	CHEMICAL- WATER	Ground Water	Acidity	IS 3025 (Part 22)
51	CHEMICAL- WATER	Ground Water	Alkalinity	IS 3025 (Part 23)
52	CHEMICAL- WATER	Ground Water	Ammonical Nitrogen	IS 3025 (Part 34)
53	CHEMICAL- WATER	Ground Water	Bio-Chemical Oxygen Demand	IS 3025 (Part 44)
54	CHEMICAL- WATER	Ground Water	Calcium as Ca	IS 3025 (Part 40)
55	CHEMICAL- WATER	Ground Water	Calcium Hardness	IS 3025 (Part 40)
56	CHEMICAL- WATER	Ground Water	Chemical Oxygen Demand	IS 3025 (Part 58)
57	CHEMICAL- WATER	Ground Water	Chloride	IS 3025 (Part 32)
58	CHEMICAL- WATER	Ground Water	Dissolved Oxygen	IS 3025 (Part 38)
59	CHEMICAL- WATER	Ground Water	Electrical Conductivity	IS 3025 (Part 14)
60	CHEMICAL- WATER	Ground Water	Magnesium as Mg	IS 3025 (Part 46)
61	CHEMICAL- WATER	Ground Water	Magnesium Hardness	IS 3025 (Part 46)
62	CHEMICAL- WATER	Ground Water	pH	IS 3025 (Part 11)
63	CHEMICAL- WATER	Ground Water	Temperature	IS 3025 (Part 09)
64	CHEMICAL- WATER	Ground Water	Total Dissolved Solids	IS 3025 (Part 16)
65	CHEMICAL- WATER	Ground Water	Total Hardness	IS 3025 (Part 21)
66	CHEMICAL- WATER	Ground Water	Total Solids	IS 3025 (Part 15)
67	CHEMICAL- WATER	Ground Water	Total Suspended Solids	IS 3025 (Part 17)
68	CHEMICAL- WATER	Ground Water	Turbidity	IS 3025 (Part 10)
69	CHEMICAL- WATER	Surface Water	Acidity	IS 3025 (Part 22)
70	CHEMICAL- WATER	Surface Water	Alkalinity	IS 3025 (Part 23)
71	CHEMICAL- WATER	Surface Water	Ammonical Nitrogen	IS 3025 (Part 34)

SCOPE OF ACCREDITATION

Laboratory Name : ENVIRO CULTURE POLLUTION CONTROL CONSULTANT SERVICES, 234, POLARIS, SURAT, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10880 **Page No** 4 of 4

Validity 02/08/2022 to 01/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
72	CHEMICAL- WATER	Surface Water	Bio-Chemical Oxygen Demand	IS 3025 (Part 44)
73	CHEMICAL- WATER	Surface Water	Calcium as Ca	IS 3025 (Part 40)
74	CHEMICAL- WATER	Surface Water	Calcium Hardness	IS 3025 (Part 40)
75	CHEMICAL- WATER	Surface Water	Chemical Oxygen Demand	IS 3025 (Part 58)
76	CHEMICAL- WATER	Surface Water	Chloride	IS 3025 (Part 32)
77	CHEMICAL- WATER	Surface Water	Dissolved Oxygen	IS 3025 (Part 38)
78	CHEMICAL- WATER	Surface Water	Electrical Conductivity	IS 3025 (Part 14)
79	CHEMICAL- WATER	Surface Water	Magnesium as Mg	IS 3025 (Part 46)
80	CHEMICAL- WATER	Surface Water	Magnesium Hardness	IS 3025 (Part 46)
81	CHEMICAL- WATER	Surface Water	pH	IS 3025 (Part 11)
82	CHEMICAL- WATER	Surface Water	Temperature	IS 3025 (Part 09)
83	CHEMICAL- WATER	Surface Water	Total Dissolved Solids	IS 3025 (Part 16)
84	CHEMICAL- WATER	Surface Water	Total Hardness	IS 3025 (Part 21)
85	CHEMICAL- WATER	Surface Water	Total Solids	IS 3025 (Part 15)
86	CHEMICAL- WATER	Surface Water	Total Suspended Solids	IS 3025 (Part 17)
87	CHEMICAL- WATER	Surface Water	Turbidity	IS 3025 (Part 10)