National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 1 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Air Content	ISO 3826-1
2	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Blood Taking Needle Length	ISO 3826-1
3	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Blood taking Needle outer Diameter	ISO 3826-1
4	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Blood Taking Needle Strength	ISO 3826-1
5	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Collection Tube Internal Diameter	ISO 3826-1
6	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Collection Tube Length	ISO 3826-1
7	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Collection Tube Strength	ISO 3826-1
8	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Collection Tube Wall Thickness	ISO 3826-1
9	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Coloration	ISO 3826-1
10	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Emptying Under Pressure	ISO 3826-1
11	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Outlet Port	ISO 3826-1
12	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Particulate Contamination	ISO 3826-1
13	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Performance of labeling	ISO 3826-1
14	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Rate of Collection	ISO 3826-1
15	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Resistance to Leakage	ISO 3826-1
16	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Resistance to leakage based on Thermal Stability	ISO 3826-1
17	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Suspension	ISO 3826-1
18	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Thermal Stability	ISO 3826-1

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 2 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
19	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Transfer Tube Internal Diameter	ISO 3826-1
20	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Transfer Tube Length	ISO 3826-1
21	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Transfer Tube Strength	ISO 3826-1
22	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	TransferTube Wall Thickness	ISO 3826 -1
23	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Blood Bags	Water Vapor Transmission	ISO 3826-1
24	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Diameter of Vertical Stem	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
25	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	External Diameter of Copper Collars	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
26	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Flange Displacement Force	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
27	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Inner Diameter of Insertion Tube	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
28	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Internal Diameter of Copper Collars	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
29	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Collar positions	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 3 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
30	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Insertion Rod Length	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
31	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Labeling and inserts	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
32	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Length of Copper Collars	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
33	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Length of Horizontal Arm	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
34	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Length of Insertion Tube	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
35	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Length of Thread	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
36	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Length of Vertical Stem	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
37	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Outer Diameter of Insertion Tube	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
38	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Printing	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 4 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
39	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Retention Force	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
40	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Sealed Pouch Integrity I	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
41	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Sealed Pouch Peel Strength	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
42	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Strength of Thread	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
43	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Surface Area (Copper wire+Sleeves)	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
44	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	T Piece ball diameter	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
45	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Weight of Copper Collars	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
46	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Weight of Copper Wire	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
47	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Cleanliness	ISO 7439

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 5 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
48	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Cleanliness	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
49	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Diameter of Center Hole	ISO 7439
50	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Diameter of Copper Wire	ISO 7439
51	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Diameter of Horizontal Arms	ISO 7439
52	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Diameter of Rod at Tip	ISO 7439
53	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Diameter of Thread	ISO 7439
54	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Diameter of Vertical Stem	ISO 7439
55	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	External Diameter of Copper Collars	ISO 7439
56	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Flange Displacement Force	ISO 7439
57	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Inner Diameter of Insertion Tube	ISO 7439
58	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Insertion Rod Length	ISO 7439
59	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Internal Diameter of Copper Collars	ISO 7439
60	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Labeling and inserts	ISO 7439
61	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Length of Copper Collars	ISO 7439
62	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Length of Horizontal Arm	ISO 7439
63	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Length of Insertion Tube	ISO 7439
64	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Length of Thread	ISO 7439
65	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Length of Vertical Stem	ISO 7439

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 6 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
66	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Outer Diameter of Insertion Tube	ISO 7439
67	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Printing	ISO 7439
68	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Retention Force	ISO 7439
69	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Sealed Pouch Integrity	ISO 7439
70	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Sealed Pouch Peel Strength	ISO 7439
71	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Sleeve position of Copper Collars	ISO 7439
72	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Strength of Thread	ISO 7439
73	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Surface Area (Copper wire+Sleeves)	ISO 7439
74	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	T Piece ball diameter	ISO 7439
75	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Weight of Copper Collars	ISO 7439
76	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices - Cu T 380 A/Copper T/Cu 375 Series	Weight of Copper Wire	ISO 7439
77	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices -Cu T 380 A/Copper T/Cu 375 Series	Diameter of Center Hole	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
78	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices -Cu T 380 A/Copper T/Cu 375 Series	Diameter of Copper Wire	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
79	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices -Cu T 380 A/Copper T/Cu 375 Series	Diameter of Horizontal Arms	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 7 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
80	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices -Cu T 380 A/Copper T/Cu 375 Series	Diameter of Rod at Tip	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
81	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Intra Uterine Devices -Cu T 380 A/Copper T/Cu 375 Series	Diameter of Thread	TCu380A Intrauterine Contraceptive Device (IUD) - WHO/UNFPA Technical Specification and Prequalification Guidance
82	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Ring	Elongation at Fracture	IS 13009
83	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Ring	Fatigue Test	IS 13009
84	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Ring	Friction Force Test	IS 13009
85	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Ring	Inner Diameter	IS 13009
86	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Ring	Load at Fracture	IS 13009
87	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Ring	Memory Test	IS 13009
88	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Ring	Outer Diameter	IS 13009
89	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Ring	Stain Capacity	IS 13009
90	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Ring	Thickness	IS 13009
91	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Ring	Visual Inspection	IS 13009
92	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Burst Volume (Before Ageing)	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms
93	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Length	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 8 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
94	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Odour	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms
95	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Package Seal Integrity	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms
96	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Quantity of Lubricant	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms
97	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Visible Defects	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms
98	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Aqueous Extractable Protein	ASTM D 5712
99	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Burst Pressure (After Accelerated Aging)	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms
100	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Burst Pressure (Before aging)	ISO 4074
101	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Burst Pressure (Before aging)	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms
102	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Burst Pressure (After Accelerated Aging)	ISO 4074
103	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Burst Volume (After Accelerated aging)	ISO 4074

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 9 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
104	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Burst Volume (After Accelerated aging)	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms
105	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Burst Volume (Before aging)	ISO 4074
106	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Colour Fastness Test	Shedule R of DCA
107	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Colour Fastness Test	Shedule R of Drugs and Cosmetics Act
108	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Freedom from holes/ Water Leakage Test	ISO 4074
109	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Freedom from holes/Water Leakage Test	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms
110	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Length	ISO 4074
111	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Odour	ISO 4074
112	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Package Seal Integrity	ISO 4074
113	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Packaging and Labeling	ISO 4074
114	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Packaging and Labeling	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms
115	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Quantity of Lubricant	ISO 4074
116	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Single Wall Thickness	ISO 4074

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 10 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
117	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Single Wall Thickness	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms
118	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Visible Deffects	ISO 4074
119	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Width	ISO 4074
120	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Condoms	Width	Section One: The Male Latex Condoms: Quality Assurance and WHO/UNFPA Specification, Chapter 2: WHO/UNFPA Specification For Male Latex Condoms
121	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Tensile Strength (Before aging)	ASTM D 3578
122	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Elongation at break (After Accelerated aging)	IS 4148
123	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Elongation at break (Before aging)	IS 4148
124	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Tensile Strength (After Accelerated aging)	IS 4148
125	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Tensile Strength (Before Aging)	IS 4148
126	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at cuff	IS 4148
127	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Powder Free Surgical and Examination)	Aqueous Extractable Protein	ASTM D 5712
128	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Powder Free Surgical and Examination)	Aqueous Extractable Protein	EN 455-3
129	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Powdered Surgical and Examination)	Aqueous Extractable Protein	ASTM D 5712
130	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Powdered Surgical and Examination)	Aqueous Extractable Protein	EN 455-3
131	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical and Examination)	Powder Content	ASTM D 6124
132	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical and Examination)	Thickness at Cuff	IS 13422

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 11 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
133	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Stress at 500% elongation (After Accelerated aging)	ASTM D 3577
134	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Stress at 500% elongation (After Accelerated aging)	IS 13422
135	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Stress at 500% elongation (Before aging)	ASTM D 3577
136	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Stress at 500% elongation (Before Aging)	ASTM D 3578
137	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Stress at 500% elongation (After Accelerated Aging)	ASTM D 3578
138	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Elongation at break (After Accelerated aging)	ASTM D 3577
139	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at cuff	EN 455-2
140	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at Finger	ASTM D 3578
141	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at Finger	EN 455-2
142	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at Finger	IS 4148
143	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at Palm	ASTM D 3578
144	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at Palm	IS 4148
145	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Width	ASTM D 3578
146	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Elongation at break (After Accelerated aging)	IS 13422
147	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Elongation at break (Before aging)	ASTM D 3577
148	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Elongation at break (Before Aging)	ASTM D 3578
149	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Elongation at break (Before Aging)	IS 13422
150	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Elongation at break (After Accelerated Aging)	ASTM D 3578
151	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Force at break (Before Aging)	EN 455-2

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 12 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
152	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Force at break (After Accelerated aging)	EN 455-2
153	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Length	ASTM D 3577
154	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Length	ASTM D 3578
155	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Length	EN 455-2
156	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Length	IS 13422
157	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	pH	IS 4148
158	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Position A	IS 4148
159	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Position B	IS 4148
160	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Position C	IS 4148
161	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Position D	IS 4148
162	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Position E	IS 4148
163	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Position F	IS 4148
164	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Position G	IS 4148
165	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Powder Content	ISO 21171
166	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Stress at 500% elongation (Before Aging)	IS 13422
167	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Tensile Strength (After Accelerated Aging)	ASTM D 3578
168	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Tensile Strength (After Accelerated Aging)	IS 13422
169	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Tensile Strength (After Accelerated aging)	ASTM D 3577
170	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Tensile Strength (Before aging)	ASTM D 3577

SCOPE OF ACCREDITATION

Laboratory Name : FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-9247 **Page No** 13 of 14

Validity 05/02/2021 to 04/02/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
171	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Tensile Strength (Before Aging)	IS 13422
172	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at cuff	ASTM D 3577
173	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at Finger	ASTM D 3577
174	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at Finger	IS 13422
175	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at Palm	ASTM D 3577
176	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at Palm	EN 455-2
177	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Thickness at Palm	IS 13422
178	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Water Tightness Test	EN 455 - 1
179	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Width	ASTM D 3577
180	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Width	EN 455-2
181	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves (Surgical/Examination)	Width	IS 13422
182	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Absorbency & Ability to Withstand Pressure After Absorption	IS 5405
183	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Disposability	IS 5405
184	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Instructions	IS 5405
185	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Length	IS 5405
186	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Packing and Marking	IS 5405
187	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	pH	IS 5405
188	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Thickness	IS 5405

SCOPE OF ACCREDITATION

Laboratory Name :	FRONTIER LIFELINE PRIVATE LIMITED, FRONTIER MEDIVILLE, LIFE SCIENCE SERVICES, EDUR VILLAGE, GUMMIDIPOONDI, THIRUVALLUR, TAMIL NADU, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-9247	**Page No**	14 of 14
Validity	05/02/2021 to 04/02/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
189	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Width	IS 5405