National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 1 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
LOCATION 1-67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA Permanent Facility				
1	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tests on components of cables with a longitudinally applied material tape or foil, bonded to the oversheath	AS/NZS 60840 Cl. 12.4.9
2	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tests on components of cables with a longitudinally applied material tape or foil, bonded to the oversheath	IEC 60840 Cl. 12.5.15 b) Annex F.F.2
3	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tests on components of cables with a longitudinally applied material tape or foil, bonded to the oversheath	IEC 62067 Cl. 12.5.15 b) Annex F.F.2
4	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for rated voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 22o kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	BS 7835
5	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Adhesion (Stripping-Tension) Test of Extruded Insulation Shielding	UL 1072 CL.33
6	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	BS : 7655 (Section 4.2) (Table 2)
7	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	IS 10810 (Part 21)
8	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	IS 1554 (Part 1) + AMD 5 Cl. No. 15.4.b
9	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Compatibility	BS 6622 Cl. No.19.13
10	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 10810 (Part 5)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	2 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
11	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 8130 + AMD 1 Cl No. 7.3
12	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 9968 (Part 1) Cl No. 21.2d, 21.3a
13	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 9968 (Part 2) + AMD 2 Cl No. 21.1 a (4), 22.2d, 22.3 a
14	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dimensions of armour	IS 9968 (Part 2) : + AMD2 Cl 22.1 B(1)
15	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Metal Screen	IS 7098 (Part 3) + AMD 4
16	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Elongation on messenger	IS 14255 + AMD 1 Cl No. 10.1.b.ii, 10.2.d
17	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flammability	IS 7098 (Part 2)+ AMD 1 Cl. No. 19.1.xv, 20.8:
18	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flammability	IS 9968 (PART 1) CL. 21.1 & 22.3
19	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flammability	IS 9968 (Part 2) + AMD 2 Cl No 22.1 (n)
20	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IS 10810 (Part 14)
21	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IS 5831 + AMD 2

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	3 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
22	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IS 9968 (Part 2) :+ AMD2 :Cl No. 22.1 c (11)
23	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage	IS 9968 (PART 1) CL. 21.2 H), 21.3 b), 22.2.1, 22.2, 21.3 b)
24	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	IS 9968 (Part 1) : CL. 21.2 g), 21.1 e)
25	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	IS 9968 (Part 2) + AMD2 Cl No. 22.1 c(5), 22.2 (g)
26	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	IS 9968 (Part 1) CL.21.1 , 21.2 I):
27	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant	BS : 6622 Cl. No. 7, 12, 19.3
28	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	IEC 60811 (Part 409):
29	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	IS 9968 (Part 2) : +AMD2 Cl. 22.1 c(10)
30	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS EN : 60811 (Part 401)+ AMD 1
31	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Melt flow index for PE insulation	IS:10810 (Part 23):
32	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	IS 9968 (Part 2) + AMD 2 Cl No. 22.1.c (8)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	4 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
33	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	AS/NZS 1429 (Part 1)(Table 3.1 3(c))
34	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	IS 7098 (Part 1) + AMD 5, CL no. 15.1.d.iv, Table 1
35	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	IS 9968 (Part 2) + AMD2Cl No. 22.1.c (8
36	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tan delta Measurement	BS 7835 Cl. No. 21.4 , 21.40 , 21.5
37	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile & elongation at break of armour	IS 9968 (Part 2) +AMD2 Cl. 22.1 b(2)
38	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	IS 9968 (Part 1) Cl.No 21.1, 21.2 B
39	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of Insulation & outer sheath before & after ageing	IS 9968 (Part 1) CL. 21.2 F), 21.1 a)
40	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of Insulation & outer sheath before & after ageing.	IS 10810 (Part 7)
41	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of Insulation & outer sheath before & after ageing.	IS 9968 (Part 1) Cl. 21.1 b),
42	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	IS 9968 (Part 2) + AMD2Cl.22.1 c(3)
43	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	BS 7870 (Part 4 Section 4.10) + AMD 1:Cl. No. 8.1.8.1 (Type B Cables)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 5 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
44	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IS 7098 (Part 2)+ AMD1 Cl. No. 12, 16, 18.3, 19.1.iv,19.2.e,Table 4,5,7
45	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IS 9968 (Part 1) cl. 21.2 e), 21.1 Table 12,19,21 & Table 1 to 10
46	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IS 9968 (Part 2) +AMD 2:Cl. 22.1 c(1),22.2 (e)
47	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Torsion on Galvanized steel wires for armouring	IS 9968 (Part 2) +AMD2 Cl. 22.1 b (3)
48	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Uniformity of Zinc coating	IS 9968 (Part 2): +AMD 2 Cl. 22.1 b (5)
49	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Winding on Galvanized strip for armouring	IS 9968 (Part 2) +AMD 2 Cl. 22.1 b(4)
50	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wrapping on Aluminium	IS 10810 (Part 3)
51	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wrapping on Aluminium	IS 8130:+ AMD 1 Cl. No. 7.2.2
52	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wrapping on Aluminium	IS 9968 (Part 2):+AMD 2. 22.1 a (3), 22.2 (C)
53	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wrapping on Aluminium	IS 9968 (PART1) Cl. No 21.2C, 21.1
54	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	High Voltage	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.g, 15.2.h, 15.3.b, 16.2

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 6 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
55	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Accelerated Water Absorption – Electrical Method (test of DREP, EP & XLPE INSULATION)	UL 1072 CL. 40
56	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Ageing on pieces of completed cable to check compatibility of Materials	IEC 60840 Cl. No. 12.5.4
57	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Ageing on pieces of completed cable to check compatibility of Materials	IEC 62067 Cl. No. 12.5.4
58	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	High Voltage	IS 10810 (Part 45)
59	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Hot Set	IS 10810 (Part 30)
60	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Hot Set	IS 7098 (Part 1) + AMD 5 (Table 1, 15.1.d.iii, 15.2.f)
61	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Impulse Withstand	IS 9968 (Part 2) + AMD 2 Cl.22.1 j
62	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	IS 1554 (Part 1) + AMD 5 Cl.No. 15.1.e, 15.2 g
63	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Measurement of Capacitance	GETCO/E/TS-PCBL025A R3 DTD.NOV. 2016 CL. 1.6.2.2 (K)
64	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Measurement of Capacitance	IS 10810 (Part 48)
65	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	AS/NZS 1429 (Part 1) Cl. No. 3.4.3, 3.7.2, 3.8 , 3.2.4 , Table 3.1, 9a, 9d, 9g, 9h

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 7 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
66	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	AS/NZS 1429 (Part 2) Table 3.1(5)a, Table 3.2 , Table 3.1(5)b(ii)
67	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	AS/NZS 1660 (Method 3): AMD 1
68	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	BS : 7870 (Section 4.10)+ AMD 1 Cl. No. 6.6, 8.2.2
69	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	BS 6622 Cl. No. 19.2 to 19.12
70	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	BS 7835: Cl. No. 18.5 & 21.2, 21.20
71	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	BS 7870 (Part 2) Cl. No.3.10.1
72	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	GETCO/E/TS-PCBL025A R3 Cl. 1.6.2.2 (I)
73	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	IEC 60840 Cl. No. 9.2 & 12.4.4
74	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	IEC 60885 (Part 3)
75	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	IS 10810 (Part 46)
76	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.viii, 19.2.h, 19.3.b, 20.2

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 8 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
77	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	IS 7098 (Part 3) + AMD 4 Cl. No. 20.10, 20.2, 20.1, 19.2.1.h, 19.3.1.b, 19.1.m, 20.15.1
78	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	IS 9968 (Part 2) + AMD 2 Cl.22.1 e, 22.1 h, 22.2(h), 22.3 (b)
79	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge	UL 1072 CL. 58, 58.1, 58.2
80	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Strippability on Insulation Screen	AS/NZS 1660 (Part 2, Section 5): + AMD 2
81	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Thermal ageing in air oven for insulation & Outer sheath	IS 5831 + AMD 2
82	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Thermal Ageing on pieces of completed cables.	IS 7098 (Part 3)+ AMD 4 :Cl. No. 20.9, 19.1.k.i, Table 2
83	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	GETCO/E/TS-PCBL025A R3 DTD.NOV. 2016 CL. 1.6.2.2 (B), 1.6.2.2 (H)
84	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IS 1554 (Part 1) + AMD 5 Cl.No. 9, 12, 14, 15.1.c, 15.2.e
85	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Wrapping on ALuminium	AS/NZS 1125 + AMD 1 (Table 3.1)
86	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Wrapping on Aluminium	AS/NZS 1429 (Part 1)Cl. No. 2.1, Table 3.1
87	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Wrapping on Aluminium	AS/NZS 1660 (Part 1)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	9 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
88	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Wrapping on Aluminium	IS 10810 (Part 3)
89	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Wrapping on Aluminium	IS 14255+AMD 1 Cl. No.10.1.a.ii, 10.2.b
90	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Wrapping on Aluminium	IS 1554 (Part 1) + AMD 5 Cl.No. 15.1.a.3, 15.2 c
91	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Wrapping on Aluminium	IS 7098 (Part 1) + AMD 5 Cl.No. 15.2 c, 15.1.a.iii
92	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Wrapping on Aluminium	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.i.c, 19.2 c
93	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Wrapping on Aluminium	IS 8130 + AMD 1 Cl. No. 7.2.2
94	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	4 Hour High Voltage	BS 6622 Cl No 18.16, 20.8
95	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	4 Hour High Voltage	BS 7835 Cl No 19.18, 21.8
96	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	4 Hour High Voltage	BS 7870 (Part 4 Section 4.10) + AMD 1 Cl No 6.5
97	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	4 Hour High Voltage	IEC 60502 (Part 1) cl No 17.3
98	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	4 Hour High Voltage	IS 9968 (Part 2) + AMD 2 Cl No 22.1 (k)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 10 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
99	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	AS/NZS 1429 (Part 1) Cl. No. 3.4, table 3.1, test 9.d
100	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cable construction	BS 6622 Cl. No. 19.2 to 19.12
101	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cable construction	BS 7835 Cl. No. 19.4 to 19.15
102	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cable construction	BS EN : 60811 (Part 503)
103	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cable construction	IEC 60228
104	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cable construction	IEC 60811 (Part 201)
105	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cable construction	IEC 60811 (Part 202)
106	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Circularity of core / Ovality	BS : 7870 (Section 4.10) + AMD 1 Cl. No. 7.4
107	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Circularity of core / Ovality	IS 7098 (Part 3) + AMD 4 Cl.No. 20.16.3
108	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Circularity of core	BS : 7870 (Part 2)Cl. No. 2.1.11.3 , 2.1.3.2
109	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Circularity of core	BS 6622 Cl. No. 18.8

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 11 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
110	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Circularity of core	BS 7835 Cl. No. 19.8
111	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Concentricity of Insulation	BS 6622 Cl. No.18.7.2
112	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Concentricity of Insulation	AS/NZS 1429 (Part 1) Cl. No. 2.3.4)
113	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Concentricity of Insulation	AS/NZS 1660 (Part 2, Section 1) + AMD 1
114	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Concentricity of Insulation	BS 7835 Cl. No.19.7.2
115	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Concentricity of Insulation	IEC 60502 (Part 2) Cl. No. 17.5.2
116	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Concentricity of Insulation	IEC 60840 Cl. No. 10.6.2
117	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Concentricity of Insulation	IEC 62067 Cl. No. 10.6.2
118	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor construction	BS : 6622 Cl No 18.4
119	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor construction	BS : 7835 Cl No 19.4
120	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor construction	BS : 7870 (Section 4.10) + AMD 1 : Cl No. 4.1 & 7.1

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	12 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
121	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor construction	BS : 7846 Cl No 5
122	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor construction	BS 60228
123	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor construction	IEC 60228
124	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor examination	IEC 60502 (Part 2) Cl No 17.4
125	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor examination	IEC 60502 (Part 1) Cl. No 16.4
126	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor examination	IEC 60840 Cl. No. 10.4
127	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor examination	IEC 62067 Cl. No. 10.4
128	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	AS/NZS 1125 + AMD 1
129	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	AS/NZS 1429 (Part 1) (Table 3.1 (1))
130	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	AS/NZS 1660 (Method 3) + AMD 1
131	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	BS : 6622 Cl No. 17.3, 18.4

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 13 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
132	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	BS : 7835:Cl No. 18.3
133	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	BS : 7846 Cl No. 16.2
134	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	BS : 7870 (Section 4.10)+ AMD 1 Cl No. 6.2, 6.3
135	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	GETCO/E/TS-PCBL025A R3 DTD.NOV. 2016 Cl No1.6.2.2 (A)
136	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 14255 + AMD 1 Cl no. 10.3a, 10.2e, 10.1a iii, 10.1biii
137	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 7098 (Part 3) + AMD 4
138	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 7098 (Part 3) + AMD 4
139	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 8130 + AMD 1 Cl No. 7.3
140	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 9968 (Part 2)+ AMD2 Cl No. 21.1 a (4), 22.2d, 22.3 a
141	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	UL 1072: (4th Edition) Cl No. 7
142	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Eccentricity of Insulation	IS 10810 (Part 6)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	14 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
143	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Eccentricity of Insulation	IS 7098 (Part 2) + AMD 1 Cl.No. 12, 19.1.iv, 19.2.e
144	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Eccentricity of Insulation	IS 7098 (Part 3)+ AMD 4 Cl.No.20.16.2
145	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Conductor	BS 7870-2 Cl. No. 3.1.1, 3.3.3
146	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Conductor	IEC 60228
147	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Conductor	IEC 60502 (Part 2) Cl No. 16.2, 17.4
148	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Conductor	IEC 60840 Cl. No. 10.5,10.4
149	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Conductor	IEC 60502-1 Cl. No.15.2
150	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Conductor	IEC 62067 Cl. No. 10.5
151	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Metal Screen	IEC 60840 Cl No. 10.5, 10.4
152	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Metal Screen	IEC 62067 Cl. No. 10.5: 2011
153	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage (Water Immersion) AC	IS 10810 (Part 45)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 15 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
154	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot deformation	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.d.4
155	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot deformation	IS 7098 (Part 1) + AMD 5 Cl No. 15.1.e.v
156	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot deformation	IS 7098 (Part 3) + AMD 4 Cl.No. 8.3, 19.1.g.2.v,19.1.g.3.iii
157	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot deformation	IS 9968 (Part 2) + AMD 2 Cl No 22.1 c 9
158	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot deformation	IS:10810 (Part 15)
159	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot deformation	IS 5831
160	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	IIS 7098 (Part 2) Cl. No. 19.1.vi.e
161	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	IS 10810 (Part 10)
162	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Ovality	IS 7098 (Part 2) + AMD 1 Cl.No. 12.4, 1.4, Annexure A
163	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Power Frequency Voltage	AS/NZS 1429 (Part 1) Cl No 3.8.3
164	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Power Frequency Voltage	AS/NZS 60840 Cl No 12.3.7

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5295
Page No	16 of 335
Validity	19/05/2021 to 18/05/2023
Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
165	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Power Frequency Voltage	IEC 60502(Part 2)CL No 18.2.8
166	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Power Frequency Voltage	IEC 60840 Cl No 12.4.7
167	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Power Frequency Voltage	IS 7098 (Part 3) + AMD 4 Cl No 20.15.1, 19.1.r
168	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	AS/NZS 1429 (Part 1)
169	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	BS 7870 (Part 4 Section 4.10) + AMD 1 Cl. No. 4.4
170	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	IEC 60811 (Part 508)
171	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	IEC 62067 Cl No. 12.5.6
172	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	BS : 7870 (Part 1) (Table B2)
173	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	BS 7655 (Part 6 Section 6.1) (Table 2)
174	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	BS 7835 Cl. No. 13
175	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	BS 7846 Cl. No. 11

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	17 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
176	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	BS EN 60811 (Part 508) + AMD 1
177	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	IEC 60502 (Part 1) Cl No. 18.7
178	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	IEC 60502 (Part 2) Cl No. 19.9
179	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	IEC 60840 Cl No. 12.5.6
180	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	PVC outer sheath test at Low Temperature	AS/NZS 60840 CL. 12.4.7
181	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	PVC outer sheath test at Low Temperature	IEC 60502 (Part 1): Cl. No. 18.8,Table 14, 19, 21
182	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	PVC outer sheath test at Low Temperature	IEC 60502 (Part 2) Cl. No. 19.10
183	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	PVC outer sheath test at Low Temperature	IEC 60811 (Part 506)
184	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	PVC outer sheath test at Low Temperature	IEC 60840 Cl. No. 12.5.7
185	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	PVC outer sheath test at Low Temperature	IEC 62067 Cl No 12.5.7
186	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength elongation of Inner Sheath & OR Separation sheath before & after ageing	BS 7846 Cl. No. 9.1

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	18 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
187	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal Ageing on pieces of completed cables.	IS 5831
188	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Torsion on galvanized steel wires for armouring	IS 10810 (Part 38)
189	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Torsion on galvanized steel wires for armouring	IS 3975
190	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	BS EN 60811 (Part 402)
191	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	IEC 60811 (Part 402)
192	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	BS 6469 (Sec 99.1) Cl. No. 14
193	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	BS 6622 Cl. No.7.0
194	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	BS 7655-1.3 (Table 2)
195	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	BS 7835 Cl. No. 8.0
196	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	BS 7846: Cl. No. 6, 11
197	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	BS 7870 (Part 1) (table B1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 19 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
198	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	IEC 60502-1 Cl. No. 18.13
199	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	IS 14255 + AMD 1 Cl. No.10.1.c.v
200	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	IS 7098 (Part 2)+ AMD 1 (Table1, Cl No. 19.1.iii.f)
201	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	IS 9968 (Part 2) +AMD 2 Cl.22.1 (m)
202	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water content of Insulation (Gravimetric)	BS :7870(Part 2) Cl. No 2.5.10
203	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	4 Hour High Voltage	AS/NZS 1429 (Part 1) Cl No 3.9
204	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	4 Hour High Voltage	BS 7870 (Part 2) Cl No 3.2.5
205	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	4 Hour High Voltage	IEC 60502(Part 2) Cl No 17.9, 18.2.9, 18.3.4
206	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Abrasion Test on Over sheath	BS 7835 Cl. No. 20.17, Annexure M
207	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Abrasion Test on Over sheath	BS 7846 Cl. No. 18.4, 18.5
208	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Abrasion Test on Over sheath	BS 7870 (Part 2) Cl. 2.4.5

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 20 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
209	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Additional ageing on pieces of completed cables	IEC 60502 (Part 2) Cl. No. 19.7
210	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Ageing on pieces of completed cable to check compatibility of Materials	AS/NZS 60840 CL. 12.4.4
211	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Ageing on pieces of completed cable to check compatibility of Materials	BS 60811 (Part 401)
212	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Ageing on pieces of completed cable to check compatibility of Materials	IEC 60811 (Part 501) + AMD 1
213	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Breaking load for main & messenger Conductor	IS 14255 + AMD 1 Cl.No.10.1.a.i, 10.2.a, Table 3
214	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	AS/NZS 60840 CL. 12.4.12
215	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	AS/NZS:1429 (Part 1)
216	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	AS/NZS:3808 + AMD 2
217	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	BS 7870 (Part 1) (table B2)
218	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	BS 7870(Part 4 Section 4.10) + AMD 1 Cl. No. 4.4
219	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	IEC 60502 (Part 2) Cl. No. 19.17

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	21 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
220	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	IEC 60502-1 Cl. No. 18.15
221	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	IEC 60811 (Part 605)
222	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	IEC 60840 Cl. No. 12.5.12, Annexure E
223	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	IEC 62067 Cl. No.12.5.12, Annexure E
224	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	IS 10810 (Part 32)
225	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	BS 60885-3
226	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	BS 6622 Cl. No. 12
227	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	BS 7655 (Part 4.2) (table 2)
228	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	BS 7655 (Part 6.1) (table 2)
229	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	BS 7846 Cl. No. 11
230	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	BS 7870 (Part 1) (table B2)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	22 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
231	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	BS 7870 (Part 2) Cl. No. 2.4.1.8
232	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	BS 7870-4.10 +A1: Cl. No.4.4, 8.1.10
233	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	BS EN 60811 (Part 504)
234	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	IEC 60502-1 Cl. No. 18.8, Table 14, 16,19,21
235	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	IS 1554 (Part 1) + AMD 5 Cl.No. 15.4.a
236	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	IS 5831
237	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	IS 7098 (Part 1)+ AMD 5: Cl. No. 15.4.a
238	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend	IS:10810 (Part 20)
239	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	BS 6622 Cl. No. 12
240	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	BS 7655 (Part 6 Section 6.1) (Table 2)
241	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	BS 7835 Cl. No. 13

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	23 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
242	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	BS 7846 Cl. No. 11
243	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	BS 7870 (Part 1) (table B2)
244	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	BS 7870 (Part 4 Section 4.10) + AMD 1 Cl No. 4.4
245	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	BS EN 60811 (Part 506)
246	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	IEC 60502 (Part 1) Cl. No. 18.8, Table 14, 19, 21
247	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	IEC 60502 (Part 2) Cl. No. 19.10
248	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	IEC 60811 (Part 506)
249	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	IEC 60840 Cl. No. 12.5.7
250	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	IEC 62067 Cl. No. 12.5.7
251	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	IS 5831
252	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	IS 7098 (Part 2) + AMD 1 Cl. No. 19.4

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	24 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
253	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	IS 7098 (Part 3)+ AMD 4 Cl.No. 19.4, 15.4 b
254	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	IS 9968 (Part 2) + AMD 2 Cl. 22.4 (b)
255	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold strippability	BS 7835 Cl. No.19.9.2 & 20.6, Annexure I
256	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold strippability	BS 7870 (Part 4 Section 4.10) + AMD 1 Cl. No. 7.5.2, 8.1.3
257	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Compatibility	AS/NZS 1429 (Part 1) (Table 3.1), Table 3.1(9)k
258	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Compatibility	AS/NZS 1660 (Method 2.2) + AMD 1
259	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Compatibility	BS : 7835 Cl. No 20.14
260	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Compatibility	BS : 7846 Cl. No. 18.2, 18.3
261	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Compatibility	BS : 7870 (Part 2) Cl. 2.4.12.2
262	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Compatibility	BS 7870 (Part 4 Section 4.10) + AMD 1 Cl. No. 8.1.9
263	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Compatibility	IEC 60811 (Part 501) + AMD 1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 25 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
264	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor examination	AS/NZS 60840 Cl. 10..4, 12.4.1
265	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 10810 (Part 5)
266	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 1554 (Part 1) + AMD 5 Cl no. 15.1.a.4, 15.2d, 15.3 a
267	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 7098 (Part 1) + AMD 5 Cl No.15.3 a, 15.2d, 15.1.a iv
268	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	IS 7098 (Part 2) + AMD 1 Cl No.19.1.i.d, 19.2.d, 19.3 a
269	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	BS 60228
270	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Corrosion of Uncoated copper conductors	UL 1072 Cl. 32
271	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Corrosive & acid gas	BS 7835 Cl. No. 13, 20.2
272	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Corrosive & acid gas	BS 7846 Cl. 18.2Cl. No. 6.4, 9.3, 11, 11.4
273	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Corrosive & acid gas	BS EN 60754 (Part 1)
274	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Corrosive & acid gas	BS 7655 (Part 6 Section 6.1) (table 2)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	26 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
275	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Corrosive & acid gas	BS 7870 (Part 4 Section 4.10) + AMD 1 Cl. No. 8.1.8.1 (type B cables)
276	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	DC Voltage on over sheath	BS 6622 Cl No. 17.8
277	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	DC Voltage on over sheath	BS 7835 Cl. No. 18.8
278	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	DC Voltage on over sheath	BS 7870 (Part 4 Section 4.10) + AMD 1 Cl No. 6.8.1, 6.8.2
279	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Diameter	AS/NZS 60840 Cl No. 10.8
280	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Diameter	IEC 60840 Cl no. 10.8
281	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Diameter	IEC 62067 Cl. No. 10.8
282	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dielectric power factor	AS/NZS 1429 (Part 1) Cl. No. 3.5, 3.6, table 3.1, 9.e, 9.f
283	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dielectric power factor	IS 10810 (Part 48)
284	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dielectric power factor	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.x, 20.4
285	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dielectric power factor	IS 7098 (Part 3) + AMD 4 Cl. No. 20.12, 20.13, 19.1.n, 19.1.p

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	27 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
286	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dielectric power factor	IS 9968 (Part 2) + AMD 2 Cl. 22.1 G (1),22.1g (2)
287	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dimensions of armour	AS/NZS 1429 (Part 2) Table 3
288	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dimensions of armour	IS 1554 (Part 1) + AMD 5 Cl. No. 13.3, 15.1.b & Table 5
289	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dimensions of armour	IS 3975
290	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dimensions of armour	IS 7098 (Part 2) + AMD 1 Cl. No. 17.3, 19.1.ii, Table 6
291	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dimensions of armour	AS/NZS 1429 (Part 1) Cl. No. 2.12.5, table 3.1,Test 5 & 8 , Table 3.1(5)a , Table 3.1(8) cl 2.12.5
292	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dimensions of armour	IS 10810 (Part 36)
293	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dimensions of armour	IS 7098 (Part 1) + AMD 5 Cl. No. 13.3, 15.1.b
294	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Conductor	AS/NZS 60840 Cl. No 10.5
295	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Metal Screen	BS 6622 Cl. No. 17.4,18.5
296	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Metal Screen	BS 7835 Cl. No. 18.4

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	28 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
297	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Metal Screen	BS 7870 (Part 2) Cl. No. 3.1.1, 2.1.6.2
298	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Metal Screen	BS 7870 (Part 4 Section 4.10) + AMD 1 Cl. No. 6.3, 8.1.4
299	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Metal Screen	BS EN 60228
300	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Metal Screen	IEC 60228
301	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Metal Screen	IEC 60287-1-1 + AMD 1
302	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical test on over sheath of cable	AS/NZS 60840 Cl No. 9.4
303	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical test on over sheath of cable	IEC 60229
304	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical test on over sheath of cable	IEC 60502 (Part 2) Cl. No. 16.5
305	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical test on over sheath of cable	IEC 60840 Cl. No. 9.4
306	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical test on over sheath of cable	IEC 62067 Cl. No. 9.4
307	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Environmental stress cracking	IS 14255 + AMD 1 Cl. No. 10.1.d.v

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 29 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
308	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Environmental stress cracking	IS:10810 (Part 29)
309	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Exposure of UV Radiation	ASTM G 154.12a
310	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Exposure to UV Radiation	ASTM G 154
311	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Exposure to UV Radiation	ASTM G 155
312	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Exposure to UV Radiation	DIN EN ISO : 4892 (Part 2)
313	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	External diameter	BS 7870 (Part 2) Cl No. 2.1.3.1
314	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	External diameter	BS EN 60811 (Part 203)
315	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	External diameter	IEC 60502 (Part 1) Cl No. 16.8
316	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	External diameter	IEC 60502 (Part 2) Cl. No. 17.8
317	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	External diameter	IEC 60811 (Part 203)
318	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame propagation on bunched / Multiple cables	BS 7835 Cl. No.20.15

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	30 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
319	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame propagation on bunched / Multiple cables	BS 7846 Cl. No.18.5 , 17.40
320	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame propagation on bunched / Multiple cables	BS 7870 (Part4, Section 4.10) + AMD 1 Cl No. 8.1.8.2 (Type B Cables)
321	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame propagation on single cables	BS 6622 Cl. No. 19.14
322	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame propagation on single cables	BS 7870 (Part 4,Section 4.10) + AMD 1 Cl. No. 7.10.1
323	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame propagation on single cables	BS 7846 Cl. No. 17.4
324	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame propagation on single cables	BS 7835 Cl. No. 19.16
325	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame propagation on single cables	IEC 60332 (Part 1, Section 2) + AMD 1
326	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame propagation on single cables	IEC 60840 Cl. No. 12.5.13
327	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame propagation on single cables	IEC 62067 Cl. No. 12.5.13
328	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame retardant / propagation on single cables	BS 60332 (Part 1.2) + AMD 11
329	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame retardant on bunched cables	IS 1554 (Part 1) + AMD 5 Cl No. 16.7, 15.1.1

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	31 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
330	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame retardant on bunched cables	IS 7098 (Part 2) + AMD 1 Cl No. 20.12, 19.2.2
331	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame retardant on bunched cables	IS 10810 (Part 62)
332	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame retardant on bunched cables	IS 7098 (Part 1) + AMD 5 Cl No. 16.11, 15.1.1
333	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame retardant on single cable	IS 1554 (Part 1)+ AMD 5 Cl No. 16.6, 15.1.1
334	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame retardant on single cable	IS 7098 (Part 1) + AMD 5 Cl No. 16.10, 15.1.1
335	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame retardant on single cable	IS 10810 (Part 61) + AMD 1
336	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame retardant on single cable	IS 7098 (Part 2)+ AMD 1 Cl No. 20.11, 19.2.2
337	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame spread on bunched / Multiple cables	BS EN 60332 (Part 3. 24)
338	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame spread on bunched / Multiple cables	IEC 60332 (Part 3, Section 21)
339	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame spread on bunched / Multiple cables	IEC 60332 (Part 3, Section 22)
340	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame spread on bunched / Multiple cables	IEC 60332 (Part 3, Section 23)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 32 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
341	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame spread on bunched / Multiple cables	IEC 60332 (Part 3, Section 24)
342	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame spread on bunched / Multiple cables	IEC 60502 (Part 1) Cl No. 18.14.2
343	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame spread on bunched / Multiple cables	IEC 60332 (Part 3, Section 25)
344	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame Spread test on single cable	IEC 60502 (Part 1) Cl. No. 18.14.1
345	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame Spread test on single cable	IEC 60502 (Part 2) Cl. No.19.16
346	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flammability	IS 7098 (Part 3) + AMD 4 Cl. No. 20.7, 19.1.h
347	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flammability	IS 10810 (Part 53)
348	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flammability	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.h, 16.4
349	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flammability	IS 7098 (Part 1) + AMD 5 Cl. No. 16.3, 15.1.h
350	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flammability Test	AS/NZS 60840 Cl. No 12.4.17
351	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	HCL acid gas emission	IEC 60502 (Part 1) Cl. No. 18.14.4

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	33 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
352	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	HCL acid gas emission	IEC 60754 (Part 1)
353	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	HCL acid gas emission	IS 10810 (Part 59) + AMD 1
354	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	HCL acid gas emission	IS 1554 (Part 1) + AMD 5 Cl. No. 16.9, 15.1.1
355	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	HCL acid gas emission	IS 7098 (Part 1) + AMD 5 Cl. No. 16.13, 15.1.1
356	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	HCL acid gas emission	IS 7098 (Part 2) + AMD 1 Cl. No. 20.13, 19.2.2
357	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	AS/NZS 60840 Cl no. 12.4.8
358	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	BS 6622 Cl No. 12
359	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	BS 7655 (Part 4, Section 4.2) (Table 2)
360	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	BS 7870 (Part 1) (Table B2)
361	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	BS 7870 (Part 4, Section 4.10) + AMD 1 Cl No. 4.4
362	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	BS EN 60811 (Part 509) + AMD 1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 34 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
363	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IEC 60502 (Part 1) Cl No. 18.9
364	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IEC 60502 (Part 2) Cl. No. 19.11
365	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IEC 60811 (Part 508)
366	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IEC 60840 Cl No. 12.5.8
367	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IEC 62067 Cl No. 12.5.8
368	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IS 10810 (Part 14)
369	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IS 1554 (Part 1) + AMD 5 Cl No. 15.1.d.6
370	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IS 5831
371	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IS 7098 (Part 1) + AMD 5 Cl No. 15.1.e.vi
372	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IS 7098 (Part 2)+ AMD 1 Cl No. 19.1.vi.f
373	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IS 7098 (Part 3) + AMD 4 Cl No. 19.1.g.2.iv

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	35 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
374	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	UL 1072 Cl No. 37
375	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heating cycle	AS/NZS 1429 (Part 1) Cl No. 3.7.1, Table 3.1
376	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heating cycle	BS : 7835 Cl No. 21.6
377	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heating cycle	BS 6622 Cl No. 20.6
378	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heating cycle	BS 7870 (Part 2) Cl No. 3.8.1
379	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heating cycle	BS 7870 (Part 4 Section 4.10) + AMD 1 Ci No. 8.2.6
380	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heating cycle	IEC 60502 (Part 2) Cl No. 18.2.7
381	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heating cycle	IS 10810 (Part 49)
382	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heating cycle	IS 7098 (Part 2) + AMD 1 Cl No.19.1.xii, 20.5
383	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heating cycle	IS 9968 (Part 2) + AMD 2 Cl No. 2.1h
384	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heating cycle Voltage	AS/NZS 60840 Cl No 12.3.6

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	36 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
385	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heating Cycle Voltage	IEC 60840 : 2011 Cl No. 12.4.6
386	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heating cycle voltage	IEC 62067 Cl No. 12.4.6
387	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage	AS/NZS 1429 (Part 1) Cl. No. 3.3, Table 3.1(9)I Table 3.1 (9)c
388	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage	GETCO/E/TS-PCBL025A R3 Cl No. 1.6.2.2.j
389	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage	IS 10810 (Part 45)
390	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage	IS 14255 + AMD 1 Cl. No. 10.1g, 10.2k, 10.3b, 11.2, 15.1 g
391	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage	IS 7098 (Part 1) + AMD 5 Cl. No. 16.2, 15.3.b, 15.2.h, 15.1.g
392	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.xiv, 19.2.j, 19.3.c, 20.7
393	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage	IS 7098 (Part 3) + AMD 4 Cl No 20.17, 19.2.1.j, 19.3.1.c
394	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage	IS 9968 (Part 2) : + AMD2 Cl. 22.2 (j),22.3, 23.7
395	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage (Water Immersion) AC	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.f, 16.3

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 37 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
396	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage (Water Immersion) DC	IS 10810 (Part 45)
397	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	High Voltage (Water Immersion) DC	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.f, 16.3
398	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Creep	UL 1072 Cl
399	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot deformation	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1. vi.d, Table 3
400	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	AS/NZS 60840 Cl.19.9, 10.9.1, 10.9.2, 12.4.10
401	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	BS 6622 Cl No 7, 18.6
402	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	BS 7655 (Section 1.3) (Table 2)
403	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	BS 7835 Cl. No. 8, 19.6
404	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	BS 7846 Cl. No. 6
405	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	BS 7870 (Part 1) (Table B1)
406	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	BS 7870 (Part 4, Section 4.10) + AMD 1 Cl. No. 4.2.3, 7.3

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 38 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
407	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	GETCO/E/TS-PCBL025A R3 CL. 1.6.2.2 (C)
408	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	IEC 60502 (Part 1) Cl. No. 16.9 & 18.11
409	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	IEC 60502 (Part 2) Cl. No.17.10, 19.13,Table 14, 17, 22
410	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	IEC 60811 (Part 507)
411	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	IEC 60840 Cl. No. 10.9 & 12.5.10
412	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	IEC 62067 Cl. No. 10.9, 12.5.10
413	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	IS 14255 + AMD 1 Cl. No. 10.1.c.iii, 10.2.h
414	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	IS 7098 (Part 2) + AMD 1 (Table 1, 19.1.iii.d, 19.2.f
415	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	IS 7098 (Part 3) + AMD 4 (Table 2, 19.1.b.IV, 19.2.1.d, Table 1
416	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Impulse Withstand	AS/NZS 1429 (Part 1) Cl. No. 3.8
417	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Impulse Withstand	BS : 6622 Cl No 20.7

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 39 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
418	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Impulse Withstand	BS : 7835 CL. No 21.7
419	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Impulse Withstand	BS 7870 (Part 2) Cl. No. 3.2.4.2
420	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Impulse Withstand	BS 7870 (Part 4 Section 4.10) + AMD 1 Cl. No. 8.2.7
421	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Impulse Withstand	IEC 60502 (Part 1) Cl. No. 17.4
422	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Impulse Withstand	IEC 60502 (Part 2) Cl. No.18.2.8 & 18.3.5
423	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Impulse Withstand	IS 10810 (Part 47) + AMD 1
424	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Impulse Withstand	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.xiii, 20.6
425	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Impulse Withstand	IS 7098 (Part 3) + AMD 4 Cl. No. 20.15,20.15.1, 19.1.r
426	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	BS 7870 (Part 2) Cl. 3.3.1 , 3.3.2, 3.3.4
427	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	IS 14255 + AMD 1 Cl. No. 10.2.j, 10.1.f
428	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.xi, 19.2.k, Table 1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 40 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
429	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	GETCO/E/TS-PCBL025A R3 CL. 1.6.2.2 (L)
430	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	IEC 60502 (Part 1) Cl. No. 17.1 & 17.2
431	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	IEC 60502 (Part 2) Cl. No. 18.3.2 & 18.3.3: 2014
432	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	IS 9968 (Part 2) + AMD 2 Cl. 22.1 d , 22.2 (k)
433	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant	AS/NZS 1660 (Method 3) + AMD 1
434	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant	AS/NZS 3808 + AMD 2
435	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant	AS/NZS:1429 (Part 1) (Table 3.1)
436	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant of Over sheath	BS : 7870 (Part 2) Cl. No. 3.3.1, 3.9.1
437	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant of Over sheath	BS 6469 (Part 99.2) Cl. No. 8
438	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant of Over sheath	BS 6622 Cl. No. 7, 12, 19.3
439	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant of Over sheath	BS 7655 (Part 4, Section 4.2) (table 2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 41 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
440	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant of Over sheath	BS 7655 (Section 1.3) (table 2)
441	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant of Over sheath	BS 7835 Cl. No. 8, 21.10, Annexure O
442	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant of Over sheath	BS 7846 Cl.18.6 Cl. No. 6, 18.7, Annexure F
443	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant of Over sheath	BS 7870 (part 1) (Table B1)
444	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance constant of Over sheath	BS 7870 (Part 4, Section 4.10) + AMD 1 Cl No. 4.2.3
445	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation screen cutting	BS : 7870 (Part4, Section 4.10) + AMD 1 Cl. No. 6.4
446	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation screen cutting	BS 7870 (Part 2) Cl. No. 2.2.11
447	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Lightening Impulse Voltage	AS/NZS 1660 (Method 3) + AMD 1 Cl No 3.12
448	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Lightening Impulse Voltage	AS/NZS 60840 Cl. 8.3, 12.3.7
449	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Lightening Impulse Voltage	IEC 60230
450	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Lightening Impulse Voltage	IEC 60840 Cl. No.10.12 & 12.4.7.2

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 42 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
451	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Lightening Impulse Voltage	IEC 62067 Cl. No. 10.12 & 12.4.
452	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Load cycle	IS 7098 (Part 3) + AMD 4 Cl. No. 20.14, 19.1.q, 20.15.1
453	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Load Cycle Test	IS 7098 (Part 3) : 1993 (RA 2014) + AMD 4 : 2013 Cl No. 20.14, 19.1q, 20.15.1
454	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	AS/NZS 60840 Cl. 12.4.5
455	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	BS 7655 (Part 4, Section 4.2) (table 2)
456	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	IS 7098 (Part 3) + AMD 4 Cl. No. 19.1.g.2.iii
457	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	BS 7870(Part4, Section 4.10) + AMD 1 Cl. No. 4.4
458	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mass of zinc coating	BS 7835 Cl. No. 20.9
459	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mass of zinc coating	BS 7846 Cl. No.12.2b,10.3b, Annexure G
460	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mass of zinc coating	BS EN 10244 (Part 2)
461	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mass of zinc coating	IS 10810 (Part 41)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 43 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
462	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mass of zinc coating	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.b
463	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mass of zinc coating	IS 3975
464	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mass of zinc coating	IS 7098 (Part 1) + AMD 5 Cl. No. 13.6 f, 15.1.b
465	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mass of zinc coating	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.ii
466	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Measurement of armour wires & tapes	BS 6622 Cl No 18.14
467	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Measurement of armour wires & tapes	BS 7835 Cl. No.19.14
468	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Measurement of armour wires & tapes	BS 7846 Cl. No. 10.3a,10.2 a Annexure G
469	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Measurement of armour wires & tapes	BS 7870 (Part 2) Cl. 2.1.4.3
470	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Measurement of Capacitance	AS/NZS 60840 Cl. 10.10
471	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Measurement of Capacitance	IEC 62067 Cl No 10.10
472	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Measurement of Capacitance	IS 7098 (Part 3) + AMD 4 Cl. No. 20.18, 19.2.1.k, 20.13

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 44 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
473	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	AS/NZS 60840 Cl. 12.4.2, 12.4.3
474	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS 7655 (Part 6, Section 6.1) (Table 2)
475	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS 7835 Cl. No. 8, 13, Table 13
476	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	IEC 60811 (Part 401) + AMD 1
477	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	IEC 60840 Cl. No. 12.5.2 & 12.5.3
478	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Melt flow index for PE insulation	IS 14255 + AMD 1 Cl. No. 10.1.d.ii
479	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Moisture content of Water blocking tapes	BS 7870 (Part 4, Section 4.10) + AMD 1 Cl. No. 7.8.3, 8.1.11,Annexure D, D.2
480	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Partial Discharge	IEC 62067 Cl. No. 9.2 & 12.4.4
481	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Partial Discharge	AS/NZS 60840 Cl. 12.3.4, 9.2
482	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Partial Discharge	IEC 60502 (Part 2) Cl. No. 16.3 & 18.2.5
483	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	AS/NZS 3808 + AMD 2

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5295
Page No	45 of 335
Validity	19/05/2021 to 18/05/2023
Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
484	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	AS/NZS 60840 Cl No. 12.4.6
485	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	BS : 6469 (Section 99.1) Cl NO. 10
486	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	BS 6622 Cl. No. 12
487	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure at high temperature	BS 7655 (Part 4 Section 4.2)(Table 2)
488	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	PVC outer sheat test at Low Temperature	AS/NZS 60840 CL. 12.4.7
489	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen	AS/NZS 1429 (Part 1) (Table 3.1,2(a) & 4(a))
490	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen	AS/NZS 1660 (Method 3) + AMD 1 Cl. No. 3.13
491	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen	AS/NZS 60840 CL. 12.3.9
492	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen	BS 6622 Cl. No. 19.2 , 19.6 & 19.4, Table 13, Annexure J
493	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen	BS 7835 Cl. No. 20.3 & 20.5, 20.7 Table 13, Annexure J & K
494	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen	BS 7870 (Part 2) Cl. No. 3.9.1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 46 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
495	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen	BS 7870 (Part4, Section 4.10) + AMD 1 Cl. No. 7.2, 8.1.1, 8.1.3 & 7.5.3
496	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen	IEC 60502 (Part 2) Cl. No. 18.2.10
497	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen	IEC 60840 Cl. No. 12.4.9
498	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen	IEC 62067 Cl. No. 12.4.9 & Annexure D
499	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen	IS 7098 (Part 3) + AMD 4 Cl. No. 20.2, 19.1.c, 19.1.k.iii, 20.2.4
500	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity on semi-conducting lapped inner covering	BS 6622 Cl. No. 19.6, Annexure K
501	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity on semi-conducting lapped inner covering	BS 7835 Cl. No. 20.7, Annexure K
502	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Set of Non-conductive Thermoset Jackets	Ul 1072 Cl. 36
503	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	BS 6622: 2007 Cl. No. 19.12.2
504	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	BS 7835: 2007Cl. No. 20.18, Annexure N
505	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	BS EN : 60811 (Part 503) : 2012

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	47 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
506	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	IEC 60811 (Part 503) : 2012
507	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	AS/NZS 1660 (Method 2.1) + AMD 1
508	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	AS/NZS 60840 Cl.12.4.13
509	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	BS 7846 Cl. No.18.4
510	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	BS 7870 (Part4, Section 4.10) + AMD 1 cl. No 7.3, 8.1.2
511	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	BS EN 60811 (Part 502)
512	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	IEC 60502 (Part 1) Cl. No.18.16
513	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	IEC 60502 (Part 2) Cl. No.19.18
514	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	IEC 60811 (Part 502)
515	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	IEC 60840 Cl. No. 12.5.16
516	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	IS 14255 + AMD 1 Cl No 10.1.c.iv

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	48 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
517	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Smoke Density	ASTM D 2843
518	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Smoke Density	IS 10810 (Part 63)
519	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Smoke emission	BS : 7835 Cl. No. 19.17 & 20.16
520	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Smoke emission	BS : 7846 Cl. No. 17.3, 17.50
521	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Smoke emission	BS 7870 (Part 4, Section 4.10) + AMD 1 Cl. No. 7.10.2, 8.1.8.3(Type B cables)
522	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Smoke emission	BS EN 61034 (Part 2) + AMD 1
523	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Smoke emission	IEC 60502 (Part 1) Cl. No. 18.14.3
524	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Smoke emission	IEC 61034 (Part 2)
525	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Smoke emission	BS EN 61034 (Part 1) + AMD 1
526	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Strippability on Insulation Screen	AS/NZS 1429 (Part 1) Cl. No. 2.4.3,Table 3.1, 4b, 4c
527	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Strippability on Insulation Screen	AS/NZS 1429 (Part 2) cl No. 2.5.3 , 3.1(4)b

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	49 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
528	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Strippability on Insulation Screen	BS : 7870 (Part 2) Cl. No. 2.2.8.1
529	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Strippability on Insulation Screen	IEC 60502 (Part 2) Cl. No. 19.23
530	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Strippability on Insulation Screen	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.v.a, Table 2
531	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Swelling height of semi conducting water blocking tape	BS 7870 (Part 2) Cl. No. 2.5.9
532	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tan delta Measurement	AS/NZS 60840 CL. 12.3.5
533	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tan delta Measurement	BS 6622 Cl. No. 20.4 & 20.5
534	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tan delta Measurement	BS 7870 (Part 2) Cl. No. 3.11.1 & 3.11.3.1
535	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tan delta Measurement	BS 7870 (Part 4 Section 4.10) + AMD 1 Cl No. 8.2.4, 8.2.5
536	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tan delta Measurement	IEC 60502 (Part 2) Cl. No. 18.2.6
537	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tan delta Measurement	IEC 60840 Cl. No. 12.4.5
538	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tan delta Measurement	IEC 62067 Cl. No. 12.4.5)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	50 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
539	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Temperature Index	ASTM D 2863
540	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Temperature Index	IS 10810 (Part 64)
541	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Temperature Index	IS 1554 (Part 1) + AMD 5 Cl. No. 16.10, 15.1.1
542	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Temperature Index	IS 7098 (Part 1) + AMD 5 Cl. No. 16.14, 15.1.1
543	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Temperature Index	IS 7098 (Part 2) + AMD 1 Cl. No. 20.15
544	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile & elongation at break of armour	IS 10810 (Part 37)
545	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile & elongation at break of armour	IS 7098 (Part 3) + AMD 4 Cl. No. 19.1.f.ii
546	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile & elongation at break of armour	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.b
547	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile & elongation at break of armour	IS 3975 Table 6
548	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile & elongation at break of armour	IS 7098 (Part 1) + AMD 5 Cl. No. 13.6 a & b, 15.1.b
549	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile & elongation at break of armour	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.ii

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	51 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
550	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	IS 9968 (Part 2)+AMD 2 Cl. 22.1 a (2),22.2 (b)
551	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	AS/NZS 1125 + AMD 1 (Table 3.1)
552	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	AS/NZS 1429 (Part 1) Cl. No. 2.1, table 3.1
553	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	BS 6622 Cl No 19.11
554	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	BS 7835 Cl. No. 20.12
555	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	BS EN ISO 6892 (Part 1)
556	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	IS 10810 (Part 2)
557	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	IS 10810 (Part 2)
558	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	IS 1554 (Part 1)+ AMD 5 Cl. No. 15.1.a.2, 15.2 b
559	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	IS 7098 (Part 1) + AMD 5 Cl. No. 15.2 b, 15.1.a.ii
560	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	IS 7098 (Part 2) + AMD 1 Cl. No.19.1.i.b, 19.2

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 52 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
561	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	IS 8130 + AMD 1 Cl. No.7.2.1
562	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of PE outer sheath before & after ageing	IS 10810 (Part 7)
563	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of PE outer sheath before & after ageing	IS 14255 + AMD 1 Cl. No. 10.1.d.i
564	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of PE outer sheath before & after ageing	IS 5831
565	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of PE outer sheath before & after ageing	IS 7098 (Part 3) + AMD 4 Cl. No. 8.3, 19.1.g.3.ii
566	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile Strength and Elongation before and after Exposure (UV Radiation)	IS 10810 (Part 7)
567	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength elongation of Inner Sheath & OR Separation sheath before & after ageing	AS/NZS 3808 + AMD 2
568	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength elongation of Inner Sheath & OR Separation sheath before & after ageing	BS 6622 Cl. No. 19.13, Table 13
569	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength elongation of Inner Sheath & OR Separation sheath before & after ageing	BS EN 60811 (Part 501) + AMD 1
570	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength elongation of Inner Sheath & OR Separation sheath before & after ageing	AS/NZS 1429 (Part 1) Cl. No. 9.k, table 3.1
571	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength elongation of Inner Sheath & OR Separation sheath before & after ageing	BS : 7835 Cl. No. 20.14, table 13

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 53 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
572	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength elongation of Inner Sheath / Separation sheath before & after ageing test	AS/NZS 1660 (Method 2.2) + AMD 1
573	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test on Concentric metallic screen (Copper wire/tape)	BS 7870 (Part 4, Section 4.10) + AMD 1 Cl. No. 8.1.4
574	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test on Concentric metallic screen (Copper wire/tape)	BS 7835 Cl No 19.10
575	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation outer sheath	IS 7098 (Part 2): 2011 (RA 2016) (Table 1 & 3, 19.1.iii.b, 19.1.vi.b),20.9
576	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	AS/NZS 1429 (Part 1) (table 3.1)
577	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	BS 6622 Cl. No. 7, 12
578	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	BS 7655 (Part 4, Section 4.2) (table 2)
579	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	BS 7655 (Part 6, Section 6.1) (table 2)
580	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	BS 7835 Cl. No. 8, 13
581	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	BS 7846 Cl. No. 6
582	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	BS 7870 (Part 1) (table B1, B2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 54 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
583	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	BS 7870 (Part 4, Section 4.10) + AMD 1 Cl. No. 4.2.3, 4.4
584	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	BS EN 60811 (Part 401) + AMD 1
585	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	BS EN 7655 (Section 1.3) (Table 2)
586	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	IS 10810 (Part 11)
587	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	IS 14255 + AMD 1 Cl. No. 10.1.c.ii
588	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.d.2
589	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	IS 7098 (Part 1) + AMD 5 (Table 1, 15.1.d.ii, 15.1.e.ii)
590	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	IS 7098 (Part 2) + AMD 1 (Table 1 & 3, 19.1.iii.b, 19.1.vi.b),20.9
591	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal ageing in air oven for Insulation & outer sheath	IS 7098 (Part 3) + AMD 4 (Table 2, 19.1.b.III, 19.1.g.2.ii)
592	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal Ageing on pieces of completed cables.	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.vii
593	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal stability of PVC	IEC 60502 (Part 2) cl no 19.19

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 55 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
594	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal stability of PVC	IEC 60811 (Part 405) / BS EN 60811 (Part 405)
595	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal stability of PVC	IS 10810 (Part 60)
596	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal stability of PVC	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.d.7
597	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal stability of PVC	IS 7098 (Part 1) + AMD 5 Cl. No.15.1.e.vii
598	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal stability of PVC	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.vi.g
599	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal stability of PVC	IS 7098 (Part 3)+ AMD 4 Cl. No. 19.1.g.2.vii
600	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal stability of PVC	IS 9968 (Part 2) + AMD 2 Cl. 22.1 c(12)
601	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal stability of PVC	IS 5831
602	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath)	BS EN 60811 (Part 201) + AMD 1
603	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	AS/NZ 60840 Cl No.10.6, 10.6.1, 10.6.2, 10.6.3
604	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	AS/NZS 1429 (Part 1) Cl. No. 2.3.3, 2.10.2, 2.13.4, 2.3.4 Table 3.1 (3)a Table 3.1(6)a(ii) Table 3.1(6)a(ii)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 56 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
605	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	AS/NZS 1429 (Part 2) 2.4.3 , 2.10.4
606	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	AS/NZS 1660 (Method 2.1) + AMD 1 Cl. No. 2.1.1, 2.1.2
607	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	BS 6622 Cl. No. 18.7.1, 18.12 & 18.15, Annexure H
608	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	BS 7835 Cl. No. 19.13, 19.7.1, 19.12 & 19.15, Annexure H, 20.13
609	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	BS 7846 Cl. No. 6.2,6.3, 9.2, 11.2,11.3 Annexure D
610	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	BS 7870 (Part 2) Cl. No. 2.1.1 & 2.1.2
611	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	BS EN 60811 (Part 202) + AMD 1
612	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IEC 60502 (Part 1) Cl. No. 16.5, 18.1 & 18.2
613	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IEC 60502 (Part 2) Cl. No. 17.5, 19.2 & 19.3
614	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IEC 60811 (Part 201)
615	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IEC 60811 (Part 202)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 57 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
616	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IEC 60840 Cl. No. 10.6
617	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IEC 62067 Cl. No. 10.6
618	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IS 10810 (Part 6)
619	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IS 14255 + AMD 1 Cl. No.10.2.f, 10.1.e
620	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IS 7098 (Part 1) + AMD 5 Cl. No. 9, 12, 14, 15.1.c, 15.2.e
621	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	IS 7098 (Part 3)+ AMD 4 Cl. No. 19.1.b.I, 19.1.g.1, 19.2.1.c, 19.2.1.g, 20.16, 18.3 & 16.2, Table 5,19,16, Table 9
622	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of insulation semi-conducting & conductor semi-conducting screen.	AS/NZS 1429 (Part 1) Cl. No. 2.2.2, 2.4.2, Table 3.1, 3.1(4)d
623	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of insulation semi-conducting & conductor semi-conducting screen	AS/NZS 1429 (Part 2) 2.3.2, Table 3.1(1)a , Table 3.1(1)b, 2.5.2, Table 3.1(3)a , Table 3.1(3)b
624	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of insulation semi-conducting & conductor semi-conducting screen	AS/NZS 1660 (METHOD 2.1) + AMD 1
625	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of insulation semi-conducting & conductor semi-conducting screen	BS 7835 Cl. No. 9.2, 19.5, 19.9
626	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of insulation semi-conducting & conductor semi-conducting screen	BS 7870 (Part 4, Section 4.10) + AMD 1 Cl. No. 4.2.2, 4.2.4, 7.2, 7.5.1, 7.6

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 58 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
627	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of insulation semi-conducting & conductor semi-conducting screen.	BS 7870 (Part 2) Cl. No. 2.1.11.3 , 2.1.10.5
628	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	AS / NZS 1429 (Part 1) Table 3.1(7) cl 2.9.2.4
629	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	AS / NZS 1429 (Part 2) CL No 2.7, 2.7.3, 2.7.4, 2.7.5, 2.7.6, 2.7.7, 2.7.8
630	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	AS/NZS 1429 (Part 1) Cl. No. 2.9.2.4
631	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	AS/NZS 1660 (Part 1) Cl. No. 5.1
632	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	AS/NZS 60840 CL10.7, 10.7.1, 10.7.2.
633	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	BS 7870 (2) Cl. 2.1.5
634	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	GETCO/E/TS-PCBL025A R3 CL. 1.6.2.2 (E)
635	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	IEC 60502 (Part 1) Cl. No. 16.6
636	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	IEC 60502 (Part 2) Cl. No. 17.6 & 19.4
637	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	IEC 60840 Cl. No. 10.7

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	59 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
638	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	IEC 62067 Cl. No. 10.7
639	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	IS 10810 (Part 34)
640	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Metallic (Aluminium corrugation/ lead) sheath	IS 7098 (Part 3) + AMD 4 Cl. No. 20.5, 19.1.e, 19.2.1.f
641	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Torsion on Galvanized steel wires for armouring.	IS 10810 (Part 38)
642	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Torsion on Galvanized steel wires for armouring.	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.b
643	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Torsion on Galvanized steel wires for armouring.	IS 3975
644	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Torsion on Galvanized steel wires for armouring.	IS 7098 (Part 1) + AMD 5 Cl. No. 13.6 c, 15.1.b
645	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Torsion on Galvanized steel wires for armouring.	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.ii
646	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Uniformity of Zinc coating	BS 7870 (Part 2) Cl. 2.5.1.1
647	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Uniformity of Zinc coating	IS 10810 (Part 40) + AMD 1
648	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Uniformity of Zinc coating	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.b

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5295
Page No	60 of 335
Validity	19/05/2021 to 18/05/2023
Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
649	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Uniformity of Zinc coating	IS 3975
650	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Uniformity of Zinc coating	IS 7098 (Part 1)+ AMD 5 Cl. No. 13.6 e, 15.1.b
651	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Uniformity of Zinc coating	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.ii
652	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	UV Radiation Test	DIN 53387:1989-04
653	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Vicat Softening for PE Insulation	IS 14255 + AMD 1 Cl. No. 10.1.d.i
654	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Vicat Softening for PE Insulation	IS:10810 (Part 22)
655	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voltage	AS/NZS 60840 Cl No 9.3
656	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voltage	BS : 6622 Cl NO 17.6
657	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voltage	BS : 7835 Cl No 18.6
658	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voltage	BS 7846 Cl. No.16.3
659	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voltage	BS 7870 (Part 2) Cl No. 3.2.1

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5295
Page No	61 of 335
Validity	19/05/2021 to 18/05/2023
Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
660	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voltage	BS 7870 (Part 4 Section 4.10) + AMD 1 cl no 6.5
661	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voltage	IEC 60502 (Part 1) Cl No 15.3
662	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voltage	IEC 60502 (Part 2) Cl No 16.4
663	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voltage	IEC 60840 Cl No 9.3
664	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voltage	IEC 62067 Cl No 9.3
665	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	BS 7655 (Part 6, Section 6.1) (table 2)
666	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	BS 7870 (Part4, Section 4.10) + AMD 1 Cl. No. 4.2.3, 7.3
667	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	IEC 60502 (Part 2) Cl. No. 19.15
668	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	IS 10810 (Part 33) + AMD 2
669	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Absorption on Insulation (Gravimetric)	IS 7098 (Part 1) + AMD 5 (Table 1, 15.1.d.v)
670	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Penetration	AS/NZS 1429 (Part 1) Cl. No. table 3.1,9j Appendix C

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 62 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
671	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Penetration	AS/NZS 60840 Cl.12.4.18, Annexure F
672	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Penetration	BS 7870 (Part 2) Cl. No. 2.4.9
673	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Penetration	BS 7870 (Part4, Section 4.10) + AMD 1 Cl. No. 8.1.5
674	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Penetration	IEC 60502 (Part 2) Cl. No. 19.24, Annexure F
675	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Penetration	IEC 60840 Cl. No. 10.13 & 12.5.14, Annexure E
676	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water Penetration	IEC 62067 Cl. No. 10.13, 12.5.14, Annexure E
677	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Water tightness	IS 7098 (Part 3) + AMD 4 Cl. No. 20.8, 19.1.j, 20.8.3
678	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Winding on Galvanized strip for armouring	IS 10810 (Part 39)
679	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Winding on Galvanized strip for armouring	IS 1554 (Part 1) + AMD 5 Cl No. 15.1.b
680	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Winding on Galvanized strip for armouring	IS 3975
681	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Winding on Galvanized strip for armouring	IS 7098 (Part 1) + AMD 5 Cl. No.13.6 d, 15.1.b

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	63 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
682	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Winding on Galvanized strip for armouring	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.ii
683	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wrapping on Armour	BS 6622 Cl. No. 19.9
684	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wrapping on Armour	BS 7835 Cl. No. 20.10
685	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wrapping on Armour	BS 7846 Cl. 10.2 c, 10.3c, Annexure G
686	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wrapping on Armour	BS 7870 (Part 2) Cl. 2.3.2
687	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wrapping on Armour	IS 10810 (Part 3)
688	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wrapping on Armour	IS 3975 Cl. No. 8.3
689	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wrapping on Armour	IS 7098 (Part 2) + AMD 1
690	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wrapping on Armour	IS 7098 (Part 3) + AMD 4 Cl. No. 19.1.f.iii
691	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E	Shrinkage test for Polyethylene sheath	BS 7912 CL 13.12 , 2012 A1
692	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	A.C Voltage Test	CSA C68.10 CL. NO. 6.4.3,13.11, 13.11.1, 13.11.2

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 64 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
693	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Cable construction	BS 7912 CL 10.1.12, 13.1 , 2012 A1
694	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Cold Impact Test on Finish cable	CSA C68.10 Cl.14.5.1
695	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Cold strippability	BS 6622 Cl. No.18.9.2 & 19.5, table 13, Annexure I
696	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Partial Discharge (Corona) Level of Each Circuit Conductor Having Insulation Shielding	UL 1072 CL. 55
697	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Reduced Extruded Shield thickness	CSA C68.10 CL. NO. 5.3, 7.4, 13.4.12
698	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Strip thickness of armour	CSA C68.10 CL. NO. 9.2.5.3.4, Table 34
699	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Volume Resistivity	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 9.14
700	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E"	Volume Resistivity	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 9.14
701	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	A-C Dielectric Withstand Test of Each Conductor Having Insulation Shielding	UL 1072 CL. 56
702	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	A-C Dielectric Withstand Test of Each Nonshielded Conductor	UL 1072 CL. 57
703	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	AC Voltage Test	CSA C68.10 CL. NO. 13.11, 13.11.1, 13.11.2,

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 65 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
704	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Accelerated water absorption Test - Electrical Method	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 4.3.2.4, 10.1
705	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Accelerated water absorption Test - Electrical Method	CSA C68.10 CL. NO. 14.2.1
706	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Acid Gas Equivalent Test	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 10.11
707	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Acid gas Evolution test of jacket material	CSA C68.10 CL. NO. 14.6.5.1
708	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Adhesion (Insulation Shield removablity) Test	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 9.9
709	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Adhesion (Insulation Shield removablity) Test	CSA C68.10 CL. NO. 13.8
710	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Ageing Test on pieces of complete cable to check compatibility of materials	BS 7912 CL 13.2 , 2012 A1
711	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Air oven Test	CSA C68.10 CL. NO. 13.4.9.2, cl. 4.2.8.2
712	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Amber, agglomerates,gels, contaminants and voids	CSA C68.10 CL. NO. 6.5.1,13.4.12, 13.4.13,
713	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Amber, agglomerete, gel, contaminant, protrusion, convolution, void, and insulaiton shield indentation test	CSA C68.10 CL. NO. 13.4.12., 13.4.12.1,13.4.12.2, 13.4.12.3, 13.4.12.4

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	66 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
714	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending test	BS 7912 CL 12.2 b), 12.5 , 2012 A1
715	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending Test at Low Temprature	BS 7655 4.2 Table 2
716	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cable Examination	BS 7912 CL 12.12, 12.2 j) , 16.7, 2012 A1
717	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Check on Insulation thickness of cable for electrical type test	BS 7912 CL 12.2 a), 12.4 , 2012 A1
718	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend (PVC and CPE only)	ICEA S-94-694 CL. 9.7.3, Table 9-3, Table 7-6, Table 7-7, Tablee 9-4
719	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend Test	ICEA S-94-694 CL. 9.6
720	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold bend Test	IEC 60502-1 Table 16, Table 19, Table 21
721	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold bend Test	IEC 60502-1 Table 18, Table 21
722	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold bend Test	IEC 60811-504
723	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend Test	IS 5831 Table1
724	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend Test of Completer cable	UL 1072 CL. 38

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	67 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
725	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Bend Test on Finish cable	CSA C68.10 Cl.14.5.2
726	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Elongation Test	IEC 60840 Cl. 4.2, 4.4, Table 5, Table 9
727	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Elongation Test	IEC 62067 Cl. 4.2, 4.4, Table 5, Table 9
728	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Elongation Test on Dumb-bells	IEC 60502-1 Table 16, Table 19, Table 21
729	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Elongation Test on Dumb-bells	IEC 60502-2 Table 18, Table 21
730	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Elongation Test on Dumb-bells	IEC 60811-505
731	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact Test	IEC 60811-506
732	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact Test	UL 1072 CL. 39
733	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Diameter	CSA C68.10 CL. NO. 4.6
734	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 2.4, ,9.16
735	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Corrosion Penetration test for aluminium sheathed cables	BS 7912 CL 15.4 , 2012 A1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 68 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
736	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	D.C Conductor Resistance Test	BS 7912 CL 4.5, 18.4 , 2012 A1
737	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Deformation Test of EPCV or XLPE Insulation	UL 1072 Cl. 34,35
738	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Determination of DC Resistance	CSA C68.10 CL. NO. 13.3.1
739	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Determination of Diameter	CSA C68.10 CL. NO. 13.3.2, 9.2.3.3, table 30
740	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Diameter Measurement of Insulation and Insulaiton shiled	AEIC CS8 CL.10.4
741	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dielectric constant and dissipation Factor	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 10.8,10.14
742	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dielectric constant and dissipation Factor	CSA C68.10 CL. NO. 6.4.4, Table 11, 14.6.1.3
743	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Discharge (Corona) resistance (for discharge-resistance designs only)	CSA C68.10 CL. NO. 6.4.2, 14.2.4
744	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Test on Oversheath of the cable	BS 7912 Cl. 9.4, 9.1 2012 A1
745	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Elongation Test	CSA C68.10 CL. NO. 13.4.8.4
746	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Elongation test at Low Temprature	BS 7655-4.2 Table 2

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 69 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
747	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Elongation test at Low Temprature	BS 7655-6.1 Table 2
748	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Elongation test at Low Temprature	BS 7846 CL.11
749	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Environment Stress Cracking Test	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 10.12
750	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Extruded Conductor Shield Thickness	ICEA CS8 Cl. 3, 3.1
751	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Extruded semiconducting covering radial resistivity test	CSA C68.10 CL. NO. 13.7.6, 13.7.6.1, 13.7.6.2, 13.7.6.3, 13.7.6.4
752	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame Test on finished cable	CSA C68.10 CL. NO. 9.1.7, 14.6.4
753	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flexiblity	CSA C68.10 CL. NO. 9.2.4.4.4
754	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Galvanzing (Zinc Coating) Tests	CSA C68.10 CL. NO. 9.2.5.4.3
755	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat shock Test	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 9.5
756	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat shock test for PVC oversheaths (ST1 & ST2)	BS 7912 CL 13.7 , 2012 A1
757	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Heat Shock Test of Non-conductive PVC and TPE Jackets	UL 1072 Cl. 37

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 70 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
758	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Helogen content of nonmetallic coponents	CSA C68.10 CL. NO. 14.6.5..2
759	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Creep Test	AEIC CS8 Cl. 10.3
760	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Creep Test	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 9.10
761	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Creep Test	CSA C68.10 CL. NO. 13.4.10
762	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set test for XLPE Insulation	BS 7912 10.1.5, 10.1.1, 13.9 , 2012 A1
763	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Impulse Test (BIL Value)	ICEA CS8 Table D-4
764	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance Test	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 10.2
765	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Shield thickness	ICEA CS8 Cl. 5, 5.1, Table D-5 & D-6, Appendix D
766	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation shiled Field Strippablity Test	AEIC CS8 CL10.1, 10.1.1 , 5.3
767	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Thickness.	ICEA CS8 Cl. 4, 4.2, Table D-3, D-3 (Metric), Table D-10, Appendix D
768	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Internal irregularity test procedure for TRXLPE insulation	CSA C68.10 CL. NO. 13.4.13, 13.4.13.1, 13.4.13.2, 13.4.13.3

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 71 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
769	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Jacket Thickness	CSA C68.10 CL. NO. 9.1.9, Annex F, Table 26 &I table 27
770	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Lightning Impulse Voltage withstand test	BS 7912 CL 12.2 g), 12.10,16.5 , 2012 A1
771	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Load cycle voltage test, followed by partial discharge tests which shall be carried out after the final cycle or, alternatively, after the impulse voltage test	BS 7912 CL 12.2 f), 12.9 ,16.4, Table -102012 A1
772	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Logitudinal water Penetration Test - Optional sealant for stranded conductors	CSA C68.10 CL. NO. 13.14.2
773	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Logitudinal Water Penetration Test - Optional Water Blocking Components for metallic shield	CSA C68.10 CL. NO. 13.14.3
774	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Logitudinal water penetration type test on complete cable	BS 7912 CL 14 , 2012 A1
775	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass test on PVC Oversheatths of type ST2	BS 7912 CL 13.6 , 2012 A1
776	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Measurement Capacitance	BS 7912 CL 10.1.11, 10.1.1 , 2012 A1
777	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Measurment of Carbon Black Content of black PE Oversheath(ST3 & ST2)	BS 7912 CL 13.10 , 2012 A1

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	72 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
778	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Measurment of Thickness insulation, semiconducting screen and insulation screen	CSA C68.10 CL. NO. 13.4.2, 5.2.1,5.2.2, Table 6, 5.5,13.4.14,14.3.3 ,6.2,6.2.1,13.4.2,12.1g),12.2g), Table 9,6.2.2, table8,7.2, table 14, cl. 13.4.2, tabale 15, 13.4.2, 13.4.2.1, 13.4.2.2, 13.4.2.3
779	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Method for determining dielectric constant and dielectric strenght of extruded nonconducting polymeric stress control layers	CSA C68.10 CL. NO. 13.13
780	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Partial Discharge Extinction level (for discharge-free designs only	CSA C68.10 CL. NO. 6.4.1, 13.12 & table -8
781	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Partial Discharge Test	AEIC CS8 Cl. 10.2
782	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Partial Discharge Test	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 4.3.2.1, 9.8.2
783	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Partial Discharge Test	BS 7912 CL. 9.2, 9.1, 12.2 c), 12.6, 12.2g), 12.2 f), 12.9, 16.3 2012 A1
784	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Physical and ageing properties and thickness tests	CSA C68.10 CL. NO. 13.4.15, 13.4.16
785	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Power Frequency Voltage Test	BS 7912 CL.12.2 h), 12.11, Table-7 2012 A1
786	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Pressure test at high temperature on oversheaths	BS 7912 CL 13.4 , 2012 A1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 73 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
787	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Protrusions	CSA C68.10 CL. NO. 7.3, 13.4.12
788	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistance test for semi-conducting tapes	BS 7912 CL 10.1.8, 10.1.1 , 2012 A1
789	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity and conductivity of Copper wires and Rods	ASTM B 193
790	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity and conductivity of Copper wires and Rods	ASTM B49
791	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semiconducting screens	CSA C68.10 CL. NO. 7.7,13.7.2.2
792	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage Test for XLPE Insulation	BS 7912 CL. 10.1.6, 10.1.1, 13.11 , 2012 A1
793	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkback (XLPE & TRXLPE)	CSA C68.10 CL. NO. 6.6 , Table 12 & 13
794	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkback Test	CSA C68.10 CL. NO. 13.9, 13.9.1, 13.9.2, 13.9.2.1, 13.9.2.3, 13.9.3, Table 12, Table 13
795	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Size of steel wires for armour	CSA C68.10 CL. NO. 9.2.3.2, Table 29
796	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Sunlight Resistance(UV test)	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 10.7
797	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Sunlight Resistance(UV test)	UL 1072 CL. 64

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	74 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
798	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tan delta measurement as a function of voltage & function of Temperature	BS 7912 CL 12.2 d), 12.7 , 12.2 e), 12.8 , 2012 A1
799	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile Strenght Test	CSA C68.10 CL. NO. 13.4.8.3
800	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile Strength of Copper Armour Wire	CSA C68.10 CL. NO. 9.2.5.5., 10.3.4
801	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test for aged samples	CSA C68.10 CL. NO. 13.4.9.1
802	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test for determination the mechanical properties of insulation and oversheathing before and after ageing	BS 7912 CL 13.3 , 2012 A1
803	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test for suitablity for exposure to sunlight	CSA C68.10 CL. NO. 9.1.6, 14.4.314.4.3
804	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test for Unaged samples	CSA C68.10 CL. NO. 13.4.8
805	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test methods for partial discharge measurements	BS EN 60885-3
806	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test methods for partial discharge measurements	IEC 60885-3
807	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test on PVC oversheatth(ST1 & ST2) at Low Temperature	BS 7912 CL 13.5 , 2012 A1
808	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test under fire condition	BS 7912 CL 13.13 , 2012 A1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 75 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
809	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tests on components of cables with a longitudinally applied material tape or foil, bonded to the oversheath	AS / NZS 60840 Cl. 12.4.19
810	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tests on components of cables with a longitudinally applied material tape or foil, bonded to the oversheath	IEC 60840 Cl. 12.5.15 b, Annex F.F.2
811	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tests on components of cables with a longitudinally applied material tape or foil, bonded to the oversheath	IEC 62067 Cl. 12.5.15 a) Annex F.F.1
812	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermal enduranace test (cable service life test)	IEC 60216 (Part 1)
813	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thermoplastic Jackets thickness	CSA C68.10 CL. NO. 9.2.6.2 d), Table 38
814	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Thickness of Corrugated Sheath & lead sheath thickness	CSA C68.10 CL. NO. 9.2.4.4.3, Table 32 , Table 33, 13.5.3
815	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Visual examination of semi-conducting screens	BS 7912 CL 13.8 , 2012 A1
816	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voids	CSA C68.10 CL. NO. 5.4, 13.4.12
817	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voltage Test	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 9.8.1, 4.3.2.3
818	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Voltage Test	BS 7912 CL 9.3, 9.1 , 12.2 f), 12.9, 16.6, 18.1 ,Table-11, 2012 A1
819	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Volume Resistivity	CSA C68.10 CL. NO. 13.7, 13.7.1, 13.7.2, 13.7.2.1,13.7.2.213.7.3, 13.7.4, 13.7.5

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 76 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
820	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Volume Resistivity of semi-conducting screens	BS 7912 CL.. 10.1.4, 10.1.1 , 2012 A1
821	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Volume Resistivity on Extruded semiconducting material	CSA C68.10 CL. NO. 5.6.1, 13.7.2.1
822	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wafer Boil Test for Conductor and insulation shields	ANSI //NEMA WC 74/ ICEA S-93-693 CL. 9.12
823	ELECTRICAL- CABLES & WIRES	(1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Wafer Boil Test for Conductor and insulation shields	CSA C68.10 CL. NO. 13.4.11
824	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Abrasion Test on Over sheath	BS 7870 (Part4, Section 4.10) + AMD 1 Cl.8.1.7 (type B cables)
825	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Additional ageing on pieces of completed cables	IEC 60502 (Part 2) Cl. No. 19.7
826	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Additional ageing on pieces of completed cables	IEC 60502 (Part 2) Cl. No. 19.7
827	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Additional ageing on pieces of completed cables	IEC 60811 (Part 401) + AMD 1
828	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Ageing on pieces of completed cable to check compatibility of Materials	AS/NZS 60840 Cl. 12.4.4
829	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Ageing on pieces of completed cable to check compatibility of Materials	IEC 60811 (Part 501) + AMD 1
830	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Ageing on pieces of completed cable to check compatibility of Materials	IEC 60840 Cl. 12.5.4

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 77 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
831	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Ageing on pieces of completed cable to check compatibility of Materials	IEC 62067 Cl. 12.5.4
832	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Ageing on pieces of completed cable to check compatibility of materials.	IEC 60811 (Part 401) + AMD 1
833	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Annealing on Copper	IS 10810 (Part 1)
834	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Annealing on Copper	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.a.1, 15.2a
835	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Annealing on Copper	IS 7098 (Part 1) + AMD 5 Cl. No. 15.1.a.i, 15.2 a
836	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Annealing on Copper	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.i.a, 19.2a
837	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Annealing on Copper	IS 7098 (Part 3) + AMD 4 Cl. No. 19.1.a.I, 19.2.1.b, 19.2 a
838	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Annealing on Copper	IS 8130 + AMD 1 Cl. No. 7.1.2
839	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Annealing on Copper	IS 9968 (Part 2) + AMD2 Cl. 22.1 a (1), 22.2 (a)
840	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Annealing on Copper Test	IS 9968 (Part 1) Cl. 21.2 a, 21.1
841	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	AS/NZS 1429 (Part 2) Table 3.1(5)b(i)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	78 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
842	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	AS/NZS 60840 Cl.12.3.3
843	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	IS 7098 (Part 3) + AMD 4 Cl. No. 20.11, 19.1.m, 20.11.1
844	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	BS : 6622 Cl. No. 20.3
845	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	BS : 7835 Cl. No. 21.3, 21.30
846	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	BS : 7870 (Section 4.10) + AMD 1
847	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	BS 7870 (Part 2) Cl. No. 2.4.1.1 , 2.4.1.7
848	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	IEC 60502 (Part 2) Cl. No. 18.2.4
849	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	IEC 62067 Cl. No. 12.4.3
850	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	IS 10810 (Part 50)
851	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	IS 14255 + AMD 1 Cl. No. 10.4, 11.4
852	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.viii, 20.3

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	79 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
853	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Bending	IS 9968 (Part 2) + AMD 2 Cl. 22.1 f
854	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cable construction	BS EN 60811 (Part 501) + AMD 1
855	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cable construction	IEC 60840 Cl. No. 12.5.1
856	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cable construction	IEC 62067 Cl. No. 12.5.1
857	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	IS 14255 + AMD 1 Cl. No. 10.1.d.iii
858	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	IS 7098 (Part 2) + AMD 1 Cl. No. Table 3, 19.1.vi.h
859	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Carbon black content for PE (Polyethylene).	IS 7098 (Part 3) + AMD 4 Cl. No. 8.3, 19.1.g.3.i
860	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Cold Impact	IS 7098 (Part 1) + AMD 5 Cl. No. 15.4.b
861	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Compatibility test	BS E/N : 60811 (Part 401) + AMD 1
862	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Compatibility test	BS EN : 60811 (Part 501) + AMD 1
863	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Compatibility test	IEC 60811 (Part 401) + AMD 1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 80 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
864	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	UL 1581 Section 220
865	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductor Resistance	UL 2256 Cl No. 3.4
866	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Electrical Resistance of Metal Screen	AS/NZS 60840 CL.10.5
867	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame propagation on single cables	BS EN : 60332 (Part 1.2)+ AMD 11
868	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Flame spread on bunched / Multiple cables	BS EN : 60332 (Part 3. 23)
869	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot deformation / Pressure at high temperature	IEC 60811 (Part 508)
870	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	IS 10810 (Part 43)
871	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	IS 5831
872	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	IS 7098 (Part 1) + AMD 5 (Table 1) Cl. No. 15.1.f, 15.2.i
873	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Power Frequency Voltage	IEC 62067 Cl No 12.4.7.2
874	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistance for Messenger conductor	IS 10810 (Part 5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 81 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
875	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistance for Messenger conductor	IS 14255 + AMD 1 Cl no. 10.3a, 10.2e, 10.1a iii, 10.1biii
876	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistance for Messenger conductor	IS 8130 + AMD 1 Cl No. 7.3
877	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of Amour wires/strips and Armour Resistance	BS : 7846 Cl. No.10.5,10.4 Annexure G4
878	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of Amour wires/strips and Armour Resistance	IS 10810 (Part 42) + AMD 1
879	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of Amour wires/strips and Armour Resistance	IS 1554 (Part 1) + AMD 5 Cl. No. 13.5, 15.1.b, 15.3.c, 15.4.c,Table 6
880	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of Amour wires/strips and Armour Resistance	IS 3975
881	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of Amour wires/strips and Armour Resistance	IS 7098 (Part 1) + AMD 5 Cl. No. 13.6 g, 15.1.b, 15.3.c
882	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of Amour wires/strips and Armour Resistance	IS 7098 (Part 2) + AMD 1 Cl. No. 19.1.ii, 19.3 d
883	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of Amour wires/strips and Armour Resistance	IS 7098 (Part 3) + AMD 4 Cl. No. 19.1.f.iv
884	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi conducting water blocking tape	BS 7870 (Part 2) Cl. No. 3.14
885	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi conducting water blocking tape	BS 7870 (Part 4, Section 4.10) + AMD 1 Cl. No. 7.8.1

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5295
Page No	82 of 335
Validity	19/05/2021 to 18/05/2023
Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
886	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen	IS 7098 (Part 2) + AMD 1: Cl. No. 19.1.v.b, Table 2
887	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Resistivity of semi-conducting screen Test	AS/NZS 60840 CL. 12.3.9
888	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	AS/NZS 60840 CL.12.4.14
889	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	BS 7846 Cl. No.18.7, Annexure H
890	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	BS 7870-4.10: +A1 Cl. No. 8.1.6, 8.1.7
891	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	IEC 60502-1 Cl. No. 18.20
892	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	IEC 60502-2 Cl. No. 19.22
893	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	IEC 60840 Cl. No. 12.5.17
894	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	IS 10810 (Part 12)
895	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	IS 14255 : + AMD 1 Cl No 10.1.c.iv
896	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.d.3

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	83 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
897	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	IS 5831 + AMD 2
898	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	IS 7098 (Part 1) + AMD 5, CL no. 15.1.e.iv
899	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	IS 7098 (Part 2) : + AMD 1 Cl No. 19.1.vi.c
900	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage of Outer / Over sheath	IS 7098 (Part 3) + AMD 4 Cl No. 19.1.g.2.vi
901	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile on Aluminium	IS 14255 + AMD 1 Cl. No.10.1.a.i, 10.2.a Table 3
902	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test on Concentric metallic screen (Copper wire/tape)	AS/NZS 1429 (Part 1) Cl. No. 2.5.1
903	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test on Concentric metallic screen (Copper wire/tape)	AS/NZS 1429 (Part 1) Table 3.1(5)a Cl No 2.5.1
904	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test on Concentric metallic screen (Copper wire/tape)	AS/NZS 1429 (Part 2) Cl No. 2.8
905	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test on Concentric metallic screen (Copper wire/tape)	AS/NZS 1660 (Part 1) Cl no 5.2
906	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Test on Concentric metallic screen (Copper wire/tape)	IS 7098 (Part 3) : + AMD 4 Cl No 20.3, 20.4
907	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dimensions of armour	AS/NZS 1660 (Part 1)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	84 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
908	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dimensions of armour	IEC 60502 (Part 2) Cl. No. 17.7
909	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dimensions of armour	IS 7098 (Part 3) + AMD 4 Cl. No. 20.6, 19.1.f.i
910	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Dimensions of armour	IEC 60502 (Part 1) Cl. No. 12.4, 16.7, Table 9, 10
911	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	AS/NZS 1429 (Part 1) Table 3.1(3)e
912	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	AS/NZS 1660 (Method 2.2) + AMD 1
913	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Hot Set	BS 60811 (Part 507)
914	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Impulse Withstand	BS EN IEC 60230
915	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	BS 6622 Cl. No. 12, 19.8
916	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	BS 7835 Cl. No. 13
917	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	BS 7870 (Part 1) (table B2)
918	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	BS EN 10244 (Part 2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 85 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
919	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	BS EN 60811 (Part 409)
920	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	IEC 60502 (Part 2) Cl. No. 19.8
921	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	IEC 60840 Cl. No. 12.5.5
922	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	IEC 62067 Cl. No. 12.5.5
923	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	IS 5831
924	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	IS 7098 (Part 1) + AMD 5 Cl. No. 15.1.e.iii
925	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	IEC 60502 (Part 1) Cl. No. 18.6
926	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Loss of mass on PVC outer sheath of type ST2	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.d.5
927	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Measurement of Capacitance	IEC 60840 Cl. No. 10.10
928	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	AS/NZS 1429 (Part 1) (Table 3.1)
929	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	AS/NZS 1660 (Method 2.1) + AMD 1 Section 2.2

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 86 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
930	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	AS/NZS 3808 + AMD 2
931	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS 6469 (Section 99.1) Cl No. 9
932	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS 6622 Cl. No. 7, 12, 19.13, Table 13
933	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS 7655 (Part4, Section 4.2) Table 2
934	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS 7846 Cl. No. 6, 17
935	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS 7870 (Part 1) (Table B1 & B2)
936	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS 7870 (Part 4, Section 4.10) + AMD 1 Cl. No. 4.2.3
937	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS EN 60811 (Part 501) + AMD 1
938	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS EN 7655 (Part 1.3) Table 2
939	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	IEC 60502 (Part 1) Cl. No.18.3 & 18.4
940	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	IEC 60502 (Part 2) Cl. No.19.5 & 19.6

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 87 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
941	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	IEC 60811 (Part 501) + AMD 1
942	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	IEC 62067 Cl. No. 12.5.2, 12.5.3
943	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Mechanical strength of welded sheath	GETCO/E/TS-PSBL025 A - R3 (Annexure A) CL. 1.6.2.2 (G):
944	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Oxygen Index	ASTM D 2863
945	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Oxygen Index	IS 10810 (Part 58)
946	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Oxygen Index	IS 1554 (Part 1) + AMD 5 Cl. No. 16.5, 15.1.1
947	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Oxygen Index	IS 7098 (Part 1) + AMD 5 Cl. No. 16.9, 15.1.1
948	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Oxygen Index	IS 7098 (Part 2) + AMD 1 Cl. No. 20.10, 19.2.2
949	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	pH	IEC 60502 (Part 1) Cl. No. 18.14.5
950	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	pH	IEC 60754 (Part 2)
951	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Sheath Integrity for metallic sheath	GETCO/E/TS-PSBL025 A - R3 (Annexure A) CL. 1.6.2.2 (F)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	88 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
952	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	IS 10810 (Part 12)
953	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	IS 1554 (Part 1) + AMD 5 Cl. No. 15.1.d.3
954	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	IS 5831
955	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	IS 7098 (Part 2) + AMD 1 Cl No. 19.1.iii.e, Table 1
956	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Shrinkage on Insulation	IS 7098 (Part 3) + AMD 4 Cl no. 19.1.b.V, Table 2
957	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of Insulation & outer sheath before & after ageing	IS 14255 + AMD 1 Cl. No. 10.1.c.ii, 10.2.g, 10.1 c (i)
958	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of Insulation & outer sheath before & after ageing.	IS 10810 (Part 7)
959	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of Insulation & outer sheath before & after ageing.	IS 5831 Table 1 & 2
960	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of Insulation & outer sheath before & after ageing.	IS 7098 (Part 1) + AMD 5 Table 1, 15.1.d.i, 15.1.e.i, 15.2.g)
961	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of Insulation & outer sheath before & after ageing.	IS 7098 (Part 2) + AMD 1 Table 1, 19.1.iii.a, 19.1.vi.a, 19.2.g)
962	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of Insulation & outer sheath before & after ageing.	IS 7098 (Part 3) + AMD 4 Table 2, 19.1.b.II, 19.1.g.2.i, 8.3

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 89 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
963	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Tensile strength & elongation of Insulation & outer sheath before & after ageing.	IS 9968 (Part 2) + AMD 2 Cl. 22.1 c (2), 22.2 (f)
964	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductivity	IEC : 60754 (Part 2)
965	ELECTRICAL- CABLES & WIRES	1) LT Power & control Cables for voltages up to & including 1100 Volts. (2) HT Power Cables & their accessories for voltages up to & including 33/33 kV "UE" (3) EHV Cables & their accessories for voltages up to & including 220 kV "E".	Conductivity	IEC; 60502 (PART 1) CL. 18.14.5.1
966	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) Kv	Environmental stress crack resistance for sheath and separation layer	AS/NZS 5000.1 Table No 6 test no.4
967	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Environmental stress crack resistance for sheath and separation layer	AS/NZS 5000.2 Table No 3 test no.3
968	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR COMMUNICATION AND FIRE ALARM CABLES	UNIFORMITY OF ZINC COATING FOR ARMOUR	EIL Spec. 6-51-0052 Rev.6 (Cl.6.5.1.x)
969	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	COLD BEND TEST OF COMPLETE CABLE	UL 1277 (Cl.17) (Table 17.1)
970	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	COLD IMPACT TEST	UL 1277 (Cl.18)
971	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	CONTINUITY TEST OF CONDUCTORS	UL 1277 (Cl.13)
972	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	DURABILITY OF INK PRINTING	UL 1277 (Cl.25)
973	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	HEAT SHOCK TEST	UL 1277 (Cl.22) (Table 22.1)
974	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	COLD BEND TEST OF INSULATION AND COMPLETE CABLE	UL 2250 (Cl.22) (Table 22.1) (Cl.23)
975	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	CONTINUITY TEST OF CONDUCTORS	UL 2250 (Cl.5.2) (Cl.19)
976	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	DURABILITY OF INK PRINTING	UL 2250 (Cl.39)
977	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	HEAT SHOCK TEST	UL 2250 (Cl.20.1) (Table 20.1) (Table 20.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 90 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
978	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	UNWINDING TEST AT LOW TEMPERATURE	UL 719 (Cl. 5.12) (Cl.7.11) (Table 1) (Table 2) (Table 9)
979	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	COLD IMPACT TEST	UL 854 (Cl.22)
980	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	CONTINUITY TEST OF CONDUCTORS	UL 854 (Cl.28)
981	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	COPPER CORROSION TEST FOR FINISHED WIRE AND CABLE	UL 854 (Cl.7)
982	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	FLEXIBILITY TEST OF CABLE AT LOW TEMPERATURE	UL 854 (Cl.21)
983	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	HEAT SHOCK TEST	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
984	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	CONTINUITY FOR FINISHED WIRE AND CABLE	UL 493 (Cl.5.2) (Cl.4.8) (Cl.8.2)
985	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	UNWINDING TEST AT LOW TEMPERATURE	UL 493 (Cl.5.7) (Cl.8.7) (Table 11)
986	ELECTRICAL- CABLES & WIRES	STANDARD SPECIFICATION FOR SIGNAL CABLES	ADHERENCE TEST FOR ARMOUR	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.4)
987	ELECTRICAL- CABLES & WIRES	STANDARD SPECIFICATION FOR SIGNAL CABLES	COLD BEND TEST ON INSULATION AND SHEATH	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.3)
988	ELECTRICAL- CABLES & WIRES	STANDARD SPECIFICATION FOR SIGNAL CABLES	COLD IMPACT TEST ON INSULATION AND SHEATH	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.3)
989	ELECTRICAL- CABLES & WIRES	STANDARD SPECIFICATION FOR SIGNAL CABLES	HEAT SHOCK TEST ON INSULATION AND SHEATH	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.3)
990	ELECTRICAL- CABLES & WIRES	STANDARD SPECIFICATION FOR SIGNAL CABLES	OZONE RESISTANCE TEST ON INSULATION - TENSILE STRENGTH AND ELONGATION AT BREAK	EIL Spec.6-52-0046-Rev.7 (2.1.13.2)
991	ELECTRICAL- CABLES & WIRES	STANDARD SPECIFICATION FOR SIGNAL CABLES	TORSION TEST FOR ROUND WIRES	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.4)
992	ELECTRICAL- CABLES & WIRES	STANDARD SPECIFICATION FOR SIGNAL CABLES	UNIFORMITY OF ZINC COATING FOR ARMOUR	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.4)
993	ELECTRICAL- CABLES & WIRES	STANDARD SPECIFICATION FOR SIGNAL CABLES	WRAPPING TEST FOR ARMOUR	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.4)

National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 91 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
LOCATION 2 - P.NO 30,31,34,42-1,65/1, PANELAV AND BASKA, RAMESHWARA ROAD, TA: HALOL, DIST: PANCHMAHALS, HALOL, GUJARAT, INDIA Permanent Facility				
1	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	"Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath)."	"AS/NZS 1660 (Method 2.1) + AMD 1 Cl. No. 2.1.1, 2.1.2"
2	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	"Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath)."	IS 14255 + AMD 1 Cl.No.10.2.f, 10.1.e
3	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	ADHESION TEST FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
4	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	ADHESION TEST FOR ARMOUR	IS 3975 (Cl.9.3)
5	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	ANNEALING TEST - BEFORE STRANDING	IS 8130 + AMD 1 (Cl.7.1.2.1) (Cl.7.2.3)
6	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	ANNEALING TEST (FOR COPPER)	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.2)
7	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	ANNEALING TEST (FOR COPPER)	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.2)
8	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	ANNEALING TEST (FOR COPPER)	IS 1554 Part 1 + AMD 5 (Cl.15.1a. 1) (Cl.15.2a)
9	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	ANNEALING TEST (FOR COPPER)	IS 7098 Part 1 + AMD 5 (Cl.15.1a. i) (Cl.15.2a)
10	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	ANNEALING TEST (FOR COPPER)	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.i.a) (Cl.19.2.a)
11	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	ANNEALING TEST FOR WIRES USED AS CONDUCTORS	IS 10810 Part 1
12	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Bending	IS 14255 + AMD 1 Cl.No. 10.4, 11.4
13	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	COLD BEND TEST FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl.15.4a)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 92 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
14	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	COLD BEND TEST FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. ix) (Table 2 Sl. No. vii)
15	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	COLD BEND TEST FOR OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl.15.4a)
16	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	COLD BEND TEST ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3)
17	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	COLD BEND TEST	IS 10810 Part 20
18	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Cold Bend	BS 7655 (Part 6.1) (table 2)
19	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Cold Bend	BS EN 60811 (Part 504)
20	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	COLD IMPACT TEST FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl.15.4b)
21	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	COLD IMPACT TEST FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. x) (Table 2 Sl. No. viii)
22	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	COLD IMPACT TEST FOR OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl.15.4b)
23	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	COLD IMPACT TEST FOR OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.4)
24	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	COLD IMPACT TEST ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3)
25	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	COLD IMPACT TEST	BS EN 50288-7 (Cl.4.12) (Cl.4.16)
26	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	COLD IMPACT TEST	IS 10810 Part 21
27	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Cold Impact	BS : 7655 (Section 4.2) (Table 2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 93 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
28	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Cold Impact	BS 7655 (Part 6 Section 6.1) (Table 2)
29	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Cold Impact	BS EN 60811 (Part 506)
30	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Cold Impact	IEC 60811 (Part 506)
31	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	CONDUCTOR EXAMINATION	IEC 60502-1 (Cl.16.1.a) (Cl.16.4)
32	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	CONDUCTOR RESISTANCE TEST	BS 5467 (Table 3) (Cl.16.2) (Cl.5)
33	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	CONDUCTOR RESISTANCE TEST	BS 6724 (Table 3) (Cl.16.2) (Cl.5)
34	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	CONDUCTOR RESISTANCE TEST	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.5.1.5) (Cl.5.1.2)
35	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	CONDUCTOR RESISTANCE TEST	IS 10810 Part 5
36	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	CONDUCTOR RESISTANCE TEST	IS 1554 Part 1 + AMD 5 (Cl 15.1a.4) (15.3a) (15.2d)
37	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	CONDUCTOR RESISTANCE TEST	IS 7098 Part 1 + AMD 5 (Cl 15.1a. iv) (15.3a) (15.2d)
38	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	CONDUCTOR RESISTANCE TEST	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.i.d) (Cl.19.2.d) (Cl.19.3.a)
39	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Conductor Resistance	"AS/NZS 1660 (Method 3) + AMD 1"
40	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Conductor Resistance	AS/NZS 1125 + AMD 1
41	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Conductor Resistance	IS 14255 + AMD 1 Cl no. 10.3a, 10.2e, 10.1aiii, 10.1biii

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 94 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
42	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	ELECTRICAL RESISTANCE OF CONDUCTORS	IEC 60502-1 (Cl.15.1a) (Cl.15.2)
43	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	BS EN 60811 (Part 509) + AMD 1
44	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IEC 60502 (Part 1) Cl No. 18.9
45	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Heat Shock on PVC sheaths (resistance of PVC sheaths to cracking)	IEC 60811 (Part 508)
46	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HEAT SHOCK TEST FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl. 15.1d.6)
47	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HEAT SHOCK TEST FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. vii) (Table 2 Sl. No. v)
48	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HEAT SHOCK TEST FOR OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl 15.1e.vi)
49	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HEAT SHOCK TEST FOR OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vi.f)
50	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HEAT SHOCK TEST ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3)
51	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HEAT SHOCK TEST ON INSULATION	BS EN 50363-3 + AMD 1 (Table 2 Ref.No.3)
52	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HEAT SHOCK TEST ON INSULATION	BS EN 50525-2-31 (Table A.1, Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Cl. 5.1.1.3) (Cl.5.2.1.3) (Cl.5.3.1.3) (Cl.5.4.1.3)
53	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HEAT SHOCK TEST ON SHEATH	BS 5467 (Table 3) (Cl.11.1)
54	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	heat shock test	AS/NZS:3808 + AMD 2

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 95 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
55	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HEAT SHOCK TEST	IS 10810 Part 14
56	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HOT SET TEST FOR EPR, HEPR AND XLPE INSULATIONS AND ELASTOMERIC SHEATHS	IEC 60502-1 (Cl.16.1c) (Cl.16.9) (Table 17) (Table 22) (Cl.18.11)
57	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HOT SET TEST FOR INSULATION AND SHEATH	IS 6380 + AMD 1 (Table 2 Sl. No.1.ix)(Table 3 Sl. No.1.vi)
58	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HOT SET TEST FOR INSULATION	BS 7655-1.2 + AMD 1 (Table 2)
59	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HOT SET TEST FOR INSULATION	IS 7098 Part 1 + AMD 5 (Cl.15.1d.iii) (Table 1 S.No. iv) (Cl.15.2f)
60	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HOT SET TEST FOR INSULATION	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iii.d) (Table 1 Sl.No.1.iv) (Cl.19.2.f) (Cl. 5)
61	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HOT SET TEST ON INSULATION	BS 5467 (Table 3) (Cl.6.1)
62	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	HOT SET TEST ON INSULATION	BS 6724 (Table 3) (Cl.6.1)
63	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	MEASUREMENT OF THICKNESS OF INSULATION AND NON METALLIC SHEATHS	IEC 60502-1 (Cl.16.1b) (Cl.16.5) (Cl.16.6) (Annex B) (Table 5 to 8) (Cl.13.3) (Cl.18.1) (Cl.18.2)
64	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Resistance for Messenger conductor	IS 14255 + AMD 1 Cl no. 10.3a, 10.2e, 10.1aiii, 10.1biii
65	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Tensile on Aluminium	"AS/NZS 1125 + AMD 1 (Table 3.1)"
66	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Tensile on Aluminium	IS 14255 + AMD 1 Cl. No.10.1.a.i, 10.2.aTable 3
67	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TENSILE STRENGTH (ALUMINIUM WIRE)	BS 5467 (Table 3) (Cl.10.2d) (Annex B.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 96 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
68	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TENSILE STRENGTH (ALUMINIUM WIRE)	BS 6724 (Table 3) (Cl.10.2d) (Annex B.4)
69	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TENSILE TEST (FOR ALUMINIUM CONDUCTORS)	IS 8130 + AMD 1 (Cl.4.1) (Cl.7.2.1)
70	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TENSILE TEST (FOR ALUMINIUM)	IS 1554 Part 1 + AMD 5 (Cl 15.1a. 2) (Cl.15.2b)
71	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TENSILE TEST (FOR ALUMINIUM)	IS 7098 Part 1 + AMD 5 (Cl 15.1a. ii) (Cl.15.2b)
72	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TENSILE TEST (FOR ALUMINIUM)	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.i.b) (Cl.19.2.b)
73	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TENSILE TEST FOR ALUMINIUM WIRES	IS 10810 Part 2
74	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TEST FOR RESISTANCE OF INSULATIONS AND SHEATHS TO CRACKING (HEAT SHOCK TEST)	IEC 60502-1 (Cl.18.9) (Table 16) (Table 19)
75	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TEST FOR THICKNESS OF INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.5) (Cl.5.1.2)
76	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TEST FOR THICKNESS OF INSULATION AND SHEATH	IS 1554 Part 1 + AMD 5 (Cl. 15.1c) (Cl.9.2) (Cl.9.3) (Cl.12.3) (Cl.14.4.1) (Cl.14.4.2) (Table 2) (Table 4) (Table 7) (Cl.15.2e)
77	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TEST FOR THICKNESS OF INSULATION AND SHEATH	IS 7098 Part 1 + AMD 5 (Cl. 15.1c) (Cl.9.2) (Cl.9.3) (Cl.12.3) (Cl.14.3.1) (Cl.14.3.2) (Table 3), (Table 5) (Table 8) (Cl.15.2e)
78	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TEST FOR THICKNESS OF INSULATION, BEDDING AND OVERSHEATH	BS 5467 (Table 3) (Cl.6.3) (Table 4 to 11) (Cl.9.2) (Cl.11.3)
79	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TEST FOR THICKNESS OF INSULATION, BEDDING AND OVERSHEATH	BS 6724 (Table 3) (Cl.6.3) (Cl.11.3) (Cl.9.2) (Table 4 to 11)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	97 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
80	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TEST ON PVC INSULATION AND SHEATHS AND HALOGEN FREE SHEATHS AT LOW TEMPERATURE - COLD BENDING TEST	IEC 60502-1 (Cl.18.8) (Table 16) (Table 19) (Table 21)
81	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	TEST ON PVC INSULATION AND SHEATHS AND HALOGEN FREE SHEATHS AT LOW TEMPERATURE - COLD IMPACT TEST	IEC 60502-1 (Cl.18.8) (Table 16) (Table 19) (Table 21)
82	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	THICKNESS OF THERMOPLASTIC AND ELASTOMERIC OF INSULATION AND SHEATH	IS 10810 Part 6
83	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	UNIFORMITY OF ZINC COATING FOR ARMOUR	EIL Spec. 6-51-0052 Rev.6 (Cl.6.5.1.x)
84	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	UNIFORMITY OF ZINC COATING FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
85	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	UNIFORMITY OF ZINC COATING FOR ARMOUR	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.4)
86	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	UNIFORMITY OF ZINC COATING FOR ARMOUR	IS 1554 Part 1 + AMD 5 (Cl. 13.6(e)) (Cl.15.1b.2.v)
87	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	UNIFORMITY OF ZINC COATING FOR ARMOUR	IS 3975 (Cl.9.2)
88	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	UNIFORMITY OF ZINC COATING FOR ARMOUR	IS 4826 + AMD 3 (Table 2)
89	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	UNIFORMITY OF ZINC COATING FOR ARMOUR	IS 7098 Part 1 + AMD 5 (Cl. 13.6 e) (Cl.15.1b.2.v)
90	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	UNIFORMITY OF ZINC COATING FOR ARMOUR	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii)
91	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	UNIFORMITY OF ZINC COATING ON STEEL ARMOUR	IS 10810 Part 40 + AMD 1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 98 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
92	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	UNIFORMITY OF ZINC COATING ON ZINC COATED ARTICLES	IS 2633
93	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	WINDING TEST FOR FORMED WIRES	IS 1554 Part 1 + AMD 5 (Cl. 13.6(d)) (Cl.15.1b.2.iv)
94	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	WINDING TEST FOR FORMED WIRES	IS 7098 Part 1 + AMD 5 (Cl. 13.6 d) (Cl.15.1b.2.iv)
95	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	WINDING TEST FOR FORMED WIRES	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii).
96	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	WINDING TEST ON GALVANIZED STEEL STRIPS FOR ARMOURING	IS 10810 Part 39
97	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Wrapping on ALuminium	"AS/NZS 1125 + AMD 1 (Table 3.1)"
98	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Wrapping on Aluminium	AS/NZS 1660 (Part 1)
99	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	Wrapping on Aluminium	IS 14255+AMD 1 Cl. No.10.1.a.ii, 10.2.b
100	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	WRAPPING TEST (FOR ALUMINIUM CONDUCTORS)	IS 8130 + AMD 1 (Cl.7.2.2)
101	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	WRAPPING TEST (FOR ALUMINIUM)	IS 1554 Part 1 + AMD 5 (Cl 15.1a.3) (Cl.15.2c)
102	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	WRAPPING TEST (FOR ALUMINIUM)	IS 7098 Part 1 + AMD 5 (Cl 15.1a.iii) (Cl.15.2c)
103	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	WRAPPING TEST (FOR ALUMINIUM)	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.i.c) (Cl.19.2.c)
104	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	WRAPPING TEST (FOR ALUMINIUM)	IS 9968 Part 1 + AMD 3 (Cl.21.2.c) (Cl.21.1)
105	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	WRAPPING TEST FOR ALUMINIUM WIRES	IS 10810 Part 3

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 99 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
106	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	WRAPPING TEST FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
107	ELECTRICAL- CABLES & WIRES	"(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts"	WRAPPING TEST FOR ARMOUR	IS 3975 Cl. No. 8.3
108	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK OF THERMOPLASTIC AND ELASTOMERIC INSULATION AND SHEAT	IS 10810 Part 7
109	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	& ELONGATION AT BREAK FOR INSULATION AND OUTER SHEAT	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.1) (Cl.5.1.3) (Cl.5.1.5) (Cl.5.1.2) (Cl.3.9.9)
110	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	& ELONGATION AT BREAK PROPERTIES AFTER AGEING IN AIR OVE	BS 7655-1.2 + AMD 1 (Table 2)
111	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ACCELERATED AGEING TEST BY AIR PRESSURE METHOD	IS 10810 Part 56
112	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ACID GAS EMISSION TEST	IEC 60502-1 (Cl.18.14.4) (Table 23)
113	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ACID GENERATION TEST	EIL Spec.6-51-0051 Rev.8 (Cl.3.2) (Cl.3.3) (Cl.5.1.6c)
114	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Additional ageing on pieces of completed cables	IEC 60811 (Part 401) + AMD 1
115	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ADDITIONAL AGEING TEST ON PIECES OF COMPLETED CABLES	IEC 60502-1 (Cl.18.5) (Table 15) (Table 18) (Cl.18.3) (Cl.18.4)
116	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	AFTER AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. iv) (Table 2 Sl. No. ii)
117	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	AFTER AGEING WITH COPPER CONDUCTOR FOLLOWED BY TENSILE TEST	IEC 60502-1 (Cl.18.3) (Table 15)
118	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	AGEING IN AIR BOMB ON INSULATION - TENSILE STRENGTH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.9)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 100 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
119	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	AGEING IN AIR BOMB ON INSULATION -ELONGATION AT BREAK	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.9)
120	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl.15.1d. ii) (Table 1 S.No. iii) (Cl.15.1e. ii)
121	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	AGEING IN AIR OVEN FOR INSULATION AND SHEATH	IS 9968 Part 1 + AMD 3 (Cl. 21.1.1.b)
122	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	AGEING IN OXYGEN BOMB ON INSULATION – ELONGATION AT BREAK	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.9)
123	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	AGEING IN OXYGEN BOMB ON INSULATION - TENSILE STRENGTH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.9)
124	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Ageing on pieces of completed cable to check compatibility of Materials	BS 60811 (Part 401):
125	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Ageing on pieces of completed cable to check compatibility of Materials	IEC 60811 (Part 501) + AMD 1
126	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Ageing on pieces of completed cable to check compatibility of materials.	IEC 60811 (Part 401) + AMD 1
127	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ANNEALING TEST (FOR COPPER)	IS 9968 Part 1 + AMD 3 (Cl.21.2. a) (Cl.21.1)
128	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ARMOUR RESISTANCE TEST	BS 5467 (Table 3) (Cl.10.4) (Annex B.5) (Table F1 to F3) (Table B.1)
129	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ARMOUR RESISTANCE TEST	BS 6724 (Table 3) (Cl.10.4) (Annex B.5) (Table F1 to F3)
130	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ARMOUR WIRE DIAMETER	BS 5467 (Table 3) (Cl.10.2a) (Annex B.1) (Table 2)
131	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ARMOUR WIRE DIAMETER	BS 6724 (Table 3) (Cl.10.2a) (Annex B.1) (Table 2)
132	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Breaking load for main & messenger Conductor	IS 14255 + AMD 1 Cl.No.10.1.a.i, 10.2.aTable 3:

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 101 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
133	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Carbon black content for PE (Polyethylene).	AS/NZS:3808 + AMD 2
134	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Carbon black content for PE (Polyethylene).	IS 14255 + AMD 1 Cl.No. 10.1.d.iii
135	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	CARBON BLACK CONTENT OF POLYTHENE SHEATH	IS 10810 Part 32
136	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	CARBON BLACK CONTENT OF POLYTHENE SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vi.h) (Table 3 Sl.No.1.iii)
137	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	CONDUCTOR RESISTANCE TEST	IS 9968 Part 1 + AMD 3 (Cl. 21.3.a) (Cl.21.2. d) (cl.21.1)
138	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Conductor Resistance	IS 8130 + AMD 1 Cl No. 7.3
139	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	DETERMINATION OF THE AMOUNT OF HALOGEN ACID GAS EVOLVED DURING COMBUSTION OF POLYMERIC MATERIALS TAKEN FROM CABLES	IS 10810 Part 59 + AMD 1
140	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	DETERMINATION OF THE HALOGEN ACID GAS CONTENT	IEC 60754-1
141	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	DIMENSIONS AND TOLERANCES FOR ARMOUR	IS 3975 (Cl.7) (Table 3) (Table 4)
142	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Dimensions of armour	AS/NZS 1660 (Part 1)
143	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	DIMENSIONS OF ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
144	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	DIMENSIONS OF ARMOUR	IS 1554 Part 1 + AMD 5 (Cl.15.1b.1) (Cl.13.3) (Table 5)
145	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	DIMENSIONS OF ARMOUR	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii) (Table 6)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 102 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
146	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	DIMENSIONS OF ARMOURING MATERIAL	IS 10810 Part 36
147	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELECTRICAL RESISTANCE OF ARMOUR	BS EN 50288-7 (Cl.4.14)
148	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK OF ARMOURING MATERIALS	IS 10810 Part 37
149	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK OF ARMOURING MATERIALS	IS 3975 (Cl. 8.1) (Table 5)
150	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK AFTER AGEING IN AIR OVEN FOR INSULATION AND SHEATH	IS 6380 + AMD 1 (Table 2 Sl. No.1.iii) (Table 3 Sl. No.1.ii)
151	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK FOR INSULATION AND OUTER SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.1) (Cl.5.1.3) (Cl.5.1.5) (Cl.5.1.2) (Cl.3.9.9)
152	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK OF INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl 15.1d. 1) (Cl.15.2f)
153	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK OF INSULATION AND OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl 15.1d. i) (Table 1 S.No. i & ii) (Cl.15.1e. i) (Cl.15.2g)
154	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK OF INSULATION AND OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iii.a) (Table 1 Sl.No.1 i & ii) (Cl.19.1 Sl.No.1.vi.a) (Table 3 S.No.1 i) (Cl.19.2.g) (Cl. 5)
155	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK OF INSULATION AND OUTER SHEATH	IS 9968 Part 1 + AMD 3 (Cl.21.2. f) (Cl. 21.1.1.a)
156	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK ON ARMOUR	IS 1554 Part 1 + AMD 5 (Cl. 13.6 b) (Cl.15.1b.2.i &ii)
157	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK ON ARMOUR	IS 7098 Part 1 + AMD 5 (Cl. 13.6 b) (Cl.15.1b.2.ii)
158	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK PROPERTIES IN THE STATE AS MANUFACTURED	BS 7655-1.2 + AMD 1 (Table 2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 103 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
159	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION AT BREAK WITHOUT AGEING FOR INSULATION AND SHEATH	IS 6380 + AMD 1 (Table 2 Sl. No.1.ii) (Table 3 Sl. No.1.i)
160	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION FOR ARMOUR	BS EN 50288-7 (Cl.4.14)
161	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	ELONGATION FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
162	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	elongation of Inner Sheath & OR Separation sheath before & after ageing	BS EN 60811 (Part 501) + AMD 1
163	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	elongation of Inner Sheath / Separation sheath before & after ageing test	AS/NZS 1660 (Method 2.2) + AMD 1
164	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	elongation of Insulation & outer sheath before & after ageing	IS 14255 + AMD 1 Cl. No. 10.1.c.ii, 10.2.g, 10.1 c (i)
165	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Elongation on messenger	IS 14255 + AMD 1 Cl No. 10.1.b.ii, 10.2.d
166	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	External diameter	IEC 60811 (Part 203)
167	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	External diameter	IEC 60811 (Part 203)
168	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME RETARDANCE TEST ON BUNCHED CABLES	IS 10810 Part 62
169	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME RETARDANCE TEST ON BUNCHED CABLES	IS 1554 Part 1 + AMD 5 (Cl. 16.7) (Cl.15.1.1.C1.c) (Cl.15.1.1.C2.c)
170	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME RETARDANCE TEST ON BUNCHED CABLES	IS 7098 Part 1 + AMD 5 (Cl. 16.6) (Cl.15.1.1.C1.c) (Cl.15.1.1.C2.c)
171	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME RETARDANCE TEST ON SINGLE CABLE	IS 1554 Part 1 + AMD 5 (Cl. 16.6) (Cl.15.1.1.C1. b) (Cl.15.1.1.C2. b) (Cl.15.2.1.C1. b) (Cl.15.2.1.C2. b)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 104 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
172	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME RETARDANCE TEST ON SINGLE CABLE	IS 7098 Part 1 + AMD 5 (Cl. 16.5) (Cl.15.1.1.C1. b) (Cl.15.1.1.C2. b) (Cl.15.2.1.C1. b) (Cl.15.2.1.C2. b)
173	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME RETARDENT TEST ON BUNCHED CABLES	EIL Spec.6-51-0051 Rev.8 (Cl.3.2) (Cl.3.3) (Cl.5.1.5d)
174	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME RETARDENT TEST ON BUNCHED CABLES	IS 7098 Part 2 + AMD 1 (Cl.19.1.3.Category.C1.c) (Cl.20.12) (Cl.19.1.3.Category.C2.c) (Cl.19.2.2.Category.C1.c) (Cl.19.2.2.Category.C2.c)
175	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME RETARDENT TEST ON SINGLE CABLE	EIL Spec.6-51-0051 Rev.8 (Cl.3.2) (Cl.3.3) (Cl.5.1.5d)
176	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME RETARDENT TEST ON SINGLE CABLE	EIL Spec.6-51-0051 Rev.8 (Cl.3.2) (Cl.3.3) (Cl.5.1.5d)
177	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME RETARDENT TEST ON SINGLE CABLES	IS 7098 Part 2 + AMD 1 (Cl.19.1.3.Category.C1.b) (Cl.20.11) (Cl.19.1.3.Category.C2.b) (Cl.19.2.2.Category.C1.b) (Cl.19.2.2.Category.C2.b)q
178	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME RETARDENT TEST	IS 10810 Part 61 + AMD1
179	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME SPREAD TEST ON BUNCHED CABLES	IEC 60502-1 (Cl.18.14.2)
180	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAME SPREAD TEST ON SINGLE CABLE	IEC 60502-1 (Cl.18.14.1)
181	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAMMABILITY TEST FOR PVC SHEATHED CABLES	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.xv) (Cl.20.8)
182	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAMMABILITY TEST	IS 10810 Part 53
183	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAMMABILITY TEST	IS 1554 Part 1 + AMD 5(Cl. 16.4) (Cl.15.1h)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 105 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
184	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAMMABILITY TEST	IS 7098 Part 1 + AMD 5 (Cl.15.1h) (Cl.16.3)
185	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	FLAMMABILITY TEST	IS 9968 Part 1 + AMD 3 (Cl.21.1) (Cl. 22.3)
186	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	high voltage 4 hour	AS/NZS 1660 (Method 3)
187	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	high voltage 5 min	AS/NZS 1660 (Method 3)
188	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HIGH VOLTAGE TEST (WATER IMMERSION TEST)	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.2)
189	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HIGH VOLTAGE TEST (WATER IMMERSION TEST)	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.2)
190	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HIGH VOLTAGE TEST (WATER IMMERSION TEST)	IS 1554 Part 1 + AMD 5 (Cl. 15.1f) (Cl. 16.3)
191	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HIGH VOLTAGE TEST (WATER IMMERSION TEST)	IS 9968 Part 1 + AMD 3 (Cl.21.1) (Cl.22.2.1)
192	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HIGH VOLTAGE TEST ON COMPLETE CABLE	IS 9968 Part 1 + AMD 3 (Cl.21.3.b) (Cl.21.2.h) (Cl.22.2.2)
193	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HIGH VOLTAGE TEST	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.5) (Cl.5.1.2)
194	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HIGH VOLTAGE TEST	IS 10810 Part 45
195	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HIGH VOLTAGE TEST	IS 7098 Part 1 + AMD 5 (Cl.15.1. g) (Cl. 16.2) (15.3b) (15.2h)
196	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HIGH VOLTAGE TEST	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.xiv) (Cl.20.7) (Cl.19.2.j) (Cl.19.3.c)Q
197	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	High Voltage	IS 14255 + AMD 1 Cl. No. 10.1g, 10.2k,10.3b, 11.2, 15.1 g:

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 106 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
198	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Hot deformation / Pressure at high temperature	IEC 60811 (Part 508)
199	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HOT DEFORMATION TEST FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl. 15.1d. 4)
200	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HOT DEFORMATION TEST FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. vi) (Table 2 Sl. No. iv)
201	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HOT DEFORMATION TEST FOR OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl. 15.1e. v)
202	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HOT DEFORMATION TEST FOR OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vi.d) (Table 3 Sl.No.1.iv)
203	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HOT DEFORMATION TEST ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3)
204	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HOT DEFORMATION TEST	IS 10810 Part 15
205	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HOT SET TEST FOR INSULATION AND SHEATH	IS 9968 Part 1 + AMD 3 (Cl.21.2.g) (Cl.21.1.1.e)
206	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HOT SET TEST FOR INSULATION	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.5.1.5) (Cl.5.1.2) (Cl.3.9.8)
207	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HOT SET TEST FOR INSULATION	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.5.1.5) (Cl.5.1.2) (Cl.3.9.8)
208	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HOT SET TEST	IS 10810 Part 30
209	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Hot Set	AS/NZS 1660 (Method 2.2) + AMD 1
210	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Hot Set	IEC 60811 (Part 507)
211	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Hot Set	IS 14255 + AMD 1 Cl. No. 10.1.c.iii, 10.2.h

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 107 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
212	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	IS 14255 + AMD 1 Cl. No. 10.2.j, 10.1.f
213	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Insulation Resistance (Volume Resistivity) Insulation resistance at ambient & maximum temperature	IS 5831
214	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	INSULATION RESISTANCE (VOLUME RESISTIVITY) TEST	IS 7098 Part 1 + AMD 5 (Cl.15.1f) (Table 1 S.No. vii) (Cl.15.2j)
215	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	INSULATION RESISTANCE (VOLUME RESISTIVITY) TEST	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.xi) (Table 1 S.No.1.vii) (Cl.19.2.k) (Cl. 5)
216	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	INSULATION RESISTANCE CONSTANT AT 20 °C & 90 °C	BS 7655-1.2 + AMD 1 (Table 2)
217	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	INSULATION RESISTANCE CONSTANT AT 20 °C AND 90 °C	BS 5467 (Table 3) (Cl.6.1)
218	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	INSULATION RESISTANCE CONSTANT AT 20 °C AND 90 °C	BS 6724 (Table 3) (Cl.6.1)
219	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Insulation Resistance constant	AS/NZS 1660 (Method3) + AMD 1
220	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Insulation Resistance constant	AS/NZS 3808 + AMD 2
221	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	INSULATION RESISTANCE CONSTANT	BS 7655-1.3 (Table 2)
222	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	INSULATION RESISTANCE CONSTANT	IS 6380 + AMD 1 (Table 2 Sl.No.1. i)
223	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	INSULATION RESISTANCE MEASUREMENT AT AMBIANT TEMPERATURE AND MAXIMUM CONDUCTOR TEMPERATURE	IEC 60502-1 (Cl.17.a) (Cl.17.1) (Cl.17.2) (Table 13)
224	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	INSULATION RESISTANCE TEST	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.3) (Cl.5.1.5) (Cl.5.1.2) (Cl.3.9.9)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 108 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
225	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	INSULATION RESISTANCE TEST	IS 10810 Part 43
226	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	INSULATION RESISTANCE TEST	IS 1554 Part 1 + AMD 5 (Cl. 15.1e) (Cl.15.2g)
227	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	INSULATION RESISTANCE TEST	IS 9968 Part 1 + AMD 3 (Cl.21.2. i) (Cl.21.1)
228	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	LENGTH OF LAY OF ASSEMBLED CORES AND LENGTH OF LAY OF ARMOUR WIRES	BS 5467 (Table 3) (Cl.8) (Cl.17.2) (Cl.10.1) (Cl.17.3)
229	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	LENGTH OF LAY OF ASSEMBLED CORES AND LENGTH OF LAY OF ARMOUR WIRES	BS 6724 (Table 3) (Cl.8) (Cl.17.2) (Cl.10.1) (Cl.17.3)
230	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	LOSS OF MASS IN AIR OVEN FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl. 15.1d. 5)
231	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	LOSS OF MASS IN AIR OVEN FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. v) (Table 2 Sl. No. iii)
232	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	LOSS OF MASS IN AIR OVEN FOR OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl.15.1e.iii)
233	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	LOSS OF MASS IN AIR OVEN FOR OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vi.e)
234	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	LOSS OF MASS ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.3)
235	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	LOSS OF MASS ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.3)
236	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Loss of mass on PVC outer sheath of type ST2	IEC 60811 (Part 409)
237	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	LOSS OF MASS TEST ON SHEATH	BS 5467 (Table 3) (Cl.11.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 109 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
238	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	LOSS OF MASS TEST ON SHEATH	BS 7655-4.2 (Table 2)
239	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	loss of mass test	AS/NZS:3808 + AMD 2
240	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	LOSS OF MASS TEST	IS 10810 Part 10
241	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MASS OF ZINC COATING FOR ARMOUR	BS 5467 (Table 3) (Cl.10.2b) (Annex B.2) (Table 2)
242	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MASS OF ZINC COATING FOR ARMOUR	BS 6724 (Table 3) (Cl.10.2b) (Annex B.2) (Table 2)
243	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MASS OF ZINC COATING FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
244	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MASS OF ZINC COATING FOR ARMOUR	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.4)
245	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MASS OF ZINC COATING FOR ARMOUR	IS 3975 (Cl. 9.1) (Cl. 9.1.1)
246	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MASS OF ZINC COATING FOR ARMOUR	IS 4826 + AMD 3 (Table 2)
247	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MASS OF ZINC COATING FOR ARMOUR	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii)
248	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MASS OF ZINC COATING ON ARMOUR	IS 1554 Part 1 + AMD 5 (Cl. 13.6 f) (Cl.15.1b.2.vi)
249	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MASS OF ZINC COATING ON ARMOUR	IS 7098 Part 1 + AMD 5 (Cl. 13.6 f) (Cl.15.1b.2.vi)
250	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MASS OF ZINC COATING ON STEEL ARMOUR	IS 10810 Part 41
251	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MEASUREMENT OF ARMOUR WIRES AND TAPES	IEC 60502-1 (Cl.16.1b) (Cl.16.7) (Cl.12.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 110 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
252	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MEASUREMENT OF CARBON BLACK CONTENT OF BLACK PE OVERSHEATHS	BS EN 60811-605
253	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MEASUREMENT OF CARBON BLACK CONTENT OF BLACK PE OVERSHEATHS	IEC 60502-1 (Cl.18.15) (Table 20)
254	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MEASUREMENT OF EXTERNAL DIAMETER	IEC 60502-1 (Cl.16.1b) (Cl.16.8)
255	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN – ELONGATION AT BREAK ON INSULATION AND SHEATH	BS 5467 (Table 3) (Cl.11.1) (Cl.6.1)
256	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON INSULATION AND SHEATH	BS 5467 (Table 3) (Cl.11.1) (Cl.6.1)
257	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	AS/NZS 1660 (Method 2.1) + AMD 1 Section 2.2
258	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	AS/NZS 3808 + AMD 2
259	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS 7655 (Part 6, Section 6.1) (Table 2)
260	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS EN 60811 (Part 501) + AMD 1
261	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	BS EN 7655 (Part 1.3) Table 2
262	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Mechanical properties of Insulation & over sheath (outer sheath) before & after ageing	IEC 60811 (Part 401) + AMD 1
263	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Melt flow index for PE insulation	IS 14255 + AMD 1 Cl.No. 10.1.d.ii
264	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	MELT FLOW INDEX	IS 10810 Part 23

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 111 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
265	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	METHOD OF TEST FOR INSULATION RESISTANCE CONSTANT (K VALUE)	BS 6469-99.2 + AMD 1 (Cl.8)
266	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	PROPERTIES AFTER AGEING IN AIR OVEN – D ELONGATION AT BREAK ON INSULATION AND SHEAT	BS 6724 (Table 3) (Cl.11.1) (Cl.6.1)
267	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON INSULATION AND SHEATH	BS 6724 (Table 3) (Cl.11.1) (Cl.6.1)
268	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	PROPERTIES IN THE STATE AS DELIVERED - TENSILE STRENGTH FOR INSULATION AND SHEATH	BS 6724 (Table 3) (Cl.11.1) (Cl.6.1) (Cl.9.1)
269	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	PROPERTIES IN THE STATE AS DELIVERED -ELONGATION AT BREAK FOR INSULATION AND SHEATH	BS 6724 (Table 3) (Cl.11.1) (Cl.6.1) (Cl.9.1)
270	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	PROPERTIES IN THE STATE AS MANUFACTURED – ELONGATION AT BREAK OF INSULATION AND SHEATH	BS 5467 (Table 3) (Cl.11.1) (Cl.6.1) (Cl. 9.1)
271	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	PROPERTIES IN THE STATE AS MANUFACTURED - TENSILE STRENGTH OF INSULATION AND SHEATH	BS 5467 (Table 3) (Cl.11.1) (Cl.6.1) (Cl. 9.1)
272	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Resistance for Messenger conductor	IS 8130 + AMD 1 Cl No. 7.3
273	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	RESISTANCE TEST FOR ARMOUR (FOR MINING CABLES)	IS 7098 Part 2 + AMD 1 (Cl.19.3 d) (Cl.17.5)
274	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	RESISTIVITY FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
275	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	RESISTIVITY FOR ARMOUR	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii)
276	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Resistivity of Amour wires/strips and Armour Resistance	IS 3975

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 112 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
277	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	RESISTIVITY ON ARMOUR / ARMOUR RESISTANCE TEST	IS 1554 Part 1 + AMD 5 (Cl. 13.6 g) (Cl.15.1b.2.vii) (Cl.15.4c) ((Cl.15.3c) (Table 6) (Cl.13.5.1) (Cl.13.5.2)
278	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	RESISTIVITY ON ARMOUR / ARMOUR RESISTANCE TEST	IS 7098 Part 1 + AMD 5 (Cl. 13.6 g) (Cl.15.1b.2.vii) (Cl.15.3c) (Cl.15.4c) (Table 7) (Cl.13.5.1) (Cl.13.5.2)
279	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	RESISTIVITY TEST FOR ARMOURING WIRES AND STRIPS AND CONDUCTANCE TEST OF ARMOUR (WIRES/STRIPS)	IS 10810 Part 42 + AMD 1
280	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Shrinkage of Outer / Over sheath	BS EN : 60811 (Part 503) : 2012
281	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Shrinkage of Outer / Over sheath	IS 14255 : + AMD 1 Cl No 10.1.c.iv
282	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Shrinkage on Insulation	AS/NZS 1660 (Method 2.1) + AMD 1
283	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Shrinkage on Insulation	IEC 60811 (Part 502
284	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Shrinkage on Insulation	IS 14255 + AMD 1 ClNo 10.1.c.iv
285	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	SHRINKAGE TEST FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl. 15.1d.3)
286	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	SHRINKAGE TEST FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 ((Table 1 Sl. No. viii) (Table 2 Sl. No.vi)
287	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	SHRINKAGE TEST FOR INSULATION AND OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl. 15.1d. iv) (Table 1 S.No. v) (Cl. 15.1e. iv)
288	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	SHRINKAGE TEST FOR INSULATION AND OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iii.e) (Table 1 S.No.1.v) (Cl.19.1 Sl.No.1.vi.c) (Cl. 5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 113 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
289	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	SHRINKAGE TEST FOR XLPE INSULATION AND PE OVERSHEATHS	IEC 60502-1 (Cl.18.16) (Table 17) (Cl.18.20) (Table 20)
290	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	SHRINKAGE TEST ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3)
291	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	SHRINKAGE TEST	IS 10810 Part 12
292	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	SIMPLE TORSION TEST FOR WIRES	IS 1717
293	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	spark test	AS/NZS 1660 (Method 3)
294	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	SPARK TEST	BS 5467 (Table 3) (Cl.11.4)
295	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	SPARK TEST	BS 6724 (Table 3) (Cl.11.4)
296	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	SPARK TEST	IS 10810 Part 44
297	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	SPARK TEST	IS 9968 Part 1 + AMD 3 (Cl. 21.3.b) (Cl.22.2.3)
298	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	STANDARD TEST METHOD FOR DENSITY OF SMOKE FROM THE BURNING OR DECOMPOSITION OF PLASTICS	ASTM D 2843
299	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH AFTER AGEING IN AIR OVEN FOR INSULATION AND SHEATH	IS 6380 + AMD 1 (Table 2 Sl. No.1.iii) (Table 3 Sl. No.1.ii)
300	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH IN THE STATE AS MANUFACTURED	BS 7655-1.2 + AMD 1 (Table 2)
301	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH OF ARMOURING MATERIALS	IS 10810 Part 37

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 114 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
302	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH OF INSULATION AND OUTER SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.1) (Cl.5.1.3) (Cl.5.1.5) (Cl.5.1.2) (Cl.3.9.9)
303	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH OF INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl 15.1d. 1) (Cl.15.2f)
304	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH OF INSULATION AND OUTER SHEATH	IS 6380 + AMD 1 (Table 2 Sl. No.1.ii) (Table 3 Sl. No.1.i)
305	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH OF INSULATION AND OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl 15.1d. i) (Table 1 S.No. i & ii) (Cl.15.1e. i) (Cl.15.2g)
306	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH OF INSULATION AND OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iii.a) (Table 1 Sl.No.1 i & ii) (Cl.19.1 Sl.No.1.vi.a) (Table 3 S.No.1 i) (Cl.19.2.g) (Cl. 5)
307	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH OF INSULATION AND OUTER SHEATH	IS 9968 Part 1 + AMD 3 (Cl.21.2. f) (Cl. 21.1.1.a)
308	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH OF THERMOPLASTIC AND ELASTOMERIC INSULATION AND SHEATH	IS 10810 Part 7
309	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH PROPERTIES AFTER AGEING IN AIR OVEN	BS 7655-1.2 + AMD 1 (Table 2)
310	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Tensile strength & elongation of PE outer sheath before & after ageing	IS 14255 + AMD 1 Cl.No. 10.1.d.i
311	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH FOR ARMOUR	BS EN 50288-7 (Cl.4.14)
312	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
313	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH FOR ARMOUR	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii)
314	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH FOR INSULATION AND OUTER SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.1) (Cl.5.1.3) (Cl.5.1.5) (Cl.5.1.2) (Cl.3.9.9)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 115 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
315	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Tensile strength of Inner Sheath & OR Separation sheath before & after ageing	BS EN 60811 (Part 501) + AMD 1
316	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Tensile strength of Inner Sheath / Separation sheath before & after ageing test	AS/NZS 1660 (Method 2.2) + AMD 1
317	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Tensile strength of Insulation & outer sheath before & after ageing	IS 14255 + AMD 1 Cl. No. 10.1.c.ii, 10.2.g, 10.1 c (i)
318	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH ON ARMOUR	IS 1554 Part 1 + AMD 5 (Cl. 13.6 a) (Cl.15.1b.2.i)
319	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE STRENGTH ON ARMOUR	IS 7098 Part 1 + AMD 5 (Cl. 13.6 a) (Cl.15.1b.2.i)
320	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE TEST (FOR ALUMINIUM)	IS 9968 Part 1 + AMD 3 (Cl.21.2. b) (Cl.21.1)
321	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TENSILE TEST FOR ARMOUR	IS 3975 (Cl. 8.1) (Table 5)
322	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TEST FOR ECCENTRICITY OF INSULATION AND THICKNESS OF INSULATION AND SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iv) (Cl.12.2) (Cl.12.3) (Cl.16.3) (Cl.18.3) (Table 4) (Table 5) (Table 7) (Cl.19.2.e) (Annexure A) (Cl. 12.4)
323	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TEST FOR HALOGEN ACID GAS EVOLUTION	IS 1554 Part 1 + AMD 5 (Cl. 15.1.1.C2. f) (Cl. 16.9) (Cl.15.2.1.C2.d)
324	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TEST FOR HALOGEN ACID GAS EVOLUTION	IS 7098 Part 1 + AMD 5 (Cl. 15.1.1.C2. f) (Cl. 16.8) (Cl. 15.2.1.C2. d)
325	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TEST FOR HALOGEN ACID GAS EVOLUTION	IS 7098 Part 2 + AMD 1 (Cl.19.1.3.Category.C2.e) (Cl.19.2.2.Category.C2.d) (Cl.20.13)
326	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TEST FOR THICKNESS OF INSULATION AND SHEATH	IS 9968 Part 1 + AMD 3 (Cl.21.2. e) (Cl.21.1) (Cl. 12.2) (Cl. 12.3) (Cl.19.2) (Cl.19.3) (Tables 1 to 10)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 116 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
327	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Thermal ageing in air oven for Insulation &outer sheath	BS 7655 (Part 4, Section 4.2) (table 2)
328	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Thermal ageing in air oven for Insulation &outer sheath	BS 7655 (Part 6, Section 6.1) (Table 2)
329	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Thermal ageing in air oven for Insulation &outer sheath	BS EN 60811 (Part 401) + AMD 1
330	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Thermal ageing in air oven for Insulation &outer sheath	BS EN 7655 (Section 1.3) (Table 2)
331	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Thermal ageing in air oven for Insulation &outer sheath	IS 14255 + AMD 1 Cl.No. 10.1.c.ii
332	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3) (Cl.3.9.9)
333	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl.15.1d. 2)
334	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iii.b) (Table 1 S.No.1.iii) (Cl.19.1 Sl.No.1.vi.b) (Table 3 S.No.1 ii) (Cl. 5)
335	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	THERMAL AGEING IN AIR	IS 10810 Part 11
336	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	THERMAL AGEING TEST FOR COMPLETE CABLE	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vii) (Cl.20.9) (Table 3 S.No.1 ii) (Table 1 S.No.1.iii)
337	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	THERMAL STABILITY FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl. 15.1d.7)
338	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	THERMAL STABILITY FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. xiii) (Table 2 Sl. No. xi)
339	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	THERMAL STABILITY FOR OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl 15.1e.vii)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 117 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
340	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	THERMAL STABILITY FOR OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vi.g)
341	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	THERMAL STABILITY OF PVC INSULATION AND SHEATH	IS 10810 Part 60
342	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Thermal stability of PVC	IEC 60811 (Part 405) / BS EN 60811 (Part 405)
343	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	THERMAL STABILITY ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3)
344	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath)	BS EN 60811 (Part 201) + AMD 1
345	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	Thickness of Insulation , Over sheath (Outer sheath) & Inner Sheath (Separation sheath).	BS EN 60811 (Part 202) + AMD 1
346	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TORSION TEST (FOR ROUND WIRES ONLY)	IS 3975 (Cl. 8.2) (Table 6)
347	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TORSION TEST FOR ROUND WIRES	BS EN 50288-7 (Cl.4.14)
348	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TORSION TEST FOR ROUND WIRES	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
349	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TORSION TEST FOR ROUND WIRES	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.4)
350	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TORSION TEST FOR ROUND WIRES	IS 1554 Part 1 + AMD 5(3) (Cl. 13.6(c)) (Cl.15.1b.2.iii)
351	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TORSION TEST FOR ROUND WIRES	IS 7098 Part 1 + AMD 5 (3)(Cl. 13.6 c) (Cl.15.1b.2.iii)
352	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TORSION TEST FOR ROUND WIRES	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii)
353	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	TORSION TEST ON GALVANIZED STEEL WIRES FOR ARMOURING	IS 10810 Part 38

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 118 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
354	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	vertical flame test	AS/NZS 1660 (Method 5.6)
355	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	VOLTAGE TEST ON COMPLETE CABLE	BS 5467 (Table 3) (Cl.16.3)
356	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	VOLTAGE TEST ON COMPLETED CABLES	BS 6724 (Table 3) (Cl.16.3)
357	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	VOLTAGE TEST	IEC 60502-1 (Cl.15.1b) (Cl.15.3) (Table 11) (Cl.17.c) (Cl.17.3)
358	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	volume resistivity test	AS/NZS:3808 + AMD 2
359	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	WITHOUT AGEING – ELONGATION AT BREAK OF INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl.No.iii) (Table 2 Sl. No. i)
360	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	WITHOUT AGEING - TENSILE STRENGTH OF INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl.No.iii) (Table 2 Sl. No. i)
361	ELECTRICAL- CABLES & WIRES	(1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts (1) LT XLPE/PVC Power & control Cables for voltages up to & including 1100 Volts. (2) HT XLPE Power Cables & their accessories for voltages up to & including 3300 Volts	HIGH VOLTAGE TEST AT ROOM TEMPERATURE	IS 1554 Part 1 + AMD 5 (Cl.15.1g) (Cl. 16.2) (Cl.15.2h) (15.3b)
362	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	ELONGATION AT BREAK ON INSULATION AND JACKET BEFORE AGEIN	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
363	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	Flame and smoke- FT1	UL 44 (Cl. 5.14.3)
364	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	Flame and smoke-BURNING PARTICLES (DROPPING)	UL 44 (Cl. 5.14.2)
365	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	Flame and smoke-FT1	UL 83 (Cl. 5.12.2)
366	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	Flame and smoke-FV2/VW-1 / FV1/VERTICAL FLAME	UL 44 (Cl. 5.14.4)
367	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	Flame and smoke-FV2/VW-1/	UL 83 (Cl. 5.12.3) (Cl. 5.12.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 119 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
368	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	Flame and smoke-VERTICAL FLAME	UL 83 (Cl. 5.12.1)
369	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKE	UL 1581 (Table 50.179) (Table 50.182) (Cl.480) (Cl.481) (Table 50.155) (Table 50.136) (Table 50.245) (Cl.50.233)
370	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	UL 44 (Cl. 4.2.1) (Cl.4.3.2) (Table 11) (Table 20) (Cl.4.9.1)
371	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	AC SPARK TEST	UL 44 (Cl. 5.23) (Table 43)
372	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	AS-RECEIVED (UNAGED) SPECIMENS - TENSILE STRENGTH	UL 2556 (Cl.4.2.8.1) (Cl.4.2.3 to Cl.4.2.6)
373	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	AS-RECEIVED (UNAGED) SPECIMENS - ULTIMATE ELONGATION	UL 2556 (Cl.4.2.8.1) (Cl.4.2.3 to Cl.4.2.6)
374	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	BURNING CHARACTERISTICS TEST- FT1	UL 2556 (Cl.9.3)
375	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	BURNING CHARACTERISTICS TEST-BURNING PARTICLES (DROPPING)	UL 2556 (Cl.9.2)
376	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	BURNING CHARACTERISTICS TEST-FT2/FH/HORIZONTAL FLAME	UL 2556 (Cl.9.1)
377	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	BURNING CHARACTERISTICS TEST-FV1/VERTICAL FLAME	UL 2556 (Cl.9.5)
378	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	BURNING CHARACTERISTICS TEST-FV2/VW-1	UL 2556 (Cl.9.4)
379	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	COLD IMPACT TEST	UL 1581 (Cl.593)
380	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	COLD IMPACT TEST	UL 2556 (Cl.7.7)
381	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	COLD IMPACT TEST	UL 44 (Cl. 5.11.2)
382	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	COLD IMPACT TEST	UL 854 (Cl.22)
383	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	DC RESISTANCE OF A CONDUCTOR	UL 1581 (Cl.30) (Cl.220) (Table 30.1 – 30.5, 30.6, 30.6A and 30.7 – 30.11)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 120 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
384	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	DC RESISTANCE OF A CONDUCTOR	UL 2556 (Cl.3.4)
385	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	DC RESISTANCE OF A CONDUCTOR	UL 44 (Cl. 5.2) (Table 28 to 33)
386	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	DC RESISTANCE OF A CONDUCTOR	UL 854 (Cl.10)
387	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	DEFORMATION TEST	UL 2556 (Cl.7.8)
388	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	DEFORMATION TEST	UL 44 (Cl. 5.12) (Table 42)
389	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	DEFORMATION TEST	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
390	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	DIELECTRIC VOLTAGE WITHSTAND TEST IN WATER	UL 44 (Cl. 5.24) (Table 44)
391	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	DIELECTRIC VOLTAGE WITHSTAND TEST	UL 854 (Cl.29) (Table 29.1)
392	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	DIELECTRIC VOLTAGE WITHSTAND	UL 2556 (Cl.6.2)
393	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	ELONGATION AT BREAK ON INSULATION AND JACKET AFTER AIR OVEN AGEING	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
394	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	Flame and smoke-FT2/FH/HORIZONTAL FLAME	UL 44 (Cl. 5.14.1)
395	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	FLAME TEST OF CABLE	UL 854 (Cl.20)
396	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	HEAT SHOCK TEST	UL 2556 (Cl.7.2)
397	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	HEAT SHOCK TEST	UL 44 (Cl. 5.9) (Table 39)
398	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	HEAT SHOCK TEST	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
399	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	HOT CREEP ELONGATION AND HOT CREEP SET	UL 2556 (Cl.7.9)
400	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	HOT CREEP ELONGATION AND HOT CREEP SET	UL 44 (Cl. 5.13)
401	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	INSULATION FALL IN	UL 44 (Cl. 5.8)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 121 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
402	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	INSULATION RESISTANCE TEST IN WATER	UL 1581 (Cl.920)
403	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	INSULATION RESISTANCE TEST	UL 2556 (Cl.6.4)
404	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	INSULATION RESISTANCE TEST	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
405	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	INSULATION, OVERALL COVERING, AND JACKET MATERIALS TESTS - THICKNESS	UL 2556 (Cl.4.1)
406	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	MEASUREMENT OF INSULATION AND JACKET THICKNESS	UL 854 (Cl.14.2) (Table.14.1) (Table 14.3)
407	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	SHORT TERM AIR OVEN AGEING – TENSILE STRENGTH	UL 2556 (Cl.4.2.8.2) (Cl.4.2.3 to Cl.4.2.6)
408	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	SHORT TERM AIR OVEN AGEING - ULTIMATE ELONGATION	UL 2556 (Cl.4.2.8.2) (Cl.4.2.3 to Cl.4.2.6)
409	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	SHRINKAGE	UL 44 (Cl. 5.21)
410	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	SHRINKBACK	UL 2556 (Cl.7.4) (Cl.7.5)
411	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	SPARK TEST	UL 2556 (Cl.6.7)
412	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	TENSILE STRENGTH AIR OVEN AGEING ON INSULATION AND JACKET	UL 1581 (Table 50.179) (Table 50.182) (Cl.480) (Cl.481) (Table 50.155) (Table 50.136) (Table 50.245) (Cl.50.233)
413	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 44 (Cl. 4.2.1) (Cl.4.3.2) (Table 11) (Table 20) (Cl.4.9.1)
414	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	UL 44 (Cl. 4.2.1) (Cl.4.3.2) (Table 11) (Table 20) (Cl.4.9.1)
415	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	TENSILE STRENGTH ON INSULATION AND JACKET AFTER AIR OVEN AGEING	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
416	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	TENSILE STRENGTH ON INSULATION AND JACKET BEFORE AGEING	UL 1581 (Table 50.179) (Table 50.182) (Cl.470) (Table 50.155) (Table 50.136) (Table 50.245) (Cl.50.233)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	122 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
417	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	TENSILE STRENGTH ON INSULATION AND JACKET BEFORE AGEING	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
418	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	TEST FOR THICKNESS OF INSULATION AND JACKET	UL 44 (Cl. 4.9.2) (Cl.4.9.3) (Table 27) (Table 12 to 19) (Cl.4.2.3)
419	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	THICKNESSES OF INSULATION ON THERMOPLASTIC- AND THERMOSET-INSULATED WIRES AND CABLE	UL 1581 (Cl.240) (Cl.250) (Cl.260)
420	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 44 (Cl. 4.2.1) (Cl.4.3.2) (Table 11) (Table 20) (Cl.4.9.1)
421	ELECTRICAL- CABLES & WIRES	Thermoset/Thermoplastic insulated Electric wires, Cables & flexible cord & service entrance cables	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	UL 1581 (Table 50.179) (Table 50.182) (Cl.470) (Table 50.155) (Table 50.136) (Table 50.245) (Cl.50.233)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 123 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
LOCATION 3 - RS. NO. 12P2, 13,15,16/A, 16/B, 17,18,19, 20P1,20P2, 21 TO 25, 26A, 26B, 30 TO 33, 34/1, 34/2, 34/3, 34/4, 65, 109, VILLAGE-RAMPURA & NOORPURA, TA: HALOL, DIST: PANCHMAHALS, HALOL, GUJARAT, INDIA Permanent Facility				
1	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	OIL RESISTANCE AND GASOLINE RESISTANT - ULTIMATE ELONGATION	UL 2556 (Cl.4.2.8.3) (Cl.4.2.8.4) (Cl.4.2.3 to Cl.4.2.6) (Cl.7.18)
2	ELECTRICAL- CABLES & WIRES	"STANDARD TEST METHOD FOR DENSITY OF SMOKE FROM THE BURNING OR DECOMPOSITION OF PLASTICS"	"STANDARD TEST METHOD FOR DENSITY OF SMOKE FROM THE BURNING OR DECOMPOSITION OF PLASTICS"	ASTM D 2843
3	ELECTRICAL- CABLES & WIRES	AIRCRAFT ELECTRICAL CABLES	ACCELERATED AGEING TEST	BS 3G230 (Cl.7.20)
4	ELECTRICAL- CABLES & WIRES	AIRCRAFT ELECTRICAL CABLES	ADHERENCE OF INSULATION ON CONDUCTOR	BS 3G230 (Cl.7.22)
5	ELECTRICAL- CABLES & WIRES	AIRCRAFT ELECTRICAL CABLES	COLD BEND TEST	BS 3G230 (Cl.7.26)
6	ELECTRICAL- CABLES & WIRES	AIRCRAFT ELECTRICAL CABLES	DELAMINATION AND INSULATION BLOCKING	BS 3G230 (Cl.7.24)
7	ELECTRICAL- CABLES & WIRES	AIRCRAFT ELECTRICAL CABLES	DELAMINATION AND SHRINKAGE TEST	BS 3G230 (Cl.7.23)
8	ELECTRICAL- CABLES & WIRES	AIRCRAFT ELECTRICAL CABLES	HIGH VOLTAGE TEST - IMMERSION	BS 3G230 (Cl.7.17.1)
9	ELECTRICAL- CABLES & WIRES	AIRCRAFT ELECTRICAL CABLES	IDENTIFICATION DURABILITY	BS 3G230 (Cl.7.37) (Cl.7.31)
10	ELECTRICAL- CABLES & WIRES	AIRCRAFT ELECTRICAL CABLES	ROOM TEMPERATURE BEND TEST	BS 3G230 (Cl.7.25)
11	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	CABLE FLAME TEST	UL 758 (Cl.41)
12	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	CAPACITANCE AND RELATIVE PERMITTIVITY TESTS AND STABILITY FACTOR	UL 758 (Cl.38) (Cl.39)
13	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	COLD BEND TEST	UL 758 (Cl.23) (Table 3.7) (Table 23.1) (Table 3.6)
14	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	COPPER CORROSION TEST FOR FINISHED WIRE AND CABLE	UL 758 (Cl.18) (Table 7.1) (Table 7.2) (Table 7.3) (Table 14.1)
15	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	CRUSH RESISTANCE	UL 758 (Cl.28) (Table 7.4) (Table 7.5) (Table 28.1)
16	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	DC RESISTANCE OF A CONDUCTOR	UL 758 (Cl.5.6) (Table 5.4 to 5.8)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 124 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
17	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	DC RESISTANCE OF A CONDUCTOR	UL 758 (Cl.5.6) (Table 5.4 to 5.8)
18	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	DEFORMATION TEST	UL 758 (Cl.19) (Table 7.1) (Table 7.2) (Table 7.3) (Table 19.1)
19	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	DIELECTRIC TEST, METHOD I,II & III	UL 758 (Cl.29) (Cl.21.2) (Table 7.1) (Table 7.2) (Table 7.3) (Table 14.1) (Table 3.2) (Table 3.5) (Table 29.1) (Cl.30) (Cl.31)
20	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	DURABILITY OF INK PRINTING	UL 758 (Cl.27)
21	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	FT1 FLAME TEST	UL 758 (Cl.43)
22	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	FT2 FLAME TEST	UL 758 (Cl.44)
23	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	HEAT SHOCK TEST	UL 758 (Cl.22) (Table 22.1) (Table 3.2) (Cl.21.4) (Table 3.8) (Table 3.7)
24	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	HORIZONTAL FLAME TEST FOR INTERNAL WIRING	UL 758 (Cl.40)
25	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	IEC 60332-1 FLAME TEST	UL 758 (Cl.45)
26	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	PHYSICAL PROPERTIES AIR OVEN AGED - TENSILE STRENGTH OF INSULATION	UL 758 (Cl.14) (Table 7.2) (Table 7.3) (Table 14.1) (Table 7.1) (Cl.7.2)
27	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	PHYSICAL PROPERTIES AIR OVEN AGED - ULTIMATE ELONGATION OF INSULATION	UL 758 (Cl.14) (Table 7.2) (Table 7.3) (Table 14.1) (Table 7.1) (Cl.7.2)
28	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	PHYSICAL PROPERTIES UNAGED - TENSILE STRENGTH OF INSULATION	UL 758 (Cl.14) (Table 7.2) (Table 7.3) (Table 7.1) (Cl.7.2)
29	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	PHYSICAL PROPERTIES UNAGED - ULTIMATE ELONGATION OF INSULATION	UL 758 (Cl.14) (Table 7.2) (Table 7.3) (Table 7.1) (Cl.7.2)
30	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	PHYSICAL PROPERTIES, OIL IMMERSION AGEING AND GASOLINE CONDITIONING - TENSILE STRENGTH	UL 758 (Cl.15) (Table 15.1) (Cl.16)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 125 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
31	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	PHYSICAL PROPERTIES, OIL IMMERSION AGEING AND GASOLINE CONDITIONING - ULTIMATE ELONGATION	UL 758 (Cl.15) (Table 15.1) (Cl.16)
32	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	PHYSICAL PROPERTIES, SUNLIGHT RESISTANCE - TENSILE STRENGTH	UL 758 (Cl.17)
33	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	PHYSICAL PROPERTIES, SUNLIGHT RESISTANCE - ULTIMATE ELONGATION	UL 758 (Cl.17)
34	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	SHORT TERM INSULATION RESISTANCE TEST IN WATER AT ROOM TEMPERATURE AND LONG TERM INSULATION RESISTANCE TEST IN WATER AT ELEVATED TEMPERATURE (WET RATED AWM)	UL 758 (Cl.35) (Cl.36)
35	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	TEST FOR THICKNESS OF INSULATION, COVERINGS AND OVERALL JACKET	UL 758 (Cl.7.3) (Table 7.4) (Table 7.5) (Cl.8) (Table 8.2) (Cl.13.3) (Table 13.1 to 13.4)
36	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL	VW-1 FLAME TEST	UL 758 (Cl.42)
37	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	COLD BEND TEST AND DIELECTRIC VOLTAGE WITHSTAND TESTS	CSA C22.2 No.210 (Cl.11.6) (Table 2) (Table 21) (Table 20) (Table 18) (Table 19) (Cl.11.1) (Table 1)
38	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	COPPER CORROSION	CSA C22.2 No.210 (Cl.11.2.2.1) (Table 2) (Cl.11.1) (Table 1)
39	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	DC RESISTANCE OF CONDUCTOR	CSA C22.2 No.210 (Cl.11.2.1) (Table 6) (Table 15) (Table 16) (Cl.11.1) (Table 1) (Cl.5.2.1) (Cl.5.6) (Cl.5.2.2)
40	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	DC RESISTANCE OF CONDUCTOR	CSA C22.2 No.210 (Cl.11.2.1) (Table 6) (Table 15) (Table 16) (Cl.11.1) (Table 1) (Cl.5.2.1) (Cl.5.6) (Cl.5.2.2)
41	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	DEFORMATION TEST	CSA C22.2 No.210 (Cl.11.7) (Table 13) (Table 2) (Cl.11.1) (Table 1)
42	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	DIELECTRIC VOLTAGE WITHSTAND TEST OF INSULATION AND JACKET OVER SHIELDS	CSA C22.2 No.210 (Cl.11.4) (Table 18) (Table 19) (Table 3) (Cl.11.1) (Table 1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 126 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
43	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	DURABILITY OF INK PRINTING	CSA C22.2 No.210 (Cl.11.9) (Cl.11.1) (Table 1)
44	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	FT1 VERTICAL TEST	CSA C22.2 No.210 (Cl.11.8.a) (Cl.11.1) (Table 1)
45	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	FT2 HORIZONTAL TEST	CSA C22.2 No.210 (Cl.11.8.b) (Cl.11.1) (Table 1)
46	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	FT4 VERTICAL FLAME TEST	CSA C22.2 No.210 (Cl.11.8) (Cl.11.1) (Table 1)
47	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	HEAT SHOCK TEST AND DIELECTRIC VOLTAGE WITHSTAND TESTS	CSA C22.2 No.210 (Cl.11.5) (Table 2) (Table 20) (Table 18) (Table 19) (Cl.11.1) (Table 1)
48	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	OIL IMMERSION AND FUEL OIL IMMERSION TESTS FOR INSULATION, COVERINGS AND JACKETS - TENSILE STRENGTH	CSA C22.2 No.210 (Cl.11.14) (Cl.11.1) (Table 1)
49	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	OIL IMMERSION AND FUEL OIL IMMERSION TESTS FOR INSULATION, COVERINGS AND JACKETS - ULTIMATE ELONGATION	CSA C22.2 No.210 (Cl.11.14) (Cl.11.1) (Table 1)
50	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	PERMITIVITY TESTS	CSA C22.2 No.210 (Cl.11.13) (Cl.11.1) (Table 1)
51	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	CSA C22.2 No.210 (Cl.11.3.1) (Cl.11.2.2.2) (Table 12) (Table 17) (Cl.11.3.2)
52	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	CSA C22.2 No.210 (Cl.11.3.1) (Cl.11.2.2.2) (Table 12) (Table 17) (Cl.11.3.2)
53	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	TEST FOR THICKNESS OF INSULATION, COVERINGS AND OVERALL JACKET	CSA C22.2 No.210 (Cl.6.3) (Cl.8.4) (Cl.10.2) (Table 14) (Cl.8.7)
54	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	CSA C22.2 No.210 (Cl.11.3.1) (Cl.11.2.2.2) (Table 12) (Table 17) (Cl.11.3.2)
55	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	CSA C22.2 No.210 (Cl.11.3.1) (Cl.11.2.2.2) (Table 12) (Table 17) (Cl.11.3.2)
56	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	VW1	CSA C22.2 No.210 (Cl.11.8.e) (Cl.11.1) (Table 1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 127 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
57	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	WEATHER RESISTANCE TEST FOR CLASS II PRODUCTS - TENSILE STRENGTH	CSA C22.2 No.210 (Cl.11.15) (Cl.11.1) (Table 1)
58	ELECTRICAL- CABLES & WIRES	APPLIANCE WIRING MATERIAL PRODUCTS	WEATHER RESISTANCE TEST FOR CLASS II PRODUCTS - ULTIMATE ELONGATION	CSA C22.2 No.210 (Cl.11.15) (Cl.11.1) (Table 1)
59	ELECTRICAL- CABLES & WIRES	CABLES - TESTING OF FIRE CHARACTERISTICS	CABLES - TESTING OF FIRE CHARACTERISTICS	SS 424 1475
60	ELECTRICAL- CABLES & WIRES	CABLES, ELECTRIC FIRE SURVIVAL, HIGH TEMPERATURE ZONES AND LIMITED FIRE HAZARD SHEATHED	VISUAL EXAMINATION	DEFENSE STANDARD 02-527 (Cl.0537)
61	ELECTRICAL- CABLES & WIRES	CABLES, ELECTRIC FIRE SURVIVAL, HIGH TEMPERATURE ZONES AND LIMITED FIRE HAZARD SHEATHED	VOLTAGE BREAKDOWN OF INSULATION TAPE	DEFENSE STANDARD 02-527 (ISSUE 1) (Cl. 0505 to Cl.0513)
62	ELECTRICAL- CABLES & WIRES	CABLES, LIGHT-WEIGHT, ELECTRIC, FOR SHIPBOARD USE	ABRASION RESISTANCE TEST	MIL-DTL-24640 Rev. C (Cl.4.7.1)
63	ELECTRICAL- CABLES & WIRES	CALCULATION OF D.C. RESISTANCE OF PLAIN AND COATED COPPER CONDUCTORS OF LOW-FREQUENCY CABLES AND WIRES - APPLICATION GUIDE	CALCULATION OF D.C. RESISTANCE OF PLAIN AND COATED COPPER CONDUCTORS OF LOW-FREQUENCY CABLES AND WIRES - APPLICATION GUIDE	IEC/TR 60344
64	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	BENDING AT LOW TEMPERATURE - FOR CORE DIAMETER = 12 MM	IEC 62893-1 (Table 2, Ref.No.4) (Table 3, Ref.No.4)
65	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	COLD ELONGATION TEST AT LOW TEMPERATURE	IEC 62893-1 (Table 2, Ref.No.5) (Table 3, Ref.No.5)
66	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	COLD IMPACT TEST	IEC 62893-2 (Cl. 5.8)
67	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	COMPATIBILITY TEST - ELONGATION AT BREAK	IEC 62893-1 (Annex A)
68	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	COMPATIBILITY TEST - TENSILE STRENGTH	IEC 62893-1 (Annex A)
69	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	CONTINUITY OF MARKS	IEC 62893-1 (Cl. 6.2)
70	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	CRUSH RESISTANCE TEST	IEC 62893-2 (Cl. 5.7)
71	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	DURABILITY OF MARKING	IEC 62893-1 (Cl. 6.3)
72	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	ELONGATION AT BREAK - PROPERTIES AFTER AGEING IN AIR OVEN	IEC 62893-1 (Table 2, Ref.No.1.2) (Table 3, Ref.No.1.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 128 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
73	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	ELONGATION AT BREAK - PROPERTIES AFTER IMMERSION IN MINERAL OIL	IEC 62893-1 (Table 3, Ref.No.1.3)
74	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	ELONGATION AT BREAK - PROPERTIES IN THE STATE AS DELIVERED	IEC 62893-1 (Table 2, Ref.No.1.1) (Table 3, Ref.No.1.1)
75	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	HARDNESS	IEC 62893-1 (Table 2, Ref.No.6)
76	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	HEAT SHOCK TEST	IEC 62893-1 (Table 3, Ref.No.6)
77	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	HOT SET TEST	IEC 62893-1 (Table 2, Ref.No.2) (Table 3, Ref.No.2)
78	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	LEGIBILITY OF MARKING	IEC 62893-1 (Cl. 6.4)
79	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	LONG TERM RESISTANCE OF POWER CORES TO D.C.	IEC 62893-1 (Table 4 Ref.No.5)
80	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	LONG TERM RESISTANCE OF POWER CORES TO D.C.	IEC 62893-2 (Cl. 5.1.1)
81	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	MEASUREMENT OF INSULATION RESISTANCE	IEC 62893-1 (Table 4 Ref.No.4)
82	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	MEASUREMENT OF THE RESISTANCE OF CONDUCTORS	IEC 62893-1 (Table 4 Ref.No.1.1)
83	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	MECHANICAL STRENGTH OF CABLE COMPLETED CABLE	IEC 62893-1 (Cl. 8.8.3)
84	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	OZONE RESISTANCE	IEC 62893-1 (Table 3, Ref.No.8)
85	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	PRESSURE TEST AT HIGH TEMPERATURE	IEC 62893-1 (Table 2, Ref.No.3) (Table 3, Ref.No.3)
86	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	RESISTANCE AGAINST CHEMICALS	IEC 62893-2 (Cl. 5.3)
87	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	RESISTANCE AGAINST SAPONIFICATION	IEC 62893-1 (Table 3, Ref.No.10)
88	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	RESISTANCE AGAINST SAPONIFICATION	IEC 62893-2 (Cl. 5.6)
89	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	RESISTANCE OF SHEATH AGAINST N-OXALIC ACID - ELONGATION AT BREAK	IEC 62893-1 (Table 3, Ref.No.11)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 129 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
90	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	RESISTANCE OF SHEATH AGAINST N-OXALIC ACID - TENSILE STRENGTH	IEC 62893-1 (Table 3, Ref.No.11)
91	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	RESISTANCE OF SHEATH AGAINST N-SODIUM HYDROXIDE - ELONGATION AT BREAK	IEC 62893-1 (Table 3, Ref.No.11)
92	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	RESISTANCE OF SHEATH AGAINST N-SODIUM HYDROXIDE - TENSILE STRENGTH	IEC 62893-1 (Table 3, Ref.No.11)
93	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	SHRINKAGE TEST	IEC 62893-1 (Cl. 8.8.6)
94	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	TEAR RESISTANCE	IEC 62893-1 (Table 3, Ref.No.9)
95	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	TEAR RESISTANCE	IEC 62893-2 (Cl. 5.5)
96	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	TENSILE STRENGTH - PROPERTIES AFTER AGEING IN AIR OVEN	IEC 62893-1 (Table 2, Ref.No.1.2) (Table 3, Ref.No.1.2)
97	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	TENSILE STRENGTH - PROPERTIES AFTER IMMERSION IN MINERAL OIL	IEC 62893-1 (Table 3, Ref.No.1.3)
98	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	TENSILE STRENGTH - PROPERTIES IN THE STATE AS DELIVERED	IEC 62893-1 (Table 2, Ref.No.1.1) (Table 3, Ref.No.1.1)
99	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	VOLTAGE TEST ON COMPLETED CABLE	IEC 62893-1 (Table 4 Ref.No.2)
100	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	VOLTAGE TEST ON CORES	IEC 62893-1 (Table 4 Ref.No.3)
101	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	WATER RESISTANCE TEST - ELONGATION AT BREAK	IEC 62893-1 (Table 3, Ref.No.7)
102	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	WATER RESISTANCE TEST - ELONGATION AT BREAK	IEC 62893-2 (Cl.5.4)
103	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	WATER RESISTANCE TEST - TENSILE STRENGTH	IEC 62893-1 (Table 3, Ref.No.7)
104	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	WATER RESISTANCE TEST - TENSILE STRENGTH	IEC 62893-2 (Cl.5.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 130 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
105	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	WEATHERING/UV-RESISTANCE OF OUTER SHEATH - ELONGATION AT BREAK	IEC 62893-1 (Table 3, Ref.No.12)
106	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	WEATHERING/UV-RESISTANCE OF OUTER SHEATH - ELONGATION AT BREAK	IEC 62893-2 (Cl. 5.2)
107	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	WEATHERING/UV-RESISTANCE OF OUTER SHEATH - TENSILE STRENGTH	IEC 62893-1 (Table 3, Ref.No.12)
108	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV	WEATHERING/UV-RESISTANCE OF OUTER SHEATH - TENSILE STRENGTH	IEC 62893-2 (Cl. 5.2)
109	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	ELONGATION AT BREAK - PROPERTIES AFTER AGEING IN AIR OVEN	IEC 62893-3 (Table A.1, Ref.No.3) (Table A.1, Ref.No.4)
110	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	ELONGATION AT BREAK - PROPERTIES AFTER IMMERSION IN MINERAL OIL	IEC 62893-3 (Table A.1, Ref.No.4)
111	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	HARDNESS	IEC 62893-3 (Table A.1, Ref.No.3)
112	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	ASSESSMENT OF HALOGENS OF ALL NON METALLIC MATERIALS	IEC 62893-3 (Table A.1, Ref.No.12)
113	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	ASSESSMENT OF HALOGENS OF ALL NON METALLIC MATERIALS	IEC 62893-3 (Table A.1, Ref.No.12)
114	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	BENDING AT LOW TEMPERATURE - FOR CORE DIAMETER = 12 MM	IEC 62893-3 (Table A.1, Ref.No.3) (Table A.1, Ref.No.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 131 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
115	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	CHECKING OF COMPLIANCE WITH CONSTRUCTIONAL PROVISIONS	IEC 62893-3 (Table A.1, Ref.No.2.1) (Annex B)
116	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	COMPATIBILITY TEST - ELONGATION AT BREAK	IEC 62893-3 (Table A.1, Ref.No.5)
117	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	CRUSH RESISTANCE TEST	IEC 62893-3 (Table A.1, Ref.No.9)
118	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	ELONGATION AT BREAK - PROPERTIES IN THE STATE AS DELIVERED	IEC 62893-3 (Table A.1, Ref.No.3) (Table A.1, Ref.No.4)
119	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	HEAT SHOCK TEST	IEC 62893-3 (Table A.1, Ref.No.4)
120	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	HOT SET TEST	IEC 62893-3 (Table A.1, Ref.No.3) (Table A.1, Ref.No.4)
121	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	IMPACT TEST AT -35 °C	IEC 62893-3 (Table A.1, Ref.No.6)
122	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	INSULATION RESISTANCE AT 90 °C	IEC 62893-3 (Table A.1, Ref.No.1.4)
123	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	LONG TERM RESISTANCE OF POWER CORES TO D.C.	IEC 62893-3 (Table A.1, Ref.No.1.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 132 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
124	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MARKING	IEC 62893-3 (Cl. 4.2.3.5) (Cl. 4.2.3.5)
125	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MEASUREMENT OF OVERALL DIMENSIONS - MEAN VALUE	IEC 62893-3 (Table A.1, Ref.No.2.4.1) (Annex B)
126	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MEASUREMENT OF OVERALL DIMENSIONS -OVALITY	IEC 62893-3 (Table A.1, Ref.No.2.4.2) (Annex B)
127	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MEASUREMENT OF THICKNESS OF INSULATION	IEC 62893-3 (Table A.1, Ref.No.2.2) (Annex B)
128	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MEASUREMENT OF THICKNESS OF SHEATH	IEC 62893-3 (Table A.1, Ref.No.2.3) (Annex B)
129	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MECHANICAL STRENGTH OF CABLE COMPLETED CABLE	IEC 62893-3 (Table A.1, Ref.No.8)
130	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	OZONE RESISTANCE	IEC 62893-3 (Table A.1, Ref.No.4)
131	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	RESISTANCE AGAINST CHEMICALS	IEC 62893-3 (Table A.1, Ref.No.10)
132	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	RESISTANCE AGAINST SAPONIFICATION	IEC 62893-3 (Table A.1, Ref.No.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 133 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
133	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	RESISTANCE OF CONDUCTORS	IEC 62893-3 (Table A.1, Ref.No.1.1)
134	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	RESISTANCE OF SHEATH AGAINST N-OXALIC ACID - ELONGATION AT BREAK	IEC 62893-3 (Table A.1, Ref.No.4)
135	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	RESISTANCE OF SHEATH AGAINST N-OXALIC ACID - TENSILE STRENGTH	IEC 62893-3 (Table A.1, Ref.No.4)
136	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	RESISTANCE OF SHEATH AGAINST N-SODIUM HYDROXIDE - ELONGATION AT BREAK	IEC 62893-3 (Table A.1, Ref.No.4)
137	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	RESISTANCE OF SHEATH AGAINST N-SODIUM HYDROXIDE - TENSILE STRENGTH	IEC 62893-3 (Table A.1, Ref.No.4)
138	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	SHRINKAGE TEST	IEC 62893-3 (Table A.1, Ref.No.7)
139	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	TENSILE STRENGTH - PROPERTIES AFTER IMMERSION IN MINERAL OIL	IEC 62893-3 (Table A.1, Ref.No.4)
140	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	TENSILE STRENGTH - PROPERTIES IN THE STATE AS DELIVERED	IEC 62893-3 (Table A.1, Ref.No.3) (Table A.1, Ref.No.4)
141	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	TEST UNDER FIRE CONDITIONS - TEST ON SINGLE VERTICAL CABLE	IEC 62893-3 (Table A.1, Ref.No.11)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 134 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
142	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	VOLTAGE TEST ON COMPLETED CABLE	IEC 62893-3 (Table A.1, Ref.No.1.2)
143	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	VOLTAGE TEST ON CORES	IEC 62893-3 (Table A.1, Ref.No.1.3)
144	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	WATER RESISTANCE TEST - ELONGATION AT BREAK	IEC 62893-3 (Table A.1, Ref.No.4)
145	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	WATER RESISTANCE TEST - TENSILE STRENGTH	IEC 62893-3 (Table A.1, Ref.No.4)
146	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	WEATHERING/UV-RESISTANCE OF OUTER SHEATH - ELONGATION AT BREAK	IEC 62893-3 (Table A.1, Ref.No.4)
147	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV - CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	WEATHERING/UV-RESISTANCE OF OUTER SHEATH - TENSILE STRENGTH	IEC 62893-3 (Table A.1, Ref.No.4)
148	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV -CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	COLD ELONGATION TEST AT LOW TEMPERATURE	IEC 62893-3 (Table A.1, Ref.No.3) (Table A.1, Ref.No.4)
149	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV- CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	COMPATIBILITY TEST - TENSILE STRENGTH	IEC 62893-3 (Table A.1, Ref.No.5)
150	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV- CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	TEAR RESISTANCE	IEC 62893-3 (Table A.1, Ref.No.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 135 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
151	ELECTRICAL- CABLES & WIRES	CHARGING CABLES FOR ELECTRIC VEHICLES FOR RATED VOLTAGES UP TO AND INCLUDING 0,6/1 KV- CABLES FOR AC CHARGING ACCORDING TO MODES 1, 2 AND 3 OF IEC 61851-1 OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	TENSILE STRENGTH - PROPERTIES AFTER AGEING IN AIR OVEN	IEC 62893-3 (Table A.1, Ref.No.3) (Table A.1, Ref.No.4)
152	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	% OVERLAP OF TAPE	EIL Spec. 6-51-0052 Rev.6 (Cl.4.6.1)
153	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	ANNEALING TEST (FOR COPPER)	EIL Spec. 6-51-0052 Rev.6 (Cl.4.2) (Cl.6.5.1.xi)
154	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	CAPACITANCE UNBALANCE	EIL Spec. 6-51-0052 Rev.6 (Cl.6.5.1.vii)
155	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	CIRCUIT INTEGRITY TEST	EIL Spec. 6-51-0052 Rev.6 (Cl.4.11)
156	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	COLD BEND TEST ON INSULATION AND SHEATH	EIL Spec. 6-51-0052 Rev.6 (Cl.4.8.1) (Cl.4.10.1) (Cl.4.3.2)
157	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	COLD IMPACT TEST ON INSULATION AND SHEATH	EIL Spec. 6-51-0052 Rev.6 (Cl.4.8.1) (Cl.4.10.1) (Cl.4.3.2)
158	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	CONDUCTOR CONTINUITY	EIL Spec. 6-51-0052 Rev.6 (Cl.6.5.1.v)
159	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	CONDUCTOR RESISTANCE TEST	EIL Spec. 6-51-0052 Rev.6 (Cl.4.2) (Cl.6.5.1.iii)
160	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	DIMENSIONS OF ARMOUR	EIL Spec. 6-51-0052 Rev.6 (Cl.4.9.2)
161	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	DRAIN WIRE RESISTANCE	EIL Spec. 6-51-0052 Rev.6 (Cl.4.6.2)
162	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	ELONGATION AT BREAK ON INSULATION AND SHEATH	EIL Spec. 6-51-0052 Rev.6 (Cl.4.8.1) (Cl.4.10.1) (Cl.4.3.2)
163	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	FLAME RETARDENT TEST ON FINISHED CABLE	EIL Spec. 6-51-0052 Rev.6 (Cl.4.10.2) (Cl.6.5.2.ii)
164	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	FLAME RETARDENT TEST ON FINISHED CABLE	EIL Spec. 6-51-0052 Rev.6 (Cl.6.5.2.ii)
165	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	HEAT SHOCK TEST ON INSULATION AND SHEATH	EIL Spec. 6-51-0052 Rev.6 (Cl.4.8.1) (Cl.4.10.1) (Cl.4.3.2)
166	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	HIGH VOLTAGE TEST	EIL Spec. 6-51-0052 Rev.6 (Cl.6.5.1.ix)
167	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	HOT DEFORMATION TEST ON INSULATION AND SHEATH	EIL Spec. 6-51-0052 Rev.6 (Cl.4.8.1) (Cl.4.10.1) (Cl.4.3.2)
168	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	HOT DEFORMATION TEST ON INSULATION AND SHEATH	EIL Spec. 6-51-0052 Rev.6 (Cl.4.8.1) (Cl.4.10.1) (Cl.4.3.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 136 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
169	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	INSULATION RESISTANCE TEST	EIL Spec. 6-51-0052 Rev.6 (Cl.6.5.1.viii) (Cl.4.3.2)
170	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	LOSS OF MASS ON INSULATION AND SHEATH	EIL Spec. 6-51-0052 Rev.6 (Cl.4.8.1) (Cl.4.10.1) (Cl.4.3.2)
171	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	MEASUREMENT OF OVERALL DIMENSIONS	EIL Spec. 6-51-0052 Rev.6 (Cl.4.10.7) (Cl.6.5.1.i)
172	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	MUTUAL CAPACITANCE	EIL Spec. 6-51-0052 Rev.6 (Cl.4.12.1) (Cl.4.12.2) (Cl.6.5.1.vi)
173	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	OXYGEN INDEX TEST	EIL Spec. 6-51-0052 Rev.6 (Cl.4.10.2) (Cl.6.5.2.i)
174	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	OXYGEN INDEX TEST	EIL Spec. 6-51-0052 Rev.6 (Cl.4.10.2) (Cl.6.5.2.i)
175	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	SHRINKAGE TEST ON INSULATION AND SHEATH	EIL Spec. 6-51-0052 Rev.6 (Cl.4.8.1) (Cl.4.10.1) (Cl.4.3.2)
176	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	TENSILE STRENGTH ON INSULATION AND SHEATH	EIL Spec. 6-51-0052 Rev.6 (Cl.4.8.1) (Cl.4.10.1) (Cl.4.3.2)
177	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	TEST FOR THICKNESS OF INSULATION AND SHEATH	EIL Spec. 6-51-0052 Rev.6 (Cl.4.3.2) (Cl.4.6.1) (Cl.4.8.1) (Cl.4.10.3) (Cl.6.5.1.ii)
178	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - ELONGATION AT BREAK	EIL Spec. 6-51-0052 Rev.6 (Cl.4.8.1) (Cl.4.10.1) (Cl.4.3.2)
179	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - TENSILE STRENGTH	EIL Spec. 6-51-0052 Rev.6 (Cl.4.8.1) (Cl.4.10.1) (Cl.4.3.2)
180	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	THERMAL STABILITY ON INSULATION AND SHEATH	EIL Spec. 6-51-0052 Rev.6 (Cl.4.8.1) (Cl.4.10.1) (Cl.4.3.2)
181	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	UNIFORMITY OF ZINC COATING FOR ARMOUR	EIL Spec. 6-51-0052 Rev.6 (Cl.6.5.1.x)
182	ELECTRICAL- CABLES & WIRES	COMMUNICATION AND FIRE ALARM CABLES	WATER ABSORPTION TEST (GRAVIMETRIC) ON INSULATION	EIL Spec. 6-51-0052 Rev.6 (Cl.4.3.2)
183	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	ELECTRICAL TEST METHODS - DC RESISTANCE	BS EN 50289-1-2
184	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	ELECTRICAL TEST METHODS - ELECTROMAGNETIC PERFORMANCE	BS EN 50289-1-6

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 137 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
185	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	ELECTRICAL TEST METHODS - ATTENUATION	BS EN 50289-1-8
186	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	ELECTRICAL TEST METHODS - CAPACITANCE	BS EN 50289-1-5
187	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	ELECTRICAL TEST METHODS - CHARACTERISTIC IMPEDANCE, INPUT IMPEDANCE, RETURN LOSS	BS EN 50289-1-11
188	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	ELECTRICAL TEST METHODS - CROSS TALK	BS EN 50289-1-10
189	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	ELECTRICAL TEST METHODS - DIELECTRIC STRENGTH	BS EN 50289-1-3
190	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	ELECTRICAL TEST METHODS - INDUCTANCE	BS EN 50289-1-12
191	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	ELECTRICAL TEST METHODS - INSULATION RESISTANCE TEST	BS EN 50289-1-4
192	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	TENSILE STRENGTH AND ELONGATION FOR CONDUCTOR	BS EN 50289-3-2
193	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	TENSILE STRENGTH AND ELONGATION, SHRINKAGE OF INSULATION AND SHEATH	BS EN 50289-3-4
194	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	TEST METHODS FOR UV RESISTANCE EVALUATION OF THE SHEATH OF ELECTRICAL AND OPTICAL FIBRE CABLE - ELONGATION AT BREAK	BS EN 50289-4-17
195	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES	TEST METHODS FOR UV RESISTANCE EVALUATION OF THE SHEATH OF ELECTRICAL AND OPTICAL FIBRE CABLE - TENSILE STRENGTH	BS EN 50289-4-17
196	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	BENDING TEST AT LOW TEMPERATURE	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 8.1)
197	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	DENSITY	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 2)
198	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	ELONGATION TEST AT LOW TEMPERATURE	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 8.2)
199	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	HARDNESS	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 138 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
200	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	HEAT SHOCK TEST	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 6)
201	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	IMPACT AT LOW TEMPERATURE	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 8.3)
202	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	LOSS OF MASS	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 5)
203	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK AFTER AGEING	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 4.2)
204	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK INSTATE OF DELIVERY	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 4.1)
205	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH AFTER AGEING	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 4.2)
206	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH INSTATE OF DELIVERY	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 4.1)
207	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	MINERAL OIL IMMERSION TESTS - ELONGATION AT BREAK	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 10)
208	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	MINERAL OIL IMMERSION TESTS - TENSILE STRENGTH	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 10)
209	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	PRESSURE TEST AT HIGH TEMPERATURE	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 7)
210	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES . COMMON DESIGN RULES AND CONSTRUCTION. PVC SHEATHING COMPOUNDS	THERMAL STABILITY	BS EN 50290-2-22 + AMD 1 (Table 1 Ref No. 9)
211	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED POLYETHYLENE INSULATION COMPOUNDS: INSTRUMENTATION, CONTROL AND FIELD BUS CABLES	AGEING TEST ON COMPLETE CABLE - ELONGATION AT BREAK	BS EN 50290-2-29 (Table 3 Characteristics 4)
212	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED POLYETHYLENE INSULATION COMPOUNDS: INSTRUMENTATION, CONTROL AND FIELD BUS CABLES	AGEING TEST ON COMPLETE CABLE - TENSILE STRENGTH	BS EN 50290-2-29 (Table 3 Characteristics 4)
213	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED POLYETHYLENE INSULATION COMPOUNDS: INSTRUMENTATION, CONTROL AND FIELD BUS CABLES	HOT SET TEST FOR INSULATION	BS EN 50290-2-29 (Table 3 Characteristics 5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 139 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
214	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED POLYETHYLENE INSULATION COMPOUNDS: INSTRUMENTATION, CONTROL AND FIELD BUS CABLES	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK AFTER AGEING	BS EN 50290-2-29 (Table 3 Characteristics 2.2)
215	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED POLYETHYLENE INSULATION COMPOUNDS: INSTRUMENTATION, CONTROL AND FIELD BUS CABLES	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK BEFORE AGEING	BS EN 50290-2-29 (Table 3 Characteristics 2.1)
216	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED POLYETHYLENE INSULATION COMPOUNDS: INSTRUMENTATION, CONTROL AND FIELD BUS CABLES	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH AFTER AGEING	BS EN 50290-2-29 (Table 3 Characteristics 2.2)
217	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED POLYETHYLENE INSULATION COMPOUNDS: INSTRUMENTATION, CONTROL AND FIELD BUS CABLES	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH BEFORE AGEING	BS EN 50290-2-29 (Table 3 Characteristics 2.1)
218	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED POLYETHYLENE INSULATION COMPOUNDS: INSTRUMENTATION, CONTROL AND FIELD BUS CABLES	SHRINKAGE TEST	BS EN 50290-2-29 (Table 3 Characteristics 6)
219	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED POLYETHYLENE INSULATION COMPOUNDS: INSTRUMENTATION, CONTROL AND FIELD BUS CABLES	WRAPPING TEST AFTER AGEING	BS EN 50290-2-29 (Table 3 Characteristics 3)
220	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED SILICONE RUBBER INSULATION COMPOUND	HOT SET TEST FOR INSULATION	BS EN 50290-2-36 (Table 3 Characteristics 2)
221	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED SILICONE RUBBER INSULATION COMPOUND	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK AFTER AGEING	BS EN 50290-2-36 (Table 3 Characteristics 1.2)
222	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED SILICONE RUBBER INSULATION COMPOUND	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK BEFORE AGEING	BS EN 50290-2-36 (Table 3 Characteristics 1.1)
223	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED SILICONE RUBBER INSULATION COMPOUND	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH AFTER AGEING	BS EN 50290-2-36 (Table 3 Characteristics 1.2)
224	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. CROSSLINKED SILICONE RUBBER INSULATION COMPOUND	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH BEFORE AGEING	BS EN 50290-2-36 (Table 3 Characteristics 1.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 140 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
225	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT INSULATION COMPOUNDS	BENDING TEST AT LOW TEMPERATURE	BS EN 50290-2-26 + AMD 1 (Table 1 Characteristics 4)
226	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT INSULATION COMPOUNDS	CORROSIVITY - CONDUCTIVITY TEST	BS EN 50290-2-26 + AMD 1 (Table 1 Characteristics 8)
227	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT INSULATION COMPOUNDS	CORROSIVITY - PH	BS EN 50290-2-26 + AMD 1 (Table 1 Characteristics 8)
228	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT INSULATION COMPOUNDS	HEAT SHOCK TEST	BS EN 50290-2-26 + AMD 1 (Table 1 Characteristics 3)
229	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT INSULATION COMPOUNDS	HOT SET TEST FOR INSULATION	BS EN 50290-2-26 + AMD 1 (Table 1 Characteristics 14)
230	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT INSULATION COMPOUNDS	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK AFTER AGEING	BS EN 50290-2-26 + AMD 1 (Table 1 Characteristics 2.2)
231	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT INSULATION COMPOUNDS	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK INSTATE OF DELIVERY	BS EN 50290-2-26 + AMD 1 (Table 1 Characteristics 2.1)
232	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT INSULATION COMPOUNDS	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH AFTER AGEING	BS EN 50290-2-26 + AMD 1 (Table 1 Characteristics 2.2)
233	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT INSULATION COMPOUNDS	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH INSTATE OF DELIVERY	BS EN 50290-2-26 + AMD 1 (Table 1 Characteristics 2.1)
234	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT INSULATION COMPOUNDS	PRESSURE TEST AT HIGH TEMPERATURE	BS EN 50290-2-26 + AMD 1 (Table 1 Characteristics 6)
235	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT INSULATION COMPOUNDS	SHRINKAGE TEST	BS EN 50290-2-26 + AMD 1 (Table 1 Characteristics 5)
236	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT INSULATION COMPOUNDS	VOLUME RESISTIVITY AT MAX. RATED TEMPERATURE AND AT 20 °C	BS EN 50290-2-26 + AMD 1 (Table 1 Characteristics 11) (Annex A)
237	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT THERMOPLASTIC SHEATHING COMPOUNDS	BENDING TEST AT LOW TEMPERATURE	BS EN 50290-2-27 + AMD1 (Table 1 Characteristics 4.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 141 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
238	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT THERMOPLASTIC SHEATHING COMPOUNDS	CORROSIVITY - CONDUCTIVITY TEST	BS EN 50290-2-27 + AMD1 (Table 1 Characteristics 7)
239	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT THERMOPLASTIC SHEATHING COMPOUNDS	CORROSIVITY - PH	BS EN 50290-2-27 + AMD1 (Table 1 Characteristics 7)
240	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT THERMOPLASTIC SHEATHING COMPOUNDS	ELONGATION TEST AT LOW TEMPERATURE	BS EN 50290-2-27 + AMD1 (Table 1 Characteristics 4.2)
241	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT THERMOPLASTIC SHEATHING COMPOUNDS	HEAT SHOCK TEST	BS EN 50290-2-27 + AMD1 (Table 1 Characteristics 3)
242	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT THERMOPLASTIC SHEATHING COMPOUNDS	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK AFTER AGEING	BS EN 50290-2-27 + AMD1 (Table 1 Characteristics 2.2)
243	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT THERMOPLASTIC SHEATHING COMPOUNDS	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK INSTATE OF DELIVERY	BS EN 50290-2-27 + AMD1 (Table 1 Characteristics 2.1)
244	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT THERMOPLASTIC SHEATHING COMPOUNDS	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH AFTER AGEING	BS EN 50290-2-27 + AMD1 (Table 1 Characteristics 2.2)
245	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT THERMOPLASTIC SHEATHING COMPOUNDS	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH INSTATE OF DELIVERY	BS EN 50290-2-27 + AMD1 (Table 1 Characteristics 2.1)
246	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT THERMOPLASTIC SHEATHING COMPOUNDS	OXYGEN INDEX TEST	BS EN 50290-2-27 + AMD1 (Table 1 Characteristics 6)
247	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. HALOGEN FREE FLAME RETARDANT THERMOPLASTIC SHEATHING COMPOUNDS	PRESSURE TEST AT HIGH TEMPERATURE	BS EN 50290-2-27 + AMD1 (Table 1 Characteristics 5)
248	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PE SHEATHING	CARBON BLACK CONTENT OF POLYTHENE SHEATH	BS EN 50290-2-24 + AMD 1 (Table 1 Characteristics 7)
249	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PE SHEATHING	DENSITY	BS EN 50290-2-24 + AMD 1 (Table 1 Characteristics 2) (Table 2 Characteristics 2)
250	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PE SHEATHING	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK AFTER AGEING	BS EN 50290-2-24 + AMD 1 (Table 1 Characteristics 4.2) (Table 2 Characteristics 4.3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 142 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
251	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PE SHEATHING	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK INSTATE OF DELIVERY	BS EN 50290-2-24 + AMD 1 (Table 1 Characteristics 4.1) (Table 2 Characteristics 4.1)
252	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PE SHEATHING	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH INSTATE OF DELIVERY	BS EN 50290-2-24 + AMD 1 (Table 1 Characteristics 4.1) (Table 2 Characteristics 4.1)
253	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PE SHEATHING	MELT FLOW INDEX	BS EN 50290-2-24 + AMD 1 (Table 1 Characteristics 3) (Table 2 Characteristics 3)
254	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PE SHEATHING	SHRINKAGE TEST	BS EN 50290-2-24 + AMD 1 (Table 1 Characteristics 5) (Table 2 Characteristics 5)
255	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. POLYETHYLENE INSULATION FOR MULTI-PAIR CABLES USED IN ACCESS TELECOMMUNICATION NETWORKS: OUTDOOR CABLES	DENSITY	BS EN 50290-2-23 (Table 1, Characteristics 1)
256	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. POLYETHYLENE INSULATION FOR MULTI-PAIR CABLES USED IN ACCESS TELECOMMUNICATION NETWORKS: OUTDOOR CABLES	HARDNESS SHORE D	BS EN 50290-2-23 (Table 1, Characteristics 3)
257	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. POLYETHYLENE INSULATION FOR MULTI-PAIR CABLES USED IN ACCESS TELECOMMUNICATION NETWORKS: OUTDOOR CABLES	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK AFTER AGEING	BS EN 50290-2-23 (Table 2 Characteristics 4)
258	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. POLYETHYLENE INSULATION FOR MULTI-PAIR CABLES USED IN ACCESS TELECOMMUNICATION NETWORKS: OUTDOOR CABLES	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK INSTATE OF DELIVERY	BS EN 50290-2-23 (Table 1, Characteristics 5) (Table 2, Characteristics 2)
259	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. POLYETHYLENE INSULATION FOR MULTI-PAIR CABLES USED IN ACCESS TELECOMMUNICATION NETWORKS: OUTDOOR CABLES	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH INSTATE OF DELIVERY	BS EN 50290-2-23 (Table 1, Characteristics 5) (Table 2, Characteristics 2)
260	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. POLYETHYLENE INSULATION FOR MULTI-PAIR CABLES USED IN ACCESS TELECOMMUNICATION NETWORKS: OUTDOOR CABLES	MELT FLOW INDEX	BS EN 50290-2-23 (Table 1, Characteristics 2a) (Table 1, Characteristics 2b)
261	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. POLYETHYLENE INSULATION FOR MULTI-PAIR CABLES USED IN ACCESS TELECOMMUNICATION NETWORKS: OUTDOOR CABLES	SHRINKAGE TEST	BS EN 50290-2-23 (Table 2 Characteristics 3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 143 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
262	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. POLYETHYLENE INSULATION FOR MULTI-PAIR CABLES USED IN ACCESS TELECOMMUNICATION NETWORKS: OUTDOOR CABLES	WRAPPING TEST AFTER AGEING	BS EN 50290-2-23 (Table 2, Characteristics 5)
263	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	BENDING TEST AT LOW TEMPERATURE	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 8.1)
264	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	DENSITY	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 2)
265	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	ELONGATION TEST AT LOW TEMPERATURE	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 8.2)
266	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	HARDNESS	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 3)
267	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	HEAT SHOCK TEST	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 6)
268	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	LOSS OF MASS	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 5)
269	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK AFTER AGEING	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 4.2)
270	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	MECHANICAL CHARACTERISTICS - ELONGATION AT BREAK INSTATE OF DELIVERY	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 4.1)
271	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH AFTER AGEING	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 4.2)
272	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	MECHANICAL CHARACTERISTICS -TENSILE STRENGTH INSTATE OF DELIVERY	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 4.1)
273	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	PRESSURE TEST AT HIGH TEMPERATURE	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 7)
274	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	SHRINKAGE TEST	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 11)
275	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	THERMAL STABILITY	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 10)
276	ELECTRICAL- CABLES & WIRES	COMMUNICATION CABLES. COMMON DESIGN RULES AND CONSTRUCTION. PVC INSULATION COMPOUNDS	VOLUME RESISTIVITY AT MAX. RATED TEMPERATURE AND AT 20 °C	BS EN 50290-2-21 + AMD 1 (Table 1 Ref No. 9) (Annexure A)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 144 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
277	ELECTRICAL- CABLES & WIRES	CONDUCTORS FOR INSULATED ELECTRIC CABLES AND FLEXIBLE CORDS	ANNEALING TEST - BEFORE STRANDING	IS 8130 + AMD 1 (Cl.7.1.2.1) (Cl.7.2.3)
278	ELECTRICAL- CABLES & WIRES	CONDUCTORS FOR INSULATED ELECTRIC CABLES AND FLEXIBLE CORDS	PERSULPHATE TEST (FOR TINNED COPPER ONLY)	IS 8130 + AMD 1 (Cl.7.1.1)
279	ELECTRICAL- CABLES & WIRES	CONDUCTORS FOR INSULATED ELECTRIC CABLES AND FLEXIBLE CORDS	RESISTANCE TEST (FOR BOTH COPPER AND ALUMINIUM)	IS 8130 + AMD 1 (Cl. 7.3) (Cl. 7.3.1) (Table 1 to 5) (Table 6)
280	ELECTRICAL- CABLES & WIRES	CONDUCTORS FOR INSULATED ELECTRIC CABLES AND FLEXIBLE CORDS	TENSILE TEST (FOR ALUMINIUM CONDUCTORS)	IS 8130 + AMD 1 (Cl.4.1) (Cl.7.2.1)
281	ELECTRICAL- CABLES & WIRES	CONDUCTORS FOR INSULATED ELECTRIC CABLES AND FLEXIBLE CORDS	WRAPPING TEST (FOR ALUMINIUM CONDUCTORS)	IS 8130 + AMD 1 (Cl.7.2.2)
282	ELECTRICAL- CABLES & WIRES	CONDUCTORS OF INSULATED CABLES	CONDUCTOR CONSTRUCTION	BS EN 60228 (Cl.5.1.1) (Cl.5.2.1) (Cl.5.3.1) (Cl.6.1) (Table 1 to 4)
283	ELECTRICAL- CABLES & WIRES	CONDUCTORS OF INSULATED CABLES	CONDUCTOR CONSTRUCTION	IEC 60228 (Cl.5.1.1) (Cl.5.2.1) (Cl.5.3.1) (Cl.6.1) (Table 1 to 4)
284	ELECTRICAL- CABLES & WIRES	CONDUCTORS OF INSULATED CABLES	MAXIMUM DIAMETER OF WIRE IN CONDUCTOR	BS EN 60228 (Cl.6.1) (Table 3) (Table 4)
285	ELECTRICAL- CABLES & WIRES	CONDUCTORS OF INSULATED CABLES	MAXIMUM DIAMETER OF WIRE IN CONDUCTOR	IEC 60228 (Cl.6.1) (Table 3) (Table 4)
286	ELECTRICAL- CABLES & WIRES	CONDUCTORS OF INSULATED CABLES	RESISTANCE OF CONDUCTORS	BS EN 60228 (Cl.5.1.2) (Cl.5.2.2) (Cl.5.3.2) (Cl.6.2) (Table 1 to 4) (Annexure A) (Annexure B)
287	ELECTRICAL- CABLES & WIRES	CONDUCTORS OF INSULATED CABLES	RESISTANCE OF CONDUCTORS	IEC 60228 (Cl.5.1.2) (Cl.5.2.2) (Cl.5.3.2) (Cl.6.2) (Table 1 to 4) (Annexure A) (Annexure B)
288	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	CAPACITANCE AND RELATIVE PERMITIVITY	CSA C22.2 No.239 (Cl.9.2.2) (Table 28) (Table 29) (Table 4)
289	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	CIRCUIT CONTINUITY OF CONDUCTORS	CSA C22.2 No.239 (Cl.6.1.3)
290	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	COLD BEND TEST	CSA C22.2 No.239 (Cl.6.2.2) (Table 19) (Table 20) (Annex D) Cl.9.2.2) (Table 28) (Table 29) (Cl.5.2.1.4) (Table 4)
291	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	DC RESISTANCE OF CONDUCTOR	CSA C22.2 No.239 (Cl.5.1.6) (Table 2)
292	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	DEFORMATION TEST	CSA C22.2 No.239 (Cl.9.2.2) (Table 28) (Table 29) (Cl.9.2.3) (Table 30) (Cl.5.6.4.2) (Table 8) (Cl.5.2.1.4) (Table 4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 145 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
293	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	DIELECTRIC WITHSTAND TEST	CSA C22.2 No.239 (Cl.6.1.4) (Cl.9.2.2) (Table 28) (Table 29) (Cl.5.2.1.4) (Table 4)
294	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	FT1 FLAME TEST	CSA C22.2 No.239 (Cl.6.2.3.1) (Cl.9.2.2) (Table 28) (Table 29)
295	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	FT4 RATING TEST	CSA C22.2 No.239 (Cl.6.2.3.2)
296	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	HEAT SHOCK TEST	CSA C22.2 No.239 (Cl.5.2.1.4) (Table 4)
297	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	INSULATION RESISTANCE TEST	CSA C22.2 No.239 (Cl.6.1.2) (Table 18) (Cl.9.2.2) (Table 28) (Table 29) (Table 24) (Cl.8.2.2.3) (Cl.8.2.4.2) (Cl.8.3) (Cl.9.3) (Cl.5.2.1.4) (Table 4) (Cl.11.12)
298	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	LOW TEMPERATURE IMPACT TEST	CSA C22.2 No.239 (Cl.6.2.1) (Annex D)
299	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	OIL RESISTANCE TEST - TENSILE STRENGTH	CSA C22.2 No.239 (Cl.9.2.3) (Table 30) (Table 31) (Cl.5.6.4.2) (Table 8) (Cl.5.6.4.3) (Table 9)
300	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	OIL RESISTANCE TEST - ULTIMATE ELONGATION	CSA C22.2 No.239 (Cl.9.2.3) (Table 30) (Table 31) (Cl.5.6.4.2) (Table 8) (Cl.5.6.4.3) (Table 9)
301	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	CSA C22.2 No.239 (Table 4) (Cl.5.2.1.4) (Table 8) (Cl.5.6.4.2) (Cl.5.6.4.3) (Table 9) (Table 24) (Cl.8.2.2.3) (Cl.8.2.4.2) (Cl. 8.3) (Cl.9.2.2) (Cl.9.2.3) (Table 28) (Table 29) (Table 30) (Table 31) (Cl.5.2.1.5) (Cl.5.2.1.2) (Table 3) (Cl.5.2.1.6) (Cl.5.2.1.7) (Cl.5.2.1.8) (Cl.5.6.4.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 146 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
302	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	CSA C22.2 No.239 (Table 4) (Cl.5.2.1.4) (Table 8) (Cl.5.6.4.2) (Cl.5.6.4.3) (Table 9) (Table 24) (Cl.8.2.2.3) (Cl.8.2.4.2) (Cl. 8.3) (Cl.9.2.2) (Cl.9.2.3) (Table 29) (Table 30) (Table 31) (Cl.5.2.1.5) (Cl.5.2.1.2) (Table 3) (Cl.5.2.1.6) (Cl.5.2.1.7) (Cl.5.2.1.8) (Cl.5.6.4.1)
303	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	TEST FOR THICKNESS OF INSULATION AND JACKET	CSA C22.2 No.239 (Cl.5.2.2) (Table 5) (Table 6) (Table 25) (Cl.5.6.3) (Table 7) (Cl.5.8) (Table 16) (Table 27) (Cl.8.2.4.2)
304	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	CSA C22.2 No.239 (Table 4) (Cl.5.2.1.4) (Table 8) (Cl.5.6.4.2) (Cl.5.6.4.3) (Table 9) (Table 24) (Cl.8.2.2.3) (Cl.8.2.4.2) (Cl. 8.3) (Cl.9.2.2) (Cl.9.2.3) (Table 28) (Table 29) (Table 30) (Table 31) (Cl.5.2.1.5) (Cl.5.2.1.2) (Table 3) (Cl.5.2.1.6) (Cl.5.2.1.7) (Cl.5.2.1.8) (Cl.5.6.4.1)
305	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	CSA C22.2 No.239 (Table 4) (Cl.5.2.1.4) (Table 8) (Cl.5.6.4.2) (Cl.5.6.4.3) (Table 9) (Table 24) (Cl.8.2.2.3) (Cl.8.2.4.2) (Cl. 8.3) (Cl.9.2.2) (Cl.9.2.3) (Table 29) (Table 30) (Table 31) (Cl.5.2.1.5) (Cl.5.2.1.2) (Table 3) (Cl.5.2.1.6) (Cl.5.2.1.7) (Cl.5.2.1.8) (Cl.5.6.4.1)
306	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	WEATHERING TEST - TENSILE STRENGTH	CSA C22.2 No.239 (Cl.6.2.4) (Table 21)
307	ELECTRICAL- CABLES & WIRES	CONTROL AND INSTRUMENTATION CABLES	WEATHERING TEST - ULTIMATE ELONGATION	CSA C22.2 No.239 (Cl.6.2.4) (Table 21)
308	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLEAS FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	SMOKE DENSITY	IS 7098 Part 1 + AMD 5 (Cl. 16.10) (Cl.15.1.1.C2. e)
309	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - ELONGATION AT BREAK	IS 7098 Part 1 + AMD 5 (Cl.15.1d. ii) (Table 1 S.No. iii) (Cl.15.1e. ii)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 147 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
310	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - TENSILE STRENGTH	IS 7098 Part 1 + AMD 5 (Cl.15.1d. ii) (Table 1 S.No. iii) (Cl.15.1e. ii)
311	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	ANNEALING TEST (FOR COPPER)	IS 7098 Part 1 + AMD 5 (Cl.15.1a. i) (Cl.15.2a)
312	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	COLD BEND TEST FOR OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl.15.4a)
313	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	COLD IMPACT TEST FOR OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl.15.4b)
314	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	CONDUCTOR RESISTANCE TEST	IS 7098 Part 1 + AMD 5 (Cl 15.1a. iv) (15.3a) (15.2d)
315	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	DIMENSIONS ON ARMOUR	IS 7098 Part 1 + AMD 5 (Cl.15.1b.1) (Cl.13.3) (Table 6)
316	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	ELONGATION AT BREAK OF INSULATION AND OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl 15.1d. i) (Table 1 S.No. i & ii) (Cl.15.1e. i) (Cl.15.2g)
317	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	ELONGATION AT BREAK ON ARMOUR	IS 7098 Part 1 + AMD 5 (Cl. 13.6 b) (Cl.15.1b.2.ii)
318	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	FLAME RETARDANCE TEST ON BUNCHED CABLES	IS 7098 Part 1 + AMD 5 (Cl. 16.6) (Cl.15.1.1.C1.c) (Cl.15.1.1.C2.c)
319	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	FLAME RETARDANCE TEST ON SINGLE CABLE	IS 7098 Part 1 + AMD 5 (Cl. 16.5) (Cl.15.1.1.C1. b) (Cl.15.1.1.C2. b) (Cl.15.2.1.C1. b) (Cl.15.2.1.C2. b)
320	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	FLAMMABILITY TEST	IS 7098 Part 1 + AMD 5 (Cl.15.1h) (Cl.16.3)
321	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	FLAMMABILITY TEST	IS 7098 Part 1 + AMD 5 (Cl.15.1h) (Cl.16.3)
322	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	HEAT SHOCK TEST FOR OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl 15.1e.vi)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 148 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
323	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	HIGH VOLTAGE TEST	IS 7098 Part 1 + AMD 5 (Cl.15.1. g) (Cl. 16.2) (15.3b) (15.2h)
324	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	HOT DEFORMATION TEST FOR OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl. 15.1e. v)
325	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	HOT SET TEST FOR INSULATION	IS 7098 Part 1 + AMD 5 (Cl.15.1d.iii) (Table 1 S.No. iv) (Cl.15.2f)
326	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	INSULATION RESISTANCE (VOLUME RESISTIVITY) TEST	IS 7098 Part 1 + AMD 5 (Cl.15.1f) (Table 1 S.No. vii) (Cl.15.2j)
327	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	LOSS OF MASS IN AIR OVEN FOR OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl.15.1e.iii)
328	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	MASS OF ZINC COATING ON ARMOUR	IS 7098 Part 1 + AMD 5 (Cl. 13.6 f) (Cl.15.1b.2.vi)
329	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	OXYGEN INDEX TEST	IS 7098 Part 1 + AMD 5 (Cl.15.1.1.C1.a) (Cl. 16.4) (Cl.15.1.1.C2.a) (Cl.15.2.1.C1.a) (Cl.15.1.1.C2.a)
330	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	RESISTIVITY ON ARMOUR / ARMOUR RESISTANCE TEST	IS 7098 Part 1 + AMD 5 (Cl. 13.6 g) (Cl.15.1b.2.vii) (Cl.15.3c) (Cl.15.4c) (Table 7) (Cl.13.5.1) (Cl.13.5.2)
331	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	SHRINKAGE TEST FOR INSULATION AND OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl. 15.1d. iv) (Table 1 S.No. v) (Cl. 15.1e. iv)
332	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	TEMPERATURE INDEX TEST	IS 7098 Part 1 + AMD 5 (Cl.16.9) (Cl.15.1.1.C1. d) (Cl.15.1.1.C2. g)
333	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	TENSILE STRENGTH OF INSULATION AND OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl 15.1d. i) (Table 1 S.No. i & ii) (Cl.15.1e. i) (Cl.15.2g)
334	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	TENSILE STRENGTH ON ARMOUR	IS 7098 Part 1 + AMD 5 (Cl. 13.6 a) (Cl.15.1b.2.i)
335	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	TENSILE TEST (FOR ALUMINIUM)	IS 7098 Part 1 + AMD 5 (Cl 15.1a. ii) (Cl.15.2b)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 149 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
336	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	TEST FOR HALOGEN ACID GAS EVOLUTION	IS 7098 Part 1 + AMD 5 (Cl. 15.1.1.C2. f) (Cl. 16.8) (Cl. 15.2.1.C2. d)
337	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	TEST FOR SPECIFIC OPTICAL DENSITY OF SMOKE	IS 7098 Part 1 + AMD 5 (Cl. 15.1.1.C2. d) (Cl. 16.7) (Cl. 15.2.1.C2. c)
338	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	TEST FOR THICKNESS OF INSULATION AND SHEATH	IS 7098 Part 1 + AMD 5 (Cl. 15.1c) (Cl.9.2) (Cl.9.3) (Cl.12.3) (Cl.14.3.1) (Cl.14.3.2) (Table 3), (Table 5) (Table 8) (Cl.15.2e)
339	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	THERMAL STABILITY FOR OUTER SHEATH	IS 7098 Part 1 + AMD 5 (Cl 15.1e.vii)
340	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	TORSION TEST FOR ROUND WIRES	IS 7098 Part 1 + AMD 5 (Cl. 13.6 c) (Cl.15.1b.2.iii)
341	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	UNIFORMITY OF ZINC COATING FOR ARMOUR	IS 7098 Part 1 + AMD 5 (Cl. 13.6 e) (Cl.15.1b.2.v)
342	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	WATER ABSORPTION TEST (GRAVIMETRIC) FOR INSULATION	IS 7098 Part 1 + AMD 5 (Cl.15.1d. v) (Table 1 S.No. vi)
343	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	WINDING TEST FOR FORMED WIRES	IS 7098 Part 1 + AMD 5 (Cl. 13.6 d) (Cl.15.1b.2.iv)
344	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED PVC SHEATHED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1 100 V	WRAPPING TEST (FOR ALUMINIUM)	IS 7098 Part 1 + AMD 5 (Cl 15.1a.iii) (Cl.15.2c)
345	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	ANNEALING TEST (FOR COPPER)	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.i.a) (Cl.19.2.a)
346	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	CARBON BLACK CONTENT OF POLYTHENE SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vi.h) (Table 3 Sl.No.1.iii)
347	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	COLD IMPACT TEST FOR OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.4)
348	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	CONDUCTOR RESISTANCE TEST	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.i.d) (Cl.19.2.d) (Cl.19.3.a)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 150 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
349	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	DIMENSIONS OF ARMOUR	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii) (Table 6)
350	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	ELONGATION AT BREAK FOR INSULATION AND OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iii.a) (Table 1 Sl.No.1 i & ii) (Cl.19.1 Sl.No.1.vi.a) (Table 3 S.No.1 i) (Cl.19.2.g) (Cl. 5)
351	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	ELONGATION FOR ARMOUR	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii)
352	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	FLAME RETARDENT TEST ON BUNCHED CABLES	IS 7098 Part 2 + AMD 1 (Cl.19.1.3.Category.C1.c) (Cl.20.12) (Cl.19.1.3.Category.C2.c) (Cl.19.2.2.Category.C1.c) (Cl.19.2.2.Category.C2.c)
353	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	FLAME RETARDENT TEST ON SINGLE CABLES	IS 7098 Part 2 + AMD 1 (Cl.19.1.3.Category.C1.b) (Cl.20.11) (Cl.19.1.3.Category.C2.b) (Cl.19.2.2.Category.C1.b) (Cl.19.2.2.Category.C2.b)
354	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	FLAMMABILITY TEST FOR PVC SHEATHED CABLES	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.xv) (Cl.20.8)
355	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	FLAMMABILITY TEST FOR PVC SHEATHED CABLES	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.xv) (Cl.20.8)
356	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	HEAT SHOCK TEST FOR OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vi.f)
357	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	HIGH VOLTAGE TEST	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.xiv) (Cl.20.7) (Cl.19.2.j) (Cl.19.3.c)
358	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	HOT DEFORMATION TEST FOR OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vi.d) (Table 3 Sl.No.1.iv)
359	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	HOT SET TEST FOR INSULATION	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iii.d) (Table 1 Sl.No.1.iv) (Cl.19.2.f) (Cl. 5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 151 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
360	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	INSULATION RESISTANCE (VOLUME RESISTIVITY) TEST	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.xi) (Table 1 S.No.1.vii) (Cl.19.2.k) (Cl. 5)
361	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	LOSS OF MASS IN AIR OVEN FOR OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vi.e)
362	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	MASS OF ZINC COATING FOR ARMOUR	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii)
363	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	OXYGEN INDEX TEST	IS 7098 Part 2 + AMD 1 (Cl.19.1.3.Category.C1.a) (Cl.20.10) (Cl.19.1.3.Category.C2.a) (Cl.19.2.2.Category.C1.a) (Cl.19.2.2.Category.C2.a)
364	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	OXYGEN INDEX TEST	IS 7098 Part 2 + AMD 1 (Cl.19.1.3.Category.C1.a) (Cl.20.10) (Cl.19.1.3.Category.C2.a) (Cl.19.2.2.Category.C1.a) (Cl.19.2.2.Category.C2.a)
365	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	RESISTANCE TEST FOR ARMOUR (FOR MINING CABLES)	IS 7098 Part 2 + AMD 1 (Cl.19.3 d) (Cl.17.5)
366	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	RESISTIVITY FOR ARMOUR	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii)
367	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	SHRINKAGE TEST FOR INSULATION AND OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iii.e) (Table 1 S.No.1.v) (Cl.19.1 Sl.No.1.vi.c) (Cl. 5)
368	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	SMOKE DENSITY TEST (ON SHEATHING MATERIAL)	IS 7098 Part 2 + AMD 1 (Cl.19.1.3.Category.C2.d) (Cl.19.2.2.Category.C2.e) (Cl.20.14)
369	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	TEMPERATURE INDEX TEST	IS 7098 Part 2 + AMD 1 (Cl.19.1.3.Category.C1.d) (Cl.20.15) (Cl.19.1.3.Category.C2.f)
370	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	TENSILE STRENGTH FOR ARMOUR	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 152 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
371	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	TENSILE STRENGTH FOR INSULATION AND OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iii.a) (Table 1 Sl.No.1 i & ii) (Cl.19.1 Sl.No.1.vi.a) (Table 3 S.No.1 i) (Cl.19.2.g) (Cl. 5)
372	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	TENSILE TEST (FOR ALUMINIUM)	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.i.b) (Cl.19.2.b)
373	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	TEST FOR ECCENTRICITY OF INSULATION AND THICKNESS OF INSULATION AND SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iv) (Cl.12.2) (Cl.12.3) (Cl.16.3) (Cl.18.3) (Table 4) (Table 5) (Table 7) (Cl.19.2.e) (Annexure A) (Cl. 12.4)
374	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	TEST FOR HALOGEN ACID GAS EVOLUTION	IS 7098 Part 2 + AMD 1 (Cl.19.1.3.Category.C2.e) (Cl.19.2.2.Category.C2.d) (Cl.20.13)
375	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - ELONGATION AT BREAK	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iii.b) (Table 1 S.No.1.iii) (Cl.19.1 Sl.No.1.vi.b) (Table 3 S.No.1 ii) (Cl. 5)
376	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - TENSILE STRENGTH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iii.b) (Table 1 S.No.1.iii) (Cl.19.1 Sl.No.1.vi.b) (Table 3 S.No.1 ii) (Cl. 5)
377	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	THERMAL AGEING TEST FOR COMPLETE CABLE - ELONGATION AT BREAK	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vii) (Cl.20.9) (Table 3 S.No.1 ii) (Table 1 S.No.1.iii)
378	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	THERMAL AGEING TEST FOR COMPLETE CABLE - TENSILE STRENGTH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vii) (Cl.20.9) (Table 3 S.No.1 ii) (Table 1 S.No.1.iii)
379	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	THERMAL STABILITY FOR OUTER SHEATH	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.vi.g)
380	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	TORSION TEST FOR ROUND WIRES	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii)
381	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	UNIFORMITY OF ZINC COATING FOR ARMOUR	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 153 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
382	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	WATER ABSORPTION TEST (GRAVIMETRIC) FOR INSULATION	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.iii.f) (Table 1 S.No.1.vi) (Cl. 5)
383	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	WINDING TEST FOR FORMED WIRES	IS 7098 Part 2 + AMD 1 (Cl.19.1.Sl.No.1.ii)
384	ELECTRICAL- CABLES & WIRES	CROSSLINKED POLYETHYLENE INSULATED THERMOPLASTICS SHEATHED CABLES FOR WORKING VOLTAGES FROM 3.3 KV UP TO AND INCLUDING 33 KV	WRAPPING TEST (FOR ALUMINIUM)	IS 7098 Part 2 + AMD 1 (Cl.19.1 Sl.No.1.i.c) (Cl.19.2.c)
385	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	AGEING IN AIR BOMB FOR INSULATION AND SHEATH - TENSILE STRENGTH	IS 9968 Part 1 + AMD 3 (Cl. 21.1.1.c)
386	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	AGEING IN AIR OVEN FOR INSULATION AND SHEATH - ELONGATION AT BREAK	IS 9968 Part 1 + AMD 3 (Cl. 21.1.1.b)
387	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	AGEING IN AIR OVEN FOR INSULATION AND SHEATH - TENSILE STRENGTH	IS 9968 Part 1 + AMD 3 (Cl. 21.1.1.b)
388	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	AGEING IN OXYGEN BOMB FOR INSULATION AND SHEATH - ELONGATION AT BREAK	IS 9968 Part 1 + AMD 3 (Cl. 21.1.1.d)
389	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	AGEING IN OXYGEN BOMB FOR INSULATION AND SHEATH - TENSILE STRENGTH	IS 9968 Part 1 + AMD 3 (Cl. 21.1.1.d)
390	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	ANNEALING TEST (FOR COPPER)	IS 9968 Part 1 + AMD 3 (Cl.21.2. a) (Cl.21.1)
391	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	CONDUCTOR RESISTANCE TEST	IS 9968 Part 1 + AMD 3 (Cl. 21.3.a) (Cl.21.2. d) (cl.21.1)
392	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	ELONGATION AT BREAK OF INSULATION AND SHEATH	IS 9968 Part 1 + AMD 3 (Cl.21.2. f) (Cl. 21.1.1.a)
393	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	FLAMMABILITY TEST	IS 9968 Part 1 + AMD 3 (Cl.21.1) (Cl. 22.3)
394	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	FLAMMABILITY TEST	IS 9968 Part 1 + AMD 3 (Cl.21.1) (Cl. 22.3)
395	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	HIGH VOLTAGE TEST (WATER IMMERSION TEST)	IS 9968 Part 1 + AMD 3 (Cl.21.1) (Cl.22.2.1)
396	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	HIGH VOLTAGE TEST ON COMPLETE CABLE	IS 9968 Part 1 + AMD 3 (Cl.21.3.b) (Cl.21.2.h) (Cl.22.2.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 154 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
397	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	HOT SET TEST FOR INSULATION AND SHEATH	IS 9968 Part 1 + AMD 3 (Cl.21.2.g) (Cl.21.1.1.e)
398	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	INSULATION RESISTANCE TEST	IS 9968 Part 1 + AMD 3 (Cl.21.2. i) (Cl.21.1)
399	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	OIL RESISTANCE TEST FOR INSULATION AND SHEATH - ELONGATION AT BREAK	IS 9968 Part 1 + AMD 3 (Cl. 21.1.1.f)
400	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	OIL RESISTANCE TEST FOR INSULATION AND SHEATH - TENSILE STRENGTH	IS 9968 Part 1 + AMD 3 (Cl. 21.1.1.f)
401	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	PERSULPHATE TEST (FOR COPPER)	IS 9968 Part 1 + AMD 3 (Cl.21.1)
402	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TEAR RESISTANCE TEST FOR INSULATION AND SHEATH	IS 9968 Part 1 + AMD 3 (Cl. 21.1.1.g)
403	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TENSILE STRENGTH OF INSULATION AND SHEATH	IS 9968 Part 1 + AMD 3 (Cl.21.2. f) (Cl. 21.1.1.a)
404	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TENSILE TEST (FOR ALUMINIUM)	IS 9968 Part 1 + AMD 3 (Cl.21.2. b) (Cl.21.1)
405	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TEST FOR OVERALL DIAMETER	IS 9968 Part 1 + AMD 3 (Cl.21.2. e) (Cl.21.1) (Cl.20) (Tables 6 to 10)
406	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TEST FOR THICKNESS OF INSULATION AND SHEATH	IS 9968 Part 1 + AMD 3 (Cl.21.2. e) (Cl.21.1) (Cl. 12.2) (Cl. 12.3) (Cl.19.2) (Cl.19.3) (Tables 1 to 10)
407	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	WATER ABSORPTION TEST (FOR INSULATION)	IS 9968 Part 1 + AMD 3 (Cl. 21.1)
408	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	WRAPPING TEST (FOR ALUMINIUM)	IS 9968 Part 1 + AMD 3 (Cl.21.2.c) (Cl.21.1)
409	ELECTRICAL- CABLES & WIRES	ELASTOMER INSULATED CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1100 V	AGEING IN AIR BOMB FOR INSULATION AND SHEATH - ELONGATION AT BREAK	IS 9968 Part 1 + AMD 3 (Cl. 21.1.1.c)
410	ELECTRICAL- CABLES & WIRES	ELASTOMERIC CABLES	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N SODIUM HYDROXIDE SOLUTION - ELONGATION AT BREAK	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.7) (Cl. No.7.16)
411	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	ELONGATION AT BREAK AFTER AGEING IN AIR BOMB FOR INSULATION AND SHEATH	IS 6380 + AMD 1 (Table 2 Sl. No.1.iv)(Table 3 Sl. No.1.iii)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 155 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
412	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	ELONGATION AT BREAK AFTER AGEING IN AIR OVEN FOR INSULATION AND SHEATH	IS 6380 + AMD 1 (Table 2 Sl. No.1.iii) (Table 3 Sl. No.1.ii)
413	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	ELONGATION AT BREAK AFTER AGEING IN OXYGEN BOMB FOR INSULATION - ELONGATION AT BREAK	IS 6380 + AMD 1 (Table 2 Sl. No.1.v)
414	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	ELONGATION AT BREAK WITHOUT AGEING FOR INSULATION AND SHEATH	IS 6380 + AMD 1 (Table 2 Sl. No.1.ii) (Table 3 Sl. No.1.i)
415	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	HOT SET TEST FOR INSULATION AND SHEATH	IS 6380 + AMD 1 (Table 2 Sl. No.1.ix)(Table 3 Sl. No.1.vi)
416	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	INSULATION RESISTANCE CONSTANT	IS 6380 + AMD 1 (Table 2 Sl.No.1. i)
417	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	OIL RESISTANCE TEST FOR INSULATION AND SHEATH - ELONGATION AT BREAK	IS 6380 + AMD 1 (Table 2 Sl. No.1.vi) (Table 3 Sl. No.1.iv)
418	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	OIL RESISTANCE TEST FOR INSULATION AND SHEATH - TENSILE STRENGTH	IS 6380 + AMD 1 (Table 2 Sl. No.1.vi) (Table 3 Sl. No.1.iv)
419	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	OZONE RESISTANCE TEST FOR INSULATION	IS 6380 + AMD 1 (Table 2 Sl. No.1.vii)
420	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	TEAR RESISTANCE TEST FOR SHEATH	IS 6380 + AMD 1 (Table 3 Sl. No.1.v)
421	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	TENSILE STRENGTH AFTER AGEING IN AIR BOMB FOR INSULATION AND SHEATH	IS 6380 + AMD 1 (Table 2 Sl. No.1.iv)(Table 3 Sl. No.1.iii)
422	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	TENSILE STRENGTH AFTER AGEING IN AIR OVEN FOR INSULATION AND SHEATH	IS 6380 + AMD 1 (Table 2 Sl. No.1.iii) (Table 3 Sl. No.1.ii)
423	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	TENSILE STRENGTH AFTER AGEING IN OXYGEN BOMB FOR INSULATION	IS 6380 + AMD 1 (Table 2 Sl. No.1.v)
424	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	TENSILE STRENGTH WITHOUT AGEING FOR INSULATION AND SHEATH	IS 6380 + AMD 1 (Table 2 Sl. No.1.ii) (Table 3 Sl. No.1.i)
425	ELECTRICAL- CABLES & WIRES	ELASTOMERIC INSULATION AND SHEATH OF ELECTRIC CABLES	WATER ABSORPTION TEST (ELECTRICAL) FOR INSULATION	IS 6380 + AMD 1 (Table 2 Sl. No.1.viii)
426	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	BENDING TESTS AT LOW TEMPERATURE FOR INSULATION AND SHEATHS	BS EN 60811-504

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 156 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
427	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	BENDING TESTS AT LOW TEMPERATURE FOR INSULATION AND SHEATHS	IEC 60811-504
428	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	DETERMINATION OF TOXICITY INDEX OF THE PRODUCTS OF COMBUSTION FROM SMALL SPECIMEN OF MATERIALS	NES 713
429	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	ELECTRICAL WATER ABSORPTION TEST	BS EN 60811-402
430	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	ELECTRICAL WATER ABSORPTION TEST	IEC 60811-402
431	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	ELONGATION AT LOW TEMPERATURE FOR INSULATIONS AND SHEATHS	BS EN 60811-505
432	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	ELONGATION AT LOW TEMPERATURE FOR INSULATIONS AND SHEATHS	IEC 60811-505
433	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	GRAVIMETRIC WATER ABSORPTION TEST	BS EN 60811-402
434	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	GRAVIMETRIC WATER ABSORPTION TEST	IEC 60811-402
435	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	HOT SET TEST FOR CROSS-LINKED MATERIALS	BS EN 60811-507
436	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	HOT SET TEST FOR CROSS-LINKED MATERIALS	IEC 60811-507
437	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	IMPACT TEST AT LOW TEMPERATURE FOR INSULATIONS AND SHEATHS	BS EN 60811-506
438	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	IMPACT TEST AT LOW TEMPERATURE FOR INSULATIONS AND SHEATHS	IEC 60811-506
439	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	LOSS OF MASS TEST FOR THERMOPALSTIC INSULATIONS AND SHEATHS	BS EN 60811-409
440	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	LOSS OF MASS TEST FOR THERMOPALSTIC INSULATIONS AND SHEATHS	IEC 60811-409
441	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MEASUREMENT OF CARBON BLACK CONTENT OF BLACK PE OVERSHEATHS	BS EN 60811-605

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 157 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
442	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MEASUREMENT OF CARBON BLACK CONTENT OF BLACK PE OVERSHEATHS	IEC 60811-605
443	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MEASUREMENT OF INSULATION THICKNESS	BS EN 60811-201 + AMD1
444	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MEASUREMENT OF INSULATION THICKNESS	IEC 60811-201 + AMD 1
445	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MEASUREMENT OF OVERALL DIMENSIONS	BS EN 60811-203
446	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MEASUREMENT OF OVERALL DIMENSIONS	IEC 60811-203
447	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MEASUREMENT OF THICKNESS OF NON-METALLIC SHEATH	BS EN 60811-202 + AMD1
448	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MEASUREMENT OF THICKNESS OF NON-METALLIC SHEATH	IEC 60811-202 + AMD 1
449	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MECHANICAL TESTS - TESTS FOR DETERMINING THE MECHANICAL PROPERTIES OF INSUATING AND SHEATHING COMPOUNDS - ELONGATION AT BREAK	IEC 60811-501 + AMD 1
450	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MECHANICAL TESTS - TESTS FOR DETERMINING THE MECHANICAL PROPERTIES OF INSUATING AND SHEATHING COMPOUNDS - TENSILE STRENGTH	IEC 60811-501 + AMD 1
451	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MECHANICAL TESTS - TESTS FOR DETERMINING THE MECHANICAL PROPERTIES OF INSULATING AND SHEATHING COMPOUNDS - ELONGATION AT BREAK	BS EN 60811-501 + AMD1
452	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MECHANICAL TESTS - TESTS FOR DETERMINING THE MECHANICAL PROPERTIES OF INSULATING AND SHEATHING COMPOUNDS - TENSILE STRENGTH	BS EN 60811-501 + AMD1
453	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MINERAL OIL IMMERSION TESTS FOR SHEATHS - ELONGATION AT BREAK	BS EN 60811-404

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 158 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
454	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MINERAL OIL IMMERSION TESTS FOR SHEATHS - ELONGATION AT BREAK	IEC 60811-40
455	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MINERAL OIL IMMERSION TESTS FOR SHEATHS - TENSILE STRENGTH	BS EN 60811-404
456	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	MINERAL OIL IMMERSION TESTS FOR SHEATHS - TENSILE STRENGTH	IEC 60811-404
457	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	PRESSURE TEST AT HIGH TEMPERATURE FOR INSULATION AND SHEATHS	BS EN 60811-508 + AMD1
458	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	PRESSURE TEST AT HIGH TEMPERATURE FOR INSULATION AND SHEATHS	IEC 60811-508 + AMD 1
459	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	SHRINKAGE TEST FOR INSULATIONS	BS EN 60811-502
460	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	SHRINKAGE TEST FOR INSULATIONS	IEC 60811-502
461	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	SHRINKAGE TEST FOR SHEATHS	BS EN 60811-503
462	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	SHRINKAGE TEST FOR SHEATHS	IEC 60811-503
463	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	TEST FOR RESISTANCE OF INSULATIONS AND SHEATHS TO CRACKING (HEAT SHOCK TEST)	BS EN 60811-509 + AMD1
464	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	TEST FOR RESISTANCE OF INSULATIONS AND SHEATHS TO CRACKING (HEAT SHOCK TEST)	IEC 60811-509 + AMD 1
465	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	THERMAL AGEING METHODS - AGEING IN AIR BOMB - ELONGATION AT BREAK	BS EN 60811-412
466	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	THERMAL AGEING METHODS - AGEING IN AIR BOMB - ELONGATION AT BREAK	IEC 60811-412
467	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	THERMAL AGEING METHODS - AGEING IN AIR BOMB - TENSILE STRENGTH	BS EN 60811-412

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 159 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
468	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	THERMAL AGEING METHODS - AGEING IN AIR BOMB - TENSILE STRENGTH	IEC 60811-412
469	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	THERMAL AGEING METHODS — AGEING IN AN AIR OVEN - ELONGATION AT BREAK	BS EN 60811-401 + AMD1
470	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	THERMAL AGEING METHODS — AGEING IN AN AIR OVEN - ELONGATION AT BREAK	IEC 60811-401 + AMD 1
471	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	THERMAL AGEING METHODS — AGEING IN AN AIR OVEN - TENSILE STRENGTH	BS EN 60811-401 + AMD1
472	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	THERMAL AGEING METHODS — AGEING IN AN AIR OVEN - TENSILE STRENGTH	IEC 60811-401 + AMD 1
473	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	THERMAL STABILITY TEST FOR PVC INSULATIONS AND PVC SHEATHS	BS EN 60811-405
474	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	THERMAL STABILITY TEST FOR PVC INSULATIONS AND PVC SHEATHS	IEC 60811-405
475	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES	WRAPPING TEST AFTER THERMAL AGEING IN AIR	IEC 60811-510
476	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES - TEST METHODS FOR NON-METALLIC MATERIALS - MECHANICAL TESTS - MEASUREMENT OF THE MELT FLOW INDEX OF POLYETHYLENE AND POLYPROPYLENE COMPOUNDS	MEASUREMENT OF MELT FLOW INDEX OF POLYETHYLENE COMPOUNDS	IEC 60811-511 + AMD1
477	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES - TEST METHODS FOR NON-METALLIC MATERIALS - MISCELLANEOUS TESTS - OZONE RESISTANCE TEST ON CROSS-LINKED COMPOUNDS	OZONE RESISTANCE TEST ON CROSS LINKED COMPOUNDS	IEC 60811-403
478	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES - TEST METHODS FOR NON-METALLIC MATERIALS - PHYSICAL TESTS - METHODS FOR DETERMINING THE DENSITY	METHODS FOR DETERMINING THE DENSITY	IEC 60811-606
479	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES – TEST METHODS FOR NON-METALLIC MATERIALS - MECHANICAL TESTS – MEASUREMENT OF THE MELT FLOW INDEX OF POLYETHYLENE AND POLYPROPYLENE COMPOUNDS	MEASUREMENT OF MELT FLOW INDEX OF POLYETHYLENE COMPOUNDS	BS EN 60811-511 + AMD1
480	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES. TEST METHODS FOR NON-METALLIC MATERIALS. MECHANICAL TESTS. METHODS SPECIFIC TO POLYETHYLENE AND POLYPROPYLENE COMPOUNDS. WRAPPING TEST AFTER THERMAL AGEING IN AIR	WRAPPING TEST AFTER THERMAL AGEING IN AIR	BS EN 60811-510

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 160 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
481	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES. TEST METHODS FOR NON-METALLIC MATERIALS. MISCELLANEOUS TESTS. OZONE RESISTANCE TEST ON CROSS-LINKED COMPOUNDS	OZONE RESISTANCE TEST ON CROSS LINKED COMPOUNDS	BS EN 60811-403
482	ELECTRICAL- CABLES & WIRES	ELECTRIC AND OPTICAL FIBRE CABLES. TEST METHODS FOR NON-METALLIC MATERIALS. PHYSICAL TESTS. METHODS FOR DETERMINING THE DENSITY	METHODS FOR DETERMINING THE DENSITY	BS EN 60811-606
483	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES - HALOGEN-FREE, LOW SMOKE, THERMOPLASTIC INSULATED AND SHEATHED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	ASSESSMENT OF HALOGENS - CHLORINE AND BROMINE CONTENT EXPRESSED AS HCL MEASUREMENT	IEC 62821-1 (Annexure B) (Table B.1 No.2) (Table B.2 Stage 2)
484	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES - HALOGEN-FREE, LOW SMOKE, THERMOPLASTIC INSULATED AND SHEATHED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	ASSESSMENT OF HALOGENS - CONDUCTIVITY MEASUREMENT	IEC 62821-1 (Annexure B) (Table B.1 No.1) (Table B.2 Stage 1)
485	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES - HALOGEN-FREE, LOW SMOKE, THERMOPLASTIC INSULATED AND SHEATHED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	ASSESSMENT OF HALOGENS - FLOURINE CONTENT	IEC 62821-1 (Annexure B) (Table B.1 No.3b) (Table B.2 Stage 3)
486	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES - HALOGEN-FREE, LOW SMOKE, THERMOPLASTIC INSULATED AND SHEATHED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	ASSESSMENT OF HALOGENS - HALOGEN : FLOURINE MEASUREMENT	IEC 62821-1 (Annexure B) (Table B.1 No.3a) (Table B.2 Stage 0)
487	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES - HALOGEN-FREE, LOW SMOKE, THERMOPLASTIC INSULATED AND SHEATHED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	ASSESSMENT OF HALOGENS - PH MEASUREMENT	IEC 62821-1 (Annexure B) (Table B.1 No.1) (Table B.2 Stage 1)
488	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES - HALOGEN-FREE, LOW SMOKE, THERMOPLASTIC INSULATED AND SHEATHED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	CHEMICAL TEST - DETERMINATION OF HALOGENS - ELEMENTAL TEST	IEC 62821-2 (Cl.5.3)
489	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES - HALOGEN-FREE, LOW SMOKE, THERMOPLASTIC INSULATED AND SHEATHED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	LONG TERM RESISTANCE OF INSULATION TO D.C. VOLTAGE	IEC 62821-2 (Cl.5.1.1)
490	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES - HALOGEN-FREE, LOW SMOKE, THERMOPLASTIC INSULATED AND SHEATHED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - PART 2: TEST METHODS	SURFACE RESISTANCE OF SHEATH	IEC 62821-2 (Cl.5.1.3)
491	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	ASSESSMENT OF HALOGENS FOR ALL NON METALLIC MATERIALS	BS EN 50618 (Table 2 Ref.No.16) (Cl.7.3.15)
492	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	CHECKING CONTINUITY OF TIN\	BS EN 50618 (Table 2 Ref.No.2.1.2) (Cl. 5.1.1)
493	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	COLD BENDING TEST	BS EN 50618 (Table 2 Ref No.7) (Cl.7.3.6)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 161 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
494	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	COLD ELONGATION TEST	BS EN 50618 (Table 2 Ref.No.8) (Table 2 Ref.No.3 & 4) (Table B.1 Ref.No.1.5) (Cl.7.3.7)
495	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	COLD IMPACT TEST	BS EN 50618 (Table 2 Ref No.6) (Annex C) (Cl.7.3.5)
496	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	COMPATIBILITY TEST - ELONGATION AT BREAK	BS EN 50618 (Table 2 Ref.No.5) (Table B.1.Ref No.1.7) (Cl.7.3.4)
497	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	COMPATIBILITY TEST - TENSILE STRENGTH	BS EN 50618 (Table 2 Ref.No.5) (Table B.1.Ref No.1.7) (Cl.7.3.4)
498	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	DAMP HEAT TEST - ELONGATION AT BREAK	BS EN 50618 (Table 2 Ref.No.12) (Cl.7.3.11)
499	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	DAMP HEAT TEST - ELONGATION AT BREAK	BS EN 50618 (Table 2 Ref.No.12) (Cl.7.3.11)
500	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	DURABILITY TEST	BS EN 50618 (Cl.6.7.1)
501	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	DYNAMIC PENETRATION TEST	BS EN 50618 (Table 2 Ref.No.11) (Annex D) (Cl.7.3.10)
502	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	ELONGATION AT BREAK PROPERTIES AFTER AGEING IN AIR OVEN FOR INSULATION AND SHEATH	BS EN 50618 (Table 2 Ref.No.3 & 4) (Table B.1 Ref.No.1.2)
503	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	ELONGATION AT BREAK PROPERTIES BEFORE AGEING FOR INSULATION AND SHEATH	BS EN 50618 (Table 2 Ref.No.3 & 4) (Table B.1 Ref.No.1.1)
504	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	HOT SET TEST FOR INSULATION AND SHEATH	BS EN 50618 (Table 2 Ref.No.3 & 4) (Table B.1 Ref.No.1.3)
505	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	INSULATION THICKNESS AND SHEATH THICKNESS	BS EN 50618 (Table 2 Ref.No.2.2.1) (Cl.5.2.3) (Table 2 Ref.No.2.3.1) (Cl.5.3.3) (Table 1)
506	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	LEGIBILITY	BS EN 50618 (Cl.6.7.2)
507	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	LONG TERM RESISTANCE OF INSULATION TO D.C.	BS EN 50618 (Table 2 Ref.No.1.5) (Cl.7.2.4)
508	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	MAXIMUM DIAMETER OF WIRE IN CONDUCTOR	BS EN 50618 (Table 2 Ref.No.2.1.1) (Cl.5.1.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 162 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
509	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	MEASUREMENT OF INSULATION RESISTANCE - CABLES AT 20 °C AND AT 90 °C	BS EN 50618 (Table 2 Ref.No.1.4.1) (Table 2 Ref.No.1.4.2) (Cl.7.2.3) (Table 1)
510	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	MEASUREMENT OF THE RESISTANCE OF CONDUCTOR	BS EN 50618 (Table 2 Ref.No.1.1) (Cl.5.1.5)
511	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	OVALITY	BS EN 50618 (Table 2 Ref.No.2.4.1) (Cl.7.3.3)
512	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	OZONE RESISTANCE TEST ON COMPLETE CABLE	BS EN 50618 (Table 2 Ref.No.9) (Cl.7.3.8)
513	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	SHEATH MARKING – VISUAL EXAMINATION AND MEASUREMENT	BS EN 50618 (Table 2 Ref.No.2.6) (Cl.7.3.2) (Cl.7.3.2) (Cl.6.5)
514	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	SHEATH RESISTANCE AGAINST ACID AND ALKALINE SOLUTION - ELONGATION AT BREAK	BS EN 50618 (Table 2 Ref.No.3 & 4) (Table 2 Ref.No.3 & 4) (Table B.1 Ref.No.1.6)
515	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	SHEATH RESISTANCE AGAINST ACID AND ALKALINE SOLUTION - TENSILE STRENGTH	BS EN 50618 (Table 2 Ref.No.3 & 4) (Table 2 Ref.No.3 & 4) (Table B.1 Ref.No.1.6)
516	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	SHRINKAGE TEST ON SHEATH	BS EN 50618 (Table 2 Ref.No.13) (Cl.7.3.12)
517	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	SMOKE EMISSION OF COMPLETE CABLE	BS EN 50618 (Table 2 Ref.No.15) (Cl.7.3.14)
518	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	SURFACE RESISTANCE OF SHEATH	BS EN 50618 (Table 2 Ref.No.1.6) (Cl.7.2.5)
519	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	TENSILE STRENGTH PROPERTIES AFTER AGEING IN AIR OVEN FOR INSULATION AND SHEATH	BS EN 50618 (Table 2 Ref.No.3 & 4) (Table B.1 Ref.No.1.2)
520	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	TENSILE STRENGTH PROPERTIES BEFORE AGEING FOR INSULATION AND SHEATH	BS EN 50618 (Table 2 Ref.No.3 & 4) (Table B.1 Ref.No.1.1)
521	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	TEST FOR VERTICAL FLAME PROPAGATION ON COMPLETE CABLE	BS EN 50618 (Table 2 Ref No.14) (Cl.7.3.13)
522	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	THERMAL ENDURANCE ON INSULATION AND SHEATH	BS EN 50618 (Table 2 Ref.No.3 & 4) (Table B.1 Cl.1.4)
523	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	VOLTAGE TEST ON COMPLETED CABLE WITH A.C. OR D.C.	BS EN 50618 (Table 2 Ref.No.1.2) (Cl.7.2.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 163 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
524	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	WEATHERING / UV RESISTANCE ON SHEATH - ELONGATION AT BREAK	BS EN 50618 (Table 2 Ref.No.10) (Annex E) (Cl.7.3.9)
525	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS	WEATHERING / UV RESISTANCE ON SHEATH - TENSILE STRENGTH	BS EN 50618 (Table 2 Ref.No.10) (Annex E) (Cl.7.3.9)
526	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	ASSESSMENT OF HALOGENS FOR ALL NON METALLIC MATERIALS	IEC 62930 (Table 3 Ref.No.14)
527	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	BENDING AT LOW TEMPERATURE	IEC 62930 (Table B.1 Ref No.1.5) (Table 3 Ref.No.3 & 4)
528	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	CHECKING CONTINUITY OF TIN	IEC 62930 (Table 3 Ref.No.2.1.2) (Cl. 5.1.1)
529	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	COLD IMPACT TEST	IEC 62930 (Table 3 Ref No.6) (Annex C) (Table C.1)
530	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	COMPATIBILITY TEST ON INSULATION AND SHEATH - ELONGATION AT BREAK	IEC 62930 (Table 3 Ref.No.5) (Table B.1.Ref No.1.8)
531	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	COMPATIBILITY TEST ON INSULATION AND SHEATH - TENSILE STRENGTH	IEC 62930 (Table 3 Ref.No.5) (Table B.1.Ref No.1.8)
532	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	CONSTRUCTION OF CONDUCTOR	IEC 62930 (Table 3 Ref.No.2.1.1)
533	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	DAMP HEAT TEST - ELONGATION AT BREAK	IEC 62930 (Table 3 Ref.No.10)
534	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	DAMP HEAT TEST - ELONGATION AT BREAK	IEC 62930 (Table 3 Ref.No.10)
535	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	DAMP HEAT TEST - TENSILE STRENGTH	IEC 62930 (Table 3 Ref.No.10)
536	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	DYNAMIC PENETRATION TEST	IEC 62930 (Table 3 Ref.No.9) (Annex D)
537	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	ELONGATION AT BREAK PROPERTIES AFTER AGEING IN AIR OVEN FOR INSULATION AND SHEATH	IEC 62930 (Table 3 Ref.No.3 & 4) (Table B.1 Ref.No.1.2)
538	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	ELONGATION AT BREAK PROPERTIES BEFORE AGEING FOR INSULATION AND SHEATH	IEC 62930 (Table 3 Ref.No.3 & 4) (Table B.1 Ref.No.1.1)
539	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	ELONGATION AT LOW TEMPERATURE	IEC 62930 (Table B.1 Ref No.1.6) (Table 3 Ref.No.3 & 4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 164 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
540	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	HOT SET TEST FOR INSULATION AND SHEATH	IEC 62930 (Table 3 Ref.No.3 & 4) (Table B.1 Ref.No.1.3)
541	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	INSULATION THICKNESS	IEC 62930 (Table 3 Ref.No.2.2) (Cl.5.2.3) (Table 1) (Table 2)
542	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	LONG TERM RESISTANCE OF INSULATION TO D.C.	IEC 62930 (Table 3 Ref.No.1.5)
543	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	MEASUREMENT OF INSULATION RESISTANCE - CABLES AT 20 °C AND AT 90 °C	IEC 62930 (Table 3 Ref.No.1.4.1) (Table 3 Ref.No.1.4.2) (Table 1) (Table 2)
544	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	MEASUREMENT OF THE RESISTANCE OF CONDUCTOR	IEC 62930 (Table 3 Ref.No.1.1)
545	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	OVALITY	IEC 62930 (Table 3 Ref.No.2.4) (Cl.7.3) (Table 1) (Table 2)
546	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	OZONE RESISTANCE TEST ON COMPLETE CABLE	IEC 62930 (Table 3 Ref.No.7)
547	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	SHEATH RESISTANCE AGAINST ACID AND ALKALINE SOLUTION - ELONGATION AT BREAK	IEC 62930 (Table 3 Ref.No.3 & 4) (Table B.1 Ref.No.1.7)
548	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	SHEATH RESISTANCE AGAINST ACID AND ALKALINE SOLUTION - TENSILE STRENGTH	IEC 62930 (Table 3 Ref.No.3 & 4) (Table B.1 Ref.No.1.7)
549	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	SHEATH THICKNESS	IEC 62930 (Table 3 Ref.No.2.3) (Cl.5.3.3) (Table 1) (Table 2)
550	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	SHRINKAGE TEST ON SHEATH	IEC 62930 (Table 3 Ref.No.11)
551	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	SMOKE EMISSION OF COMPLETE CABLE	IEC 62930 (Table 3 Ref.No.13)
552	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	SURFACE RESISTANCE OF SHEATH	IEC 62930 (Table 3 Ref.No.1.6)
553	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	TENSILE STRENGTH PROPERTIES AFTER AGEING IN AIR OVEN FOR INSULATION AND SHEATH	IEC 62930 (Table 3 Ref.No.3 & 4) (Table B.1 Ref.No.1.2)
554	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	TENSILE STRENGTH PROPERTIES BEFORE AGEING FOR INSULATION AND SHEATH	IEC 62930 (Table 3 Ref.No.3 & 4) (Table B.1 Ref.No.1.1)
555	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	TEST FOR VERTICAL FLAME PROPAGATION ON COMPLETE CABLE	IEC 62930 (Table 3 Ref No.12)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 165 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
556	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	THERMAL ENDURANCE ON INSULATION AND SHEATH	IEC 62930 (Table B.1 Cl.1.4) (Table 3 Ref.No.3 & 4)
557	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	VOLTAGE TEST ON COMPLETED CABLE WITH A.C. OR D.C.	IEC 62930 (Table 3 Ref.No.1.2)
558	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	WEATHERING / UV RESISTANCE ON SHEATH - ELONGATION AT BREAK	IEC 62930 (Table 3 Ref.No.8) (Annex E)
559	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES FOR PHOTOVOLTAIC SYSTEMS WITH A VOLTAGE RATING OF 1,5 KV DC	WEATHERING / UV RESISTANCE ON SHEATH - TENSILE STRENGTH	IEC 62930 (Table 3 Ref.No.8) (Annex E)
560	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	HEAT SHOCK TEST	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0507) (Cl.0539) (Appendix D Cl.2.6)
561	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	% OVERLAP OF TAPE	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0305) (Cl.0419)
562	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	ACID GAS GENERATION I.E. CORROSIVITY OF COMBUSTION GASES TEST - CONDUCTIVITY	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0511) (Appendix C) (Appendix D Cl.1.15) (Appendix D Cl.2.12)
563	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	ACID GAS GENERATION I.E. CORROSIVITY OF COMBUSTION GASES TEST - PH	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0511) (Appendix C) (Appendix D Cl.1.15) (Appendix D Cl.2.12)
564	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	ADHESION TEST	NAVY SPEC. EED-50-12 (Rev.3) (Appendix D Cl.1.3)
565	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	BEND TEST	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0532) (Cl.0533) (Cl.0534) (Cl.0535) (Appendix C) (Appendix D Cl.3.8) (Cl.0521)
566	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	COLD BEND TEST	NAVY SPEC. EED-50-12 (Rev.3) (Appendix D Cl.1.9) (Appendix D Cl.3.7) (Cl.0521)
567	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	COLD ELONGATION TEST	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0538) (Appendix D Cl.2.11)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 166 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
568	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	CONSTRUCTION, DIMENSION & THICKNESS	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0302) (Cl.0305) (Cl.0405) (Cl.0419) (Cl.0421) (Cl.0422) (Cl.0423) (Cl.0424b) (Cl.0531) (Appendix C) (Appendix D Cl.3.1) (Appendix F Table 1 to Table 42) (Table 4.1) (Cl.0301) (Cl.0521)
569	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	COVERAGE DENSITY OF BRAID	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0307) (Cl.0416) (Cl.0417) (Cl.0418) (Cl.0424c)
570	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	CRUSH RESISTANCE	NAVY SPEC. EED-50-12 (Rev.3) (Appendix D Cl.3.11) (Cl.0521)
571	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	DC RESISTANCE OF CONDUCTOR	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0301) (Cl.0403) (Cl.0424a) (Cl.0529) (Appendix C) (Appendix D Cl.3.2) (Appendix F Table 1 to Table 42) (Cl.0521)
572	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	DYNAMIC CUT THROUGH RESISTANCE ON CORE ONLY	NAVY SPEC. EED-50-12 (Rev.3) (Appendix D Cl.1.11)
573	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	ELECTRICAL OVERLOAD - SINGLE CONDUCTOR	NAVY SPEC. EED-50-12 (Rev.3) (Appendix D Cl.3.10) (Cl.0521)
574	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	FLAME RETARDANCE (BUNCHED CABLE)	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0524) (Appendix C) (Appendix D Cl.3.6) (Cl.0521)
575	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	FLAME RETARDANCE (SINGLE CABLE)	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0524) (Appendix C) (Appendix D Cl.3.5) (Cl.0521)
576	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	HALOGEN CONTENT - NEGATIVE RESULT	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541)
577	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	HALOGEN CONTENT ON OUTER LAYER OF INSULATION	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0519) (Table 3.1) (Cl.0541) (Appendix D Cl.1.12) (Appendix D Cl.2.18)
578	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	HOT SET TEST FOR INSULATION AND SHEATH	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0508) (Appendix C) (Appendix D Cl.1.4) (Appendix D Cl.2.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 167 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
579	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	INSULATION RESISTANCE AT 20 °C FOR SCREENED AND UNSCREENED CABLES	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0528) (Cl.0530) (Appendix C) (Appendix D Cl.3.3) (Appendix F Table 1 to Table 42) (Cl.0521) (Cl.0525)
580	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	INSULATION RESISTANCE CONSTANT FOR COLLECTIVELY SCREENED CABLES AND SHEATH	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Appendix C) (Cl.0540) (Appendix D Cl.3.9) (Cl.0521)
581	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	MECHNICAL PROPERTIES - ELONGATION AT BREAK ON INSULATION AND SHEATH	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0505) (Cl.0506) (Cl.0514) (Appendix C) (Appendix D Cl.1.1) (Appendix D Cl.2.1)
582	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	MECHNICAL PROPERTIES - TENSILE STRENGTH ON INSULATION AND SHEATH	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0505) (Cl.0506) (Cl.0514) (Appendix C) (Appendix D Cl.1.1) (Appendix D Cl.2.1)
583	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	MECHNICAL PROPERTIES AFTER AGING IN AIR OVEN - TENSILE STRENGTH ON INSULATION AND SHEATH	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0424d) (Cl.0523) (Appendix C) (Appendix D Cl.1.2) (Appendix D Cl.2.2) (Cl.0505) (Cl.0506) (Cl.0514) (Cl.0515) (Cl.0521)
584	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	MECHNICAL PROPERTIES AFTER AGING IN AIR OVEN - TENSILE STRENGTH, ELONGATION AT BREAK AND ABSOLUTE ELONGATION ON INSULATION AND SHEATH	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0424d) (Cl.0523) (Appendix C) (Appendix D Cl.1.2) (Appendix D Cl.2.2) (Cl.0505) (Cl.0506) (Cl.0514) (Cl.0515) (Cl.0521)
585	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	NOTCH PROPAGATION TEST	NAVY SPEC. EED-50-12 (Rev.3) (Appendix D Cl.1.7)
586	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	OXYGEN INDEX TEST	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0516) (Appendix C) (Appendix D Cl.2.9)
587	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	OZONE RESISTANCE TEST	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0537) (Appendix D Cl.2.7)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 168 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
588	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	POLYMER IDENTIFICATION TEST ON INSULATION AND SHEATH	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0304) (Appendix D Cl.1.18) (Appendix D Cl.2.17)
589	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	RESISTANCE TO FLUIDS AND FUEL ON SHEATH AND HOT OIL AGEING - ELONGATION AT BREAK	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0536) (Table 5.1) (Appendix D Cl.2.3) (Appendix D Cl.2.8) (Appendix D Cl.2.16)
590	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	RESISTANCE TO FLUIDS AND FUEL ON SHEATH AND HOT OIL AGEING - TENSILE STRENGTH	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0536) (Table 5.1) (Appendix D Cl.2.3) (Appendix D Cl.2.8) (Appendix D Cl.2.16)
591	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	SCRAPE ABRASION ON CORE TAKEN OUT FROM MULTICORE CABLE OR SINGLE CORE CABLE ONLY	NAVY SPEC. EED-50-12 (Rev.3) (Appendix D Cl.1.6)
592	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	SCREEN SOLDERABILITY TEST	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0509) (Appendix C) (Appendix D Cl.4.1) (Cl.0521)
593	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	SHEATH COMPATIBILITY. VARIATION IN ELONGATION	NAVY SPEC. EED-50-12 (Rev.3) (Appendix D Cl.2.19)
594	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	SHEATH COMPATIBILITY. VARIATION IN T.S.	NAVY SPEC. EED-50-12 (Rev.3) (Appendix D Cl.2.19)
595	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	SHRINKAGE TEST	NAVY SPEC. EED-50-12 (Rev.3) (Appendix D Cl.1.5)
596	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	SMOKE DENSITY RATING	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0520) (Appendix D Cl.1.17) (Appendix D Cl.2.14)
597	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	SMOKE INDEX	NAVY SPEC. EED-50-12 (Rev.3) (Appendix D Cl.1.17) (Appendix D Cl.2.14)
598	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	TEAR STRENGTH	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0510) (Appendix C) (Appendix D Cl.2.5)
599	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	TEMPERATURE INDEX TEST	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0517) (Appendix C) (Appendix D Cl.1.14) (Appendix D Cl.2.10)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 169 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
600	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	THERMAL ENDURANCE	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0308) (Table 3.1) (Cl.0541) (Cl.0512) (Cl.0513) (Appendix D Cl.1.13) (Appendix D Cl.2.15)
601	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	TOXICITY OF COMBUSTION GASES	NAVY SPEC. EED-50-12 (Rev.3) (Table 3.1) (Cl.0541) (Cl.0518) (Appendix D Cl.1.16) (Appendix D Cl.2.13)
602	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	VISUAL EXAMINATION	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0522) (Cl.0521) (Appendix C)
603	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	VOLTAGE TEST CORE/CORE, CORE/SCREEN, CORE/WATER	NAVY SPEC. EED-50-12 (Rev.3) (Cl.0526) (Cl.0527) (Appendix C) (Appendix D Cl.3.4) (Appendix F Table 1 to Table 42) (Cl.0521) (Cl.0525)
604	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES THINWALL INSULATED, ELECTRON BEAM CROSSLINKED IRRADIATED CABLES	WATER ABSORPTION TEST (ELECT) INCRESE IN CAPACITANCE	NAVY SPEC. EED-50-12 (Rev.3) (Appendix C) (Appendix D Cl.1.8) (Cl.0521)
605	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Carbon black content test for sheath and separation layer	AS/NZS 5000.1 Table No 6 test no.4
606	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Compatibility test after ageing in an air oven for insulation, separation layer (if any) and oversheath	AS/NZS 5000.1 Table No 6 test no.14
607	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Conductor resistance on completed cable	AS/NZS 5000.1 Table No 6 test no.2
608	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Elongation of solid circular annealed conductors and wires taken from uniaxial, stranded circular and bunched circular annealed conductors only	AS/NZS 5000.1 table 6 test no.1
609	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Heat shock for sheath and separation layer	AS/NZS 5000.1 Table No 6 test no.4
610	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Heat shock test for insulation	AS/NZS 5000.1 Table No 6 test no.3
611	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	High voltage a.c. test for 4 h	AS/NZS 5000.1 Table No 6 test no.10
612	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	High voltage test for 5 min	AS/NZS 5000.1 Table No 6 test no.12
613	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	High voltage test for 5 min on separation layer(s)	AS/NZS 5000.1 Table No 6 test no.13

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 170 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
614	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Hot set test for insulation	AS/NZS 5000.1 Table No 6 test no.3
615	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Hot set test for sheath and separation layer	AS/NZS 5000.1 Table No 6 test no.4
616	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Insulation resistance constant at 20 deg C	AS/NZS 5000.1 Table No 6 test no.3
617	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Insulation resistance constant at 90 deg C	AS/NZS 5000.1 Table No 6 test no.3
618	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Legibility of marking on outer surface	AS/NZS 5000.1 Table No 6 test no.16
619	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Capacitance increase, after immersion at 50°C (only for insulation taken from cables having a voltage rating of 3.3/3.3 kV and above)	AS/NZS 5000.1 Table No 6 test no.3
620	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Carbon black content test for insulation	AS/NZS 5000.1 Table No 6 test no.3
621	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Loss of mass for insulation	AS/NZS 5000.1 Table No 6 test no.3
622	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Loss of mass for sheath and separation layer	AS/NZS 5000.1 Table No 6 test no.4
623	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Measurement of armour dimensions	AS/NZS 5000.1 Table No 6 test no.8
624	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Measurement of insulation thickness	AS/NZS 5000.1 Table No 6 test no.5
625	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Measurement of metallic sheath thickness	AS/NZS 5000.1 Table No 6 test no.9
626	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Measurement of thickness of oversheath and separation layer(s)	AS/NZS 5000.1 Table No 6 test no.6
627	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Measurement of thickness of polyamide jacket	AS/NZS 5000.1 Table No 6 test no.7
628	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Melt flow index for insulation	AS/NZS 5000.1 Table No 6 test no.3
629	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Melt flow index for sheath and separation layer	AS/NZS 5000.1 Table No 6 test no.4
630	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Oil immersion test for insulation	AS/NZS 5000.1 Table No 6 test no.3

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 171 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
631	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Oil immersion test for sheath and separation layer	AS/NZS 5000.1 Table No 6 test no.4
632	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	pH and Conductivity test for insulation	AS/NZS 5000.1 Table No 6 test no.3
633	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	pH and Conductivity test for sheath and separation layer	AS/NZS 5000.1 Table No 6 test no.4
634	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Pressure test at high temperature for insulation	AS/NZS 5000.1 Table No 6 test no.3
635	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Pressure test at high temperature for sheath and separation layer	AS/NZS 5000.1 Table No 6 test no.4
636	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Tear resistance test for insulation	AS/NZS 5000.1 Table No 6 test no.3
637	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Tensile strength and elongation at rupture after ageing for insulation	AS/NZS 5000.1 Table No 6 test no.3
638	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Tensile strength and elongation at rupture after ageing for sheath and separation layer	AS/NZS 5000.1 Table No 6 test no.4
639	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Tensile strength and elongation at rupture before ageing for insulation	AS/NZS 5000.1 Table No 6 test no.3
640	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Tensile strength and elongation at rupture before ageing for sheath and separation layer	AS/NZS 5000.1 Table No 6 test no.4
641	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Tensile strength of hard-drawn solid conductors and wires taken from stranded circular hard-drawn conductors only	AS/NZS 5000.1 table 6 test no.1
642	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Tensile test of tinsel conductors only	AS/NZS 5000.1 table 6 test no.1
643	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Vertical flame propagation	AS/NZS 5000.1 Table No 6 test no.15
644	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Volume resistivity at 23 ± 3°C for insulation	AS/NZS 5000.1 Table No 6 test no.3
645	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Water absorption, after 7 days immersion at 70°C for insulation	AS/NZS 5000.1 Table No 6 test no.3

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 172 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
646	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED FOR WORKING VOLTAGES UP TO AND INCLUDING 0.6/1 (1.2) kV	Wrapping test of hard-drawn solid conductors and wires taken from stranded circular hard-drawn conductors only	AS/NZS 5000.1 table 6 test no.1
647	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Capacitance increase, after immersion at 50°C (only for insulation taken from cables having a voltage rating of 3.3/3.3 kV and above)	AS/NZS 5000.2 Table No 3 test no.3
648	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Carbon black content test for insulation	AS/NZS 5000.2 Table No 3 test no.3
649	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Carbon black content test for sheath and separation layer	AS/NZS 5000.2 Table No 3 test no.4
650	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Compatibility test after ageing in an air oven for insulation, separation layer (if any) and oversheath	AS/NZS 5000.2 Table No 3 test no.11
651	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Conductor resistance on completed cable	AS/NZS 5000.2 Table No 3 test no.2
652	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Elongation of solid circular annealed conductors and wires taken from uniaxial, stranded circular and bunched circular annealed conductors only	AS/NZS 5000.2 table 3 test no.1
653	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Heat shock for sheath and separation layer	AS/NZS 5000.2 Table No 3 test no.4
654	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Heat shock test for insulation	AS/NZS 5000.2 Table No 3 test no.3
655	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	High voltage a.c. test for 4 h	AS/NZS 5000.2 Table No 3 test no.7
656	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	High voltage test for 5 min	AS/NZS 5000.2 Table No 3 test no.9
657	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Hot set test for insulation	AS/NZS 5000.2 Table No 3 test no.3
658	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Hot set test for sheath and separation layer	AS/NZS 5000.2 Table No 3 test no.4
659	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Insulation resistance constant at 20 deg C	AS/NZS 5000.2 Table No 3 test no.3
660	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Insulation resistance constant at 90 deg C	AS/NZS 5000.2 Table No 3 test no.3

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 173 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
661	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Legibility of marking on outer surface	AS/NZS 5000.2 CL. 9
662	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Loss of mass for insulation	AS/NZS 5000.2 Table No 3 test no.3
663	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Loss of mass for sheath and separation layer	AS/NZS 5000.2 Table No 3 test no.4
664	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Measurement of insulation thickness	AS/NZS 5000.2 Table No 3 test no.5
665	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Measurement of thickness of oversheath and separation layer(s)	AS/NZS 5000.2 Table No 3 test no.6
666	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Measurement of thickness of polyamide jacket	AS/NZS 5000.2 Table No 3 test no.6
667	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Melt flow index for insulation	AS/NZS 5000.2 Table No 3 test no.3
668	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Melt flow index for sheath and separation layer	AS/NZS 5000.2 Table No 3 test no.4
669	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Oil immersion test for insulation	AS/NZS 5000.2 Table No 3 test no.3
670	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Oil immersion test for sheath and separation layer	AS/NZS 5000.2 Table No 3 test no.4
671	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	pH and Conductivity test for insulation	AS/NZS 5000.2 Table No 3 test no.3
672	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	pH and Conductivity test for sheath and separation layer	AS/NZS 5000.2 Table No 3 test no.4
673	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Pressure test at high temperature for insulation	AS/NZS 5000.2 Table No 3 test no.3
674	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Pressure test at high temperature for sheath and separation layer	AS/NZS 5000.2 Table No 3 test no.4
675	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Tear resistance test for insulation	AS/NZS 5000.2 Table No 3 test no.3
676	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Tensile strength and elongation at rupture after ageing for insulation	AS/NZS 5000.2 Table No 3 test no.3
677	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Tensile strength and elongation at rupture after ageing for sheath and separation layer	AS/NZS 5000.2 Table No 3 test no.4

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 174 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
678	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Tensile strength and elongation at rupture before ageing for insulation	AS/NZS 5000.2 Table No 3 test no.3
679	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Tensile strength and elongation at rupture before ageing for sheath and separation layer	AS/NZS 5000.2 Table No 3 test no.4
680	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Tensile strength of hard-drawn solid conductors and wires taken from stranded circular hard-drawn conductors only	AS/NZS 5000.2 table 3 test no.1
681	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Tensile test of tinsel conductors only	AS/NZS 5000.2 table 3 test no.1
682	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Vertical flame propagation	AS/NZS 5000.2 Table No 3 test no.10
683	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Volume resistivity at 23 ± 3°C for insulation	AS/NZS 5000.2 Table No 3 test no.3
684	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Water absorption, after 7 days immersion at 70°C for insulation	AS/NZS 5000.2 Table No 3 test no.3
685	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES- POLYMERIC INSULATED For working voltages up to and including 450/750 V	Wrapping test of hard-drawn solid conductors and wires taken from stranded circular hard-drawn conductors only	AS/NZS 5000.2 table 3 test no.1
686	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	ASSESSMENT OF HALOGENS OF ALL NON METALLIC MATERIALS	BS EN 50620 + A1 (Table 5, Ref.No.15)
687	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	CAPACITY OF CP CORE TO ALL POWER CORES	BS EN 50620 + A1 (Table 5, Ref.No.1.8)
688	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	CHECK ON ABSENCE OF FAULTS ON INSULATION	BS EN 50620 + A1 (Table 5, Ref.No.1.5)
689	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	CHECKING OF COMPLIANCE WITH CONSTRUCTIONAL PROVISIONS	BS EN 50620 + A1 (Table 5, Ref.No.2.1) (Cl. 6)
690	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	COLD BEND TEST DIAMETER OF CABLE = 12.5 MM	BS EN 50620 + A1 (Table 5, Ref.No.9)
691	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	COLD ELONGATION TEST	BS EN 50620 + A1 (Table 2, Ref.No.1.5) (Table 3, Ref.No.1.4) (Table 5 Ref.No.3) (Table 5 Ref.No.4) (Cl. 6.2) (Cl. 6.6) (Table 5 Ref.No.10)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 175 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
692	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	COLD IMPACT TEST AT -40 ± 2 °C	BS EN 50620 + A1 (Table 5, Ref.No.8) (Annex C)
693	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	COMPATIBILITY TEST - ELONGATION AT BREAK	BS EN 50620 + A1 (Table 5, Ref.No.7) (Annex A)
694	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	COMPATIBILITY TEST - TENSILE STRENGTH	BS EN 50620 + A1 (Table 5, Ref.No.7) (Annex A)
695	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	CONTINUITY OF MARKING	BS EN 50620 + A1 (5.2)
696	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	DURABILITY OF MARKINGS	BS EN 50620 + A1 (Cl. 5.6.1)
697	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	HEAT SHOCK TEST	BS EN 50620 + A1 (Table 3, Ref.No.1.7) (Table 5 Ref.No.4) (Cl. 6.6)
698	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	HOT SET TEST	BS EN 50620 + A1 (Table 2, Ref.No.1.3) (Table 3, Ref.No.1.3) (Table 5 Ref.No.3) (Table 5 Ref.No.4) (Cl. 6.2) (Cl. 6.6)
699	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	LEGIBILITY OF MARKINGS	BS EN 50620 + A1 (Cl. 5.6.2)
700	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	LONG TERM RESISTANCE OF POWER CORES TO D.C.	BS EN 50620 + A1 (Table 5, Ref.No.1.9)
701	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	MEASUREMENT OF INSULATION RESISTANCE	BS EN 50620 + A1 (Table 5, Ref.No.1.6) (Table 4a) (Table 4b)
702	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	MEASUREMENT OF OVERALL DIAMETER	BS EN 50620 + A1 (Table 5, Ref.No.2.4) (Table 4a) (Table 4b)
703	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	MEASUREMENT OF THE RESISTANCE OF CONDUCTOR	BS EN 50620 + A1 (Table 5, Ref.No.1.1) (Cl. 6.1)
704	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	MEASUREMENT OF THICKNESS OF INSULATION	BS EN 50620 + A1 (Table 5, Ref.No.2.2) (Table 4a) (Table 4b)
705	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	MEASUREMENT OF THICKNESS OF SHEATH	BS EN 50620 + A1 (Table 5, Ref.No.2.3) (Table 4a) (Table 4b)
706	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	MECHANICAL CHARACTERISTICS - PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK	BS EN 50620 + A1 (Table 2, Ref.No.1.2) (Table 3, Ref.No.1.2) (Table 5 Ref.No.3) (Table 5 Ref.No.4) (Cl. 6.2) (Cl. 6.6)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 176 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
707	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	MECHANICAL CHARACTERISTICS - PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH	BS EN 50620 + A1 (Table 2, Ref.No.1.2) (Table 3, Ref.No.1.2) (Table 5 Ref.No.3) (Table 5 Ref.No.4) (Cl. 6.2) (Cl. 6.6)
708	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	MECHANICAL CHARACTERISTICS - PROPERTIES BEFORE AGEING - ELONGATION AT BREAK	BS EN 50620 + A1 (Table 2, Ref.No.1.1) (Table 3, Ref.No.1.1) (Table 5 Ref.No.3) Table 5 Ref.No.4) (Cl. 6.2) (Cl. 6.6)
709	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	MECHANICAL CHARACTERISTICS - PROPERTIES BEFORE AGEING - TENSILE STRENGTH	BS EN 50620 + A1 (Table 2, Ref.No.1.1) (Table 3, Ref.No.1.1) (Table 5 Ref.No.3) Table 5 Ref.No.4) (Cl. 6.2) (Cl. 6.6)
710	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	MECHANICAL STRENGTH OF CABLE - CYCLIC BENDING TEST	BS EN 50620 + A1 (Table 5, Ref.No.16.2)
711	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	MECHANICAL STRENGTH OF CABLE - FLEXING TEST	BS EN 50620 + A1 (Table 5, Ref.No.16.1)
712	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	OVALITY	BS EN 50620 + A1 (Table 5, Ref.No.2.4.2)
713	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	OZONE RESISTANCE AT COMPLETE CABLE	BS EN 50620 + A1 (Table 5, Ref.No.11)
714	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	PRESSURE TEST AT HIGH TEMPERATURE	BS EN 50620 + A1 (Table 2, Ref.No.1.4) (Table 3, Ref.No.1.8) (Table 5 Ref.No.3) (Table 5 Ref.No.4) (Cl. 6.2) (Cl. 6.6)
715	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	PROPERTIES AFTER IMMERSION IN MINERAL OIL IRM 902 - ELONGATION AT BREAK	BS EN 50620 + A1 (Table 3, Ref.No.1.6) (Table 5 Ref.No.4) (Cl. 6.6)
716	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	PROPERTIES AFTER IMMERSION IN MINERAL OIL IRM 902 - TENSILE STRENGTH	BS EN 50620 + A1 (Table 3, Ref.No.1.6) (Table 5 Ref.No.4) (Cl. 6.6)
717	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	REQUIREMENTS AFTER WATER IMMERSION - ELONGATION AT BREAK	BS EN 50620 + A1 (Table 3, Ref.No.1.5) (Table 5 Ref.No.4) (Cl. 6.6)
718	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	REQUIREMENTS AFTER WATER IMMERSION - TENSILE STRENGTH	BS EN 50620 + A1 (Table 3, Ref.No.1.5) (Table 5 Ref.No.4) (Cl. 6.6)
719	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	RESISTANCE AGAINST CHEMICALS	BS EN 50620 + A1 (Table 5, Ref.No.17) (Annex D)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 177 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
720	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	RESISTANCE AGAINST SAPONIFICATION	BS EN 50620 + A1 (Table 3, Ref.No.2.0) (Table 5 Ref.No.4) (Cl. 6.6)
721	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	RESISTANCE OF SHEATH AGAINST N-OXALIC ACID - ELONGATION AT BREAK	BS EN 50620 + A1 (Table 5, Ref.No.5)
722	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	RESISTANCE OF SHEATH AGAINST N-OXALIC ACID - TENSILE STRENGTH	BS EN 50620 + A1 (Table 5, Ref.No.5)
723	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	RESISTANCE OF SHEATH AGAINST N-SODIUM HYDROXIDE - ELONGATION AT BREAK	BS EN 50620 + A1 (Table 5, Ref.No.6)
724	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	RESISTANCE OF SHEATH AGAINST N-SODIUM HYDROXIDE - TENSILE STRENGTH	BS EN 50620 + A1 (Table 5, Ref.No.6)
725	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	SHORE HARDNESS	BS EN 50620 + A1 (Table 2, Ref.No.1.6) (Table 5 Ref.No.3) (Cl. 6.2)
726	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	SHRINKAGE TEST AT COMPLETE CABLE	BS EN 50620 + A1 (Table 5, Ref.No.13)
727	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	SURFACE RESISTANCE OF SHEATH	BS EN 50620 + A1 (Table 5, Ref.No.1.7)
728	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	TEAR STRENGTH	BS EN 50620 + A1 (Table 3, Ref.No.1.9) (Table 5 Ref.No.4) (Cl. 6.6)
729	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	TEST UNDER FIRE CONDITIONS	BS EN 50620 + A1 (Table 5, Ref.No.14)
730	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	VOLTAGE TEST ON COMPLETED CABLE	BS EN 50620 + A1 (Table 5, Ref.No.1.3)
731	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	VOLTAGE TEST ON CORES	BS EN 50620 + A1 (Table 5, Ref.No.1.2)
732	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. CHARGING CABLES FOR ELECTRIC VEHICLES	WEATHERING/UV-RESISTANCE	BS EN 50620 + A1 (Table 5, Ref.No.12) (Annex F)
733	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U).	ASSESSMENT OF HALOGENS - CHLORINE AND BROMINE CONTENT EXPRESSED AS HCL MEASUREMENT	BS EN 50525-1 (Annexure B) (Table B.1 No.2) (Table B.2 Stage 2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 178 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
734	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U).	ASSESSMENT OF HALOGENS - CONDUCTIVITY MEASUREMENT	BS EN 50525-1 (Annexure B) (Table B.1 No.1) (Table B.2 Stage 1)
735	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U).	ASSESSMENT OF HALOGENS - FLOURINE CONTENT	BS EN 50525-1 (Annexure B) (Table B.1 No.3b) (Table B.2 Stage 3)
736	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U).	ASSESSMENT OF HALOGENS - HALOGEN : FLUORINE, CHLORINE AND BROMINE	BS EN 50525-1 (Annexure B) (Table B.1 No.3a) (Table B.2 Stage 0) (Annexure C)
737	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U).	ASSESSMENT OF HALOGENS - PH MEASUREMENT	BS EN 50525-1 (Annexure B) (Table B.1 No.1) (Table B.2 Stage 1)
738	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U).	LONG TERM RESISTANCE OF INSULATION TO D.C.	BS EN 50525-1 (Table 1 Ref No.5)
739	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U).	MEASUREMENT OF INSULATION RESISTANCE	BS EN 50525-1 (Table 1 Ref No.4)
740	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U).	MEASUREMENT OF THE RESISTANCE OF CONDUCTOR	BS EN 50525-1 (Table 1 Ref No.1)
741	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U).	SURFACE RESISTANCE OF SHEATH	BS EN 50525-1 (Table 1 Ref No.7)
742	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U).	VOLTAGE TEST ON COMPLETED CABLE	BS EN 50525-1 (Table 1 Ref No.2 & 3) (Table 1 Ref No.6.2)
743	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	BENDING TEST AT LOW TEMPERATURE ON INSULATION	BS EN 50525-2-31 (Table A.1, Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Cl. 5.1.1.3) (Cl.5.2.1.3) (Cl.5.3.1.3) (Cl.5.4.1.3)
744	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	CHECKING OF COMPLIENCE WITH CONSTRUCTIONAL PROVISIONS	BS EN 50525-2-31 (Table A.1 Ref No.2.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 179 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
745	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	ELONGATION TEST AT LOW TEMPERATURE ON INSULATION	BS EN 50525-2-31 (Table A.1, Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Cl. 5.1.1.3) (Cl.5.2.1.3) (Cl.5.3.1.3) (Cl.5.4.1.3)
746	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	HEAT SHOCK TEST ON INSULATION	BS EN 50525-2-31 (Table A.1, Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Cl. 5.1.1.3) (Cl.5.2.1.3) (Cl.5.3.1.3) (Cl.5.4.1.3)
747	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	IMPACT TEST AT -5 °C	BS EN 50525-2-31 (Table A.1 Ref No.4)
748	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	INSULATION RESISTANCE TEST AT 70 °C AND 90 °C	BS EN 50525-2-31 (Table A.1 Ref No.1.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Cl.5.1.1.3) (Cl. 5.2.1.3) (Cl.5.3.1.3) (Cl.5.4.1.3) (Table B.1) (Table B.2) (Table B.3)
749	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	LONG TERM RESISTANCE OF INSULATION TO D.C.	BS EN 50525-2-31 (Table A.1 Ref No.1.4)
750	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	LOSS OF MASS TEST ON INSULATION	BS EN 50525-2-31 (Table A.1, Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Cl. 5.1.1.3) (Cl.5.2.1.3) (Cl.5.3.1.3) (Cl.5.4.1.3)
751	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	MEASUREMENT OF OVERALL DIAMETER	BS EN 50525-2-31 (Table A.1 Ref No.2.3) (Table B.1) (Table B.2) (Table B.3)
752	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	MEASUREMENT OF THICKNESS OF INSULATION	BS EN 50525-2-31 (Table A.1 Ref No.2.2) (Table B.1) (Table B.2) (Table B.3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 180 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
753	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK ON INSULATION	BS EN 50525-2-31 (Table A.1, Ref No.3), (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Cl. 5.1.1.3) (Cl.5.2.1.3) (Cl.5.3.1.3) (Cl.5.4.1.3)
754	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON INSULATION	BS EN 50525-2-31 (Table A.1, Ref No.3), (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Cl. 5.1.1.3) (Cl.5.2.1.3) (Cl.5.3.1.3) (Cl.5.4.1.3)
755	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	MECHANICAL PROPERTIES BEFORE AGEING - ELONGATION AT BREAK ON INSULATION	BS EN 50525-2-31 (Table A.1, Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Cl. 5.1.1.3) (Cl.5.2.1.3) (Cl.5.3.1.3) (Cl.5.4.1.3)
756	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	MECHANICAL PROPERTIES BEFORE AGEING - TENSILE STRENGTH ON INSULATION	BS EN 50525-2-31 (Table A.1, Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Cl. 5.1.1.3) (Cl.5.2.1.3) (Cl.5.3.1.3) (Cl.5.4.1.3)
757	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	PRESSURE TEST AT HIGH TEMPERATURE ON INSULATION	BS EN 50525-2-31 (Table A.1, Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Cl. 5.1.1.3) (Cl.5.2.1.3) (Cl.5.3.1.3) (Cl.5.4.1.3)
758	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	RESISTANCE OF CONDUCTORS	BS EN 50525-2-31 (Table A.1 Ref No.1.1), (Cl.4.1.1) (Cl.4.2.1) (Cl.4.3.1) (Cl.4.4.1) (Cl.5.1.1) (Cl. 5.2.1) (Cl.5.3.1) (Cl.5.4.1)
759	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	TEST UNDER FIRE CONDITIONS	BS EN 50525-2-31 (Table A.1 Ref No.5)
760	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	THERMAL STABILITY TEST ON INSULATION	BS EN 50525-2-31 (Table A.1, Ref No.3) (Cl. 5.1.1.3) (Cl.5.2.1.3) (Cl.5.3.1.3) (Cl.5.4.1.3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 181 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
761	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES FOR GENERAL APPLICATIONS. SINGLE CORE NON-SHEATHED CABLES WITH THERMOPLASTIC PVC INSULATION	VOLTAGE TEST	BS EN 50525-2-31 (Table A.1 Ref No.1.2.1) (Ref No.1.2.2) (Table B.1) (Table B.2) (Table B.3)
762	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	ASSESSMENT OF HALOGENS FOR ALL NON METALLIC MATERIALS	BS EN 50525-3-41 (Table A.1 Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3)
763	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	ASSESSMENT OF HALOGENS FOR ALL NON METALLIC MATERIALS	BS EN 50525-3-41 (Table A.1 Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3)
764	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	BENDING TEST AT LOW TEMPERATURE ON INSULATION	BS EN 50525-3-41 (Table A.1 Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3)
765	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	CHECKING OF COMPLIENCE WITH CONSTRUCTIONAL PROVISIONS	BS EN 50525-3-41 (Table A.1 Ref No.2.1) (Cl.4.1.1) (Cl.4.2.1) (Cl.4.3.1) (Cl.4.4.1(Table B.1) (Table B.2) (Table B.3) (Table B.4)
766	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	ELONGATION TEST AT LOW TEMPERATURE FOR INSULATION	BS EN 50525-3-41 (Table A.1 Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3)
767	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	HOT SET TEST	BS EN 50525-3-41 (Table A.1 Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3)
768	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	IMPACT TEST AT -5 °C	BS EN 50525-3-41 (Table A.1 Ref No.4)
769	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	INSULATION RESISTANCE TEST AT 90 °C	BS EN 50525-3-41 (Table A.1 Ref No.1.3) (Table B.1) (Table B.2) (Table B.3) (Table B.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 182 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
770	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	MEASUREMENT OF OVERALL DIAMETER	BS EN 50525-3-41 (Table A.1 Ref No.2.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Table B.1) (Table B.2) (Table B.3)
771	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	MEASUREMENT OF THICKNESS OF INSULATION	BS EN 50525-3-41 (Table A.1 Ref No.2.2) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Table B.1) (Table B.2) (Table B.3)
772	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK ON INSULATION	BS EN 50525-3-41 (Table A.1 Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3)
773	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON INSULATION	BS EN 50525-3-41 (Table A.1 Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3)
774	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	MECHANICAL PROPERTIES BEFORE AGEING - ELONGATION AT BREAK ON INSULATION	BS EN 50525-3-41 (Table A.1 Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Table B.1) (Table B.2) (Table B.3)
775	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	MECHANICAL PROPERTIES BEFORE AGEING - TENSILE STRENGTH ON INSULATION	BS EN 50525-3-41 (Table A.1 Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3) (Table B.1) (Table B.2) (Table B.3)
776	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	OZONE RESISTANCE TEST ON INSULATION	BS EN 50525-3-41 (Table A.1 Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3)
777	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	PRESSURE TEST AT HIGH TEMPERATURE ON INSULATION	BS EN 50525-3-41 (Table A.1 Ref No.3) (Cl.4.1.1.3) (Cl.4.2.1.3) (Cl.4.3.1.3) (Cl.4.4.1.3)
778	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	RESISTANCE OF CONDUCTORS	BS EN 50525-3-41 (Table A.1 Ref No.1.1) (Cl.4.1.1) (Cl.4.2.1) (Cl.4.3.1) (Cl.4.4.1) (Table B.1) (Table B.2) (Table B.3) (Table B.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 183 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
779	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	TEST UNDER FIRE CONDITIONS - SMOKE EMISSION	BS EN 50525-3-41 (Table A.1 Ref No.5.2)
780	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	TEST UNDER FIRE CONDITIONS - TEST ON SINGLE VERTICAL CABLE	BS EN 50525-3-41 (Table A.1 Ref No.5.1)
781	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. LOW VOLTAGE ENERGY CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V (U0/U). CABLES WITH SPECIAL FIRE PERFORMANCE. SINGLE CORE NON-SHEATHED CABLES WITH HALOGEN-FREE CROSSLINKED INSULATION, AND LOW EMISSION OF SMOKE	VOLTAGE TEST	BS EN 50525-3-41 (Table A.1 Ref No.1.2.1) (Table A.1 Ref No.1.2.2)
782	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	LONG TERM RESISTANCE OF INSULATION TO D.C.	BS 6004 + AMD 1 (Table 2) (Cl.16.4)
783	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	BENDING TEST AT LOW TEMPERATURE ON INSULATION AND SHEATH	BS 6004 + AMD 1 (Table 2) (Cl. 10.1) (Cl.7.1)
784	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	COMPATIBILITY TEST ON INSULATION AND SHEATH - ELONGATION AT BREAK	BS 6004 + AMD 1 (Table 2) (Cl.16.5) (Annex D) (Table D.1)
785	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	COMPATIBILITY TEST ON INSULATION AND SHEATH - TENSILE STRENGTH	BS 6004 + AMD 1 (Table 2) (Cl.16.5) (Annex D) (Table D.1)
786	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	CONDUCTOR CONSTRUCTION	BS 6004 + AMD 1 (Table 2) (Cl. 6)
787	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	CONDUCTOR RESISTANCE TEST	BS 6004 + AMD 1 (Table 2) (Cl.14.2) (Cl.6)
788	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	DURABILITY OF PRINTING INFORMATION AND MARKING	BS 6004 + AMD 1 (Table 2) (Cl.11.4) (Cl.8.3) (Cl. 11)
789	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	ELONGATION TEST AT LOW TEMPERATURE ON INSULATION AND SHEATH	BS 6004 + AMD 1 (Table 2) (Cl. 10.1) (Cl.7.1)
790	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	FLAME PROPAGATION OF SINGLE CABLE	BS 6004 + AMD 1 (Table 2) (Cl.16.6)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 184 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
791	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	HEAT SHOCK TEST ON INSULATION AND SHEATH	BS 6004 + AMD 1 (Table 2) (Cl. 10.1) (Cl.7.1)
792	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	IMPACT TEST AT LOW TEMPERATURE ON SHEATH	BS 6004 + AMD 1 (Table 2) (Cl. 10.1)
793	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	INSULATION RESISTANCE CONSTANT ON SHEATH	BS 6004 + AMD 1 (Table 2) (Cl.10.1)
794	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	INSULATION RESISTANCE TEST	BS 6004 + AMD 1 (Table 2) (Cl.16.2) (Table 3 to 7)
795	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	LENGTH OF LAY OF ASSEMBLED CORES	BS 6004 + AMD 1 (Table 2) (Cl.9) (Cl.15.5)
796	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	LOSS OF MASS TEST ON INSULATION AND SHEATH	BS 6004 + AMD 1 (Table 2) (Cl. 10.1) (Cl.7.1)
797	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	MEAN OVERALL DIMENSIONS	BS 6004 + AMD 1 (Table 2) (Cl.15.2) (Table 3 to 7)
798	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK ON INSULATION AND SHEATH	BS 6004 + AMD 1 (Table 2) (Cl. 10.1) (Cl.7.1)
799	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON INSULATION AND SHEATH	BS 6004 + AMD 1 (Table 2) (Cl. 10.1) (Cl.7.1)
800	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	MECHANICAL PROPERTIES BEFORE AGEING - ELONGATION AT BREAK ON INSULATION AND SHEATH	BS 6004 + AMD 1 (Table 2) (Cl. 10.1) (Cl.7.1)
801	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	MECHANICAL PROPERTIES BEFORE AGEING - TENSILE STRENGTH ON INSULATION AND SHEATH	BS 6004 + AMD 1 (Table 2) (Cl. 10.1) (Cl.7.1)
802	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	OVALITY	BS 6004 + AMD 1 (Table 2) (Cl.15.3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 185 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
803	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	PRESSURE TEST AT HIGH TEMPERATURE ON INSULATION AND SHEATH	BS 6004 + AMD 1 (Table 2) (Cl. 10.1) (Cl.7.1)
804	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	TEST FOR THICKNESS OF INSULATION AND SHEATH	BS 6004 + AMD 1 (Table 2) (Cl.7.3) (Cl.10.3) (Table 3 to 7)
805	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	THERMAL STABILITY TEST ON INSULATION	BS 6004 + AMD 1 (Table 2) (Cl.7.1)
806	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. PVC INSULATED AND PVC SHEATHED CABLES FOR VOLTAGES UP TO AND INCLUDING 300/500 V, FOR ELECTRIC POWER AND LIGHTING	VOLTAGE WITHSTAND AND VOLTAGE TEST ON CORES	BS 6004 + AMD 1 (Table 2) (Cl.16.3) (Cl.15.4) (Annex E)
807	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	ASSESSMENT OF HALOGENS - CONDUCTIVITY ON INSULATION	BS 7629-1 + AMD1 (Table 2) (Cl 6.1)
808	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	ASSESSMENT OF HALOGENS - FLOURINE CONTENT	BS 7629-1 + AMD1 (Table 5) Cl.6.1)
809	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	ASSESSMENT OF HALOGENS - PH TEST ON INSULATION	BS 7629-1 + AMD1 (Table 2) (Cl 6.1)
810	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	BENDING CHARACTERISTICS	BS 7629-1 + AMD1 (Table 5) (Cl.16.4) (Annex D) (Cl.10.1) (Cl.6.1)
811	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	CONDUCTOR AND DRAIN WIRE CONSTRUCTION	BS 7629-1 + AMD1 (Table 5) (Cl.5.1) (Cl.5.2)
812	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	CONDUCTOR RESISTANCE TEST	BS 7629-1 + AMD1 (Table 5) (Cl.14.2) (Cl.5.1) (Cl.5.2)
813	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	CORROSIVE AND ACID GAS	BS 7629-1 + AMD1 (Table 5) (Cl.16.2) (Cl.10.1) (Cl.6.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 186 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
814	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	CORROSIVE AND ACID GAS	BS 7629-1 + AMD1 (Table 5) (Cl.16.2) (Cl.10.1) (Cl.6.1)
815	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	DETERMINATION OF HARDNESS	BS 7629-1 + AMD1 (Table 5) (Cl.6.1)
816	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	DIRECTION AND SEQUENCE OF LAY	BS 7629-1 + AMD1 (Table 5) (Cl.8)
817	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	DRAIN WIRE RESISTANCE	BS 7629-1 + AMD1 (Table 5) (Cl.14.2) (Cl.5.2) (Cl.5.1)
818	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	DURABILITY OF PRINTING INFORMATION AND MARKING	BS 7629-1 + AMD1 (Table 5) (Cl.11.7) (Cl.11) (Cl.7.2)
819	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	ELONGATION TEST AT LOW TEMPERATURE FOR INSULATION AND SHEATH	BS 7629-1 + AMD1 (Table 5) (Cl.10.1) (Cl.6.1)
820	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	FLAME PROPAGATION ON SINGLE CABLE	BS 7629-1 + AMD1 (Table 5) (Cl.15.4)
821	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	HOT SET TEST ON INSULATION	BS 7629-1 + AMD1 (Table 5) (Cl.6.1)
822	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	INSULATION RESISTANCE CONSTANT AT 20 °C AND 90 °C	BS 7629-1 + AMD1 (Table 5) Cl.6.1)
823	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	LENGTH OF LAY OF ASSEMBLED CORES	BS 7629-1 + AMD1 (Table 5) (Cl.8) (Cl.15.3)
824	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	MECHANICAL PROPERTIES AFTER AGEING IN AIR BOMB - ELONGATION AT BREAK ON INSULATION	BS 7629-1 + AMD1 (Table 5) (Cl.6.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 187 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
825	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	MECHANICAL PROPERTIES AFTER AGEING IN AIR BOMB - TENSILE STRENGTH ON INSULATION	BS 7629-1 + AMD1 (Table 5) (Cl.6.1)
826	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	METHOD OF TEST FOR CONTINUITY OF TINNED COATING OF WIRES	BS 7629-1 + AMD1 (Table 5) (Cl.5.1) (Annex B)
827	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	OVALITY	BS 7629-1 + AMD1 (Table 5) (Cl.15.7)
828	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	OZONE RESISTANCE TEST AND ALTERNATIVE TO OZONE RESISTANCE TEST (LOW CONCENTRATION)	BS 7629-1 + AMD1 (Table 5) Cl.6.1)
829	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	PRESSURE TEST AT HIGH TEMPERATURE FOR INSULATION AND SHEATH	BS 7629-1 + AMD1 (Table 5) (Cl.10.1) (Cl.6.1)
830	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK FOR INSULATION AND SHEATH	BS 7629-1 + AMD1 (Table 5) (Cl.10.1) (Cl.6.1)
831	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH FOR INSULATION AND SHEATH	BS 7629-1 + AMD1 (Table 5) (Cl.10.1) (Cl.6.1)
832	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	PROPERTIES IN THE STATE AS DELIVERED - ELONGATION AT BREAK FOR INSULATION AND SHEATH	BS 7629-1 + AMD1 (Table 5) (Cl.10.1) (Cl.6.1)
833	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	PROPERTIES IN THE STATE AS DELIVERED - TENSILE STRENGTH FOR INSULATION AND SHEATH	BS 7629-1 + AMD1 (Table 5) (Cl.10.1) (Cl.6.1)
834	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	RESISTANCE TO IMPACT	BS 7629-1 + AMD1 (Table 5) (Cl.16.5) (Annex E) (Cl.10.1)
835	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	SCREEN APPLICATION	BS 7629-1 + AMD1 (Cl.9)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 188 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
836	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	SHRINKAGE OF INSULATION AND SHEATH	BS 7629-1 + AMD1 (Table 5) (Cl.16.3) (Cl.16.6) (Annex F)
837	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	SMOKE EMISSION TEST	BS 7629-1 + AMD1 (Table 5) (Cl.15.5)
838	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	TEST FOR RESISTANCE TO FIRE - CATEGORY STANDARD 30, STANDARD 60, ENHANCED 120	BS 7629-1 + AMD1 (Table 5) (Cl.15.6.2) (Cl.15.6.3) (Cl.15.6.4)
839	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	TEST FOR THICKNESS OF INSULATION AND SHEATH	BS 7629-1 + AMD1 (Table 5) (Cl.6.3) (Table 2) (Table 3) (Cl.10.3)
840	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	VOLTAGE TEST ON COMPLETE CABLE	BS 7629-1 + AMD1 (Table 5) (Cl.14.3) (Cl.15.2) (Annex C)
841	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	WATER ABSORPTION TEST (GRAVIMETRIC) ON INSULATION	BS 7629-1 + AMD1 (Table 5) Cl.6.1)
842	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	WATER IMMERSION TEST ON SHEATH - ELONGATION AT BREAK	BS 7629-1 + AMD1 (Table 5) (Cl.10.1)
843	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. SPECIFICATION FOR 300/500 V FIRE RESISTANT, SCREENED, FIXED INSTALLATION CABLES HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE. MULTICORE CABLES	WATER IMMERSION TEST ON SHEATH - TENSILE STRENGTH	BS 7629-1 + AMD1 (Table 5) (Cl.10.1)
844	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	ARMOUR RESISTANCE TEST	BS 6724 (Table 3) (Cl.10.4) (Annex B.5) (Table F1 to F3)
845	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	ARMOUR WIRE DIAMETER	BS 6724 (Table 3) (Cl.10.2a) (Annex B.1) (Table 2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 189 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
846	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	ASSESSMENT OF HALOGENS - CONDUCTIVITY ON INSULATION	BS 6724 (Table 2) (Cl 6.1)
847	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	ASSESSMENT OF HALOGENS - FLOURINE CONTENT	BS 6724 (Table 3) (Cl.6.1)
848	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	ASSESSMENT OF HALOGENS - PH ON INSULATION	BS 6724 (Table 2) (Cl 6.1)
849	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	BENDING TEST AT LOW TEMPERATURE ON INSULATION AND SHEATH	BS 6724 (Table 3) (Cl.11.1) (Cl.6.1)
850	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	COMPATIBILITY TEST - ELONGATION AT BREAK	BS 6724 (Table 3) (Cl.18.3) (Annex C)
851	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	COMPATIBILITY TEST - TENSILE STRENGTH	BS 6724 (Table 3) (Cl.18.3) (Annex C)
852	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	CONDUCTOR CONSTRUCTION	BS 6724 (Table 3) (Cl.5)
853	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	CONDUCTOR RESISTANCE TEST	BS 6724 (Table 3) (Cl.16.2) (Cl.5)
854	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	CORROSIVE AND ACID GAS	BS 6724 (Table 3) (Cl.18.2) (Cl.11.1) (Cl.6.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 190 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
855	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	DETERMINATION OF HARDNESS	BS 6724 (Table 3) (Cl.6.1)
856	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	DIRECTION AND SEQUENCE OF LAY	BS 6724 (Table 3) (Cl.8) (Cl.17.2)
857	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	DURABILITY OF PRINTING INFORMATION AND MARKING	BS 6724 (Table 3) (Cl.7.5) (Cl.12.7) (Cl.12.1)
858	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	ELONGATION TEST AT LOW TEMPERATURE FOR INSULATION AND SHEATH	BS 6724 (Table 3) (Cl.11.1) (Cl.6.1)
859	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	FLAME PROPAGATION ON MULTIPLE CABLES	BS 6724 (Table 3) (Cl.18.8)
860	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	FLAME PROPAGATION ON SINGLE CABLE	BS 6724 (Table 3) (Cl.17.4)
861	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	HOT SET TEST ON INSULATION	BS 6724 (Table 3) (Cl.6.1)
862	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	IMPACT TEST AT LOW TEMPERATURE ON SHEATH	BS 6724 (Table 3) (Cl.11.1)
863	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	INSULATION RESISTANCE CONSTANT AT 20 °C AND 90 °C	BS 6724 (Table 3) (Cl.6.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 191 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
864	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	INSULATION RESISTANCE CONSTANT OF OVERSHEATH	BS 6724 (Table 3) (Cl.18.6) (Annex E)
865	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	LENGTH OF LAY OF ASSEMBLED CORES AND LENGTH OF LAY OF ARMOUR WIRES	BS 6724 (Table 3) (Cl.8) (Cl.17.2) (Cl.10.1) (Cl.17.3)
866	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	MASS OF ZINC COATING FOR ARMOUR	BS 6724 (Table 3) (Cl.10.2b) (Annex B.2) (Table 2)
867	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	MECHANICAL PROPERTIES AFTER AGEING IN AIR BOMB - ELONGATION AT BREAK ON INSULATION	BS 6724 (Table 3) (Cl.6.1)
868	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	MECHANICAL PROPERTIES AFTER AGEING IN AIR BOMB - TENSILE STRENGTH ON INSULATION	BS 6724 (Table 3) (Cl.6.1)
869	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	OVALITY	BS 6724 (Table 3) (Cl.17.5)
870	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	OZONE RESISTANCE TEST AND ALTERNATIVE TO OZONE RESISTANCE TEST (LOW CONCENTRATION)	BS 6724 (Table 3) (Cl.6.1)
871	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	PRESSURE TEST AT HIGH TEMPERATURE FOR INSULATION AND SHEATH	BS 6724 (Table 3) (Cl.11.1) (Cl.6.1)
872	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK ON INSULATION AND SHEATH	BS 6724 (Table 3) (Cl.11.1) (Cl.6.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 192 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
873	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON INSULATION AND SHEATH	BS 6724 (Table 3) (Cl.11.1) (Cl.6.1)
874	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	PROPERTIES IN THE STATE AS DELIVERED - ELONGATION AT BREAK FOR INSULATION AND SHEATH	BS 6724 (Table 3) (Cl.11.1) (Cl.6.1) (Cl.9.1)
875	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	PROPERTIES IN THE STATE AS DELIVERED - TENSILE STRENGTH FOR INSULATION AND SHEATH	BS 6724 (Table 3) (Cl.11.1) (Cl.6.1) (Cl.9.1)
876	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	SHRINKAGE TEST ON INSULATION AND OVERSHEATH	BS 6724 (Table 3) (Cl.18.4) (Cl.18.7) (Annex H)
877	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	SMOKE EMISSION TEST	BS 6724 (Table 3) (Cl.17.6)
878	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	TENSILE STRENGTH (ALUMINIUM WIRE)	BS 6724 (Table 3) (Cl.10.2d) (Annex B.4)
879	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	TEST FOR TEAR RESISTANCE	BS 6724 (Table 3) (Cl.11.1)
880	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	TEST FOR THICKNESS OF INSULATION, BEDDING AND OVERSHEATH	BS 6724 (Table 3) (Cl.6.3) (Cl.11.3) (Cl.9.2) (Table 4 to 11)
881	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	VOLTAGE TEST ON COMPLETED CABLES	BS 6724 (Table 3) (Cl.16.3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 193 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
882	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	WATER ABSORPTION TEST (GRAVIMETRIC) ON INSULATION	BS 6724 (Table 3) (Cl.6.1)
883	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	WATER IMMERSION TEST ON SHEATH - ELONGATION AT BREAK	BS 6724 (Table 3) (Cl.11.1)
884	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	WATER IMMERSION TEST ON SHEATH - TENSILE STRENGTH	BS 6724 (Table 3) (Cl.11.1)
885	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	WRAPPING TEST FOR ARMOUR	BS 6724 (Table 3) (Cl.10.2c) (Annex B.3)
886	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	ARMOUR RESISTANCE TEST	BS 5467 (Table 3) (Cl.10.4) (Annex B.5) (Table F1 to F3) (Table B.1)
887	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	ARMOUR WIRE DIAMETER	BS 5467 (Table 3) (Cl.10.2a) (Annex B.1) (Table 2)
888	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	BENDING TEST AT LOW TEMPERATURE ON SHEATH	BS 5467 (Table 3) (Cl.11.1)
889	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	COMPATIBILITY TEST ON INSULATION AND SHEATH - ELONGATION AT BREAK	BS 5467 (Table 3) (Cl.18.2) (Annex C) (Table C.1)
890	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	COMPATIBILITY TEST ON INSULATION AND SHEATH - TENSILE STRENGTH	BS 5467 (Table 3) (Cl.18.2) (Annex C) (Table C.1)
891	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	CONDUCTOR CONSTRUCTION	BS 5467 (Table 3) (Cl.5)
892	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	CONDUCTOR RESISTANCE TEST	BS 5467 (Table 3) (Cl.16.2) (Cl.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 194 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
893	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	DETERMINATION OF HARDNESS	BS 5467 (Table 3) (Cl.6.1)
894	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	DIRECTION AND SEQUENCE OF LAY	BS 5467 (Table 3) (Cl.8)
895	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	DURABILITY OF PRINTING INFORMATION AND MARKING	BS 5467 (Table 3) (Cl.7.5) (Cl.12.7) (Cl. 12)
896	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	ELONGATION TEST AT LOW TEMPERATURE ON SHEATH	BS 5467 (Table 3) (Cl.11.1)
897	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	FLAME PROPAGATION ON SINGLE CABLE	BS 5467 (Table 3) (Cl.17.4)
898	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	HEAT SHOCK TEST ON SHEATH	BS 5467 (Table 3) (Cl.11.1)
899	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	HOT SET TEST ON INSULATION	BS 5467 (Table 3) (Cl.6.1)
900	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	IMPACT TEST AT LOW TEMPERATURE ON SHEATH	BS 5467 (Table 3) (Cl.11.1)
901	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	INSULATION RESISTANCE CONSTANT AT 20 °C AND 90 °C	BS 5467 (Table 3) (Cl.6.1)
902	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	INSULATION RESISTANCE TEST ON OVERSHEATH	BS 5467 (Table 3) (Cl.18.5) (Annex E) (Cl.11.1)
903	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	LENGTH OF LAY OF ASSEMBLED CORES AND LENGTH OF LAY OF ARMOUR WIRES	BS 5467 (Table 3) (Cl.8) (Cl.17.2) (Cl.10.1) (Cl.17.3)
904	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	LOSS OF MASS TEST ON SHEATH	BS 5467 (Table 3) (Cl.11.1)
905	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	MASS OF ZINC COATING FOR ARMOUR	BS 5467 (Table 3) (Cl.10.2b) (Annex B.2) (Table 2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 195 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
906	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK ON INSULATION AND SHEATH	BS 5467 (Table 3) (Cl.11.1) (Cl.6.1)
907	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON INSULATION AND SHEATH	BS 5467 (Table 3) (Cl.11.1) (Cl.6.1)
908	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	OVALITY	BS 5467 (Table 3) (Cl.17.5)
909	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	OZONE RESISTANCE TEST AND ALTERNATIVE TO OZONE RESISTANCE TEST (LOW CONCENTRATION)	BS 5467 (Table 3) (Cl.6.1)
910	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	PRESSURE TEST AT HIGH TEMPERATURE ON SHEATH	BS 5467 (Table 3) (Cl.11.1)
911	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	PROPERTIES IN THE STATE AS MANUFACTURED - ELONGATION AT BREAK OF INSULATION AND SHEATH	BS 5467 (Table 3) (Cl.11.1) (Cl.6.1) (Cl. 9.1)
912	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	PROPERTIES IN THE STATE AS MANUFACTURED - TENSILE STRENGTH OF INSULATION AND SHEATH	BS 5467 (Table 3) (Cl.11.1) (Cl.6.1) (Cl. 9.1)
913	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	PRPROPERIES AFTER AGEING IN AIR BOMB - ELONGATION AT BREAK ON INSULATION	BS 5467 (Table 3) (Cl.6.1)
914	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	PRPROPERIES AFTER AGEING IN AIR BOMB - TENSILE STRENGTH ON INSULATION	BS 5467 (Table 3) (Cl.6.1)
915	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	SHRINKAGE TEST ON INSULATION AND OVERSHEATH	BS 5467 (Table 3) (Cl.18.3) (Cl.18.6) (Annex H)
916	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	TENSILE STRENGTH (ALUMINIUM WIRE)	BS 5467 (Table 3) (Cl.10.2d) (Annex B.4)
917	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	TEST FOR THICKNESS OF INSULATION, BEDDING AND OVERSHEATH	BS 5467 (Table 3) (Cl.6.3) (Table 4 to 11) (Cl.9.2) (Cl.11.3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 196 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
918	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	VOLTAGE TEST ON COMPLETE CABLE	BS 5467 (Table 3) (Cl.16.3)
919	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	WATER ABSORPTION TEST (GRAVIMETRIC) ON INSULATION	BS 5467 (Table 3) (Cl.6.1)
920	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED CABLES OF RATED VOLTAGES OF 600/1 000 V AND 1 900/3 300 V FOR FIXED INSTALLATIONS.	WRAPPING TEST FOR ARMOUR	BS 5467 (Table 3) (Cl.10.2c) (Annex B.3)
921	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	ARMOUR RESISTANCE TEST	BS 7846 (Table 3) (Cl.10.4) (Annex B.4) (Annexure F) (Table F1) (Table F2)
922	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	ARMOUR WIRE DIAMETER	BS 7846 (Table 3) (Cl.10.2a) (Annex B.1) (Table 2)
923	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	ASSESSMENT OF HALOGENS - CONDUCTIVITY ON INSULATION	BS 7846 (Table 3) (Cl 6.1)
924	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	ASSESSMENT OF HALOGENS - FLOURINE CONTENT	BS 7846 (Table 3) (Cl.6.1)
925	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	ASSESSMENT OF HALOGENS - PH ON INSULATION	BS 7846 (Table 3) (Cl 6.1)
926	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	BENDING TEST AT LOW TEMPERATURE ON INSULATION AND SHEATH	BS 7846 (Table 3) (Cl.11.1) (Cl.6.1)
927	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	CLARITY AND DURABILITY AND CABLE MARKING	BS 7846 (Table 3) (Cl.7.5) (Cl.12.8) (Cl. 12)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 197 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
928	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	COMPATIBILITY TEST - ELONGATION AT BREAK	BS 7846 (Table 3) (Cl.18.3) (Annex C)
929	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	COMPATIBILITY TEST - TENSILE STRENGTH	BS 7846 (Table 3) (Cl.18.3) (Annex C)
930	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	CONDUCTOR CONSTRUCTION	BS 7846 (Table 3) (Cl.5)
931	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	CONDUCTOR RESISTANCE TEST	BS 7846 (Table 3) (Cl.16.2) (Cl.5) (Table 4 to 8)
932	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	CORROSIVE AND ACID GAS	BS 7846 (Table 3) (Cl.18.2) (Cl.6.1) (Cl.11.1)
933	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	DETERMINATION OF HARDNESS	BS 7846 (Table 3) (Cl.6.1)
934	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	DIRECTION AND SEQUENCE OF LAY	BS 7846 (Table 3) (Cl.8) (Cl.17.2)
935	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	ELONGATION TEST AT LOW TEMPERATURE FOR INSULATION AND SHEATH	BS 7846 (Table 3) (Cl.11.1) (Cl.6.1)
936	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	FLAME PROPAGATION ON A SINGLE CABLE	BS 7846 (Table 3) (Cl.17.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 198 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
937	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	FLAME PROPAGATION ON MULTIPLE CABLES	BS 7846 (Table 3) (Cl.18.8)
938	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	HOT SET TEST ON INSULATION	BS 7846 (Table 3) (Cl.6.1)
939	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	IMPACT TEST AT LOW TEMPERATURE FOR SHEATH	BS 7846 (Table 3) (Cl.11.1)
940	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	INSULATION RESISTANCE CONSTANT AT 20 °C AND 90 °C	BS 7846 (Table 3) (Cl.6.1)
941	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	INSULATION RESISTANCE CONSTANT OF OVERSHEATH	BS 7846 (Table 3) (Cl.18.6) (Annex E)
942	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	LENGTH OF LAY OF ASSEMBLED CORES AND ARMOUR LAY LENGTH	BS 7846 (Table 3) (Cl.8) (Cl.17.2) (Cl.10.1) (Cl.17.3)
943	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	MASS OF ZINC COATING ON ARMOUR	BS 7846 (Table 3) (Cl.10.2b) (Annex B.2) (Table 2)
944	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	MECHANICAL PROPERTIES AFTER AGEING IN AIR BOMB - ELONGATION AT BREAK ON INSULATION	BS 7846 (Table 3) (Cl.6.1)
945	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	MECHANICAL PROPERTIES AFTER AGEING IN AIR BOMB - TENSILE STRENGTH ON INSULATION	BS 7846 (Table 3) (Cl.6.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 199 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
946	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	OVALITY	BS 7846 (Table 3) (Cl.17.7)
947	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	OZONE RESISTANCE TEST ON INSULATION	BS 7846 (Table 3) (Cl.6.1)
948	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	PRESSURE TEST AT HIGH TEMPERATURE FOR INSULATION AND SHEATH	BS 7846 (Table 3) (Cl.11.1) (Cl.6.1)
949	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK ON INSULATION AND SHEATH	BS 7846 (Table 3) (Cl.11.1) (Cl.6.1)
950	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON INSULATION AND SHEATH	BS 7846 (Table 3) (Cl.11.1) (Cl.6.1)
951	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	PROPERTIES IN THE STATE AS DELIVERED - ELONGATION AT BREAK FOR INSULATION AND SHEATH	BS 7846 (Table 3) (Cl.11.1) (Cl.6.1)
952	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	PROPERTIES IN THE STATE AS DELIVERED - TENSILE STRENGTH FOR INSULATION AND SHEATH	BS 7846 (Table 3) (Cl.11.1) (Cl.6.1)
953	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	SHRINKAGE OF INSULATION AND OVERSHEATH	BS 7846 (Table 3) (Cl.18.4) (Cl.18.7) (Annex H)
954	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	SMOKE EMISSION TEST	BS 7846 (Table 3) (Cl.17.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 200 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
955	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	TEST FOR RESISTANCE TO FIRE	BS 7846 (Table 3) (Cl.17.6.2) (Annexure I) (Cl.17.6.1) (Cl.17.6.3) (Cl.17.6.4) (Cl.17.6.5)
956	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	TEST FOR TEAR RESISTANCE	BS 7846 (Table 3) (Cl.11.1)2
957	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	TEST FOR THICKNESS OF INSULATION AND SHEATH	BS 7846 (Table 3) (Cl.6.3) (Cl.9.2) (Cl.11.3) (Table 4 to 8)
958	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	VOLTAGE TEST ON COMPLETED CABLE	BS 7846 (Table 3) (Cl.16.3)
959	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	WATER ABSORPTION TEST (GRAVIMETRIC) ON INSULATION	BS 7846 (Table 3) (Cl.6.1)
960	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	WATER IMMERSION TEST - ELONGATION AT BREAK	BS 7846 (Table 3) (Cl.11.1)
961	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	WATER IMMERSION TEST - TENSILE STRENGTH	BS 7846 (Table 3) (Cl.11.1)
962	ELECTRICAL- CABLES & WIRES	ELECTRIC CABLES. THERMOSETTING INSULATED, ARMOURED, FIRE-RESISTANT CABLES OF RATED VOLTAGE 600/1 000 V FOR FIXED INSTALLATIONS, HAVING LOW EMISSION OF SMOKE AND CORROSIVE GASES WHEN AFFECTED BY FIRE.	WRAPPING TEST FOR ARMOUR	BS 7846 (Table 3) (Cl.10.2c) (Annex B.3) (Table 2)
963	ELECTRICAL- CABLES & WIRES	Electrical Cables and wires used in underground transit systems	CONVENTIONAL TOXICITY INDEX TEST	UITP Part 2E7

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 201 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
964	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	ACID GAS EMISSION TEST	IEC 60092-376 (Table 6)
965	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	ADDITIONAL AGEING COMPATIBILITY TEST FOR INSULATON AND SHEATH - TENSILE STRENGTH	IEC 60092-376 (Table 5)
966	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	BEHAVIOUR AT HIGH TEMPERATURE FOR SHEATH	IEC 60092-376 (Table 5)
967	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	BEHAVIOUR AT LOW TEMPERATURE FOR SHEATH AND SPECIAL TEST FOR LOW TEMPERATURE BEHAVIOUR	IEC 60092-376 (Table 5) (Table 9)
968	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	CHECK OF CABLE DIMENSIONS - EXTERNAL DIAMETER	IEC 60092-376 (Table 5)
969	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	CHECK OF CABLE DIMENSIONS - THICKNESS OF INSULATION AND NON METALLIC SHEATHS	IEC 60092-376 (Table 5) (Cl.5.3.3) (Table 2) (Cl.5.5.2) (Table 3) (Cl.5.7.3) (Cl.5.9.3)
970	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	DRILLING FLUID TEST - ELONGATION AT BREAK	IEC 60092-376 (Table 9)
971	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	DRILLING FLUID TEST - TENSILE STRENGTH	IEC 60092-376 (Table 9)
972	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	DURABILITY OF MARKING	IEC 60092-376 (Table 5)
973	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	FIRE RETARDENT TESTS : IEC 60332-1-2 and IEC 60332-3-22	IEC 60092-376 (Table 5)
974	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	FLUORINE CONTENT TEST	IEC 60092-376 (Table 6)
975	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	HOT OIL IMMERSION TEST FOR SHEATH AND ENHANCED HOT OIL IMMERSION - TENSILE STRENGTH	IEC 60092-376 (Table 5) (Table 9)
976	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	HOT SET TEST FOR INSULATION AND SHEATH	IEC 60092-376 (Table 5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 202 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
977	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	INDUCTANCE TO RESISTANCE RATIO	IEC 60092-376 (Table 5)
978	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	INSULATION RESISTANCE BETWEEN ANY SCREEN AND THE ARMOUR FOR ARMOURED CABLES	IEC 60092-376 (Table 5)
979	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	INSULATION RESISTANCE TEST, INSULATION RESISTANCE CONSTANT TEST AND INSULATION RESISTANCE MEASUREMENT AT MAXIMUM RATED TEMPERATURE	IEC 60092-376 (Table 5)
980	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	LOSS OF MASS TEST FOR PVC ST2 SHEATH	IEC 60092-376 (Table 5)
981	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	MEASUREMENT OF ELECTRICAL RESISTANCE OF CONDUCTORS AND DRAIN WIRES	IEC 60092-376 (Table 5) (Table 1) (Cl.5.6.1.3) (Table 4) (Cl.5.6.2.1) (Cl.5.6.2.2)
982	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	MECHANICAL PROPERTIES OF INSULATION AND SHEATH AFTER AGEING - ELONGATION AT BREAK	IEC 60092-376 (Table 5)
983	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	MECHANICAL PROPERTIES OF INSULATION AND SHEATH AFTER AGEING - TENSILE STRENGTH	IEC 60092-376 (Table 5)
984	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	MECHANICAL PROPERTIES OF INSULATION AND SHEATH BEFORE AGEING - ELONGATION AT BREAK	IEC 60092-376 (Table 5)
985	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	MECHANICAL PROPERTIES OF INSULATION AND SHEATH BEFORE AGEING - TENSILE STRENGTH	IEC 60092-376 (Table 5)
986	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	MUTUAL CAPACITANCE	IEC 60092-376 (Table 5)
987	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	OZONE RESISTANCE TEST FOR INSULATION AND SHEATH	IEC 60092-376 (Table 5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 203 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
988	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	PH AND CONDUCTIVITY TEST - PH TEST	IEC 60092-376 (Table 6)
989	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	RESISTANCE TO CRACKING HEAT SHOCK FOR SHEATH	IEC 60092-376 (Table 5)
990	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	SCREEN INSULATION RESISTANCE, THE INSULATION RESISTANCE BETWEEN INDIVIDUALLY SCREENED PAIR TRIPLE OR QUAD UNITS AND ANY COLLECTIVE SCREENING	IEC 60092-376 (Table 5)
991	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	SMOKE EMISSION TEST FOR CABLES INSULATED AND SHEATHED WIT HALOGEN FREE MATERIALS	IEC 60092-376 (Table 7)
992	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	TEST FOR FIRE RESISTANCE (LIMITED CIRCUIT INTEGRITY)	IEC 60092-376 (Table 8)
993	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	TESTS FOR COATING OF COPPER WIRES	IEC 60092-376 (Table 5)
994	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	VOLTAGE TEST	IEC 60092-376 (Table 5)
995	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	VOLTAGE TEST ON SHEATH	IEC 60092-376 (Table 5)
996	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS - CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)\	CONDUCTIVITY	IEC 60092-376 (Table 6)
997	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS -CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	% OVERLAP OF TAPE	IEC 60092-376 (Cl.5.6.1.2), (Cl.5.6.1.3) (Cl.5.6.2.1) (Cl.5.6.2.2)
998	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS -CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	ACID GAS EMISSION TEST	IEC 60092-376 (Table 6)
999	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS -CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	ADDITIONAL AGEING COMPATIBILITY TEST FOR INSULATON AND SHEATH - ELONGATION AT BREAK	IEC 60092-376 (Table 5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 204 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1000	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS -CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	COVERAGE DENSITY OF BRAID	IEC 60092-376 (Cl.5.6.1.3) (Cl.5.6.2.2) (Cl.5.8) (Table 5)
1001	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS -CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	GALVANIZING TEST	IEC 60092-376 (Table 5)
1002	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS -CABLES FOR CONTROL AND INSTRUMENTATION CIRCUITS 150/250 V (300 V)	HOT OIL IMMERSION TEST FOR SHEATH AND ENHANCED HOT OIL IMMERSION - ELONGATION AT BREAK	IEC 60092-376 (Table 5) (Table 9)
1003	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS -GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	ADDITIONAL AGEING TEST ON PIECES OF COMPLETED CABLES (COMPATIBILITY TEST) - ELONGATION AT BREAK	IEC 60092-350 (Cl.8.6)
1004	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	ACID GAS EMISSION TEST	IEC 60092-350 (Cl.8.17.4) (Table 7)
1005	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	ADDITIONAL AGEING TEST ON PIECES OF COMPLETED CABLES (COMPATIBILITY TEST) - TENSILE STRENGTH	IEC 60092-350 (Cl.8.6)
1006	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	CONDUCTIVITY TEST	IEC 60092-350 (Cl.8.17.5) (Table 7)
1007	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	COVERAGE DENSITY OF BRAID	IEC 60092-350 (Cl.4.8.2) (Annex A)
1008	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	DRILLING FLUID TEST - ELONGATION AT BREAK	IEC 60092-350 (Cl.8.16)
1009	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	DRILLING FLUID TEST - TENSILE STRENGTH	IEC 60092-350 (Cl.8.16)
1010	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	DURABILITY OF PRINT	IEC 60092-350 (Cl.8.20)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 205 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1011	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	FIRE RESISTANCE TEST (TEST FOR CIRCUIT INTEGRITY CABLES)	IEC 60092-350 (Cl.8.17.7)
1012	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	FLAME SPREAD TEST ON BUNCHED CABLES	IEC 60092-350 (Cl.8.17.2)
1013	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	FLAME SPREAD TEST ON SINGLE CABLES	IEC 60092-350 (Cl.8.17.1)
1014	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	FLUORINE CONTENT TEST	IEC 60092-350 (8.17.6) (Table 7)
1015	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	GALVANIZING TEST	IEC 60092-350 (Cl.8.12)
1016	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	HOT OIL IMMERSION TEST AND ENHANCED HOT OIL IMMERSION TEST FOR SHEATHS - ELONGATION AT BREAK	IEC 60092-350 (Cl.8.15.1) (Cl.8.15.2)
1017	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	HOT OIL IMMERSION TEST AND ENHANCED HOT OIL IMMERSION TEST FOR SHEATHS - TENSILE STRENGTH	IEC 60092-350 (Cl.8.15.1) (Cl.8.15.2)
1018	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	HOT SET TEST FOR INSULATION AND SHEATH	IEC 60092-350 (Cl.6.1.c) (Cl.6.8)
1019	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	INCREASE IN AC CAPACITANCE AFTER IMMERSION IN WATER	IEC 60092-350 (Cl.7.1c) (Cl.7.3)
1020	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	INDUCTANCE TO RESISTANCE RATIO (CONTROL AND INSTRUMENTATION CABLES ONLY)	IEC 60092-350 (Cl.7.6) (Cl.7.1f)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 206 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1021	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	INSULATION RESISTANCE TEST (VOLUME RESISTIVITY DETERMINATION)	IEC 60092-350 (Cl.6.1.d) (Cl.6.9) (Cl.7.1a,b) (Cl.7.2.1) (Cl.7.2.2)
1022	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	LOSS OF MASS TEST ON PVC ST2 SHEATH	IEC 60092-350 (Cl.8.7)
1023	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	MEASUREMENT OF EXTERNAL DIAMETER	IEC 60092-350 (Cl.6.1.b) (Cl.6.7)
1024	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	MEASUREMENT OF THE ELECTRICAL RESISTANCE OF CONDUCTORS	IEC 60092-350 (Cl. 5.2.1a) (Cl.5.2.2)
1025	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	MEASUREMENT OF THICKNESS OF INSULATION AND NON METALLIC SHEATHS	IEC 60092-350 (Cl.6.1) (Cl.6.5) (Cl.6.6) (Annex C) (Cl.4.3.3) (Cl.4.7.3) (Cl.4.9.3) (Cl.8.2) (Cl.8.3) (Cl.4.4.2.1) (Cl.4.4.2.2)
1026	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	MUTUAL CAPACITANCE (CONTROL AND INSTRUMENTATION CABLES ONLY)	IEC 60092-350 (Cl.7.1e) (Cl.7.5)
1027	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	OZONE RESISTANCE TEST FOR INSULATION AND FOR SHEATHS	IEC 60092-350 (Cl.8.14)
1028	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	PH AND CONDUCTIVITY TEST - PH TEST	IEC 60092-350 (Cl.8.17.5) (Table 7)
1029	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	SMOKE EMISSION TEST	IEC 60092-350 (Cl.8.17.3)
1030	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	TEST FOR RESISTANCE OF PVC ST2 AND HALOGEN FREE SHF1 SHEATHS TO CRACKING (HEAT SHOCK TEST)	IEC 60092-350 (Cl.8.13)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 207 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1031	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	TEST FOR THE BEHAVIOUR OF PVC ST2 AND HALOGEN FREE SHF1 SHEATHS AT HIGH TEMPERATURE (HOT PRESSURE TEST)	IEC 60092-350 (Cl.8.8)
1032	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	TEST FOR THE BEHAVIOUR OF PVC ST2 AND HALOGEN FREE SHF1 SHEATHS AT LOW TEMPERATURE - BENDING TEST	IEC 60092-350 (Cl.8.9) (Cl.8.10) (Annex E) (Table E.1)
1033	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	TEST FOR THE BEHAVIOUR OF PVC ST2 AND HALOGEN FREE SHF1 SHEATHS AT LOW TEMPERATURE - COLD IMPACT TEST	IEC 60092-350 (Cl.8.9) (Cl.8.10) (Annex E)
1034	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	TEST FOR THE BEHAVIOUR OF PVC ST2 AND HALOGEN FREE SHF1 SHEATHS AT LOW TEMPERATURE - ELONGATION TEST	IEC 60092-350 (Cl.8.9)
1035	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	TESTS FOR DETERMINING THE MECHANICAL PROPERTIES OF INSULATION AND NON METALLIC SHEATHS AFTER AGEING - ELONGATION AT BREAK	IEC 60092-350 (Cl.8.4) (Cl.8.5)
1036	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	TESTS FOR DETERMINING THE MECHANICAL PROPERTIES OF INSULATION AND NON METALLIC SHEATHS AFTER AGEING - TENSILE STRENGTH	IEC 60092-350 (Cl.8.4) (Cl.8.5)
1037	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	TESTS FOR DETERMINING THE MECHANICAL PROPERTIES OF INSULATION AND NON METALLIC SHEATHS BEFORE AGEING - ELONGATION AT BREAK	IEC 60092-350 (Cl.8.4) (Cl.8.5)
1038	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	TESTS FOR DETERMINING THE MECHANICAL PROPERTIES OF INSULATION AND NON METALLIC SHEATHS BEFORE AGEING - TENSILE STRENGTH	IEC 60092-350 (Cl.8.4) (Cl.8.5)
1039	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	TESTS OF THE METAL COATING OF COPPER WIRES	IEC 60092-350 (Cl.6.1.a) (Cl.6.4) (Cl.8.11)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 208 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1040	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS GENERAL CONSTRUCTION AND TEST METHODS OF POWER, CONTROL AND INSTRUMENTATION CABLES FOR SHIPBOARD AND OFFSHORE APPLICATIONS	VOLTAGE TEST	IEC 60092-350 (Cl. 5.2.1b) (Cl.5.2.3) (Cl.5.2.3.4) (Table 2) (Cl.7.1d) (Cl.7.4) (Cl.7.7.9)
1041	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	AMOUNT OF HALOGEN ACID GAS - HCL AND HBr FOR INSULATION AND SHEATH	IEC 60092-360 (Cl.4.3) (Table 4) (Cl.5.2) (Table 6) (Cl.6.2) (Table 8)
1042	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	AMOUNT OF HALOGEN ACID GAS - HF FOR INSULATION AND SHEATH	IEC 60092-360 (Cl.4.3) (Table 4) (Cl.5.2) (Table 6) (Cl.6.2) (Table 8)
1043	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	ASSESSMENT OF HALOGENS - CONDUCTIVITY MEASUREMENT FOR INSULATION AND SHEATH	IEC 60092-360 (Cl.4.3) (Table 4) (Cl.5.2) (Table 6) (Cl.6.2) (Table 8)
1044	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	ASSESSMENT OF HALOGENS - PH MEASUREMENT FOR INSULATION AND SHEATH	IEC 60092-360 (Cl.4.3) (Table 4) (Cl.5.2) (Table 6) (Cl.6.2) (Table 8)
1045	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	ELONGATION TEST - BEHAVIOUR AT LOW TEMPERATURE	IEC 60092-360 (Cl.5.2) (Table 6) (Cl.6.2) (Table 8)
1046	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	HEAT SHOCK TEST ON SHEATH	IEC 60092-360 (Cl.6.2) (Table 8)
1047	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	HOT SET TEST FOR INSULATION AND SHEATH	IEC 60092-360 (Cl.4.3) (Table 4) (Cl.5.2) (Table 6)
1048	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	INCREASE IN AC CAPACITY AFTER IMMERSION IN WATER AT 50 °C	IEC 60092-360 (Cl.4.2) (Table 3)
1049	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	INSULATION RESISTANCE CONSTANT AND VOLUME RESISTIVITY AT 20 °C & MAXIMUM OPERATING TEMPERATURE	IEC 60092-360 (Cl.4.2) (Table 3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 209 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1050	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	LOSS OF MASS TEST ON SHEATH	IEC 60092-360 (Cl.6.2) (Table 8)
1051	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN WITH COPPER CONDUCTOR - ELONGATION AT BREAK FOR INSULATION	IEC 60092-360 (Cl.4.3) (Table 4)
1052	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN WITH COPPER CONDUCTOR - TENSILE STRENGTH FOR INSULATION	IEC 60092-360 (Cl.4.3) (Table 4)
1053	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN WITHOUT CONDUCTOR - ELONGATION AT BREAK FOR INSULATION AND SHEATH	IEC 60092-360 (Cl.4.3) (Table 4) (Cl.5.2) (Table 6) (Cl.6.2) (Table 8)
1054	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN WITHOUT CONDUCTOR - TENSILE STRENGTH FOR INSULATION AND SHEATH	IEC 60092-360 (Cl.4.3) (Table 4) (Cl.5.2) (Table 6) (Cl.6.2) (Table 8)
1055	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER IMMERSION IN DRILLING FLUID - ELONGATION AT BREAK FOR SHEATH	IEC 60092-360 (Cl.7.1) (Cl.7.2) (Table 10) (Annex D)
1056	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER IMMERSION IN DRILLING FLUID - TENSILE STRENGTH FOR SHEATH	IEC 60092-360 (Cl.7.1) (Cl.7.2) (Table 10) (Annex D)
1057	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER IMMERSION IN DRILLING FLUID - VOLUME SWELLING FOR SHEATH	IEC 60092-360 (Cl.7.1) (Cl.7.2) (Table 10) (Annex D)
1058	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER IMMERSION IN DRILLING FLUID - WEIGHT CHANGE FOR SHEATH	IEC 60092-360 (Cl.7.1) (Cl.7.2) (Table 10) (Annex D)
1059	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER IMMERSION IN MINERAL OIL IRM 902 - LINEAR SWELL FOR SHEATH	IEC 60092-360 (Cl.5.2) (Table 6) (Cl.7.1) (Cl.7.2) (Table 9) (Annex C)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 210 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1060	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER IMMERSION IN MINERAL OIL IRM 902 - ELONGATION AT BREAK FOR SHEATH	IEC 60092-360 (Cl.5.2) (Table 6) (Cl.7.1) (Cl.7.2) (Table 9) (Annex C)
1061	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER IMMERSION IN MINERAL OIL IRM 902 - TENSILE STRENGTH FOR SHEATH	IEC 60092-360 (Cl.5.2) (Table 6) (Cl.7.1) (Cl.7.2) (Table 9) (Annex C)
1062	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER IMMERSION IN MINERAL OIL IRM 903 - ELONGATION AT BREAK FOR SHEATH	IEC 60092-360 (Cl.7.1) (Cl.7.2) (Table 10) (Annex D)
1063	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER IMMERSION IN MINERAL OIL IRM 903 - TENSILE STRENGTH FOR SHEATH	IEC 60092-360 (Cl.7.1) (Cl.7.2) (Table 10) (Annex D)
1064	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER IMMERSION IN MINERAL OIL IRM 903 - VOLUME SWELLING FOR SHEATH	IEC 60092-360 (Cl.7.1) (Cl.7.2) (Table 10) (Annex D)
1065	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES AFTER IMMERSION IN MINERAL OIL IRM 903 - WEIGHT CHANGE FOR SHEATH	IEC 60092-360 (Cl.7.1) (Cl.7.2) (Table 10) (Annex D)
1066	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES IN THE STATE DELIVERED - ELONGATION AT BREAK FOR INSULATION AND SHEATH	IEC 60092-360 (Cl.4.3) (Table 4) (Cl.5.2) (Table 6) (Cl.6.2) (Table 8)
1067	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	MECHANICAL PROPERTIES IN THE STATE DELIVERED - TENSILE STRENGTH FOR INSULATION AND SHEATH	IEC 60092-360 (Cl.4.3) (Table 4) (Cl.5.2) (Table 6) (Cl.6.2) (Table 8)
1068	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	OZONE RESISTANCE TEST FOR INSULATION AND SHEATH	IEC 60092-360 (Cl.4.3) (Table 4) (Cl.5.2) (Table 6)
1069	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS INSULATING AND SHEATHING MATERIALS FOR SHIPBOARD AND OFFSHORE UNITS, POWER, CONTROL, INSTRUMENTATION AND TELECOMMUNICATION CABLES	PRESSURE TEST AT HIGH TEMPERATURE ON SHEATH	IEC 60092-360 (Cl.6.2) (Table 8)
1070	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	ACID GAS EMISSION TEST	IEC 60092-353 (Table 5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 211 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1071	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	ADDITIONAL AGEING COMPATIBILITY TEST FOR INSULATON AND SHEATH - ELONGATION AT BREAK	IEC 60092-353 (Table 4)
1072	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	ADDITIONAL AGEING COMPATIBILITY TEST FOR INSULATON AND SHEATH - TENSILE STRENGTH	IEC 60092-353 (Table 4)
1073	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	BEHAVIOUR AT HIGH TEMPERATURE FOR SHEATH	IEC 60092-353 (Table 4)
1074	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	BEHAVIOUR AT LOW TEMPERATURE ON SHEATH AND SPECIAL TEST FOR LOW TEMPERATURE BEHAVIOUR	IEC 60092-353 (Table 4) (Table 8)
1075	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	CHECK OF CABLE DIMENSIONS - EXTERNAL DIAMETER	IEC 60092-353 (Table 4)
1076	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	CHECK OF CABLE DIMENSIONS - THICKNESS OF INSULATION AND NON METALLIC SHEATHS	IEC 60092-353 (Table 4) (Table 1) (Cl.5.3.3) (Cl.5.9.3a) (Cl.5.5.2) (Table 2) (Cl.5.7.3) (Cl.5.9.3)
1077	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	CONDUCTIVITY	IEC 60092-353 (Table 5)
1078	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	COVERAGE DENSITY OF BRAID	IEC 60092-353 (Table 4) (Cl.5.8) (Cl.5.6.2) (Cl.5.1.2) (Cl.5.1.3)
1079	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	DURABILITY OF MARKING	IEC 60092-353 (Table 4)
1080	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	FIRE RETARDENT TESTS : IEC 60332-1-2 and IEC 60332-3-22	IEC 60092-353 (Table 4)
1081	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	FLUORINE CONTENT TEST	IEC 60092-353 (Table 5)
1082	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	GALVANIZING TEST	IEC 60092-353 (Table 4)
1083	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	HIGH VOLTAGE TEST FOR 4 H	IEC 60092-353 (Table 4)
1084	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	HOT OIL IMMERSION TEST FOR SHEATH AND ENHANCED HOT OIL IMMERSION - ELONGATION AT BREAK	IEC 60092-353 (Table 4) (Table 8)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 212 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1085	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	HOT OIL IMMERSION TEST FOR SHEATH AND ENHANCED HOT OIL IMMERSION - TENSILE STRENGTH	IEC 60092-353 (Table 4) (Table 8)
1086	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	HOT SET TEST FOR INSULATION AND SHEATH	IEC 60092-353 (Table 4)
1087	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	INCREASE IN AC CAPACITY AFTER IMMERSION IN WATER	IEC 60092-353 (Table 4)
1088	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	INSULATION RESISTANCE TEST AND INSULATION RESISTANCE MEASUREMENT AT MAXIMUM RATED TEMPERATURE	IEC 60092-353 (Table 4)
1089	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	LOSS OF MASS TEST FOR PVC ST2 SHEATH	IEC 60092-353 (Table 4)
1090	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	MEASUREMENT OF ELECTRICAL RESISTANCE OF CONDUCTORS	IEC 60092-353 (Table 4) (Cl.5.2)
1091	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	MEASUREMENT OF ELECTRICAL RESISTANCE OF DRAIN WIRES	IEC 60092-353 (Cl.5.6.1.2) (Table 3)
1092	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	MECHANICAL PROPERTIES AFTER AGEING - ELONGATION AT BREAK FOR INSULATION AND SHEATH	IEC 60092-353 (Table 4)
1093	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	MECHANICAL PROPERTIES AFTER AGEING - TENSILE STRENGTH FOR INSULATION AND SHEATH	IEC 60092-353 (Table 4)
1094	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	MECHANICAL PROPERTIES BEFORE AGEING - ELONGATION AT BREAK FOR INSULATION AND SHEATH	IEC 60092-353 (Table 4)
1095	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	MECHANICAL PROPERTIES BEFORE AGEING - TENSILE STRENGTH FOR INSULATION AND SHEATH	IEC 60092-353 (Table 4)
1096	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	OZONE RESISTANCE TEST FOR INSULATION AND SHEATH	IEC 60092-353 (Table 4)
1097	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	PH AND CONDUCTIVITY TEST - PH TEST	IEC 60092-353 (Table 5)
1098	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	SMOKE EMISSION TEST FOR CABLES INSULATED AND SHEATHED WITH HALOGEN FREE MATERIALS	IEC 60092-353 (Table 6)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	213 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1099	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	TEST FOR COATING OF COPPER WIRES	IEC 60092-353 (Table 4)
1100	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	TEST FOR FIRE RESISTANCE (LIMITED CIRCUIT INTEGRITY)	IEC 60092-353 (Table 7)
1101	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	VOLTAGE TEST	IEC 60092-353 (Table 4)
1102	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV	VOLTAGE TEST ON SHEATH	IEC 60092-353 (Table 4)
1103	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSTALLATIONS IN SHIPS POWER CABLES FOR RATED VOLTAGES 1 KV AND 3 KV\	RESISTANCE TO CRACKING HEAT SHOCK FOR SHEATH	IEC 60092-353 (Table 4)
1104	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSULATING MATERIALS	THERMAL ENDURANCE PROPERTIES. AGEING PROCEDURES AND EVALUATION OF TEST RESULTS	BS EN 60216-1
1105	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSULATING MATERIALS	THERMAL ENDURANCE PROPERTIES. AGEING PROCEDURES AND EVALUATION OF TEST RESULTS	IEC 60216-1
1106	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSULATING MATERIALS	THERMAL ENDURANCE PROPERTIES. DETERMINATION OF THERMAL ENDURANCE PROPERTIES OF ELECTRICAL INSULATING MATERIALS. CHOICE OF TEST CRITERIA	BS EN 60216-2
1107	ELECTRICAL- CABLES & WIRES	ELECTRICAL INSULATING MATERIALS	THERMAL ENDURANCE PROPERTIES. DETERMINATION OF THERMAL ENDURANCE PROPERTIES OF ELECTRICAL INSULATING MATERIALS. CHOICE OF TEST CRITERIA	IEC 60216-2
1108	ELECTRICAL- CABLES & WIRES	ELECTRICAL TEST METHODS FOR LOW VOLTAGE ENERGY CABLES	VOLTAGE TEST ON COMPLETE CABLE	BS EN 50395 + AMD 1 (Cl.6) (Cl.7) (Cl.10.3)
1109	ELECTRICAL- CABLES & WIRES	ENGINEERING DESIGN PERFORMANCE SPECIFICATION - LOCOMOTIVE INSULATED WIRE - SIZES AWG #3 AND SMALLER	ELECTRICAL OVERLOAD - SINGLE CONDUCTOR	EDPS 179 (Cl.5.2.5)
1110	ELECTRICAL- CABLES & WIRES	ENVIRONMENTAL TESTING - TEST CAB: DAMP HEAT, STEADY STATE	DAMP HEAT TEST, STEADY STATE - ELONGATION AT BREAK	IEC 60068-2-78
1111	ELECTRICAL- CABLES & WIRES	ENVIRONMENTAL TESTING - TEST METHODS FOR SOLDERABILITY AND RESISTANCE TO SOLDERING HEAT OF DEVICES WITH LEADS	TEST METHODS FOR SOLDERABILITY AND RESISTANCE TO SOLDERING HEAT OF DEVICES WITH LEADS	IEC 60068-2-20 (Cl.4.6)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 214 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1112	ELECTRICAL- CABLES & WIRES	ENVIRONMENTAL TESTING - TESTS - TEST CAB: DAMP HEAT, STEADY STATE	DAMP HEAT TEST, STEADY STATE - ELONGATION AT BREAK	IEC 60068-2-78
1113	ELECTRICAL- CABLES & WIRES	ENVIRONMENTAL TESTING - TESTS - TEST CAB: DAMP HEAT, STEADY STATE	DAMP HEAT TEST, STEADY STATE - TENSILE STRENGTH	IEC 60068-2-78
1114	ELECTRICAL- CABLES & WIRES	ENVIRONMENTAL TESTING. TESTS. TEST B. DRY HEAT	ENVIRONMENTAL TESTING. TEST B DRY HEAT - ELONGATION AT BREAK	BS EN 60068-2-2
1115	ELECTRICAL- CABLES & WIRES	ENVIRONMENTAL TESTING. TESTS. TEST B. DRY HEAT	ENVIRONMENTAL TESTING. TEST B DRY HEAT - TENSILE STRENGTH	BS EN 60068-2-2
1116	ELECTRICAL- CABLES & WIRES	ENVIRONMENTAL TESTING. TESTS. TEST CAB: DAMP HEAT, STEADY STATE	DAMP HEAT TEST, STEADY STATE - ELONGATION AT BREAK	BS EN 60068-2-78
1117	ELECTRICAL- CABLES & WIRES	ENVIRONMENTAL TESTING. TESTS. TEST CAB: DAMP HEAT, STEADY STATE	DAMP HEAT TEST, STEADY STATE - TENSILE STRENGTH	BS EN 60068-2-78
1118	ELECTRICAL- CABLES & WIRES	Fire Survival Cable	TEST METHOD FOR RESISTANCE TO FIRE OF CABLES REQUIRED TO MAINTAIN CIRCUIT INTEGRITY UNDER FIRE CONDITIONS	BS 6387
1119	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	% OVERLAP OF TAPE	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0310) (Cl.0408) (Cl.0411) (Cl.0422)
1120	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	ABRASION RESISTANCE TEST	NAVY SPEC. EED-50-13 (Rev.2) (Annexure C) (Annexure D Cl.3.12) (Cl.0520)
1121	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	ACID GAS GENERATION I.E. CORROSIVITY OF COMBUSTION GASES TEST ON SHEATH - CONDUCTIVITY	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0511) (Annexure D Cl.2.11) (Annexure C)
1122	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	ACID GAS GENERATION I.E. CORROSIVITY OF COMBUSTION GASES TEST ON SHEATH - PH	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0511) (Annexure D Cl.2.11) (Annexure C)
1123	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	AFTER AGEING ELONGATION AT BREAK OF EXTRUDED CORE AND SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0522) (Annexure C) (Cl.0514) (Annexure D Cl.1.4) (Annexure D Cl.2.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 215 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1124	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	AFTER AGEING TENSILE STRENGTH OF EXTRUDED CORE AND SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0522) (Annexure C) (Cl.0514) (Annexure D Cl.1.4) (Annexure D Cl.2.2)
1125	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	BEND TEST	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0533) (Cl.0534) (Cl.0535) (Annexure C) (Annexure D Cl.3.9) (Cl.0520)
1126	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	CAPACITANCE TEST ON PAIRS/TRIAD/QUADS	NAVY SPEC. EED-50-13 (Rev.2) (Annexure D Cl.3.8) (Annexure C) (Cl.0520)
1127	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	CAPACITANCE UNBALANCE TEST TRIPLES	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0531) (Annexure C) (Annexure D Cl.3.7) (Cl.0520)
1128	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	COLD ELONGATION TEST ON SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0538) (Annexure C) (Annexure D Cl.2.10)
1129	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	CONDUCTOR DIAMETER / MAXIMUM DIAMETER OF WIRE IN CONDUCTOR	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0303) (Cl.0301) (Cl.0403) (Cl.0404) (Cl.0405) (Annex E Table C1 to C13)
1130	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	CONSTRUCTION, DIMENSION & THICKNESS	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0422) (Cl.0423) (Cl.0308) (Cl.0310) (Cl.0425) (Cl.0426) (Cl.0532) (Annexure C) (Annexure D Cl.3.1) (Annex E Table C1 to C13) (Table 4.1) (Cl.0520)
1131	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	COVERAGE DENSITY OF BRAID	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0312) (Cl.0420) (Cl.0421) (Cl.0424)
1132	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	DC RESISTANCE OF CONDUCTOR	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0301) (Cl.0403) (Cl.0529) (Annexure C) (Annexure D Cl.3.2) (Annex E Table C1 to C13) (Cl.0520)
1133	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	ELONGATION AT BREAK OF EXTRUDED CORE AND SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0306) (Cl.0505) (Cl.0313) (Cl.0506) (Annexure D Cl.2.1) (Annexure C) (Annexure D Cl.1.4) (Table 3.1) (Cl.0541)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 216 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1134	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	FIRE SURVIVAL TEST, RESISTANCE TO FIRE WITH SHOCK AND RESISTANCE TO FIRE WITH WATER	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0525) (Cl.0542) (Cl.0543) (Cl.0306c) (Annexure C) (Annexure D Cl.3.13) (Annexure D Cl.4.1) (Annexure D Cl.4.2) (Cl.0520)
1135	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	FLAME RETARDANCE (FLAMMABILITY) (BUNCHED CABLE)	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0523) (Annexure C) (Annexure D Cl.3.6) (Cl.0520)
1136	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	FLAME RETARDANCE (FLAMMABILITY) (SINGLE CABLE)	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0523) (Annexure C) (Annexure D Cl.3.5) (Annexure D Cl.1.5) (Cl.0520)
1137	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	HALOGEN CONTENT ON SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0518) (Annexure C) (Annexure D Cl.2.17)
1138	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	HALOGEN CONTENT ON SHEATH (ZERO HALOGENS)	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Annexure C)
1139	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	HEAT SHOCK TEST ON SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0507)
1140	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	HOT SET TEST ON SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0508) (Annexure D Cl.2.4) (Annexure C)
1141	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	INSULATION RESISTANCE CONSTANT AT 20 °C FOR SCREENED AND UNSCREENED CABLES	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0528) (Annex E Table C1 to C13) (Cl.0530) (Annexure C) (Annexure D Cl.3.3) (Cl.0520) (Cl.524)
1142	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	INSULATION RESISTANCE CONSTANT FOR COLLECTIVELY SCREENED CABLES AND SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0540) (Annexure C) (Annexure D Cl.2.19) (Annexure D Cl.3.10) (Cl.0520)
1143	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	OXYGEN INDEX TEST	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0515) (Annexure C) (Annexure D Cl.2.8)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 217 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1144	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	OZONE RESISTANCE TEST ON SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0537) (Annexure C) (Annexure D Cl.2.6)
1145	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	POLYMER IDENTIFICATION TEST FOR SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0307) (Annexure C) (Annexure D Cl.2.16)
1146	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	PRESSURE TEST - INDENTATION ON SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Annexure C) (Annexure D Cl.2.20)
1147	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	RESISTANCE TO FLUIDS AND FUEL ON SHEATH AND HOT OIL AGEING - ELONGATION AT BREAK	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Annexure D Cl.2.7) (Cl.0536) (Table 5.1) (Annexure C) (Annexure D Cl.2.15) (Annexure D Cl.2.3)
1148	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	RESISTANCE TO FLUIDS AND FUEL ON SHEATH AND HOT OIL AGEING - TENSILE STRENGTH	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Annexure D Cl.2.7) (Cl.0536) (Table 5.1) (Annexure C) (Annexure D Cl.2.15) (Annexure D Cl.2.3)
1149	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	RESISTANCE TO ULTRA VIOLET - ELONGATION RETENTION ON SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Annexure C) (Annexure D Cl.2.21)
1150	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	RESISTANCE TO ULTRA VIOLET - TENSILE RETENTION ON SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Annexure C) (Annexure D Cl.2.21)
1151	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	SCREEN SOLDERABILITY TEST	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0509) (Annexure C) (Annexure D Cl.5.1) (Cl. 0520)
1152	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	SHEATH COMPATIBILITY TEST - ELONGATION AT BREAK	NAVY SPEC. EED-50-13 (Rev.2) (Annexure D Cl.2.18) (Annexure C)
1153	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	SHEATH COMPATIBILITY TEST - TENSILE STRENGTH	NAVY SPEC. EED-50-13 (Rev.2) (Annexure D Cl.2.18) (Annexure C)
1154	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	SMOKE DENSITY RATING ON SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0519) (Annexure D Cl.2.13) (Annexure C)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 218 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1155	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	SMOKE INDEX ON SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Annexure D Cl.2.13) (Annexure C)
1156	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	TEAR STRENGTH ON SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0510) (Annexure C) (Annexure D Cl.2.5)
1157	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	TEMPERATURE INDEX TEST	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0516) (Annexure C) (Annexure D Cl.2.9)
1158	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	TENSILE STRENGTH OF EXTRUDED CORE AND SHEATH	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0306) (Cl.0505) (Cl.0313) (Cl.0506) (Annexure D Cl.2.1) (Annexure C) (Annexure D Cl.1.4) (Table 3.1) (Cl.0541)
1159	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	TENSILE STRENGTH OF INSULATION TAPE	NAVY SPEC. EED-50-13 (Rev.2) (Annexure D Cl.1.2) (Annexure C)
1160	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	THERMAL ENDURANCE	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0512) (Cl.0313) (Cl.0513) (Annexure C) (Annexure D Cl.2.14)
1161	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	TOXICITY OF COMBUSTION GASES	NAVY SPEC. EED-50-13 (Rev.2) (Table 3.1) (Cl.0541) (Cl.0517) (Annexure D Cl.2.12) (Annexure C)
1162	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	VISUAL EXAMINATION	NAVY SPEC. EED-50-13 (Rev.2) (Annexure C) (Cl.0520) (Cl. 0521) (Annexure D Cl.3.14)
1163	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	VOLTAGE BREAKDOWN OF INSULATION TAPE	NAVY SPEC. EED-50-13 (Rev.2) (Annexure D Cl.1.1) (Cl. 504a) (Annexure C)
1164	ELECTRICAL- CABLES & WIRES	FIRE SURVIVAL, HIGH TEMPERATURE ZONE AND FIRE RETARDANT HALOGEN FREE SHEATHED ELECTRON BEAM CROSSLINKED ELECTRIC CABLES	VOLTAGE TEST CORE/CORE, CORE/SCREEN, CORE/WATER	NAVY SPEC. EED-50-13 (Rev.2) (Cl.0526) (Cl.0527) (Annexure C) (Annexure D Cl.3.4) (Annex E Table C1 to C13) (Cl.0520) (Cl.524)
1165	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	COLD BEND TEST	UL 66 (Cl.15) (Table 4.7) (Table 15.1)
1166	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	CONDUCTOR DIAMETER	UL 66 (Cl.6.3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 219 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1167	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	CONTINUITY FOR FINISHED WIRE AND CABLE	UL 66 (Cl.6.5) (Cl.11)
1168	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	COPPER CORROSION TEST FOR FINISHED WIRE AND CABLE	UL 66 (Cl.6) (Table 4.7)
1169	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	DC RESISTANCE OF A CONDUCTOR	UL 66 (Cl.12) (Table 12.1) (Cl.6.4.1) (Table 12.2) (Table 12.3) (Table 12.4) (Table 4.7)
1170	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	DEFORMATION TEST	UL 66 (Cl.14) (Table 14.1) (Table 4.7)
1171	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	DURABILITY OF INK PRINTING	UL 66 (Cl.20) (Table 4.7)
1172	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	FLMAE TESTS FOR VW-1 WIRE	UL 66 (Cl.17) (Table 4.7)
1173	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	INSULATION RESISTANCE TEST AT 60 °F (15.6 °C)	UL 66 (Cl.16) (Table 4.7) (Table 16.1) (Table 16.2)
1174	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	OIL RESISTANCE TEST - TENSILE STRENGTH	UL 66 (Cl.8.1) (Table 4.7) (Cl.8.2.2.2)
1175	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	OIL RESISTANCE TEST - ULTIMATE ELONGATION	UL 66 (Cl.8.1) (Table 4.7) (Cl.8.2.2.2)
1176	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 66 (Cl.8.1) (Table 4.7)
1177	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	UL 66 (Cl.8.1) (Table 4.7) (Cl.8.2.2.1)
1178	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	TEST FOR THICKNESS OF INSULATION AND JACKET	UL 66 (Cl.8.1) (Table 4.7) (Cl.8.3) (Table 8.1) (Cl.9)
1179	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 66 (Cl.8.1) (Table 4.7)
1180	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	UL 66 (Cl.8.1) (Table 4.7) (Cl.8.2.2.1)
1181	ELECTRICAL- CABLES & WIRES	FIXTURE WIRE	VERTICAL FLAME TEST	UL 66 (Cl.18) (Table 4.7)
1182	ELECTRICAL- CABLES & WIRES	Flexible Cord and Fixture Wire	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 62 (Cl.5.1.1) (Table 9 Class No.16) (Cl.5.1.2) (Table 12 Class No.1.11)
1183	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	ABRASION TEST FOR "-R" CORDS	UL 62 (Cl.5.1.14) (Cl.4.3.13.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 220 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1184	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	BEND TEST ON NYLON COVERED CONDUCTORS	CSA C22.2 No. 49 (Cl.5.1.9)
1185	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	BEND TEST ON NYLON COVERED CONDUCTORS	UL 62 (Cl.5.1.9)
1186	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	COLD BEND TEST - ALL TYPES	CSA C22.2 No. 49 (Cl.5.1.6) (Table 42) (Table 43)
1187	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	COLD BEND TEST - ALL TYPES	UL 62 (Cl.5.1.6) (Table 42) (Table 43)
1188	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	COLD IMPACT TEST	CSA C22.2 No. 49 (Cl.5.1.22)
1189	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	COLD IMPACT TEST	UL 62 (Cl.5.1.22)
1190	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	CONDUCTOR DIAMETER	CSA C22.2 No. 49 (Cl.4.1.1) (Cl.4.8.2)
1191	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	CONDUCTOR DIAMETER	UL 62 (Cl.4.1.1) (Cl.4.8.2)
1192	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	CONTINUITY OF CONDUCTORS	CSA C22.2 No. 49 (Cl.5.2.7)
1193	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	CONTINUITY OF CONDUCTORS	UL 62 (Cl.5.2.7)
1194	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	COPPER CORROSION TEST FOR FINISHED WIRE AND CABLE	CSA C22.2 No. 49 (Cl.5.2.8) (Table 9)
1195	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	COPPER CORROSION TEST FOR FINISHED WIRE AND CABLE	UL 62 (Cl.5.2.8.1) (Table 9)
1196	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	CRUSH RESISTANCE	CSA C22.2 No. 49 (Cl.5.1.16) (Cl.5.1.17) (Cl.5.1.23)
1197	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	CRUSH RESISTANCE	UL 62 (Cl.5.1.16) (Cl.5.1.17) (Cl.5.1.23)
1198	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	DC RESISTANCE OF A CONDUCTOR	CSA C22.2 No. 49 (Cl.4.1.1) (Cl.4.8.2)
1199	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	DC RESISTANCE OF A CONDUCTOR	UL 62 (Cl.4.1.1) (Cl.4.8.2)
1200	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	DEFORMATION TEST	CSA C22.2 No. 49 (Cl.5.1.3.1) (Table 41) (Cl.5.1.3.2) (Table 40)
1201	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	DEFORMATION TEST	UL 62 (Cl.5.1.3.1) (Table 41) (Cl.5.1.3.2) (Table 40)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 221 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1202	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	DIELECTRIC STRENGTH FOR ALL FINISHED TYPES	CSA C22.2 No. 49 (Cl.5.2.2) (Table 47)
1203	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	DIELECTRIC STRENGTH FOR ALL FINISHED TYPES	UL 62 (Cl.5.2.2) (Table 47)
1204	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	DURABILITY OF INK PRINTING	CSA C22.2 No. 49 (Cl.5.1.12)
1205	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	DURABILITY OF INK PRINTING	UL 62 (Cl.5.1.12)
1206	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	FT2/FH/FV2/VW-1 FLAME TESTS	CSA C22.2 No. 49 (Cl.5.1.5.1) (Cl.5.1.5.3) (Cl.5.1.5.4)
1207	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	HEAT SHOCK TEST	CSA C22.2 No. 49 (Cl.5.1.8) (Table 44) (Table 45)
1208	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	HEAT SHOCK TEST	UL 62 (Cl.5.1.8) (Table 44) (Table 45)
1209	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	HORIZONTAL FLAME TEST – FT2 OR FH	CSA C22.2 No. 49 (Cl.5.1.5.3)
1210	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	HORIZONTAL FLAME TEST – FT2 OR FH	UL 62 (Cl.5.1.5.3)
1211	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	INSULATION RESISTANCE TEST	CSA C22.2 No. 49 (Cl.5.2.3) (Table 48) (Table 49)
1212	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	INSULATION RESISTANCE TEST	UL 62 (Cl.5.2.3) (Table 48) (Table 49)
1213	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	JACKET RESISTANCE	CSA C22.2 No. 49 (Cl.5.2.10)
1214	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	JACKET RESISTANCE	UL 62 (Cl.5.2.10)
1215	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	MEASUREMENT OF OVERALL DIMENSIONS	CSA C22.2 No. 49 (Cl.4.8.8) (Cl.4.1.7) (Table 40) (Table 13)
1216	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	MEASUREMENT OF OVERALL DIMENSIONS	UL 62 (Cl.4.8.8) (Cl.4.1.7) (Table 40) (Table 13)
1217	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	PERMITIVITY AND STABILITY FACTOR	CSA C22.2 No. 49 (Cl.5.2.4)
1218	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	PERMITIVITY AND STABILITY FACTOR	UL 62 (Cl.5.2.4)
1219	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	SWELLING AND BLISTERING IN LIQUID	CSA C22.2 No. 49 (Cl.5.1.11)
1220	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	SWELLING AND BLISTERING IN LIQUID	UL 62 (Cl.5.1.11)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 222 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1221	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	CSA C22.2 No. 49 (Cl.5.1.1) (Table 9 Class No.16) (Cl.5.1.2) (Table 12 Class No.1.11)
1222	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 62 (Cl.5.1.1) (Table 9 Class No.16) (Cl.5.1.2) (Table 12 Class No.1.11)
1223	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	CSA C22.2 No. 49 (Cl.5.1.1) (Table 9 Class No.16) (Cl.5.1.2) (Table 12 Class No.1.11) (Cl.5.1.4)
1224	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	UL 62 (Cl.5.1.1) (Table 9 Class No.16) (Cl.5.1.2) (Table 12 Class No.1.11) (Cl.5.1.4)
1225	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	TEST FOR THICKNESS OF INSULATION AND JACKET	CSA C22.2 No. 49 (Cl.4.8.3) (Cl.4.1.2) (Table 8 Class No.16) (Table 40) (Cl.4.8.7) (Cl.4.1.6) (Table 57) (Table 58) (Table 11)
1226	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	TEST FOR THICKNESS OF INSULATION AND JACKET	UL 62 (Cl.4.8.3) (Cl.41.1.2) (Table 8 Class No.16) (Table 40) (Cl.4.8.7) (Cl.4.1.6) (Table 57) (Table 58) (Table 11)
1227	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	CSA C22.2 No. 49 (Cl.5.1.1) (Table 9 Class No.16) (Cl.5.1.2) (Table 12 Class No.1.11)
1228	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	CSA C22.2 No. 49 (Cl.5.1.1) (Table 9 Class No.16) (Cl.5.1.2) (Table 12 Class No.1.11) (Cl.5.1.4)
1229	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	UL 62 (Cl.5.1.1) (Table 9 Class No.16) (Cl.5.1.2) (Table 12 Class No.1.11) (Cl.5.1.4)
1230	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	VERTICAL FLAME TEST - FT4	CSA C22.2 No. 49 (Cl.5.1.5.2)
1231	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	VERTICAL FLAME TEST – VW-1 OR FV-2	CSA C22.2 No. 49 (Cl.5.1.5.4)
1232	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	VERTICAL FLAME TEST – VW-1 OR FV-2	UL 62 (Cl.5.1.5.4)
1233	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	VERTICAL FLAME TESTS – FT1 OR FV-1	CSA C22.2 No. 49 (Cl.5.1.5.1)
1234	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	VERTICAL FLAME TESTS – FT1 OR FV-1	UL 62 (Cl.5.1.5.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 223 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1235	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	VERTICAL FLMAE TEST - FT4	UL 62 (Cl.5.1.5.2)
1236	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	WEATHER RESISTANCE – ALL ?W? CORDS AND ELECTRIC VEHICLE CABLES - TENSILE STRENGTH	CSA C22.2 No. 49 (Cl.5.1.7) (Table 43)
1237	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	WEATHER RESISTANCE – ALL ?W? CORDS AND ELECTRIC VEHICLE CABLES - TENSILE STRENGTH	UL 62 (Cl.5.1.7) (Table 43)
1238	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	WEATHER RESISTANCE – ALL ?W? CORDS AND ELECTRIC VEHICLE CABLES - ULTIMATE ELONGATION	CSA C22.2 No. 49 (Cl.5.1.7) (Table 43)
1239	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES	WEATHER RESISTANCE – ALL ?W? CORDS AND ELECTRIC VEHICLE CABLES - ULTIMATE ELONGATION	UL 62 (Cl.5.1.7) (Table 43)
1240	ELECTRICAL- CABLES & WIRES	FLEXIBLE CORDS AND CABLES\\\	ABRASION TEST FOR "-R" CORDS	CSA C22.2 No. 49 (Cl.5.1.14) (Cl.4.3.13.2)
1241	ELECTRICAL- CABLES & WIRES	FLEXIBLE INSULATING SLEEVING	FLUORINE CONTENT TEST	IEC 60684-2 (Cl.45.2)
1242	ELECTRICAL- CABLES & WIRES	FLEXIBLE INSULATING SLEEVING. METHODS OF TEST	FLUORINE CONTENT TEST	BS EN 60684-2 (Cl.45.2)
1243	ELECTRICAL- CABLES & WIRES	HOT-DIPPED GALVANIZED COATINGS ON ROUND STEEL WIRES	MASS OF ZINC COATING FOR ARMOUR	IS 4826 + AMD 3 (Table 2)
1244	ELECTRICAL- CABLES & WIRES	HOT-DIPPED GALVANIZED COATINGS ON ROUND STEEL WIRES	UNIFORMITY OF ZINC COATING FOR ARMOUR	IS 4826 + AMD 3 (Table 2)
1245	ELECTRICAL- CABLES & WIRES	IEEE STANDARD FOR FLAME-PROPAGATION TESTING OF WIRE & CABLE	IEEE STANDARD FOR FLAME-PROPAGATION TESTING OF WIRE & CABLE	IEEE 1202
1246	ELECTRICAL- CABLES & WIRES	IEEE STANDARD FOR QUALIFYING CLASS 1E ELECTRIC CABLES AND FIELD SPLICES FOR NUCLEAR POWER GENERATING STATIONS	IEEE STANDARD FOR QUALIFYING CLASS 1E ELECTRIC CABLES AND FIELD SPLICES FOR NUCLEAR POWER GENERATING STATIONS	IEEE 383
1247	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	ABRASION REISTANCE OF SHEATH	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.14) (Cl.7.2.14.1) (Appendix B) (Cl.3.2.1) (Cl.3.2.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 224 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1248	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	ABRASION RESISTANCE OF MARKING (INDELIBILITY)	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.14) (Cl.7.2.14.2) (Appendix B) (Cl.3.2.1) (Cl.3.2.2)
1249	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	ANNEALING TEST	ELRS/SPEC/ELC/0019 REV-4 (Cl.7.2.1a.iii) (Cl.7.4.1a.iii)
1250	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	COMPOSITION OF CONDUCTOR	ELRS/SPEC/ELC/0019 REV-4 (Cl.7.2.1a.i) (Cl.7.4.1a.i) (Cl. 11.7) (Technical Datasheet 1A, 2A & 2B)
1251	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	CONDUCTOR RESISTANCE TEST	ELRS/SPEC/ELC/0019 REV-4 (Cl.7.2.1a.iv) (Cl.7.4.1a.iv) (Cl.7.3.1) (Technical Datasheet 1A,2A&2B)
1252	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	CORROSIVITY OF COMBUSTION GASES - CONDUCTIVITY	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.22)
1253	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	CORROSIVITY OF COMBUSTION GASES - PH TEST	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.22)
1254	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	DC STABILITY TEST	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.1e) (Cl.3.2.1) (Cl.3.2.2) (Cl.11.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 225 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1255	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	DIELECTRIC STRENGTH	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.2) (Cl.3.2.1) (Cl.3.2.2) (Cl.11.6)
1256	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	DYNAMIC CUT THROUGH RESISTANCE	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.11) (Cl.11.3)
1257	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	FLAME PROPAGATION (BUNCHED CABLE)	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.21)
1258	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	FLAME RETARDENT (SINGLE CABLE)	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.20)
1259	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	HEAT SHOCK TEST	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.10) (Cl.7.2.15.1)
1260	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	HIGH VOLTAGE TEST (WATER IMMERSION TEST)	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.1c) (Cl.7.3.2) (Cl.7.4.1c) (Cl.3.2.1) (Cl.3.2.2)
1261	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	HOT SET TEST FOR INSULATION AND SHEATH	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.8) (Cl.7.4.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 226 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1262	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	INSULATION RESISTANCE TEST (INSULATION RESISTANCE CONSTANT)	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.1d) (Cl.7.4.1d) (Cl.3.2.1) (Cl.3.2.2)
1263	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	MECHANICAL PROPERTIES OF THE INSULATION AND SHEATH-ELONGATION AT BREAK AFTER HEAT AGEING	ELRS/SPEC/ELC/0019 REV-4 (Cl.7.1.2) (Cl.7.2.4) (Cl.7.1.3) (Cl.7.2.5)
1264	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	MECHANICAL PROPERTIES OF THE INSULATION AND SHEATH-ELONGATION AT BREAK AS RECEIVED	ELRS/SPEC/ELC/0019 REV-4 (Cl.7.1.2) (Cl.7.2.4) (Cl.7.1.3) (Cl.7.2.5)
1265	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	MECHANICAL PROPERTIES OF THE INSULATION AND SHEATH-TENSILE STRENGTH AFTER HEAT AGEING	ELRS/SPEC/ELC/0019 REV-4 (Cl.7.1.2) (Cl.7.2.4) (Cl.7.1.3) (Cl.7.2.5)
1266	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	MECHANICAL PROPERTIES OF THE INSULATION AND SHEATH-TENSILE STRENGTH AS RECEIVED	ELRS/SPEC/ELC/0019 REV-4 (Cl.7.1.2) (Cl.7.2.4) (Cl.7.1.3) (Cl.7.2.5)
1267	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	NOTCH SENSITIVITY	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.12) (Appendix C) (Cl.7.2.1c) (Cl.3.2.1) (Cl.3.2.2)
1268	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	OVERALL CABLE DIAMETER	ELRS/SPEC/ELC/0019, REV-4 (Technical Datasheet 1A,2A & 2B)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	227 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1269	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	OZONE RESISTANCE TEST	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.18) (Cl.7.2.1c)
1270	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	PERSULPHATE TEST	ELRS/SPEC/ELC/0019 REV-4 (Cl.7.2.1.a.ii) (Cl.7.4.1a.ii)
1271	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	PLIABILITY	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.12) (Appendix D) (Cl.7.2.1c)
1272	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	RESISTANCE TO FLUIDS	ELRS/SPEC/ELC/0019 REV-4 (Cl.7.1.6) (Cl.7.2.19) (Cl.7.2.19.1) (Cl.7.2.19.2) (Cl.7.2.19.3)
1273	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	SHRINKING TEST	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.9)
1274	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	SLIPPAGE TEST	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.17) (Cl.11.8) (Cl.7.4.6)
1275	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	SMOKE DENSITY ON SHEATH ONLY	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.24)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 228 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1276	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	STRIPPABILITY FOR SECTION 1.5 TO 6 SQ.MM	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.7) (Appendix A) (Cl.7.4.2)
1277	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	TEAR RESISTANCE OF INSULATION AND SHEATH	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.6)
1278	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	TEST FOR IDENTIFICATION OF RUBBER POLYMERS USED FOR INSULATION AND SHEATHING	ELRS/SPEC/ELC/0019, REV-4 (Cl.2.1.1c) (Cl.7.1.1) (Cl.7.2.25) (Cl.7.4.4) (Cl.3.2.1) (Cl.3.2.2)
1279	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	TEST FOR THICKNESS OF INSULATION AND SHEATH	ELRS/SPEC/ELC/0019 REV-4 (Cl.7.2.1b) (Cl.7.4.1b) (Technical Datasheet 1A,2A&2B)
1280	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	THERMAL ENDURANCE TEST & DURATION OF USABILITY ELONGATION AT BREAK ABSOLUTE	ELRS/SPEC/ELC/0019, REV-4 (Cl.2.1.1b) (Cl.7.1.4)
1281	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	TOXICITY OF COMBUSTION GASES ON SHEATH ONLY	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.23)
1282	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	TRACKING RESISTANCE	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.3) (Cl.3.2.1) (Cl.3.2.2) (Cl.7.4.1f) (Cl.11.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 229 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1283	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	WEATHERABILITY OF SHEATH MATERIAL - ELONGATION AT BREAK	ELRS/SPEC/ELC/0019 REV-4 (Cl.7.1.5)
1284	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	WEATHERABILITY OF SHEATH MATERIAL - TENSILE STRENGTH	ELRS/SPEC/ELC/0019 REV-4 (Cl.7.1.5)
1285	ELECTRICAL- CABLES & WIRES	INDIAN RAILWAYS TECHNICAL SPECIFICATION FOR THIN WALLED FLEXIBLE ELASTOMERIC CABLES WITH COPPER CONDUCTORS FOR WORKING VOLTAGES (I) UPTO 750 VOLTS AND (II) ABOVE 750 VOLTS UPTO 1.8/3.0 KV (FOR TAP CHANGER ELECTRIC LOCOMOTIVES, AC/DC EMU, BG AC EMU & MEMU/COACHING STOCK)	WINDABILITY TEST	ELRS/SPEC/ELC/0019, REV-4 (Cl.7.2.15.1) (Cl.11.2) (Cl.7.2.1c) (Cl.7.4.3.1) (Cl.7.2.15.2) (Cl.7.2.15.3) (Cl.7.2.16) (Cl.7.4.3.1)
1286	ELECTRICAL- CABLES & WIRES	INSULATED ELECTRIC CABLES FOR RAILWAY VEHICLES	CHECKING OF LONGITUDINAL DI-ELECTRICAL STRENGTH	UIC 895 OR (Cl.5.3.3.4)
1287	ELECTRICAL- CABLES & WIRES	INSULATED ELECTRIC CABLES FOR RAILWAY VEHICLES	CHECKING OF MECHANICAL CHARACTERISTICS (TENDENCY TO DEFORM)	UIC 895 OR (Cl.5.3.2) (Cl.2.2.1)
1288	ELECTRICAL- CABLES & WIRES	INSULATED ELECTRIC CABLES FOR RAILWAY VEHICLES	CHECKING OF PLATING OF THE COPPER	UIC 895 OR (Cl.5.1.3)
1289	ELECTRICAL- CABLES & WIRES	INSULATED ELECTRIC CABLES FOR RAILWAY VEHICLES	CHECKING OF THE COMPOSITION OF THE CORE AND ITS GEOMETRICAL CHARACTERISTICS	UIC 895 OR (Cl.5.1.1)
1290	ELECTRICAL- CABLES & WIRES	INSULATED ELECTRIC CABLES FOR RAILWAY VEHICLES	CHECKING OF THE RESISTANCE OF THE INSULATION AGAINST HUMIDITY	UIC 895 OR (Cl.5.3.3.5)
1291	ELECTRICAL- CABLES & WIRES	INSULATED ELECTRIC CABLES FOR RAILWAY VEHICLES	CHECKING OF TRANSVERSAL DI-ELECTRICAL STRENGTH	UIC 895 OR (Cl.5.3.3.2)
1292	ELECTRICAL- CABLES & WIRES	INSULATED ELECTRIC CABLES FOR RAILWAY VEHICLES	MEASUREMENT OF OHMIC RESISTANCE/UNIT LENGTH	UIC 895 OR (Cl.5.1.2)
1293	ELECTRICAL- CABLES & WIRES	INSULATED ELECTRIC CABLES FOR RAILWAY VEHICLES	TEST OF DISRUPTIVE DISCHARGE	UIC 895 OR (Cl.5.3.3.3)
1294	ELECTRICAL- CABLES & WIRES	INSULATING AND SHEATHING MATERIALS OF ELECTRIC CABLES	METHOD OF TEST FOR INSULATION RESISTANCE CONSTANT (K VALUE)	BS 6469-99.2 + AMD 1 (Cl.8)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 230 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1295	ELECTRICAL- CABLES & WIRES	INSULATING AND SHEATHING MATERIALS OF ELECTRIC CABLES	TEST FOR TEAR RESISTANCE	BS 6469-99.1 + AMD 3 (Cl.9)
1296	ELECTRICAL- CABLES & WIRES	INSULATING AND SHEATHING MATERIALS OF ELECTRIC CABLES	WATER IMMERSION TEST ON SHEATH - ELONGATION AT BREAK	BS 6469-99.1 + AMD 3 (Cl.14)
1297	ELECTRICAL- CABLES & WIRES	INSULATING AND SHEATHING MATERIALS OF ELECTRIC CABLES	WATER IMMERSION TEST ON SHEATH - TENSILE STRENGTH	BS 6469-99.1 + AMD 3 (Cl.14)
1298	ELECTRICAL- CABLES & WIRES	INSULATING AND SHEATHING MATERIALS OF ELECTRIC CABLES.	WATER ABSORPTION DETERMINED BY THE CAPACITANCE METHOD	BS 6469-99.2 + AMD 1 (Cl.10)
1299	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS	BENDING TEST AT LOW TEMPERATURE ON INSULATION	BS EN 50363-1 (Table 2 Ref.No.4)
1300	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS	ELONGATION TEST AT LOW TEMPERATURE ON INSULATION	BS EN 50363-1 (Table 2 Ref.No.5)
1301	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS	HOT SET TEST ON INSULATION	BS EN 50363-1 (Table 2 Ref No.2)
1302	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS	MECHANICAL PROPERTIES AFTER AGEING IN AIR BOMB - ELONGATION AT BREAK ON INSULATION	BS EN 50363-1 (Table 2 Ref No.1.3)
1303	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS	MECHANICAL PROPERTIES AFTER AGEING IN AIR BOMB - TENSILE STRENGTH ON INSULATION	BS EN 50363-1 (Table 2 Ref No.1.3)
1304	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK ON INSULATION	BS EN 50363-1 (Table 2 Ref No.1.2)
1305	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON INSULATION	BS EN 50363-1 (Table 2 Ref No.1.2)
1306	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS	MECHANICAL PROPERTIES BEFORE AGEING - ELONGATION AT BREAK ON INSULATION	BS EN 50363-1 (Table 2 Ref No.1.1)
1307	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS	MECHANICAL PROPERTIES BEFORE AGEING - TENSILE STRENGTH ON INSULATION	BS EN 50363-1 (Table 2 Ref No.1.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 231 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1308	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS	OZONE RESISTANCE TEST ON INSULATION	BS EN 50363-1 (Table 2 Ref.No.6)
1309	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS	PRESSURE TEST AT HIGH TEMPERATURE ON INSULATION	BS EN 50363-1 (Table 2 Ref No.3)
1310	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	ASSESSMENT OF HALOGENS - AMONT OF HALOGEN ACID GAS - HCL AND HBr	BS EN 50363-5 + AMD1 (Table 2 Ref No.7.3)
1311	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	ASSESSMENT OF HALOGENS - AMOUNT OF HALOGEN ACID GAS - HF	BS EN 50363-5 + AMD1 (Table 2 Ref No.7.3)
1312	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	ASSESSMENT OF HALOGENS - CONDUCTIVITY MEASUREMENT	BS EN 50363-5 + AMD1 (Table 2 Ref No.7.1) (Table 2 Ref No.7.2)
1313	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	ASSESSMENT OF HALOGENS - PH MEASUREMENT	BS EN 50363-5 + AMD1 (Table 2 Ref No.7.1) (Table 2 Ref No.7.2)
1314	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	BENDING TEST AT LOW TEMPERATURE	BS EN 50363-5 + AMD1 (Table 2 Ref No.4)
1315	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	ELONGATION AT LOW TEMPERATURE	BS EN 50363-5 + AMD1 (Table 2 Ref No.5)
1316	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	HOT SET TEST FOR INSULATION	BS EN 50363-5 + AMD1 (Table 2 Ref No.2)
1317	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK	BS EN 50363-5 + AMD1 (Table 2 Ref No.1.2)
1318	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH	BS EN 50363-5 + AMD1 (Table 2 Ref No.1.2)
1319	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	MECHANICAL PROPERTIES BEFORE AGEING - ELONGATION AT BREAK	BS EN 50363-5 + AMD1 (Table 2 Ref No.1.1)
1320	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	MECHANICAL PROPERTIES BEFORE AGEING - TENSILE STRENGTH	BS EN 50363-5 + AMD1 (Table 2 Ref No.1.1)
1321	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	OZONE RESISTANCE TEST	BS EN 50363-5 + AMD1 (Table 2 Ref No.6)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 232 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1322	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. HALOGEN-FREE, CROSS-LINKED INSULATING COMPOUNDS	PRESSURE TEST AT HIGH TEMPERATURE	BS EN 50363-5 + AMD1 (Table 2 Ref No.3)
1323	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. PVC INSULATING COMPOUNDS	BENDING TEST AT LOW TEMPERATURE ON INSULATION	BS EN 50363-3 + AMD 1 (Table 2 Ref.No.5)
1324	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. PVC INSULATING COMPOUNDS	ELONGATION TEST AT LOW TEMPERATURE ON INSULATION	BS EN 50363-3 + AMD 1 (Table 2 Ref.No.6)
1325	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. PVC INSULATING COMPOUNDS	HEAT SHOCK TEST ON INSULATION	BS EN 50363-3 + AMD 1 (Table 2 Ref.No.3)
1326	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. PVC INSULATING COMPOUNDS	LOSS OF MASS TEST ON INSULATION	BS EN 50363-3 + AMD 1 (Table 2 Ref.No.2)
1327	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. PVC INSULATING COMPOUNDS	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK ON INSULATION	BS EN 50363-3 + AMD 1 (Table 2 Ref.No.1.2)
1328	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. PVC INSULATING COMPOUNDS	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON INSULATION	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON INSULATION
1329	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. PVC INSULATING COMPOUNDS	MECHANICAL PROPERTIES BEFORE AGEING - ELONGATION AT BREAK ON INSULATION	BS EN 50363-3 + AMD 1 (Table 2 Ref.No.1.1)
1330	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. PVC INSULATING COMPOUNDS	MECHANICAL PROPERTIES BEFORE AGEING - TENSILE STRENGTH ON INSULATION	BS EN 50363-3 + AMD 1 (Table 2 Ref.No.1.1)
1331	ELECTRICAL- CABLES & WIRES	INSULATING, SHEATHING AND COVERING MATERIALS FOR LOW VOLTAGE ENERGY CABLES. PVC INSULATING COMPOUNDS	THERMAL STABILITY TEST ON INSULATION	BS EN 50363-3 + AMD 1 (Table 2 Ref.No.7)
1332	ELECTRICAL- CABLES & WIRES	LOW VOLTAGE ENERGY CABLES	DETERMINATION OF THE SAPONIFICATION VALUE OF THE POLYURETHANE SHEATH	BS EN 50396 + AMD 1 (Cl.10.1)
1333	ELECTRICAL- CABLES & WIRES	LOW VOLTAGE ENERGY CABLES	ELECTRICAL DC RESISTANCE OF CONDUCTOR	BS EN 50395 + AMD 1 (Cl.5)
1334	ELECTRICAL- CABLES & WIRES	LOW VOLTAGE ENERGY CABLES	INSULATION RESISTANCE FOR CABLES HAVING MAXIMUM CONDUCTOR TEMPERATURES NOT EXCEEDING 90 °C	BS EN 50395 + AMD 1 (Cl.8.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 233 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1335	ELECTRICAL- CABLES & WIRES	LOW VOLTAGE ENERGY CABLES	LONG TERM RESISTANCE OF INSULATION TO D.C.	BS EN 50395 + AMD 1 (Cl.9)
1336	ELECTRICAL- CABLES & WIRES	LOW VOLTAGE ENERGY CABLES	SURFACE RESISTANCE OF SHEATH	BS EN 50395 + AMD 1 (Cl.11)
1337	ELECTRICAL- CABLES & WIRES	LOW VOLTAGE ENERGY CABLES	TEAR RESISTANCE TEST	BS EN 50396 + AMD 1 (Cl.10.2)
1338	ELECTRICAL- CABLES & WIRES	LOW VOLTAGE ENERGY CABLES	TWO PULLEY FLEXING TEST	BS EN 50396 + AMD 1 (Cl.6.2)
1339	ELECTRICAL- CABLES & WIRES	LOW VOLTAGE ENERGY CABLES	WATER RESISTANCE TEST - ELONGATION AT BREAK	BS EN 50396 + AMD 1 (Cl.10.3)
1340	ELECTRICAL- CABLES & WIRES	LOW VOLTAGE ENERGY CABLES	WATER RESISTANCE TEST - TENSILE STRENGTH	BS EN 50396 + AMD 1 (Cl.10.3)
1341	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	CAPACITANCE UNBALANCE	IEC 60189-2 (Cl.7.5)
1342	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	CAPACITANCE UNBALANCE (CONDUCTOR TO CONDUCTOR)	IEC 60189-1 (Cl.8.5)
1343	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	COLD BEND TEST ON INSULATION	IEC 60189-3 (Cl.6.3)
1344	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	COLD BEND TEST ON INSULATION AND SHEATH	IEC 60189-1 (Cl.7.4.2) (Cl.7.4.3)
1345	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	COLD BEND TEST ON INSULATION AND SHEATH	IEC 60189-2 (Cl.6.1.2) (Cl.6.2.2)
1346	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	CONDUCTOR ELONGATION AT BREAK FOR SOLID CONDUCTORS	IEC 60189-2 (Cl.5.1)
1347	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	CONDUCTOR ELONGATION AT BREAK FOR SOLID CONDUCTORS	IEC 60189-3 (Cl.5.1) (Table 1)
1348	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	DIAMETER OF CABLE OVER SHEATH	IEC 60189-2 (Cl.4.14) (Annex D) (Annex E)
1349	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	DIAMETER OF FINISHED CABLE OR WIRE	IEC 60189-1 (Cl.5.2.3)
1350	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	DIELECTRIC STRENGTH	IEC 60189-1 (Cl.8.2)
1351	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	DIELECTRIC STRENGTH	IEC 60189-2 (Cl.7.2) (Annex C)
1352	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	DIELECTRIC STRENGTH	IEC 60189-3 (Cl.7.2) (Annex A) (Annex B)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 234 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1353	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	ELECTRICAL RESISTANCE OF CONDUCTORS	IEC 60189-1 (Cl.8.1)
1354	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	ELECTRICAL RESISTANCE OF CONDUCTORS	IEC 60189-2 (Cl.7.1) (Annex C)
1355	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	ELECTRICAL RESISTANCE OF CONDUCTORS	IEC 60189-3 (Cl.7.1) (Annex A) (Annex B)
1356	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	ELONGATION AT BREAK AFTER ACCELERATED AGEING FOR INSULATION AND SHEATH	IEC 60189-1 (Cl.7.1)
1357	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	ELONGATION AT BREAK AFTER ACCELERATED AGEING ON INSULATION	IEC 60189-3 (Cl.5.2)
1358	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	ELONGATION AT BREAK AFTER ACCELERATED AGEING ON INSULATION AND SHEATH	IEC 60189-2 (Cl.5.2) (Cl.5.3)
1359	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	ELONGATION AT BREAK BEFORE AGEING ON INSULATION	IEC 60189-3 (Cl.5.2)
1360	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	ELONGATION AT BREAK BEFORE AGEING ON INSULATION AND SHEATH	IEC 60189-2 (Cl.5.2) (Cl.5.3)
1361	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	HEAT SHOCK TEST ON INSULATION	IEC 60189-3 (Cl.6.4)
1362	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	HEAT SHOCK TEST ON INSULATION AND SHEATH	IEC 60189-1 (Cl.7.5.2) (Cl.7.5.3) (Table 1)
1363	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	HEAT SHOCK TEST ON INSULATION AND SHEATH	IEC 60189-2 (Cl.6.1.3) (Cl.6.2.3)
1364	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	INSULATION RESISTANCE TEST	IEC 60189-1 (Cl.8.3)
1365	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	INSULATION RESISTANCE TEST	IEC 60189-2 (Cl.7.3) (Annex C)
1366	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	INSULATION RESISTANCE TEST	IEC 60189-3 (Cl.7.3) (Annex A) (Annex B)
1367	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	MEASUREMENT OF INSULATION SHRINKAGE AFTER OVERHEATING OF CONDUCTOR	IEC 60189-1 (Cl.7.6)
1368	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	MEASUREMENT OF INSULATION SHRINKAGE AFTER OVERHEATING OF CONDUCTOR	IEC 60189-2 (Cl.6.1.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 235 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1369	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	MEASUREMENT OF INSULATION SHRINKAGE AFTER OVERHEATING OF CONDUCTOR	IEC 60189-3 (Cl.6.1)
1370	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	MINIMUM AND MEAN THICKNESS OF INSULATION OR SHEATH	IEC 60189-1 (Cl.5.2.1.1) (Cl.5.2.1.2) (Cl.5.2.2)
1371	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	MUTUAL CAPACITANCE	IEC 60189-1 (Cl.8.4)
1372	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	MUTUAL CAPACITANCE	IEC 60189-2 (Cl.7.4)
1373	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	PRESSURE TEST AT HIGH TEMPERATURE ON SHEATH	IEC 60189-1 (Cl.7.2)
1374	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	PRESSURE TEST ON SHEATH	IEC 60189-2 (Cl.6.2.1)
1375	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	REISTANCE TO FLAME PROPAGATION	IEC 60189-2 (Cl.6.3)
1376	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	RESISTANCE TO FLAME PROPAGATION	IEC 60189-3 (Cl.6.2)
1377	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	RESISTANCE TO FLAME PROPAGATION ON CABLES	IEC 60189-1 (Cl.7.3.3)
1378	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	TENSILE STRENGTH AFTER ACCELERATED AGEING FOR INSULATION AND SHEATH	IEC 60189-1 (Cl.7.1)
1379	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	TENSILE STRENGTH AFTER ACCELERATED AGEING ON INSULATION	IEC 60189-3 (Cl.5.2)
1380	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	TENSILE STRENGTH AFTER ACCELERATED AGEING ON INSULATION AND SHEATH	IEC 60189-2 (Cl.5.2) (Cl.5.3)
1381	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	TENSILE STRENGTH BEFORE AGEING ON INSULATION	IEC 60189-3 (Cl.5.2)
1382	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND SHEATH	IEC 60189-2 (Cl.5.2) (Cl.5.3)
1383	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	TENSILE STRENGTH OF BARE CONDUCTOR	IEC 60189-1 (Cl.6.3)
1384	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	TENSILE TEST BEFORE AGEING FOR INSULATION AND SHEATH	IEC 60189-1 (Cl.6.1.2) (Cl.6.1.3) (Cl.6.2) (Cl.6.3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 236 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1385	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	TENSILE TEST BEFORE AGEING FOR INSULATION AND SHEATH - ELONGATION AT BREAK	IEC 60189-1 (Cl.6.1.2) (Cl.6.1.3) (Cl.6.2) (Cl.6.3)
1386	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	TEST FOR THICKNESS OF INSULATION	IEC 60189-3 (Cl. 4.2.2) (Annex A) (Annex B)
1387	ELECTRICAL- CABLES & WIRES	LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH	TEST FOR THICKNESS OF INSULATION AND SHEATH	IEC 60189-2 (Cl.4.2.2) (Cl.4.13.2) (Annex D) (Annex E)
1388	ELECTRICAL- CABLES & WIRES	MEASUREMENT OF SMOKE DENSITY OF CABLES BURNING UNDER DEFINED CONDITIONS	MEASUREMENT OF SMOKE DENSITY OF CABLES BURNING UNDER DEFINED CONDITIONS - TEST APPARATUS	IEC 61034-1 + AMD 2
1389	ELECTRICAL- CABLES & WIRES	MEASUREMENT OF SMOKE DENSITY OF CABLES BURNING UNDER DEFINED CONDITIONS	MEASUREMENT OF SMOKE DENSITY OF CABLES BURNING UNDER DEFINED CONDITIONS - TEST PROCEDURE AND REQUIREMENTS	IEC 61034-2 + AMD 2
1390	ELECTRICAL- CABLES & WIRES	MEASUREMENT OF SMOKE DENSITY OF CABLES BURNING UNDER DEFINED CONDITIONS.	MEASUREMENT OF SMOKE DENSITY OF CABLES BURNING UNDER DEFINED CONDITIONS - TEST PROCEDURE AND REQUIREMENTS	BS EN 61034-2 + AMD 2
1391	ELECTRICAL- CABLES & WIRES	MEASUREMENT OF SMOKE DENSITY OF CABLES BURNING UNDER DEFINED CONDITIONS. TEST APPARATUS	MEASUREMENT OF SMOKE DENSITY OF CABLES BURNING UNDER DEFINED CONDITIONS - TEST APPARATUS	BS EN 61034-1 + AMD 2
1392	ELECTRICAL- CABLES & WIRES	METALLIC COMMUNICATION CABLE	METALLIC COMMUNICATION CABLE TEST METHODS - ELECTROMAGNETIC COMPATIBILITY (EMC) - SURFACE TRANSFER IMPEDANCE - TRIAXIAL METHOD	IEC 62153-4-3
1393	ELECTRICAL- CABLES & WIRES	METALLIC MATERIALS	"METALLIC MATERIALS — TENSILE TESTING - METHOD OF TEST AT ROOM TEMPERATURE"	BS EN ISO 6892-1
1394	ELECTRICAL- CABLES & WIRES	METALLIC MATERIALS	METALLIC MATERIALS — TENSILE TESTING - METHOD OF TEST AT ROOM TEMPERATURE - ELONGATION AT BREAK	BS EN ISO 6892-1
1395	ELECTRICAL- CABLES & WIRES	METALLIC MATERIALS	METHOD OF MEASUREMENT OF RESISTIVITY OF METALLIC MATERIALS	IEC 60468 (Cl.6.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 237 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1396	ELECTRICAL- CABLES & WIRES	METALLIC MATERIALS — WIRE — WRAPPING TEST	WRAPPING TEST FOR ARMOUR	ISO 7802
1397	ELECTRICAL- CABLES & WIRES	METALLIC MATERIALS WIRE	SIMPLE TORSION TEST FOR WIRES	ISO 7800
1398	ELECTRICAL- CABLES & WIRES	METHOD FOR ASSESSMENT OF FIRE INTEGRITY OF LARGE DIAMETER POWER CABLES FOR USE AS COMPONENTS FOR SMOKE AND HEAT CONTROL SYSTEMS AND CERTAIN OTHER ACTIVE FIRE SAFETY SYSTEMS	ASSESSMENT OF FIRE INTEGRITY OF LARGE DIAMETER POWER CABLES FOR USE AS COMPONENETS FOR SMOKE AND HEAT CONTROL SYSTEMS AND CERTAIN OTHER ACTIVE FIRE SAFETY SYSTEMS	BS 8491
1399	ELECTRICAL- CABLES & WIRES	METHODS FOR TESTING UNIFORMITY OF COATING OF ZINC COATED ARTICLES	UNIFORMITY OF ZINC COATING ON ZINC COATED ARTICLES	IS 2633
1400	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES : UNIFORMITY OF ZINC COATING ON STEEL ARMOUR	UNIFORMITY OF ZINC COATING ON STEEL ARMOUR	IS 10810 Part 40 + AMD 1
1401	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES - HOT DEFORMATION TEST	HOT DEFORMATION TEST	IS 10810 Part 15
1402	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES - MEASUREMENT OF TEMPERATURE INDEX	MEASUREMENT OF TEMPERATURE INDEX	IS 10810 Part 64
1403	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES - SHRINKAGE TEST	SHRINKAGE TEST	IS 10810 Part 12
1404	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES -FLAMMABILITY TEST	FLAMMABILITY TEST	IS 10810 Part 53
1405	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES -HIGH VOLTAGE TEST	HIGH VOLTAGE TEST	IS 10810 Part 45
1406	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES -TENSILE STRENGTH AND ELONGATION AT BREAK OF ARMOURING MATERIALS	ELONGATION AT BREAK OF ARMOURING MATERIALS	IS 10810 Part 37
1407	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES : FLAMMABILITY TEST	FLAMMABILITY TEST	IS 10810 Part 53
1408	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES ACCELERATED AGEING TEST BY OXYGEN PRESSURE METHOD	ACCELERATED AGEING TEST BY OXYGEN PRESSURE METHOD - ELONGATION AT BREAK	IS 10810 Part 16
1409	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES ACCELERATED AGEING TEST BY OXYGEN PRESSURE METHOD	ACCELERATED AGEING TEST BY OXYGEN PRESSURE METHOD - TENSILE STRENGTH	IS 10810 Part 16
1410	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES CARBON CONTENT TEST FOR POLYETHYLENE	CARBON BLACK CONTENT OF POLYTHENE SHEATH	IS 10810 Part 32
1411	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES COLD BEND TEST	COLD BEND TEST	IS 10810 Part 20

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 238 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1412	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES COLD IMPACT TEST	COLD IMPACT TEST	IS 10810 Part 21
1413	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES DIMENSIONS OF ARMOURING MATERIAL	DIMENSIONS OF ARMOURING MATERIAL	IS 10810 Part 36
1414	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES HEAT SHOCK TEST	HEAT SHOCK TEST	IS 10810 Part 14
1415	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES HOT SET TEST	HOT SET TEST	IS 10810 Part 30
1416	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES MASS OF ZINC COATING ON STEEL ARMOUR	MASS OF ZINC COATING ON STEEL ARMOUR	IS 10810 Part 41
1417	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES MELT-FLOW INDEX	MELT FLOW INDEX	IS 10810 Part 23
1418	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES OIL RESISTANCE TEST	OIL RESISTANCE TEST - ELONGATION AT BREAK	IS 10810 Part 31
1419	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES OIL RESISTANCE TEST	OIL RESISTANCE TEST - TENSILE STRENGTH	IS 10810 Part 31
1420	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES RESISTIVITY TEST OF ARMOUR WIRES AND STRIPS AND CONDUCTANCE TEST OF ARMOUR (WIRES/STRIPS)	RESISTIVITY TEST FOR ARMOURING WIRES AND STRIPS AND CONDUCTANCE TEST OF ARMOUR (WIRES/STRIPS)	IS 10810 Part 42 + AMD 1
1421	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES STATIC FLEXIBILITY TEST	STATIC FLEXIBILITY TEST	IS 10810 Part 54
1422	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES THICKNESS OF THERMOPLASTIC AND ELASTOMERIC INSULATION AND SHEATH	THICKNESS OF THERMOPLASTIC AND ELASTOMERIC OF INSULATION AND SHEATH	IS 10810 Part 6
1423	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES TORSION TEST ON GALVANIZED STEEL WIRES FOR ARMOURING	TORSION TEST ON GALVANIZED STEEL WIRES FOR ARMOURING	IS 10810 Part 38
1424	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES WATER ABSORPTION TEST (ELECTRICAL)	WATER ABSORPTION TEST (ELECTRIC)	IS 10810 Part 28
1425	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES WATER ABSORPTION TEST (GRAVIMETRIC)	WATER ABSORPTION TEST (GRAVIMETRIC)	IS 10810 Part 33 + AMD 2
1426	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES WINDING TEST ON GALVANIZED STEEL STRIPS FOR ARMOURING	WINDING TEST ON GALVANIZED STEEL STRIPS FOR ARMOURING	IS 10810 Part 39
1427	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES- INSULATION RESISTANCE	INSULATION RESISTANCE TEST	IS 10810 Part 43

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 239 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1428	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES- TENSILE STRENGTH AND ELONGATION AT BREAK OF ARMOURING MATERIALS	TENSILE STRENGTH AT BREAK OF ARMOURING MATERIALS	IS 10810 Part 37
1429	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: CONDUCTOR RESISTANCE TEST	CONDUCTOR RESISTANCE TEST	IS 10810 Part 5
1430	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: ACCELERATED AGEING BY THE AIR-PRESSURE METHOD	ACCELERATED AGEING TEST BY AIR PRESSURE METHOD - ELONGATION AT BREAK	IS 10810 Part 56
1431	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: ACCELERATED AGEING BY THE AIR-PRESSURE METHOD	ACCELERATED AGEING TEST BY AIR PRESSURE METHOD - TENSILE STRENGTH	IS 10810 Part 56
1432	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: ANNEALING TEST FOR WIRES USED IN CONDUCTORS	ANNEALING TEST FOR WIRES USED AS CONDUCTORS	IS 10810 Part 1
1433	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: DETERMINATION OF THE AMOUNT OF HALOGEN ACID GAS EVOLVED DURING COMBUSTION OF POLYMERIC MATERIALS TAKEN FROM CABLES	DETERMINATION OF THE AMOUNT OF HALOGEN ACID GAS EVOLVED DURING COMBUSTION OF POLYMERIC MATERIALS TAKEN FROM CABLES	IS 10810 Part 59 + AMD 1
1434	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: FIRE RESISTANCE TEST FOR BUNCHED CABLES	FLAME RETARDANCE TEST ON BUNCHED CABLES	IS 10810 Part 62
1435	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: FLAME RETARDANT TEST	FLAME RETARDENT TEST	IS 10810 Part 61 + AMD1
1436	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: LOSS OF MASS TEST	LOSS OF MASS TEST	IS 10810 Part 10
1437	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: PERSULPHATE TEST OF CONDUCTOR	PERSULPHATE TEST OF CONDUCTOR	IS 10810 Part 4
1438	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: SMOKE DENSITY OF ELECTRIC CABLES UNDER FIRE CONDITIONS	MEASUREMENT OF SMOKE DENSITY OF ELECTRIC CABLES UNDER FIRE CONDITIONS	IS 10810 Part 63
1439	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: TENSILE STRENGTH AND ELONGATION AT BREAK OF THERMOPLASTIC AND ELASTOMERIC INSULATION AND SHEATH	ELONGATION AT BREAK OF THERMOPLASTIC AND ELASTOMERIC INSULATION AND SHEATH	IS 10810 Part 7
1440	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: TENSILE STRENGTH AND ELONGATION AT BREAK OF THERMOPLASTIC AND ELASTOMERIC INSULATION AND SHEATH	TENSILE STRENGTH OF THERMOPLASTIC AND ELASTOMERIC INSULATION AND SHEATH	IS 10810 Part 7
1441	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: TENSILE TEST FOR ALUMINIUM WIRES	TENSILE TEST FOR ALUMINIUM WIRES	IS 10810 Part 2
1442	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: THERMAL AGEING IN AIR	THERMAL AGEING IN AIR - ELONGATION AT BREAK	IS 10810 Part 11

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 240 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1443	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES: WRAPPING TEST FOR ALUMINIUM WIRES	WRAPPING TEST FOR ALUMINIUM WIRES	IS 10810 Part 3
1444	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES:OXYGEN INDEX TEST	OXYGEN INDEX TEST	IS 10810 Part 58
1445	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES:OZONE RESISTANCE TEST	OZONE RESISTANCE TEST	IS 10810 Part 13
1446	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES:TEAR RESISTANCE TEST FOR HEAVY DUTY SHEATH	TEAR RESISTANCE TEST FOR HEAVY DUTY SHEATH	IS 10810 Part 17
1447	ELECTRICAL- CABLES & WIRES	METHODS OF TEST FOR CABLES:THERMAL AGEING IN AIR	THERMAL AGEING IN AIR - TENSILE STRENGTH	IS 10810 Part 11
1448	ELECTRICAL- CABLES & WIRES	MILD STEEL WIRES, FORMED WIRES AND TAPES FOR ARMOURING OF CABLES	ADHESION TEST FOR ARMOUR	IS 3975 (Cl.9.3)
1449	ELECTRICAL- CABLES & WIRES	MILD STEEL WIRES, FORMED WIRES AND TAPES FOR ARMOURING OF CABLES	DIMENSIONS AND TOLERANCES FOR ARMOUR	IS 3975 (Cl.7) (Table 3) (Table 4)
1450	ELECTRICAL- CABLES & WIRES	MILD STEEL WIRES, FORMED WIRES AND TAPES FOR ARMOURING OF CABLES	ELONGATION FOR ARMOUR	IS 3975 (Cl. 8.1) (Table 5)
1451	ELECTRICAL- CABLES & WIRES	MILD STEEL WIRES, FORMED WIRES AND TAPES FOR ARMOURING OF CABLES	MASS OF ZINC COATING FOR ARMOUR	IS 3975 (Cl. 9.1) (Cl. 9.1.1)
1452	ELECTRICAL- CABLES & WIRES	MILD STEEL WIRES, FORMED WIRES AND TAPES FOR ARMOURING OF CABLES	RESISTANCE TEST (FOR ROUND AND FORMED WIRES ONLY)	IS 3975 (Cl. 8.4)
1453	ELECTRICAL- CABLES & WIRES	MILD STEEL WIRES, FORMED WIRES AND TAPES FOR ARMOURING OF CABLES	TENSILE TEST FOR ARMOUR	IS 3975 (Cl. 8.1) (Table 5)
1454	ELECTRICAL- CABLES & WIRES	MILD STEEL WIRES, FORMED WIRES AND TAPES FOR ARMOURING OF CABLES	TORSION TEST (FOR ROUND WIRES ONLY)	IS 3975 (Cl. 8.2) (Table 6)
1455	ELECTRICAL- CABLES & WIRES	MILD STEEL WIRES, FORMED WIRES AND TAPES FOR ARMOURING OF CABLES	UNIFORMITY OF ZINC COATING FOR ARMOUR	IS 3975 (Cl.9.2)
1456	ELECTRICAL- CABLES & WIRES	MILD STEEL WIRES, FORMED WIRES AND TAPES FOR ARMOURING OF CABLES	WRAPPING TEST FOR ARMOUR	IS 3975 (Cl. 8.3)
1457	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL	COUPLING ATTENUATION	BS EN 50288-1 (Cl.5.1.2.10)
1458	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL	DIELECTRIC STRENGTH	BS EN 50288-1 (Cl.5.1.1.3)
1459	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL	MUTUAL CAPACITANCE	BS EN 50288-1 (Cl.5.1.1.5)
1460	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL	SCREENING ATTENUATION	BS EN 50288-1 (Cl.5.1.2.12)
1461	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL	TRANSFER IMPEDANCE	BS EN 50288-1 (Cl.5.1.2.11)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 241 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1462	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	% OVERLAP OF TAPE	BS EN 50288-7 (Cl.4.5c) (Cl. 4.9c)
1463	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	ADHERENCE OF COATING TEST FOR ARMOUR	BS EN 50288-7 (Cl.4.14)
1464	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	BENDING TEST AT LOW TEMPERATURE ON INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1465	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	CAPACITANCE UNBALANCE	BS EN 50288-1 (Cl.5.1.1.6)
1466	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	CAPACITANCE UNBALANCE (PAIRS/QUADS)	BS EN 50288-7 (Cl.5.1.1)
1467	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	CARBON BLACK CONTENT OF POLYTHENE SHEATH	BS EN 50288-7 (Cl.4.12) (Cl.4.16)
1468	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	CHARACTERISTIC IMPEDANCE	BS EN 50288-1 (Cl.5.1.2.8)
1469	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	COATING MASS FOR ARMOUR	BS EN 50288-7 (Cl.4.14)
1470	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	COLD BEND PERFORMANCE OF THE CABLE	BS EN 50288-1 (Cl.5.3.1)
1471	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	COLD IMPACT TEST	BS EN 50288-7 (Cl.4.12) (Cl.4.16)
1472	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	COMPATIBILITY TEST - ELONGATION AT BREAK	BS EN 50288-7 (Cl.4.2)
1473	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	COMPATIBILITY TEST - TENSILE STRENGTH	BS EN 50288-7 (Cl.4.2)
1474	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	CONDUCTIVITY TEST	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1475	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	CONDUCTOR ELONGATION AT BREAK	BS EN 50288-1 (Cl.5.2.1)
1476	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	CONDUCTOR ELONGATION AT BREAK	BS EN 50288-7 (Cl.5.2)
1477	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	CONDUCTOR RESISTANCE TEST	BS EN 50288-1 (Cl.5.1.1.1)
1478	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	CONDUCTOR RESISTANCE TEST	BS EN 50288-7 (Cl.5.1.1)
1479	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	CONDUCTOR RESISTANCE UNBALANCE	BS EN 50288-1 (Cl.5.1.1.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 242 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1480	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	CONDUCTOR RESISTANCE UNBALANCE	BS EN 50288-7 (Cl.5.1.1)
1481	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	CROSS TALK ATTENUATION (NEAR END & FAR END)	BS EN 50288-1 (Cl.5.1.2.5) (Cl.5.1.2.6)
1482	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	DENSITY FOR INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1483	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	DIELECTRIC STRENGTH	BS EN 50288-7 (Cl.5.1.1)
1484	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	DIPPING TEST FOR ARMOUR	BS EN 50288-7 (Cl.4.14)
1485	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	ELECTRICAL RESISTANCE OF ARMOUR	BS EN 50288-7 (Cl.4.14)
1486	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	ELONGATION FOR ARMOUR	BS EN 50288-7 (Cl.4.14)
1487	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	ELONGATION TEST AT LOW TEMPERATURE FOR INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1488	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	FILLING FACTOR OF BRAID	BS EN 50288-7 (Cl.4.5a) (Cl.4.5b) (Annex B) (Cl.4.9a) (Cl.4.9b) (Cl.4.14)
1489	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	HEAT SHOCK PERFORMANCE OF THE CABLE	BS EN 50288-1 (Cl.5.3.6)
1490	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	HEAT SHOCK TEST FOR INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1491	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	HOT SET TEST FOR INSULATION	BS EN 50288-7 (Cl.4.2)
1492	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	INDUCTANCE	BS EN 50288-1 (Cl.5.1.1.7)
1493	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	INDUCTANCE	BS EN 50288-7 (Cl.5.1.1)
1494	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	INDUCTANCE TO RESISTANCE RATIO	BS EN 50288-1 (Cl.5.1.1.8)
1495	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	INDUCTANCE TO RESISTANCE RATIO (L/R)	BS EN 50288-7 (Cl.5.1.1)
1496	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	INSULATION RESISTANCE TEST	BS EN 50288-1 (Cl.5.1.1.4)
1497	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	INSULATION RESISTANCE TEST	BS EN 50288-7 (Cl.5.1.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 243 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1498	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	LONGITUDINAL ATTENUATION	BS EN 50288-1 (Cl.5.1.2.3)
1499	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	LOSS OF MASS TEST FOR INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1500	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	MECHANICAL CHARACTERISTICS AFTER AGEING - ELONGATION AT BREAK FOR INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1501	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	MECHANICAL CHARACTERISTICS AFTER AGEING - TENSILE STRENGTH FOR INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1502	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	MECHANICAL CHARACTERISTICS IN STATE OF DELIVERY - ELONGATION AT BREAK FOR INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1503	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	MECHANICAL CHARACTERISTICS IN STATE OF DELIVERY - TENSILE STRENGTH FOR INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1504	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	MELT FLOW INDEX FOR PE INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1505	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	MUTUAL CAPACITANCE	BS EN 50288-7 (Cl.5.1.1)
1506	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	NOMINAL DIAMETER AND TOLERANCES\	BS EN 50288-7 (Cl.4.14)
1507	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	OIL RESISTANCE TEST ON SHEATH - ELONGATION AT BREAK	BS EN 50288-7 (Cl.4.12) (Cl.4.16)
1508	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	OIL RESISTANCE TEST ON SHEATH - TENSILE STRENGTH	BS EN 50288-7 (Cl.4.12) (Cl.4.16)
1509	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	OXYGEN INDEX TEST	BS EN 50288-7 (Cl.4.12) (Cl.4.16)
1510	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	OXYGEN INDEX TEST	BS EN 50288-7 (Cl.4.12) (Cl.4.16)
1511	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	PH AND CONDUCTIVITY TEST - PH TEST	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 244 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1512	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	PRESSURE TEST AT HIGH TEMPERATURE FOR INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1513	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	SHRINKAGE OF INSULATION	BS EN 50288-1 (Cl.5.2.2)
1514	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	SHRINKAGE TEST FOR INSULATION AND SHEATH	BS EN 50288-7 (Cl.5.2) (Cl.4.2) (Cl.4.12) (Cl.4.16)
1515	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	TENSILE STRENGTH FOR ARMOUR	BS EN 50288-7 (Cl.4.14)
1516	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	TEST FOR THICKNESS OF INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Table 1) (Cl.4.12) (Table C.1) (Cl.4.13) (Table C.5) (Cl.4.16)
1517	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	THERMAL STABILITY FOR INSULATION AND SHEATH	BS EN 50288-7 (Cl.4.2) (Cl.4.12) (Cl.4.16)
1518	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	TORSION TEST FOR ROUND WIRES	BS EN 50288-7 (Cl.4.14)
1519	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	WRAPPING TEST AFTER AGEING	BS EN 50288-7 (Cl.4.2)
1520	ELECTRICAL- CABLES & WIRES	MULTI-ELEMENT METALLIC CABLES USED IN ANALOGUE AND DIGITAL COMMUNICATION AND CONTROL.	WRAPPING TEST FOR ARMOUR	BS EN 50288-7 (Cl.4.14)
1521	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVE	CORROSIVITY OF COMBUSTION GASES - CONDUCTIVITY	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.5.2) (Cable – n x 1.0-Test on Cables Cl.5.9) (Cable – n x 0.5-Test on Cores Cl.5.2) (Cable – n x 0.5-Test on Cables Cl.5.9)
1522	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	ACCELERATED AGEING FOLLOWED BY VOLTAGE TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.4.1 & 4.2) (Cable – n x 1.0-Test on Cables Cl.4.2) (Cable – n x 0.5-Test on Cores Cl.4.1 & 4.2) (Cable – n x 0.5-Test on Cables Cl.4.2) (Cable – n x 1.0-Test on Cores Cl.2.1) (Cable – n x 0.5-Test on Cores Cl.2.1) (Cable – n x 1.0-Test on Cables Cl.2.2) (Cable – n x 0.5-Test on Cables Cl.2.2)
1523	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	ADHERENCE OF INSULATION ON CONDUCTOR	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.4.6) (Cable – n x 0.5-Test on Cores Cl.4.6)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 245 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1524	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	ATTENUATION AT 100 KHZ	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.2.5) (Cable – n x 0.5-Test on Cables Cl.2.5) (Datasheet 1 & 2)
1525	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	BENDING TEST FOLLOWED BY VOLTAGE TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.3.1) (Cable – n x 0.5-Test on Cores Cl.3.1) (Cable – n x 1.0-Test on Cores Cl.2.1) (Cable – n x 0.5-Test on Cores Cl.2.1)
1526	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	BLOCKING TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.4.3) (Cable – n x 0.5-Test on Cores Cl.4.3)
1527	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	CAPACITANCE UNBALANCE BETWEEN PAIRS	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.2.5) (Cable – n x 0.5-Test on Cables Cl.2.5) (Datasheet 1 & 2)
1528	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	CHARACTERISTIC IMPEDANCE	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.2.5) (Cable – n x 0.5-Test on Cables Cl.2.5) (Datasheet 1 & 2)
1529	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	CHEMICAL RESISTANCE TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.5.4) (Cable – n x 0.5-Test on Cables Cl.5.4) (Cable – n x 1.0-Test on Cables Cl.2.2) (Cable – n x 0.5-Test on Cables Cl.2.2)
1530	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	COLD BEND FOLLOWED BY VOLTAGE TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.4.5) (Cable – n x 1.0-Test on Cables Cl.4.3) (Cable – n x 0.5-Test on Cores Cl.4.5) (Cable – n x 0.5-Test on Cables Cl.4.3) (Cable – n x 1.0-Test on Cores Cl.2.1) (Cable – n x 0.5-Test on Cores Cl.2.1) (Cable – n x 1.0-Test on Cables Cl.2.2) (Cable – n x 0.5-Test on Cables Cl.2.2)
1531	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	COLD IMPACT FOLLOWED BY VOLTAGE TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.4.4) (Cable – n x 0.5-Test on Cables Cl.4.4) (Cable – n x 1.0-Test on Cables Cl.2.2) (Cable – n x 0.5-Test on Cables Cl.2.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 246 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1532	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	CONDUCTOR RESISTANCE TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.2.1) (Cable – n x 0.5-Test on Cables Cl.2.1) (Datasheet I, Table 2) (Datasheet 2, Table 2)
1533	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	CONSTRUCTION AND DIMENSIONS	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.1) (Cable – n x 1.0-Test on Cables Cl.1) (Cable – n x 0.5-Test on Cores Cl.1) (Cable – n x 0.5-Test on Cables Cl.1) (Datasheet I, Table 1) (Datasheet 2, Table 1)
1534	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	CORROSIVITY OF COMBUSTION GASES - PH TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.5.2) (Cable – n x 1.0-Test on Cables Cl.5.9) (Cable – n x 0.5-Test on Cores Cl.5.2) (Cable – n x 0.5-Test on Cables Cl.5.9)
1535	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	CROSS TALK ATTENUATION AT 100 KHZ	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.2.5) (Cable – n x 0.5-Test on Cables Cl.2.5) (Datasheet 1 & 2)
1536	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	ELONGATION AT BREAK OF SHEATH	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.3.1 & 3.2) (Cable – n x 0.5-Test on Cables Cl.3.1 & 3.2)
1537	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	FLAME PROPAGATION	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.5.5) (Cable – n x 0.5-Test on Cables Cl.5.5)
1538	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	HOT SET TEST FOR INSULATION AND SHEATH	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.4.1) (Cable – n x 0.5-Test on Cables Cl.4.1)
1539	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	IDENTIFICATION DURABILITY	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.3.2) (Cable – n x 0.5-Test on Cores Cl.3.2)
1540	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	INSULATION RESISTANCE TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.2.5) (Cable – n x 0.5-Test on Cables Cl.2.5) (Datasheet 1 & 2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 247 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1541	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	MUTUAL CAPACITANCE AT 1 KHZ (CORE-CORE & CORE-SCREEN)	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.2.5) (Cable – n x 0.5-Test on Cables Cl.2.5) (Datasheet 1 & 2)
1542	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	OZONE RESISTANCE TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.5.1) (Cable – n x 1.0-Test on Cables Cl.5.1) (Cable – n x 0.5-Test on Cores Cl.5.1) (Cable – n x 0.5-Test on Cables Cl.5.1) (Cable – n x 1.0-Test on Cores Cl.2.1) (Cable – n x 0.5-Test on Cores Cl.2.1) (Cable – n x 1.0-Test on Cables Cl.2.2) (Cable – n x 0.5-Test on Cables Cl.2.2)
1543	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	PAIR INDUCTANCE	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.2.5) (Cable – n x 0.5-Test on Cables Cl.2.5) (Datasheet 1 & 2)
1544	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	PRESSURE TEST AT HIGH TEMPERATURE	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.4.4) (Cable – n x 0.5-Test on Cores Cl.4.4)
1545	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	SHRINKAGE TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.4.7) (Cable – n x 0.5-Test on Cores Cl.4.7)
1546	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	SMOKE INTENSITY	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.5.7) (Cable – n x 0.5-Test on Cables Cl.5.7)
1547	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	TEAR RESISTANCE TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.3.3) (Cable – n x 0.5-Test on Cables Cl.3.3)
1548	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	TENSILE STRENGTH OF SHEATH	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.3.1 & 3.2) (Cable – n x 0.5-Test on Cables Cl.3.1 & 3.2)
1549	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	TOXICITY OF COMBUSTION GASES	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.5.10) (Cable – n x 0.5-Test on Cables Cl.5.10)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 248 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1550	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	TRANSFER IMPEDANCE OF EMC SCREEN	CLW/ES/3/0459 Alt A, (Cable n x 1 sq.mm Cl.2.4, Datasheet-2-Table 2), (Cable n x 0.5 sq.mm Cl.2.4, Datasheet-2-Table 2)
1551	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	VOLTAGE BREAKDOWN	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.2.3) (Cable – n x 0.5-Test on Cores Cl.2.3)
1552	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	VOLTAGE TEST (CORE/CORE+CORE/SCREEN)	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cores Cl.2.1) (Cable – n x 1.0-Test on Cables Cl.2.2) (Cable – n x 0.5-Test on Cores Cl.2.1) (Cable – n x 0.5-Test on Cables Cl.2.2)
1553	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	WATER RESISTANCE TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.5.3) (Cable – n x 0.5-Test on Cables Cl.5.3) (Cable – n x 1.0-Test on Cables Cl.2.2) (Cable – n x 0.5-Test on Cables Cl.2.2)
1554	ELECTRICAL- CABLES & WIRES	MULTIPLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	WEATHERING RESISTANCE TEST	CLW/ES/3/0459-ALT A (Cable – n x 1.0-Test on Cables Cl.5.2) (Cable – n x 0.5-Test on Cables Cl.5.2) (Cable – n x 1.0-Test on Cables Cl.2.2) (Cable – n x 0.5-Test on Cables Cl.2.2)
1555	ELECTRICAL- CABLES & WIRES	NON ELECTRICAL TEST METHODS FOR LOW VOLTAGE ENERGY CABLES	DURABILITY TEST	BS EN 50396 + AMD 1 (Cl.5.1)
1556	ELECTRICAL- CABLES & WIRES	NON ELECTRICAL TEST METHODS FOR LOW VOLTAGE ENERGY CABLES	MEASUREMENT OF INSULATION THICKNESS AND SHEATH THICKNESS FOR CIRCULAR CABLES	BS EN 50396 + AMD 1 (Cl. 4.1) (Cl.4.2)
1557	ELECTRICAL- CABLES & WIRES	NON ELECTRICAL TEST METHODS FOR LOW VOLTAGE ENERGY CABLES	OVERALL DIMENSIONS	BS EN 50396 + AMD 1 (Cl.4.4.1)
1558	ELECTRICAL- CABLES & WIRES	NON ELECTRICAL TEST METHODS FOR LOW VOLTAGE ENERGY CABLES	OZONE RESISTANCE TEST	BS EN 50396 + AMD 1 (Cl.8.1.3)
1559	ELECTRICAL- CABLES & WIRES	NON ELECTRICAL TEST METHODS FOR LOW VOLTAGE ENERGY CABLES	PROCEDURE FOR OVALITY MEASUREMENT	BS EN 50396 + AMD 1 (Cl. 4.4.2)
1560	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	COLD BEND TEST	UL 4703 (Cl.9.1.d)
1561	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	COLD IMPACT TEST	UL 4703 (Cl.9.1.e)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	249 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1562	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	CRUSH RESISTANCE	UL 4703 (Cl.9.1.h)
1563	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	DEFORMATION TEST	UL 4703 (Cl.9.1.i)
1564	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	DURABILITY OF INK PRINTING	UL 4703 (Cl.9.1.f)
1565	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	FV-1/VERTICAL FLAME TEST	UL 4703 (Cl.9.1a)
1566	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	FV-2/VW-1 TEST	UL 4703 (Cl.9.1c)
1567	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	HEAT SHOCK TEST	UL 4703 (Cl.7.2) (Table 7.2)
1568	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	INSULATION RESISTANCE TEST	UL 4703 (Cl.7.2) (Table 7.2)
1569	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION	UL 4703 (Cl.7.2) (Table 7.2)
1570	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	TENSILE STRENGTH BEFORE AGEING ON INSULATION	UL 4703 (Cl.7.2) (Table 7.2)
1571	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION	UL 4703 (Cl.7.2) (Table 7.2)
1572	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION	UL 4703 (Cl.7.2) (Table 7.2)
1573	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	WEATHER (SUNLIGHT) RESISTANCE - TENSILE STRENGTH	UL 4703 (Cl.9.1.b)
1574	ELECTRICAL- CABLES & WIRES	PHOTOVOLTAIC WIRE	WEATHER (SUNLIGHT) RESISTANCE - ULTIMATE ELONGATION	UL 4703 (Cl.9.1.b)
1575	ELECTRICAL- CABLES & WIRES	PLASTICS AND EBONITE — DETERMINATION OF INDENTATION HARDNESS BY MEANS OF A DUROMETER (SHORE HARDNESS)	DETERMINATION OF INDENTATION HARDNESS BY MEANS OF A DUROMETER (SHORE HARDNESS)	ISO 868
1576	ELECTRICAL- CABLES & WIRES	PLASTICS. DETERMINATION OF BURNING BEHAVIOUR BY OXYGEN INDEX	PLASTICS. DETERMINATION OF BURNING BEHAVIOUR BY OXYGEN INDEX. GENERAL REQUIREMENTS	BS EN ISO 4589-1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 250 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1577	ELECTRICAL- CABLES & WIRES	PLASTICS. DETERMINATION OF BURNING BEHAVIOUR BY OXYGEN INDEX. AMBIENT-TEMPERATURE TEST	PLASTICS. DETERMINATION OF BURNING BEHAVIOUR BY OXYGEN INDEX. AMBIENT-TEMPERATURE TEST	BS EN ISO 4589-2
1578	ELECTRICAL- CABLES & WIRES	PLASTICS. DETERMINATION OF BURNING BEHAVIOUR BY OXYGEN INDEX. AMBIENT-TEMPERATURE TEST	PLASTICS. DETERMINATION OF BURNING BEHAVIOUR BY OXYGEN INDEX. AMBIENT-TEMPERATURE TEST	BS EN ISO 4589-2
1579	ELECTRICAL- CABLES & WIRES	PLASTICS. DETERMINATION OF BURNING BEHAVIOUR BY OXYGEN INDEX. ELEVATED-TEMPERATURE TEST	PLASTICS. DETERMINATION OF BURNING BEHAVIOUR BY OXYGEN INDEX. ELEVATED-TEMPERATURE TEST	BS EN ISO 4589-3
1580	ELECTRICAL- CABLES & WIRES	PLASTICS. METHODS OF EXPOSURE TO LABORATORY LIGHT SOURCES. FLUORESCENT UV LAMPS	PLASTICS -- METHODS OF EXPOSURE TO LABORATORY LIGHT SOURCES -- FLUORESCENT UV LAMPS - ELONGATION AT BREAK	BS EN ISO 4892-3
1581	ELECTRICAL- CABLES & WIRES	PLASTICS. METHODS OF EXPOSURE TO LABORATORY LIGHT SOURCES. FLUORESCENT UV LAMPS	PLASTICS -- METHODS OF EXPOSURE TO LABORATORY LIGHT SOURCES -- FLUORESCENT UV LAMPS - TENSILE STRENGTH	BS EN ISO 4892-3
1582	ELECTRICAL- CABLES & WIRES	PLASTICS. METHODS OF EXPOSURE TO LABORATORY LIGHT SOURCES. GENERAL GUIDANCE	PLASTICS -- METHODS OF EXPOSURE TO LABORATORY LIGHT SOURCES -- GENERAL GUIDANCE	BS EN ISO 4892-1
1583	ELECTRICAL- CABLES & WIRES	PLASTICS. METHODS OF EXPOSURE TO LABORATORY LIGHT SOURCES. XENON-ARC LAMPS	PLASTICS -- METHODS OF EXPOSURE TO LABORATORY LIGHT SOURCES -- XENON-ARC LAMPS - ELONGATION AT BREAK	BS EN ISO 4892-2
1584	ELECTRICAL- CABLES & WIRES	PLASTICS. METHODS OF EXPOSURE TO LABORATORY LIGHT SOURCES. XENON-ARC LAMPS	PLASTICS -- METHODS OF EXPOSURE TO LABORATORY LIGHT SOURCES -- XENON-ARC LAMPS - TENSILE STRENGTH	BS EN ISO 4892-2
1585	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	CHECKING OF COMPLIENCE WITH CONSTRUCTIONAL PROVISIONS	IEC 60227-1
1586	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	ELECTRICAL RESISTANCE OF CONDUCTORS	IEC 60227-2 + AMD 1 (Cl.2.1)
1587	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	INSULATION RESISTANCE TEST	IEC 60227-2 + AMD 1 (Cl.2.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 251 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1588	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MEASUREMENT OF INSULATION AND SHEATH THICKNESS	IEC 60227-2 + AMD 1 (Cl.1.9) (Cl.1.10)
1589	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MEASUREMENT OF INSULATION RESISTANCE	IEC 60227-1 (Table 3)
1590	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MEASUREMENT OF OVALITY	IEC 60227-2 + AMD 1 (Cl.1.11)
1591	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MEASUREMENT OF OVERALL DIMENSIONS	IEC 60227-2 + AMD 1 (Cl.1.11)
1592	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	STATIC FLEXIBILITY TEST	IEC 60227-2 + AMD 1 (Cl.3.5)
1593	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	VOLTAGE TEST CARRIED OUT ON CORES AND COMPLETE CABLES	IEC 60227-2 + AMD 1 (Cl.2.2) (Cl.2.3)
1594	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V	VOLTAGE TEST ON COMPLETED CABLES AND CORES	IEC 60227-1 (Table 3)
1595	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - FLEXIBLE CABLES SCREENED AND UNSCREENED WITH TWO OR MORE CONDUCTORS	TRANSFER IMPEDANCE FOR SCREENED CABLES	IEC 60227-7 + AMD 2 (Table 3 Ref.No.1.5)
1596	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	STATIC FLEXIBILITY TEST	IEC 60227-6 (Table 6 Ref No.8.2) (Table 11 Ref No.8.3) (Cl.3.4.4) (Cl.4.4.2)
1597	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	INSULATION RESISTANCE TEST AT 70 °C AND 90 °C	IEC 60227-3 (Table 2, Ref No.1.3) (Cl.2.3.2) (Table 1) (Table 4, Ref No.1.3) (Cl.3.3.2) (Table 3) (Table 6, Ref No.1.3) (Cl.4.3.2) (Table 5) (Table 8, Ref No.1.3) (Cl.5.3.2) (Table 7) (Table 10, Ref No.1.3) (Cl.6.3.2) (Table 9) (Table 12, Ref No.1.3) (Cl.7.3.2) (Table 11)
1598	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	BENDING TEST AT LOW TEMPERATURE ON INSULATION AND SHEATH	IEC 60227-6 (Table 6 Ref No.6.1) (Table 11 Ref No.6.1) (Table 6 Ref No.6.2) (Table 11 Ref No.6.2) (Cl.3.4.2)
1599	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	ELONGATION AT LOW TEMPERATURE FOR SHEATH	IEC 60227-6 (Table 6 Ref No.6.3) (Table 11 Ref No.6.3) (Cl.3.4.2)
1600	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	HEAT SHOCK TEST FOR INSULATION AND SHEATH	IEC 60227-6 (Table 6 Ref No.7) (Table 11 Ref No.7)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 252 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1601	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	IMPACT TEST ON COMPLETED CABLE	IEC 60227-6 (Table 6 Ref No.6.4) (Table 11 Ref No.6.4) (Cl.3.4.2)
1602	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	INSULATION RESISTANCE AT 70 ° C	IEC 60227-6 (Table 6 Ref No.1.4) (Table 11 Ref No.1.4) (Cl.3.3.2) (Cl.4.3.2) (Table 4) (Table 8)
1603	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	LOSS OF MASS TEST FOR INSULATION AND SHEATH	IEC 60227-6 (Table 6 Ref No.3.3) (Table 11 Ref No.4.3) (Table 6 Ref No.3.3) (Table 11 Ref No. 4.3)
1604	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	MEASUREMENT OF INSULATION AND SHEATH THICKNESS	IEC 60227-6 (Table 6 Ref No.2.2) (Table 6 Ref No.2.3) (Table 11 Ref No.2.2) (Table 11 Ref No.2.3) (Cl.3.3.2) (Cl.3.3.4) (Cl.4.3.2) (Cl.4.3.6) (Table 4) (Table 5) (Table 8) (Table 9)
1605	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	MECHANICAL PROPERTIES OF INSULATION AND SHATH - TENSILE TEST AFTER AGEING	IEC 60227-6 (Table 6 Ref No.3.2) (Table 11 Ref No.3.2) (Table 6 Ref No.4.2) (Table 11 Ref No.4.2)
1606	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	MECHANICAL PROPERTIES OF INSULATION AND SHATH - TENSILE TEST AFTER AGEING - ELONGATION AT BREAK	IEC 60227-6 (Table 6 Ref No.3.2) (Table 11 Ref No.3.2) (Table 6 Ref No.4.2) (Table 11 Ref No.4.2)
1607	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	MECHANICAL PROPERTIES OF INSULATION AND SHATH - TENSILE TEST BEFORE AGEING	IEC 60227-6 (Table 6 Ref No.3.1) (Table 6 Ref No.4.1)(Table 11 Ref No.3.1) (Table 11 Ref No.4.1)
1608	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	MECHANICAL PROPERTIES OF INSULATION AND SHATH - TENSILE TEST BEFORE AGEING - ELONGATION AT BREAK	IEC 60227-6 (Table 6 Ref No.3.1) (Table 6 Ref No.4.1)(Table 11 Ref No.3.1) (Table 11 Ref No.4.1)
1609	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	PRESSURE TEST AT HIGH TEMPERATURE FOR INSULATION AND SHEATH	IEC 60227-6 (Table 6 Ref No.5) (Table 11 Ref No.5) (Cl.3.4.1)
1610	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	PROVISIONS COVERING DIMENSIONAL CHARACTERISTICS	IEC 60227-6 (Table 6 Ref No.2.1) (Table 11 Ref No.2.1) (Cl.3.3) (Cl.4.3)
1611	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	RESISTANCE OF CONDUCTORS	IEC 60227-6 (Table 6 Ref No.1.1) (Table 11 Ref No.1.1) (Cl.3.3.1) (Cl.4.3.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 253 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1612	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	TEST FOR FLAME RETARDANCE	IEC 60227-6 (Table 6 Ref No.9) (Table 11 Ref No.9) (Cl.3.4.5)
1613	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - LIFT CABLES AND CABLES FOR FLEXIBLE CONNECTIONS	VOLTAGE TEST ON CORES AND COMPLETED CABLE ACCORDING TO VOLTAGE RATING	IEC 60227-6 (Table 6 Ref No.1.2) (Table 6 Ref No.1.3) (Table 11 Ref No.1.2) (Table 11 Ref No.1.3)
1614	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	CHECKING OF COMPLIENCE WITH CONSTRUCTIONAL PROVISIONS	IEC 60227-3 (Table 2, Ref No.2.1) (Cl.2.3) (Table 4, Ref No.2.1) (Cl.3.3) (Table 6, Ref No.2.1) (Cl.4.3) (Table 8, Ref No.2.1) (Cl.5.3) (Table 10, Ref No.2.1) (Cl.6.3) (Table 12, Ref No.2.1) (Cl.7.3)
1615	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	ELONGATION TEST FOR INSULATION AT LOW TEMPERATURE	IEC 60227-3 (Table 2, Ref No.5.2) (Table 4, Ref No.5.2)
1616	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	HEAT SHOCK TEST FOR INSULATION	IEC 60227-3 (Table 2, Ref No.6) (Table 4, Ref No.6) (Table 6, Ref No.6) (Table 8, Ref No.6) (Table 10, Ref No.6) (Table 12, Ref No.6)
1617	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	IMPACT TEST FOR INSULATION AT LOW TEMPERATURE	IEC 60227-3 (Table 2, Ref No.5.3)
1618	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	LOSS OF MASS TEST FOR INSULATION	IEC 60227-3 (Table 2, Ref No.3.3) (Table 4, Ref No.3.3) (Table 6, Ref No.3.3) (Table 8, Ref No.3.3) (Table 10, Ref No.3.3) (Table 12, Ref No.3.3)
1619	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	MEASUREMENT OF INSULATION THICKNESS	IEC 60227-3 (Table 2, Ref No.2) (Cl.2.3.2) (Table 1) (Table 4, Ref No.2) (Cl.3.3.2) (Table 3) (Table 6, Ref No.2) (Cl.4.3.2) (Table 5) (Table 8, Ref No.2) (Cl.5.3.2) (Table 7) (Table 10, Ref No.2) (Cl.6.3.2) (Table 9) (Table 12, Ref No.2) (Cl.7.3.2) (Table 11)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 254 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1620	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	MEASUREMENT OF OVERALL DIAMETER	IEC 60227-3 (Table 2, Ref No.2.3) (Cl.2.3.3) (Table 1) (Table 4, Ref No.2.3) (Cl.3.3.3) (Table 3) (Table 6, Ref No.2.3) (Cl.4.3.3) (Table 5) (Table 8, Ref No.2.3) (Cl.5.3.3) (Table 7) (Table 10, Ref No.2.3) (Cl.6.3.3) (Table 9) (Table 12, Ref No.2.3) (Cl.7.3.3) (Table 11)
1621	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	MECHANICAL PROPERTIES OF INSULATION - TENSILE TEST AFTER AGEING	IEC 60227-3 (Table 2, Ref No.3.2) (Table 4, Ref No.3.2) (Table 6, Ref No.3.2) (Table 8, Ref No.3.2) (Table 10, Ref No.3.2) (Table 12, Ref No.3.2)
1622	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	MECHANICAL PROPERTIES OF INSULATION - TENSILE TEST AFTER AGEING - ELONGATION AT BREAK	IEC 60227-3 (Table 2, Ref No.3.2) (Table 4, Ref No.3.2) (Table 6, Ref No.3.2) (Table 8, Ref No.3.2) (Table 10, Ref No.3.2) (Table 12, Ref No.3.2)
1623	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	MECHANICAL PROPERTIES OF INSULATION - TENSILE TEST BEFORE AGEING	IEC 60227-3 (Table 2, Ref No.3.1) (Table 4, Ref No.3.1) (Table 6, Ref No.3.1) (Table 8, Ref No.3.1) (Table 10, Ref No.3.1) (Table 12, Ref No.3.1)
1624	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	MECHANICAL PROPERTIES OF INSULATION - TENSILE TEST BEFORE AGEING - ELONGATION AT BREAK	IEC 60227-3 (Table 2, Ref No.3.1) (Table 4, Ref No.3.1) (Table 6, Ref No.3.1) (Table 8, Ref No.3.1) (Table 10, Ref No.3.1) (Table 12, Ref No.3.1)
1625	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	PRESSURE TEST AT HIGH TEMPERATURE FOR INSULATION	IEC 60227-3 (Table 2, Ref No.4) (Table 4, Ref No.4) (Table 6, Ref No.4) (Table 8, Ref No.4) (Table 10, Ref No.4) (Table 12, Ref No.4)
1626	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	RESISTANCE OF CONDUCTORS	IEC 60227-3 (Table 2, Ref No.1.1) (Cl.2.3.1) (Table 4, Ref No.1.1) (Cl.3.3.1) (Table 6, Ref No.1.1) (Cl.4.3.1) (Table 8, Ref No.1.1) (Cl.5.3.1) (Table 10, Ref No.1.1) (Cl.6.3.1) (Table 12, Ref No.1.1) (Cl.7.3.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 255 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1627	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	TEST FOR FLAME RETARDANCE	IEC 60227-3 (Table 2, Ref No.7) (Table 4, Ref No.7) (Table 6, Ref No.7) (Table 8, Ref No.7) (Table 10, Ref No.7) (Table 12, Ref No.7)
1628	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	THERMAL STABILITY FOR INSULATION	IEC 60227-3 (Table 10, Ref No.8) (Table 12, Ref No.8)
1629	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - NON-SHEATHED CABLES FOR FIXED WIRING	VOLTAGE TEST	IEC 60227-3 (Table 2, Ref No.1.2) (Table 4, Ref No.1.2) (Table 6, Ref No.1.2) (Table 8, Ref No.1.2) (Table 10, Ref No.1.2) (Table 12, Ref No.1.2)
1630	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	BENDING TEST AT LOW TEMPERATURS ON INSULATION AND SHEATH	IEC 60227-4 + AMD1 (Table 2 Ref No.7.1) (Table 2 Ref No.7.2) (Cl.2.3.2) (Cl.2.3.5)
1631	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	CHECKING OF COMPLIENCE WITH CONSTRUCTIONAL PROVISIONS	IEC 60227-4 + AMD1 (Table 2 Ref No.2.1)
1632	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	ELONGATION TEST FOR SHEATH AT LOW TEMPERATURE	IEC 60227-4 + AMD1 (Table 2 Ref No.7.3) (Cl.2.3.5)
1633	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	HEAT SHOCK TEST ON INSULATION AND SHEATH	IEC 60227-4 + AMD1 (Table 2 Ref No.8.1) (Table 2 Ref No.8.2) (Cl.2.3.2) (Cl.2.3.5)
1634	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	IMPACT TEST ON COMPLETE CABLE AT LOW TEMPERATURE	IEC 60227-4 + AMD1 (Table 2 Ref No.7.4) (Cl.2.3)
1635	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	INSULATION RESISTANCE AT 70 ° C	IEC 60227-4 + AMD1 (Table 2 Ref No.1.4) (Cl.2.3.2) (Table 1)
1636	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	LOSS OF MASS ON INSULATION AND SHEATH	IEC 60227-4 + AMD1 (Table 2 Ref No.3.3) (Table 2 Ref No.4.3) (Cl.2.3.2) (Cl.2.3.5)
1637	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	MEASUREMENT OF INSULATION AND SHEATH THICKNESS	IEC 60227-4 + AMD1 (Table 2 Ref No.2.2) (Cl.2.3.2) (Cl.2.3.5) (Table 1) (Table 2 Ref No.2.3)
1638	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	MEASUREMENT OF OVERALL DIAMETER	IEC 60227-4 + AMD1 (Table 2 Ref No.2.4.1) (Cl.2.3.6) (Table 1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 256 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1639	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	MECHANICAL PROPERTIES OF INSULATION AND SHEATH - TENSILE TEST AFTER AGEING	IEC 60227-4 + AMD1 (Table 2 Ref No.3.2) (Table 2 Ref No.4.2) (Cl.2.3.2) (Cl.2.3.5)
1640	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	MECHANICAL PROPERTIES OF INSULATION AND SHEATH - TENSILE TEST AFTER AGEING - ELONGATION AT BREAK	IEC 60227-4 + AMD1 (Table 2 Ref No.3.2) (Table 2 Ref No.4.2) (Cl.2.3.2) (Cl.2.3.5)
1641	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	MECHANICAL PROPERTIES OF INSULATION AND SHEATH - TENSILE TEST BEFORE AGEING	IEC 60227-4 + AMD1 (Table 2 Ref No.3.1) (Table 2 Ref No.4.1) (Cl.2.3.2) (Cl.2.3.5)
1642	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	MECHANICAL PROPERTIES OF INSULATION AND SHEATH - TENSILE TEST BEFORE AGEING - ELONGATION AT BREAK	IEC 60227-4 + AMD1 (Table 2 Ref No.3.1) (Table 2 Ref No.4.1) (Cl.2.3.2) (Cl.2.3.5)
1643	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	OVALITY	IEC 60227-4 + AMD1 (Table 2 Ref No.2.4.2) (Cl.2.3.6)
1644	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	PRESSURE TEST AT HIGH TEMPERATURE ON INSULATION AND SHEATH	IEC 60227-4 + AMD1 (Table 2 Ref No.6.1) (Table 2 Ref No.6.2) (Cl.2.3.2) (Cl.2.3.5)
1645	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	RESISTANCE OF CONDUCTORS	IEC 60227-4 + AMD1 (Table 2 Ref No.1.1) (Cl.2.3.1)
1646	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	TEST FOR FLAME RETARDANCE	IEC 60227-4 + AMD1 (Table 2 Ref No.9)
1647	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V - SHEATHED CABLES FOR FIXED WIRING	VOLTAGE TEST ON CORES AND COMPLETED CABLE	IEC 60227-4 + AMD1 (Table 2 Ref No.1.2) (Table 2 Ref No.1.3)
1648	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V- NON-SHEATHED CABLES FOR FIXED WIRING	BENDING TEST FOR INSULATION AT LOW TEMPERATURE	IEC 60227-3 (Table 2, Ref No.5.1) (Table 4, Ref No.5.1) (Table 6, Ref No.5.1) (Table 8, Ref No.5.1) (Table 10, Ref No.5.1) (Table 12, Ref No.5.1)
1649	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	ADDITIONAL AGEING TEST (OU CABLES ONLY) - ELONGATION AT BREAK	IS 694 + AMD 4 (Table 1.iii.e.6) (Cl. 10.9)
1650	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	ADDITIONAL AGEING TEST (OU CABLES ONLY) - TENSILE STRENGTH	IS 694 + AMD 4 (Table 1.iii.e.6) (Cl. 10.9)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 257 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1651	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	AGEING IN AIR OVEN - ELONGATION AT BREAK	IS 694 + AMD 4 (Table 1.iii.c.3) (Table 1.iii.d.3)
1652	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	AGEING IN AIR OVEN - TENSILE STRENGTH	IS 694 + AMD 4 (Table 1.iii.c.3) (Table 1.iii.d.3)
1653	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	ANNEALING TEST (FOR COPPER)	IS 694 + AMD 4 (Table 1.ii.a) (Table 1.iii.a.1)
1654	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	COLD BEND TEST FOR INSULATION AND SHEATH	IS 694 + AMD 4 (Table 1.iii.c.8) (Table 1.iii.d.12)
1655	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	COLD IMPACT TEST FOR INSULATION AND SHEATH	IS 694 + AMD 4 (Table 1.iii.c.9) (Table 1.iii.d.13)
1656	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	CONDUCTOR RESISTANCE TEST	IS 694 + AMD 4 (Table 1. i. a) (Table 1.ii.d) (Table 1.iii.a4)
1657	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	ELONGATION AT BREAK FOR INSULATION AND SHEATH	IS 694 + AMD 4 (Table 1.ii.f) (Table 1.iii.c.1) (Table 1.iii.d.1)
1658	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	FLAMMABILITY TEST	IS 694 + AMD 4 (Table 1.ii.j) (Table 1.iii.c.10) (Table 1.iii.e.5) (Cl. 10.4)
1659	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	FLAMMABILITY TEST	IS 694 + AMD 4 (Table 1.ii.j) (Table 1.iii.c.10) (Table 1.iii.e.5) (Cl. 10.4)
1660	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	HEAT SHOCK TEST FOR INSULATION AND SHEATH	IS 694 + AMD 4 (Table 1.iii.c.5) (Table 1.iii.d.5)
1661	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	HIGH VOLTAGE TEST (AT ROOM TEMPERATURE)	IS 694 + AMD 4 (Table 1. i. b) (Table 1.ii.h) (Table 1.iii.e.2) (Cl.10.2) (Table 1.iii.e.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 258 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1662	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	HIGH VOLTAGE TEST (WATER IMMERSION TEST)	IS 694 + AMD 4 (Table 1.iii.e.1) (Cl. 10.1)
1663	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	HOT DEFORMATION TEST FOR INSULATION AND SHEATH	IS 694 + AMD 4 (Table 1.iii.c.6) (Table 1.iii.d.6)
1664	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	INSULATION RESISTANCE TEST	IS 694 + AMD 4 (Table 1.ii.g) (Table 1.iii.e.3)
1665	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	LOSS OF MASS TEST FOR INSULATION AND SHEATH	IS 694 + AMD 4 (Table 1.iii.c.2) (Table 1.iii.d.2)
1666	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	OVALITY	IS 694 + AMD 4 (Cl.9.1)
1667	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	OXYGEN INDEX TEST	IS 694 + AMD 4 (Table 1.ii.k) (Table 1.iii.c.11) (Table 1.iii.d.8) (Cl. 10.5)
1668	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	OXYGEN INDEX TEST	IS 694 + AMD 4 (Table 1.ii.k) (Table 1.iii.c.11) (Table 1.iii.d.8) (Cl. 10.5)
1669	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	PERSULPHATE TEST (FOR TINNED COPPER CONDUCTOR ONLY)	IS 694 + AMD 4 (Table 1.ii.q) (Table 1.iii.a.5) (Cl.10.11)
1670	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	SHRINKAGE TEST FOR INSULATION AND SHEATH	IS 694 + AMD 4 (Table 1.iii.c.4) (Table 1.iii.d.4)
1671	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	SMOKE DENSITY RATING	IS 694 + AMD 4 (Table 1.ii.p) (Table 1.iii.c.14) (Table 1.iii.d.11) (Cl. 10.8)
1672	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	TENSILE STRENGTH FOR INSULATION AND SHEATH	IS 694 + AMD 4 (Table 1.ii.f) (Table 1.iii.c.1) (Table 1.iii.d.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 259 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1673	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	TENSILE TEST (FOR ALUMINIUM)	IS 694 + AMD 4 (Table 1.ii.b) (Table 1.iii.a.2)
1674	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	TEST FOR HALOGEN ACID GAS EVOLUTION	IS 694 + AMD 4 (Table 1.ii.n) (Table 1.iii.c.13) (Table 1.iii.d.10) (Cl. 10.6)
1675	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	TEST FOR HALOGEN ACID GAS EVOLUTION	IS 694 + AMD 4 (Table 1.ii.n) (Table 1.iii.c.13) (Table 1.iii.d.10) (Cl. 10.6)
1676	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	TEST FOR OVERALL DIMENSIONS	IS 694 + AMD 4 (Table 1.iii.b) (Tables 3 to 10)
1677	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	TEST FOR TEMPERATURE INDEX	IS 694 + AMD 4 (Table 1.ii.m) (Table 1.iii.c.12) (Table 1.iii.d.9) (Cl. 10.7)
1678	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	TEST FOR THICKNESS OF INSULATION AND SHEATH	IS 694 + AMD 4 (Table 1.ii.e) (Table 1.iii.b) (Tables 3 to 10)
1679	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	THERMAL STABILITY FOR INSULATION AND SHEATH	IS 694 + AMD 4 (Table 1.iii.c.7) (Table 1.iii.d.7)
1680	ELECTRICAL- CABLES & WIRES	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES/CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	WRAPPING TEST (FOR ALUMINIUM)	IS 694 + AMD 4 (Table 1.ii.c) (Table 1.iii.a.3)
1681	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	ACID GAS EMISSION TEST	IEC 60502-1 (Cl.18.14.4) (Table 23)
1682	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	ADDITIONAL AGEING TEST ON PIECES OF COMPLETED CABLES - ELONGATION AT BREAK	IEC 60502-1 (Cl.18.5) (Table 15) (Table 18) (Cl.18.3) (Cl.18.4)
1683	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	ADDITIONAL AGEING TEST ON PIECES OF COMPLETED CABLES - TENSILE STRENGTH	IEC 60502-1 (Cl.18.5) (Table 15) (Table 18) (Cl.18.3) (Cl.18.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 260 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1684	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	AFTER AGEING WITH COPPER CONDUCTOR FOLLOWED BY TENSILE TEST	IEC 60502-1 (Cl.18.3) (Table 15)
1685	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	AFTER AGEING WITH COPPER CONDUCTOR FOLLOWED BY TENSILE TEST - ELONGATION AT BREAK	IEC 60502-1 (Cl.18.3) (Table 15)
1686	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	CONDUCTIVITY TEST	IEC 60502-1 (Cl.18.14.5) (Table 23)
1687	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	CONDUCTOR EXAMINATION	IEC 60502-1 (Cl.16.1.a) (Cl.16.4)
1688	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	ELECTRICAL RESISTANCE OF CONDUCTORS	IEC 60502-1 (Cl.15.1a) (Cl.15.2)
1689	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	FLAME SPREAD TEST ON BUNCHED CABLES	IEC 60502-1 (Cl.18.14.2)
1690	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	FLAME SPREAD TEST ON SINGLE CABLE	IEC 60502-1 (Cl.18.14.1)
1691	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	FLUORINE CONTENT TEST	IEC 60502-1 (Cl.18.14.6) (Table 23)
1692	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	HOT SET TEST FOR EPR, HEPR AND XLPE INSULATIONS AND ELASTOMERIC SHEATHS	IEC 60502-1 (Cl.16.1c) (Cl.16.9) (Table 17) (Table 22) (Cl.18.11)
1693	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	INSULATION RESISTANCE MEASUREMENT AT AMBIANT TEMPERATURE AND MAXIMUM CONDUCTOR TEMPERATURE	IEC 60502-1 (Cl.17.a) (Cl.17.1) (Cl.17.2) (Table 13)
1694	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	LOSS OF MASS TEST ON PVC SHEATHS OF TYPE ST2	IEC 60502-1 (Cl.18.6) (Table 19)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 261 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1695	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	MEASUREMENT OF ARMOUR WIRES AND TAPES	IEC 60502-1 (Cl.16.1b) (Cl.16.7) (Cl.12.5)
1696	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	MEASUREMENT OF CARBON BLACK CONTENT OF BLACK PE OVERSHEATHS	IEC 60502-1 (Cl.18.15) (Table 20)
1697	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	MEASUREMENT OF EXTERNAL DIAMETER	IEC 60502-1 (Cl.16.1b) (Cl.16.8)
1698	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	MEASUREMENT OF THICKNESS OF INSULATION AND NON METALLIC SHEATHS	IEC 60502-1 (Cl.16.1b) (Cl.16.5) (Cl.16.6) (Annex B) (Table 5 to 8) (Cl.13.3) (Cl.18.1) (Cl.18.2)
1699	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	OIL IMMERSION TEST FOR ELASTOMERIC SHEATHS - ELONGATION AT BREAK	IEC 60502-1 (Cl.18.12) (Table 22)
1700	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	OIL IMMERSION TEST FOR ELASTOMERIC SHEATHS - TENSILE STRENGTH	IEC 60502-1 (Cl.18.12) (Table 22)
1701	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	OZONE RESISTANCE TEST FOR EPR AND HEPR INSULATIONS	IEC 60502-1 (Cl.18.10) (Table 17)
1702	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	PH AND CONDUCTIVITY TEST - PH TEST	IEC 60502-1 (Cl.18.14.5) (Table 23)
1703	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	PRESSURE TEST AT HIGH TEMPERATURE ON INSULATIONS AND METALLIC SHEATHS	IEC 60502-1 (Cl.18.7) (Table 16) (Table 20)
1704	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	SHRINKAGE TEST FOR XLPE INSULATION AND PE OVERSHEATHS	IEC 60502-1 (Cl.18.16) (Table 17) (Cl.18.20) (Table 20)
1705	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	SMOKE EMISSION TEST	IEC 60502-1 (Cl.18.14.3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 262 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1706	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	SPECIAL BENDING TEST	IEC 60502-1 (Cl.18.17) (15.3)
1707	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	TEST FOR RESISTANCE OF INSULATIONS AND SHEATHS TO CRACKING (HEAT SHOCK TEST)	IEC 60502-1 (Cl.18.9) (Table 16) (Table 19)
1708	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	TEST ON PVC INSULATION AND SHEATHS AND HALOGEN FREE SHEATHS AT LOW TEMPERATURE - COLD BENDING TEST	IEC 60502-1 (Cl.18.8) (Table 16) (Table 19) (Table 21)
1709	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	TEST ON PVC INSULATION AND SHEATHS AND HALOGEN FREE SHEATHS AT LOW TEMPERATURE - COLD ELONGATION TEST ON DUMB-BELLS	IEC 60502-1 (Cl.18.8) (Table 16) (Table 19) (Table 21)
1710	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	TEST ON PVC INSULATION AND SHEATHS AND HALOGEN FREE SHEATHS AT LOW TEMPERATURE - COLD IMPACT TEST	IEC 60502-1 (Cl.18.8) (Table 16) (Table 19) (Table 21)
1711	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	TESTS FOR DETERMINING THE MECHANICAL PROPERTIES OF INSULATION AND NON METALLIC SHEATHS AFTER AGEING - ELONGATION AT BREAK	IEC 60502-1 (Cl.18.3) (Cl.18.4) (Table 15) (Table 18)
1712	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	TESTS FOR DETERMINING THE MECHANICAL PROPERTIES OF INSULATION AND NON METALLIC SHEATHS AFTER AGEING - TENSILE STRENGTH	IEC 60502-1 (Cl.18.3) (Cl.18.4) (Table 15) (Table 18)
1713	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	TESTS FOR DETERMINING THE MECHANICAL PROPERTIES OF INSULATION AND NON METALLIC SHEATHS BEFORE AGEING - ELONGATION AT BREAK	IEC 60502-1 (Cl.18.3) (Cl.18.4) (Table 15) (Table 18)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 263 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1714	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	TESTS FOR DETERMINING THE MECHANICAL PROPERTIES OF INSULATION AND NON METALLIC SHEATHS BEFORE AGEING - TENSILE STRENGTH	IEC 60502-1 (Cl.18.3) (Cl.18.4) (Table 15) (Table 18)
1715	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	VOLTAGE TEST	IEC 60502-1 (Cl.15.1b) (Cl.15.3) (Table 11) (Cl.17.c) (Cl.17.3)
1716	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	WATER ABSORPTION TEST ON INSULATION (ELECTRICAL)	IEC 60502-1 (Cl.18.13) (Table 16)
1717	ELECTRICAL- CABLES & WIRES	POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 KV (UM = 1,2 KV) UP TO 30 KV(UM = 36 KV) - CABLES FOR RATED VOLTAGES OF 1 KV (UM = 1,2 KV) AND 3 KV (UM = 3,6 KV)	WATER ABSORPTION TEST ON INSULATION AND HALOGEN FREE OVERSHEATHS (GRAVIMETRIC)	IEC 60502-1 (Cl.18.13) (Table 17) (Cl.18.22) (Table 21)
1718	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	ANNEALING TEST (FOR COPPER)	IS 1554 Part 1 + AMD 5 (Cl.15.1a. 1) (Cl.15.2a)
1719	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	COLD BEND TEST FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl.15.4a)
1720	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	COLD IMPACT TEST FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl.15.4b)
1721	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	CONDUCTOR RESISTANCE TEST	IS 1554 Part 1 + AMD 5 (Cl 15.1a.4) (15.3a) (15.2d)
1722	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	DIMENSIONS OF ARMOUR	IS 1554 Part 1 + AMD 5 (Cl.15.1b.1) (Cl.13.3) (Table 5)
1723	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	ELONGATION AT BREAK OF INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl 15.1d. 1) (Cl.15.2f)
1724	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	ELONGATION AT BREAK ON ARMOUR	IS 1554 Part 1 + AMD 5 (Cl. 13.6 b) (Cl.15.1b.2.i &ii)
1725	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	FLAME RETARDANCE TEST ON BUNCHED CABLES	IS 1554 Part 1 + AMD 5 (Cl. 16.7) (Cl.15.1.1.C1.c) (Cl.15.1.1.C2.c)
1726	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	FLAME RETARDANCE TEST ON SINGLE CABLE	IS 1554 Part 1 + AMD 5 (Cl. 16.6) (Cl.15.1.1.C1. b) (Cl.15.1.1.C2. b) (Cl.15.2.1.C1. b) (Cl.15.2.1.C2. b)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 264 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1727	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	FLAMMABILITY TEST	IS 1554 Part 1 + AMD 5(Cl. 16.4) (Cl.15.1h)
1728	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	FLAMMABILITY TEST	IS 1554 Part 1 + AMD 5(Cl. 16.4) (Cl.15.1h)
1729	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	HEAT SHOCK TEST FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl. 15.1d.6)
1730	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	HIGH VOLTAGE TEST AT ROOM TEMPERATURE	IS 1554 Part 1 + AMD 5 (Cl.15.1g) (Cl. 16.2) (Cl.15.2h) (15.3b)
1731	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	HOT DEFORMATION TEST FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl. 15.1d. 4)
1732	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	INSULATION RESISTANCE TEST	IS 1554 Part 1 + AMD 5 (Cl. 15.1e) (Cl.15.2g)
1733	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	LOSS OF MASS IN AIR OVEN FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl. 15.1d. 5)
1734	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	MASS OF ZINC COATING ON ARMOUR	IS 1554 Part 1 + AMD 5 (Cl. 13.6 f) (Cl.15.1b.2.vi)
1735	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	OXYGEN INDEX TEST	IS 1554 Part 1 + AMD 5 (Cl.15.1.1.C1.a) (Cl. 16.5) (Cl.15.1.1.C2.a) (Cl.15.2.1.C1.a) (Cl.15.2.1.C2.a)
1736	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	RESISTIVITY ON ARMOUR / ARMOUR RESISTANCE TEST	IS 1554 Part 1 + AMD 5 (Cl. 13.6 g) (Cl.15.1b.2.vii) (Cl.15.4c) ((Cl.15.3c) (Table 6) (Cl.13.5.1) (Cl.13.5.2)
1737	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	SHRINKAGE TEST FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl. 15.1d.3)
1738	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	SMOKE DENSITY	IS 1554 Part 1 + AMD 5 (Cl. 16.11) (Cl.15.1.1.C2. e) (Cl.15.2.1.C2. e)
1739	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TEMPERATURE INDEX TEST	IS 1554 Part 1 + AMD 5 (Cl.16.10) (Cl.15.1.1.C1. d) (Cl.15.1.1.C2. g)
1740	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TENSILE STRENGTH OF INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl 15.1d. 1) (Cl.15.2f)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 265 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1741	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TENSILE STRENGTH ON ARMOUR	IS 1554 Part 1 + AMD 5 (Cl. 13.6 a) (Cl.15.1b.2.i)
1742	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TENSILE TEST (FOR ALUMINIUM)	IS 1554 Part 1 + AMD 5 (Cl 15.1a. 2) (Cl.15.2b)
1743	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TEST FOR HALOGEN ACID GAS EVOLUTION	IS 1554 Part 1 + AMD 5 (Cl. 15.1.1.C2. f) (Cl. 16.9) (Cl.15.2.1.C2.d)
1744	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TEST FOR SPECIFIC OPTICAL DENSITY OF SMOKE	IS 1554 Part 1 + AMD 5 (Cl. 16.8) (Cl.15.1.1.C2. d) (Cl.15.2.1.C2. c)
1745	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TEST FOR THICKNESS OF INSULATION AND SHEATH	IS 1554 Part 1 + AMD 5 (Cl. 15.1c) (Cl.9.2) (Cl.9.3) (Cl.12.3) (Cl.14.4.1) (Cl.14.4.2) (Table 2) (Table 4) (Table 7) (Cl.15.2e)
1746	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - ELONGATION AT BREAK	IS 1554 Part 1 + AMD 5 (Cl.15.1d. 2)
1747	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - TENSILE STRENGTH	IS 1554 Part 1 + AMD 5 (Cl.15.1d. 2)
1748	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	THERMAL STABILITY FOR INSULATION AND OUTER SHEATH	IS 1554 Part 1 + AMD 5 (Cl. 15.1d.7)
1749	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	TORSION TEST FOR ROUND WIRES	IS 1554 Part 1 + AMD 5 (Cl. 13.6(c)) (Cl.15.1b.2.iii)
1750	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	UNIFORMITY OF ZINC COATING FOR ARMOUR	IS 1554 Part 1 + AMD 5 (Cl. 13.6(e)) (Cl.15.1b.2.v)
1751	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	WINDING TEST FOR FORMED WIRES	IS 1554 Part 1 + AMD 5 (Cl. 13.6(d)) (Cl.15.1b.2.iv)
1752	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	WRAPPING TEST (FOR ALUMINIUM)	IS 1554 Part 1 + AMD 5 (Cl 15.1a.3) (Cl.15.2c)
1753	ELECTRICAL- CABLES & WIRES	PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES: FOR WORKING VOLTAGES UPTO AND INCLUDING 1 100 V	HIGH VOLTAGE TEST (WATER IMMERSION TEST)	IS 1554 Part 1 + AMD 5 (Cl. 15.1f) (Cl. 16.3)
1754	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	AFTER AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - ELONGATION AT BREAK	IS 5831 + AMD 2 (Table 1 Sl. No. iv) (Table 2 Sl. No. ii)
1755	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	AFTER AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - TENSILE STRENGTH	IS 5831 + AMD 2 (Table 1 Sl. No. iv) (Table 2 Sl. No. ii)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 266 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1756	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	COLD BEND TEST FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. ix) (Table 2 Sl. No. vii)
1757	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	COLD IMPACT TEST FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. x) (Table 2 Sl. No. viii)
1758	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	HOT DEFORMATION TEST FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. vi) (Table 2 Sl. No. iv)
1759	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	INSULATION RESISTANCE CONSTANT AT ROOM TEMPERATURE AND AT MAXIMUM RATED TEMPERATURE	IS 5831 + AMD 2 (Table 1 Sl. No. ii)
1760	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	LOSS OF MASS IN AIR OVEN FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. v) (Table 2 Sl. No. iii)
1761	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	OXYGEN INDEX TEST	IS 5831 + AMD 2 (Table 2 Sl. No. xiii)
1762	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	SHRINKAGE TEST FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 ((Table 1 Sl. No. viii) (Table 2 Sl. No.vi)
1763	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	THERMAL STABILITY FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. xiii) (Table 2 Sl. No. xi)
1764	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	VOLUME RESISTIVITY AT ROOM TEMPERATURE AND AT MAXIMUM RATED TEMPERATURE	IS 5831 + AMD 2 (Table 1 Sl. No. i)
1765	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	WATER ABSORPTION TEST (GRAVIMETRIC) FOR INSULATION	IS 5831 + AMD 2 (Table 1 Sl. No. xv)
1766	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	WITHOUT AGEING - ELONGATION AT BREAK OF INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl.No.iii) (Table 2 Sl. No. i)
1767	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLES	WITHOUT AGEING - TENSILE STRENGTH OF INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl.No.iii) (Table 2 Sl. No. i)
1768	ELECTRICAL- CABLES & WIRES	PVC INSULATION AND SHEATH OF ELECTRIC CABLESHEAT SHOCK TEST FOR INSULATION AND OUTER SHEATH	HEAT SHOCK TEST FOR INSULATION AND OUTER SHEATH	IS 5831 + AMD 2 (Table 1 Sl. No. vii) (Table 2 Sl. No. v)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 267 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1769	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	ABRASION RESISTANCE	BS EN 50305 (Cl.5.2)
1770	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	ACID RESISTANCE	BS EN 50305 (Cl.8.2)
1771	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	ADHESION OF INSULATION	BS EN 50305 (Cl.5.5.2)
1772	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	ALKALI RESISTANCE	BS EN 50305 (Cl.8.2)
1773	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	BLOCKING OF CORES	BS EN 50305 (Cl.10.2)
1774	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	COMPATIBILITY TEST - ELONGATION AT BREAK	BS EN 50305 (Cl.7.1)
1775	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	COMPATIBILITY TEST - TENSILE STRENGTH	BS EN 50305 (Cl.7.1)
1776	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	D.C. STABILITY	BS EN 50305 (Cl.6.7)
1777	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	DETERMINATION OF HALOGEN CONTENT	BS EN 50305 (Cl.10.3) (Annex F) (Annex G)
1778	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	DIELECTRIC STRENGTH	BS EN 50305 (Cl.6.8)
1779	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	DURABILITY OF MARKING	BS EN 50305 (Cl.10.1)
1780	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	DYNAMIC CUT-THROUGH	BS EN 50305 (Cl.5.6)
1781	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	ELECTRICAL RESISTANCE OF CONDUCTORS	BS EN 50305 (Cl.6.1)
1782	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	FIRE PERFORMANCE - FLAME PROPAGATION	BS EN 50305 (Cl.9.1)
1783	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	FUEL OIL RESISTANCE	BS EN 50305 (Cl.8.1)
1784	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	IMPACT TEST AT LOW TEMPERATURE	BS EN 50305 (Cl.5.1)
1785	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	INSULATION RESISTANCE	BS EN 50305 (Cl.6.4)
1786	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	LONG TERM AGEING FOR SHEATH AND INSULATION WHERE WINDING TEST IS NOT POSSIBLE	BS EN 50305 (Cl.7.2) (Annex C)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 268 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1787	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	MINERAL OIL RESISTANCE	BS EN 50305 (Cl.8.1)
1788	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	NOTCH PROPAGATION	BS EN 50305 (Cl.5.3)
1789	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	OZONE RESISTANCE - ELECTRICAL TEST	BS EN 50305 (Cl.7.4.1)
1790	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	OZONE RESISTANCE - NON ELECTRICAL TEST	BS EN 50305 (Cl.7.4.2)
1791	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	PLIABILITY	BS EN 50305 (Cl.5.4)
1792	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	PRESSURE TEST AT HIGH TEMPERATURE	BS EN 50305 (Cl.7.5)
1793	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	SHRINKAGE TEST FOR INSULATION	BS EN 50305 (Cl.7.6)
1794	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	STRIPPABILITY OF INSULATION	BS EN 50305 (Cl.5.5.1)
1795	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	SURFACE RESISTANCE	BS EN 50305 (Cl.6.6)
1796	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	VOLTAGE TEST ON COMPLETE CABLE	BS EN 50305 (Cl.6.2)
1797	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	VOLTAGE TEST ON SHEATH	BS EN 50305 (Cl.6.3)
1798	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE	WATER ABSORPTION OF SHEATH	BS EN 50305 (Cl.8.3)
1799	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL	CORROSIVE AND ACID GAS EMISSION - CONDUCTIVITY	BS EN 50306-1 (Cl.9.1)
1800	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	"CORROSIVE AND ACID GAS EMISSION EVOLUTION OF HCL"	BS EN 50306-1 (Cl.9.1)
1801	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	"CORROSIVE AND ACID GAS EMISSION PH"	BS EN 50306-1 (Cl.9.1)
1802	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	CONDUCTOR CONSTRUCTION - CONDUCTOR DIAMETER	BS EN 50306-1 (Cl.6.1.2)
1803	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	CONTINUITY OF MARKS	BS EN 50306-1 (Cl.5.2)
1804	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	DURABILITY	BS EN 50306-1 (Cl.5.3)
1805	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	ELECTRICAL RESISTANCE	BS EN 50306-1 (Cl.6.1.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 269 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1806	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	ELONGATION AT BREAK	BS EN 50306-1 (Table 3 Ref. No.1.2)
1807	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	FLAME PROPAGATION (FLAME SPREAD) - SINGLE VERTIVAL CABLE	BS EN 50306-1 (Cl.8.1)
1808	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	FLAME PROPAGATION (FLAME SPREAD) -BUNCHED CABLES	BS EN 50306-1 (Cl.8.2)
1809	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	FLUORINE CONTENT	BS EN 50306-1 (Cl.9.1)
1810	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	HALOGEN - FLUORINE	BS EN 50306-1 (Cl.9.1)
1811	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	INNER SHEATH - THICKNESS	BS EN 50306-1 (Cl.6.4.3) (Annex A)
1812	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	INSULATION - CONCENTRICITY	BS EN 50306-1 (Cl.6.2.3) (Annex A)
1813	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	INSULATION - THICKNESS	BS EN 50306-1 (Cl.6.2.3) (Annex A)
1814	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	OVERALL DIAMETER	BS EN 50306-1 (Cl.6.7) (Annex A)
1815	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	SHEATH - THICKNESS	BS EN 50306-1 (Cl.6.6.3) (Annex A)
1816	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	SMOKE EMISSION	BS EN 50306-1 (Cl.8.3)
1817	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL.	TENSILE STRENGTH	BS EN 50306-1 (Table 3 Ref. No.1.1)
1818	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	CHECKING OF CONFORMITY AND CONSTRUCTIONAL PROVISIONS	BS EN 50306-4 (Table 2 Ref.No.2.1) (Table 4 Ref.No.2.1) (Table 6 Ref.No.2.1) (Table 8 Ref.No.2.1) (Cl.4.4) (Cl.6.4) (Cl.8.4) (Cl.10.4)
1819	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	COMPATIBILITY TEST - ELONGATION AT BREAK	BS EN 50306-4 (Table 2 Ref.No.3.5) (Cl.5.5) (Table 6 Ref.No.3.5) (Table 8 Ref.No.3.5)
1820	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	COMPATIBILITY TEST - TENSILE STRENGTH	BS EN 50306-4 (Table 2 Ref.No.3.5) (Cl.5.5) (Table 6 Ref.No.3.5) (Table 8 Ref.No.3.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 270 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1821	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	DETERMINATION OF HALOGENS ELEMENTAL TEST	BS EN 50306-4 (Table 2 Ref.No.4.2) (Table 4 Ref.No.4.2) (Table 6 Ref.No.4.2) (Table 8 Ref.No.4.2) (Cl. 5.6) (Cl. 7.6)
1822	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	DURABILITY OF IDENTIFICATION	BS EN 50306-4 (Table 2 Ref.No.2.5) (Cl.4.2.3) (Table 4 Ref.No.2.6) (Table 6 Ref.No.2.5) (Table 8 Ref.No.2.5)
1823	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	ELECTRICAL RESISTANCE OF CONDUCTORS	BS EN 50306-4 (Table 2 Ref.No.1.1) (Table 4 Ref.No.1.1) (Table 6 Ref.No.1.1) (Table 8 Ref.No.1.1)
1824	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	FLAME PROPAGATION - BUNCHED CABLE	BS EN 50306-4 (Table 2 Ref.No.4.1) (Cl.5.6) (Table 4 Ref.No.4.1) (Cl.7.6) (Table 6 Ref.No.4.1) (Table 8 Ref.No.4.1) (Cl. 5.6) (Cl. 7.6)
1825	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	FLAME PROPAGATION - SINGLE CABLE	BS EN 50306-4 (Table 2 Ref.No.4.1) (Cl.5.6) (Table 4 Ref.No.4.1) (Cl.7.6) (Table 6 Ref.No.4.1) (Table 8 Ref.No.4.1) (Cl. 5.6) (Cl. 7.6)
1826	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	HALOGEN FREE TEST	BS EN 50306-4 (Table 2 Ref.No.4.2) (Table 4 Ref.No.4.2) (Table 6 Ref.No.4.2) (Table 8 Ref.No.4.2) (Cl. 5.6) (Cl. 7.6)
1827	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	IDENTIFICATION & MARKING	BS EN 50306-4 (Table 2 Ref.No.2.4) (Cl.4.2.1) (Cl.4.2.3) (Table 4 Ref.No.2.5) (Cl.6.2.1) (Cl.6.2.2) (Table 6 Ref.No.2.4) Cl.8.2.1) (Cl.8.2.2) (Cl.8.2.3) (Table 8 Ref.No.2.4) (Cl.10.2.1) (Cl.10.2.2)
1828	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	MECHANICAL PROPERTIES OF SHEATH IN STATE AS DELIVERED - ELONGATION AT BREAK	BS EN 50306-4 (Table 2 Ref.No.3.1) (Table 4 Ref.No.3.1) (Table 6 Ref.No.3.1) (Table 8 Ref.No.3.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 271 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1829	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	MECHANICAL PROPERTIES OF SHEATH IN STATE AS DELIVERED - TENSILE STRENGTH	BS EN 50306-4 (Table 2 Ref.No.3.1) (Table 4 Ref.No.3.1) (Table 6 Ref.No.3.1) (Table 8 Ref.No.3.1)
1830	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	METALLIC SCREEN - COVERAGE FACTOR	BS EN 50306-4 (Table 4 Ref.No.2.2) (Cl.6.4.3) (Cl.10.4.3)
1831	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	METALLIC SCREEN - DIAMETER OF WIRE	BS EN 50306-4 (Table 4 Ref.No.2.2) (Cl.6.4.3) (Cl.10.4.3)
1832	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	OVERALL DIAMETER	BS EN 50306-4 (Table 2 Ref.No.2.3) (Table1) (Table 4 Ref.No.2.4) (Table3) (Table 6 Ref.No.2.3) (Table5) (Table 8 Ref.No.2.3) (Table7)
1833	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	OZONE RESISTANCE	BS EN 50306-4 (Table 2 Ref.No.3.3) (Cl.5.4) (Table 4 Ref.No.3.3) (Cl.7.5) (Table 6 Ref.No.3.3) (Table 8 Ref.No.3.3)
1834	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	PROVISIONS COVERING CONSTRUCTIONAL AND DIMENSIONAL CHARACTERISTICS - SHEATH - THICKNESS	BS EN 50306-4 (Table 2 Ref.No.2.2) (Table1) (Table 4 Ref.No.2.3) (Table3) (Table 6 Ref.No.2.2) (Table5) (Table 8 Ref.No.2.2) (Table7) (Cl. 4.4.3) (Cl.6.4.4) (Cl.8.4.2 (Cl.10.4.4)
1835	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	SMOKE EMISSION	BS EN 50306-4 (Table 2 Ref.No.4.3) (Table 4 Ref.No.4.3) (Table 6 Ref.No.4.3) (Table 8 Ref.No.4.3) (Cl. 5.6) (Cl. 7.6)
1836	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	TESTS AT LOW TEMPERATURE (A) BENDING	BS EN 50306-4 (Table 2 Ref.No.3.2) (Cl.5.3.a) (Table 4 Ref.No.3.2) (Cl.7.4.a) (Table 6 Ref.No.3.2)Table 8 Ref.No.3.2)
1837	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	TESTS AT LOW TEMPERATURE (B) ELONGATION	BS EN 50306-4 (Table 2 Ref.No.3.2) (Cl.5.3.b) (Table 4 Ref.No.3.2) (Cl.7.4.b) (Table 6 Ref.No.3.2) (Table 8 Ref.No.3.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 272 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1838	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	TESTS AT LOW TEMPERATURE (C) IMPACT RESISTANCE	BS EN 50306-4 (Table 2 Ref.No.3.2) (Cl.5.3.c) (Table 4 Ref.No.3.2) (Cl.7.4.c) (Table 6 Ref.No.3.2) (Table 8 Ref.No.3.2)
1839	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	VOLTAGE TEST - CORE TO SCREEN	BS EN 50306-4 (Table 8 Ref.No.1.2) (Cl.9.2) (Cl.11.2)
1840	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	VOLTAGE TEST ON COMPLETE CABLE	BS EN 50306-4 (Table 2 Ref.No.1.2) (Cl.5.2) (Table 4 Ref.No.1.2) (Cl.7.2) (Table 6 Ref.No.1.2) (Cl.9.2)
1841	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. MULTICORE AND MULTIPAIR SCREENED OR NOT SCREENED SHEATHED CABLES	WATER ABSORPTION (GRAVIMETRIC)	BS EN 50306-4 (Table 2 Ref.No.3.4) (Table 6 Ref.No.3.4) (Table 8 Ref.No.3.4)
1842	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	AGEING TEST OF SHEATH	BS EN 50306-3 (Table 2 Ref. No.3.4) (Cl. No.5.7)
1843	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	ABRASION RESISTANCE	BS EN 50306-3 (Table 2 Ref. No.3.12) (Cl. No.5.15)
1844	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	ACID & ALKALI RESISTANCE - N OXALIC ACID SOLUTION	BS EN 50306-3 (Table 2 Ref. No.3.7) (Cl. No.5.10)
1845	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	ACID & ALKALI RESISTANCE - N SODIUM HYDROXIDE SOLUTION	BS EN 50306-3 (Table 2 Ref. No.3.7) (Cl. No.5.10)
1846	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	BENDING TEST AT LOW TEMPERATURE	BS EN 50306-3 (Table 2 Ref. No.3.11) (Cl. No.5.14)
1847	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	CHECKING OF CONFORMITY WITH CONSTRUCTIONAL PROVISIONS	BS EN 50306-3 (Table 2 Ref. No.2.1) (Cl. 4.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 273 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1848	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	DETERMINATION OF HALOGENS ELEMENTAL TEST	BS EN 50306-3 (Table 2 Ref. No.4.2) (Cl.5.18)
1849	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	DURABILITY OF IDENTIFICATION	BS EN 50306-3 (Table 2 Ref. No.2.6) (Cl. No.4.2.3)
1850	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	DYNAMIC CUT-THROUGH	BS EN 50306-3 (Table 2 Ref. No.3.9) (Cl. No.5.12)
1851	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	ELECTRICAL RESISTANCE OF CONDUCTORS	BS EN 50306-3 (Table 2 Ref. No.1.1)
1852	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	FLAME PROPAGATION - BUNCHED CABLE	BS EN 50306-3 (Table 2 Ref. No.4.1) (Cl.5.18)
1853	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	FLAME PROPAGATION - SINGLE CABLE	BS EN 50306-3 (Table 2 Ref. No.4.1) (Cl.5.18)
1854	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	FUEL RESISTANCE	BS EN 50306-3 (Table 2 Ref. No.3.6) (Cl. No.5.9)
1855	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	HALOGEN FREE	BS EN 50306-3 (Table 2 Ref. No.4.2) (Cl.5.18)
1856	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	HOT SET TEST OF SHEATH	BS EN 50306-3 (Table 2 Ref. No.3.3) (Cl. No.5.6)
1857	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	IDENTIFICATION & MARKING	BS EN 50306-3 (Table 2 Ref no. 2.5) (Cl.4.2.3) (Cl.4.2.1)
1858	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	MECHANICAL PROPERTIES OF SHEATH IN THE STATE AS DELIVERED - ELONGATION AT BREAK	BS EN 50306-3 (Table 2 Ref. No.3.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 274 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1859	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	MECHANICAL PROPERTIES OF SHEATH IN THE STATE AS DELIVERED - TENSILE STRENGTH	BS EN 50306-3 (Table 2 Ref. No.3.1)
1860	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	METALLIC SCREEN - DIAMETER OF WIRE	BS EN 50306-3 (Table 2 Ref. No.2.2) (Cl. No.4.4.3)
1861	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	METALLIC SCREEN - FILLING FACTOR	BS EN 50306-3 (Table 2 Ref. No.2.2) (Cl. No.4.4.3)
1862	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	MINERAL OIL IMMERSION	BS EN 50306-3 (Table 2 Ref. No.3.5) (Cl. No.5.8)
1863	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	NOTCH PROPAGATION	BS EN 50306-3 (Table 2 Ref. No.3.10) (Cl. No.5.13)
1864	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	OVERALL DIAMETER	BS EN 50306-3 (Table 2 Ref. No.2.4) (Table 1)
1865	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	OZONE	BS EN 50306-3 (Table 2 Ref. No.3.13) (Cl. No.5.16)
1866	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	PRESSURE AT HIGH TEMPERATURE	BS EN 50306-3 (Table 2 Ref. No.3.8) (Cl. No.5.11)
1867	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	PROVISIONS COVERING CONSTRUCTION AND DIMENSIONAL CHARACTERISTICS SHEATH - THICKNESS	BS EN 50306-3 (Table 2 Ref. No.2.3) (Table 1)
1868	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	SMOKE EMISSION	BS EN 50306-3 (Table 2 Ref. No.4.3) (Cl.5.18)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 275 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1869	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	VOLTAGE TEST ON COMPLETE CABLE	BS EN 50306-3 (Table 2 Ref. No.1.2) (Cl. No.5.2)
1870	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	VOLTAGE TEST ON SHEATH	BS EN 50306-3 (Table 2 Ref. No.1.3) (Cl. No.5.3)
1871	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE AND MULTICORE CABLES SCREENED AND THIN WALL SHEATHED	WATER ABSORPTION OF SHEATH	BS EN 50306-3 (Table 2 Ref. No.3.2) (Cl. No.5.5)
1872	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	"CHECKING OF CONFORMITY WITH CONSTRUCTIONAL PROVISIONS"	BS EN 50306-2 (Table 4 Ref.No.2.1) (Cl.4.5)
1873	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	"PROVISIONS COVERING CONSTRUCTIONAL AND DIMENSIONAL CHARACTERISTICS INSULATION -THICKNESS"	BS EN 50306-2 (Table 4 Ref.No.2.3) (Table 1) (Cl.4.5.2)
1874	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	"PROVISIONS COVERING CONSTRUCTIONAL AND DIMENSIONAL CHARACTERISTICS INSULATION - CONCENTRICITY"	BS EN 50306-2 (Table 4 Ref.No.2.3) (Cl.4.5.2)
1875	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	ABRASION RESISTANCE	BS EN 50306-2 (Table 4 Ref.No.3.14) (Cl.5.19) (Table 2)
1876	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	ACID & ALKALI RESISTANCE - N OXALIC ACID SOLUTION	BS EN 50306-2 (Table 4 Ref.No.3.7) (Cl.5.12)
1877	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	ACID & ALKALI RESISTANCE - N SODIUM HYDROXIDE SOLUTION	BS EN 50306-2 (Table 4 Ref.No.3.7) (Cl.5.12)
1878	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	ADHESION OF INSULATION TO THE CONDUCTORS	BS EN 50306-2 (Table 4 Ref.No.3.2) (Cl.5.7) (Table2)
1879	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	BENDING TEST AT LOW TEMPERATURE	BS EN 50306-2 (Table 4 Ref.No.3.13) (Cl.5.18)
1880	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	BLOCKING OF CORES	BS EN 50306-2 (Table 4 Ref.No.3.12) (Cl.5.17)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 276 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1881	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	CABLE IDENTIFICATION & MARKING	BS EN 50306-2 (Table 4 Ref.No.2.5) (Cl.4.2.1) (Cl.4.3.1)
1882	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	CONDUCTOR MATERIAL AND CONSTRUCTION	BS EN 50306-2 (Table 4 Ref.No.2.2) (Cl.4.5.1) (Table 1)
1883	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	D.C. STABILITY	BS EN 50306-2 (Table 4 Ref.No.1.5) (Cl.5.6)
1884	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	DETERMINATION OF HALOGENS ELEMENTAL TEST	BS EN 50306-2 (Table 4 Ref.No.4.2) (Cl. 5.23)
1885	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	DIELECTRIC STRENGTH	BS EN 50306-2 (Table 4 Ref.No.1.3) (Cl.5.4)
1886	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	DURABILITY OF IDENTIFICATION	BS EN 50306-2 (Table 4 Ref.No.2.6)
1887	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	DYNAMIC CUT-THROUGH	BS EN 50306-2 (Table 4 Ref.No.3.9) (Cl.5.14) (Table 2)
1888	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	ELECTRICAL RESISTANCE OF CONDUCTORS	BS EN 50306-2 (Table 4 Ref.No.1.1) (Table 1)
1889	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	ELONGATION OF CONDUCTORS	BS EN 50306-2 (4.5.1)
1890	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	FIRE PERFORMANCE - FLAME PROPAGATION - BUNCHED CABLE	BS EN 50306-2 (Table 4 Ref.No.4.1) (Cl.5.23)
1891	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	FIRE PERFORMANCE - FLAME PROPAGATION - SINGLE CABLE	BS EN 50306-2 (Table 4 Ref.No.4.1) (Cl.5.23)
1892	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	FUEL RESISTANCE	BS EN 50306-2 (Table 4 Ref.No.3.6) (Cl.5.11)
1893	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	HALOGEN FREE TEST	BS EN 50306-2 (Table 4 Ref.No.4.2) (Cl. 5.23)
1894	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	HOT SET	BS EN 50306-2 (Table 4 Ref.No.3.3) (Cl.5.8)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 277 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1895	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	INSULATION RESISTANCE AT 20 °C & 90 °C	BS EN 50306-2 (Table 4 Ref.No.1.6) (Cl.5.3) (Table 2)
1896	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	LONG TERM AGEING - THERMAL ENDURANCE	BS EN 50306-2 (Table 4 Ref.No.3.4) (Cl.5.9)
1897	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	MINERAL OIL RESISTANCE	BS EN 50306-2 (Table 4 Ref.No.3.5) (Cl.5.10)
1898	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	NOTCH PROPAGATION	BS EN 50306-2 (Table 4 Ref.No.3.10) (Cl.5.15)
1899	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	OVERALL DIAMETER	BS EN 50306-2 (Table 4 Ref.No.2.4) (Table 1) (Cl.4.5.2)
1900	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	OZONE RESISTANCE	BS EN 50306-2 (Table 4 Ref.No.3.16) (Cl.5.21)
1901	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	PLIABILITY	BS EN 50306-2 (Table 4 Ref.No.3.15) (Cl.5.20) (Table 3)
1902	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	PRESSURE TEST AT HIGH TEMPERATURE	BS EN 50306-2 (Table 4 Ref.No.3.8) (Cl.5.13)
1903	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	SHRINKAGE	BS EN 50306-2 (Table 4 Ref.No.3.11) (Cl.5.16)
1904	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	SMOKE EMISSION	BS EN 50306-2 (Table 4 Ref.No.4.2) (Cl. 5.23)
1905	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	STRIPPABILITY OF INSULATION	BS EN 50306-2 (Table 4 Ref.No.3.1) (Cl.5.7) (Table 2)
1906	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK CABLES HAVING SPECIAL FIRE PERFORMANCE. THIN WALL. SINGLE CORE CABLES	VOLTAGE TEST ON COMPLETE CABLE	BS EN 50306-2 (Table 4 Ref.No.1.2) (Cl.5.2)
1907	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	ACID AND ALKALINE RESISTANCE - N OXALIC ACID SOLUTION - TENSILE STRENGTH	BS EN 50382-1 +A1 (Table 2 Ref. No.9) (Table 3 Ref. No.10)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 278 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1908	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	ASSESSMENT OF HALOGENS - AMOUNT OF HALOGEN: ACID GAS - HCL AND HBR	BS EN 50382-1 +A1 (Table 2 Ref. No.7.3) (Table 3 Ref. No.8.3) (Cl.9.1) (Annex A)
1909	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	CONDUCTOR - CONSTRUCTION	BS EN 50382-1 +A1 (Cl.6.1)
1910	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	CONTINUITY OF MARKS	BS EN 50382-1 +A1 (Cl.5.2)
1911	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	DETERMINATION OF HALOGENS - ELEMENTAL TEST	BS EN 50382-1 +A1 (Annex B)
1912	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	DURABILITY	BS EN 50382-1 +A1 (Cl.5.3)
1913	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	ELECTRICAL RESISTANCE	BS EN 50382-1 +A1 (Cl.6.1.4)
1914	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	ELONGATION TEST AT LOW TEMPERATURE	BS EN 50382-1 +A1 (Table 2 Ref. No.6) (Table 3 Ref. No.7)
1915	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	FLAME PROPAGATION - BUNCHED CABLES	BS EN 50382-1 +A1 (Cl.8.2)
1916	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	FLAME PROPAGATION - SINGLE VERTICAL CABLE	BS EN 50382-1 +A1 (Cl.8.1)
1917	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	HOT SET TEST	BS EN 50382-1 +A1 (Table 2 Ref. No.2) (Table 3 Ref. No.2)
1918	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	INSULATION - THICKNESS	BS EN 50382-1 +A1 (Cl.6.2.3) (Annex C)
1919	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	LONG-TERM AGEING	BS EN 50382-1 +A1 (Table 3 Ref. No.1.2)
1920	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	MINERAL OIL RESISTANCE - ELONGATION AT BREAK	BS EN 50382-1 +A1 (Table 2 Ref. No.4) (Table 3 Ref. No.5)
1921	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	MINERAL OIL RESISTANCE - TENSILE STRENGTH	BS EN 50382-1 +A1 (Table 2 Ref. No.4) (Table 3 Ref. No.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 279 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1922	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	OVERALL DIAMETER	BS EN 50382-1 +A1 (Cl.6.5) (Annex C)
1923	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	OZONE RESISTANCE	BS EN 50382-1 +A1 (Table 2 Ref. No.3) (Table 3 Ref. No.4)
1924	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	PROPERTIES AFTER AGEING IN AIR OVEN - VALUES TO BE OBTAINED FOR ELONGATION AT BREAK	BS EN 50382-1 +A1 (Table 2 Ref. No.1.2) (Table 3 Ref. No.1.3)
1925	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	SHEATH - THICKNESS	BS EN 50382-1 +A1 (Cl.6.4.3) (Annex C)
1926	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	VALUES TO BE OBTAINED FOR ELONGATION AT BREAK	BS EN 50382-1 +A1 (Table 2 Ref. No.1.1.2) (Table 3 Ref. No.1.1.2)
1927	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	VALUES TO BE OBTAINED FOR TENSILE STRENGTH	BS EN 50382-1 +A1 (Table 2 Ref. No.1.1.1) (Table 3 Ref. No.1.1.1)
1928	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE	WATER ABSORPTION (GRAVIMETRIC METHOD)	BS EN 50382-1 +A1 (Table 3 Ref. No.3)
1929	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE.	ACID AND ALKALINE RESISTANCE - N OXALIC ACID SOLUTION - ELONGATION AT BREAK	BS EN 50382-1 +A1 (Table 2 Ref. No.9) (Table 3 Ref. No.10)
1930	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE.	ACID AND ALKALINE RESISTANCE - N SODIUM HYDROXIDE SOLUTION - ELONGATION AT BREAK	BS EN 50382-1 +A1 (Table 2 Ref. No.9) (Table 3 Ref. No.10)
1931	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE.	ACID AND ALKALINE RESISTANCE - N SODIUM HYDROXIDE SOLUTION - TENSILE STRENGTH	BS EN 50382-1 +A1 (Table 2 Ref. No.9) (Table 3 Ref. No.10)
1932	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE.	ASSESSMENT OF HALOGENS - AMOUNT OF HALOGEN: ACID GAS - HF	BS EN 50382-1 +A1 (Table 2 Ref. No.7.3) (Table 3 Ref. No.8.3) (Cl.9.1) (Annex A)
1933	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE.	ASSESSMENT OF HALOGENS - CONDUCTIVITY	BS EN 50382-1 +A1 (Table 2 Ref. No.7.2) (Table 3 Ref. No.8.2) (Cl.9.1) (Annex A)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 280 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1934	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE.	ASSESSMENT OF HALOGENS - PH	BS EN 50382-1 +A1 (Table 2 Ref. No.7.1) (Table 3 Ref. No.8.1) (Cl.9.1) (Annex A)
1935	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE.	BENDING TEST AT LOW TEMPERATURE	BS EN 50382-1 +A1 (Table 2 Ref. No.5) (Table 3 Ref. No.6)
1936	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE.	PROPERTIES AFTER AGEING IN AIR OVEN - VALUES TO BE OBTAINED FOR TENSILE STRENGTH	BS EN 50382-1 +A1 (Table 2 Ref. No.1.2) (Table 3 Ref. No.1.3)
1937	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE.	SMOKE EMISSION	BS EN 50382-1 +A1 (Cl.8.3)
1938	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N OXALIC ACID SOLUTION - ELONGATION AT BREAK	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N OXALIC ACID SOLUTION - ELONGATION AT BREAK
1939	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N OXALIC ACID SOLUTION - TENSILE STRENGTH	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.7) (Cl. No.7.16)
1940	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N SODIUM HYDROXIDE SOLUTION - TENSILE STRENGTH	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.7) (Cl. No.7.16)
1941	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	ASSESSMENT OF HALOGENS (INSULATION, NON-METALLIC COMPONENTS AND SHEATH)	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.8) (Cl.7.23)
1942	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	BENDING TEST AT LOW TEMPERATURE	BS EN 50382-2 +A1 (Table7 Ref. No.4.1) (Cl. No.7.17)
1943	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	CABLE IDENTIFICATION	BS EN 50382-2 +A1 (Table7 Ref. No.2.4) (Cl. No.5.2)
1944	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	CABLE MARKING AND IDENTIFICATION	BS EN 50382-2 +A1 (Table7 Ref. No.2.7) (Annex A) (Cl.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 281 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1945	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	CHECKING OF COMPLIANCE WITH CONSTRUCTIONAL PROVISIONS	BS EN 50382-2 +A1 (Table7 Ref. No.2.1) (Cl. No.6.1) (Table 1 to 5)
1946	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	COMPATIBILITY TEST (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50382-2 +A1 (Table7 Ref. No.4.4) (Cl. No.7.12)
1947	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	COMPATIBILITY TEST (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50382-2 +A1 (Table7 Ref. No.4.4) (Cl. No.7.12)
1948	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	CONDUCTOR MATERIAL AND CONSTRUCTION	BS EN 50382-2 +A1 (Table7 Ref. No.2.2) (Cl. No.6.2)
1949	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	CONDUCTOR RESISTANCE	BS EN 50382-2 +A1 (Table7 Ref. No.1.1) (Cl. No.7.2)
1950	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	D.C. STABILITY	BS EN 50382-2 +A1 (Table7 Ref. No.1.7) (Cl. No.7.7)
1951	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	DIELECTRIC STRENGTH ON SAMPLE	BS EN 50382-2 +A1 (Table7 Ref. No.1.3) (Cl. No.7.5)
1952	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	DYNAMIC CUT THROUGH \	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.9) (Cl. No.7.20)
1953	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	ELONGATION OF WIRES	BS EN 50382-2 +A1 (Table7 Ref. No.2.2) (Cl. No.6.2)
1954	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	ELONGATION TEST AT LOW TEMPERATURE	BS EN 50382-2 +A1 (Table7 Ref. No.4.2) (Cl. No.7.18)
1955	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	FLAME PROPAGATION - BUNCHED CABLES	BS EN 50382-2 +A1 (Table7 Ref. No.4.5.b) (Cl.7.22)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 282 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1956	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	FLAME PROPAGATION - ONE VERTICAL CABLE	BS EN 50382-2 +A1 (Table7 Ref. No.4.5.a) (Cl.7.22)
1957	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	HOT SET TEST (INSULATION AND SHEATH)	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.3) (Cl. No.7.11)
1958	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	IMPACT TEST AT LOW TEMPERATURE	BS EN 50382-2 +A1 (Table7 Ref. No.4.3) (Cl. No.7.19)
1959	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	INSULATION RESISTANCE	BS EN 50382-2 +A1 (Table7 Ref. No.1.6) (Cl. No.7.4) (Table 1 to 5)
1960	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	LONG TERM AGEING TEST	BS EN 50382-2 +A1 (Cl.7.10)
1961	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	MINERAL OIL RESISTANCE (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.6) (Cl. No.7.15)
1962	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	MINERAL OIL RESISTANCE (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.6) (Cl. No.7.15)
1963	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	NOTCH PROPAGATION	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.10) (Cl. No.7.21)
1964	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	OVERALL DIMENSIONS	BS EN 50382-2 +A1 (Table7 Ref. No.2.6)
1965	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	OZONE RESISTANCE (INSULATION AND SHEATH)	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.5) (Cl. No.7.14)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 283 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1966	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	PROVISIONS COVERING CONSTRUCTION AND DIMENSIONAL CHARACTERISTICS INSULATION - THICKNESS	BS EN 50382-2 +A1 (Table7 Ref. No.2.3) (Table 1 to 5) (Cl.6.5)
1967	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	PROVISIONS COVERING CONSTRUCTION AND DIMENSIONAL CHARACTERISTICS SHEATH - THICKNESS	BS EN 50382-2 +A1 (Table7 Ref. No.2.5) (Table 2 & 5) (Cl.6.6)
1968	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	SMOKE EMISSION	BS EN 50382-2 +A1 (Table7 Ref. No.4.6) (Cl.7.22)
1969	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	SURFACE RESISTANCE	BS EN 50382-2 +A1 (Table7 Ref. No.1.4) (Cl. No.7.8)
1970	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	TENSILE TEST BEFORE & AFTER AGEING IN AIR OVEN (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.2) (Cl.7.9)
1971	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	TENSILE TEST BEFORE & AFTER AGEING IN AIR OVEN (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.2) (Cl.7.9)
1972	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	TENSILE TEST IN THE STATE AS DELIVERED (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.1)
1973	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	TENSILE TEST IN THE STATE AS DELIVERED (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.1)
1974	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	VOLTAGE TEST ON CABLE	BS EN 50382-2 +A1 (Table7 Ref. No.1.2) (Cl. No.7.3)
1975	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK HIGH TEMPERATURE POWER CABLES HAVING SPECIAL FIRE PERFORMANCE. SINGLE CORE SILICONE RUBBER INSULATED CABLES FOR 120 °C OR 150 °C	WATER ABSORPTION OF SHEATH (GRAVIMETRIC)	BS EN 50382-2 +A1 (Table7 Ref. No.3.1.4) (Cl. No.7.13)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 284 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1976	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N OXALIC ACID SOLUTION - ELONGATION AT BREAK	BS EN 50264-1 (Table 2a Ref.No.10) (Table 2b Ref.No.10) (Table 4 Ref.No.11)
1977	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N OXALIC ACID SOLUTION - TENSILE STRENGTH	BS EN 50264-1 (Table 2a Ref.No.10) (Table 2b Ref.No.10) (Table 4 Ref.No.11)
1978	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N SODIUM HYDROXIDE SOLUTION - ELONGATION AT BREAK	BS EN 50264-1 (Table 2a Ref.No.10) (Table 2b Ref.No.10) (Table 4 Ref.No.11)
1979	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N SODIUM HYDROXIDE SOLUTION - TENSILE STRENGTH	BS EN 50264-1 (Table 2a Ref.No.10) (Table 2b Ref.No.10) (Table 4 Ref.No.11)
1980	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	ASSESSMENT OF HALOGENS - AMOUNT OF HALOGEN: ACID GAS - HCL AND HBR	BS EN 50264-1 (Cl.9.1) (Annex A) (Table 2a Ref.No.8.3) (Table 2b Ref.No.8.3) (Table 3 Ref.No.1.3) (Table 4 Ref.No.9.3)
1981	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	ASSESSMENT OF HALOGENS - AMOUNT OF HALOGEN: ACID GAS - HF	BS EN 50264-1 (Cl.9.1) (Annex A) (Table 2a Ref.No.8.3) (Table 2b Ref.No.8.3) (Table 3 Ref.No.1.3) (Table 4 Ref.No.9.3)
1982	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	ASSESSMENT OF HALOGENS - CONDUCTIVITY	BS EN 50264-1 (Cl.9.1) (Annex A) (Table 2a Ref.No.8.2) (Table 2b Ref.No.8.2) (Table 3 Ref.No.1.2) (Table 4 Ref.No.9.2)
1983	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	ASSESSMENT OF HALOGENS - PH	BS EN 50264-1 (Cl.9.1) (Annex A) (Table 2a Ref.No.8.1) (Table 2b Ref.No.8.1) (Table 3 Ref.No.1.1) (Table 4 Ref.No.9.1)
1984	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	BENDING TEST AT LOW TEMPERATURE	BS EN 50264-1 (Table 2a Ref.No.6) (Table 2b Ref.No.6) (Table 4 Ref.No.7)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 285 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1985	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	CONDUCTORS - CONSTRUCTION	BS EN 50264-1 (Cl.6.1.1) (Cl.6.1.2) (Cl.6.1.3)
1986	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	CONTINUITY OF MARKS	BS EN 50264-1 (Cl.5.3)
1987	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	DETERMINATION OF HALOGENS - ELEMENTAL TEST	BS EN 50264-1 (Annex B)
1988	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	DURABILITY	BS EN 50264-1 (Cl.5.4)
1989	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	ELECTRICAL RESISTANCE	BS EN 50264-1 (Cl.6.1.4)
1990	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	ELONGATION OF WIRES	BS EN 50264-1 (Cl.6.1.1)
1991	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	ELONGATION TEST AT LOW TEMPERATURE	BS EN 50264-1 (Table 2a Ref.No.7) (Table 2b Ref.No.7) (Table 4 Ref.No.8)
1992	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	FUEL RESISTANCE (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-1 (Table 2a Ref.No.5) (Table 2b Ref.No.5) (Table 4 Ref.No.6)
1993	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	FUEL RESISTANCE (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-1 (Table 2a Ref.No.5) (Table 2b Ref.No.5) (Table 4 Ref.No.6)
1994	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	HOT SET TEST (INSULATION AND SHEATH)	BS EN 50264-1 (Table 2a Ref.No.2) (Table 2b Ref.No.2) (Table 4 Ref.No.2)
1995	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	INSULATION - THICKNESS	BS EN 50264-1 (Cl.6.2.4) (Annex D)
1996	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	MECHANICAL PROPERTIES - VALUES TO BE OBTAINED (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-1 (Table 2a Ref.No.1.1) (Table 2b Ref.No.1.1) (Table 4 Ref.No.1.1)
1997	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	MECHANICAL PROPERTIES VALUES TO BE OBTAINED (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-1 (Table 2a Ref.No.1.1) (Table 2b Ref.No.1.1) (Table 4 Ref.No.1.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 286 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1998	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	METALLIC SCREEN - FILLING FACTOR	BS EN 50264-1 (Cl.6.4)
1999	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	MINERAL OIL RESISTANCE (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-1 (Table 2a Ref.No.4) (Table 2b Ref.No.4) (Table 4 Ref.No.5)
2000	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	MINERAL OIL RESISTANCE (INSULATION AND SHEATH)- ELONGATION AT BREAK	BS EN 50264-1 (Table 2a Ref.No.4) (Table 2b Ref.No.4) (Table 4 Ref.No.5)
2001	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	OVERALL DIAMETER	BS EN 50264-1 (Cl.6.6) (Annex D)
2002	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	OZONE RESISTANCE (INSULATION AND SHEATH)	BS EN 50264-1 (Table 2a Ref.No.3) (Table 2b Ref.No.3) (Table 4 Ref.No.4)
2003	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	PROPERTIES AFTER AGEING IN AIR OVEN - VALUES TO BE OBTAINED (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-1 (Table 2a Ref.No.1.2) (Table 2b Ref.No.1.2) (Table 4 Ref.No.1.2)
2004	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	PROPERTIES AFTER AGEING IN AIR OVEN - VALUES TO BE OBTAINED (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-1 (Table 2a Ref.No.1.2) (Table 2b Ref.No.1.2) (Table 4 Ref.No.1.2)
2005	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	REACTION TO FIRE - FLAME PROPAGATION (FLAME SPREAD) - BUNCHED CABLES	BS EN 50264-1 (Cl.8.2)
2006	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	REACTION TO FIRE - FLAME PROPAGATION (FLAME SPREAD) - SINGLE VERTICAL CABLE	BS EN 50264-1 (Cl.8.1)
2007	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	SHEATH - THICKNESS	BS EN 50264-1 (Cl.6.5.3) (Annex D)
2008	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	SMOKE EMISSION	BS EN 50264-1 (Cl.8.3)
2009	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE	WATER ABSORPTION (GRAVIMETRIC METHOD)	BS EN 50264-1 (Table 4 Ref.No.3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 287 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2010	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N OXALIC ACID SOLUTION - ELONGATION AT BREAK	BS EN 50264-3-2 (Table 10 Ref. No.3.1.8) (Cl.No. 7.15)
2011	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N OXALIC ACID SOLUTION - TENSILE STRENGTH	BS EN 50264-3-2 (Table 10 Ref. No.3.1.8) (Cl.No. 7.15)
2012	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N SODIUM HYDROXIDE SOLUTION - ELONGATION AT BREAK	BS EN 50264-3-2 (Table 10 Ref. No.3.1.8) (Cl.No. 7.15)
2013	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N SODIUM HYDROXIDE SOLUTION - TENSILE STRENGTH	BS EN 50264-3-2 (Table 10 Ref. No.3.1.8) (Cl.No. 7.15)
2014	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	ASSESSMENT OF HALOGENS (INSULATION, NON-METALLIC COMPONENTS AND SHEATH)	BS EN 50264-3-2 (Table 10 Ref. No.3.1.9) (Cl.7.20)
2015	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	BENDING TEST AT LOW TEMPERATURE	BS EN 50264-3-2 (Table 10 Ref. No.4.1) (Cl.No. 7.16)
2016	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	CABLE MARKING AND IDENTIFICATION	BS EN 50264-3-2 (Table 10 Ref. No.2.8) (Cl.No. 5.1) (Annex A)
2017	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	CHECKING OF COMPLIANCE WITH CONSTRUCTIONAL PROVISIONS	BS EN 50264-3-2 (Table 10 Ref. No.2.1) (Cl.No. 6.1) (Cl.No. 6.7) (Table 1 to 9)
2018	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	COMPATIBILITY TEST (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-3-2 (Table 10 Ref. No. 4.4) (Cl.No. 7.10)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	288 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2019	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	COMPATIBILITY TEST (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-3-2 (Table 10 Ref. No. 4.4) (Cl.No. 7.10)
2020	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	CONDUCTOR MATERIAL AND CONSTRUCTION	BS EN 50264-3-2 (Table 10 Ref. No.2.2) (Cl.No. 6.2)
2021	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	CONDUCTOR RESISTANCE	BS EN 50264-3-2 (Table 10 Ref. No.1.1) (Cl.No. 7.2) (Table 1 to 3)
2022	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	CORE IDENTIFICATION	BS EN 50264-3-2 (Table 10 Ref. No.2.4) (Cl.No. 5.2)
2023	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	DIELECTRIC STRENGTH ON SAMPLE	BS EN 50264-3-2 (Table 10 Ref. No.1.3) (Cl.No. 7.5)
2024	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	ELONGATION OF WIRES	BS EN 50264-3-2 (Table 10 Ref. No.2.2) (Cl.No. 6.2)
2025	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	ELONGATION TEST AT LOW TEMPERATURE	BS EN 50264-3-2 (Table 10 Ref. No.4.2) (Cl.No. 7.17)
2026	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	FLAME PROPAGATION - BUNCHED CABLES	BS EN 50264-3-2 (Table 10 Ref. No.4.5.2) (Cl.7.19)
2027	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	FLAME PROPAGATION - ONE VERTICAL CABLE	BS EN 50264-3-2 (Table 10 Ref. No.4.5.1) (Cl.7.19)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 289 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2028	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	FUEL RESISTANCE (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-3-2 (Table 10 Ref. No.3.1.7) (Cl.No. 7.14)
2029	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	FUEL RESISTANCE (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-3-2 (Table 10 Ref. No.3.1.7) (Cl.No. 7.14)
2030	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	HOT SET TEST (INSULATION AND SHEATH)	BS EN 50264-3-2 (Table 10 Ref. No.3.1.3) (Cl.No. 7.9)
2031	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	IMPACT TEST AT LOW TEMPERATURE	BS EN 50264-3-2 (Table 10 Ref. No.4.3) (Cl.No. 7.18)
2032	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	INSULATION RESISTANCE AT 20 °C	BS EN 50264-3-2 (Table 10 Ref. No.1.6) (Cl.No. 7.4) (Table 1, 2, 4, 5, 6, 7, 9)
2033	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	METALLIC SCREEN - DIAMETER OF WIRE	BS EN 50264-3-2 (Table 10 Ref. No.2.5) (Cl.No. 6.5)
2034	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	METALLIC SCREEN - FILLING FACTOR	BS EN 50264-3-2 (Table 10 Ref. No.2.5) (Cl.No. 6.5)
2035	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	MINERAL OIL RESISTANCE (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-3-2 (Table 10 Ref. No.3.1.6) (Cl.No. 7.13)
2036	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	MINERAL OIL RESISTANCE (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-3-2 (Table 10 Ref. No.3.1.6) (Cl.No. 7.13)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 290 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2037	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	OVERALL DIAMETER	BS EN 50264-3-2 (Table 10 Ref. No.2.7) (Table 1 to 9)
2038	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	OZONE RESISTANCE (INSULATION AND SHEATH)	BS EN 50264-3-2 (Table 10 Ref. No.3.1.5) (Cl.No. 7.12)
2039	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	PROVISIONS COVERING CONSTRUCTIONAL AND DIMENSIONAL CHARACTERISTICS INSULATION A) THICKNESS	BS EN 50264-3-2 (Table 10 Ref. No.2.3) (Table 1 to 3) (Cl.6.3)
2040	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	PROVISIONS COVERING CONSTRUCTIONAL AND DIMENSIONAL CHARACTERISTICS SHEATH B) THICKNESS	BS EN 50264-3-2 (Table 10 Ref. No.2.6) (Table 1, 2, 4 to 9) (Cl.6.6)
2041	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	SMOKE EMISSION	BS EN 50264-3-2 (Table 10 Ref. No.4.6) (Cl.7.19)
2042	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	SURFACE RESISTANCE	BS EN 50264-3-2 (Table 10 Ref. No.1.4) (Cl.No. 7.7)
2043	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	TENSILE TEST BEFORE AND AFTER AGEING IN AIR OVEN (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-3-2 (Table 10 Ref. No.3.1.2) (Cl.7.8)
2044	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	TENSILE TEST BEFORE AND AFTER AGEING IN AIR OVEN (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-3-2 (Table 10 Ref. No.3.1.2) (Cl.7.8)
2045	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	TENSILE TEST IN THE STATE AS DELIVERED (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-3-2 (Table 10 Ref. No.3.1.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 291 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2046	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	TENSILE TEST IN THE STATE AS DELIVERED (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-3-2 (Table 10 Ref. No.3.1.1)2
2047	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	VOLTAGE TEST ON CABLE	BS EN 50264-3-2 (Table 10 Ref. No.1.2) (Cl.No. 7.3)
2048	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. MULTICORE CABLES	WATER ABSORPTION TEST ON SHEATH	BS EN 50264-3-2 (Table 10 Ref. No.3.1.4) (Cl.No. 7.11)
2049	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	CONDUCTOR MATERIAL AND CONSTRUCTION	BS EN 50264-3-1 (Table 5 Ref.No.2.2) (Cl.6.2)
2050	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N OXALIC ACID SOLUTION - ELONGATION AT BREAK	BS EN 50264-3-1 (Table 5 Ref.No.3.1.8) (Cl.7.16)
2051	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N OXALIC ACID SOLUTION - TENSILE STRENGTH	BS EN 50264-3-1 (Table 5 Ref.No.3.1.8) (Cl.7.16)
2052	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N SODIUM HYDROXIDE SOLUTION - ELONGATION AT BREAK	BS EN 50264-3-1 (Table 5 Ref.No.3.1.8) (Cl.7.16)
2053	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	ACID AND ALKALINE RESISTANCE (INSULATION AND SHEATH) - N SODIUM HYDROXIDE SOLUTION - TENSILE STRENGTH	BS EN 50264-3-1 (Table 5 Ref.No.3.1.8) (Cl.7.16)
2054	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	ASSESSMENT OF HALOGENS (INSULATION, NON-METALLIC COMPONENTS AND SHEATH)	BS EN 50264-3-1 (Table 5 Ref.No.3.1.9) (Cl.7.21)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 292 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2055	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	BENDING TEST AT LOW TEMPERATURE	BS EN 50264-3-1 (Table 5 Ref.No.4.1) (Cl.7.17)
2056	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	CABLE MARKING AND IDENTIFICATION	BS EN 50264-3-1 (Table 5 Ref.No.2.7) (Cl.5.1) (Annex A)
2057	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	CHECKING OF COMPLIANCE WITH CONSTRUCTIONAL PROVISIONS	BS EN 50264-3-1 (Table 5 Ref.No.2.1) (Cl.6.1) (Cl.6.7) (Tables 1 to 4)
2058	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	COMPATIBILITY TEST (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-3-1 (Table 5 Ref.No.4.4) (Cl.7.11)
2059	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	COMPATIBILITY TEST (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-3-1 (Table 5 Ref.No.4.4) (Cl.7.11)
2060	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	CONDUCTOR RESISTANCE	BS EN 50264-3-1 (Table 5 Ref.No.1.1) (Cl.7.2) (Tables 1 to 4)
2061	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	CORE IDENTIFICATION	BS EN 50264-3-1 (Table 5 Ref.No.2.4) (Cl.5.2)
2062	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	D.C. STABILITY	BS EN 50264-3-1 (Table 5 Ref.No.1.8) (Cl.7.7)
2063	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	DIELECTRIC STRENGTH ON SAMPLE	BS EN 50264-3-1 (Table 5 Ref.No.1.3) (Cl.7.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 293 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2064	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	ELONGATION OF WIRES	BS EN 50264-3-1 (Cl.6.2)
2065	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	ELONGATION TEST AT LOW TEMPERATURE	BS EN 50264-3-1 (Table 5 Ref.No.4.2) (Cl.7.18)
2066	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	FLAME PROPAGATION - BUNCHED CABLES	BS EN 50264-3-1 (Table 5 Ref.No.4.5.2) (Cl.7.20)
2067	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	FLAME PROPAGATION - SINGLE VERTICAL CABLE	BS EN 50264-3-1 (Table 5 Ref.No.4.5.1) (Cl.7.20)
2068	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	FUEL RESISTANCE (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-3-1 (Table 5 Ref.No.3.1.7) (Cl.7.15)
2069	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	FUEL RESISTANCE (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-3-1 (Table 5 Ref.No.3.1.7) (Cl.7.15)
2070	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	HOT SET TEST (INSULATION AND SHEATH)	BS EN 50264-3-1 (Table 5 Ref.No.3.1.3) (Cl.7.10)
2071	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	IMPACT TEST AT LOW TEMPERATURE	BS EN 50264-3-1 (Table 5 Ref.No.4.3) (Cl.7.19)
2072	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	INSULATION RESISTANCE (20 °C & 90 °C)	BS EN 50264-3-1 (Table 5 Ref.No.1.6) (Cl.7.4) (Table 5 Ref.No.1.7) (Tables 1 to 4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 294 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2073	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	MINERAL OIL RESISTANCE (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-3-1 (Table 5 Ref.No.3.1.6) (Cl.7.14)
2074	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	MINERAL OIL RESISTANCE (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-3-1 (Table 5 Ref.No.3.1.6) (Cl.7.14)
2075	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	OVERALL DIAMETER	BS EN 50264-3-1 (Table 5 Ref.No.2.6) (Tables 1 to 4)
2076	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	OZONE RESISTANCE (INSULATION AND SHEATH)	BS EN 50264-3-1 (Table 5 Ref.No.3.1.5) (Cl.7.13)
2077	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	PROVISIONS COVERING CONSTRUCTIONAL AND DIMENSIONAL CHARACTERISTICS INSULATION A) THICKNESS	BS EN 50264-3-1 (Table 5 Ref.No.2.3) (Tables 1 to 4)
2078	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	PROVISIONS COVERING CONSTRUCTIONAL AND DIMENSIONAL CHARACTERISTICS SHEATH B) THICKNESS	BS EN 50264-3-1 (Table 5 Ref.No.2.5) (Table 3 and 4)
2079	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	SMOKE EMISSION	BS EN 50264-3-1 (Table 5 Ref.No.4.6) (Cl.7.20)
2080	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	SURFACE RESISTANCE	BS EN 50264-3-1 (Table 5 Ref.No.1.4) (Cl.7.8)
2081	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	TENSILE TEST BEFORE AND AFTER AGEING IN AIR OVEN (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-3-1 (Table 5 Ref.No.3.1.2) (Cl.7.9)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 295 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2082	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	TENSILE TEST BEFORE AND AFTER AGEING IN AIR OVEN (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-3-1 (Table 5 Ref.No.3.1.2) (Cl.7.9)
2083	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	TENSILE TEST IN THE STATE AS DELIVERY (INSULATION AND SHEATH) - ELONGATION AT BREAK	BS EN 50264-3-1 (Table 5 Ref.No.3.1)
2084	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	TENSILE TEST IN THE STATE AS DELIVERY (INSULATION AND SHEATH) - TENSILE STRENGTH	BS EN 50264-3-1 (Table 5 Ref.No.3.1)
2085	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	VOLTAGE TEST ON CABLE	BS EN 50264-3-1 (Table 5 Ref.No.1.2) (Cl.7.3)
2086	ELECTRICAL- CABLES & WIRES	RAILWAY APPLICATIONS. RAILWAY ROLLING STOCK POWER AND CONTROL CABLES HAVING SPECIAL FIRE PERFORMANCE. CABLES WITH CROSSLINKED ELASTOMERIC INSULATION WITH REDUCED DIMENSIONS. SINGLE CORE CABLES	WATER ABSORPTION ON SHEATH (GRAVIMETRIC)	BS EN 50264-3-1 (Table 5 Ref.No.3.1.4) (Cl.7.12)
2087	ELECTRICAL- CABLES & WIRES	REDUCING ELECTRICAL NOISE IN INSTRUMENT CIRCILLTS	ELECTROSTATIC NOISE REJECTION	IEEE TRANSACTIONS ON INDUSTRY AND GENERAL APPLICATIONS Vol. IGA-3, No.2
2088	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	GASOLINE AND OIL IMMERSION TESTS - ULTIMATE ELONGATION	UL 1581 (Cl.480.10) (Cl.480.6) (Table 50.182) (Cl.480.5)
2089	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	A-C LEAKAGE-CURRENT TESTS OF LOW-LEAKAGE-CURRENT SERVICE CORDS	UL 1581 (Cl.1320)
2090	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	CABLE FLAME TEST	UL 1581 (Cl.1061)
2091	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	CAPACITANCE AND RELATIVE PERMITTIVITY TESTS AND STABILITY FACTOR	UL 1581 (Cl.1020) (Cl.1000)
2092	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	COLD BEND TEST	UL 1581 (Cl.583)
2093	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	COLD IMPACT TEST	UL 1581 (Cl.593)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 296 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2094	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	CONDUCTOR DIAMETER	UL 1581 (Cl.200) (Table 20.1)
2095	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	COPPER CORROSION TEST FOR FINISHED WIRE AND CABLE	UL 1581 (Cl.500)
2096	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	CRUSH RESISTANCE	UL 1581 (Cl.595) (Cl.601)
2097	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	DC RESISTANCE OF A CONDUCTOR	UL 1581 (Cl.30) (Cl.220) (Table 30.1 – 30.5, 30.6, 30.6A and 30.7 – 30.11)
2098	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	DEFORMATION TEST	UL 1581 (Cl. 560)
2099	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	DIELECTRIC VOLTAGE WITHSTAND TESTS FOR POWER-LIMITED CIRCUIT CABLE AND FOR CABLE FOR POWER-LIMITED FIRE-ALARM CIRCUITS	UL 1581 (Cl.830)
2100	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	DURABILITY OF INK PRINTING	UL 1581 (Cl.1690)
2101	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	GASOLINE AND OIL IMMERSION TESTS - TENSILE STRENGTH	UL 1581 (Cl.480.10) (Cl.480.6) (Table 50.182) (Cl.480.5)
2102	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	INSULATION RESISTANCE TEST IN WATER	UL 1581 (Cl.920)
2103	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	MECHANICAL WATER ABSORPTION	UL 1581 (Cl.1040)
2104	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	SUNLIGHT RESISTANCE TEST - TENSILE STRENGTH	UL 1581 (Cl.1200)
2105	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	SUNLIGHT RESISTANCE TEST - ULTIMATE ELONGATION	UL 1581 (Cl.1200)
2106	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 1581 (Table 50.179) (Table 50.182) (Cl.480) (Cl.481) (Table 50.155) (Table 50.136) (Table 50.245) (Cl.50.233)
2107	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	UL 1581 (Table 50.179) (Table 50.182) (Cl.470) (Table 50.155) (Table 50.136) (Table 50.245) (Cl.50.233)
2108	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	THICKNESSES OF INSULATION ON THERMOPLASTIC- AND THERMOSET-INSULATED WIRES AND CABLE	UL 1581 (Cl.240) (Cl.250) (Cl.260)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 297 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2109	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 1581 (Table 50.179) (Table 50.182) (Cl.480) (Cl.481) (Table 50.155) (Table 50.136) (Table 50.245) (Cl.50.233)
2110	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	UL 1581 (Table 50.179) (Table 50.182) (Cl.470) (Table 50.155) (Table 50.136) (Table 50.245) (Cl.50.233)
2111	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	VERTICAL FLAME AND FT1 TESTS	UL 1581 (Cl.1060)
2112	ELECTRICAL- CABLES & WIRES	REFERENCE STANDARD FOR ELECTRICAL WIRES, CABLES, AND FLEXIBLE CORDS	VW-1 (VERTICAL-SPECIMEN) FLAME TEST	UL 1581 (Cl.1080)
2113	ELECTRICAL- CABLES & WIRES	ROAD VEHICLES ROUND, SHEATHED, 60 V AND 600 V SCREENED AND UNSCREENED SINGLE- OR MULTI-CORE CABLES	CYCLIC BENDING TEST	ISO 14572 (Cl.5.9)
2114	ELECTRICAL- CABLES & WIRES	RUBBER INSULATED CABLES - RATED VOLTAGES UP TO AND INCLUDING 450/750 V	CHECKING OF THE DURABILITY OF COLOURS AND MARKINGS	IEC 60245-2 + AMD 2 (Cl.1.8)
2115	ELECTRICAL- CABLES & WIRES	RUBBER INSULATED CABLES - RATED VOLTAGES UP TO AND INCLUDING 450/750 V	ELECTRICAL RESISTANCE OF CONDUCTORS	IEC 60245-2 + AMD 2 (Cl.2.1)
2116	ELECTRICAL- CABLES & WIRES	RUBBER INSULATED CABLES - RATED VOLTAGES UP TO AND INCLUDING 450/750 V	FLEXING TEST	IEC 60245-2 + AMD 2 (Cl.3.1)
2117	ELECTRICAL- CABLES & WIRES	RUBBER INSULATED CABLES - RATED VOLTAGES UP TO AND INCLUDING 450/750 V	INSULATION RESISTANCE AT 90 °C	IEC 60245-2 + AMD 2 (Cl.2.4)
2118	ELECTRICAL- CABLES & WIRES	RUBBER INSULATED CABLES - RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MEASUREMENT OF OVERALL DIMENSIONS AND OVALITY	IEC 60245-2 + AMD 2 (Cl.1.11)
2119	ELECTRICAL- CABLES & WIRES	RUBBER INSULATED CABLES - RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MEASUREMENT OF THICKNESS OF INSULATION	IEC 60245-2 + AMD 2 (Cl.1.9)
2120	ELECTRICAL- CABLES & WIRES	RUBBER INSULATED CABLES - RATED VOLTAGES UP TO AND INCLUDING 450/750 V	MEASUREMENT OF THICKNESS OF SHEATH	IEC 60245-2 + AMD 2 (Cl.1.10)
2121	ELECTRICAL- CABLES & WIRES	RUBBER INSULATED CABLES - RATED VOLTAGES UP TO AND INCLUDING 450/750 V	VOLTAGE TEST CARRIED OUT ON COMPLETED CABLES	IEC 60245-2 + AMD 2 (Cl.2.2)
2122	ELECTRICAL- CABLES & WIRES	RUBBER INSULATED CABLES - RATED VOLTAGES UP TO AND INCLUDING 450/750 V	VOLTAGE TEST ON CORES	IEC 60245-2 + AMD 2 (Cl.2.3)
2123	ELECTRICAL- CABLES & WIRES	RUBBER, VULCANIZED OR THERMOPLASTIC — DETERMINATION OF HARDNESS : INDENTATION HARDNESS BY DUROMETER METHOD (SHORE HARDNESS)	INDENTATION HARDNESS BY DUROMETER METHOD (SHORE HARDNESS)	ISO 48-4
2124	ELECTRICAL- CABLES & WIRES	SELECTION OF MATERIALS ON THE BASIS OF THEIR FIRE CHARACTERISTICS	TOXICITY TEST	DEFENSE STANDARD 07-247 (ISSUE 2) (Table A1-2:Test No. P6) (Table A1-3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 298 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2125	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	% OVERLAP OF TAPE	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.5) (Cl.2.1.6) (Cl.2.1.13.3)
2126	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	ACID GENERATION TEST	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.13.4)
2127	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	AGEING IN AIR BOMB ON INSULATION - ELONGATION AT BREAK	EIL Spec.6-52-0046-Rev.7 (2.1.13.2)
2128	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	AGEING IN AIR BOMB ON INSULATION - TENSILE STRENGTH	EIL Spec.6-52-0046-Rev.7 (2.1.13.2)
2129	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	AGEING IN OXYGEN BOMB ON INSULATION - ELONGATION AT BREAK - ELONGATION AT BREAK	EIL Spec.6-52-0046-Rev.7 (2.1.13.2)
2130	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	AGEING IN OXYGEN BOMB ON INSULATION - TENSILE STRENGTH	EIL Spec.6-52-0046-Rev.7 (2.1.13.2)
2131	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	CIRCUIT INTEGRITY TEST	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.13.1)
2132	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	CONDUCTOR RESISTANCE TEST	EIL Spec.6-52-0046-Rev.7 (Cl.2.2.1)
2133	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	DIMENSIONS OF ARMOUR	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.4)
2134	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	DRAIN WIRE RESISTANCE	EIL Spec.6-52-0046-Rev.7 (Cl.2.2.4)
2135	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	ELECTROSTATIC NOISE REJECTION	EIL Spec.6-52-0046-Rev.7 (Cl.2.2.5)
2136	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	ELONGATION AT BREAK ON INSULATION AND SHEATH	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.3) (Cl.2.1.13.2)
2137	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	ELONGATION FOR ARMOUR	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.4)
2138	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	FLAME RETARDENT REQUIREMENTS ON BUNCHED CABLES	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.3c)
2139	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	HIGH VOLTAGE TEST	EIL Spec.6-52-0046-Rev.7 (Cl.1.3.2b)
2140	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	HOT DEFORMATION TEST ON INSULATION AND SHEATH	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.3)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 299 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2141	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	HOT SET TEST ON INSULATION	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.13.2)
2142	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	INSULATION RESISTANCE TEST	EIL Spec.6-52-0046-Rev.7 (Cl.1.3.2b) (Cl.2.1.13.2)
2143	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	L/R RATIO	EIL Spec.6-52-0046-Rev.7 (Cl.2.2.3)
2144	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	LOSS OF MASS ON INSULATION AND SHEATH	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.3)
2145	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	MASS OF ZINC COATING FOR ARMOUR	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.4)
2146	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	MEASUREMENT OF OVERALL DIMENSIONS	EIL Spec.6-52-0046-Rev.7 (Cl.1.3.2 b) (Cl.2.1.9)
2147	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	MUTUAL CAPACITANCE	EIL Spec.6-52-0046-Rev.7 (Cl.2.2.2.1) (Cl.2.2.2.2) (Cl.2.2.2.3)
2148	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	OIL RESISTANCE TEST ON INSULATION - ELONGATION AT BREAK	EIL Spec.6-52-0046-Rev.7 (2.1.13.2
2149	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	OIL RESISTANCE TEST ON INSULATION - TENSILE STRENGTH	EIL Spec.6-52-0046-Rev.7 (2.1.13.2)
2150	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	OXYGEN INDEX TEST	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.3a) (Cl.2.1.13.4)
2151	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	OXYGEN INDEX TEST	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.3a) (Cl.2.1.13.4)
2152	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	RESISTIVITY FOR ARMOUR	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.4)
2153	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	SHRINKAGE TEST ON INSULATION AND SHEATH	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.3)
2154	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	SMOKE DENSITY RATING	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.13.4)
2155	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	TEMPERATURE INDEX TEST	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.3b) (Cl.2.1.13.4)
2156	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	TENSILE STRENGTH FOR ARMOUR	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.4)
2157	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	TENSILE STRENGTH ON INSULATION AND SHEATH	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.3) (Cl.2.1.13.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 300 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2158	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	TEST FOR THICKNESS OF INSULATION AND SHEATH	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.2) (Cl.2.1.5) (Cl.2.1.6) (Cl.2.4.3) (2.1.13.2) (2.1.13.3) (2.1.13.5)
2159	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - ELONGATION AT BREAK	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.3) (Cl.2.1.13.2)
2160	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - TENSILE STRENGTH	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.3) (Cl.2.1.13.2)
2161	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	THERMAL STABILITY ON INSULATION AND SHEATH	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1) (Cl.2.1.3)
2162	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	WATER ABSORPTION TEST (ELECTRIC) ON INSULATION	EIL Spec.6-52-0046-Rev.7 (2.1.13.2)
2163	ELECTRICAL- CABLES & WIRES	SIGNAL CABLES	WATER ABSORPTION TEST (GRAVIMETRIC) ON INSULATION	EIL Spec.6-52-0046-Rev.7 (Cl.2.1.1)
2164	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR TRACTION AND ROLLING STOCK	DYNAMIC CUT THROUGH RESISTANCE	TDE/76/P/16 ISSUE E (Cl.27)
2165	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR TRACTION AND ROLLING STOCK	INSULATION RESISTANCE TEST	TDE/76/P/16 ISSUE E (Cl.33)
2166	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR TRACTION AND ROLLING STOCK	NOTCH PROPAGATION	TDE/76/P/16 ISSUE E (Cl.29)
2167	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR TRACTION AND ROLLING STOCK	RESISTANCE TO SURFACE LEAKAGE	TDE/76/P/16 ISSUE E (Cl.34)
2168	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR TRACTION AND ROLLING STOCK	SCRAPE ABRASION TEST	TDE/76/P/16 ISSUE E (Cl.28)
2169	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	ABRASION RESISTANCE OF MARKING (INDELIBILITY)	CLW/ES/3/0458 ALT E (Cl.5A.3.11) (Cl.5A.3.11.2) (Appendix A)
2170	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	ABRASION RESISTANCE OF SHEATH AND INSULATION	CLW/ES/3/0458 ALT E (Cl.5A.3.11) (Cl.5A.3.11.1) (Appendix A)
2171	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	BENDING TEST FOLLOWED BY VOLTAGE TEST	CLW/ES/3/0458-ALT E (Cable – n x 0.5-Test on Cores Cl.3.1) (Cable – n x 0.5-Test on Cores Cl.2.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 301 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2172	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	COLD BEND FOLLOWED BY VOLTAGE TEST	CLW/ES/3/0458-ALT E (Cable – n x 0.5-Test on Cores Cl.4.3) (Cable – n x 0.5-Test on Cores Cl.2.1)
2173	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	CONDUCTOR RESISTANCE TEST	CLW/ES/3/0458 ALT E (Cl.5A.2.1) (Technical Datasheet I & II)
2174	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	CONSTRUCTION AND DIMENSIONS	CLW/ES/3/0458 ALT E (Cl.5A.1) (Cl.5A.1.1) (Technical Datasheet I & II) (Cable – n x 0.5-Test on Cores Cl.1) (Data Sheet III, Table 1)
2175	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	CORROSIVITY OF COMBUSTION GASES	CLW/ES/3/0458 ALT E (Cl.5A.4.5.3) (Cable – n x 0.5-Test on Cores Cl.5.7)
2176	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	DYNAMIC CUT THROUGH RESISTANCE	CLW/ES/3/0458 ALT E (Cl.5A.3.9)
2177	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	FLAME PROPAGATION (BUNCHED CABLE)	CLW/ES/3/0458 ALT E (Cl.5A.4.5.2) (APPENDIX D) (Cable – n x 0.5-Test on Cores Cl.5.3)
2178	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	FLAME RETARDANCE (SINGLE CABLE)	CLW/ES/3/0458 ALT E (Cl.5A.4.5.1) (APPENDIX C)
2179	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	FLEXIBILITY TEST	CLW/ES/3/0458 ALT E (Cl.5B.a)
2180	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	HALOGEN CONTENT	CLW/ES/3/0458-ALT E (Cable – n x 0.5-Test on Cores Cl.5.6)
2181	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	HEAT AGEING FOLLOWED BY BENDING AND FOLLOWED BY VOLTAGE TEST	CLW/ES/3/0458-ALT E (Cable – n x 0.5-Test on Cores Cl.4.1) (Cable – n x 0.5-Test on Cores Cl.2.1)
2182	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	HEAT AGEING RESISTANCE FOLLOWED BY BENDING AND FOLLOWED BY VOLTAGE TEST	CLW/ES/3/0458-ALT E (Cable – n x 0.5-Test on Cores Cl.4.2) (Cable – n x 0.5-Test on Cores Cl.2.1)
2183	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	HEAT SHOCK TEST FOR INSULATION AND SHEATH	CLW/ES/3/0458 ALT E (Cl.5A.3.8)
2184	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	HOT SET TEST FOR INSULATION AND SHEATH	CLW/ES/3/0458 ALT E (Cl.5A.3.6)
2185	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	LEAKAGE CURRENT FACTOR	CLW/ES/3/0458 ALT E (Cl.5A.2.2.5) (Cable – n x 0.5-Test on Cores Cl.2.4)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 302 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2186	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	MECHANICAL PROPERTIES OF THE INSULATION AND SHEATH ELONGATION AT BREAK ALTERNATION AFTER AGEING	CLW/ES/3/0458 ALT E (Cl.5A.3.1) (Cl.5A.3.2)
2187	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	MECHANICAL PROPERTIES OF THE INSULATION AND SHEATH ELONGATION AT BREAK AS RECEIVED	CLW/ES/3/0458 ALT E (Cl.5A.3.1) (Cl.5B.a) (Cl.5A.3.2)
2188	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	MECHANICAL PROPERTIES OF THE INSULATION AND SHEATH TENSILE STRENGTH ALTERNATION AFTER AGEING	CLW/ES/3/0458 ALT E (Cl.5A.3.1) (Cl.5A.3.2)
2189	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	MECHANICAL PROPERTIES OF THE INSULATION AND SHEATH TENSILE STRENGTH AS RECEIVED	CLW/ES/3/0458 ALT E (Cl.5A.3.1) (Cl.5B.a) (Cl.5A.3.2)
2190	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	NOTCH PROPAGATION	CLW/ES/3/0458 ALT E (Cl.5A.3.10)
2191	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	OZONE RESISTANCE FOLLOWED BY BENDING AND FOLLOWED BY VOLTAGE TEST	CLW/ES/3/0458-ALT E (Cable – n x 0.5-Test on Cores Cl.5.1) (Cable – n x 0.5-Test on Cores Cl.2.1)
2192	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	OZONE RESISTANCE TEST	CLW/ES/3/0458 ALT E (Cl.5A.4.1)
2193	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	PRESSURE TEST AT HIGH TEMPERATURE	CLW/ES/3/0458 ALT E (Cl.5A.3.5)
2194	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	RESISTANCE TO FLUID	CLW/ES/3/0458 ALT E (Cl.5A.4.4.1) (Cl.5A.4.4.2) (Cl.5A.4.4.3) (Cl.2.2.1) (Cl.3.12.1)
2195	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	SHRINKING TEST	CLW/ES/3/0458 ALT E (Cl.5A.3.7)
2196	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	SLIPPAGE TEST	CLW/ES/3/0458 ALT E (Cl.5A.3.14)
2197	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	SMOKE INTENSITY	CLW/ES/3/0458 ALT E (Cl.5A.4.5.5) (Cable – n x 0.5-Test on Cores Cl.5.5)
2198	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	STRIPPABILITY FOR SECTION 1.5 TO 6 SQ.MM	CLW/ES/3/0458 ALT E (Cl.5A.3.4) (Appendix B) (Cl.5B.b)
2199	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	TEAR RESISTANCE OF INSULATION AND SHEATH	CLW/ES/3/0458 ALT E (Cl.5A.3.3) (Cl.5B.a)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 303 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2200	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	TIN PLATING	CLW/ES/3/0458 ALT E (Cl.5A.1.2)
2201	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	TOXICITY OF COMBUSTION GASES	CLW/ES/3/0458 ALT E (Cl.5A.4.5.4) (Cable – n x 0.5-Test on Cores Cl.5.8)
2202	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	TRACKING RESISTANCE	CLW/ES/3/0458 ALT E (Cl.5A.2.2.7)
2203	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	VOLTAGE BREAKDOWN	CLW/ES/3/0458 ALT E (Cl.5A.2.2.3) (Cable – n x 0.5-Test on Cores Cl.2.3)
2204	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	VOLTAGE TEST AFTER WATER IMMERSION	CLW/ES/3/0458 ALT E (Cl.5A.2.2.1) (Cable – n x 0.5-Test on Cores Cl.2.1)
2205	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	VOLUME RESISTIVITY OF INSULATION AT 23 ± 2 °C	CLW/ES/3/0458 ALT E (Cl.5A.2.2.4)
2206	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	WATER RESISTANCE TEST	CLW/ES/3/0458 ALT E (Cl.5A.2.2.6)
2207	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	WEATHER RESISTANCE FOLLOWED BY BENDING AND FOLLOWED BY VOLTAGE TEST	CLW/ES/3/0458-ALT E (Cable – n x 0.5-Test on Cores Cl.5.1) (Cable – n x 0.5-Test on Cores Cl.2.1)
2208	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	WEATHERABILITY OF SHEATH MATERIAL - ELONGATION AT BREAK	CLW/ES/3/0458 ALT E (Cl.5A.4.2)
2209	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	WEATHERABILITY OF SHEATH MATERIAL - TENSILE STRENGTH	CLW/ES/3/0458 ALT E (Cl.5A.4.2)
2210	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	WICKING TEST	CLW/ES/3/0458 ALT E (Cl.5A.4.3)
2211	ELECTRICAL- CABLES & WIRES	SINGLE CORE CABLES FOR WAG-9/WAP-5 LOCOMOTIVES	WINDABILITY TEST	CLW/ES/3/0458 ALT E (Cl.5A.3.12) (Cl.5A.3.12.1) (Cl.5A.3.12.2) (Cl.5A.3.12.3) (Cl.5A.3.13)
2212	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS. GENERAL 90°C APPLICATION	ELONGATION AT BREAK PROPERTIES AFTER AGEING IN AIR BOMB	BS 7655-1.2 + AMD 1 (Table 2)
2213	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS. GENERAL 90°C APPLICATION	ELONGATION AT BREAK PROPERTIES AFTER AGEING IN AIR OVEN	BS 7655-1.2 + AMD 1 (Table 2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 304 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2214	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS. GENERAL 90°C APPLICATION	ELONGATION AT BREAK PROPERTIES IN THE STATE AS MANUFACTURED	BS 7655-1.2 + AMD 1 (Table 2)
2215	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS. GENERAL 90°C APPLICATION	HOT SET TEST FOR INSULATION	BS 7655-1.2 + AMD 1 (Table 2)
2216	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS. GENERAL 90°C APPLICATION	INSULATION RESISTANCE CONSTANT AT 20 °C & 90 °C	BS 7655-1.2 + AMD 1 (Table 2)
2217	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS. GENERAL 90°C APPLICATION	OZONE RESISTANCE TEST AND ALTERNATIVE TO OZONE RESISTANCE TEST (LOW CONCENTRATION)	BS 7655-1.2 + AMD 1 (Table 2)
2218	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS. GENERAL 90°C APPLICATION	TENSILE STRENGTH PROPERTIES AFTER AGEING IN AIR BOMB	BS 7655-1.2 + AMD 1 (Table 2)
2219	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS. GENERAL 90°C APPLICATION	TENSILE STRENGTH PROPERTIES AFTER AGEING IN AIR OVEN	BS 7655-1.2 + AMD 1 (Table 2)
2220	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS. GENERAL 90°C APPLICATION	TENSILE STRENGTH PROPERTIES IN THE STATE AS MANUFACTURED	BS 7655-1.2 + AMD 1 (Table 2)
2221	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS. GENERAL 90°C APPLICATION	WATER ABSORPTION DETERMINED BY THE CAPACITANCE METHOD	BS 7655-1.2 + AMD 1 (Table 2)
2222	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. CROSS-LINKED ELASTOMERIC INSULATING COMPOUNDS. GENERAL 90°C APPLICATION	WATER ABSORPTION TEST (GRAVIMETRIC)	BS 7655-1.2 + AMD 1 (Table 2)
2223	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. ELASTOMERIC INSULATING COMPOUNDS. XLPE	HOT SET TEST ON INSULATION	BS 7655-1.3 (Table 2)
2224	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. ELASTOMERIC INSULATING COMPOUNDS. XLPE	INSULATION RESISTANCE CONSTANT	BS 7655-1.3 (Table 2)
2225	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. ELASTOMERIC INSULATING COMPOUNDS. XLPE	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK ON INSULATION	BS 7655-1.3 (Table 2)
2226	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. ELASTOMERIC INSULATING COMPOUNDS. XLPE	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON INSULATION	BS 7655-1.3 (Table 2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 305 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2227	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. ELASTOMERIC INSULATING COMPOUNDS. XLPE	PROPERTIES IN THE STATE AS MANUFACTURED - ELONGATION AT BREAK OF INSULATION	BS 7655-1.3 (Table 2)
2228	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. ELASTOMERIC INSULATING COMPOUNDS. XLPE	PROPERTIES IN THE STATE AS MANUFACTURED - TENSILE STRENGTH OF INSULATION	BS 7655-1.3 (Table 2)
2229	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. ELASTOMERIC INSULATING COMPOUNDS. XLPE	WATER ABSORPTION TEST (GRAVIMETRIC) ON INSULATION	BS 7655-1.3 (Table 2)
2230	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. PVC SHEATHING COMPOUNDS. GENERAL APPLICATION. GENERAL APPLICATION	BENDING TEST AT LOW TEMPERATURE ON SHEATH	BS 7655-4.2 (Table 2)
2231	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. PVC SHEATHING COMPOUNDS. GENERAL APPLICATION. GENERAL APPLICATION	ELONGATION TEST AT LOW TEMPERATURE ON SHEATH	BS 7655-4.2 (Table 2)
2232	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. PVC SHEATHING COMPOUNDS. GENERAL APPLICATION. GENERAL APPLICATION	IMPACT TEST AT LOW TEMPERATURE ON SHEATH	BS 7655-4.2 (Table 2)
2233	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. PVC SHEATHING COMPOUNDS. GENERAL APPLICATION. GENERAL APPLICATION	INSULATION RESISTANCE TEST ON SHEATH	BS 7655-4.2 (Table 2)
2234	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. PVC SHEATHING COMPOUNDS. GENERAL APPLICATION. GENERAL APPLICATION	LOSS OF MASS TEST ON SHEATH	BS 7655-4.2 (Table 2)
2235	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. PVC SHEATHING COMPOUNDS. GENERAL APPLICATION. GENERAL APPLICATION	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK ON SHEATH	BS 7655-4.2 (Table 2)
2236	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. PVC SHEATHING COMPOUNDS. GENERAL APPLICATION. GENERAL APPLICATION	MECHANICAL PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH ON SHEATH	BS 7655-4.2 (Table 2)
2237	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. PVC SHEATHING COMPOUNDS. GENERAL APPLICATION. GENERAL APPLICATION	PRESSURE TEST AT HIGH TEMPERATURE ON SHEATH	BS 7655-4.2 (Table 2)
2238	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. PVC SHEATHING COMPOUNDS. GENERAL APPLICATION. GENERAL APPLICATION	PROPERTIES IN THE STATE AS MANUFACTURED - ELONGATION AT BREAK OF INSULATION AND SHEATH	BS 7655-4.2 (Table 2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 306 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2239	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. PVC SHEATHING COMPOUNDS. GENERAL APPLICATION. GENERAL APPLICATION	PROPERTIES IN THE STATE AS MANUFACTURED - TENSILE STRENGTH OF INSULATION AND SHEATH	BS 7655-4.2 (Table 2)
2240	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. PVC SHEATHING COMPOUNDS. GENERAL APPLICATION. GENERAL APPLICATION\	RESISTANCE TO CRACKING ON SHEATH	BS 7655-4.2 (Table 2)
2241	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. THERMOPLASTIC SHEATHING COMPOUNDS HAVING LOW EMISSION OF CORROSIVE GASES, AND SUITABLE FOR USE IN CABLES HAVING LOW EMISSION OF SMOKE WHEN AFFECTED BY FIRE. GENERAL APPLICATION THERMOPLASTIC TYPES	ACIDIC AND CORROSIVE GASES EVOLVED	BS 7655-6.1 + AMD 1 (Table 2)
2242	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. THERMOPLASTIC SHEATHING COMPOUNDS HAVING LOW EMISSION OF CORROSIVE GASES, AND SUITABLE FOR USE IN CABLES HAVING LOW EMISSION OF SMOKE WHEN AFFECTED BY FIRE. GENERAL APPLICATION THERMOPLASTIC TYPES	BENDING TEST AT LOW TEMPERATURE ON SHEATH	BS 7655-6.1 + AMD 1 (Table 2)
2243	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. THERMOPLASTIC SHEATHING COMPOUNDS HAVING LOW EMISSION OF CORROSIVE GASES, AND SUITABLE FOR USE IN CABLES HAVING LOW EMISSION OF SMOKE WHEN AFFECTED BY FIRE. GENERAL APPLICATION THERMOPLASTIC TYPES	ELONGATION TEST AT LOW TEMPERATURE FOR SHEATH	BS 7655-6.1 + AMD 1 (Table 2)
2244	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. THERMOPLASTIC SHEATHING COMPOUNDS HAVING LOW EMISSION OF CORROSIVE GASES, AND SUITABLE FOR USE IN CABLES HAVING LOW EMISSION OF SMOKE WHEN AFFECTED BY FIRE. GENERAL APPLICATION THERMOPLASTIC TYPES	IMPACT TEST AT LOW TEMPERATURE FOR SHEATH	BS 7655-6.1 + AMD 1 (Table 2)
2245	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. THERMOPLASTIC SHEATHING COMPOUNDS HAVING LOW EMISSION OF CORROSIVE GASES, AND SUITABLE FOR USE IN CABLES HAVING LOW EMISSION OF SMOKE WHEN AFFECTED BY FIRE. GENERAL APPLICATION THERMOPLASTIC TYPES	PRESSURE TEST AT HIGH TEMPERATURE FOR SHEATH	BS 7655-6.1 + AMD 1 (Table 2)
2246	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. THERMOPLASTIC SHEATHING COMPOUNDS HAVING LOW EMISSION OF CORROSIVE GASES, AND SUITABLE FOR USE IN CABLES HAVING LOW EMISSION OF SMOKE WHEN AFFECTED BY FIRE. GENERAL APPLICATION THERMOPLASTIC TYPES	PROPERTIES AFTER AGEING IN AIR OVEN - ELONGATION AT BREAK FOR SHEATH	BS 7655-6.1 + AMD 1 (Table 2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 307 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2247	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. THERMOPLASTIC SHEATHING COMPOUNDS HAVING LOW EMISSION OF CORROSIVE GASES, AND SUITABLE FOR USE IN CABLES HAVING LOW EMISSION OF SMOKE WHEN AFFECTED BY FIRE. GENERAL APPLICATION THERMOPLASTIC TYPES	PROPERTIES AFTER AGEING IN AIR OVEN - TENSILE STRENGTH FOR SHEATH	BS 7655-6.1 + AMD 1 (Table 2)
2248	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. THERMOPLASTIC SHEATHING COMPOUNDS HAVING LOW EMISSION OF CORROSIVE GASES, AND SUITABLE FOR USE IN CABLES HAVING LOW EMISSION OF SMOKE WHEN AFFECTED BY FIRE. GENERAL APPLICATION THERMOPLASTIC TYPES	PROPERTIES IN THE STATE AS DELIVERED - ELONGATION AT BREAK FOR SHEATH	BS 7655-6.1 + AMD 1 (Table 2)
2249	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. THERMOPLASTIC SHEATHING COMPOUNDS HAVING LOW EMISSION OF CORROSIVE GASES, AND SUITABLE FOR USE IN CABLES HAVING LOW EMISSION OF SMOKE WHEN AFFECTED BY FIRE. GENERAL APPLICATION THERMOPLASTIC TYPES	PROPERTIES IN THE STATE AS DELIVERED - TENSILE STRENGTH FOR SHEATH	BS 7655-6.1 + AMD 1 (Table 2)
2250	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. THERMOPLASTIC SHEATHING COMPOUNDS HAVING LOW EMISSION OF CORROSIVE GASES, AND SUITABLE FOR USE IN CABLES HAVING LOW EMISSION OF SMOKE WHEN AFFECTED BY FIRE. GENERAL APPLICATION THERMOPLASTIC TYPES	TEST FOR TEAR RESISTANCE	BS 7655-6.1 + AMD 1 (Table 2)
2251	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. THERMOPLASTIC SHEATHING COMPOUNDS HAVING LOW EMISSION OF CORROSIVE GASES, AND SUITABLE FOR USE IN CABLES HAVING LOW EMISSION OF SMOKE WHEN AFFECTED BY FIRE. GENERAL APPLICATION THERMOPLASTIC TYPES	WATER IMMERSION TEST - ELONGATION AT BREAK	BS 7655-6.1 + AMD 1 (Table 2)
2252	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR INSULATING AND SHEATHING MATERIALS FOR CABLES. THERMOPLASTIC SHEATHING COMPOUNDS HAVING LOW EMISSION OF CORROSIVE GASES, AND SUITABLE FOR USE IN CABLES HAVING LOW EMISSION OF SMOKE WHEN AFFECTED BY FIRE. GENERAL APPLICATION THERMOPLASTIC TYPES	WATER IMMERSION TEST - TENSILE STRENGTH	BS 7655-6.1 + AMD 1 (Table 2)
2253	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	WRAPPING TEST FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
2254	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	ACID GENERATION TEST	EIL Spec.6-51-0051 Rev.8 (Cl.3.2) (Cl.3.3) (Cl.5.1.6c)
2255	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	ADHERENCE TEST FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 308 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2256	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	AGEING IN AIR BOMB ON INSULATION - ELONGATION AT BREAK	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.9)
2257	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	AGEING IN AIR BOMB ON INSULATION - TENSILE STRENGTH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.9)
2258	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	AGEING IN OXYGEN BOMB ON INSULATION - ELONGATION AT BREAK - ELONGATION AT BREAK	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.9)
2259	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	AGEING IN OXYGEN BOMB ON INSULATION - TENSILE STRENGTH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.9)
2260	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	ANNEALING TEST (FOR COPPER)	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.2)
2261	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	CIRCUIT INTEGRITY TEST	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.7) (Cl.3.9.9)
2262	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	COLD BEND TEST ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3)
2263	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	COLD IMPACT TEST ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3)
2264	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	CONDUCTOR RESISTANCE TEST	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.5.1.5) (Cl.5.1.2)
2265	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	DIMENSIONS OF ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
2266	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	ELONGATION AT BREAK FOR INSULATION AND OUTER SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.1) (Cl.5.1.3) (Cl.5.1.5) (Cl.5.1.2) (Cl.3.9.9)
2267	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	ELONGATION FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
2268	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	FLAME PROPAGATION ON SINGLE CABLE	EIL Spec.6-51-0051 Rev.8 (Cl.3.3)
2269	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	FLAME RETARDENT TEST ON BUNCHED CABLES	EIL Spec.6-51-0051 Rev.8 (Cl.3.2) (Cl.3.3) (Cl.5.1.5d)
2270	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	FLAME RETARDENT TEST ON SINGLE CABLE	EIL Spec.6-51-0051 Rev.8 (Cl.3.2) (Cl.3.3) (Cl.5.1.5d)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 309 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2271	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	HEAT SHOCK TEST ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3)
2272	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	HIGH VOLTAGE TEST	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.5) (Cl.5.1.2)
2273	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	HIGH VOLTAGE TEST (WATER IMMERSION TEST)	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.2)
2274	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	HOT DEFORMATION TEST ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3)
2275	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	HOT SET TEST FOR INSULATION	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.5.1.5) (Cl.5.1.2) (Cl.3.9.8)
2276	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	INSULATION RESISTANCE TEST	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.3) (Cl.5.1.5) (Cl.5.1.2) (Cl.3.9.9)
2277	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	LOSS OF MASS ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.3)
2278	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	MASS OF ZINC COATING FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
2279	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	OIL RESISTANCE TEST ON INSULATION - ELONGATION AT BREAK	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.9)
2280	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	OIL RESISTANCE TEST ON INSULATION - TENSILE STRENGTH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.9)
2281	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	OXYGEN INDEX TEST	EIL Spec.6-51-0051 Rev.8 (Cl.3.2) (Cl.3.3) (Cl.5.1.5c) (Cl.5.1.6a) (Cl.5.1.6b)
2282	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	OZONE RESISTANCE TEST ON INSULATION	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.9)
2283	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	RESISTIVITY FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
2284	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	SHRINKAGE TEST ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3)
2285	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	SMOKE DENSITY RATING	EIL Spec.6-51-0051 Rev.8 (Cl.3.2) (Cl.3.3) (Cl.5.1.6d)
2286	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	TEMPERATURE INDEX TEST	EIL Spec.6-51-0051 Rev.8 (Cl.3.2) (Cl.3.3) (Cl.5.1.6b)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 310 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2287	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	TENSILE STRENGTH FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
2288	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	TENSILE STRENGTH FOR INSULATION AND OUTER SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.1) (Cl.5.1.3) (Cl.5.1.5) (Cl.5.1.2) (Cl.3.9.9)
2289	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	TEST FOR THICKNESS OF INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.5) (Cl.5.1.2)
2290	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - ELONGATION AT BREAK	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3) (Cl.3.9.9)
2291	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	THERMAL AGEING IN AIR OVEN FOR INSULATION AND OUTER SHEATH - TENSILE STRENGTH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1) (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3) (Cl.3.9.9)
2292	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	THERMAL STABILITY ON INSULATION AND SHEATH	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.3) (Cl.3.9.4) (Cl.3.9.6) (Cl.5.1.3)
2293	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	TORSION TEST FOR ROUND WIRES	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
2294	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	UNIFORMITY OF ZINC COATING FOR ARMOUR	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.5)
2295	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	UV RADIATION ON SHEATH - ELONGATION AT BREAK	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.4)
2296	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	UV RADIATION ON SHEATH - TENSILE STRENGTH	EIL Spec.6-51-0051 Rev.8 (Cl.5.1.4)
2297	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	WATER ABSORPTION TEST (ELECTRIC) ON INSULATION	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.9)
2298	ELECTRICAL- CABLES & WIRES	SPECIFICATION FOR MEDIUM AND HIGH VOLTAGE CABLES & ACCESSORIES	WATER ABSORPTION TEST (GRAVIMETRIC) ON INSULATION	EIL Spec.6-51-0051 Rev.8 (Cl.3.9.1)
2299	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	CONDUCTOR DIAMETER	UL 1277 (Cl.6)
2300	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	CRUSH RESISTANCE	UL 1277 (Cl.19) (Cl.24) (Cl.23.2) (Table 23.1) (Cl.23.6)
2301	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	DC RESISTANCE OF A CONDUCTOR	DC RESISTANCE OF A CONDUCTOR
2302	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	DEFORMATION TEST	UL 1277 (Cl.21) (Table 21.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 311 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2303	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	DIELECTRIC VOLTAGE WITHSTAND TEST	UL 1277 (Cl.14) (Table 14.1)
2304	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	OIL RESISTANCE TEST - TENSILE STRENGTH	UL 1277 (Cl.12.2) (Table 12.1) (Table 12.2)
2305	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	SUNLIGHT RESISTANCE TEST - TENSILE STRENGTH	UL 1277 (Cl.20)
2306	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	SUNLIGHT RESISTANCE TEST - ULTIMATE ELONGATION	UL 1277 (Cl.20)
2307	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 1277 (Cl.12.2) (Table 12.1) (Cl.9.2)
2308	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	UL 1277 (Cl.12.2) (Table 12.1) (Cl.9.2)
2309	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	TEST FOR THICKNESS OF INSULATION AND JACKET	UL 1277 (Cl.9.2) Cl.9.3) (Cl.9.5) (Cl.11.3.2) Cl.11.3.3) (Cl.12.3) (Table 12.3)
2310	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 1277 (Cl.12.2) (Table 12.1) (Cl.9.2)
2311	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	UL 1277 (Cl.12.2) (Table 12.1) (Cl.9.2)
2312	ELECTRICAL- CABLES & WIRES	STANDARD FOR ELECTRICAL POWER AND CONTROL TRAY CABLES WITH OPTIONAL OPTICAL-FIBER MEMBERS	VERTICAL-TRAY FLAME TEST	UL 1277 (Cl.15)
2313	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	CRUSH RESISTANCE	UL 2250 (Cl.30) (Cl.33)
2314	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	DC RESISTANCE OF A CONDUCTOR	UL 2250 (Cl.11) (Table 11.1) (Table 11.2)
2315	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	DEFORMATION TEST	UL 2250 (Cl.21) (Table 21.1)
2316	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	DIELECTRIC VOLTAGE WITHSTAND TEST	UL 2250 (Cl.25) (Table 24.1)
2317	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	INSULATION RESISTANCE TEST AT 60 °F (15.6 °C)	UL 2250 (Cl.26) (Table 26.1) (Cl.28)
2318	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	SUNLIGHT RESISTANCE TEST - TENSILE STRENGTH	UL 2250 (Cl.29)
2319	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	SUNLIGHT RESISTANCE TEST - ULTIMATE ELONGATION	UL 2250 (Cl.29)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 312 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2320	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	TENSILE STRENGTH	UL 2250 (Cl.13.1) (13.2) (Table 13.1) (Table 13.2) (Cl.16.1) (Table 16.1) (Cl.16.2) (Cl.18.1)
2321	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	TEST FOR THICKNESS OF INSULATION AND OVERALL JACKET	UL 2250 (Cl.13.3) (Table 13.3) (Cl.16.3) (Table 16.2) (Cl.18.1) (Table 18.1)
2322	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	THERMAL AGEING IN AIR OVEN - TENSILE STRENGTH	UL 2250 (Cl.13.1) (13.2) (Table 13.1) (Table 13.2) (Cl.16.1) (Table 16.1) (Cl.16.2) (Cl.18.1)
2323	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	THERMAL AGEING IN AIR OVEN - ULTIMATE ELONGATION	UL 2250 (Cl.13.1) (13.2) (Table 13.1) (Table 13.2) (Cl.16.1) (Table 16.1) (Cl.16.2) (Cl.18.1)
2324	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	ULTIMATE ELONGATION	UL 2250 (Cl.13.1) (13.2) (Table 13.1) (Table 13.2) (Cl.16.1) (Table 16.1) (Cl.16.2) (Cl.18.1)
2325	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	VERTICAL FLAME TEST - FT4/IEEE 1202 TEST	UL 2250 (Cl.35.1) (Cl.35.2) (Cl.35.3)
2326	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	WATER ABSORPTION TEST OF INSULATION IN DIRECT BURIAL CABLE	UL 2250 (Cl.31.1) (Cl.31.2)
2327	ELECTRICAL- CABLES & WIRES	STANDARD FOR INSTRUMENTATION TRAY CABLE	WATER ABSORPTION TEST OF INSULATION IN DIRECT BURIAL CABLE	UL 2250 (Cl.31.1) (Cl.31.3)
2328	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	CONDUCTOR DIAMETER	UL 719 (Cl. 5.5) (Cl.7.5)
2329	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	CRUSH RESISTANCE	UL 719 (Cl. 5.13) (Cl.5.14) (Cl.7.12) (Cl.7.13)
2330	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	DIELECTRIC VOLTAGE WITHSTAND TEST	UL 719 (Cl. 5.10) (Cl.7.9)
2331	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 719 (Cl.5.2)
2332	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	UL 719 (Cl.5.2)
2333	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	TEST FOR THICKNESS OF INSULATION AND JACKET	UL 719 (Cl. 5.3) (Table 6) (Cl.7.3)
2334	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	TRAY CABLES SUNLIGHT RESIATNCE TEST - TENSILE STRENGTH	UL 719 (Cl. 5.9) (Table 1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 313 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2335	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	TRAY CABLES SUNLIGHT RESIATNCE TEST - ULTIMATE ELONGATION	UL 719 (Cl. 5.9) (Table 1)
2336	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 719 (Cl.5.2)
2337	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	UL 719 (Cl.5.2)
2338	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	VERTICAL FLAME TEST	UL 719 (Cl. 5.6) (Cl.7.6)
2339	ELECTRICAL- CABLES & WIRES	STANDARD FOR NONMETALLIC-SHEATHED CABLES	VERTICAL TRAY FLAME TEST	UL 719 (Cl. 5.7) (Table 1)
2340	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	CONDUCTOR DIAMETER	UL 854 (Cl.8)
2341	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	CRUSH RESISTANCE	UL 854 (Cl.24)
2342	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	DC RESISTANCE OF A CONDUCTOR	UL 854 (Cl.10)
2343	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	DEFORMATION TEST	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
2344	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	DIELECTRIC VOLTAGE WITHSTAND TEST	UL 854 (Cl.29) (Table 29.1)
2345	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	FLAME TEST OF CABLE	UL 854 (Cl.20)
2346	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	GASOLINE AND OIL RESISTANCE TESTS - TENSILE STRENGTH	UL 854 (Cl.34) (Cl.33)
2347	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	GASOLINE AND OIL RESISTANCE TESTS - ULTIMATE ELONGATION	UL 854 (Cl.34) (Cl.33)
2348	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	INSULATION RESISTANCE TEST	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
2349	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	MEASUREMENT OF INSULATION AND JACKET THICKNESS	UL 854 (Cl.14.2) (Table.14.1) (Table 14.3)
2350	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	SUNLIGHT RESISTANCE TEST - TENSILE STRENGTH	UL 854 (Cl.30)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 314 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2351	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	SUNLIGHT RESISTANCE TEST - ULTIMATE ELONGATION	UL 854 (Cl.30)
2352	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	TENSILE STRENGTH ON INSULATION AND JACKET AFTER AIR OVEN AGEING	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
2353	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	TENSILE STRENGTH ON INSULATION AND JACKET BEFORE AGEING	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
2354	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	ULTIMATE ELONGATION ON INSULATION AND JACKET AFTER AIR OVEN AGEING	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
2355	ELECTRICAL- CABLES & WIRES	STANDARD FOR SERVICE-ENTRANCE CABLES	ULTIMATE ELONGATION ON INSULATION AND JACKET BEFORE AGEING	UL 854 (Cl.14.3) (Cl.14.1) (Cl.17.2.2.1) (Table 14.1 to 14.5)
2356	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	CONDUCTOR DIAMETER	UL 493 (Cl.4.3)
2357	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	CRUSH RESISTANCE	UL 493 (Cl.5.10) (Cl.8.10)
2358	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	DC RESISTANCE OF A CONDUCTOR	UL 493 (Cl.4.3)
2359	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	DIELECTRIC VOLTAGE WITHSTAND TEST	UL 493 (Cl.5.5) (Cl.8.5)
2360	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	SUNLIGHT RESISTANCE TEST - TENSILE STRENGTH	UL 493 (Cl.5.12) (Cl.8.12) (Cl.6.1.6) (Cl.6.1.7)
2361	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	SUNLIGHT RESISTANCE TEST - ULTIMATE ELONGATION	UL 493 (Cl.5.12) (Cl.8.12) (Cl.6.1.6) (Cl.6.1.7)
2362	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 493 (Cl.4.4) (Cl.4.5) (Cl.4.7) (Table 1) (Table 2) (Table 6)
2363	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	UL 493 (Cl.4.4) (Cl.4.5) (Cl.4.7) (Table 1) (Table 2) (Table 6)
2364	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	TEST FOR THICKNESS OF INSULATION AND COVERING	UL 493 (Cl.4.4) (Cl.4.5) (Cl.4.7) (Table 1) (Table 6) (Table 2)
2365	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 493 (Cl.4.4) (Cl.4.5) (Cl.4.7) (Table 1) (Table 2) (Table 6)
2366	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	UL 493 (Cl.4.4) (Cl.4.5) (Cl.4.7) (Table 1) (Table 2) (Table 6)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 315 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2367	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	VERTICAL FLAME TEST	UL 493 (Cl.5.3) (Cl.8.3)
2368	ELECTRICAL- CABLES & WIRES	STANDARD FOR THERMOPLASTIC-INSULATED UNDERGROUND FEEDER AND BRANCH-CIRCUIT CABLES	VERTICAL TRAY FLAME TEST	UL 493 (Cl.5.4) (Cl.8.4)
2369	ELECTRICAL- CABLES & WIRES	STANDARD FOR VERTICAL-TRAY FIRE-PROPAGATION AND SMOKE-RELEASE TEST FOR ELECTRICAL AND OPTICAL-FIBER CABLES	STANDARD FOR VERTICAL-TRAY FIRE-PROPAGATION AND SMOKE-RELEASE TEST FOR ELECTRICAL AND OPTICAL-FIBER CABLES	UL 1685
2370	ELECTRICAL- CABLES & WIRES	STANDARD PRACTICE FOR EXPOSING NON METALLIC MATERIALS IN ACCELERATED TEST DEVICES THAT USE LABORATORY LIGHT SOURCES	STANDARD PRACTICE FOR EXPOSING NON METALLIC MATERIALS IN ACCELERATED TEST DEVICES THAT USE LABORATORY LIGHT SOURCES	ASTM G 151
2371	ELECTRICAL- CABLES & WIRES	STANDARD PRACTICE FOR OPERATING FLUORESCENT ULTRAVIOLET (UV) LAMP APPARATUS FOR EXPOSURE OF NONMETALLIC MATERIALS	STANDARD PRACTICE FOR OPERATING FLOURESCENT LIGHT APPARATUS FOR UV EXPOSURE OF NON METALLICE MATERIALS - ELONGATION AT BREAK	ASTM G 154
2372	ELECTRICAL- CABLES & WIRES	STANDARD PRACTICE FOR OPERATING FLUORESCENT ULTRAVIOLET (UV) LAMP APPARATUS FOR EXPOSURE OF NONMETALLIC MATERIALS	STANDARD PRACTICE FOR OPERATING FLOURESCENT LIGHT APPARATUS FOR UV EXPOSURE OF NON METALLICE MATERIALS - TENSILE STRENGTH	ASTM G 154
2373	ELECTRICAL- CABLES & WIRES	STANDARD PRACTICE FOR OPERATING XENON ARC LIGHT APPARATUS FOR EXPOSURE OF NON-METALLIC MATERIALS	STANDARD PRACTICE FOR OPERATING XENON ARC LIGHT APPARATUS FOR EXPOSURE OF NON-METALLIC MATERIALS - ELONGATION AT BREAK	ASTM G 155
2374	ELECTRICAL- CABLES & WIRES	STANDARD PRACTICE FOR OPERATING XENON ARC LIGHT APPARATUS FOR EXPOSURE OF NON-METALLIC MATERIALS	STANDARD PRACTICE FOR OPERATING XENON ARC LIGHT APPARATUS FOR EXPOSURE OF NON-METALLIC MATERIALS - TENSILE STRENGTH	ASTM G 155
2375	ELECTRICAL- CABLES & WIRES	STANDARD TEST METHOD FOR MEASURING THE MINIMUM OXYGEN CONCENTRATION TO SUPPORT CANDLE-LIKE COMBUSTION OF PLASTICS (OXYGEN INDEX)	OXYGEN INDEX TEST	ASTM D 2863
2376	ELECTRICAL- CABLES & WIRES	STANDARD TEST METHOD FOR TENSILE PROPERTIES OF PLASTICS	STANDARD TEST METHOD FOR TENSILE PROPERTIES OF PLASTICS - ELONGATION AT BREAK	ASTM D638

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 316 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2377	ELECTRICAL- CABLES & WIRES	STANDARD TEST METHOD FOR TENSILE PROPERTIES OF PLASTICS	STANDARD TEST METHOD FOR TENSILE PROPERTIES OF PLASTICS - TENSILE STRENGTH	ASTM D638
2378	ELECTRICAL- CABLES & WIRES	STANDARD TEST METHOD FOR WEIGHT [MASS] OF COATING ON IRON AND STEEL ARTICLES WITH ZINC OR ZINC-ALLOY COATINGS	STANDARD TEST METHOD FOR WEIGHT [MASS] OF COATING ON IRON AND STEEL ARTICLES WITH ZINC OR ZINC-ALLOY COATINGS	ASTM A90
2379	ELECTRICAL- CABLES & WIRES	STANDARD TEST METHODS FOR AC LOSS CHARACTERISTICS AND PERMITTIVITY (DIELECTRIC CONSTANT) OF SOLID ELECTRICAL INSULATION	STANDARD TEST METHODS FOR AC LOSS CHARACTERISTICS AND PERMITTIVITY (DIELECTRIC CONSTANT) OF SOLID ELECTRICAL INSULATION	ASTM D 150
2380	ELECTRICAL- CABLES & WIRES	STANDARD TEST METHODS FOR FLEXURAL PROPERTIES OF UNREINFORCED AND REINFORCED PLASTICS AND ELECTRICAL INSULATING MATERIALS	STANDARD TEST METHODS FOR FLEXURAL PROPERTIES OF UNREINFORCED AND REINFORCED PLASTICS AND ELECTRICAL INSULATING MATERIALS	ASTM D790
2381	ELECTRICAL- CABLES & WIRES	STANDARD TEST METHODS FOR RUBBER - IDENTIFICATION BY INFRARED SPECTROPHOTOMETRY	STANDARD TEST METHODS FOR RUBBER - IDENTIFICATION BY INFRARED SPECTROPHOTOMETRY	ASTM D 3677
2382	ELECTRICAL- CABLES & WIRES	STEEL AND STEEL PRODUCTS. LOCATION AND PREPARATION OF SAMPLES AND TEST PIECES FOR MECHANICAL TESTING	STEEL AND STEEL PRODUCTS -- LOCATION AND PREPARATION OF SAMPLES AND TEST PIECES FOR MECHANICAL TESTING	EN ISO 377
2383	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS	ADHERENCE OF COATING TEST FOR ARMOUR	EN 10244-1 (Cl.4.5) (Cl.5.3) (Table 2)
2384	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS — NON-FERROUS METALLIC COATINGS ON STEEL WIRE : GENERAL PRINCIPLES	COATING MASS PER UNIT AREA FOR ARMOUR	ISO 7989-1 (Cl.4.2) (Table 1) (Cl.5.2)
2385	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS — NON-FERROUS METALLIC COATINGS ON STEEL WIRE : ZINC OR ZINC-ALLOY COATING	DIPPING TEST FOR ARMOUR	ISO 7989-2 (Cl.4.2.3) (Table 3) (Cl.5.3)
2386	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS — NON-FERROUS METALLIC COATINGS ON STEEL WIRE: GENERAL PRINCIPLES	ADHERENCE OF COATING TEST FOR ARMOUR	ISO 7989-1 (Cl.4.5) (Cl.5.3)
2387	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS — NON-FERROUS METALLIC COATINGS ON STEEL WIRE: ZINC OR ZINC-ALLOY COATING	ADHERENCE OF COATING TEST FOR ARMOUR	ISO 7989-2 (Cl.4.2.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 317 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2388	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS — NON-FERROUS METALLIC COATINGS ON STEEL WIRE: ZINC OR ZINC-ALLOY COATING	COATING MASS PER UNIT AREA FOR ARMOUR	ISO 7989-2 (Cl.4.2.1) (Table 1) (Table 2) (Cl.5.2)
2389	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS.	ADHERENCE TEST FOR ARMOUR	EN 10218-1 (Cl.6)
2390	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS.	ELONGATION FOR ARMOUR	EN 10218-1 (Cl.3)
2391	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS.	TENSILE STRENGTH FOR ARMOUR	EN 10218-1 (Cl.3)
2392	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS.	TORSION TEST FOR ROUND WIRES	EN 10218-1 (Cl.4) (Table 1)
2393	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS.	WRAPPING TEST FOR ARMOUR	EN 10218-1 (Cl.6)
2394	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS. NON-FERROUS METALLIC COATINGS ON STEEL WIRE. GENERAL PRINCIPLES	COATING MASS FOR ARMOUR	EN 10244-1 (Cl.5.2)
2395	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS. NON-FERROUS METALLIC COATINGS ON STEEL WIRE. ZINC OR ZINC ALLOY COATINGS	ADHERENCE OF COATING TEST FOR ARMOUR	EN 10244-2 (Cl.4.2.5)
2396	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS. NON-FERROUS METALLIC COATINGS ON STEEL WIRE. ZINC OR ZINC ALLOY COATINGS	COATING MASS FOR ARMOUR	EN 10244-2 (Cl.4.2.1) (Table 1) (Table 2) (Cl.5.2.2)
2397	ELECTRICAL- CABLES & WIRES	STEEL WIRE AND WIRE PRODUCTS. NON-FERROUS METALLIC COATINGS ON STEEL WIRE. ZINC OR ZINC ALLOY COATINGS	DIPPING TEST FOR ARMOUR	EN 10244-2 (Cl.4.2.3) (Table 3) (Cl.5.3)
2398	ELECTRICAL- CABLES & WIRES	TEST IN THE 3M CUBE FOR THE MEASUREMENT OF SMOKE DENSITY TEST WITH FLAME OF ALCOHOL	TEST IN THE 3M CUBE FOR THE MEASUREMENT OF SMOKE DENSITY TEST WITH OF ALCOHOL	UITP Part 2E4
2399	ELECTRICAL- CABLES & WIRES	TEST ON GASES EVOLVED DURING COMBUSTION OF MATERIALS FROM CABLES -: DETERMINATION OF ACIDITY (BY PH MEASUREMENT) AND CONDUCTIVITY	DETERMINATION OF CONDUCTIVITY	IEC 60754-2 + AMD 1
2400	ELECTRICAL- CABLES & WIRES	TEST ON GASES EVOLVED DURING COMBUSTION OF MATERIALS FROM CABLES -: DETERMINATION OF THE HALOGEN ACID GAS CONTENT	DETERMINATION OF THE HALOGEN ACID GAS CONTENT	IEC 60754-1 + AMD 1
2401	ELECTRICAL- CABLES & WIRES	TEST ON GASES EVOLVED DURING COMBUSTION OF MATERIALS FROM CABLES : DETERMINATION OF ACIDITY (BY PH MEASUREMENT) AND CONDUCTIVITY	DETERMINATION OF ACIDITY (BY PH MEASUREMENT)	IEC 60754-2 + AMD 1
2402	ELECTRICAL- CABLES & WIRES	TEST ON GASES EVOLVED DURING COMBUSTION OF MATERIALS FROM CABLES. DETERMINATION OF ACIDITY (BY PH MEASUREMENT) AND CONDUCTIVITY	DETERMINATION OF ACIDITY (BY PH MEASUREMENT)	BS EN 60754-2+AMD 1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 318 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2403	ELECTRICAL- CABLES & WIRES	TEST ON GASES EVOLVED DURING COMBUSTION OF MATERIALS FROM CABLES. DETERMINATION OF ACIDITY (BY PH MEASUREMENT) AND CONDUCTIVITY	DETERMINATION OF CONDUCTIVITY	BS EN 60754-2+AMD 1
2404	ELECTRICAL- CABLES & WIRES	TEST ON GASES EVOLVED DURING COMBUSTION OF MATERIALS FROM CABLES. DETERMINATION OF THE HALOGEN ACID GAS CONTENT	DETERMINATION OF THE HALOGEN ACID GAS CONTENT	BS EN 60754-1 + AMD 1
2405	ELECTRICAL- CABLES & WIRES	TESTS FOR ELECTRIC CABLES UNDER FIRE CONDITIONS - CIRCUIT INTEGRITY : APPARATUS - FIRE ALONE AT A FLAME TEMPERATURE OF AT LEAST 750 °C	TESTS FOR ELECTRIC CABLES UNDER FIRE CONDITIONS – CIRCUIT INTEGRITY – APPARATUS – FIRE ALONE AT A FLAME TEMPERATURE OF AT LEAST 750 °C	IEC 60331-11 + AMD 1
2406	ELECTRICAL- CABLES & WIRES	TESTS FOR ELECTRIC CABLES UNDER FIRE CONDITIONS - CIRCUIT INTEGRITY : PROCEDURES AND REQUIREMENTS - CABLES OF RATED VOLTAGE UP TO AND INCLUDING 0,6/1,0 KV	TESTS FOR ELECTRIC CABLES UNDER FIRE CONDITIONS – CIRCUIT INTEGRITY – PROCEDURES AND REQUIREMENTS – CABLES OF RATED VOLTAGE UP TO AND INCLUDING 0,6/1,0 KV	IEC 60331-21
2407	ELECTRICAL- CABLES & WIRES	TESTS FOR ELECTRIC CABLES UNDER FIRE CONDITIONS - CIRCUIT INTEGRITY : TEST METHOD FOR FIRE WITH SHOCK AT A TEMPERATURE OF AT LEAST 830°C FOR CABLES OF RATED VOLTAGE UP TO AND INCLUDING 0,6/1,0 KV AND WITH AN OVERALL DIAMETER EXCEEDING 20 MM	TEST METHOD FOR FIRE WITH SHOCK AT A TEMPERATURE OF AT LEAST 830°C FOR CABLES OF RATED VOLTAGE UP TO AND INCLUDING 0,6/1,0 KV AND WITH AN OVERALL DIAMETER EXCEEDING 20 MM	IEC 60331-1
2408	ELECTRICAL- CABLES & WIRES	TESTS FOR ELECTRIC CABLES UNDER FIRE CONDITIONS - CIRCUIT INTEGRITY : TEST METHOD FOR FIRE WITH SHOCK AT A TEMPERATURE OF AT LEAST 830°C FOR CABLES OF RATED VOLTAGE UP TO AND INCLUDING 0,6/1,0 KV AND WITH AN OVERALL DIAMETER NOT EXCEEDING 20MM	TEST METHOD FOR FIRE WITH SHOCK AT A TEMPERATURE OF AT LEAST 830°C FOR CABLES OF RATED VOLTAGE UP TO AND INCLUDING 0,6/1,0 KV AND WITH AN OVERALL DIAMETER NOT EXCEEDING 20 MM	IEC 60331-2
2409	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS - TEST FOR VERTICAL FLAME PROPAGATION FOR A SINGLE INSULATEDWIRE OR CABLE - PROCEDURE FOR 1 KW PRE-MIXED FLAME	"TEST FOR VERTICAL FLAME PROPAGATION FOR A SINGLE INSULATED WIRE OR CABLE – PROCEDURE FOR 1 KW PRE MIXED FLAME"	IEC 60332-1-2 + AMD 1
2410	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS - TEST FOR VERTICAL FLAME PROPAGATION FOR A SINGLE INSULATEDWIRE OR CABLE - PROCEDURE FOR DETERMINATION OF FLAMINGDROPLETS/PARTICLES	"TEST FOR VERTICAL FLAME PROPAGATION FOR A SINGLE INSULATED WIRE OR CABLE – PROCEDURE FOR DETERMINATION OF FLAMING DROPLETS/PARTICLES"	IEC 60332-1-3 + AMD1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 319 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2411	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS - TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY-MOUNTED BUNCHED WIRES OR CABLES - APPARATUS	TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY MOUNTED BUNCHED WIRES OR CABLES	IEC 60332-3-10
2412	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS - TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY-MOUNTED BUNCHED WIRES OR CABLES - CATEGORY A F/R	TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY MOUNTED BUNCHED WIRES OR CABLES - CATEGORY A F/R	IEC 60332-3-21
2413	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS - TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY-MOUNTED BUNCHED WIRES OR CABLES - CATEGORY D	TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY MOUNTED BUNCHED WIRES OR CABLES - CATEGORY D	IEC 60332-3-25
2414	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS -TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY-MOUNTED BUNCHED WIRES OR CABLES - CATEGORY A	TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY MOUNTED BUNCHED WIRES OR CABLES - CATEGORY A	IEC 60332-3-22
2415	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS -TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY-MOUNTED BUNCHED WIRES OR CABLES - CATEGORY B	TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY MOUNTED BUNCHED WIRES OR CABLES - CATEGORY B	IEC 60332-3-23
2416	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS -TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY-MOUNTED BUNCHED WIRES OR CABLES - CATEGORY C	TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY MOUNTED BUNCHED WIRES OR CABLES - CATEGORY C	IEC 60332-3-24
2417	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS : TEST FOR VERTICAL FLAME PROPAGATION FOR A SINGLE INSULATEDWIRE OR CABLE - APPARATUS	TEST FOR VERTICAL FLAME PROPAGATION FOR A SINGLE INSULATED WIRE OR CABLE	IEC 60332-1-1 + AMD 1
2418	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS. TEST FOR VERTICAL FLAME PROPAGATION FOR A SINGLE INSULATED WIRE OR CABLE. APPARATUS	TEST FOR VERTICAL FLAME PROPAGATION FOR A SINGLE INSULATED WIRE OR CABLE	BS EN 60332-1-1 + AMD1
2419	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS. TEST FOR VERTICAL FLAME PROPAGATION FOR A SINGLE INSULATED WIRE OR CABLE. PROCEDURE FOR 1 KW PRE-MIXED FLAME	"TEST FOR VERTICAL FLAME PROPAGATION FOR A SINGLE INSULATED WIRE OR CABLE – PROCEDURE FOR 1 KW PRE MIXED FLAME"	BS EN 60332-1-2 + AMD 11
2420	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS. TEST FOR VERTICAL FLAME PROPAGATION FOR A SINGLE INSULATED WIRE OR CABLE. PROCEDURE FOR DETERMINATION OF FLAMING DROPLETS/PARTICLES	"TEST FOR VERTICAL FLAME PROPAGATION FOR A SINGLE INSULATED WIRE OR CABLE – PROCEDURE FOR DETERMINATION OF FLAMING DROPLETS/PARTICLES"	BS EN 60332-1-3 + AMD1

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 320 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2421	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS. TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY-MOUNTED BUNCHED WIRES OR CABLES. APPARATUS	TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY MOUNTED BUNCHED WIRES OR CABLES	BS EN IEC 60332-3-10
2422	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS. TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY-MOUNTED BUNCHED WIRES OR CABLES. CATEGORY A	TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY MOUNTED BUNCHED WIRES OR CABLES - CATEGORY A	BS EN IEC 60332-3-22
2423	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS. TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY-MOUNTED BUNCHED WIRES OR CABLES. CATEGORY A F/R	TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY MOUNTED BUNCHED WIRES OR CABLES - CATEGORY A F/R	BS EN IEC 60332-3-21
2424	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS. TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY-MOUNTED BUNCHED WIRES OR CABLES. CATEGORY B	TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY MOUNTED BUNCHED WIRES OR CABLES - CATEGORY B	BS EN IEC 60332-3-23
2425	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS. TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY-MOUNTED BUNCHED WIRES OR CABLES. CATEGORY C	TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY MOUNTED BUNCHED WIRES OR CABLES - CATEGORY C	BS EN IEC 60332-3-24
2426	ELECTRICAL- CABLES & WIRES	TESTS ON ELECTRIC AND OPTICAL FIBRE CABLES UNDER FIRE CONDITIONS. TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY-MOUNTED BUNCHED WIRES OR CABLES. CATEGORY D	TEST FOR VERTICAL FLAME SPREAD OF VERTICALLY MOUNTED BUNCHED WIRES OR CABLES - CATEGORY D	BS EN IEC 60332-3-25
2427	ELECTRICAL- CABLES & WIRES	THERMAL PROPERTIES - SECTION 9 : DETERMINATION OF DENSITY OF SMOKE FROM THE BURNING OR DECOMPOSITION OF PLASTICS	DETERMINATION OF DENSITY OF SMOKE FROM THE BURNING OR DECOMPOSITION OF PLASTICS	IS 13360 : Part 6 : Sec 9
2428	ELECTRICAL- CABLES & WIRES	THERMAL STABILITY OF PVC INSULATION AND SHEATH	THERMAL STABILITY OF PVC INSULATION AND SHEATH	IS 10810 Part 60
2429	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	CAPACITANCE AND RELATIVE PERMITIVITY OF WET RATED WIRES	CSA C22.2 No. 75 (Cl. 5.7)
2430	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	CAPACITANCE AND RELATIVE PERMITIVITY OF WET RATED WIRES	UL 83 (Cl. 5.7)
2431	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	COLD BEND TEST	CSA C22.2 No. 75 (Cl. 5.10.1) (Table 26)
2432	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	COLD BEND TEST	UL 83 (Cl. 5.10.1) (Table 26)
2433	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	COLD IMPACT TEST	CSA C22.2 No. 75 (Cl. 5.10.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 321 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2434	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	COLD IMPACT TEST	UL 83 (Cl. 5.10.2)
2435	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	CRUSH RESISTANCE	CSA C22.2 No. 75 (Cl. 5.17)
2436	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	CRUSH RESISTANCE	UL 83 (Cl. 5.17)
2437	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	DC RESISTANCE OF A CONDUCTOR	CSA C22.2 No. 75 (Cl. 5.2) (Table 14 to 23)
2438	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	DC RESISTANCE OF A CONDUCTOR	UL 83 (Cl. 5.2) (Table 14 to 23)
2439	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	DEFORMATION TEST	CSA C22.2 No. 75 (Cl. 5.11) (Table 29)
2440	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	DEFORMATION TEST	UL 83 (Cl. 5.11) (Table 29)
2441	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	DIELECTRIC VOLTAGE WITHSTAND TEST IN WATER	CSA C22.2 No. 75 (Cl. 5.23) (Table 41)
2442	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	DIELECTRIC VOLTAGE WITHSTAND TEST IN WATER	UL 83 (Cl. 5.23) (Table 41)
2443	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	DURABILITY OF INK PRINTING	CSA C22.2 No. 75 (Cl. 5.19)
2444	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	DURABILITY OF INK PRINTING	UL 83 (Cl. 5.19)
2445	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	ELECTRICAL CONTINUITY	CSA C22.2 No. 75 (Cl. 5.25)
2446	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	ELECTRICAL CONTINUITY	UL 83 (Cl. 5.25)
2447	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	FT1	CSA C22.2 No. 75 (Cl. 5.12.2)
2448	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	FT1	UL 83 (Cl. 5.12.2)
2449	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	FV-2/VW-1 - HORIZONTAL SPECIMEN	CSA C22.2 No. 75 (Cl. 5.12.3.2)
2450	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	FV-2/VW-1 - HORIZONTAL SPECIMEN	UL 83 (Cl. 5.12.3.2)
2451	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	FV-2/VW-1 - VERTICAL SPECIMEN	CSA C22.2 No. 75 (Cl. 5.12.3.1)
2452	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	FV-2/VW-1 - VERTICAL SPECIMEN	UL 83 (Cl. 5.12.3.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 322 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2453	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	GASOLINE AND OIL RESISTANCE TEST - TENSILE STRENGTH	CSA C22.2 No. 75 (Cl. 5.14) (Cl. 5.15)
2454	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	GASOLINE AND OIL RESISTANCE TEST - TENSILE STRENGTH	UL 83 (Cl. 5.14) (Cl. 5.15)
2455	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	GASOLINE AND OIL RESISTANCE TESTS - ULTIMATE ELONGATION	CSA C22.2 No. 75 (Cl. 5.14) (Cl. 5.15)
2456	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	GASOLINE AND OIL RESISTANCE TESTS - ULTIMATE ELONGATION	UL 83 (Cl. 5.14) (Cl. 5.15)
2457	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	HEAT SHOCK TEST	CSA C22.2 No. 75 (Cl. 5.9) (Table 26)
2458	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	HEAT SHOCK TEST	UL 83 (Cl. 5.9) (Table 26)
2459	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	SHORT-TERM INSULATION RESISTANCE AT ELEVATED TEMPERATURE IN WATER & LONG-TERM INSULATION RESISTANCE IN WATER – ACCEPTANCE CRITERIA	CSA C22.2 No. 75 (Cl. 5.4) (Table 24) (Cl.5.5) (Cl.5.6) (Table 25) (Cl.5.24) (Table 30)
2460	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	SHORT-TERM INSULATION RESISTANCE AT ELEVATED TEMPERATURE IN WATER & LONG-TERM INSULATION RESISTANCE IN WATER – ACCEPTANCE CRITERIA	UL 83 (Cl. 5.4) (Table 24) (Cl.5.5) (Cl.5.6) (Table 25) (Cl.5.24) (Table 30)
2461	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION	CSA C22.2 No. 75 (Cl. 4.2.5) (Table 11) (Table 12)
2462	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION	UL 83 (Cl. 4.2.5) (Table 11) (Table 12)
2463	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	TENSILE STRENGTH BEFORE AGEING ON INSULATION	CSA C22.2 No. 75 (Cl. 4.2.5) (Table 11) (Table 12)
2464	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	TENSILE STRENGTH BEFORE AGEING ON INSULATION	UL 83 (Cl. 4.2.5) (Table 11) (Table 12)
2465	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	TEST FOR THICKNESS OF INSULATION AND JACKET	UL 83 (Cl 4.2.4) (Table 10) (Cl.4.3.2) (Table 13)
2466	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	TEST FOR THICKNESS OF INSULATION AND SHEATH	CSA C22.2 No. 75 (Cl 4.2.4) (Table 10) (Cl.4.3.2) (Table 13)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 323 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2467	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION	CSA C22.2 No. 75 (Cl. 4.2.5) (Table 11) (Table 12)
2468	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION	UL 83 (Cl. 4.2.5) (Table 11) (Table 12)
2469	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION	CSA C22.2 No. 75 (Cl. 4.2.5) (Table 11) (Table 12)
2470	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION	UL 83 (Cl. 4.2.5) (Table 11) (Table 12)
2471	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	VERTICAL FLAME	CSA C22.2 No. 75 (Cl. 5.12.1)
2472	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	VERTICAL FLAME	UL 83 (Cl. 5.12.1)
2473	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	VERTICAL TRAY / FT4 VERTICAL TRAY	CSA C22.2 No. 75 (Cl. 5.12.4) (Cl. 5.12.5)
2474	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	VERTICAL TRAY / FT4 VERTICAL TRAY	UL 83 (Cl. 5.12.4) (Cl. 5.12.5)
2475	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	WEATHER (SUNLIGHT) RESISTANCE - TENSILE STRENGTH	CSA C22.2 No. 75 (Cl. 5.13)
2476	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	WEATHER (SUNLIGHT) RESISTANCE - TENSILE STRENGTH	UL 83 (Cl. 5.13)
2477	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	WEATHER (SUNLIGHT) RESISTANCE - ULTIMATE ELONGATION	CSA C22.2 No. 75 (Cl. 5.13)
2478	ELECTRICAL- CABLES & WIRES	THERMOPLASTIC-INSULATED WIRES AND CABLES	WEATHER (SUNLIGHT) RESISTANCE - ULTIMATE ELONGATION	UL 83 (Cl. 5.13)
2479	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	BURNING PARTICLES (DROPPING)	CSA C22.2 No. 38 (Cl. 5.14.2)
2480	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	BURNING PARTICLES (DROPPING)	UL 44 (Cl. 5.14.2)
2481	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	CAPACITANCE AND RELATIVE PERMITIVITY	CSA C22.2 No. 38 (Cl. 5.6)
2482	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	CAPACITANCE AND RELATIVE PERMITIVITY	UL 44 (Cl. 5.6)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 324 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2483	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	COLD BEND TEST	CSA C22.2 No. 38 (Cl. 5.11.1) (Table 40) (Table 41)
2484	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	COLD BEND TEST	UL 44 (Cl. 5.11.1) (Table 40) (Table 41)
2485	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	COLD IMPACT TEST	CSA C22.2 No. 38 (Cl. 5.11.2)
2486	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	COLD IMPACT TEST	UL 44 (Cl. 5.11.2)
2487	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	CONDUCTOR DIAMETER	UL 44 (Cl. 4.1.6) (Table 5 to 10)
2488	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	CONDUCTOR DIAMETER	CSA C22.2 No. 38 (Cl. 4.1.6) (Table 5 to 10)
2489	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	COPPER CORROSION TEST FOR FINISHED WIRE AND CABLE	CSA C22.2 No. 38 (Cl. 5.7) (Table 11)
2490	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	COPPER CORROSION TEST FOR FINISHED WIRE AND CABLE	UL 44 (Cl. 5.7) (Table 11)
2491	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	CRUSH RESISTANCE	CSA C22.2 No. 38 (Cl. 5.18)
2492	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	CRUSH RESISTANCE	UL 44 (Cl. 5.18)
2493	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	DC RESISTANCE OF A CONDUCTOR	CSA C22.2 No. 38 (Cl. 5.2) (Table 28 to 33)
2494	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	DC RESISTANCE OF A CONDUCTOR	UL 44 (Cl. 5.2) (Table 28 to 33)
2495	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	DEFORMATION TEST	CSA C22.2 No. 38 (Cl. 5.12) (Table 42)
2496	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	DEFORMATION TEST	UL 44 (Cl. 5.12) (Table 42)
2497	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	DIELECTRIC VOLTAGE WITHSTAND TEST IN WATER	CSA C22.2 No. 38 (Cl.5.24) (Table 44)
2498	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	DIELECTRIC VOLTAGE WITHSTAND TEST IN WATER	UL 44 (Cl. 5.24) (Table 44)
2499	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	DURABILITY OF INK PRINTING	CSA C22.2 No. 38 (Cl. 5.20) (Table 11) (Table 21)
2500	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	DURABILITY OF INK PRINTING	UL 44 (Cl. 5.20) (Table 11) (Table 21)
2501	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	ELECTRICAL CONTINUITY	CSA C22.2 No. 38 (Cl.5.26)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 325 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2502	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	ELECTRICAL CONTINUITY	UL 44 (Cl. 5.26)
2503	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	FT1	CSA C22.2 No. 38 (Cl. 5.14.3)
2504	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	FT1	UL 44 (Cl. 5.14.3)
2505	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	FT2/FH/HORIZONTAL FLAME	CSA C22.2 No. 38 (Cl. 5.14.1)
2506	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	FT2/FH/HORIZONTAL FLAME	UL 44 (Cl. 5.14.1)
2507	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	FT4 VERTICAL TRAY	CSA C22.2 No. 38 (Cl. 5.14.5) (Cl. 5.14.6)
2508	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	FT4 VERTICAL TRAY	UL 44 (Cl. 5.14.5) (Cl. 5.14.6)
2509	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	FV-2/VW-1 VERTICAL SPECIMEN	CSA C22.2 No. 38 (Cl. 5.14.4)
2510	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	FV-2/VW-1 VERTICAL SPECIMEN	UL 44 (Cl. 5.14.4)
2511	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	GASOLINE AND OIL RESISTANCE TESTS - TENSILE STRENGTH	CSA C22.2 No. 38 (Cl. 5.16) (Cl.5.17)
2512	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	GASOLINE AND OIL RESISTANCE TESTS - TENSILE STRENGTH	UL 44 (Cl. 5.16) (Cl. 5.17)
2513	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	GASOLINE AND OIL RESISTANCE TESTS - ULTIMATE ELONGATION	CSA C22.2 No. 38 (Cl. 5.16) (Cl.5.17)
2514	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	GASOLINE AND OIL RESISTANCE TESTS - ULTIMATE ELONGATION	UL 44 (Cl. 5.16) (Cl. 5.17)
2515	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	HEAT SHOCK TEST	CSA C22.2 No. 38 (Cl. 5.9) (Table 39)
2516	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	HEAT SHOCK TEST	UL 44 (Cl. 5.9) (Table 39)
2517	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	HOT CREEP ELONGATION AND HOT CREEP SET	CSA C22.2 No. 38 (Cl.5.13)
2518	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	HOT CREEP ELONGATION AND HOT CREEP SET	UL 44 (Cl. 5.13)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 326 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2519	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	INSULATION FALL IN	CSA C22.2 No. 38 (Cl. 5.8)
2520	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	INSULATION FALL IN	UL 44 (Cl. 5.8)
2521	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	LONG TERM RESISTANCE IN WATER	CSA C22.2 No. 38 (Cl. 5.4) (Table 34 to 36) (Cl.5.5) (Table 37 to 38) (Cl. 5.25) (Tables 45 to 47)
2522	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	LONG TERM RESISTANCE IN WATER	UL 44 (Cl. 5.4) (Table 34 to 36) (Cl.5.5) (Table 37 to 38) (Cl. 5.25) (Tables 45 to 47)
2523	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	SHRINKBACK	CSA C22.2 No. 38 (Cl. 5.21)
2524	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	SHRINKBACK	UL 44 (Cl. 5.21)
2525	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	CSA C22.2 No. 38 (Cl. 4.2.1) (Cl.4.3.2) (Table 11) (Table 20) (Cl.4.9.1)
2526	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 44 (Cl. 4.2.1) (Cl.4.3.2) (Table 11) (Table 20) (Cl.4.9.1)
2527	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	CSA C22.2 No. 38 (Cl. 4.2.1) (Cl.4.3.2) (Table 11) (Table 20) (Cl.4.9.1)
2528	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	UL 44 (Cl. 4.2.1) (Cl.4.3.2) (Table 11) (Table 20) (Cl.4.9.1)
2529	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	TEST FOR THICKNESS OF INSULATION AND JACKET	UL 44 (Cl. 4.9.2) (Cl.4.9.3) (Table 27) (Table 12 to 19) (Cl.4.2.3)
2530	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	TEST FOR THICKNESS OF INSULATION AND SHEATH	CSA C22.2 No. 38 (Cl. 4.9.2) (Cl.4.9.3) (Table 27) (Table 12 to 19) (Cl.4.2.3)
2531	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	CSA C22.2 No. 38 (Cl. 4.2.1) (Cl.4.3.2) (Table 11) (Table 20) (Cl.4.9.1)
2532	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	UL 44 (Cl. 4.2.1) (Cl.4.3.2) (Table 11) (Table 20) (Cl.4.9.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 327 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2533	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	CSA C22.2 No. 38 (Cl. 4.2.1) (Cl.4.3.2) (Table 11) (Table 20) (Cl.4.9.1)
2534	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	UL 44 (Cl. 4.2.1) (Cl.4.3.2) (Table 11) (Table 20) (Cl.4.9.1)
2535	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	WEATHER (SUNLIGHT) RESISTANCE - TENSILE STRENGTH	CSA C22.2 No. 38 (Cl. 5.15)
2536	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	WEATHER (SUNLIGHT) RESISTANCE - TENSILE STRENGTH	UL 44 (Cl. 5.15)
2537	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	WEATHER (SUNLIGHT) RESISTANCE - ULTIMATE ELONGATION	CSA C22.2 No. 38 (Cl. 5.15)
2538	ELECTRICAL- CABLES & WIRES	THERMOSET-INSULATED WIRES AND CABLES	WEATHER (SUNLIGHT) RESISTANCE - ULTIMATE ELONGATION	UL 44 (Cl. 5.15)
2539	ELECTRICAL- CABLES & WIRES	TIN COATED SOFT OR ANNEALED COPPER WIRE FOR ELECTRICAL PURPOSES	STANDARD SPECIFICATION FOR TIN COATED SOFT OR ANNEALED COPPER WIRE FOR ELECTRICAL PURPOSES	ASTM B 33
2540	ELECTRICAL- CABLES & WIRES	TRAY CABLES	COLD IMPACT TEST	CSA C22.2 No.230 (Cl.5.1.1.b) (Cl.5.3) (Cl.5.1.2.a)
2541	ELECTRICAL- CABLES & WIRES	TRAY CABLES	FT4 VERTICAL FLAME TEST	CSA C22.2 No.230 (Cl.5.1.1.a) (Cl.5.2)
2542	ELECTRICAL- CABLES & WIRES	TRAY CABLES	MECHANICAL DAMAGE - CRUSHING	CSA C22.2 No.230 (Cl.5.1.1.d) (Cl.5.5)
2543	ELECTRICAL- CABLES & WIRES	TRAY CABLES	OIL RESISTANCE TEST - TENSILE STRENGTH	CSA C22.2 No.230 (Cl.5.1.2.b) (Cl.5.7)
2544	ELECTRICAL- CABLES & WIRES	TRAY CABLES	OIL RESISTANCE TEST - ULTIMATE ELONGATION	CSA C22.2 No.230 (Cl.5.1.2.b) (Cl.5.7)
2545	ELECTRICAL- CABLES & WIRES	TRAY CABLES	WEATHER RESISTANCE TEST - TENSILE STRENGTH	CSA C22.2 No.230 (Cl.5.1.1.e) (Cl.5.6)
2546	ELECTRICAL- CABLES & WIRES	TRAY CABLES	WEATHER RESISTANCE TEST FOR CLASS II PRODUCTS	CSA C22.2 No.230 (Cl.5.1.1.e) (Cl.5.6)
2547	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	TENSILE STRENGTH BEFORE AGEING ON INSULATION AND JACKET	CSA C22.2 No.52 (Cl.6.3) (Cl.6.4) (Table 11) (Cl.5.2.1) (Cl. 5.2.4) (Cl.5.6)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 328 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2548	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	COLD BEND TEST	CSA C22.2 No.52 (Cl.6.6) (Table 12)
2549	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	CONDUCTOR RESISTANCE TEST	CSA C22.2 No.52 (Cl.6.2.1) (Table 10) (Table 9)
2550	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	DEFORMATION TEST	CSA C22.2 No.52 (Cl.6.11.1) (Table 16) (Cl.6.11.2)
2551	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	DIELECTRIC STRENGTH TEST	CSA C22.2 No.52 (Cl.6.8) (Table 13) (Table 9)
2552	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	FT1 FLAME TEST	CSA C22.2 No.52 (Cl.6.13.1)
2553	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	FT4 RATING TEST	CSA C22.2 No.52 (Cl.6.13.2)
2554	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	HOT CREEP ELONGATION AND HOT CREEP SET	CSA C22.2 No.52 (Cl.6.5)
2555	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	INSULATION RESISTANCE TEST AT 75 °C AND 90 °C	CSA C22.2 No.52 (Cl.6.10) (Table 15)
2556	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	LOW TEMPERATURE IMPACT TEST	CSA C22.2 No.52 (Cl.6.7)
2557	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	TENSILE STRENGTH AFTER AIR OVEN AGEING ON INSULATION AND JACKET	CSA C22.2 No.52 (Cl.6.3) (Cl.6.4) (Table 11) (Cl.5.2.1) (Cl. 5.2.4) (Cl.5.6)
2558	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	TEST FOR THICKNESS OF INSULATION AND JACKET	CSA C22.2 No.52 (Cl.5.2.3) (Table 5) (Cl.5.2.4) (Table 6) (Table 8) (Cl.5.6)
2559	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	ULTIMATE ELONGATION AFTER AIR OVEN AGEING ON INSULATION AND JACKET	CSA C22.2 No.52 (Cl.6.3) (Cl.6.4) (Table 11) (Cl.5.2.1) (Cl. 5.2.4) (Cl.5.6)
2560	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	ULTIMATE ELONGATION BEFORE AGEING ON INSULATION AND JACKET	CSA C22.2 No.52 (Cl.6.3) (Cl.6.4) (Table 11) (Cl.5.2.1) (Cl. 5.2.4) (Cl.5.6)
2561	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	WEATHER (SUNLIGHT) RESISTANCE - TENSILE STRENGTH	CSA C22.2 No.52 (Cl.6.15) (Table 12)
2562	ELECTRICAL- CABLES & WIRES	UNDERGROUND SECONDARY AND SERVICE ENTRANCE CABLES	WEATHER (SUNLIGHT) RESISTANCE - ULTIMATE ELONGATION	CSA C22.2 No.52 (Cl.6.15) (Table 12)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 329 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2563	ELECTRICAL- CABLES & WIRES	UNPROTECTED SMALL CABLES FOR USE IN EMERGENCY CIRCUITS	METHOD OF TEST FOR FIRE RESISTANCE TO FORE OF UNPROTECTED SMALL CABLES FOR USE IN EMERGENCY CIRCUITS	BS EN 50200
2564	ELECTRICAL- CABLES & WIRES	UNPROTECTED SMALL CABLES FOR USE IN EMERGENCY CIRCUITS	TEST FOR UNPROTECTED SMALL CABLES FOR USE IN EMERGENCY CIRCUITS	BS 8434-2 + AMD 2
2565	ELECTRICAL- CABLES & WIRES	VARNISHED FABRICS AND TAPES FOR ELECTRICAL PURPOSES	TENSILE STRENGTH OF INSULATION TAPE	BS 419 (ANEEXURE D)
2566	ELECTRICAL- CABLES & WIRES	VARNISHED FABRICS AND TAPES FOR ELECTRICAL PURPOSES	VOLTAGE BREAKDOWN OF INSULATION TAPE	BS 419 (ANEEXURE C)
2567	ELECTRICAL- CABLES & WIRES	WELDING CABLES	AGEING IN AIR BOMB - ELONGATION AT BREAK	IS 9857 + AMD 1 (Cl. 10.1.c.3)
2568	ELECTRICAL- CABLES & WIRES	WELDING CABLES	AGEING IN AIR BOMB - TENSILE STRENGTH	IS 9857 + AMD 1 (Cl. 10.1.c.3)
2569	ELECTRICAL- CABLES & WIRES	WELDING CABLES	ANNEALING TEST	IS 9857 + AMD 1 (Cl.10.1a.1) (Cl. 10.2.a)
2570	ELECTRICAL- CABLES & WIRES	WELDING CABLES	CONDUCTOR RESISTANCE TEST	IS 9857 + AMD 1 (Cl.10.1. a.2) (Cl.10.2. b) (Cl.10.3. a)
2571	ELECTRICAL- CABLES & WIRES	WELDING CABLES	FLAMMABILITY TEST	IS 9857 + AMD 1 (Cl.10.1.f) (Cl.11.4)
2572	ELECTRICAL- CABLES & WIRES	WELDING CABLES	FLAMMABILITY TEST	IS 9857 + AMD 1 (Cl.10.1.f) (Cl.11.4)
2573	ELECTRICAL- CABLES & WIRES	WELDING CABLES	HIGH VOLTAGE TEST (WATER IMMERSION TEST)	IS 9857 + AMD 1 (Cl. 10.1.d) (Cl.11.1) (Cl.10.2. d) (Cl.10.3. b)
2574	ELECTRICAL- CABLES & WIRES	WELDING CABLES	HOT SET TEST	IS 9857 + AMD 1 (Cl. 10.1.c.5)
2575	ELECTRICAL- CABLES & WIRES	WELDING CABLES	OIL RESISTANCE TEST - ELONGATION AT BREAK	IS 9857 + AMD 1 (Cl. 10.1.c.4)
2576	ELECTRICAL- CABLES & WIRES	WELDING CABLES	OIL RESISTANCE TEST - TENSILE STRENGTH	IS 9857 + AMD 1 (Cl. 10.1.c.4)
2577	ELECTRICAL- CABLES & WIRES	WELDING CABLES	PHYSICAL TESTS FOR COVERING - ELONGATION AT BREAK	IS 9857 + AMD 1 (Cl.10.1c.1)
2578	ELECTRICAL- CABLES & WIRES	WELDING CABLES	PHYSICAL TESTS FOR COVERING - ELONGATION AT BREAK AFTER AGEING IN AIR OVEN	IS 9857 + AMD 1 (Cl.10.1c.2)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 330 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2579	ELECTRICAL- CABLES & WIRES	WELDING CABLES	PHYSICAL TESTS FOR COVERING - TENSILE STRENGTH	IS 9857 + AMD 1 (Cl.10.1c.1)
2580	ELECTRICAL- CABLES & WIRES	WELDING CABLES	PHYSICAL TESTS FOR COVERING - TENSILE STRENGTH AFTER AGEING IN AIR OVEN	IS 9857 + AMD 1 (Cl.10.1c.2)
2581	ELECTRICAL- CABLES & WIRES	WELDING CABLES	STATIC FLEXIBILITY TEST	IS 9857 + AMD 1 (Cl.10.1.e) (Cl. 11.3)
2582	ELECTRICAL- CABLES & WIRES	WELDING CABLES	TEST FOR THICKNESS OF COVERING	IS 9857 + AMD 1 (Cl.10.1b) (Table 1) (Cl.10.2.c)
2583	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	AS-RECEIVED (UNAGED) SPECIMENS - TENSILE STRENGTH	UL 2556 (Cl.4.2.8.1) (Cl.4.2.3 to Cl.4.2.6)
2584	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	ABRASION RESISTANCE TEST	CSA C22.2 No.2556 (Cl.7.10)
2585	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	ABRASION RESISTANCE TEST	UL 2556 (Cl.7.10)
2586	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	AC LEAKAGE CURRENT TEST THROUGH INSULATION	UL 2556 (Cl.6.11)
2587	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	AC LEAKAGE CURRENT TEST THROUGH JACKET	UL 2556 (Cl.6.12)
2588	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	AS-RECEIVED (UNAGED) SPECIMENS - TENSILE STRENGTH	CSA C22.2 No.2556 (Cl.4.2.8.1) (Cl.4.2.3 to Cl.4.2.6)
2589	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	AS-RECEIVED (UNAGED) SPECIMENS - ULTIMATE ELONGATION	CSA C22.2 No.2556 (Cl.4.2.8.1) (Cl.4.2.3 to Cl.4.2.6)
2590	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	AS-RECEIVED (UNAGED) SPECIMENS - ULTIMATE ELONGATION	UL 2556 (Cl.4.2.8.1) (Cl.4.2.3 to Cl.4.2.6)
2591	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	BURNING PARTICLES (DROPPING)	CSA C22.2 No.2556 (Cl.9.2)
2592	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	BURNING PARTICLES (DROPPING)	UL 2556 (Cl.9.2)
2593	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	CAPACITANCE AND RELATIVE PERMITTIVITY	CSA C22.2 No.2556 (Cl.6.5)
2594	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	CAPACITANCE AND RELATIVE PERMITTIVITY	UL 2556 (Cl.6.5)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 331 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2595	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	COLD BEND TEST	CSA C22.2 No.2556 (Cl.7.6)
2596	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	COLD BEND TEST	UL 2556 (Cl.7.6)
2597	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	COLD IMPACT TEST	CSA C22.2 No.2556 (Cl.7.7)
2598	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	COLD IMPACT TEST	UL 2556 (Cl.7.7)
2599	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	CONDUCTOR DIAMETER	CSA C22.2 No.2556 (Cl.3.1)
2600	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	CONDUCTOR DIAMETER	UL 2556 (Cl.3.1)
2601	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	CONTINUITY FOR FINISHED WIRE AND CABLE	CSA C22.2 No.2556 (Cl.6.1)
2602	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	CONTINUITY FOR FINISHED WIRE AND CABLE	UL 2556 (Cl.6.1)
2603	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	COPPER CORROSION TEST FOR FINISHED WIRE AND CABLE	CSA C22.2 No.2556 (Cl.8.1)
2604	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	COPPER CORROSION TEST FOR FINISHED WIRE AND CABLE	UL 2556 (Cl.8.1)
2605	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	CRUSH RESISTANCE	CSA C22.2 No.2556 (Cl.7.11) (Cl.7.12)
2606	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	CRUSH RESISTANCE	UL 2556 (Cl.7.11) (Cl.7.12)
2607	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	DC RESISTANCE OF A CONDUCTOR	CSA C22.2 No.2556 (Cl.3.4)
2608	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	DC RESISTANCE OF A CONDUCTOR	UL 2556 (Cl.3.4)
2609	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	DEFORMATION TEST	CSA C22.2 No.2556 (Cl.7.8)
2610	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	DEFORMATION TEST	UL 2556 (Cl.7.8)
2611	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	DIELECTRIC VOLTAGE WITHSTAND	CSA C22.2 No.2556 (Cl.6.2)
2612	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	DIELECTRIC VOLTAGE WITHSTAND	UL 2556 (Cl.6.2)
2613	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	DURABILITY OF INK PRINTING	CSA C22.2 No.2556 (Cl.7.19)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 332 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2614	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	DURABILITY OF INK PRINTING	UL 2556 (Cl.7.19)
2615	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	FALL IN OF EXTRUDED MATERIALS	CSA C22.2 No.2556 (Cl.7.1)
2616	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	FALL IN OF EXTRUDED MATERIALS	UL 2556 (Cl.7.1)
2617	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	FT1	CSA C22.2 No.2556 (Cl.9.3)
2618	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	FT1	UL 2556 (Cl.9.3)
2619	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	FT2/FH/HORIZONTAL FLAME	CSA C22.2 No.2556 (Cl.9.1)
2620	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	FT2/FH/HORIZONTAL FLAME	UL 2556 (Cl.9.1)
2621	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	FV-1/VERTICAL FLAME	CSA C22.2 No.2556 (Cl.9.5)
2622	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	FV-1/VERTICAL FLAME	UL 2556 (Cl.9.5)
2623	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	FV-2/VW-1	CSA C22.2 No.2556 (Cl.9.4)
2624	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	FV-2/VW-1	UL 2556 (Cl.9.4)
2625	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	HEAT SHOCK TEST	CSA C22.2 No.2556 (Cl.7.2)
2626	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	HEAT SHOCK TEST	UL 2556 (Cl.7.2)
2627	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	HOT CREEP ELONGATION AND HOT CREEP SET	CSA C22.2 No.2556 (Cl.7.9)
2628	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	HOT CREEP ELONGATION AND HOT CREEP SET	UL 2556 (Cl.7.9)
2629	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	INSULATION RESISTANCE TEST	CSA C22.2 No.2556 (Cl.6.4)
2630	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	INSULATION RESISTANCE TEST	UL 2556 (Cl.6.4)
2631	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	INSULATION, OVERALL COVERING, AND JACKET MATERIALS TESTS - THICKNESS	CSA C22.2 No.2556 (Cl.4.1)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 333 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2632	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	INSULATION, OVERALL COVERING, AND JACKET MATERIALS TESTS - THICKNESS	UL 2556 (Cl.4.1)
2633	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	JACKET RESISTANCE	CSA C22.2 No.2556 (Cl.6.10)
2634	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	JACKET RESISTANCE	UL 2556 (Cl.6.10)
2635	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	OIL RESISTANCE AND GASOLINE RESISTANT - TENSILE STRENGTH	CSA C22.2 No.2556 (Cl.4.2.8.3) (Cl.4.2.8.4) (Cl.4.2.3 to Cl.4.2.6) (Cl.7.18)
2636	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	OIL RESISTANCE AND GASOLINE RESISTANT - TENSILE STRENGTH	UL 2556 (Cl.4.2.8.3) (Cl.4.2.8.4) (Cl.4.2.3 to Cl.4.2.6) (Cl.7.18)
2637	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	OIL RESISTANCE AND GASOLINE RESISTANT - ULTIMATE ELONGATION	CSA C22.2 No.2556 (Cl.4.2.8.3) (Cl.4.2.8.4) (Cl.4.2.3 to Cl.4.2.6) (Cl.7.18)
2638	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	SHORT TERM AIR OVEN AGEING - TENSILE STRENGTH	CSA C22.2 No.2556 (Cl.4.2.8.2) (Cl.4.2.3 to Cl.4.2.6)
2639	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	SHORT TERM AIR OVEN AGEING - TENSILE STRENGTH	UL 2556 (Cl.4.2.8.2) (Cl.4.2.3 to Cl.4.2.6)
2640	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	SHORT TERM AIR OVEN AGEING - ULTIMATE ELONGATION	CSA C22.2 No.2556 (Cl.4.2.8.2) (Cl.4.2.3 to Cl.4.2.6)
2641	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	SHORT TERM AIR OVEN AGEING - ULTIMATE ELONGATION	UL 2556 (Cl.4.2.8.2) (Cl.4.2.3 to Cl.4.2.6)
2642	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	SHRINKBACK	CSA C22.2 No.2556 (Cl.7.4) (Cl.7.5)
2643	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	SHRINKBACK	UL 2556 (Cl.7.4) (Cl.7.5)
2644	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	SWELLING AND BLISTERING WHEN IMMERSED IN LIQUID	CSA C22.2 No.2556 (Cl.7.18)
2645	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	SWELLING AND BLISTERING WHEN IMMERSED IN LIQUID	UL 2556 (Cl.7.18)
2646	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	VERTICAL TRAY FLAME TESTS (METHOD 1 – VERTICAL TRAY AND METHOD 2 – FT4)	CSA C22.2 No.2556 (Cl.9.6)
2647	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	VERTICAL TRAY FLAME TESTS (METHOD 1 – VERTICAL TRAY AND METHOD 2 – FT4)	UL 2556 (Cl.9.6)

SCOPE OF ACCREDITATION

Laboratory Name : POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5295 **Page No** 334 of 335

Validity 19/05/2021 to 18/05/2023 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2648	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	WEATHER (SUNLIGHT) RESISTANCE - TENSILE STRENGTH	CSA C22.2 No.2556 (Cl.7.6) (Cl.4.2.8.5) (Cl.4.2.3 to Cl.4.2.6)
2649	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	WEATHER (SUNLIGHT) RESISTANCE - TENSILE STRENGTH	UL 2556 (Cl.4.2.8.5) (Cl.4.2.3 to Cl.4.2.6)
2650	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	WEATHER (SUNLIGHT) RESISTANCE - ULTIMATE ELONGATION	CSA C22.2 No.2556 (Cl.7.6) (Cl.4.2.8.5) (Cl.4.2.3 to Cl.4.2.6)
2651	ELECTRICAL- CABLES & WIRES	WIRE AND CABLE TEST METHODS	WEATHER (SUNLIGHT) RESISTANCE - ULTIMATE ELONGATION	UL 2556 (Cl.4.2.8.5) (Cl.4.2.3 to Cl.4.2.6)
2652	ELECTRICAL- CABLES & WIRES	WIRES, CORDS AND CABLES, ELECTRICAL – METRIC UNITS - SHEATHS - LIMITED FIRE HAZARD	HALOGEN CONTENT	DEFENCE STANDARD 61-12 Part 31 (Cl.9.8)
2653	ELECTRICAL- CABLES & WIRES	WIRES, CORDS AND CABLES, ELECTRICAL – METRIC UNITS - SHEATHS - LIMITED FIRE HAZARD	TEAR RESISTANCE TEST	DEFENCE STANDARD 61-12 Part 31 (Cl.9.2)
2654	ELECTRICAL- CABLES & WIRES	WIRES, CORDS AND CABLES, ELECTRICAL – METRIC UNITS: SHEATHS - LIMITED FIRE HAZARD	INSULATION RESISTANCE CONSTANT ON SHEATH	DEFENCE STANDARD 61-12 Part 31 (Cl.9.13)
2655	ELECTRICAL- CABLES & WIRES	ZINC OR ZINC ALLOY COATED NON-ALLOY STEEL WIRE FOR ARMOURING EITHER POWER CABLES OR TELECOMMUNICATION CABLES. LAND CABLES	ADHERENCE TEST FOR ARMOUR	EN 10257-1 (Cl.7.3) (Cl.10.4)
2656	ELECTRICAL- CABLES & WIRES	ZINC OR ZINC ALLOY COATED NON-ALLOY STEEL WIRE FOR ARMOURING EITHER POWER CABLES OR TELECOMMUNICATION CABLES. LAND CABLES	COATING MASS FOR ARMOUR	EN 10257-1 (Cl.7.3) (Cl.10.4)
2657	ELECTRICAL- CABLES & WIRES	ZINC OR ZINC ALLOY COATED NON-ALLOY STEEL WIRE FOR ARMOURING EITHER POWER CABLES OR TELECOMMUNICATION CABLES. LAND CABLES	DIPPING TEST FOR ARMOUR	EN 10257-1 (Cl.7.3) (Cl.10.4)
2658	ELECTRICAL- CABLES & WIRES	ZINC OR ZINC ALLOY COATED NON-ALLOY STEEL WIRE FOR ARMOURING EITHER POWER CABLES OR TELECOMMUNICATION CABLES. LAND CABLES	ELONGATION FOR ARMOUR	EN 10257-1 (Cl.7.1.1) (Table 1) (Cl.10.2)
2659	ELECTRICAL- CABLES & WIRES	ZINC OR ZINC ALLOY COATED NON-ALLOY STEEL WIRE FOR ARMOURING EITHER POWER CABLES OR TELECOMMUNICATION CABLES. LAND CABLES	NOMINAL DIAMETER AND TOLERANCES	EN 10257-1 (Cl.7.2) (Table 3) (Cl.10.1)
2660	ELECTRICAL- CABLES & WIRES	ZINC OR ZINC ALLOY COATED NON-ALLOY STEEL WIRE FOR ARMOURING EITHER POWER CABLES OR TELECOMMUNICATION CABLES. LAND CABLES	RESISTANCE OF ARMOUR	EN 10257-1 (Cl.7.4) (Table 4) (Cl.10.5)
2661	ELECTRICAL- CABLES & WIRES	ZINC OR ZINC ALLOY COATED NON-ALLOY STEEL WIRE FOR ARMOURING EITHER POWER CABLES OR TELECOMMUNICATION CABLES. LAND CABLES	TENSILE STRENGTH FOR ARMOUR	EN 10257-1 (Cl.7.1.1) (Table 1) (Cl.10.2)

SCOPE OF ACCREDITATION

Laboratory Name :	POWER CABLE TEST LABORATORY, POLYCAB INDIA LIMITED, 67-72, 75-76, 102-106, 116/2, VILLAGE NURPURA, PANCH MAHAL, HALOL, GUJARAT, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5295	**Page No**	335 of 335
Validity	19/05/2021 to 18/05/2023	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2662	ELECTRICAL- CABLES & WIRES	ZINC OR ZINC ALLOY COATED NON-ALLOY STEEL WIRE FOR ARMOURING EITHER POWER CABLES OR TELECOMMUNICATION CABLES. LAND CABLES	TORSION TEST FOR ROUND WIRES	EN 10257-1 (Cl.7.1.2) (Table 2) (Cl.10.3)