National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : AREA COAL ANALYSIS LABORATORY, BHATGAON AREA, SECL, GM OFFICE COMPLEX, JARHI, BHATGAON, SURAJPUR, CHHATTISGARH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10460 **Page No** 1 of 1

Validity 30/03/2022 to 29/03/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	CHEMICAL- SOLID FUELS	COAL	DETERMINATION OF GCV	ASTM D 5865
2	CHEMICAL- SOLID FUELS	COAL	PROXIMATE ANALYSIS (AIR DRIED MOISTURE)	IS 1350 (PART I)
3	CHEMICAL- SOLID FUELS	COAL	PROXIMATE ANALYSIS (ASH)	IS 1350 (Part I)
4	CHEMICAL- SOLID FUELS	COAL	PROXIMATE ANALYSIS (EQUILIBRATED MOISTURE)	IS 1350 (Part I)
5	CHEMICAL- SOLID FUELS	COAL	PROXIMATE ANALYSIS (VOLATILE MATTER)	IS 1350 (Part I)