National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 1 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	BIOLOGICAL- AYUSH PRODUCTS	Powder	Aerobic plate count	API Pt II, Vol III, 1st Edition
2	BIOLOGICAL- AYUSH PRODUCTS	Powder	Escherichia coli	API PT II, Vol III, 1st Edition
3	BIOLOGICAL- AYUSH PRODUCTS	Powder	Pseudomonas aeruginosa	API PT II, Vol III, 1st Edition
4	BIOLOGICAL- AYUSH PRODUCTS	Powder	Salmonella	API PT II, Vol III, 1st Edition
5	BIOLOGICAL- AYUSH PRODUCTS	Powder	Staphylococcus aureus	API PT II, Vol III, 1st Edition
6	BIOLOGICAL- AYUSH PRODUCTS	Powder	Total Yeast & mould count	API PT II, Vol III, 1st Edition
7	BIOLOGICAL- BIOCIDES	Chemical Disinfectant , Hand Sanitizer	Quantitative porous surface test for the Bacterial & Fungicidal activity (Antimicrobial Efficacy)	BS EN 13697
8	BIOLOGICAL- BIOCIDES	Chemical disinfectant , Hand Sanitizer	Quantitative porous surface test for the Bacterial & Fungicidal activity (Antimicrobial Efficacy)	BS EN 13697
9	BIOLOGICAL- BIOCIDES	Disinfectant	Phage enumeration by Plaque assay	SRI/MOL/036 & SRI/MOL/039
10	BIOLOGICAL- BIOCIDES	Phenyl & Deodorizing cum disinfectant fluid	Rideal Walker coefficient	IS 1061
11	BIOLOGICAL- BIOCIDES	Phenyl & Deodorizing cum disinfectant fluid	Staphylococcal coefficient	IS 1061
12	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	Aviation Turbine Fuel (ATF)	Viable Microbial Count	IP 385
13	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	Block Board	Mycological Test	IS 1659 (Annexure H)
14	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	Ceramic Products	Antibacterial activity and efficacy	JIS : Z 2801 (ISO 22196)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 2 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
15	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	Paper Adhesive	Test for Stability	IS 2257
16	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	Plywood	Mycological Test	IS 1734 (Pt 7) Edition 3.1
17	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	UVC based products	Antimicrobial Efficacy of Ultraviolet germicidal Irradiation against microorganisms	ASTM E 3135
18	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Hair oil	Total number of Microorganism	IS 7123
19	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Hair Oil	Total number of microorganisms	IS 7123
20	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Lotion	Candida albicans	IS 14648
21	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Lotion	Escherichia coli	IS 14648
22	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Lotion	Pseudomonas aeruginosa	IS 14648
23	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Lotion	Staphylococcus aureus	IS 14648
24	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Lotion	total Microbial count	IS 14648
25	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Lotion	Yeast and Mould count	IS 14648
26	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Skin Cream	Candida albicans	IS 14648
27	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Skin Cream	Escherichia coli	IS 14648
28	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Skin Cream	Pseudomonas aeruginosa	IS 14648
29	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Skin Cream	Salmonella	IS 14648
30	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Skin Cream	Staphylococcus aureus	IS 14648
31	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Skin Cream	Total Microbial count	IS 14648

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	3 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
32	BIOLOGICAL- COSMETICS AND ESSENTIAL OILS	Skin Cream	Yeast and Mould count	IS 14648
33	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Antibiotic liquids / Antibiotic solids	Bacterial Endotoxin test (Gel Clot Method)	IP (2.2.3) & USP 43(85)
34	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Antibiotic liquids / Antibiotic solids	Sterility Test (Membrane Filtration Method)	IP (2.2.11) , BP (Appendix XVI-A) & USP 43(71)
35	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Erythromycin estolate	Microbiological Assay by Cup plate method	USP 43(81)
36	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Erythromycin stearate	Microbiological Assay by cup plate method	IP (2.2.10)
37	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Gentamycin sulphate	Microbiological Assay by Cup plate method	IP (2.2.10)
38	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Lactic Acid bacillus assay	Assay	SOP-SRI/MICRO/026
39	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Liquid Oral Dosages	Candida albicans	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
40	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Liquid Oral Dosages	Escherichia coli	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
41	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Liquid Oral Dosages	Pseudomonas aeruginosa	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
42	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	liquid Oral Dosages	Salmonella	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
43	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Liquid Oral Dosages	Staphylococcus aureus	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
44	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Liquid Oral dosages	Yeast & Mould Count	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
45	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Liquid Oral Drugs	Total Aerobic Microbial Count	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
46	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Neomycin Sulphate	Microbiological Assay by Cup plate method	IP(2.2.10)
47	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Opthalmic preparations	Sterility Test (Membrane Filtration method)	IP (2.2.11) , BP (Appendix XVI-A) & USP 43(71)
48	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Paclitaxel	Escherichia coli	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
49	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Paclitaxel	Pseudomonas aeruginosa	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
50	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Paclitaxel	Salmonella	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	4 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
51	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Paclitaxel	Staphylococcus aureus	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
52	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Paclitaxel	Total Aerobic Microbial count	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
53	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Paclitaxel	Yeast & Mould count	IP (2.2.9), BP (Appendix XIV-C) & USP 43 (62)
54	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Parental Preparations (Water for injection)	Sterility Test (Membrane filtration method)	IP (2.2.11) , BP (Appendix XVI-A) & USP 43(71)
55	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Parental Preparations (Water for Injection)	Bacterial Endotoxin Test (Gel Clot Method)	IP (2.2.3) (USP 43(85)
56	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Polymyxin B sulphate	Microbiological Assay by Cup plate method	USP 43(81)
57	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Solid Oral Dosage (Capsules & Tablets)	Yeast & Mould count	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
58	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Solid Oral dosages (Capsules & Tablets)	Candida albicans	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
59	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Solid Oral Dosages (Capsules & Tablets)	Escherichia coli	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
60	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Solid Oral Dosages (Capsules & Tablets)	Pseudomonas aeruginosa	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
61	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Solid Oral Dosages (Capsules & Tablets)	Salmonella	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
62	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Solid Oral Dosages (Capsules & Tablets)	Staphylococcus aureus	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
63	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Solid Oral Dosages Capsules & Tablets)	Total Aerobic microbial count	IP (2.2.9) , BP (Appendix XIV-C) & USP 43 (62)
64	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Streptomycin sulphate	Microbiological Assay by Cup plate method	IP (2.2.10)
65	BIOLOGICAL- DRUGS AND PHARMACEUTICALS	Vitamins (Finished Products)	B12 Assay	SOP- SRI/MICRO/010
66	BIOLOGICAL- ENVIRONMENT AND POLLUTION	Effluent / Waste Water	Escherichia coli	IS 1622
67	BIOLOGICAL- ENVIRONMENT AND POLLUTION	Effluent / Waste Water	Fecal coliform (MPN)	IS 1622
68	BIOLOGICAL- ENVIRONMENT AND POLLUTION	Effluent / Waste Water	MPN coliform	IS 1622

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 5 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
69	BIOLOGICAL- ENVIRONMENT AND POLLUTION	Effluent / Waste Water	Sulphate Reducing Bacteria	IS 1622
70	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Alcoholic Beverages	Coliform count	IS 3752
71	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Beer	Coliform	IS 3752
72	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Beer	Total Plate count	IS 5402
73	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Beer	Yeast Count	IS 5403
74	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Butter	Coliform	IS 3507
75	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Butter	Coliform Count	IS 5401
76	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Butter	Escherichia Coli	IS 5887 Part1
77	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Butter	Listeria monocytogenes	IS 14988 Part 1
78	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Butter	Salmonella	IS 5887 Part 3/ Sec 1
79	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Butter	Staphylococcus aureus	IS 5887 Part 2
80	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Butter	Total Plate Count	IS 5402
81	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Butter	Yeast & Mould	IS 3507
82	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Butter	Yeast & Mould count	IS 5403

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 6 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
83	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Cereals & Grains	Aerobic plate count	IS 5402
84	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Cereals & Grains	Coliform count	IS 5401 (part 1)
85	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Cereals & Grains	Escherichia coli	IS 5887 (part 1)
86	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Cereals & Grains	Salmonella	IS 5887 (part 3)
87	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Cereals & Grains	Staphylococcus aureus	IS 5887 (part 2)
88	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Cereals & Grains	Total Aflatoxin	SOP-SRI/MICRO/023
89	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Cereals & Grains	Yeast & mould count	IS 5403
90	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Anaerobic spore count (Clostridium)	ISO:15213
91	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Bacterial count	IS 5402
92	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Coliform count	IS 5401 (Part 1)
93	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Coliform count	IS 5401 Part 1
94	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Escherichia coli	IS 5887 (Part 1)
95	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Escherichia Coli	IS 5887 (Part 1)
96	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Listeria monocytogenes	IS 14988

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 7 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
97	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Salmonella	IS 5887 (part 3)
98	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Salmonella	IS 5887 (Part3/ Sec 1)
99	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Shigella	IS 5887 (Part 7)
100	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Staphylococcus aureus	IS 5887 (Part 2)
101	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Staphylococcus aureus	IS 5887 Part 2
102	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Total Plate count	IS 5402
103	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Yeast & Mould	IS 5403
104	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Condensed Milk	Yeast & Mould	IS 5403
105	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Edible Casein	Aerobic spore count (Bacillus cereus)	IS 5887 Part 6
106	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Edible Casein	Anaerobic sopre count (Clostridium perfringes)	ISO:15213
107	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Edible casein	Bacterial count	IS 1167
108	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Edible casein	coliform count	IS 1167
109	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Edible Casein	Coliform count	IS 5401 Part 1
110	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Edible Casein	Escherichia Coli	IS 5887 (Part 1)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 8 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
111	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Edible Casein	Escherichia Coli	IS 5887 (Part 1)
112	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Edible Casein	Listeria monocytogenes	IS 14988 Part 1
113	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Edible Casein	Salmonella	IS 5887 (Part3/ Sec 1)
114	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Edible Casein	Staphylococcus aureus	IS 5887 Part 2
115	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Edible casein	Total Plate count	IS 5402
116	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Edible casein	Yeast & Moulds count	IS 1167
117	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Egg & egg products	Coliform count	IS 5401(part 1)
118	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Egg & egg products	Salmonella	IS 5887 (part 3)
119	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Egg & egg products	Total plate count	Is 5402
120	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Egg & egg products	Yeast & Mould count	IS 5403
121	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fish & Sea foods	Aerobic plate count	IS 5402
122	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fish & Sea foods	coliform count	IS 5401 (part 1)
123	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fish & Sea foods	Escherichia coli	IS 5887 (part 1)
124	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fish & Sea foods	Salmonella	IS 5887 (part 3)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 9 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
125	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fish & Sea foods	Shigella	IS 5887 (part 7)
126	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fish & Sea foods	Staphylococcus aureus	IS 5887 (part 2)
127	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fish & Sea foods	vibrio cholerae & vibrio parahaemolyticus	IS 5887 (part 5)
128	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Bacillus cereus	IS 5887 (Pt 6)
129	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fruits & Fruit products	Aerobic plate count	IS 5402
130	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fruits & Fruit products	Clostridium perfringens	IS 5887 (part 4)
131	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fruits & Fruit products	Coliform count	IS 5401 (part 1)
132	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fruits & Fruit products	Escherichia coli	IS 5887 (part 1)
133	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fruits & Fruit products	Faecal streptococci	IS 5887 (part 2)
134	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fruits & Fruit products	Salmonella	IS 5887 (part 3)
135	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fruits & Fruit products	Shigella	IS 5887 (part 7)
136	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Fruits & Fruit products	Yeast & mould count	IS 5403
137	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Herbs , spices & condiments	Aerobic plate count	IS 5402
138	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Herbs , spices & condiments	coliform count	IS 5401 (part 1)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 10 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
139	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Herbs , spices & condiments	Yeast & Mould count	IS 5403
140	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Honey	Total count of Pollen & Plant elements	IS 4941
141	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Ice creams	Standard Plate count	IS 2802
142	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Infant milk Substitute	Coliform	IS 5401 (part 1)
143	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Infant milk substitute	Coliform	IS 5401 (part 1)
144	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Infant Milk Substitute	Escherichia coli	IS 5887 (part 1)
145	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Infant Milk substitute	Salmonella	IS 5887 (part 3)
146	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Infant milk substitute	Shigella	IS 5887(part 7)
147	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Infant milk Substitute	Staphylococcus aureus	IS 5887 (part 2)
148	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Infant milk substitute	Staphylococcus aureus	IS 5887 (part 2)
149	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Infant milk substitute	Total Bacterial count	IS 5402
150	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Infant Milk substitute	Total Plate Count	IS 5402
151	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams , Sauces & Concentrates	Escherichia Coli	IS 5887 (part 1)
152	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams , Sauces & Concentrates	Listeria monocytogenes	IS 14998 (Pt 1)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	11 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
153	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams , Sauces & Concentrates	Salmonella	IS 5887 (part 3)
154	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams , Sauces & Concentrates	Staphylococcus aureus	IS 5887 (part 2)
155	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams , Sauces & Concentrates	Yeast & Mould Count	IS 5403
156	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Aerobic plate count	IS 5402
157	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Eschierichia coli	IS 5887 (part 1)
158	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Shigella	IS 5887 (part 7)
159	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Staphylococcus aureus	IS 5887 (part 2)
160	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Sauces & Concentrates	Aerobic plate count	IS 5402
161	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Sauces & Concentrates	Coliform count	IS 5401 (Pt 1)
162	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Sauces & Concentrates	Enterobacteriaceae count	IS/ISO 7402
163	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Sauces & Concentrates	Enterobacteriaceae count	IS/ISO: 7402
164	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Sauces & Concentrates	Listeria monocytogenes	IS 14998 (Part 1)
165	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Sauces & Concentrates	Salmonella	IS 5887 (Pt 3)
166	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Sauces & Concentrates	Shigella	IS 5887 (part 7)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	12 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
167	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Sauces & Concentrates	Vibrio cholerae	IS 5887 (part 5)
168	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams, Sauces & Concentrates	Vibrio cholerae	IS 5887 (Pt 5) :
169	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Jams. Sauces & Concentrates	Yeast & Mound count	IS 5403
170	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Aerobic plate count	IS 5402
171	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Aerobic Plate count	IS 5402:
172	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Enterobacteriaceae count	IS/ISO 7402
173	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Enterobacteriaceae count	IS/ISO: 7402
174	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Escherichia Coli	IS 5887 (part 1)
175	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Listeria monocytogenes	IS 14988 Part 1
176	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Listeria monocytogenes	IS 14998 (Pt 1)
177	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Salmonella	IS 5887 (Part 3/ Sec 1)
178	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Salmonella	IS 5887 (Pt 3) :
179	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Staphylococcus aureus	IS 5887 (Pt 2)
180	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Staphylococcus aureus	IS 5887 (Pt 2) :

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 13 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
181	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Staphylococcus aureus	IS 5887 (part 2)
182	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Staphylococcus aureus	IS 5887 Part 2
183	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Vibrio cholerae	IS 5887 (Pt 1) :
184	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Vibrio cholerae	IS 5887 Part 5
185	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Juices	Yeast & Mould count	IS 5403
186	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Meat & Meat Products	Aerobic plate count	IS 5402
187	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Meat & Meat Products	Bacillus cereus	IS 5887 (part 6)
188	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Meat & Meat Products	Clostridium perfringens	IS 5887 (part 4)
189	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Meat & Meat Products	Coliform counts	IS 5401 (part 1)
190	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Meat & Meat Products	Escherichia coli	IS 5887 (part 1)
191	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Meat & Meat Products	Faecal streptococci	IS 5887 (part 2)
192	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Meat & Meat Products	Salmonella	IS 5887 (part 3)
193	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Meat & Meat Products	Shigella	IS 5887 (part 7)
194	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Meat & Meat Products	Staphylococcus aureus	IS 5887 (part 2)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 14 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
195	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Meat & Meat Products	Vibrio cholerae vibro parahaemolyticus	IS 5887 (part 5)
196	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Anaerobic spore count (Clostridium perfringens)	ISO:15213
197	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Bacterial count	IS 5402
198	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Coliform count	IS 5401 (part 1)
199	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Coliform count	IS 5401 Part 1
200	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Escherichia coli	IS 5887 (part 1)
201	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Escherichia Coli	IS 5887 (part 1)
202	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Listeria mococytogenes	IS 14998 (Part 1)
203	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Listeria monocytogenes	IS 14988 Part 1
204	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Salmonella	IS 5887 (part 3)
205	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Salmonella	IS 5887 (Part 3/ Sec 1)
206	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Shigella	IS 5887 (part 7)
207	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Staphylococcus aureus	IS 5887 (part 2)
208	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Staphylococcus aureus	IS 5887 Part 2

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 15 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
209	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk Powder	Total Plate Count	IS 5402
210	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Mutton (Goat meat) / Fresh/ Fresh -Frozen / Fresh Chilled	Aerobic plate count	Is 5402
211	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Mutton(Goat meat) / Fresh/ Fresh frozen, Fresh chilled	Yeast & Mould count	IS 5403
212	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Mutton(Got meat) / Fresh/ Fresh frozen, Fresh chilled	Escherichia coli count	IS 5887 (part 1)
213	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Mutton(Got meat) / Fresh/ Fresh frozen, Fresh chilled	Salmonella	IS 5887 (part 3)
214	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Mutton(Got meat) / Fresh/ Fresh frozen, Fresh chilled	Staphylococcus aureus count	IS 5887 (part 2)
215	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Non Alcoholic drinks	Coliform	IS 5401 (part 1)
216	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Non Alcoholic drinks	Yeast & Mould Count	IS 5403
217	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nut & Nut products	Aerobic plate count	IS 5402
218	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nut and Nut Products	Clostridium spp.	IS 5887 (Part 4)
219	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nut and Nut Products	Escherichia coli	IS 5887 (Part 1)
220	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nut and Nut Products	Flat Sour organisms	IS 5887 (Part 6)
221	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nut and Nut Products	Salmonella	IS 5887 (part 3)
222	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nut and Nut Products	Shigella	IS 5887 (Part 7)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 16 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
223	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nut and Nut Products	Staphylococcus aureus	IS 5887 (part 2)
224	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nut and Nut Products	Total Plate count	IS 5402
225	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nut and Nut Products	Vibrio cholerae	IS 5887 (part 5)
226	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nuts & Nut Products	Coliform Count	IS 5401(part 1)
227	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nuts & Nut Products	Escherichia coli	IS 5887 (part 1)
228	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nuts & Nut Products	Salmonella	IS 5887 (pt 3)
229	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nuts & Nut Products	Shigella	IS 5887 (Pt 7)
230	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nuts & Nut Products	Total Aflatoxin	SOP-SRI/MICRO/023 , issue no. 03
231	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Nuts & Nut Products	Yeast & Mould count	IS 5403
232	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other specified food items (Cereal based complementary foods)	Coliform count	IS 5401 (pt 1)
233	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other specified food items (Cereal based complementary foods)	Escherichia coli	IS 5887 (Pt 1)
234	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other specified food items (Cereal based complementary foods)	Salmonella	IS 5887 (part 3)
235	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other specified food items (Cereal based complementary foods)	Shigella	IS 5887(pt 7)
236	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other specified food items (Cereal based complementary foods)	Staphylococcus aureus	IS 5887 (part 2)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	17 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
237	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other specified food items (Cereal based complementary foods)	Total Aflatoxin	SOP-SRI/MICRO/023 , issue no. 001
238	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other specified food items (Cereal based complementary foods)	Total Bacterial Count	IS 5402
239	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other specified food items (Cereal based complementary foods)	Yeast & Moulds	IS 5403
240	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other Specified Food items (Cooked food products)	Coliform count	IS 5402 (Pt 1)
241	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other specified food items (Cooked food products)	Escherichia coli	IS 5887 (part 1)
242	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other specified food items (Cooked food products)	Salmonella	IS 5886 (part 3)
243	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other specified food items (Cooked food products)	Staphylococcus aureus	IS 5887 (part 2)
244	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Other Specified food items (Cooked food products)	Total Bacterial Count (TBC)	IS 5402
245	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Packaged Pasteurised Milk	Escherichia coli	IS 5887 (Part 1)
246	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Packaged Pasteurised Milk	Listeria Monocytogenes	IS 14998 (Part 1)
247	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Packaged Pasteurised Milk	M1 Aflatoxin	SOP-SRI/MICRO/023 , issue date: 04.05.2020
248	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Packaged Pasteurised Milk	Salmonella	IS 5887 Part 3/ Sec 1
249	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Packaged Pasteurised Milk	Staphylococcus aureus	IS 5887 (part 2)
250	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Packaged Pasteurised Milk	Total Plate Count	IS 5402

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 18 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
251	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Packaged Pasteurized Milk	Coliform	IS 5401 (Part1)
252	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Packaged Pasteurized Milk	Coliform	IS 5401 (Part1)
253	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Packaged Pasteurized Milk	Total plate count	IS 5402
254	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Pickels	Enterobacteriace count	ISO 21528-2
255	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Pickels	Escherichia Coli	IS 5887 (part 1)
256	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Pickels	Escherichia coli	IS 5887 (Pt 1)
257	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Pickels	Listeria monocytogens	IS 14988 Part 1
258	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Pickels	Listeria monocytogens	IS 14998 (Pt 1)
259	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Pickels	Salmonella	IS 5887 (Pt 3):
260	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Pickels	Salmonella	IS 5887 (Part 3/Sec 1)
261	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Pickels	Vibrio cholerae	IS 5887 (Pt 5)
262	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Pickels	Vibrio cholerae	IS 5887 Part 5
263	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Pickles	Staphylococcus aureus	IS 5887 Part 2
264	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Pickles	Yeast & Mould count	IS 5403

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 19 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
265	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Raw Milk	Aerobic Plate count	IS 5402 ,
266	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Raw milk	Coliform	IS 5401 (part 1)
267	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Raw Milk	Faecal streptococci	IS 5887 (part 2)
268	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Raw milk	Staphylococcus aureus	IS 5887 (part 2)
269	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Spices & Condiments	Salmonella	IS 5887 Part 3/ Sec 1
270	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Thermally processed / sweetened fruit and vegetable products	Clostridium spp.	IS 5887 (part 4)
271	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Thermally processed / sweetened fruit and vegetable products	Escherichia coli	IS 5887 (part 1)
272	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Thermally processed / sweetened fruit and vegetable products	Flat sour organisms	IS 5887 (Part 6)
273	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Thermally processed / sweetened fruit and vegetable products	Salmonella	IS 5887 (Part3/ Sec 1)
274	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Thermally processed / sweetened fruit and vegetable products	Shigella	IS 5887(part 7)
275	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Thermally processed / sweetened fruit and vegetable products	Staphylococcus aureus	IS 5887 Part 2
276	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Thermally processed / sweetened fruit and vegetable products	Vibrio cholerae	IS 5887 Part 5
277	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Wheat flour	Coliform count	IS 5401 (part 1)
278	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Wheat flour	Escherichia coli	IS 5887 (pt 1)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 20 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
279	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Wheat flour	Total Aflatoxin	SOP-SRI/MICRO/023
280	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Wheat flour	Total Bacterial count	IS 5402
281	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Wheat flour	Yeast & Mould count	IS 5403
282	BIOLOGICAL- MEDICAL ACCESSORIES & SURGICAL PRODUCTS	Surgical items (Dressings/ Deices/ Gloves/ Sutures / Blades)	Sterility Test (Membrane Filtration Method / Direct Inoculation)	IP (2.2.11), BP (Appendix XVI-A) , USP 43(71) & IS 10150 (Cl 5.0 page 12)
283	BIOLOGICAL- MEDICAL ACCESSORIES & SURGICAL PRODUCTS	Surgical items (Dressings/ Devices/ Gloves / Contraceptives /Blades)	Bio - Burden Test	BSEN 1174 (Pt 3) & ISO 11737
284	BIOLOGICAL- MEDICAL ACCESSORIES & SURGICAL PRODUCTS	Surgical items(Dressings / Devices / Gloves / Blades)	Bacterial Endotoxin Test (Gel Clot Method)	IP (2.2.3) & USP 43(85)
285	BIOLOGICAL- MOLECULAR ANALYSIS	Animal Feed	Quantitation of Gluten by ELISA	SRI/MOL/026
286	BIOLOGICAL- MOLECULAR ANALYSIS	Bakery & Confectionery Products	Quantitation of Gluten by ELISA	SRI/OL/026
287	BIOLOGICAL- MOLECULAR ANALYSIS	Cereals & Pulses	Quantitation of Gluten by ELISA	SRI/MOL/026
288	BIOLOGICAL- MOLECULAR ANALYSIS	Coffee & Cocoa	Quantitative estimation by ELISA	SRI/MOL/026
289	BIOLOGICAL- MOLECULAR ANALYSIS	Cotton Seeds	Detection of GMO w.r.t. screening of 35S promotor and NOS terminator	SRI/MOL/012 & SRI/MOL/013 (by Real - time PCR technique)
290	BIOLOGICAL- MOLECULAR ANALYSIS	Groundnut	Detection of GMO w.r.t. screening of 35S promotor and NOS terminator	SRI/MOL/012 & SRI/MOL/013 (by Real - time PCR technique)
291	BIOLOGICAL- MOLECULAR ANALYSIS	Maize Seeds /Powder	Detection of GMO w.r.t. screening of 35S promotor and NOS terminator	SRI/MOL/012 & SRI/MOL/013 (by Real - time PCR technique)
292	BIOLOGICAL- MOLECULAR ANALYSIS	Millet Seeds / Powder	Detection of GMO w.r.t. screening of 35S promotor and NOS terminator	SRI/MOL/012 & SRI/MOL/013 (by Real - time PCR technique)
293	BIOLOGICAL- MOLECULAR ANALYSIS	RapeSeed	Detection of GMO w.r.t. screening of 35S promotor and NOS terminator	SRI/MOL/012 & SRI/MOL/013 (by Real - time PCR technique)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	21 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
294	BIOLOGICAL- MOLECULAR ANALYSIS	Raw Cotton Fiber (Lint)	Detection of GMO w.r.t. screening of 35S promotor and NOS terminator	SRI/MOL/012 & SRI/MOL/013 (by Real - time PCR technique)
295	BIOLOGICAL- MOLECULAR ANALYSIS	Rice Grains /Powder	Detection of GMO w.r.t. screening of 35S promotor and NOS terminator	SRI/MOL/012 & SRI/MOL/013 (by Real - time PCR technique)
296	BIOLOGICAL- MOLECULAR ANALYSIS	Sesame Seeds	Detection of GMO w.r.t. screening of 35S promotor and NOS terminator	SRI/MOL/012 & SRI/MOL/013 (by Real - time PCR technique)
297	BIOLOGICAL- MOLECULAR ANALYSIS	Soyabean Seeds /Powder	Detection of GMO w.r.t. screening of 35S promotor and NOS terminator	SRI/MOL/012 & SRI/MOL/013 (By Real- time PCR technique)
298	BIOLOGICAL- MOLECULAR ANALYSIS	Wheat Grains /Powder	Detection of GMO w.r.t. screening of 35S promotor and NOS terminator	SRI/MOL/012 & SRI/MOL/013 (by Real - time PCR technique)
299	BIOLOGICAL- TOXICOLOGY	Intact skin (Electrodes, External prostheses , fixation tape , compression, Bandages , monitors of various type)	Sensitization in guinea pig	IS : 12572 part 7
300	BIOLOGICAL- TOXICOLOGY	Intact skin (Electrodes, External prostheses , fixation tape , compression, Bandages , monitors of various type)	Sensitization in guinea pig	ISO 10993 part 10
301	BIOLOGICAL- TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Ames test	OECD 471 (26th June)
302	BIOLOGICAL- TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Ame's test Genotoxicity)	ISO 10993 part 3
303	BIOLOGICAL- TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Cytotoxicity	ISO 10993 part 5
304	BIOLOGICAL- TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Cytotoxicity	USP 43 NF 38
305	BIOLOGICAL- TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	In Vivo chromosomal aberration test	OECD 474
306	BIOLOGICAL- TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	In vivo micronucleus test	OECD 475
307	BIOLOGICAL- TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Irritation / Intarcutaneous reactivity	IS 12572 part 9

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	22 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
308	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Irritation / Intarcutaneous reactivity	ISO 10993 part 10
309	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Irritation / Intracutaneous reactivity	IS 12572 part 5
310	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Irritation/ Intracutaneous in guinea pigs	IP
311	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Irritation/ Intracutneous reactivity	IS 12572 part 8
312	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Material mediated Pyrogenecity	USP 43 NF 38
313	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Material mediated Pyrogenicity	ISO 10993 part 11 Annexure G
314	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Sensitization in guinea pig	ISO 10993 part 10
315	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Sensitization in guinea pigs	IS 12572 part 7
316	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Sensitization in guinea pigs	OECD 406
317	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Systemic toxicity (acute)	ASTM F 750
318	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Systemic toxicity (acute)	IP
319	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Systemic toxicity (Acute)	ISO 10993 part 11 & ISO 10993 part 12
320	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Systemic toxicity (acute)	USP 43 NF 38
321	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Systemic toxicity (Acute)	IS 12572 (Pt 4)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	23 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
322	BIOLOGICAL-TOXICOLOGY	Breached or Compromised surface (Dressing or Healing devices, Occlusive patches for Ulcers, burns & granulation tissue)	Test for local effects after implantation (Bone, Muscle, Subcutaneous)	ISO 10993 part 6
323	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Ames test	ISO 10993 part 3
324	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Ame's test	OECD 471 (26th June)
325	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Cytotoxicity	ISO 10993 part 5
326	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Cytotoxicity	USP 43 NF 38
327	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Haemolytic properties of material (Haemocompatibility test)	ASTM F 756
328	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Haemolytic properties of material(Haemocompatibility test)	ISO 10993 part 4
329	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	In Vivo chromosomal aberration test	OECD 474
330	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	In vivo micronucleus test	OECD 475
331	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Irritation / Intracutaneous reactivity	IP
332	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Irritation / Intracutaneous reactivity	IS 12572 part 5 :
333	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Irritation / Intracutaneous reactivity	IS 12572 part 9
334	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Irritation / Intracutaneous reactivity	ISO 10993 part 10
335	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Irritation/ Intracutaneous reactivity	IS 12572 part 8

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	24 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
336	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Material mediated pyrogenicity	ISO 10993 part 11 Annecure G
337	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Material mediated pyrogenicity	USP 43 NF 38
338	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Sensitization in guinea pig	IS 12572 part 7
339	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Sensitization in guinea pig	ISO 10993 part 10
340	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Sensitization in guinea pig	OECD 406
341	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Systemic toxicity (acute)	ASTM F 750
342	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Systemic toxicity (Acute)	IP
343	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Systemic Toxicity (Acute)	IS 12572 part 4
344	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Systemic Toxicity (acute)	ISO 10993 part 11 & ISO 10993 part 12
345	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Systemic toxicity (Acute)	USP 43 NF 38
346	BIOLOGICAL-TOXICOLOGY	External communicating medical device : Blood path , indirect , (Solution, Administration sets, Extension sets , Transfer sets , Blood administration sets)	Test for local effects after implantation (Bones, Muscles , Subcutaneous)	ISO 10993 part 6
347	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Aem's test (Genotoxicity)	OECD 471 (26th June)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	25 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
348	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Ame's test(Genotoxicity)	ISO 10993 part 3
349	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Cytotoxicity	ISO 10993 part 5
350	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Cytotoxicity	USP 43 NF 38
351	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Haemolytic properties of material (Heamocompatibility)	ASTM F 756
352	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Haemolytic properties of material(Heamocompatibility)	ISO 10993 part 4
353	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Impantation (bone , muscle , subcutaneous)	ISO 10993 part 6
354	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	In vivo micronucleus test	OECD 475
355	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Invivo chromosomal aberration	OECD 474
356	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Irritation / Intracutaneous reactivity	ISO 10993 part 10

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	26 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
357	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Irritation/ Intracutaneous reactivity	IP
358	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Irritation/ Intracutaneous reactivity	IS 12572 (Pt 8)
359	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Irritation/ Intracutaneous reactivity	IS 12572 part 5
360	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Irritation/ Intracutaneous reactivity	IS 12572 part 9
361	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Material Mediated pyrogenicity	ISO 10993 part 11 Annexure G
362	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Material mediated pyrogenicity	USP 43 NF 38
363	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Sensitization in Guinea pig	IS 12572 part 7
364	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Sensitization in guinea pig	ISO 10993 part 10
365	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Sensitization in Guinea pig	OECD 406

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	27 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
366	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Systemic toxicity (acute)	ASTM F 750
367	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	systemic toxicity (acute)	IP
368	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Systemic toxicity (acute)	IS 12572 part 4
369	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Systemic toxicity (acute)	ISO 10993 part 11 & ISO 10993 part 12
370	BIOLOGICAL-TOXICOLOGY	External Communicating medical device : Circulating blood (Intravascular Catheters, Temporary pace maker, Electrodes , Oxygenators, Extra corporal oxygenators, tubing and accessories , dialysers, Dialysis tubing and accessories , Haemadsorbents , Immunoadsorbants)	Systemic toxicity (acute)	USP 43 NF 38
371	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Ame's test	ISO 10993 part 3
372	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Ame's test	OECD 471 (26th June)
373	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Cytotoxicity	ISO 10993 part 5
374	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Cytotoxicity	USP 43 NF 38

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	28 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
375	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	In vivo chromosomal aberration test	OECD 474
376	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	In Vivo micronucleus test	OECD 475
377	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Irritation / Intracutaneous reactivity	IP
378	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Irritation / Intracutaneous reactivity	IS 12572 part 9
379	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Material mediated pyrogeneicity	USP 43 NF 38
380	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Material mediated pyrogenicity	ISO 10993 part 11 Annexure G
381	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Sensitization in guinea pig	IS 12572 part 7
382	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Sensitization in guinea pig	ISO 10993 part 10
383	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Sensitization in guinea pig	OECD 406
384	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Systemic toxicity (acute)	ASTM F 750
385	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	systemic toxicity (Acute)	IP

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	29 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
386	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	systemic toxicity (acute)	IS 12572 part 4
387	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Systemic toxicity (acute)	ISO 10993 part 11
388	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Systemic toxicity (acute)	USP 43 NF 38
389	BIOLOGICAL-TOXICOLOGY	External communicating medical device: Tissue / Bone / Dentin (Laproscopes , Arthroscopes, Draining systems , Dental cements, Dental filling materials , Skin staples, Dental implants)	Test for local effects after implantation (Bone , Mucsle , Subcutaneous)	ISO 10993 part 6
390	BIOLOGICAL-TOXICOLOGY	Implant Medical device Tissue / Bone (Orthopedic / Pins/Screws, Plates , Replacement joints , bone prosthesis, bone cement , intraosseous devices, pace makers , drug supply devices, neuromuscular sensors and stimulators , replacement tendoms , breast implant, artificial larynxes, subpriosteal, ligation clip, intrautrerine devices, implants)	Cytotoxicity	ISO 10993 part 5
391	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Ame's test	ISO 10993 part 3
392	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Cytotoxicity	ISO 10993 part 5
393	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Cytotoxicity	USP 43 NF 38
394	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Haemolytic properties of m,aterial(Haemocompatibility)	ISO 10993 part 4
395	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Haemolytic properties of material (Haemocompatibility)	ASTM F 756

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	30 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
396	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	In Vivo Chomosomal aberration	OECD 474
397	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	In vivo micronucleus test	OECD 475
398	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Irritation / Intracutaneous reactivity	IS 12572 part 9
399	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Irritation / Intracutaneous reactivity	ISO 10993 part 10
400	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Irritation/ Intracutaneous reactivity	IP
401	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Irritation/ Intracutaneous reactivity	IS 12572 part 5
402	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Irritation/ Intracutaneous reactivity	IS 12572 part 8
403	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Material Mediated pyrogenicity	ISO 10993 part 11 Annexure G
404	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Material mediated pyrogenicity	USP 42
405	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Sensitization in guinea pigs	IS 12572 part 7
406	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Sensitization in guinea pigs	ISO 10993 part 10

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	31 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
407	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Sensitization in guinea pigs	OECD 406
408	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Systemic toxicity (acute)	ASTM 750
409	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Systemic toxicity (acute)	IP
410	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	systemic toxicity (acute)	IS 12572 part 4
411	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Systemic toxicity (acute)	ISO 10993 part 11 & ISO 10993 part 12
412	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Systemic toxicity (acute)	USP 42
413	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Blood (Pace makers , electrodes , Artificial Arteriovenous fistulae , Heart valves , Vascular grafts , internal drug delivery catheters , Ventricular assist devices , Stents)	Test for local effects after implantation (bone , muscle , subcutaneous)	ISO 10993 part 6
414	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Cytotoxicity	USP 43 NF 38
415	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Genotoxicity (Ames test)	ISO 10993 part 3

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	32 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
416	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	In vivo chromosomal aberration	OECD 474
417	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	In vivo micronucleus test	OECD 475
418	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Irritation / Intracutaneous reactivity	IS 12572 part 5
419	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Irritation / intracutaneous reactivity	IS 12572 part 9
420	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Irritation / Intracutaneous rwactivity	IS 12572 part 8
421	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Irritation/ Intracutaneous reactivity	IP
422	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Irritation/ Intracutaneous reactivity	ISO 10993 part 10

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	33 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
423	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Material mediated pyrogenicity	ISO 10993 part 11 Annexure G
424	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Material mediated pyrogenicity	USP 42
425	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Sensitization in guinea pig	IS 12572 part 7
426	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Sensitization in guinea pig	ISO 10993 part 10
427	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Sensitization in guinea pig	OECD 406
428	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Systemic toxicity (acute)	ASTM F 750
429	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	systemic Toxicity (acute)	IP

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	34 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
430	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Systemic toxicity (acute)	IS 12572 part 4
431	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Systemic toxicity (acute)	ISO 10993 part 11 & ISO 10993 part 12
432	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Systemic toxicity (acute)	USP 42
433	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Test for local effects after implantation (bone , muscle , subcutaneous)	ISO 10993 part 6
434	BIOLOGICAL-TOXICOLOGY	Implant Medical Devices : Tissue / Bone(Orthopedic pins/ screws, plates , replacement joints, bone prosthesis, bone cements, intra- osseous devices, pace makers , drug supply devices, neuromuscular sensors and simulators, replacement tendons, breast implants , artificial larynxes, subpriosteal, ligation clips, intra uterine devices , implants)	Ame's test	OECD 471 (26th June)
435	BIOLOGICAL-TOXICOLOGY	Intact skin (Electrodes, External prostheses , fixation tape , compression, Bandages , monitors of various type)	Cytotoxicity	ISO 10993 Part 5
436	BIOLOGICAL-TOXICOLOGY	Intact skin (Electrodes, External prostheses , fixation tape , compression, Bandages , monitors of various type)	Cytotoxicity	USP 43 NF 38
437	BIOLOGICAL-TOXICOLOGY	Intact skin (Electrodes, External prostheses , fixation tape , compression, Bandages , monitors of various type)	Irritation / Intracutaneous reactivity test	IS; 12572(part 8)
438	BIOLOGICAL-TOXICOLOGY	Intact skin (Electrodes, External prostheses , fixation tape , compression, Bandages , monitors of various type)	Irritation / Intrcutaneous reactivity test	ISO 10993 part 10
439	BIOLOGICAL-TOXICOLOGY	Intact skin (Electrodes, External prostheses , fixation tape , compression, Bandages , monitors of various type)	Irritation / Intrcutaneous reactivity test	IS 12572 part 5
440	BIOLOGICAL-TOXICOLOGY	Intact skin (Electrodes, External prostheses , fixation tape , compression, Bandages , monitors of various type)	Irritation / Intrcutaneous reactivity test	IS 12572 part 9

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	35 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
441	BIOLOGICAL-TOXICOLOGY	Intact skin (Electrodes, External prostheses , fixation tape , compression, Bandages , monitors of various type)	Sensitization in guinea pig	OECD guidelines 406
442	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Ames test	ISO 10993 part 3
443	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Ame's test	OECD guidelines 471
444	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Cytotoxicity	ISO 10993 part 5
445	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Cytotoxicity	USP 43 NF 38
446	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Eye irritation	ISO 10993 part 10
447	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Eye irritation	OECD guidelines 405
448	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	In Vivo chromosomal aberration test	OECD guidelines 474
449	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	In vivo micronucleus test	OECD guidelines 475

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	36 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
450	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Irritation / Intracutaneous reactivity	ISO 10993 part 10
451	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Irritation / Intrcutaneous reactivity	IS 12572 part 8
452	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Irritation / Intrcutaneous reactivity	IS 12572 part 9
453	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Irritation/ Intracutaneous reactivity	IS 12572 part 5
454	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Skin Sensitization in guinea pig	OECD guidelines 406
455	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Skin senitization in guinea pig	IS 12572 part 7
456	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Skin sensitization in guinea pig	ISO 10993 part 10
457	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Systemic toxicity (Acute)	ASTM F 750
458	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Systemic toxicity (Acute)	IS 12572 part 4

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	37 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
459	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Systemic toxicity (Acute)	ISO 10993 part 11 & ISO 10993 part 12
460	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Systemic toxicity (Acute)	USP 42
461	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Systemic toxicity(Acute)	IP 2018
462	BIOLOGICAL-TOXICOLOGY	Mucosal Membrane (Contact / Intraocular lenses , Urinary catheters, intravaginal and intra intestinal devices, endotracheal tube , bronchoscopes ,some dental prostheses, orthodontic devices , Copper - T , Tubal rings , condoms)	Test for local effects after implantation (in bones ,muscles , subcutaneous)	ISO 10993 part 6
463	BIOLOGICAL-TOXICOLOGY	Pesticides / Herbicides (Technical & Formulations)	Cytotoxicity	ISO 10993 part 5
464	BIOLOGICAL-TOXICOLOGY	Pesticides / Herbicides (Technical & Formulations)	Eye irritation	ISO 10993 part 10
465	BIOLOGICAL-TOXICOLOGY	Pesticides / Herbicides (Technical & Formulations)	Eye irritation	OECD 405 (26th June)
466	BIOLOGICAL-TOXICOLOGY	Pesticides / Herbicides (Technical & Formulations)	Fish Toxicity	CIB& RC
467	BIOLOGICAL-TOXICOLOGY	Pesticides / Herbicides (Technical & Formulations)	Fish Toxicity	OECD 203 (18th June)
468	BIOLOGICAL-TOXICOLOGY	Pesticides / Herbicides (Technical & Formulations)	Genotoxicity (Ame's test)	OECD 471 (26th June)
469	BIOLOGICAL-TOXICOLOGY	Pesticides / Herbicides (Technical & Formulations)	Genotoxicity (Ame's test)	ISO 10993 part 3
470	BIOLOGICAL-TOXICOLOGY	Pesticides / Herbicides (Technical & Formulations)	Mucous membrane irritation test	IS 4011
471	BIOLOGICAL-TOXICOLOGY	Pesticides / Herbicides (Technical & Formulations)	Mucous membrane irritation test	ISO 10993 part 10
472	BIOLOGICAL-TOXICOLOGY	Pesticides / Herbicides (Technical & Formulations)	Mutagenecity (In Vivo micro nucleus test(	OECD 475

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 38 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
473	BIOLOGICAL-TOXICOLOGY	Pesticides / Herbicides (Technical & Formulations)	Mutagenicity (In vivo Chromosomal Aberration)	OECD 474
474	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Escherichia coli	IS 15185
475	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Faecal streptococci	IS 5887 (part 2)
476	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Salmonella	IS 5887 (part 3)
477	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Shigella	IS 5887 (part 7)
478	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Staphylococcus aureus	IS 5887 (part 2)
479	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Vibrio cholerae & vibrio parahaemolyticus	IS 5887 (part 5)
480	BIOLOGICAL- WATER	Dialysis / RO Water	Bacterial Endotoxin Test (Gel Clot Method)	USP -42
481	BIOLOGICAL- WATER	Dialysis / RO Water	Bacterial Endotoxin Test (Gel Clot Method)	USP -42
482	BIOLOGICAL- WATER	Dialysis / RO Water	Total Viable count (Yeast & Mould)	IS 5403
483	BIOLOGICAL- WATER	Dialysis / RO Water	Total Viable Count (Total Bacterial Count)	IS 5402
484	BIOLOGICAL- WATER	Drinking water	Escherichia coli	IS 15185
485	BIOLOGICAL- WATER	Drinking Water	Escherichia coli	IS 1622
486	BIOLOGICAL- WATER	Drinking Water	MPN Coliform	IS 1622
487	BIOLOGICAL- WATER	Drinking Water	Total Colifom Bacteria	IS 15185
488	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Coliform	IS 15185
489	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Coliform	IS 5401 (part 1)
490	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking water	Escherichia coli	IS 5887 (part 1)
491	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking water	Escherichia coli	IS 5887 (part 1)
492	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Pseudomonas aeruginosa	IS 13428 (Annexure D)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 39 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
493	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Sulphite reducing anaerobes	IS 13428 (Annexure C)
494	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Total viable count	IS 5402 (at 22 degree C)
495	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Total viable count	IS 5402 (at 37 degree C)
496	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Yeast & Mould count	IS 5403
497	BIOLOGICAL- WATER	Packaged Natural Mineral Water & Packaged Drinking Water	Yeast & Mould count	IS 5403
498	BIOLOGICAL- WATER	Swimming Pool water	Standard Plate count	IS 3328
499	BIOLOGICAL- WATER	Swimming pool water	Total coliform	IS 1622
500	BIOLOGICAL- WATER	Water from other sources (e.g. Water from processed food industry)	Lipolytic bacterial count	IS 4251
501	BIOLOGICAL- WATER	Water from other sources (e.g. Water from processed food industry)	MPN coliform	IS 1622
502	BIOLOGICAL- WATER	Water from other sources (e.g. Water from processed food industry)	Proteolytic bacterial count	IS 4251
503	BIOLOGICAL- WATER	Water from other sources (e.g. Water from processed food industry)	Standard plate count	IS 1622
504	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Acid Insoluble Ash	IS 7874 (Pt 1)
505	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Aflatoxins	AOAC 968.22, 21st Edition
506	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Arsenic	AOAC 986.15, 21st Edition
507	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Cadmium	AOAC 990.08, 21st Edition
508	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Calcium	AOAC 990.08, 21st Edition
509	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Cobalt	AACC 40-75.01, 11th Edition
510	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Copper	AACC 40-75.01, 11th Edition
511	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Crude Fat	IS 7874 (Pt 1)
512	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Crude Fibre	IS 7874 (Pt 1)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 40 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
513	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Crude Protein	IS 7874 (Pt 1)
514	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Fluorine	IS 7874 (Pt 2)
515	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Iodine	AOAC 992.24, 21st Edition
516	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Iodine as KI	IS 7874 (Pt 2)
517	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Iron	AACC 40-75.01, 11th Ed
518	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Lead	AOAC 990.08, 21st Edition
519	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Magnesium	AOAC 990.08, 21st Edition
520	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Manganese	AACC 40-75.01, 11th Edition
521	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Mercury	AOAC 971.21, 21st edition
522	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Moisture	IS 7874(Pt 1)
523	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Phosphorous	IS 14828
524	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Potassium	IS 15121
525	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Presence of Castor Husk	IS 3441
526	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Presence of Castor Husk	IS 7874 (Pt 1)
527	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Presence of Mahua cake	IS 7874 (Pt 1)
528	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Sodium	IS 15121
529	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Total Ash	IS 7874 (Pt 1)
530	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Urea	AOAC 967.07 21st Ed
531	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Urea Nitrogen	IS 7874 (Pt 1)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	41 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
532	CHEMICAL- ANIMAL FOOD & FEEDS	Cattle Feed	Zinc	AACC 40-75.01, 11th Edition
533	CHEMICAL- ANIMAL FOOD & FEEDS	Dicalcium Phosphate	Acid Insoluble Ash	IS 7874 (Pt 1)
534	CHEMICAL- ANIMAL FOOD & FEEDS	Dicalcium Phosphate	Arsenic as As2O3	IS 1767
535	CHEMICAL- ANIMAL FOOD & FEEDS	Dicalcium Phosphate	Calcium	IS 13433 (Pt 1)
536	CHEMICAL- ANIMAL FOOD & FEEDS	Dicalcium Phosphate	Fluorine	IS 5470
537	CHEMICAL- ANIMAL FOOD & FEEDS	Dicalcium Phosphate	Lead	IS 1767
538	CHEMICAL- ANIMAL FOOD & FEEDS	Dicalcium Phosphate	Moisture	IS 5470
539	CHEMICAL- ANIMAL FOOD & FEEDS	Dicalcium Phosphate	Particle size (Material retained on 212 micron IS sieve)	IS 5470
540	CHEMICAL- ANIMAL FOOD & FEEDS	Dicalcium Phosphate	Phosphorous	IS 14828
541	CHEMICAL- ANIMAL FOOD & FEEDS	Dicalcium Phosphate	Presence of Proteinous/ organic impurities	IS 5470
542	CHEMICAL- ANIMAL FOOD & FEEDS	Dicalcium Phosphate	Total Ash	IS 5470
543	CHEMICAL- ANIMAL FOOD & FEEDS	Groundnut Meal	Presence of Mahua cake	IS 3441
544	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Ammonia	ISC Method 401, 3rd Ed
545	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Arsenic	ASTM D 4185
546	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Benzene	IS 5182 (Pt 11)
547	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Carbon monoxide	IS 5182 (Pt 10)
548	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Chlorine	IS 5182 (Pt 19)
549	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Fine Particulate Matter (PM 2.5)	SOP No. SRI/EPD-Air Lab/01
550	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Hydrogen sulphide	IS 5182 (Pt 7)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	42 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
551	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Lead	IS 5182 (Pt 22)
552	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Methane	IS 5182 (Pt 17)
553	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Nickel	ASTM D 4185
554	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Oxides of Nitrogen (as NO2)	IS 5182 (Pt 6)
555	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Ozone	ISC method No. 417 & ASTM D 5156
556	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	PAH's- Benzo alpha Pyrene (BaP)	IS 5182 (Pt 12)
557	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Respirable Particulate Matter (PM 10)	IS 5182 (Pt 23)
558	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Sulphur dioxide	IS 5182 (Pt 2)
559	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Suspended Particulate Matter (SPM)	IS 5182 (Pt 4)
560	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Total fluorides	IS 5182 (Pt 13)
561	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Total Hydrocarbon (as CH4)	SOP No. SRI/EPD-Air Lab/ 01
562	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Acid Mist	USEPA Method 8
563	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Ammonia	IS 11255 (Pt 6)
564	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Antimony	USEPA Method 29
565	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Arsenic	USEPA Method 29
566	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Cadmium	USEPA Method 29
567	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Carbon dioxide	IS 13270
568	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Carbon Monoxide	IS 13270
569	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Carbon Monoxide	USEPA (method 10)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	43 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
570	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Chromium	USEPA Method 29
571	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Cobalt	USEPA Method -29
572	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Flow (Gas Velocity)	IS 11255 (Pt 3)
573	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Hydrogen bromide	US EPA Method -26
574	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Hydrogen chloride	US EPA Method -26
575	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Hydrogen fluoride	US EPA Method -26
576	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Hydrogen sulphide	IS 11255 (Pt 4)
577	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Iron	USEPA Method 29
578	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Lead	USEPA Method 29
579	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Manganese	USEPA Method 29
580	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Mercury	USEPA Method 29
581	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Moisture	IS 11255 (Pt 3)
582	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Nickel	USEPA Method 29
583	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Nitrogen	SOP No. SRI/EDP-Air Lab/01
584	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Oxide of Nitrogen	IS 11255 (Pt 7)
585	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Oxygen	IS 13270
586	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Particulate matter	IS 11255 (Pt 1)
587	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Sulphur dioxide	IS 11255 (pt 2)
588	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Sulphur trioxide	USEPA Method 8

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	44 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
589	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Total fluorides	IS 11255 (pt 5)
590	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Total Hydrocarbons as CH4	SOP No. SRI/EPD-Air Lab/01
591	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Vanadium	USEPA Method 29
592	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationery Sources from Stacks / Ducts	Total Organic Carbon (TOC) As CH4	SOP No. SRI/EPD-Air Lab/01
593	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationery Sources from Stacks/ Ducts	Non Methane Hydrocarbon (NMHC as C)	SOP No. SRI/EPD/Air Lab/01
594	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Ammonia	ISC Method 401
595	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Arsenic	ASTM D 4185
596	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Benzene	IS 5182 (Pt 11) & NISOH method 1501
597	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Cadmium	ASTM D 4185
598	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Carbon dioxide	SOP No. SRI/EPD-Air Lab /01
599	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Carbon Monoxide	IS 5182 (Pt 10)
600	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Chlorine	IS 5182 (Pt 19)
601	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Fine Particulate Matter (PM2.5)	SOP No. SRI/EPD-Air Lab/ 01
602	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Hydrogen chloride	SOP No. SRI/EPD-Air Lab /01
603	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Hydrogen fluoride	NISOH Method 7903
604	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Hydrogen sulphide	IS 5182 (Pt 7)
605	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Iron	ASTM D 4185
606	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Lead	IS 5182 (Pt 22)
607	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Mercury	ASTM D 4185

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	45 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
608	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Nickel	ASTM D 4185
609	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Nitric Acid	NISOH Method 7903
610	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Oxides of Nitrogen (as NO2)	IS 5182 (Pt 6)
611	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Ozone	ISC Method No. 417 & ASTMD 5156
612	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Respirable Particulate Metter (PM10)	IS 5182 (Pt 23)
613	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission Monitoring	Sulphur dioxide	IS 5182 (part 2)
614	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission Monitoring	Sulphur dioxide	IS 5182 (Pt 2)
615	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Sulphuric Acid	NISOH Method 7903
616	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission Monitoring	Suspended Particulate Matter (SPM)	IS 5182 (Pt 4)
617	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Toluene	IS 5182 (Pt 11) & NISOH Method 1501
618	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Total Hydrocarbons (as CH4)	SOP No. SRI/EDP-Air Lab/ 01
619	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Xylene	IS 5182 (Pt 11) & NISOH Method 1501
620	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor air Quality	Ammonia	ISC Method -401& SOP No. SRI/EPD-Air Lab /01
621	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor air quality	Carbon Dioxide	SOP No. SRI/EPD- Air Lab/01
622	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Carbon Monoxide	IS 5182 (Pt 10) & SOP No. SRI/EPD- Air Lab/01
623	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Chlorine	IS 5182 (Pt 19) & SOP No. SRI/EPD- air Lab/01
624	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Hydrogen Sulphide	IS 5182 (Pt 7) & SOP No. SRI/EPD-Air Lab /01
625	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Oxides of Nitrogen (as NO2)	IS 5182 (Pt 6)
626	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Particulate Matter PM10	SOP No. SRI/EPD-Air Lab/01

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	46 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
627	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor air Quality	Particulate Matter PM2.5	SOP No. SRI/EPD- Air Lab/01
628	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Relative Humidity	SOP No. SRI/ EPD-Air Lab/01
629	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Sulphur dioxide	IS 5182 (Pt 2)
630	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Temperature	SOP No. SRI/EPD-Air Lab/01
631	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Total Fluoride	IS 5182(Pt 13)
632	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Total Hydrocarbon (as CH4)	SOP No. SRI/EPD-Air Lab/ 01
633	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor air Quality	Total Suspended Particulate Matter (TSPM)	SOP No. SRI/EPD-Air Lab/01
634	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Ammonia	ISC Method 401
635	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Antimony	US EPA Method 29
636	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Arsenic	US EPA Method 29
637	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Chlorine	IS 5182 (Pt 19)
638	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Hydrogen Chloride	US EPA Method 26
639	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Hydrogen fluoride	US EPA Method 26
640	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Hydrogen Sulphide	IS 11255 (Pt 4)
641	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Hydrogen sulphide	IS 5182 (Pt 7)
642	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Methane	IS 5182 (Pt 17)
643	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Sulphur trioxide	US EPA Method 8
644	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Total Fluorides	IS 5182 (Pt 13)
645	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Total Hydrocarbons as CH4	SOP No. SRI/EPD-Air Lab/ 01

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	47 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
646	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Ammonia	ISC Method 401
647	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Arsenic	ASTM D 4185
648	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Benzene	IS 5182 (Pt 11) & NISOH Method 1501
649	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Cadmium	ASTM D 4185
650	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Carbon dioxide	SOP No. SRI/EPD-Air Lab/ 01
651	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Carbon Monoxide	IS 5182 (Pt 10) & IS 15206
652	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Chlorine	IS 5182 (Pt 19)
653	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Fine Particulate Matter (PM 2.5)	SOP No. SRI/EPD- Air Lab /01
654	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Formaldehyde	SOP No. SRI/EPD-Air Lab /01
655	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Hydrogen chloride	SOP No. SRI/EPD-Air Lab/ 01
656	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Hydrogen Fluoride	NISOH Method 7903
657	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Hydrogen sulphide	IS 5182 (Pt 7)
658	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Iron	ASTM D 4185
659	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Lead	IS 5182 (Pt 22)
660	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Mercury	ASTM D 4185
661	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Nickel	ASTM D 4185
662	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Nitric Acid	NISOH Method 7903
663	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Oxides of Nitrogen (as NO2)	IS 5182 (Pt 6) & IS 15209
664	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Ozone	ISC Method No. 417, ASTM D 5156

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	48 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
665	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Respirable Particulate Matter (PM10)	IS 5182 (Pt 23)
666	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Sulphur dioxide	IS 5182 (Pt 2)
667	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Sulphuric Acid	NISOH Method 7903
668	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Toluene	IS 5182 (Pt 11) & NISOH Method 1501
669	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Total Hydrocarbons (as CH4)	SOP No. SRI/EPD-Air Lab/ 01
670	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Xylene	IS 5182 (Pt 11) & NISOH Method 1501
671	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Grannules, Tailas, Ghritas, Vati/ Gutika	Moisture Content (LOD)	Ayurvedic Pharmacopoeia of Unani , Siddha , India
672	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Sulphated ash	Ayurvedic Pharmacopoeia of Unani , Siddha , India
673	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Acid Insoluble Extractives	Ayurvedic Pharmacopoeia of Unani , Siddha , India
674	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Acid Soluble Extractives	Ayurvedic Pharmacopoeia of Unani , Siddha , India

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	49 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
675	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Alcohol Soluble Extractive	Ayurvedic Pharmacopoeia of Unani , Siddha , India
676	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Alcohol Soluble Extractives	Ayurvedic Pharmacopoeia of Unani , Siddha , India
677	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Alcohol Soluble Extractives	Ayurvedic Pharmacopoeia of Unani , Siddha , India
678	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Arsenic	Ayurvedic Pharmacopoeia of Unani , Siddha , India
679	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Chloride	Ayurvedic Pharmacopoeia of Unani , Siddha , India
680	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Complete Extraction of Alkaloids	Ayurvedic Pharmacopoeia of Unani , Siddha , India

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	50 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
681	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Continuous Extraction of Drugs	Ayurvedic Pharmacopoeia of Unani , Siddha , India
682	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Ether Soluble Extractive	Ayurvedic Pharmacopoeia of Unani , Siddha , India
683	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Foreign Matter	Ayurvedic Pharmacopoeia of Unani , Siddha , India
684	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Heavy Metals (Arsenic)	Ayurvedic Pharmacopoeia of Unani , Siddha , India
685	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Heavy Metals (Cadmium)	Ayurvedic Pharmacopoeia of Unani , Siddha , India
686	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Heavy Metals (Lead)	Ayurvedic Pharmacopoeia of Unani , Siddha , India

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	51 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
687	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Heavy Metals (Mercury)	Ayurvedic Pharmacopoeia of Unani , Siddha , India
688	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Iron	Ayurvedic Pharmacopoeia of Unani , Siddha , India
689	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Lead	Ayurvedic Pharmacopoeia of Unani , Siddha India
690	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Powder Fineness	Ayurvedic Pharmacopoeia of Unani , Siddha , India
691	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Refractive Index	Ayurvedic Pharmacopoeia of Unani , Siddha , India
692	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Steroids	Ayurvedic Pharmacopoeia of Unani , Siddha , India

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	52 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
693	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Sulphates	Ayurvedic Pharmacopoeia of Unani , Siddha , India
694	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Total alkaloids	Ayurvedic Pharmacopoeia of Unani , Siddha , India
695	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Total Ash	Ayurvedic Pharmacopoeia of Unani , Siddha , India
696	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Volatile oil	Ayurvedic Pharmacopoeia of Unani , Siddha , India
697	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Water Insoluble Extractives	Ayurvedic Pharmacopoeia of Unani , Siddha , India
698	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Water soluble Extractive	Ayurvedic Pharmacopoeia of Unani , Siddha , India

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	53 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
699	CHEMICAL- AYUSH PRODUCTS	Asava & Arishta (Fermented liquid),Arka/Theeneer/Distillates, Avachurnam yoga (Dusting powder) Avaleha/ Leham/ Modak/ Ilagamn (Confection/ Semi solid) Pisthi, Bhasma, Sinduram Purpum, Chewing Candy, Churna, Ghansatva, Lepa, Medicated Wax/ Cream, Netrabindu, Sharbat, Granules, Tailas, Ghritas, Vati/ Gutika	Weight per ml & Specific Gravity	Ayurvedic Pharmacopoeia of Unani , Siddha , India
700	CHEMICAL- BUILDING MATERIAL	Admixture	Ash content	IS 9103
701	CHEMICAL- BUILDING MATERIAL	Admixture	Chlorides (Cl)	IS 6925
702	CHEMICAL- BUILDING MATERIAL	Admixture	Dry Material content	IS 9103
703	CHEMICAL- BUILDING MATERIAL	Admixture	pH value	IS 9103
704	CHEMICAL- BUILDING MATERIAL	Admixture	Relative Density	IS 9103
705	CHEMICAL- BUILDING MATERIAL	Aggregate (Coarse & Fine)	Alkali Aggregate Reactivity (Chemical) - Nature	IS 2386 (Pt 7)
706	CHEMICAL- BUILDING MATERIAL	Aggregate (Coarse & Fine)	Alkali Aggregate Reactivity (Chemical)- Reduction in Alkalinity	IS 2396 (Pt 7)
707	CHEMICAL- BUILDING MATERIAL	Aggregates(Coarse & Fine)	Alkali Aggregate Reactivity (Chemical)- Dissolved Silica	IS 2386 (Pt 7)
708	CHEMICAL- BUILDING MATERIAL	Coarse & Fine aggregate , Graded / single/ all in one , key aggregates , Stone metal , Ballast , Boulder	Chlorides (Cl)	BS EN 1744 (Pt 1) & IS 14959(Pt 1& 2)
709	CHEMICAL- BUILDING MATERIAL	Coarse & Fine aggregate , Graded / single/ all in one , key aggregates , Stone metal , Ballast , Boulder	Sulphates (Water soluble & Total sulphates)	BS EN 1744 (Pt 1) & IS 14959 (Pt 1 & 2)
710	CHEMICAL- BUILDING MATERIAL	Concrete & Mortar	Chloride (Cl)	BS EN 1744 (Pt 1) & IS 14959 (Pt 1 & 2)
711	CHEMICAL- BUILDING MATERIAL	Concrete & Mortar	Sulphates (SO3)	BS EN 1744(Pt 1) & IS 14959 (Pt 1 & 2)
712	CHEMICAL- BUILDING MATERIAL	Fly ash/ Fuel Ash/ Bottom Ash/ Pond Ash	Alumina	IS 1727
713	CHEMICAL- BUILDING MATERIAL	Fly ash/ Fuel Ash/ Bottom Ash/ Pond Ash	Available alkalies (As Na2O)	SOP/MO/03
714	CHEMICAL- BUILDING MATERIAL	Fly ash/ Fuel Ash/ Bottom Ash/ Pond Ash	Calcium Oxide (as CaO)	IS 1727
715	CHEMICAL- BUILDING MATERIAL	Fly ash/ Fuel Ash/ Bottom Ash/ Pond Ash	Chlorides (Cl)	IS 4032

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	54 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
716	CHEMICAL- BUILDING MATERIAL	Fly ash/ Fuel Ash/ Bottom Ash/ Pond Ash	Iron Oxide	IS 1727
717	CHEMICAL- BUILDING MATERIAL	Fly ash/ Fuel Ash/ Bottom Ash/ Pond Ash	Loss on Ignition	IS 1727
718	CHEMICAL- BUILDING MATERIAL	Fly ash/ Fuel Ash/ Bottom Ash/ Pond Ash	Magnesia (MgO)	IS 1727
719	CHEMICAL- BUILDING MATERIAL	Fly ash/ Fuel Ash/ Bottom Ash/ Pond Ash	Silica	IS 1727
720	CHEMICAL- BUILDING MATERIAL	Fly ash/ Fuel Ash/ Bottom Ash/ Pond Ash	Sulphates (SO3)	IS 1727
721	CHEMICAL- BUILDING MATERIAL	Gypsum Plaster	Calcium Oxide	IS 1288
722	CHEMICAL- BUILDING MATERIAL	Gypsum Plaster	Fineness / Sieving	IS 1288
723	CHEMICAL- BUILDING MATERIAL	Gypsum Plaster	Free Lime	IS 2547 Pt 1,2 (Appendix C)
724	CHEMICAL- BUILDING MATERIAL	Gypsum Plaster	Loss on ignition	IS 2547 Pt 1,2 (appendix C)
725	CHEMICAL- BUILDING MATERIAL	Gypsum Plaster	Soluble Sodium and Magnesium salts	IS 2547 Pt 1,2
726	CHEMICAL- BUILDING MATERIAL	Gypsum Plaster	Sulphates	IS 1288
727	CHEMICAL- BUILDING MATERIAL	Lime	Available Lime	IS 1514
728	CHEMICAL- BUILDING MATERIAL	Lime	Calcium Oxide (as CaO)	IS 6932 Pt 1
729	CHEMICAL- BUILDING MATERIAL	Lime	Carbon dioxide	IS 6932 (Pt 1)
730	CHEMICAL- BUILDING MATERIAL	Lime	Combined Alumina & Ferric Oxide (as R2O3)	IS 6932 Pt1
731	CHEMICAL- BUILDING MATERIAL	Lime	Free Moisture	Is 1514
732	CHEMICAL- BUILDING MATERIAL	Lime	Insoluble residue in dilute acid and alkali	IS 6932 Pt 1
733	CHEMICAL- BUILDING MATERIAL	Lime	Loss on ignition	IS 6932 Pt 1
734	CHEMICAL- BUILDING MATERIAL	Lime	Magnesia	IS 6932 Pt 1

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 55 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
735	CHEMICAL- BUILDING MATERIAL	Lime	Sieving / Fineness	IS 6932 Pt 4
736	CHEMICAL- BUILDING MATERIAL	Lime	Silica	IS 6932 Pt 1
737	CHEMICAL- BUILDING MATERIAL	Lime	Unhydrated oxides	IS 6932 Pt 5
738	CHEMICAL- BUILDING MATERIAL	Micro silica/ Silica Fume	Loss on ignition	IS 1727
739	CHEMICAL- BUILDING MATERIAL	Micro silica/ Silica Fume	Moisture	IS 15388
740	CHEMICAL- BUILDING MATERIAL	Micro silica/ Silica Fume	Silicon dioxide	IS 1727
741	CHEMICAL- BUILDING MATERIAL	Micro silica/ Silica Fume	Total Alkalies (As Na2O)	IS 4032
742	CHEMICAL- BUILDING MATERIAL	OPC, PPC, PSC, WPC	Aluminium Oxide (Alumina)	IS 4032 & ASTM C 114
743	CHEMICAL- BUILDING MATERIAL	OPC, PPC, PSC, WPC	Calcium Oxide (CaO)	IS 4032 & ASTM C 114
744	CHEMICAL- BUILDING MATERIAL	OPC, PPC, PSC, WPC	Iron Oxide	IS 4032 & ASTM C 114
745	CHEMICAL- BUILDING MATERIAL	OPC, PPC, PSC, WPC	Magnesium Oxide (Magnesia)	IS 4032 : & ASTM C 114
746	CHEMICAL- BUILDING MATERIAL	OPC, PPC,PSC, WPC	Calcium Oxide (CaO)	IS 12813
747	CHEMICAL- BUILDING MATERIAL	OPC, PPC,PSC, WPC	Loss on Ignition	IS 4032 & ASTM C 114
748	CHEMICAL- BUILDING MATERIAL	OPC, PPC,PSC,WPC	Insoluble Residue	IS 4032 & ASTM C 114
749	CHEMICAL- BUILDING MATERIAL	OPC,PPC,PSC, WPC	Magnesium Oxide (Magnesia)	IS 12813
750	CHEMICAL- BUILDING MATERIAL	OPC,PPC,PSC, WPC	Potassium Oxide (Potash)	SOP/MO/03 : & IS 12813
751	CHEMICAL- BUILDING MATERIAL	OPC,PPC,PSC, WPC	Silicon dioxide (Silica)	IS 4032 & ASTM C 114
752	CHEMICAL- BUILDING MATERIAL	OPC,PPC,PSc,WPC	Aluminium Oxide (Alumina)	IS 12813
753	CHEMICAL- BUILDING MATERIAL	OPC,PPC,PSC,WPC	Chlorides	IS 4032 & ASTM C 114

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	56 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
754	CHEMICAL- BUILDING MATERIAL	OPC,PPC,PSC,WPC	Free Lime	IS 4032 & ASTM C 114
755	CHEMICAL- BUILDING MATERIAL	OPC,PPC,PSC,WPC	Iron Oxide	IS 12813
756	CHEMICAL- BUILDING MATERIAL	OPC,PPC,PSC,WPC	Sodium Oxide (Soda)	SOP/MO/03 : & IS 12813
757	CHEMICAL- BUILDING MATERIAL	OPC,PPC,PSC,WPC	Sulphuric Anhydride (As SO3)	IS 4032 & ASTM C 114
758	CHEMICAL- BUILDING MATERIAL	OPC,PPC,PSC,WPC	Water Soluble Alkalies (as Na2O)	SOP/MO/03
759	CHEMICAL- BUILDING MATERIAL	PSC	Sulphide Sulphur (as S)	IS 4032 & ASTM C 114
760	CHEMICAL- BUILDING MATERIAL	Water proofing compound	Chlorides (as Cl)	IS 6925
761	CHEMICAL- CORROSION TESTS	Corrosion Inhibitors	Corrosion Inhibitor Efficiency	ASTM G 184
762	CHEMICAL- CORROSION TESTS	Electroplated & Anodised coatings on Ferrous & non ferrous metal products	Copper accelerated acetic acid slat spray (CASS)	IS 5528
763	CHEMICAL- CORROSION TESTS	Electroplated & Anodised coatings on Ferrous & non ferrous metal products	Acetic acid salt spray test (ASS)	IS 6910
764	CHEMICAL- CORROSION TESTS	Electroplated & Anodised coatings on Ferrous & non ferrous metal products	Neutral salt spray test (NSS)	ASTM B 117
765	CHEMICAL- CORROSION TESTS	Electroplated & Anodised coatings on Ferrous & non ferrous metal products	Neutral Salt spray spray test (NSS)	IS 9844
766	CHEMICAL- COSMETICS & ESSENTIAL OILS	Clove Oil	Total Eugenol	IS 326 (Pt 12)
767	CHEMICAL- COSMETICS & ESSENTIAL OILS	Colour & appearance	Colour & Appearance	IS 326 (Pt 2)
768	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (After shave lotion)	Alcohol content	IS 9255
769	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (After shave lotion)	Cloud Temperature	IS 9255
770	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (After shave lotion)	Stability of Smell	IS 9255
771	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Hair dye powder)	pH	IS 10350
772	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Hair dye powder)	Total Active Matter	IS 10350

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	57 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
773	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Lipstick)	Arsenic as As2O3	IS 9875
774	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Lipstick)	Heavy metals as Pb	IS 9875
775	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Lipstick)	Peroxide Number	IS 9875
776	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Lipstick)	Softening Point	IS 9875
777	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Skin Powder)	pH of aqueous suspension	IS 3959
778	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Hair Cream)	Density	IS 4730
779	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Hair Cream)	Total Fatty substances	IS 7679
780	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Oxidation Hair dye : Emulsion type)	Active matter as PPD	IS 15205
781	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Oxidation Hair dye : Emulsion type)	pH	IS 15205
782	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Oxidation Hair dye : Emulsion type)	Total Fatty Matter	IS 15205
783	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Oxidation Hair dye : Liquid/ Gel/Cream)	Active Matter as PPD	IS 8481
784	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Oxidation Hair dye : Liquid/ Gel/Cream)	Assay (As H2O2)	IS 8481
785	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics & Others (Oxidation Hair dye : Liquid/ Gel/Cream)	pH	IS 8481
786	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Face Pack)	Ash Content	IS 15153
787	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Face Pack)	pH	IS 15153
788	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Face Pack)	Residue on Evaporation / Loss on Drying	IS 15153
789	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Face Pack)	Stability at 45 degree C for 48 hours	IS 15153
790	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & others (Henna powder)	Acid Insoluble Ash	IS 7159
791	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & others (Henna powder)	Cold water extract	IS 7159

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	58 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
792	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Henna powder)	Crude Fibre	IS 7159
793	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & others (Henna powder)	Extraneous Sand	IS 7159
794	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Henna powder)	Fineness (Material passing through 250 microns IS Sieve)	IS 11142
795	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & others (Henna powder)	Lawsone pigment	IS 7159
796	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & others (Henna powder)	Mineral Matter	IS 7159
797	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & others (Henna powder)	Moisture & Volatile matter	IS 7159
798	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & others (Henna powder)	Presence of Extraneous dyes	IS 7159
799	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Henna Powder)	Total Vegetable Matter	IS 11142
800	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Kajal)	Arsenic as As2O3	IS 15154
801	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Kajal)	Free from grits	IS 15154
802	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Kajal)	Heavy metals as Pb	IS 15154
803	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Kajal)	Melting Point	IS 15154
804	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Kajal)	Peroxide value	IS 15154
805	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Sindoor)	Arsenic as As2O3	IS 14649
806	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Sindoor)	Fineness - Residue on 75 microns IS Sieve	IS 14649
807	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Sindoor)	Fineness- Residue on 150 micron IS Sieve	IS 14649
808	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Sindoor)	Heavy Metals as Pb	IS 14649
809	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Sindoor)	pH of aqueous suspension	IS 14649
810	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based cosmetics & Others (Sindoor)	Total Volatile Matter	IS 14649

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	59 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
811	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Hair Cream)	Arsenic as As2O3	IS 7679
812	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Hair Cream)	Heavy Metals as Pb	IS 7679
813	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Hair Cream)	pH	IS 7679
814	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Hair Cream)	Test for Rancidity	IS 7679
815	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Hair Cream)	Thermal Stability for 24 hours	IS 7679
816	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Hair Cream)	Water Content	IS 7679
817	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Hair Oil)	Acid Value	IS 7123
818	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Hair Oil)	Peroxide Value	IS 7123
819	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Cream)	Arsenic as As2O3	IS 6608
820	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Cream)	Heavy Metals as Pb	IS 6608
821	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Cream)	pH	IS 6608
822	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Cream)	Thermal Stability for 48 hours	Is 6608
823	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Cream)	Total Fatty Substance	IS 6608
824	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Cream)	Total Residue	IS 6608
825	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder for Infants)	Arsenic as As2O3	IS 5339
826	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder for Infants)	Fineness - Residue on 150 microns IS sieve	IS 5339
827	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder for Infants)	Fineness - Residue on 75 microns IS sieve	IS 5339
828	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder for Infants)	Heavy metals as Pb	IS 5339
829	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder for Infants)	Matter insoluble in Boiling water	IS 5339

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	60 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
830	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder for Infants)	Moisture & Volatile matter	IS 5339
831	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder for Infants)	pH of aqueous suspension	IS 5339
832	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder)	Arsenic as As2O3	IS 3959
833	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder)	Fineness - Residue on 150 microns IS sieve	IS 3959
834	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder)	Fineness - Residue on 75 microns IS sieve	IS 3959
835	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder)	Heavy metals as Pb	IS 3959
836	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder)	Matter Insoluble in Boiling water	IS 3959
837	CHEMICAL- COSMETICS & ESSENTIAL OILS	Cosmetics, Herbal based Cosmetics& others (Skin Powder)	Moisture and Volatile matter	IS 3959
838	CHEMICAL- COSMETICS & ESSENTIAL OILS	Essential oil & perfume	Acid Value	IS 326 (Pt 7)
839	CHEMICAL- COSMETICS & ESSENTIAL OILS	Essential Oil & Perfume	Ester Value	IS 326 (Pt 8)
840	CHEMICAL- COSMETICS & ESSENTIAL OILS	Essential Oil & Perfume	Odour	IS 2284
841	CHEMICAL- COSMETICS & ESSENTIAL OILS	Essential Oil & Perfume	Optical Rotation	IS 326 (Pt 4)
842	CHEMICAL- COSMETICS & ESSENTIAL OILS	Essential Oil & Perfume	Refractive Index	IS 326 (Pt 5)
843	CHEMICAL- COSMETICS & ESSENTIAL OILS	Essential Oil & Perfume	Relative Density	IS 326 (Pt 3)
844	CHEMICAL- COSMETICS & ESSENTIAL OILS	Essential Oil & Perfume	Residue on Evaporation	IS 326 (Pt 10)
845	CHEMICAL- COSMETICS & ESSENTIAL OILS	Essential Oil & Perfume	Solubility	IS 326 (Pt 6)
846	CHEMICAL- COSMETICS & ESSENTIAL OILS	Essential Oil & Perfume	Test for Freedom from phenol (Carbolic acid)	IS 6698
847	CHEMICAL- COSMETICS & ESSENTIAL OILS	Sandal Wood Oil	Cis-a-santalol	SRI/AYUR/008
848	CHEMICAL- COSMETICS & ESSENTIAL OILS	Sandal Wood Oil	Cis-B-Santalol	SRI/AYUR/008

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	61 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
849	CHEMICAL- COSMETICS & ESSENTIAL OILS	Sandal wood oil	Esters calculated as Santalyl acetate	IS 329
850	CHEMICAL- COSMETICS & ESSENTIAL OILS	Sandal wood oil	Total Alcohol calculated as Santalol	IS 326 (Pt 9/ Sec 1)
851	CHEMICAL- COSMETICS & ESSENTIAL OILS	Sandal wood oil & other essential oils	Steam distillation residue	IS 329
852	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Polymorphism (Crystallinity)	IP BP , USP- 43:
853	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Calcium	IP BP , USP- 43:
854	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Conductivity	IP BP , USP- 43:
855	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Fluorescence Spectrophotometry	IP BP, USP- 43:
856	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	High pressure liquid chromatography	IP BP , USP- 43:
857	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Iodine Value	IP BP , USP- 43:
858	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Melting Range	IP BP , USP- 43:
859	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Saponification value	IP BP, USP- 43:
860	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials/ Glass & Plastic containers (for Pharma)	Cadmium	ISO 3826, IP BP , USP -43:
861	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials/ Glass & Plastic containers (for Pharma)	Lead	ISO 3826, IP BP , USP -43:
862	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Assay	IP BP , USP -43
863	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Chloride	IP BP , USP -43
864	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Fluorides	IP BP , USP -43
865	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	GC analysis	IP BP , USP -43
866	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Residual solvents	IP BP , USP -43
867	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Thin Layer chromatography	IP BP , USP -43

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 62 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
868	CHEMICAL- DRUGS & PHARMACEUTICALS	Capsule	Assay	IP : BP, USP- 43
869	CHEMICAL- DRUGS & PHARMACEUTICALS	Capsule	Dissolution	IP , BP , USP- 43
870	CHEMICAL- DRUGS & PHARMACEUTICALS	Capsules	Disintegration time	IP BP , USP- 43
871	CHEMICAL- DRUGS & PHARMACEUTICALS	Capsules	Related Impurities	IP BP , USP- 42 NF 37
872	CHEMICAL- DRUGS & PHARMACEUTICALS	Capsules	Uniformity of content of API	IP BP , USP- 43
873	CHEMICAL- DRUGS & PHARMACEUTICALS	Capsules	Uniformity of weight / fill	IP BP , USP- 43
874	CHEMICAL- DRUGS & PHARMACEUTICALS	Cream	Assay	IP BP , USP- 43
875	CHEMICAL- DRUGS & PHARMACEUTICALS	Cream	Related Impurities	IP BP , USP- 43
876	CHEMICAL- DRUGS & PHARMACEUTICALS	Cream	Uniformity of weight / fill	IP BP , USP- 43:
877	CHEMICAL- DRUGS & PHARMACEUTICALS	Dressing & Gauges	Absorbency Sinking Time	Drugs & Cosmetics Act (Schedule F-II), IP , IS 863
878	CHEMICAL- DRUGS & PHARMACEUTICALS	Dressing & Gauges	Extractable colour	IP BP , USP -43
879	CHEMICAL- DRUGS & PHARMACEUTICALS	Dressing & Gauges	Fluorescence	Drugs & Cosmetics Act (Schedule F-II), IP , IS 863
880	CHEMICAL- DRUGS & PHARMACEUTICALS	Dressing & Gauges	pH	Drugs & Cosmetics Act (Schedule F-II), IP , IS 863
881	CHEMICAL- DRUGS & PHARMACEUTICALS	Dressing & Gauges	Physical Dimension (Length & Diameter)	Drugs & Cosmetics Act (Schedule F-II), IP , IS 863
882	CHEMICAL- DRUGS & PHARMACEUTICALS	Dressing & Gauges	Scouring Loss	Drugs & Cosmetics Act (Schedule F-II), IP , IS 863
883	CHEMICAL- DRUGS & PHARMACEUTICALS	Dressing & Gauges	Soluble chromium compounds	IP BP , USP -43
884	CHEMICAL- DRUGS & PHARMACEUTICALS	Dressing & Gauges	Water absorbency	Drugs & Cosmetics Act (Schedule F-II), IP , IS 863
885	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Sulphated Ash	IP BP , USP- 43:
886	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Total Organic Carbon	IP BP , USP- 43:

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 63 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
887	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Weight per ml	IP BP , USP- 43:
888	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Acid Insoluble Ash	IP BP , USP- 43:
889	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Acid Value	IP BP , USP- 43:
890	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Alcohol (Iso propyl alcohol)	IP BP , USP- 43:
891	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Alcohol (Methanol)	IP BP , USP- 43:
892	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Alkalinity/ Acidity	IP BP , USP- 43:
893	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Arsenic	IP BP , USP- 43:
894	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Assay	IP BP , USP- 43:
895	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Boiling point	IP BP , USP- 43:
896	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Brookfield viscosity	IP BP , USP- 43:
897	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Carbonate	IP BP , USP- 43:
898	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Chloride	IP BP , USP- 43:
899	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Clarity and colour of solution	IP BP , USP- 43:
900	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Differential scanning colorimeter (DSC)	IP BP , USP- 43:
901	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Fluorides	IP BP USP- 43:
902	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Free Formaldehyde	IP BP , USP- 43:
903	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Gas chromatography Analysis	IP BP , USP- 43:
904	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Heavy metals (as Lead)	IP BP , USP- 43:
905	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Hydroxyl Value	IP BP , USP- 43:

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	64 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
906	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Infrared Spectroscopy analysis	IP BP , USP- 43:
907	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Kinematic Viscosity	IP BP , USP- 43:
908	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Lead	IP BP , USP- 43:
909	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Loss on /drying	IP BP , USP- 43:
910	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Loss on Ignition	IP BP , USP- 43:
911	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Nitrate	IP BP , USP- 43:
912	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Nitrogen content	IP BP , USP- 43:
913	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Optical rotation	IP BP , USP- 43: 7
914	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Organic Volatile impurities	IP BP , USP- 43:
915	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Particle Size	IP BP , USP- 43:
916	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Peroxide value	IP BP , USP- 43:
917	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	pH	IP BP, USP- 43: NF 37
918	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Potentiometric Analysis	IP, BP , USP- 43:
919	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Related Foreign Steroids TLC	IP , BP, USP- 43:
920	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Related substances -TLC	IP , BP , USP- 43:
921	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Residual solvents	IP , BP , USP- 43:
922	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Silver compounds	IP , BP , USP- 43:
923	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Sulphate	IP , BP , USP- 43:
924	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Thermogravimetric analysis (TGA)	IP , BP , USP- 43:

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	65 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
925	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Thin Layer chromatography	IP, BP , USP- 43:
926	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Titrimetry	IP, BP , USP- 43:
927	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Ultraviolet Spectroscopy	IP BP , USP- 43:
928	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Volatile matter	IP , BP , USP- 43:
929	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Water (By Karl Fischer)	IP BP , USP- 42 NF 37
930	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug substance (API)	Solubility identification	IP , BP , USP- 43:
931	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug Substance-API	Iron	IP BP , USP-43
932	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug Substance-API	Loss on Drying	IP , BP , USP- 43:
933	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug Substance-API	Loss on Ignition	IP BP , USP-43
934	CHEMICAL- DRUGS & PHARMACEUTICALS	Drug Substance-API	Refractive Index	IP BP , USP-43
935	CHEMICAL- DRUGS & PHARMACEUTICALS	Eye drops	Assay	IP BP , USP- 43:
936	CHEMICAL- DRUGS & PHARMACEUTICALS	Eye drops	Related Impurities	IP BP , USP- 43:
937	CHEMICAL- DRUGS & PHARMACEUTICALS	Eye drops	Uniformity of weight / fill	IP BP , USP- 43:
938	CHEMICAL- DRUGS & PHARMACEUTICALS	Eye Ointment	Assay	IP , BP , USP- 43:
939	CHEMICAL- DRUGS & PHARMACEUTICALS	Eye Ointment	Related Impurities	IP , BP , USP- 43:
940	CHEMICAL- DRUGS & PHARMACEUTICALS	Eye Ointment	Uniformity of Weight / fill	IP , BP , USP- 43:
941	CHEMICAL- DRUGS & PHARMACEUTICALS	Gel	Assay	IP, BP , USP- 43:
942	CHEMICAL- DRUGS & PHARMACEUTICALS	Gel	Related Impurities	IP , BP , USP- 43:
943	CHEMICAL- DRUGS & PHARMACEUTICALS	Gel	Uniformity of Weight/ fill	IP , BP , USP- 43:

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 66 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
944	CHEMICAL- DRUGS & PHARMACEUTICALS	Harmones/ Enzymes	Assay	IP , BP , USP- 43:
945	CHEMICAL- DRUGS & PHARMACEUTICALS	Injectable Products	Assay	IP BP , USP -43
946	CHEMICAL- DRUGS & PHARMACEUTICALS	Injectable Products	Extractable Volume	IP BP , USP -43
947	CHEMICAL- DRUGS & PHARMACEUTICALS	Injectable Products	Particulate matter (instrumentation)	IP BP , USP -43
948	CHEMICAL- DRUGS & PHARMACEUTICALS	Injectable Products	pH	IP BP , USP -43
949	CHEMICAL- DRUGS & PHARMACEUTICALS	Injectable Products	Related Impurities / Substances	IP BP USP -43
950	CHEMICAL- DRUGS & PHARMACEUTICALS	Injectable Products	Uniformity of Weight	IP BP , USP -43
951	CHEMICAL- DRUGS & PHARMACEUTICALS	Ointment	Assay	IP , BP , USP- 43:
952	CHEMICAL- DRUGS & PHARMACEUTICALS	Ointment	Related Impurities	IP , BP USP- 43:
953	CHEMICAL- DRUGS & PHARMACEUTICALS	Ointment	Uniformity of weight / fill	IP, BP , USP- 43:
954	CHEMICAL- DRUGS & PHARMACEUTICALS	Oral Liquid / Suspension	Uniformity of Weight	IP , BP , USP- 43:
955	CHEMICAL- DRUGS & PHARMACEUTICALS	Oral Liquid/ suspension	Assay content	IP , BP , USP- 43:
956	CHEMICAL- DRUGS & PHARMACEUTICALS	Oral Powder	Assay	IP , BP , USP- 43:
957	CHEMICAL- DRUGS & PHARMACEUTICALS	Oral Powder	Related Impurities	IP , BP , USP- 43:
958	CHEMICAL- DRUGS & PHARMACEUTICALS	Oral Powder	Uniformity of Content of API	IP , BP , USP- 43:
959	CHEMICAL- DRUGS & PHARMACEUTICALS	Oral Powder	Uniformity of Weight	IP , BP , USP- 43:
960	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Material / Glass & Plastic Containers (for Pharma)	Residue on Evaporation	ISO 3826, IP BP , USP -43:
961	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Material / Glass & Plastic Containers (for Pharma)	UV Absorption	ISO 3826, IP BP , USP-43
962	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / Glass & plastic containers (For Pharma)	Acidity or alkalinity	ISO 3826, IP BP , USP-43

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	67 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
963	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / glass & plastic containers (for Pharma)	Buffering Capacity	ISO 3826, IP BP , USP -43:
964	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / glass & plastic containers (for Pharma)	Colour Extraction	ISO 3826, IP BP , USP -43:
965	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / glass & plastic containers (for Pharma)	Differential scanning calorimetry (DSC)	ISO 3826, IP BP , USP -43:
966	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / glass & plastic containers (for Pharma)	Environment stress control rate (ESCR)	ISO 3826, IP BP , USP -43:
967	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / glass & plastic containers (for Pharma)	Heavy metals	ISO 3826, IP BP , USP -43:
968	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / glass & plastic containers (for Pharma)	Light Transmission	ISO 3826, IP BP USP -43:
969	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / glass & plastic containers (for Pharma)	Multi internal reflectance (IR)	ISO 3826, IP BP , USP -43:
970	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / glass & plastic containers (for Pharma)	Non Volatile residue	ISO 3826, IP BP , USP -43:
971	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / Glass & Plastic Containers (For Pharma)	Oxidizable Constituents	ISO 3826, IP BP , USP -43:
972	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / glass & plastic containers (for Pharma)	Residue on ignition	ISO 3826, IP BP, USP -43
973	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / glass & plastic containers (for Pharma)	Thermogravimetric analysis (TGA)	ISO 3826, IP BP USP -43
974	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials / glass & plastic containers (for Pharma)	WVTR/MVTR	ISO 3826, IP BP , USP -43
975	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials/ Glass & Plastic containers (For Pharma)	Degree of coloration	ISO 3826, IP BP , USP -43
976	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials/ Glass & Plastic containers (for Pharma)	Aluminium	ISO 3826, IP BP , USP -43
977	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials/ Glass & Plastic Containers (For Pharma)	Ammonia Content	IP BP , USP -43
978	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials/ Glass & Plastic Containers (For Pharma)	Chloride Ions	ISO 3826, IP BP USP -43
979	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials/ Glass & Plastic containers (for Pharma)	Chromium	ISO 3826, IP BP , USP -43
980	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials/ Glass & Plastic containers (for Pharma)	Copper	ISO 3826, IP BP USP -43
981	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials/ Glass & Plastic containers (for Pharma)	Tin	ISO 3826, IP BP , USP -43

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 68 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
982	CHEMICAL- DRUGS & PHARMACEUTICALS	Packaging Materials/ glass & plastic containers (For Pharma)	Turbidity & Degree of Opalescence	ISO 3826, IP BP , USP -43
983	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Arsenic	IP BP , USP -43
984	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Acid Insoluble Ash	IP BP , USP -43
985	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Alcohol (Methanol & Iso propyl alcohol)	IP BP , USP -43
986	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Alkalinity / Acidity	IP , BP , USP -43
987	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Assay	IP , BP USP -43:
988	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Brookfield viscosity	IP BP , USP -43
989	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Calcium	IP , BP , USP -43
990	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Carbonate	IP , BP , USP -43:
991	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Clarity & Colour	IP , BP , USP -43:
992	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Conductivity	IP BP , USP -43:
993	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Differential Scanning colorimeter analysis (DSC)	IP , BP , USP -43:
994	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Fluorescence Spectrophotometry	IP , BP , USP -43:
995	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Free Formaldehyde	IP BP , USP -43:
996	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Heavy metals (as Lead)	IP BP , USP -43:
997	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Hydroxyl value	IP BP , USP -43:
998	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Identification	IP BP , USP -43:
999	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Infrared Spectroscopy	IP BP , USP -43:
1000	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Iodine value	IP BP , USP -43:

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 69 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1001	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Iron	IP BP , USP -43:
1002	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Kinematic Viscosity	IP BP , USP -43:
1003	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Los on ignition	IP BP , USP -43:
1004	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Loss on drying	IP BP , USP -43:
1005	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Melting Range	IP BP USP -43:
1006	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Nitrate	IP BP, USP -43:
1007	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Nitrogen content	IP BP , USP -43:
1008	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Optical rotation	IP BP , USP -43
1009	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Organic Volatile impurities	IP BP, USP -43
1010	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Particle size	IP BP , USP -43
1011	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Peroxide value	IP BP , USP -43
1012	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	pH	IP BP , USP -43
1013	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Polymorphismc(Crystalinity)	IP BP , USP -43
1014	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Potentiometric Analysis	IP BP USP -43
1015	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Refractive Index	IP BP , USP -43
1016	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Related Foreign Steroids	IP BP , USP -43
1017	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Related Substances - TLC	IP BP , USP -43
1018	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Saponification value	IP BP , USP -43
1019	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Silver compounds	IP BP , USP -43

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 70 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1020	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Solubility	IP BP , USP -43
1021	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Sulphate	IP BP , USP -43
1022	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Sulphated Ash	IP BP , USP -43
1023	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	thermogravimetric analysis (TGA)	IP BP , USP -43
1024	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Titrimetry	IP BP , USP -43
1025	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Total Organic Carbon	IP BP , USP -43
1026	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Ultraviolet Spectroscopy	IP BP , USP -43
1027	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Volatile matter	IP BP , USP -43
1028	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Water (by Karl Fischer)	IP BP , USP -43
1029	CHEMICAL- DRUGS & PHARMACEUTICALS	Pharmaceutical Aid (Raw material except API)	Weight per ml	IP BP USP 43
1030	CHEMICAL- DRUGS & PHARMACEUTICALS	Tablet	Disintegration time	IP BP USP 43
1031	CHEMICAL- DRUGS & PHARMACEUTICALS	Tablet	Dissolution	IP BP , USP 43
1032	CHEMICAL- DRUGS & PHARMACEUTICALS	Tablet	Friability	IP BP, USP 43
1033	CHEMICAL- DRUGS & PHARMACEUTICALS	Tablet	Related Impurities	IP BP , USP 43
1034	CHEMICAL- DRUGS & PHARMACEUTICALS	Tablet	Uniformity of Container contents	IP BP , USP 43
1035	CHEMICAL- DRUGS & PHARMACEUTICALS	Tablet	Uniformity of Content of API	IP BP , USP 43
1036	CHEMICAL- DRUGS & PHARMACEUTICALS	Tablet	Uniformity of dispersion / fineness of dispersion	IP BP , USP 43
1037	CHEMICAL- DRUGS & PHARMACEUTICALS	Tablet	Uniformity of Dosage unit By Weight variation By Content Uniformity	IP BP , USP 43

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 71 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1038	CHEMICAL- DRUGS & PHARMACEUTICALS	Tablets	Assay	IP BP , USP 43
1039	CHEMICAL- DRUGS & PHARMACEUTICALS	Veterinary preparations (Tablet / Capsule)	Assay	IP BP , USP -43
1040	CHEMICAL- DRUGS & PHARMACEUTICALS	Veterinary preparations (Tablet/ Capsule)	Disintegration Time	IP BP , USP -43
1041	CHEMICAL- DRUGS & PHARMACEUTICALS	Veterinary Preparations (Tablet/ Capsule)	Related Impurities	IP BP , USP -43
1042	CHEMICAL- DRUGS & PHARMACEUTICALS	Vitamins	Assay	IP BP , USP 43
1043	CHEMICAL- FERTILIZERS	Ammonium chloride	Ammoniacal Nitrogen	FCO
1044	CHEMICAL- FERTILIZERS	Ammonium chloride	Chloride other than ammoniacal chloride	FCO
1045	CHEMICAL- FERTILIZERS	Ammonium chloride	Moisture	FCO
1046	CHEMICAL- FERTILIZERS	Ammonium Phosphate Sulphate	Moisture	FCO
1047	CHEMICAL- FERTILIZERS	Ammonium Phosphate Sulphate	Particle Size	FCO
1048	CHEMICAL- FERTILIZERS	Ammonium Phosphate Sulphate	Sulphated Sulphur (as S)	FCO
1049	CHEMICAL- FERTILIZERS	Ammonium Phosphate Sulphate	Total Ammonical Nitrogen	FCO
1050	CHEMICAL- FERTILIZERS	Ammonium Phosphate Sulphate	Water soluble Phosphorous (P2O5)	FCO
1051	CHEMICAL- FERTILIZERS	Ammonium Sulphate	Ammoniacal Nitrogen	FCO
1052	CHEMICAL- FERTILIZERS	Ammonium Sulphate	Arsenic	FCO
1053	CHEMICAL- FERTILIZERS	Ammonium Sulphate	Free Acidity	FCO
1054	CHEMICAL- FERTILIZERS	Ammonium Sulphate	Moisture	FCO
1055	CHEMICAL- FERTILIZERS	Ammonium Sulphate	Sulphur	FCO
1056	CHEMICAL- FERTILIZERS	Boric Acid	Arsenic (as As)	FCO
1057	CHEMICAL- FERTILIZERS	Boric Acid	Boron	FCO
1058	CHEMICAL- FERTILIZERS	Boric Acid	Cadmium (as Cd)	FCO
1059	CHEMICAL- FERTILIZERS	Boric Acid	Lead (as Pb)	FCO
1060	CHEMICAL- FERTILIZERS	Boric Acid	Matter insoluble in water	FCO
1061	CHEMICAL- FERTILIZERS	Calcium Ammonium Nitrate	Ammonical nitrogen	FCO
1062	CHEMICAL- FERTILIZERS	Calcium Ammonium Nitrate	Calcium Nitrate	FCO
1063	CHEMICAL- FERTILIZERS	Calcium Ammonium Nitrate	Moisture	FCO

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 72 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1064	CHEMICAL- FERTILIZERS	Calcium Ammonium Nitrate	Particle Size	FCO
1065	CHEMICAL- FERTILIZERS	Calcium Ammonium Nitrate	Total Ammoniacal & Nitrate Nitrogen	FCO
1066	CHEMICAL- FERTILIZERS	Copper Sulphate	Arsenic (as As)	FCO
1067	CHEMICAL- FERTILIZERS	Copper Sulphate	Cadmium (as Cd)	FCO
1068	CHEMICAL- FERTILIZERS	Copper Sulphate	Copper (as Cu)	FCO
1069	CHEMICAL- FERTILIZERS	Copper Sulphate	Lead (as Pb)	FCO
1070	CHEMICAL- FERTILIZERS	Copper Sulphate	Matter insoluble in water	FCO
1071	CHEMICAL- FERTILIZERS	Copper Sulphate	pH (of 5% solution)	FCO
1072	CHEMICAL- FERTILIZERS	Copper Sulphate	Sulphated Sulphur (as S)	FCO
1073	CHEMICAL- FERTILIZERS	Diammonium Phosphate	Ammonical Nitrogen	FCO
1074	CHEMICAL- FERTILIZERS	Diammonium Phosphate	Available Phosphorous (As P2O5)	FCO
1075	CHEMICAL- FERTILIZERS	Diammonium Phosphate	Moisture	FCO
1076	CHEMICAL- FERTILIZERS	Diammonium Phosphate	Particle Size	FCO
1077	CHEMICAL- FERTILIZERS	Diammonium Phosphate	Total Nitrogen	FCO
1078	CHEMICAL- FERTILIZERS	Diammonium Phosphate	Water Soluble Phosphorous (As P2O5)	FCO
1079	CHEMICAL- FERTILIZERS	Ferrous Sulphate	Arsenic (as As)	FCO
1080	CHEMICAL- FERTILIZERS	Ferrous Sulphate	Cadmium (as Cd)	FCO
1081	CHEMICAL- FERTILIZERS	Ferrous Sulphate	Ferrous Iron (as Fe)	FCO
1082	CHEMICAL- FERTILIZERS	Ferrous Sulphate	Free Acid	FCO
1083	CHEMICAL- FERTILIZERS	Ferrous Sulphate	Lead (as Pb)	FCO
1084	CHEMICAL- FERTILIZERS	Ferrous Sulphate	Matter insoluble in Water	FCO
1085	CHEMICAL- FERTILIZERS	Ferrous Sulphate	pH (of 5% Solution)	FCO
1086	CHEMICAL- FERTILIZERS	Ferrous Sulphate	sulphated sulphur (as S)	FCO
1087	CHEMICAL- FERTILIZERS	Magnesium sulphate	Arsenic (as As)	FCO
1088	CHEMICAL- FERTILIZERS	Magnesium sulphate	Cadmium (as Cd)	FCO
1089	CHEMICAL- FERTILIZERS	Magnesium sulphate	Lead (as Pb)	FCO
1090	CHEMICAL- FERTILIZERS	Magnesium sulphate	Magnesium (as Mg)	FCO
1091	CHEMICAL- FERTILIZERS	Magnesium sulphate	Matter insoluble in Water	FCO
1092	CHEMICAL- FERTILIZERS	Magnesium sulphate	pH (of 5% solution)	FCO

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	73 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1093	CHEMICAL- FERTILIZERS	Magnesium sulphate	Sulphated Sulphur (as S)	FCO
1094	CHEMICAL- FERTILIZERS	Manganese Sulphate	Arsenic (as As)	FCO
1095	CHEMICAL- FERTILIZERS	Manganese Sulphate	Cadmium (as Cd)	FCO
1096	CHEMICAL- FERTILIZERS	Manganese Sulphate	Lead (as Pb)	FCO
1097	CHEMICAL- FERTILIZERS	Manganese Sulphate	Manganese (as Mn)	FCO
1098	CHEMICAL- FERTILIZERS	Manganese Sulphate	Matter insoluble in Water	FCO
1099	CHEMICAL- FERTILIZERS	Manganese Sulphate	pH (of 5% solution)	FCO
1100	CHEMICAL- FERTILIZERS	Manganese Sulphate	Sulphated sulphur	FCO
1101	CHEMICAL- FERTILIZERS	Micronutrients	Boron (as B)	FCO
1102	CHEMICAL- FERTILIZERS	Micronutrients	Copper (as Cu)	FCO
1103	CHEMICAL- FERTILIZERS	Micronutrients	Iron (as Fe)	FCO
1104	CHEMICAL- FERTILIZERS	Micronutrients	Manganese (as Mn)	FCO
1105	CHEMICAL- FERTILIZERS	Micronutrients	Zinc (as Zn)	FCO
1106	CHEMICAL- FERTILIZERS	Nitro Phosphate Potash (NPK)	Ammonical Nitrogen	FCO
1107	CHEMICAL- FERTILIZERS	Nitro Phosphate Potash (NPK)	Available Phosphorous (As P2O5)	FCO
1108	CHEMICAL- FERTILIZERS	Nitro Phosphate Potash (NPK)	Moisture	FCO
1109	CHEMICAL- FERTILIZERS	Nitro Phosphate Potash (NPK)	Particle Size	FCO
1110	CHEMICAL- FERTILIZERS	Nitro Phosphate Potash (NPK)	Total Nitrogen	FCO
1111	CHEMICAL- FERTILIZERS	Nitro Phosphate Potash (NPK)	Water Soluble Phosphorous (As P2O5)	FCO
1112	CHEMICAL- FERTILIZERS	Nitro Phosphate Potash (NPK)	Water Soluble Potassium (As K2O)	FCO
1113	CHEMICAL- FERTILIZERS	Potassium Chloride (Muriate of Potash)	Moisture	FCO
1114	CHEMICAL- FERTILIZERS	Potassium Chloride (Muriate of Potash)	Particle Size	FCO
1115	CHEMICAL- FERTILIZERS	Potassium Chloride (Muriate of Potash)	Potash content (as K2O)	FCO
1116	CHEMICAL- FERTILIZERS	Potassium Chloride (Muriate of Potash)	Sodium as NaCl	FCO
1117	CHEMICAL- FERTILIZERS	Potassium sulphate	Moisture	FCO
1118	CHEMICAL- FERTILIZERS	Potassium sulphate	Potash (As K2O)	FCO
1119	CHEMICAL- FERTILIZERS	Potassium sulphate	Sodium (as NaCl)	FCO
1120	CHEMICAL- FERTILIZERS	Potassium sulphate	Sulphated Sulphur (as S)	FCO
1121	CHEMICAL- FERTILIZERS	Potassium sulphate	Total chlorides (as Cl)	FCO

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 74 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1122	CHEMICAL- FERTILIZERS	Rock Phosphate	Particle Size	FCO
1123	CHEMICAL- FERTILIZERS	Rock Phosphate	Total Phosphate	FCO
1124	CHEMICAL- FERTILIZERS	Single Super Phosphate	Available Phosphorous (as P2O5)	FCO
1125	CHEMICAL- FERTILIZERS	Single Super Phosphate	Free Phosphoric Acid as P2O5	FCo
1126	CHEMICAL- FERTILIZERS	Single Super Phosphate	Moisture	FCO
1127	CHEMICAL- FERTILIZERS	Single Super Phosphate	Sulphated Sulphur (as S)	FCO
1128	CHEMICAL- FERTILIZERS	Single Super Phosphate	Water soluble Phosphorous (As P2O5)	FCO
1129	CHEMICAL- FERTILIZERS	Triple Super Phosphate	Free Phosphoric Acid (as P2O5)	FCO
1130	CHEMICAL- FERTILIZERS	Triple Super Phosphate	Moisture	FCO
1131	CHEMICAL- FERTILIZERS	Triple Super Phosphate	Total Phosphorous (As P2O5)	FCO
1132	CHEMICAL- FERTILIZERS	Triple Super Phosphate	Water soluble Phosphorous (As P2O5)	FCO
1133	CHEMICAL- FERTILIZERS	Urea	Biuret	FCO
1134	CHEMICAL- FERTILIZERS	Urea	Moisture	FCO
1135	CHEMICAL- FERTILIZERS	Urea	Particle Size	FCO
1136	CHEMICAL- FERTILIZERS	Urea	Total Nitrogen	FCO
1137	CHEMICAL- FERTILIZERS	Zinc Sulphate Mono & Hepta Hydrate	Arsenic (as As)	FCO
1138	CHEMICAL- FERTILIZERS	Zinc Sulphate Mono & Hepta Hydrate	Cadmium (as Cd)	FCO
1139	CHEMICAL- FERTILIZERS	Zinc Sulphate Mono & Hepta Hydrate	Lead (Pb)	FCO
1140	CHEMICAL- FERTILIZERS	Zinc Sulphate Mono & Hepta Hydrate	Matter soluble in Water	FCO
1141	CHEMICAL- FERTILIZERS	Zinc Sulphate Mono & Hepta Hydrate	pH (of 5% solution)	FCO
1142	CHEMICAL- FERTILIZERS	Zinc Sulphate Mono & Hepta Hydrate	Sulphated Sulphur	FCO
1143	CHEMICAL- FERTILIZERS	Zinc Sulphate Mono & Hepta Hydrate	Zinc (as Zn)	FCO
1144	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/Pasteurized / Sterilized milk	Presence of Formaldehyde	IS 1479 (Pt 1)
1145	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/Pasteurized / Sterilized milk	Presence of Glucose	IS 1479(Pt 1)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 75 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1146	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/Pasteurized / Sterilized milk	Presence of Hydrogen peroxide	IS 1479 (Pt 1)
1147	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/Pasteurized / Sterilized milk	Presence of Starch	FSSAI manual for milk & milk products
1148	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cashew kernels, Chilgoza nuts	Acidity of Extracted fat	IS 16117
1149	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Fruit products	Total Ash	IS 2860
1150	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Low alcoholic beverages, Table Wine , Carbonated beverage	Iron	AOAC 990.08, 21st Ed
1151	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Acid Insoluble ash	IS 9808
1152	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Arsenic	AOAC .06, 21st Ed
1153	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Chloride	IS 5960 (Pt 6/ sec 1)
1154	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Copper	AOAC 984.27, 21st Ed
1155	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Mercury	AOAC .06, 21st Ed
1156	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Nitrite	IS 5960 (Pt 7)
1157	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Nitrogen	IS 5960 (Pt 1)
1158	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other Fruit Products	Calcium	AOAC 984.27 21st Ed
1159	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Annatto colour	Annatto extract in oil expressed as Bixin	IS 2557

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	76 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1160	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Annatto colour	Annatto extract in oil expressed as Norbixin	IS 2557
1161	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Arrowroot starch	Microscopic appearance of starch granules	IS 1006
1162	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Asafoetida	Acid Insoluble Ash	FSSAI manual for spices & Condiments
1163	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Asafoetida	Acid Insoluble Ash	IS 7087
1164	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Asafoetida	Alcoholic Extract	IS 7087
1165	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Asafoetida	Alcoholic Extract	IS 7087
1166	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Asafoetida	Moisture	FSSAI manual for Spices & Condiments
1167	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Asafoetida	Moisture	IS 7087
1168	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Asafoetida	Presence of Foreign resins	FSSAI manual for Spices & Condiments
1169	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Asafoetida	Presence of Foreign resins	IS 7087
1170	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Asafoetida	Total Ash	FSSAI manual for Spices & Condiments
1171	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Asafoetida	Total Ash	IS 7087
1172	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barely Powder	Acid Insoluble Ash	IS 1157
1173	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barely Powder	Alcoholic acidity as H2SO4	IS 1157

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 77 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1174	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barely Powder	Moisture	IS 1157
1175	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barely Powder	Protein	IS 1157
1176	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barely Powder	Total Ash	IS 1157
1177	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barley Powder	Microscopic appearance of Starch granules	IS 1157
1178	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barley Powder , Wheat Flour	Gluten	IS 1155
1179	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Beer	Ethyl Alcohol	IS 3865
1180	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Beer	Methyl Alcohol	IS 3865
1181	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Beer	pH	IS 3865
1182	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Besan	Acid Insoluble Ash	IS 1009
1183	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Besan	Microscopic appearance of Starch granules	IS 2400
1184	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Besan	Moisture	IS 1009
1185	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Besan	Presence of Khesari Dal	FSSAI Manual for Cereal & Cereal Products
1186	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Besan	Presence of Khesari Dal	IS 2400
1187	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Besan	Protein	IS 7219

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	78 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1188	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Besan	Total Ash	IS 1009
1189	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuit	Acid Insoluble Ash	FSSAI Manual For Cereal & Cereal Products
1190	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuit	Acid Insoluble Ash	IS 1011
1191	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits , Cookies, Rusks, Cakes, Bread, Buns, Toffee, Candles	Total dietary fibre	AOAC 985.29, 21st Ed
1192	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits , Milk, Rusks	Acidity of Extracted fat	IS 1011
1193	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies , Rusks	Moisture	IS 1011
1194	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks , Cakes , Bread, Buns	pH	IS 12711
1195	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks , Cakes , Bread, Buns , Toffee, Candies	Cholesterol	AOAC 976.26, 21st ed
1196	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks , Cakes , Bread, Buns , Toffee, Candies	Mono-unsaturated fat	AOAC 996.06 21st Ed
1197	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks , Cakes , Bread, Buns , Toffee, Candies	Poly- unsaturated fat	AOAC 99.06,21st Ed
1198	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks , Cakes , Bread, Buns , Toffee, Candies	Trans fat	AOAC 996.06 21st Ed
1199	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks , Cakes , Bread, Buns , Toffee, Candies , Chewing gum, Bubble gum	Arsenic as As	AOAC .06 21st Ed
1200	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks , Cakes , Bread, Buns , Toffee, Candies , Chewing gum, bubble gum	Arsenic as As	FSSAI Manual for metals
1201	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks , Cakes , Bread, Buns , Toffee, Candies , Chewing gum, Bubble gum	Sodium as Na	AOAC 985.35 21st Ed

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	79 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1202	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks , Cakes , Bread, Buns ,Toffee, Candies, Chewing gum, Bubble gum	Saturated fat	AOAC 996.06, 21st Ed
1203	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks , Cakes , Bread, Buns, Toffee, Candies	Energy	IS 8220
1204	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks , Cakes, Bread, Buns	Fat	IS 12711
1205	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks, Cakes , Bread, Buns	Total Ash	IS 12711
1206	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks, Cakes, Bread, Buns	Protein	IS 7219
1207	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies	Carbohydrates	IS 1656
1208	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, chewing gum, Bubble gum	Arsenic as As	FSSAI Manual for Metals
1209	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, Chewing Gum, Bubble gum	Cadmium as Cd	AOAC 990.08 21st Ed
1210	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, Chewing Gum, Bubble gum	Cadmium as Cd	AOAC.06 21st Ed
1211	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, chewing gum, Bubble gum	Cadmium as Cd	FSAI Manual for Metals
1212	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, Chewing Gum, Bubble gum	Copper as Cu	AOAC 999.11 21st Ed
1213	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, chewing gum, Bubble gum	Copper as Cu	FSSAI Manual for Metals
1214	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, Chewing Gum, Bubble gum	Hydrocyanic Acid	AOAC 915.03 21st Ed
1215	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, Chewing Gum, Bubble gum	Lead as Pb	AOAC .06 21st Ed

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	80 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1216	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, Chewing Gum, Bubble gum	Lead as Pb	AOAC 990.08 21st Ed
1217	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, chewing gum, Bubble gum	Lead as Pb	FSSAI Manual for Metals
1218	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, Chewing Gum, Bubble gum	Mercury as Hg	AOAC .06 21st Ed
1219	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, Chewing Gum, Bubble gum	Mercury as Hg	AOAC 983.27 21st Ed
1220	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, chewing gum, Bubble gum	Mercury as Hg	FSSAI Manual for Metal
1221	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, Chewing Gum, Bubble gum	Tin as Sn	AOAC 985.16 21st Ed
1222	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, chewing gum, Bubble gum	Tin as Sn	FSSAI Manual for Metals
1223	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cookies, Rusks, Cakes, Bread, Buns, Toffee, Candies, Chewing Gum, Bubble gum	Zinc as Zn	AOAC 990.08 21st ed
1224	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, Milk Rusks	Moisture	IS 1011
1225	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black peeper	Insect damaged matter	IS 1797
1226	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black peeper	Pinheads or broken berries	IS 1797
1227	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black peeper ,Cardamom	Bulk density/ Mass per Liter	IS 1797
1228	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Peeper	Unripe, marked and broken fruits	IS 2322
1229	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Peeper, Cardamom	Light Berries / Seeds	IS 1797

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 81 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1230	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Alkalinity of Water soluble ash	IS 13856
1231	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Arsenic	AOAC .06, 21st Ed
1232	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Arsenic	AOAC 986.15, 21st Ed
1233	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Cadmium	AOAC .06,21st Ed
1234	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Cadmium	AOAC 990.08, 21st Ed
1235	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Copper	AOAC .06, 21st Ed
1236	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Copper	AOAC 990.08, 21st
1237	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Crude fibre	IS 10226 (Pt 1)
1238	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Lead	AOAC .06, 21st Ed
1239	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Lead	AOAC 990.08, 21st Ed
1240	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black tea, Green Tea	Loss in mass at 103 degree C	IS 13853
1241	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Mercury	AOAC .06, 21st Ed
1242	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Mercury	AOAC 983.27, 21st Ed
1243	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Total Ash	IS 13854

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 82 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1244	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Water Extract	IS 13862
1245	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Black Tea, Green Tea	Water soluble ash of Total ash	IS 13855
1246	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Brilliant Blue FCF	Total Dye content	IS 6406
1247	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Butter	Acidity as Lactic Acid	FSSAI Manual for Milk &
1248	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Butter	Acidity as Lactic Acid	IS 3507
1249	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Butter	Curd	FSSAI manual for Milk & Milk Products
1250	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Butter	Curd	IS 3507
1251	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Butter	Milk Fat	FSSAI manual for Milk & Milk products
1252	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Butter	Milk Fat	IS 3507
1253	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Butter	Moisture	FSSAI Manual for Milk & Milk Products
1254	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Butter	Moisture	IS 3507
1255	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cakes, Bread, Buns	Total solids	IS 12711
1256	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Calcium Propionate	Arsenic	IS 1699
1257	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Calcium Propionate	Fluoride	IS 6031

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	83 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1258	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Calcium Propionate	Identification	Is 6031
1259	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Calcium Propionate	Lead	IS 1699
1260	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Calcium Propionate	Matter Insoluble in Water	IS 6031
1261	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Calcium Propionate	Moisture	IS 6031
1262	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Calcium Propionate	Purity as C9H10O4Ca	IS 6031
1263	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Calcium Propionate	Total Heavy metal as Pb	IS 1699
1264	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cane Molasses	Density	IS 1162
1265	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cane molasses	Sulphated Ash	IS 1162
1266	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cane Molasses	Total Reducing Matter as Invert Sugar	IS 1162
1267	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cane Molasses	Unfermentable reducing substances	AOAC 948.23, 21st Ed
1268	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Canned Mango pulp, Juice	Acid Insoluble Ash	IS 13846
1269	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Caramel	4- Methyl Imidazole	IS 4467
1270	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Caramel	Ammonical Nitrogen	IS 4467
1271	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Caramel	Colour Intensity	IS 4467

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 84 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1272	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Caramel	Solid Content	IS 4467
1273	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Caramel	Sulphur dioxide	IS 4467
1274	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Caramel	Total Nitrogen	IS 4467
1275	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Caramel	Total sulphur	IS 4467
1276	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Carbonated beverages	Caffeine	AOAC 979.08, 21st ed
1277	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Carbonated Beverages, Beer	Carbon Dioxide	IS 2346
1278	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cardamom	Black & Splits	IS 1907
1279	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cardamom	Empty & malformed capsules	IS 1797
1280	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cardamom , Coriander	Immature damaged & shriveled capsules	IS 1797
1281	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cashew kennels	Extraneous vegetable matter	IS 1797
1282	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cashew kernels	Freedom from Molds & Insects	IS 7750
1283	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereal products	Crude Fibre	IS 10226 (Par 1 & 2)
1284	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereal Products	Energy value	IS 8220
1285	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereal Products	Total Carbohydrates	IS 1656

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	85 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1286	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereals	Acid Insoluble Ash	FSSAI Manual For Cereal & Cereal Products
1287	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereals	Alcoholic Acidity as H2SO4	FSSAI Manual for Cereal & Cereal Products
1288	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereals	Gluten	FSSAI Manual for Cereal & Cereal Products
1289	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereals	Microscopic appearance of Starch granules	FSSAI Manual for Cereal & Cereal Products
1290	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereals	Moisture	FSSAI Manual for Cereal & Cereal Products
1291	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereals	Total Ash	FSSAI Manual for Cereal & Cereal Products
1292	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cheese	Moisture	FSSAI manual for Milk & Milk products
1293	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cheese	Moisture	IS 2785
1294	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cheese	Salt as NaCl	FSSAI Manual for Milk & Milk Products
1295	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cheese	Salt as NaCl	IS 2785
1296	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cheese , Khoa	Milk Fat	FSSAI Manual for Milk & Milk Products
1297	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cheese , Khoa	Milk Fat	IS 2785
1298	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chewing gum, Bubble gum	Gum base	FSSAI Manual
1299	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chewing gum, Bubble gum	Gum Base	IS 6747

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	86 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1300	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chewing Tabacco	Moisture	IS 9379
1301	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies	Fineness (Material passes through 500 micro meter IS Sieve)	IS 1797
1302	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum	Presence of added colouring matter	FSSAI Manual for Spices & Condiments
1303	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum , Black peeper	Non Volatile ether extract	IS 1797
1304	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum , Black peeper & other spices	Crude fibre	IS 1797
1305	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum , Black peeper & other spices	Volatile oil	IS 1797
1306	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum ,Turmeric ,Cardamom , Coriander	Moulds & insects infestation	IS 1797
1307	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum, Black peeper & Other spices	Crude Fibre	FSSAI Manual for spices & Condiments
1308	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum, Black Peeper & Other spices	Volatile Oils	FSSAI manual for spices & Condiments
1309	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum, Turmeric , Black Peeper, Cardamom, Coriander	Extraneous Matter	FSSAI manual for spices & Condiments
1310	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum, Turmeric , Black Peeper, Cardamom, Coriander	Moisture	FSSAI manual for Spices & Condiments
1311	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum, Turmeric , Cardamom, coriander	Colour, Odour , Flavour	SRI/FF/018
1312	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum, Turmeric ,Black Peeper, Coriander	Acid Insoluble Ash	FSSAI manual for Spices & Condiments
1313	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum, Turmeric ,Black peeper, Coriander	Total Ash	FSSAI Manual for spices & Condiments

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 87 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1314	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum, Turmeric ,Cardamom, Coriander	Moulds & Insects infestation	FSSAI Manual for spices & Condiments
1315	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum, Turmeric, Black peeper, Coriander	Acid Insoluble Ash	IS 1797
1316	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum, Turmeric, Black peeper, Coriander	Total Ash	IS 1797
1317	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies & Capsicum, Turmeric, Black peeper, Cardamom, Coriander	Moisture	IS 1797
1318	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies , Capsicum & Black Peeper	Non Volatile ether extract	FSSAI Manual for spices & Condiments
1319	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chillies ,Turmeric , Black peeper ,Cardamom , Coriander	Extraneous matter	IS 1797
1320	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chocolate	Cocoa Solids	IS 1163
1321	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chocolates	Acid Insoluble Ash	FSSAI Manual
1322	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chocolates	Acid Insoluble Ash	IS 1163
1323	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chocolates	Milk Fat	FSSAI Manual
1324	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chocolates	Milk Fat	IS 1163
1325	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chocolates	Milk Solid	IS 1163
1326	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chocolates	Milk Solids	FSSAI Manual
1327	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chocolates	Sugar (as sucrose)	FSSAI Manual

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	88 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1328	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chocolates	Sugar (As sucrose)	IS 1163
1329	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chocolates	Total Fat	FSSAI Manual
1330	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chocolates	Total Fat	IS 1163
1331	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cigarettes , Nasal Snuff	Silicated residues insoluble in HCl	IS 16236
1332	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cocoa Powder	Acid Insoluble Ash	FSSAI Manual for Beverages, sugar & Sugar Products and Confectionery Products
1333	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cocoa Powder	Acid Insoluble ash	IS 1164
1334	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cocoa powder	Alkalinity of Water Soluble ash	FSSAI Manual
1335	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cocoa Powder	Alkalinity of Water Soluble ash	IS 1164
1336	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cocoa Powder	Cocoa Butter	FSSAI Manual
1337	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cocoa Powder	Cocoa butter	IS 1164
1338	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cocoa Powder	Crude Fibre	FSSAI Manual
1339	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cocoa Powder	Crude Fibre	IS 1164
1340	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cocoa Powder	Moisture	FSSAI Manual
1341	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cocoa powder	Moisture	IS 1164

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	89 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1342	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cocoa Powder	Total Ash	FSSAI Manual for Beverages, sugar & Sugar Products and Confectionery Products
1343	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cocoa Powder	Total Ash	IS 1164
1344	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee , Cocoa powder , Chocolates	Cadmium as Cd	FSSAI Manual for Metals
1345	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, Cocoa Powder , Chocolates	Arsenic	FSSAI Manual for Metals
1346	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, Cocoa powder, Chocolates	Arsenic	AOAC .06, 21st Ed
1347	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, Cocoa powder, Chocolates	Arsenic	AOAC 986.15, 21st Ed
1348	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, cocoa powder, Chocolates	Cadmium as Cd	AOAC .06 , 21st Ed
1349	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, cocoa powder, Chocolates	Cadmium as Cd	AOAC 990.08, 21st Ed
1350	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, cocoa powder, Chocolates	Copper as Cu	AOAC 990.08, 21st Ed
1351	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, cocoa powder, Chocolates	Copper as Cu	AOAC 993.14, 21st Ed
1352	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, cocoa powder, Chocolates	Copper as Cu	IS 1699
1353	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, cocoa powder, Chocolates	Lead as Pb	AOAC .06, 21st ED
1354	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, cocoa powder, chocolates	Lead as Pb	AOAC 990.08 21st Ed
1355	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, cocoa powder, Chocolates	Lead as Pb	FSSAI manual for metals

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 90 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1356	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, Cocoa powder, Chocolates	Mercury as Hg	AOAC .06,21st Ed
1357	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, Cocoa powder, Chocolates	Mercury as Hg	AOAC 983.27 , 21st Ed
1358	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, Cocoa powder, Chocolates	Mercury as Hg	FSSAI Manual for metals
1359	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Common Salt	Alkalinity as Na2O3	IS 253
1360	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Common Salt	Calcium	IS 253
1361	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Common Salt	Chlorides as NaCl	IS 253
1362	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Common Salt	Magnesium	IS 253
1363	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Common Salt	Matter soluble in water other than NaCl	IS 253
1364	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Common Salt	Moisture	IS 253
1365	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Common Salt	Particle size (material passes through 4 mm, 1 mm & 150 microns IS sieve)	IS 7224
1366	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Common Salt	Particle size (material passes through 850 microns IS sieve)	IS 253
1367	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Common Salt	Sulphates	IS 253
1368	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Condensed Milk	Accelerated Storage test	IS 1166
1369	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Condensed Milk	Fat	FSSAI Manual for Milk & Milk Products

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	91 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1370	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Condensed Milk	Sucrose	FSSAI Manual for Milk & Milk Products
1371	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Condensed Milk	Sucrose	IS 11762
1372	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Condensed Milk	Titratable acidity as Lactic Acid	FSSAI Manual for Milk & Milk Products
1373	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Condensed Milk	Titratable acidity as Lactic Acid	IS 1166
1374	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Condensed Milk	Total Milk Solids	FSSAI Manual for Milk & Milk Products
1375	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Condensed Milk , Khoa	Total Milk solids	IS 1166
1376	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cookies ,Rusks, Cakes ,Bread, Buns	Alcoholic Acidity	IS 12711
1377	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cookies, Cakes, Bread , Buns	Acidity of Extracted Fat	IS 12711
1378	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cookies, Rusks, Cakes, Bread, Buns	Acid Insoluble Ash	IS 12711
1379	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coriander	Damaged discoloured and Weevilled fruits	IS 1797
1380	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coriander	Split Fruits	IS 1797
1381	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Corn Flour	Microscopic appearance of Starch granules	IS 1005
1382	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit , Whisky, Brandy, Gin, Vodka, Rum, Low alcoholic beverage	Ethyl Alcohol	IS 3752
1383	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit , Whisky, Brandy, Gin, Vodka, Rum, Low alcoholic beverage	Methyl Alcohol	IS 3752

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	92 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1384	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverage, Table Wine	Agaric Acid	SRI/FF/043
1385	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit ,Whisky, Brandy, Gin, Vodka, Rum, Table wine	Esters as Ethyl Acetate	IS 3752
1386	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral spirit, Whisky , Brandy, Gin, Vodka, Rum	Furfural	FSSAI Manual for Alcoholic beverages
1387	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverage, Table Wine	Hydrocyanic Acid	AOAC 915.03, 21st Ed
1388	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages	Residue on Evaporation	FSSAI Manual for Alcoholic Beverages
1389	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages, Table Wine	aldehyde as Acetaldehyde	FSSAI Manual for alcoholic beverages
1390	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages, Table Wine	Esters as ethyl acetate	FSSAI Manual for alcoholic beverages
1391	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages, Table Wine	Higher Alcohols as Amyl Alcohol	FSSAI manual for Alcohol and Beverages
1392	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages, Table Wine	Hypericin	SRI/FF/044
1393	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages, Table Wine	Melamine	FSSAI Manual
1394	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages, Table Wine	Saffrole	ISO 7355
1395	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages, Table Wine , Carbonated beverage	Cadmium	FSSAI Manual for metals
1396	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages, Table Wine , Carbonated beverage	Copper	AOAC 990.08 21st Ed
1397	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages, Table Wine , Carbonated beverage	Copper	FSSAI Manual for Alcoholic Beverages

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 93 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1398	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages, Table Wine , Carbonated Beverage	Lead	FSSAI Manual for Metals
1399	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages, Table Wine , Carbonated Beverage	Mercury	FSSAI Manual for Metals
1400	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Neutral Spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverages, Table Wine , Carbonated beverages	Arsenic	FSSAI Manual for Metals
1401	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum	Furfural	IS 3752
1402	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum, Low Alcoholic Beverages , Table wine , Carbonated beverage	Arsenic	AOAC .06, 21st Ed
1403	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum, Low Alcoholic Beverages , Table wine , Carbonated beverage	Arsenic	AOAC 986.15, 21st Ed
1404	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum, Low Alcoholic Beverages , Table wine , Carbonated beverage	Cadmium	AOAC .06 21st Ed
1405	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum, Low Alcoholic Beverages , Table wine , Carbonated beverage	Cadmium	AOAC 990.08 21st Ed
1406	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum, Low Alcoholic Beverages , Table wine , Carbonated beverage	Copper	AOAC 990.08 21st Ed
1407	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum, Low Alcoholic Beverages , Table wine , Carbonated beverage	Copper	AOAC 993.14 21st Ed
1408	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum, Low Alcoholic Beverages , Table wine , Carbonated beverage	Lead	AOAC .06, 21st Ed
1409	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum, Low Alcoholic Beverages , Table wine , Carbonated beverage	Lead	AOAC 990.08, 21st Ed
1410	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum, Low Alcoholic Beverages , Table wine , Carbonated beverage	Mercury	AOAC .06, 21st Ed
1411	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum, Low Alcoholic Beverages , Table wine , Carbonated beverage	Mercury	AOAC 983.27 , 21st Ed

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	94 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1412	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum, Table wine	Aldehydes as Acetaldehyde	IS 3752
1413	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Neutral spirit, Whisky, Brandy, Gin, Vodka, Rum, Table wine	Higher Alcohols as Amyl alcohol	IS 3752
1414	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Whisky , Brandy, Gin, Vodka, Rum, Wine	Volatile Acids as Acetic Acid	FSSAI Manual for Alcoholic Beverages
1415	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverage, Wine , Beer	Ethyl Alcohol	FSSAI Manual for Alcoholic Beverages
1416	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country spirit, Whisky , Brandy, Gin, Vodka, Rum, Low alcoholic beverage, Wine , Beer	Methyl Alcohol	FSSAI Manhau for Alcoholic beverages
1417	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Whisky, Brandy, Gin, Vodka, Rum	Volatile acids as acetic Acid	IS 3752
1418	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Country Spirit, Whisky, Brandy, Gin, Vodka, Rum, Low Alcoholic Beverages	Residue on Evaporation	IS 3752
1419	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cream, Malai	Fat	IS 3509
1420	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Curd (Dahi)	Acidity as Lactic Acid	FSSAI Manual for Milk & Milk Products
1421	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Curd (Dahi)	Acidity as Lactic Acid	IS 1479 (Pt 2)
1422	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Curd (Dahi)	Phosphate test	IS 8479 (Pt 1)
1423	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Custard Powder	Gelling Power	IS 4706 (Pt 2)
1424	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Custard Powder	Microscopic appearance of Starch granules	IS 1007
1425	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Custard Powder	Sulphur dioxide	IS 4706 (Pt 2)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 95 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1426	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Daily Whitener	/total Added Sugar	IS 4079
1427	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Daily Whitener	Milk Solids not Fat (MSNF)	IS 12299
1428	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Daily Whitener , Skimmed Milk powder , Khoa	Total Ash	FSSAI Manual for Milk & Milk Products
1429	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dairy whitener	Acid Insoluble ash	IS 14433
1430	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dairy Whitener , Skimmed milk powder, Milk Powder	Fat	FSSAI Manual for Milk & Milk Products
1431	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dairy Whitener, Skimmed milk powder, Khoa, Milk Powder	Total Ash	IS 14433
1432	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dairy Whitener, Skimmed milk powder, Milk Powder	Fat	IS 11721
1433	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dairy Whitener, Skimmed Milk powder, Milk Powder	Insolubility Index	FSSAI Manual for Milk & Milk Products
1434	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dairy Whitener, Skimmed milk powder, Milk Powder	Insolubility Index	IS 12759
1435	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dairy Whitener, Skimmed milk powder, Milk Powder	Moisture	IS 11623
1436	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dehydrated Peas, Orka/ Potatoes/ Carrots/ Cabbage	Acid Insoluble Ash	IS 4624
1437	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dehydrated Peas, Orka/ Potatoes/ Carrots/ Cabbage	Moisture	FSSAI Manual for Fruit & Vegetable Products
1438	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dehydrated Peas, Orka/ Potatoes/ Carrots/ Cabbage	Sulphur dioxide	FSSAI Manual for Fruit & Vegetable products
1439	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dehydrated Peas, Orka/ Potatoes/ Carrots/ Cabbage	Total Ash	FSSAI Manual for Feuit & Vegetable Products

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	96 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1440	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dehydrated Peas/ Orka/Potatoes/ Carrots/ Cabbage	Acid insoluble Ash	IS 4624
1441	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dehydrated Peas/ Orka/Potatoes/ Carrots/ Cabbage	Moisture	IS 4624
1442	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dehydrated Peas/ Orka/Potatoes/ Carrots/ Cabbage	Peroxidase test	IS 4624
1443	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dehydrated Peas/ Orka/Potatoes/ Carrots/ Cabbage	Rehydration ratio	IS 4624
1444	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dehydrated Peas/ Orka/Potatoes/ Carrots/ Cabbage	Sulphur dioxide	IS 4624
1445	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Dehydrated Peas/ Orka/Potatoes/ Carrots/ Cabbage	Total Ash	IS 4624
1446	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible Ground Nut Flour	Acid Insoluble Ash	IS 4684
1447	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible Groundnut flour	Moisture	IS 4684
1448	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil	Bellier turbidity temperature	FSSAI Manual for Oils & fats
1449	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil , Vanaspati, Ghee, Butter oil	Cloud point	IS 11069
1450	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil, Vanaspati	B R Reading	FSSAI Manual for oils & Fats
1451	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil, Vanaspati	B.R .Reading	IS 548 (Pt 1)
1452	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil, Vanaspati	Colour on Lovibond scale	IS 548 (Pt 1)
1453	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible Oil, Vanaspati	Flash Point	FSSAI Manual for oils & fats

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 97 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1454	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil, Vanaspati	Insoluble impurities	IS 548 (Pt 1)
1455	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil, Vanaspati	Iodine Value	IS 548 (Pt 1)
1456	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil, Vanaspati	Moisture & Volatile matter	IS 548 (Pt 1)
1457	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil, Vanaspati	Presence of Mineral oil	FSAI Manual for oil & fats
1458	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil, Vanaspati	Presence of Mineral oil	IS 548 (Pt 2)
1459	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil, Vanaspati	Refractive Index	FSSAI Manual for Oil & Fats
1460	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil, Vanaspati	Refractive Index	IS 548 (Pt 1)
1461	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil, Vanaspati	Total Dye Content	IS 2923
1462	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oil, Vanaspati ghee, Butter oil	Cloud Point	AOCS Cs 6-25 Official method 14th /ed
1463	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils	Bellier turbidity temperature	IS 548 (Pt 2)
1464	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils	Hexane	FSSAI Manual for oils & fats
1465	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils	Hexane	IS 546
1466	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils	Modified Baudouin Test	IS 548 (Pt 2)
1467	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils	Modified Boudouin test	FSSAI manual for oils & fats

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	98 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1468	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils	Polenske value	FSSAI Manual for oils & fats
1469	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils	Polenske Value	IS 548 (Pt 1)
1470	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati	Melting Point	IS 548 (Pt 1)
1471	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Appearance . Colour, Taste , Odour	SRI/FF/018
1472	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Arsenic	AOAC .06, 21st Ed
1473	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Arsenic	AOAC 986.15, 21st Ed
1474	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Arsenic	IS 1699
1475	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Cadmium	AOAC , 21st Ed
1476	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Cadmium	IS 1699
1477	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Cold Test	FSSAI Manual for oils & fats
1478	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Lead	AOAC .06, 21st Ed
1479	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Lead	IS 1699
1480	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Mercury	AOAC .06, 21st Ed
1481	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Mercury	AOAC 971.21, 21st Ed

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	99 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1482	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Mercury	IS 1699
1483	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Monounsaturated Fat	AOAC 996.06, 21st Ed
1484	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Phosphorous	AOAC 985.01, 21st Ed
1485	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Poly/ Hexa- bromide test (Linseed oil)	FSSAI Manual
1486	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Poly/Hexa- bromide test (Linseed oil)	IS 548 (Pt 2)
1487	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Polyunsaturated fat	AOAC 996.06, 21st ed
1488	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Presence of Argemone oil	IS 548 (Part 2)
1489	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Presence of Castor oil	IS 548 (Pt 2)
1490	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Presence of oil Soluble colour	IS 548 (Pt 2)
1491	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Saturated Fat	AOAC 996.06, 21st Ed
1492	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Specific gravity	AOAC 985.19, 21st Ed
1493	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Specific Gravity	IS 548 (Pt 1)
1494	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Test for Hydrocyanic acid	IS 548 (Pt 2)
1495	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Test for Rancidity	IS 7679

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	100 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1496	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Trans fat	AOAC 996.06, 21st Ed
1497	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils , Vanaspati, Ghee, Butter oil	Vitamin A	AOAC 992.06, 21st Ed
1498	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati	Acid Value	FSSAI Manual for oils & fats
1499	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati	Acid Value	IS 548 (Pt 1)
1500	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati	Flash Point	IS 1448 (Pt 21)
1501	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati	Free Fatty Acids	IS 548 (Pt 1)
1502	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati	Iodine value	FSSAI manual for oils & fats
1503	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati	Peroxide value	FSSAI manual for oils & fats
1504	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati	Peroxide value	IS 548 (Pt 1)
1505	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati	Saponification value	FSSAI manual for oils & fats
1506	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati	Saponification value	IS 548 (Pt 1)
1507	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati	Titre Value	IS 548 (Pt 1)
1508	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati	Unsaponifiable matter	FSSAI manual for oils & fats
1509	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati	Unsaponifiable matter	IS 548 (Pt 1)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	101 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1510	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati , Ghee, Butter oil	Lead	AOAC 994.02 21st Ed
1511	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati, Ghee, Butter oil	Hydrocyanic Acid	FSSAI manual for oils & fats
1512	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati, Ghee, Butter oil	Phosphorous	FSSAI manual for oils & fats
1513	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati, Ghee, Butter oil	Presence of Argemone oil	FSSAI Manual for oils & fats
1514	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati, Ghee, Butter oil	Presence of Castor oil	FSSAI Manual for oils & fats
1515	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati, Ghee, Butter oil	Presence of Oil soluble colour	FSSAI manual for oils & fats
1516	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati, Ghee, Butter oil	Rancidity	FSSAI manual for oils & fats
1517	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati, Ghee, Butter oil	Vitamin A	FSSAI manual for oils & fats
1518	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Edible oils, Vanaspati, Ghee, Butter oil	Vitamin D	AOAC 980.26 21st Ed
1519	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Egg powder	Boric Acid	IS 1479 (Pt 2)
1520	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Eggs, Egg Powder	Ash Insoluble in HCl	IS 14433
1521	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Eggs, Egg powder	Organic Phosphorous pentoxide (P2O5)	I 1479 (Pt 2)
1522	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Eggs, Egg powder	Solubility	IS 4723
1523	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Eggs, Egg powder	Total Ash	IS 14433

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	102 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1524	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Eggs, Egg powder, Albumen powder	Foaming stability	IS 10382
1525	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Eggs, Egg powder, Albumen powder	Lecithin and Fat	IS 4723
1526	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Eggs, Egg powder, Albumen powder	Moisture	IS 4723
1527	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Eggs, Egg powder, Albumen powder	pH	IS 10382
1528	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Eggs, Egg powder, Albumen powder	Protein	IS 7219
1529	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Erythrosine	Total Dye Content	IS 1697
1530	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Fast Green FCF	Total dye content	IS 6022
1531	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Flavoured Milk	Sucrose	IS 1479 (Pt 2)
1532	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food Grains	Moisture	IS 4333 (Pt 2)
1533	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food Grains , Pulses	Damaged Grains	IS 4333 (Pt 1)
1534	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food Grains , Pulses	Foreign Matter	FSSAI Manual for Cereal & Cereal Products
1535	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food Grains , Pulses	Foreign Matter	IS 4333 (Pt 1)
1536	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains , Pulses	Mineral Matter	FSSAI Manual for Cereal & Cereal Products
1537	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food Grains , Pulses	Other /edible grains	FSSAI Manual for Cereal & Cereal Products

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	103 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1538	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food Grains , Pulses	Other Edible grains	IS 4333 (Pt 1)
1539	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains , Pulses	Seeds with slight defects	FSSAI Manual for Cereal & Cereal Products
1540	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains , Pulses	Sees with Serious defects	FSSAI Manual for Cereal & Cereal Products
1541	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains , pulses	Total dietary fibre	AOAC 985.29 , 21st Ed
1542	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food Grains , Pulses	Total of Foreign matter , other edible grains and damaged grains	IS 4333 (Pt 1)
1543	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains , Pulses	Uric Acid	IS 4333 (Pt 5)
1544	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains, Pulses	Damaged Grains	FSSAI Manual for Cerea; & Cereal Products
1545	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains, Pulses	Discoloured Seeds	FSSAI Manual for Cereal & Cereal Products
1546	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains, Pulses	Folic Acid	SRI/FF/013
1547	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains, Pulses	Impurities of Animal Origin	FSSAI Manual for Cereal & Cereal Products
1548	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains, Pulses	Total of foreign matter , other edible grains and damaged grains	FSSAI Manual for Cereal & Cereal Products
1549	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains, Pulses	Uric Acid	FSSAI Manual for Cereal & Cereal Products
1550	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains, Pulses	Vitamin B12	SRI/FF/068
1551	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains, Pulses	Weevilled grains	FSSAI Manual for Cereal & Cereal Products

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	104 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1552	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains. Pulses	Methyl Mercury	SRI/FF/050
1553	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Food grains. Pulses	Starch	AOAC 996.11, 21st Ed
1554	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Fruit & Fruit products	Head space	IS 13815
1555	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Fruit & Fruit products	Head space	IS 2860
1556	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Fruit & Fruit products	Peroxidase test	IS 4624
1557	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Vitamin C	FSSAI Manual for Fruit & Vegetable products
1558	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Vitamin C	IS 5838
1559	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gelatin	Arsenic	IS 1699
1560	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gelatin	Chromium	IS 1699
1561	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gelatin	Gel strength	IS 5719
1562	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gelatin	Heavy metals as Pb	IS 1699
1563	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gelatin	Identification	IS 5719
1564	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gelatin	Lead as Pb	IS 1699
1565	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gelatin	Loss on Drying	IS 5306

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 105 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1566	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gelatin	Mercury	IS 1699
1567	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gelatin	Nitrogen	IS 7219
1568	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gelatin	Sulphur dioxide	IS 7928
1569	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gelatin	Total Ash	IS 7928
1570	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee	Presence of Vegetable fat	FSSAI Manual for oils & fats
1571	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee	Presence of Vegetable fat	IS 3508
1572	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee , Butter oil	Moisture & Volatile matter	FSSAI Manual for oils & Fat
1573	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee , Butter oil	Iodine value	IS 3508
1574	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee , Butter oil	Melting point	IS 3508
1575	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	B R Reading at 40 degree C	FSSAI Manual for oils & fats
1576	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	B.R.Reading at 40 degree C	IS 3508
1577	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	Free Fatty acids as Oleic acid	FSSAI manual for oils & fats
1578	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	Free Fatty acids as Oleic Acid	IS 3508
1579	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	Modified Baudouin test	FSSAI manual for oils & fats

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 106 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1580	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	Modified Baudouin test	IS 3508
1581	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	Moisture & Volatile matter	IS 3508
1582	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	Peroxide value	IS 3508
1583	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	Polenske value	FSSAI manual for oils & fats
1584	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	Polenske value	IS 3508
1585	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	Reichert - Meissi Value	FSSAI manual for oils & fats
1586	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	Reichert - Meissi Value	IS 3508
1587	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	Saponification value	IS 3508
1588	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ghee, Butter oil	Unsaponifiable matter	IS 3508
1589	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee	Acid Insoluble Ash	FSSAI Manual
1590	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee	Acid Insoluble Ash	IS 3077
1591	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee	Alkalinity of Water Soluble ash	IS 3077
1592	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee	Caffeine	FSSAI Manual
1593	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee	Caffeine	IS 3077

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	107 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1594	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee	Moisture	IS 3077
1595	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee	Petroleum Ether Extract	IS 3077
1596	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee	Total Ash	IS 3077
1597	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee	Water Extract	FSSAI Manual for Beverages, sugar & Sugar Products and Confectionery Products
1598	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee	Water soluble Ash	IS 3077
1599	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee	Water Soluble Matter	IS 3077
1600	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee, Soluble coffee powder, Soluble coffee - chicory powder	Total Ash	IS 2791
1601	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee, Soluble Coffee powder, Soluble coffee-chicory powder	Moisture	FSSAI Manual
1602	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ground Coffee, Soluble Coffee powder, Soluble coffee-chicory powder	Total Ash	FSSAI Manual
1603	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Guar Gum	Loss on Drying	IS 10502
1604	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Guar Gum	Protein	IS 7219
1605	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Guar Gum	Solubility	IS 10502
1606	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Guar Gum	Test for starch	IS 10502
1607	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Guar Gum	Total Ash	IS 10502

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 108 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1608	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Guar Gum	Acid Insoluble matter	IS 10502
1609	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Guar Gum	Heavy metals as Pb	IS 1699
1610	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Guar Gum	Identification	IS 10502
1611	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Guar Gum	Purity	IS 10502
1612	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gur	Sucrose	IS 15279
1613	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gur	Sulphated Ash	FSSAI Manual for Sugar & Sugar Products
1614	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gur	Sulphated Ash	IS 15279
1615	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gur	Water Insoluble Matter	FSSAI Manual for Sugar & Sugar Products
1616	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Gur	Water Insoluble matter	IS 15279
1617	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Aroma Strength as Safranal	FSSAI maunal for Spices & Condiments
1618	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Arsenic	AOAC .06, 21st Ed
1619	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Arsenic	AOAC 986.15 , 21st Ed
1620	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Cadmium	AOAC .06, 21st Ed
1621	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Cadmium	AOAC 990.08, 21st Ed

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	109 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1622	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Copper	AOAC 990.08, 21st Ed
1623	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Lead	AOAC .06, 21st Ed
1624	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Lead	AOAC 990.08, 21st Ed
1625	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Mercury	AOAC .06, 21st Ed
1626	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Mercury	AOAC 983.27, 21st Ed
1627	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Tin	AOAC 985.16, 21st Ed
1628	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Total Nitrogen	IS 5194
1629	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Zinc	AOAC 990.08, 21st Ed
1630	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Acidity as Formic Acid	FSSAI manual for Beverages , Sugar & Sugar products & Confectionery products
1631	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Acidity as Formic acid	IS 4941
1632	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Arsenic	AOAC .06, 21st Ed
1633	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Arsenic	AOAC 986.15, 21st Ed
1634	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Cadmium	AOAC .06, 21st Ed
1635	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Cadmium	AOAC 990.08, 21st Ed

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	110 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1636	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Colour	IS 4941
1637	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Copper	AOAC 990.08, 21st Ed
1638	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Diastase activity	AOAC 958.09, 21st Ed
1639	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Electrical Conductivity	AOAC 957.16 21st Ed
1640	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Electrical Conductivity	International Honey Commission
1641	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Flehe's test	FSSAI Manual for Beverages , Sugar & Sugar products & Confectionery products
1642	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Flehe's test	IS 4941
1643	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Foreign Matter	FSSAI Manual for Beverages , Sugar & Sugar products & Confectionery products
1644	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Foreign matter	IS 4941
1645	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Free Acidity	AOAC 962.19. 21st Ed
1646	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Fructose to Glucose Ratio	FSSAI Manual for Beverages , Sugar & Sugar products & Confectionery products
1647	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Fructose to Glucose ratio	IS 4941
1648	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Hydroxy methyl Furfural	AOAC 980.23 , 21st Ed
1649	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Lead	AOAC 990.08, 21st Ed

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	111 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1650	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Lead	AOAC.06, 21st Ed
1651	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Mercury	AOAC .06, 21st Ed
1652	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Mercury	AOAC 983.27, 21st Ed
1653	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Moisture	FSSAI Manual for Beverages , Sugar & Sugar products & Confectionery products
1654	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Moisture	IS 4941
1655	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Optical density at 660 nm	FSSAI Manual for Beverages , Sugar & Sugar products & Confectionery products
1656	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Optical density at 660 nm	IS 4941
1657	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Proline	AOAC 979.20, 21st Ed
1658	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Proline	FSSAI Manual for Beverages , Sugar & Sugar products & Confectionery products
1659	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Refractive Index	FSSAI Manual for Beverages , Sugar & Sugar products & Confectionery products
1660	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Refractive Index	IS 4941
1661	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Specific Gravity at 27 degree C	FSSAI Manual for Beverages , Sugar & Sugar products & Confectionery products
1662	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Specific gravity at 27 degree C	IS 4941
1663	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Sucrose	FSSAI Manual for Beverages , Sugar & Sugar products & Confectionery products

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	112 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1664	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Sucrose	IS 4941
1665	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Tin	AOAC 985.16, 21st Ed
1666	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Total Ash	FSSAI Manual for Beverages , Sugar & Sugar products & Confectionery products
1667	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Total Ash	IS 4941
1668	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Total reducing sugars	IS 4941
1669	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Honey	Water Insoluble matter	International Honey commission
1670	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Hooka Tobacco	Nitrogen	IS 5643
1671	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Hooka Tobacoo	Freedom from Beetle attack	IS 4463
1672	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ice Cream	Acidity as Lactic Acid	IS 2802
1673	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ice Cream	Milk Fat	FSSAI Manual for Milk & Milk Products
1674	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ice Cream	Milk Fat	IS 2802
1675	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ice Cream	Phosphatase test	IS 2802
1676	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ice Cream	Sucrose	FSSAI Manual for Milk & Milk Products
1677	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ice cream	Sucrose	IS 2802

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	113 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1678	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ice Cream	Total Solids	FSSAI Manual for Milk & Milk Products
1679	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ice cream	Total solids	IS 2802
1680	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ice Cream	Weight per liter	FSSAI Manual for Milk & Milk Products
1681	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Ice cream	Weight per liter	IS 2802
1682	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Icing Sugar	Starch	IS 15279
1683	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Indigo Carmine	Total Dye Content	IS 1698
1684	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Acid Insoluble ash	IS 14433
1685	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Arsenic	AOAC .06, 21st Ed
1686	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Biotin	SRI/FF/070
1687	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Cadmium	AOAC .06, 21st Ed
1688	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Calcium	AOAC 984.27, 21st Ed
1689	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Chloride	IS 11763
1690	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Cholesterol	AOAC 976.26, 21st Ed
1691	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Choline	AOAC .20, 21st Ed

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 114 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1692	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Copper	AOAC 984.27, 21st Ed
1693	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Folic Acid	SRI/FF/013
1694	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Insolubility Index	IS 12759
1695	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Iodine	AOAC 992.24 , 21st Ed
1696	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Iron	AOAC 984.27, 21st Ed
1697	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Lead	AOAC .06, 21st Ed
1698	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Magnesium	AOAC 984.27, 21st Ed
1699	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Manganese	AOAC 984.27, 21st Ed
1700	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Mercury	AOAC .06, 21st Ed
1701	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Milk Fat	IS 11721
1702	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Moisture	IS 11623
1703	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Monounsaturated Fat	AOAC 996.06, 21st Ed
1704	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Niacin	SRI/FF/007
1705	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Pantothenic acid	USP 41

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	115 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1706	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Phosphorous	AOAC 984.27, 21st Ed
1707	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Polyunsaturated fat	AOAC 996.06, 21st Ed
1708	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Potassium	AOAC 985.33, 21st Ed
1709	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Protein	IS 7219
1710	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Riboflavin	SRI/FF/007
1711	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Saturated Fat	AOAC 996.06, 21st Ed
1712	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Scorched particles	IS 13500
1713	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Selenium	AOAC .01, 21st Ed
1714	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Sodium	AOAC 985.33, 21st Ed
1715	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Solubility	IS 14433
1716	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Synthetic food Colour	IS 12711
1717	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Thiamine	SRI/FF/007
1718	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Total Ash	IS 14433
1719	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Total Carbohydrates	IS 1656

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	116 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1720	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Total Fat	IS 11721
1721	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Trans fat	AOAC 996.06, 21st Ed
1722	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Vitamin A	AOAC 992.06, 21st Ed
1723	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Vitamin B12	SRI/FF/068
1724	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Vitamin B6	SRI/EE/007
1725	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Vitamin C	SRI/FF/007
1726	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Vitamin D	AOAC .05, 21st Ed
1727	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Infant milk substitute, Complementary foods	Zinc	AOAC 984.27, 21st Ed
1728	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Instant Tea	Total Ash	IS 13860
1729	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Instant Tea , Black Tea	Moisture	IS 13859
1730	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Instant Tea, Black Tea, Green Tea	Acid Insoluble ash	IS 13857
1731	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Iodized Salt	Alkalinity as Na2CO3	IS 7224
1732	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Iodized Salt	Arsenic	IS 7224
1733	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Iodized Salt	Calcium	IS 7224

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	117 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1734	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Iodized salt	Chlorides as NaCl	IS 7224
1735	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Iodized salt	Iodine	IS 7224
1736	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Iodized Salt	Lead	IS 7224
1737	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Iodized Salt	Magnesium	IS 7224
1738	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Iodized salt	Matter soluble in water other than NaCl	IS 7224
1739	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Iodized salt	Moisture	IS 7224
1740	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Iodized Salt	Sulphates	IS 7224
1741	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jam, Jelly, Marnalade	Total Soluble solids	IS 5861
1742	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Jellies, Marmalade juice	Minimum fill	IS 5861
1743	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Acidity as Acetic Acid	FSSAI Manual for Fruit & Vegetable Products
1744	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Arsenic	AOAC .06, 21st Ed
1745	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Arsenic	AOAC 986.15, 21st Ed
1746	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Benzoic Acid	FSSAI manual for Fruit & Vegetable products
1747	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Cadmium	AOAC .06, 21st Ed

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	118 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1748	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Cadmium	AOAC 990.08, 21st Ed
1749	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Copper	AOAC 984.27 21st Ed
1750	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Head space of Can	FSSAI Manual for Fruits & Vegetable products
1751	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Lead	AOAC .06, 21st Ed
1752	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Lead	AOAC 990.08, 21st Ed
1753	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Mercury	AOAC .06, 21st Ed
1754	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Mercury	AOAC 983.27, 21st Ed
1755	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Minimum Fill	FSSAI manual for Fruits & Vegetable products
1756	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Sorbic Acid	FSSAI Manual for Fruits & Vegetable products
1757	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Specific Gravity	FSSAI Manual for Fruits & Vegetable Products
1758	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Tin	AOAC 985.16, 21st Ed
1759	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Total Soluble solids	FSSAI Manual for Fruit & Vegetable Products
1760	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Jams, Juices, Sauces & Concentrates	Zinc	AOAC 984.27 21st Ed
1761	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Juice	Ethanol	IS 15096

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	119 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1762	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Juice	pH	FSSAI Manual for Fruit & Vegetable products
1763	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Juice	pH	IS 3881
1764	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Juice	Volatile Avidity	IS 3881
1765	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Juice, Jam, Jellies, Marmalade	Benzoic Acid	IS 12014 (Pt 1)
1766	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Juice, Jam, Jellies, Marmalade	Sorbic Acid	IS 12014 (Pt 3)
1767	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Juice, Tomato puree	Sulphur dioxide	IS 4624
1768	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Juice, Tomato puree	Titratable acidity	IS 13844
1769	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Juice, Tomato puree	Total Soluble Solids	IS 13815
1770	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Juice,Sauces & Concentrates	Sulphur dioxide	FSSAI manual for Fruit & Vegetable products
1771	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Kattha	Acid Insoluble ash	IS 2962
1772	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Kattha	Catechin	IS 2962
1773	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Kattha	Insolubles in Boiling water	IS 2962
1774	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Kattha	Loss on drying	IS 2962
1775	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Kattha	Matter insoluble in rectified spirit	IS 2962

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 120 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1776	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Kattha	Presence of Calcium Gluconate	Food Chemical Codex, 9th Ed
1777	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Kattha	Presence of Gambier	IS 4359
1778	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Kattha	Presence of starch	IS 2962
1779	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Kattha	Titanium dioxide	AOAC 973.36, 21st Ed
1780	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Kattha	Total Ash	IS 2962
1781	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Kattha , Gambier, Catechu wood	Catechin	SRI/FF/001
1782	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Khoya	Titratable acidity as Lactic acid	IS 4883
1783	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Low alcoholic beverage , Table wine, Carbonated Beverage	Iron	AOAC 993.14 21st Ed
1784	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Low Alcoholic beverages	Carbon dioxide	IS 15588
1785	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Low Alcoholic beverages	Sugar	IS 1162
1786	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Low Alcoholic Beverages, Country spirit, Rum	Total Acids as Tartaric acid	IS 3752
1787	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Macaroni, Spaghetti, Vermicelli, Noodles	Acid Insoluble Ash	IS 1485
1788	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Macaroni, Spaghetti, Vermicelli, Noodles	Protein	IS 1485
1789	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Macaroni, Spaghetti, Vermicelli, Noodles	Total Ash	IS 1485

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 121 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1790	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maida	Acid Insoluble Ash	IS 1009
1791	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maida	Alcoholic acidity as H2SO4	IS 1009
1792	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maida	Gluten	IS 1009
1793	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maida	Microscopic appearance of Starch granules	IS 1009
1794	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maida	Moisture	IS 1009
1795	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maida	Total Ash	IS 1009
1796	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maize Starch	Starch	IS 1005
1797	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mango Chutney	Acid Insoluble Ash	IS 3500
1798	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mango Chutney	Benzoic Acid	IS 3500
1799	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mango Chutney	Fruit Content	IS 3500
1800	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mango chutney	Total Ash	IS 3500
1801	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mango Chutney , Pickle & Other Fruit Products	Acidity as Acetic Acid	FSSAI manual for Fruit & Vegetables
1802	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mango Chutney , Pickle & Other Fruit Products	Total Soluble Solids	FSSAI manual for fruit & vegetable products
1803	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mango Chutney ,Pickel	Organoleptic test	IS 3500

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 122 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1804	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mango chutney, Pickle & Other fruit products	Acidity as Acetic acid	IS 2860
1805	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mango chutney, Pickle & Other fruit products	Total Soluble solids	IS 2860
1806	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat , Fish & Meat Products	Total Fat	FSSAI manual for Meat & Fish products
1807	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Arsenic	AOAC 986.15, 21st Ed
1808	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Cadmium	AOAC .06, 21st Ed
1809	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Cadmium	AOAC 990.08 ,21st Ed
1810	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Free Fat	IS 5960 (Pt 4)
1811	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Lead	AOAC .06, 21st Ed
1812	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Lead	AOAC 990.08, 21st Ed
1813	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Mercury	AOAC 983.27, 21st Ed
1814	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Moisture	IS 5960 (Pt 5)
1815	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Nitrite	FSSAI manual for Meat , Fish & Meat Products
1816	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Protein	FSSAI Manual for Meat, fish & Meat Products
1817	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Protein	IS 7219

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	123 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1818	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Tin	AOAC 985.16, 21st Ed
1819	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Total Ash	IS 5960 (Pt 2)
1820	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Total Fat	IS 5960 (Pt 3)
1821	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Meat, Fish & Meat Products	Total Phosphorous	AOAC 984.27, 21st Ed
1822	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Arsenic as As	AOAC .06, 21st Ed
1823	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Arsenic as As	AOAC 986.15, 21st Ed
1824	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Cadmium as Cd	AOAC .06, 21st Ed
1825	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Calcium as Ca	AOAC 984.27, 21st Ed
1826	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Chlorides as Cl	IS 1479 (Pt 2)
1827	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Cholesterol	AOAC 976.26, 21st Ed
1828	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Cholesterol	AOAC 994.10, 21st Ed
1829	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy Products	Copper	AOAC 984.27, 21st Ed
1830	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Energy value	IS 8220
1831	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Iodine as I	AOAC 992.24, 21st Ed

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	124 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1832	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Lead aa Pb	AOAC . 06, 21st Ed
1833	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Mercury as Hg	AOAC.06 , 21st Ed
1834	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Monounsaturated fat	AOAC 996.06, 21st Ed
1835	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Phosphorous as P	AOAC 984.27, 21st Ed
1836	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Polyunsaturated fat	AOAC 996.06, 21st Ed
1837	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy Products	Salt as NaCl	FSSAI Manual for Milk & Milk Products
1838	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Salt as NaCl	IS 3507
1839	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Saturated fat	AOAC 996.06, 21st Ed
1840	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Tin as Sn	AOAC 985.16, 20th Ed
1841	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Total Carbohydrates	IS 1656
1842	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Trans fat	AOAC 996.06, 21st Ed
1843	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Vitamin A	AOAC 992.06, 21st Ed
1844	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk & Dairy products	Vitamin D	AOAC 985.27, 21st Ed
1845	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk Powder	Titratable acidity	FSSAI Manual for Milk & Milk Products

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 125 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1846	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk Powder	Titratable Acidity	IS 1165
1847	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk Powder	Total Ash	FSSAI Manual for Milk & Milk Products
1848	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk Powder	Total Ash	IS 1165
1849	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Milk Powder	Total Solids	IS 1165
1850	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mustard Oil	Natural essential oil as Allyl isothiocyanate	FSSAI manual for oils & fats
1851	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mustard oil	Natural essential oil as Allyl isothiocyanate	IS 548 (Pt 1)
1852	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Nasal Snuff	Material passing through 250 micron IS Sieve	IS 2111
1853	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Neutral Spirit	Acidity as Acetic Acid	IS 323
1854	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Neutral spirit	Residue on Evaporation	IS 323
1855	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Nut & Nut Products	Cadmium	AOAC 990.08, 21st Ed
1856	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Nut & Nut Products	Copper	AOAC 984.27, 21st Ed
1857	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Nut & Nut Products	Lead	AOAC 990.08, 21st Ed
1858	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Nut & Nut Products	Mercury	AOAC 983.27, 21st Ed
1859	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Nuts & Nuts Products	Arsenic	AOAC .06, 21st Ed

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	126 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1860	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Nuts & Nuts Products	Arsenic	AOAC 986.15, 21st Ed
1861	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Nuts & Nuts Products	Cadmium	AOAC ,06, 21st Ed
1862	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Nuts & Nuts Products	Lead	AOAC .06, 21st Ed
1863	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Nuts & Nuts Products	Mercury	AOAC .06, 21st Ed
1864	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Nuts & Nuts Products	Mercury	AOAC 983.27, 21st Ed
1865	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Nuts & Nuts Products	Tin	AOAC 985.16, 21st Ed
1866	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil Seeds	Acid value of extracted oil	IS 3579
1867	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil seeds	Damaged seeds and weevilled seeds	IS 3579
1868	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil seeds	Dead & Immature seeds	IS 3579
1869	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil seeds	Impurities/ Foreign Matter	IS 3579
1870	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil seeds	Moisture	IS 3579
1871	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil seeds	Oil content	IS 3579
1872	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil seeds	Slightly damaged seeds	IS 3579
1873	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Orange juice, Lemon Juice	Essential oil	IS 1797

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 127 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1874	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Paneer	Milk Fat	FSSAI Manual for Milk & Milk Products
1875	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Paneer	Milk Fat	IS 10484
1876	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Paneer	Moisture	FSSAI Manual for Milk & Milk Products
1877	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Paneer	Moisture	IS 10484
1878	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Paneer	Titratable Acidity	FSSAI Manual for Milk & Milk Products
1879	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Paneer	Titratable acidity	IS 10484
1880	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pasteurised / Sterilized / Flavoured Milk	Creaming Index	IS 4238
1881	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pasteurised Milk	Milk Fat	FSSAI Manual for Milk & Milk Products
1882	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pasteurised milk	Milk Fat	IS 1479 (Pt 2)
1883	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pasteurised Milk	Milk Solid- not-fat	FSSAI Manual for Milk & Milk Products
1884	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pasteurised Milk	Milk Solids not fat (MSNF)	IS 12333
1885	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pasteurised Milk	Phosphatase Test	FSSAI Manual for Milk & Milk Products
1886	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pasteurized milk	Phosphatase test	IS 8479 (Pt 1)
1887	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pasteurized milk	Phosphatase test	IS 8479 (Pt 2)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	128 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1888	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pearl Barley	Acid Insoluble Ash	IS 1156
1889	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pearl Barley	Moisture	IS 1156
1890	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pearl Barley	Total Ash	IS 1156
1891	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other fruit products	Arsenic	AOAC .06, 21st Ed
1892	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other fruit products	Arsenic	AOAC 986.15, 21st Ed
1893	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other fruit products	Cadmium	AOAC .06, 21st Ed
1894	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other Fruit Products	Cadmium	AOAC 990.08 21t Ed
1895	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other Fruit Products	Copper	AOAC 984.27 21st Ed
1896	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other fruit products	Drained Weight	IS 2860
1897	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other fruit products	Lead	AOAC .06, 21st Ed
1898	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other Fruit Products	Lead	AOAC990.08 21st Ed
1899	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other fruit products	Mercury	AOAC .06, 21st Ed
1900	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other fruit products	Mercury	AOAC 983.27, 21st Ed
1901	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other Fruit Products	pH	FSSAI manual for Fruit & Vegetable products

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 129 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1902	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other fruit products	pH	IS 2860
1903	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other Fruit Products	Phosphorous	AOAC 984.27 21st Ed
1904	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other Fruit Products	sodium chloride	FSSAI Manual for Fruit & Vegetable products
1905	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other fruit products	Sodium chloride	IS 2860
1906	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other fruit products	Tin	AOAC 985.16, 21st Ed
1907	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pickle & Other fruit products	Zinc	AOAC 984.27, 21st Ed
1908	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Potassium Metalbisulphite	Heavy metals as Pb	IS 4751
1909	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Potassium Metalbisulphite	Identification	IS 4751
1910	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Potassium Metalbisulphite	Iron	IS 4751
1911	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Potassium Metalbisulphite	pH	IS 4751
1912	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Potassium Metalbisulphite	Purity as K2S2O5	IS 4751
1913	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Potassium Metalbisulphite	Water Insoluble matter	IS 4751
1914	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Potassium Metalbisulphite, Sodium metabisulphite	Selenium	IS 4751
1915	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Potassium Metalbisulphite, Sodium metabisulphite	Thiosulphate	IS 4751

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 130 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1916	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Potassium Metalbisulphite, Sodium metabisulphite, sorbic Acid ,Guar Gum, Saccharin	Arsenic	IS 1699
1917	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Potassium Metalbisulphite, Sodium metabisulphite, Sorbic acid, Guar gum, Saccharin	Lead	IS 1699
1918	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Cholesterol	AOAC 976.26, 21st Ed
1919	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Energy	IS 8220
1920	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Fat	IS 11721
1921	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Fat	IS 7874 (Pt 1)
1922	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Iron	AOAC 993.14 , 21st Ed
1923	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Monounsaturated Fat	AOAC 996.06, 21st Ed
1924	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Polyunsaturated Fat	AOAC 996.06, 21st Ed
1925	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Protein	IS 7219
1926	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Saturated Fat	AOAC 996.06, 21st Ed
1927	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Sodium	AOAC 985.35, 21st Ed
1928	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	sugar	IS 1166
1929	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Sugar	IS 6287

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 131 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1930	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Total Carbohydrates	IS 1656
1931	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Total Dietary Fibre	AOAC 985.29, 21st Ed
1932	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Trans Fat	AOAC 996.06, 21st Ed
1933	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Proprietary food, Cooked food	Vitamin A	AOAC 992.06, 21st Ed
1934	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Quiwam	Total sugar	IS 17010
1935	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rasogolla	Acidity of syrup	IS 4079
1936	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rasogolla	Concentration of Syrup	IS 4079
1937	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rasogolla	Fat	IS 4079
1938	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rasogolla	Moisture	IS 4079
1939	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rasogolla	Protein	IS 4079
1940	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rasogolla	Sucrose	IS 4079
1941	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw / Pasteurised / Sterilized Milk	Presence of Anionic Detergent	FSSAI Manual for Milk & Milk Products
1942	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw / Pasteurised / Sterilized Milk	Presence of Can Sugar	FSSAI Manual for Milk & Milk Products
1943	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw / Pasteurised / Sterilized Milk	Presence of Glucose	FSSAI Manual for Milk & Milk Products

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	132 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1944	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw / Pasteurised / Sterilized Milk	Presence of Neutraliser	FSSAI Manual for Milk & Milk Products
1945	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw / Pasteurised / Sterilized Milk	Presence of Nitrates	FSSAI Manual for Milk & Milk Products
1946	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw / Pasteurised / Sterilized Milk	Presence of Soya Powder	FSSAI Manual for Milk & Milk Products
1947	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw / Pasteurised / Sterilized milk	Presence of Vegetable oil/ Foreign fat	FSSAI Manual for Milk & Milk products
1948	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw /Pasteurised / Sterilized Milk	Presence of Maltodextrins	IS 1479 9Pt 1)
1949	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw /Pasteurised / Sterilized Milk	Presence of Quaternary Ammonium Compounds	FSSAI manual for Milk & Milk Products
1950	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw /Pasteurised / Sterilized Milk	Presence of Starch	FSSAI manual for Milk & Milk products
1951	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw /Pasteurised / Sterilized Milk	Presence of Sulphates	IS 1479 (Pt 1)
1952	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw /Pasteurised / Streilized Milk	Presence of Anionic Detergent	IS 1479 (Pt 1)
1953	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw Pasteurised / Sterilized Milk	Presence of Sulphates	FSSAI Manual for Milk & Milk Products
1954	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw Pasteurised /Sterilized Milk	Presence of SoyaPowder	IS 1479 (Pt 1)
1955	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/ Pasteurised / Sterilised Milk	Presence of Vegetable oil /Foreign fat	IS 1479 (Pt 1)
1956	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/ Pasteurised / Sterilized Milk	Presence of Maltodextrins	FSSAI Manual for Milk & Milk Products
1957	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/ Pasteurised /Sterilised Milk	Presence of Cane Sugar	IS 1479 (Pt 1)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 133 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1958	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/ Pasteurised /Sterilised Milk	Presence of Formaldehyde	FSSAI Manual for Milk & Milk Products
1959	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/ Pasteurised /Sterilised Milk	Presence of Hydrogen Peroxide	FSSAI manual for Milk & Milk Products
1960	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/ Pasteurised/ Sterilzed milk	Presence of Cane sugar	IS 1479 (Pt 1)
1961	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/Pasteurized / Sterilized milk	Acid Insoluble ash	IS 1479 (Pt 2)
1962	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/Pasteurized / Sterilized milk	Lactose	IS 1479 (Pt 2)
1963	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/Pasteurized / Sterilized milk	pH	IS 1479 (Pt 2)
1964	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/Pasteurized / Sterilized milk	Presence of Neutralizer	IS 1479 (Pt 1)
1965	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/Pasteurized / Sterilized milk	Presence of Nitrates	IS 1479 (Pt 2)
1966	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/Pasteurized / Sterilized milk	Presence of Quaternary ammonium compounds	IS 1479 (Pt 2)
1967	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/Pasteurized / Sterilized milk	Total Ash	IS 1479 (Pt 2)
1968	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Raw/Pasteurized / Sterilized milk	Urea	IS 1479 (Pt 1)
1969	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rice	Average length of Kernel	ISO 7301
1970	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rice	Chalky Kernel	ISO 7301
1971	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rice	Damaged Kernel	ISO 7301

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 134 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1972	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rice	Extraneous Matter (Organic & Inorganic)	ISO 7301
1973	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rice	Heat Damaged Kernel	ISO 7301
1974	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rice	Immature Kernel	ISO 7301
1975	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rice	Partly gelatinized kernel	ISO 7301
1976	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rice	Peck	ISO 7301
1977	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rice	Red & Red Streaked kernel	ISO 7301
1978	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rice	Waxy Rice	ISO 7301
1979	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saccharin	Identification	IS 6385
1980	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saccharin	Moisture	IS 6385
1981	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saccharin	Purity	IS 6385
1982	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saccharin	Readily carbonizable substances	IS 5345
1983	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saccharin	Selenium	IS 5345
1984	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saccharin	Sulphated Ash	IS 6385
1985	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saccharin	Test for Benzoic acid & Salicylic acid	IS 6385

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	135 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1986	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saccharin	Total Heavy metals as Pb	IS 6385
1987	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Acid Insoluble Ash	IS 5453 (Pt 2)
1988	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Aroma Strength as Safranal	IS 5453(Pt 2)
1989	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Colouring strength as Crocin	FSSAI manual for spices & Condiments
1990	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Colouring strength as Crocin	IS 5453 (Pt 2)
1991	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Crude Fibre	FSSAI Manual for Spices & Condiments
1992	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Extraneous matter (Floral & Plant waste)	FSSAI manual for spices & Condiments
1993	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Extraneous matter (floral & plant waste)	IS 5453 (Pt 2)
1994	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Flavour Strength as Piccrocrocin	FSSAI manual for spices & Condiments
1995	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Floral Waste	FSSAI Manual for Spices & Condiments
1996	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Foreign matter (from other plants)	IS 5453 (Pt 2)
1997	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Identification	FSSAI manual for Spices & Condiments
1998	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Identification	IS 5453(Pt 2)
1999	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Moisture & Volatile matter	FSSAI manual for Spices & Condiments

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	136 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2000	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Moisture & Volatile matter	IS 5453 (Pt 2)
2001	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Soluble extract in Cold water	IS 5453 (Pt 2)
2002	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Total Ash	FSSAI manual for spices & Condiments
2003	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Total Ash	IS 5453 (Pt 2)
2004	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Saffron	Total Nitrogen	FSSAI Manual for Spices & Condiments
2005	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Semolina	Acid Insoluble Ash	IS 1010
2006	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Semolina	Alcoholic Acidity as H2SO4	IS 1010
2007	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Semolina	Gluten	IS 1010
2008	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Semolina	Microscopic appearance of starch granules	IS 1010
2009	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Semolina	Moisture	IS 1010
2010	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Semolina	Total Ash	IS 1010
2011	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Silver foil	Arsenic	IS 3110
2012	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Silver foil	Cadmium	IS 3110
2013	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Silver foil	Lead	IS 3110

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 137 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2014	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Silver Foil	Purity	IS 2113
2015	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Silver foil	Total Heavy Metals as Pb	IS 3110
2016	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Skimmed Milk Powder	Milk Protein	FSSAI Manual for Milk & Milk Products
2017	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Skimmed milk powder	Milk protein	IS 7219
2018	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Skimmed milk powder	Scorched particles	IS 13500
2019	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Skimmed Milk Powder	Titratable acidity	FSSAI Manual for Milk & Milk Products
2020	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Skimmed Milk Powder	Titratable acidity	IS 11766
2021	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Skimmed milk powder , Milk Powder	Milk Fat	FSSAI Manual for Milk & Milk Products
2022	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Skimmed Milk Powder , Milk Powder	Moisture	FSSAI Manual for Milk & Milk Products
2023	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Skimmed milk powder, Milk powder	Milk fat	IS 11721
2024	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Skimmed milk powder, Milk Powder	Moisture	IS 11623
2025	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Idli, Dosa mix, Vada mix)	Carbohydrates	IS 2234
2026	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Idli, Dosa mix, Vada mix)	Crude Fibre	IS 2234
2027	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Idli, Dosa mix, Vada mix)	Leavening Index	IS 2234

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 138 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2028	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Idli, Dosa mix, Vada mix)	Moisture	IS 2234
2029	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Namkeen / Deep fried snack food)	Acid Insoluble Ash	IS 15271
2030	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Namkeen / Deep fried snack food)	Acid value of Extracted fat	IS 15271
2031	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Namkeen / Deep fried snack food)	Fat	IS 15271
2032	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Namkeen / Deep fried snack food)	Moisture	IS 15271
2033	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Idli, Dosa Mix, Vada Mix)	Total Ash	IS 2234
2034	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Idli, Dosa Mix, Vada Mix)	Total Protein	IS 2234
2035	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Idli,Dosa mix, Vada Mix)	Acid Insoluble ash	IS 2234
2036	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Roasted groundnut kernels)	Acid Value of Extracted fat	IS 15271
2037	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Roasted groundnut kernels)	Fat	IS 15271
2038	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Roasted groundnut kernels)	Moisture	IS 4684
2039	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Vegetable Pulav mix, Curried dal mix)	Acid Insoluble Ash	IS 12569
2040	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Vegetable Pulav mix, Curried dal mix)	Fat	IS 12569
2041	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Vegetable Pulav mix, Curried dal mix)	Moisture	IS 12569

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	139 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2042	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Vegetable Pulav mix, Curried dal mix)	Presence of Kherasi dal	IS 2400
2043	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Vegetable Pulav mix, Curried dal mix)	Total Ash	IS 4684
2044	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Snacks & Instant Mixes (Vegetable pulav mix, Curried dal mix)	Uric Acid	IS 4333 (Pt 5)
2045	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sodium bicarbonate	pH of 1% solution	IS 2124
2046	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sodium bicarbonate	Total Alkalinity as NaHCO3	IS 2124
2047	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sodium Metabisulphite	Heavy metals as Pb	IS 4752
2048	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sodium Metabisulphite	Identification	IS 4752
2049	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sodium Metabisulphite	Iron	IS 4752
2050	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sodium Metabisulphite	pH	IS 4752
2051	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sodium Metabisulphite	Purity as Na2S2O5	IS 4752
2052	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sodium Metabisulphite	Water insoluble matter	IS 4752
2053	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Soluble Coffee Powder	Caffeine	IS 2791
2054	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Soluble coffee powder, Soluble coffee chicory powder	Moisture	IS 2791
2055	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Soluble coffee powder, Soluble coffee chicory powder	Solubility in boiling water	IS 2791

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	140 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2056	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Soluble coffee powder, Soluble coffee chicory powder	Solubility in cold water	IS 2791
2057	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sorbic Acid	Aldehyde	IS 4818
2058	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sorbic Acid	Identification	IS 4818
2059	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sorbic Acid	Melting range	IS 4818
2060	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sorbic Acid	Moisture	IS 4818
2061	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sorbic Acid	Purity	IS 4818
2062	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sorbic Acid	Sulphated ash	IS 4818
2063	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sorbic Acid	Test for stability	IS 4818
2064	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Soya flour	Urease activity	IS 7837
2065	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Starch Powder	Cold Water Solubles	IS 4706 (Pt 1)
2066	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Starch, Custard powder	Acid Insoluble Ash	IS 4706 (Pt 2)
2067	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Starch, Custard powder	Alcoholic Acidity	IS 4706 (Pt 2)
2068	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Starch, Custard powder	Moisture	IS 4706 (Pt 2)
2069	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Starch, Custard powder	pH of Aqueous extract	IS 4706 (Pt 2)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	141 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2070	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Starch, Custard powder	Protein	IS 4706 (Pt 2)
2071	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Starch, Custard powder	Total Ash	IS 4706 (Pt 2)
2072	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sterilized milk	Turbidity test	IS 4238
2073	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar	Colour	IS 15279
2074	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar	Conductivity Ash	FSSAI Manual for Sugar & Sugar Products
2075	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar	Conductivity ash	IS 15279
2076	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar	Polarization	FSSAI Manual for Sugar & Sugar Products
2077	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar	Polarization	IS 15279
2078	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur , Mishri	Moisture / Loss on Drying	FSSAI Manual for Sugar & Sugar Products
2079	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur , Mishri	Reducing Sugar	IS 15279
2080	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur , Mishri	Sulphur dioxide	FSSAI Manual for Sugar & Sugar Products
2081	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Added Colour	FSSAI manual
2082	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Arsenic	AOAC .06, 21st Ed
2083	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Arsenic	AOAC 986.15, 21st Ed

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	142 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2084	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Cadmium	AOAC ,06, 21st Ed
2085	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Cadmium	AOAC 999.11, 21st Ed
2086	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Chromium	AOAC 2013.16, 21st Ed
2087	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Extraneous matter	FSSAI manual for Beverages , Sugar & Sugar Products
2088	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Lead	AOAC .06, 21st Ed
2089	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Lead	AOAC 990.08, 21st Ed
2090	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Mercury	AOAC .06, 21st Ed
2091	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Mercury	AOAC 983.27, 21st Ed
2092	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Moisture / Loss on Drying	IS 15279
2093	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Sediment	IS 15279
2094	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sugar, Gur, Mishri	Sulphur dioxide	IS 15279
2095	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Sunset Yellow	Total Dye Content	IS 1695
2096	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic Food Colour Mixture	Total Dye Content	IS 5346
2097	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic food colours	Arsenic as As	IS 1699

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	143 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2098	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic Food Colours	Chlorides as Cl	IS 1699
2099	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic Food Colours	Chromium as Cr	AOAC 990.08, 21st Ed
2100	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic food colours	Chromium as Cr	IS 1699
2101	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic Food Colours	Combined Ether extract	IS 1699
2102	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic Food Colours	Copper as Cu	AOAC 990.08 21st Ed
2103	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic food colours	Copper as Cu	IS 1699
2104	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic Food colours	Dye Intermediate	IS 1699
2105	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic food colours	Heavy metals as Pb	IS 1699
2106	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic food colours	Lead as Pb	AOAC 990.08, 21st Ed
2107	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic food colours	Lead as Pb	IS 1699
2108	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic Food Colours	Loss on Drying	IS 1699
2109	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic food colours	Mercury as Hg	IS 1699
2110	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic food Colours	Subsidiary dyes	IS 1699
2111	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic Food Colours	sulphates as Na2SO4	IS 1699

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	144 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2112	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic Food Colours	Water insoluble matter	IS 1699
2113	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic Food colours	Zinc as Zn	AOAC 990.08 ,21st Ed
2114	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Synthetic Food colours	Zinc as Zn	IS 1699
2115	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Table Wine	Free Sulphur dioxide	FSSAI Manual for alcoholic beverages
2116	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Table Wine	Free Sulphur dioxide	IS 7585
2117	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Table Wine	Methyl Alcohol	IS 3752
2118	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Table wine	Reducing Sugars	IS 7585
2119	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Table Wine	Tannins	IS 7585
2120	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Table Wine	Total Acids as Tartaric Acid	IS 7585
2121	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Table Wine	Total Sulphur dioxide	FSSAI Manual for Alcoholic beverages
2122	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Table Wine	Total Sulphur dioxide	IS 7585
2123	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Table Wine	Volatile acids as Acetic Acid	IS 7585
2124	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Table Wines	Extracts	IS 7585
2125	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Table wines	pH	IS 7585

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 145 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2126	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tartrazine	Total Dye Content	IS 1694
2127	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tobacco, Chewing tobacco, Hooka tobacco, Quiwam, Bidis	Acid insoluble ash	IS 5643
2128	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tobacco, Herbal Hooka	Nicotine	AOAC 979.01, 20th ED
2129	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tobacco, Nasal Snuff	Freedom from Weevil attack	IS 5643
2130	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tobacco, Nasal Snuff	Total Chlorides	IS 5643
2131	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tobacco, Nasal Snuff, Chewing tobacco, Hooka tobacco, Quiwam, Bidis, Cigarettes	total Alkaloids as Nicotine	IS 5643
2132	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tobacco, Nasal Snuff, Chewing tobacco, Hooka tobacco, Quiwam, Bidis, Cigarettes	Total Ash	IS 5643
2133	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tobacco, Nasal Snuff, Hooka tobacco, Quiwam, Bidis, Cigarettes	Moisture / Loss on drying	IS 5643
2134	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee ,Candies, Chewing gum, Bubble gum	Sulphur dioxide	IS 6287
2135	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, chewing gum, Bubble gum	Acid Insoluble Ash	FSSAI Manual
2136	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, Chewing gum, Bubble gum	Acid Insoluble Ash	IS 6287
2137	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, chewing gum, Bubble gum	Fat	FSSAI Manual
2138	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, Chewing gum, Bubble gum	Fat	IS 6287
2139	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, chewing gum, Bubble gum	Moisture	FSSAI Manual

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	146 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2140	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, Chewing gum, Bubble gum	Moisture	IS 6287
2141	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, chewing gum, Bubble gum	Protein	FSSAI Manual
2142	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, Chewing gum, Bubble gum	Protein	IS 6287
2143	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, Chewing gum, Bubble gum	Reducing Sugars	IS 6287
2144	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, Chewing gum, Bubble gum	Sucrose	IS 6287
2145	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, chewing gum, Bubble gum	Sulphated Ash	FSSAI Manual
2146	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, Chewing gum, Bubble gum	Sulphated Ash	IS 6287
2147	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, chewing gum, Bubble gum	Sulphur dioxide	FSSAI Manual
2148	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, chewing gum, Bubble gum	Total Sugars	FSSAI Manual
2149	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Toffee, Candies, Chewing gum, Bubble gum	Total Sugars	IS 6287
2150	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tomato Ketchup	Benzoic Acid	IS 3500
2151	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tomato Ketchup	Organoleptic test	IS 3882
2152	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tomato Ketchup	Total Soluble solids	IS 3882
2153	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tomato Ketchup, Canned mango pulp	Acidity as Acetic acid	IS 2860

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 147 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2154	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tomato ketchup, Canned Mango pulp	Specific gravity	IS 2860
2155	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tomato puree	Sugar as Invert sugar	IS 3883
2156	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Turmeric (whole & powder), Asafoetida	Starch	IS 4706 (Pt 2)
2157	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Turmeric (Whole & Powder)	Curcumin	FSSAI manual fir spices & Condiments
2158	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Turmeric (Whole & Powder)	Curcumin	IS 10925
2159	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Turmeric (Whole & Powder)	Lead Chromate	FSSAI manual for Spices & Condiments
2160	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Turmeric (Whole & Powder)	Starch	FSSAI manual for Spices & Condiments
2161	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Turmeric (Powdered and finger)	Lead Chromate	FSAI Manual for Spices & Condiments
2162	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vanaspati	Baudouin test	IS 10633
2163	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vanaspati	Clarity	IS 10633
2164	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vanaspati	Nickel	FSSAI Manual for oils & fats
2165	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vanaspati	Nickel	IS 10633
2166	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vanaspati	Synthetic Vitamin A	IS 10633
2167	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vanaspati	Trans Fat	FSSAI manual for oils & fats

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	148 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2168	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vanaspati	Trans Fat	IS 10633
2169	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vanaspati , Ghee, Butter oil	Presence of Animal fat	IS 548 (Pt 2)
2170	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vanaspati ,Ghee, Butter oil	Presence of Animal Fat	FSSAI manual for oils & fats
2171	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Arsenic	AOAC .06, 21st Ed
2172	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Arsenic	AOAC 986.15, 21st Ed
2173	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Cadmium	AOAC .06, 21st Ed
2174	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Cadmium	AOAC 990.08, 21st Ed
2175	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Copper	AOAC 984.27, 21st Ed
2176	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Lead	AOAC .06, 21st Ed
2177	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Lead	AOAC 990.08, 21st Ed
2178	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Mercury	AOAC .06, 21st Ed
2179	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Mercury	AOAC 983.27, 21st Ed
2180	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Tin	AOAC 985.16, 21st Ed
2181	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vinegar	Total Acid as Acetic Acid	FSSAI manual for fruits & vegetable products

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 149 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2182	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vinegar	Total Acid as Acetic Acid	IS 3752
2183	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vinegar	Total Solids	FSSAI manual for fruit & vegetable products
2184	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Vinegar	Total solids	IS 14703
2185	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Walnuts, Cashew kernels, Chilgoza nuts	Acid Insoluble Ash	IS 4624
2186	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Walnuts, Cashew kernels, Chilgoza nuts	Extraneous matter (Visual)	IS 4624
2187	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Walnuts, Cashew kernels, Chilgoza nuts	Moisture	IS 4624
2188	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat Flour	Acid Insoluble Ash	IS 1155
2189	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat flour	Alcoholic acidity as H2SO4	IS 1155
2190	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat Flour	Crude Fibre	FSSAI Manual for Cereal & Cereal Products
2191	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat Flour	Crude fibre	IS 1155
2192	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat Flour	Microscopic appearance of Starch granules	IS 1155
2193	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat Flour	Moisture	FSSAI Manual for Cereal & Cereal Products
2194	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat flour	Moisture	IS 1155
2195	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat Flour	Total Ash	IS 1155

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	150 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2196	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	White, Refined sugar	Grade	IS 498
2197	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wine	Ethyl Alcohol	IS 7585
2198	CHEMICAL- GASES	Carbon Dioxide	Acid and SO2	IS 307
2199	CHEMICAL- GASES	Carbon Dioxide	Arsenic	IS 307
2200	CHEMICAL- GASES	Carbon Dioxide	Carbon monoxide	IS 307
2201	CHEMICAL- GASES	Carbon Dioxide	Moisture	IS 307
2202	CHEMICAL- GASES	Carbon Dioxide	Oil	IS 307
2203	CHEMICAL- GASES	Carbon Dioxide	Phosphene and H2S	IS 307
2204	CHEMICAL- GASES	Carbon Dioxide	Purity	IS 307
2205	CHEMICAL- GASES	CNG/PNG	Moisture	IS 307
2206	CHEMICAL- GASES	CNG/PNG	Oil	IS 307
2207	CHEMICAL- GASES	CNG/PNG	Particulate matter	IS 11255 (Pt 1) Under Non Iso-kinetic condition
2208	CHEMICAL- GASES	CNG/PNG	Sulphide as H2S	IS 11255 (Pt 4)
2209	CHEMICAL- GASES	Compressed Air	Carbon dioxide	SOP No. SRI/EPD- Air Lab /01
2210	CHEMICAL- GASES	Compressed Air	Carbon Monoxide	IS 5182 (Pt 10)
2211	CHEMICAL- GASES	Compressed Air	Moisture	IS 307
2212	CHEMICAL- GASES	Compressed Air	Oil	ISO 8573 (Pt 2) & IS 307
2213	CHEMICAL- GASES	Compressed Air	Particulate Matter	ISO 8573 (pt 2)
2214	CHEMICAL- GASES	Compressed Air	Particulate matter	S 11255 (Pt 1) Under Non Iso-kinetic conditions
2215	CHEMICAL- GASES	Compressed Air	Total Hydrocarbons as CH4	SOP No. SRI/EPD-air Lab/ 01
2216	CHEMICAL- GASES	Dissolved Acetylene Gas	Moisture	IS 308
2217	CHEMICAL- GASES	Dissolved Acetylene Gas	Phosphorous Compounds	IS 308
2218	CHEMICAL- GASES	Dissolved Acetylene Gas	sulphur compounds	IS 308
2219	CHEMICAL- GASES	Dissolved Acetylene Gas	Total Impurities insoluble in Acetone	IS 308
2220	CHEMICAL- GASES	Re-Liquefied Natural Gas (RLNG)	Moisture	IS 307
2221	CHEMICAL- GASES	Re-Liquefied Natural Gas (RLNG)	Oil	IS 307

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	151 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2222	CHEMICAL- GASES	Re-Liquefied Natural Gas (RLNG)	Particulate matter	IS 11255 (Pt 1) under non- Iso-kinetic condition
2223	CHEMICAL- GASES	Re-Liquefied Natural Gas (RLNG)	Sulphide as H2S	IS 11255 (Pt 4)
2224	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Packaging Material	Ethylene chlorohydrin	SRI/RES/031
2225	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Packaging material	Ethylene glycol	SRI/RES/030
2226	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Packaging Material	Ethylene oxide	SRI/RES/029
2227	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Packaging material	Phthalates	SRI/RES/034
2228	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic Bottles	Bisphenol A	SRI/RES/039
2229	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of Toys	Barium	IS 9873 (Pt 3) , ISO 8124 (Pt 3)
2230	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of Toys	Cadmium	IS 9873 (Pt 3) & ISO : 8124(part 3)
2231	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of Toys	Certain Phthalate Esters (Bis-(2-ethylhexyl) phthalate, DHEP)	IS 9873 (Pt 6) IS 9873 (Pt 9) & ISO : 8124 (Pt 6)
2232	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of toys	Certain Phthalate Esters (Di-iso-nonyl phthalate , DINP)	IS 9873 (Pt 6) IS 9873 (Pt 9) & ISO : 8124 (Pt 6)
2233	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of Toys	Certain Phthalate Esters (Di-n-butyl phthalate, DBP)	IS 9873 (Pt 6) , IS 9873(Pt 9) & ISO 8124 (Pt 6)
2234	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of Toys	Certain Phthalate Esters (Di-n-octyl phthalate, DNOP)	IS 9873 (Pt 6), IS 9873 (Pt 9) & ISO : 8124 (Pt 6)
2235	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of Toys	Certain Phthalate Esters(Benzyl butyl phthalate, BBP)	IS 9873 (Pt 6), IS 9873 (Pt 9) & ISO : 8124 (Pt 6)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 152 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2236	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of Toys	Migration of Certain elements (Antimony)	IS 9873(Pt 3) , ISO: 8124 (Pt 3)
2237	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of Toys	Migration of Certain elements (Arsenic)	IS 9873 (Pt 3) & ISO 8124 (Pt 3)
2238	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of Toys	Migration of Certain elements (Lead)	IS 9873(Pt 3) , ISO 8124 (Pt 3)
2239	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of Toys	Migration of Certain elements (Mercury)	IS 9873 (Pt 3) , ISO 8124 (Pt 3)
2240	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of Toys	Migration of Certain elements (Selenium)	IS 9873(Pt 3) & ISO 8124 (Pt 3)
2241	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toy materials & parts of Toys	Migration of Certain Elements (Chromium)	IS 9873 (Pt 3), ISO 8124 (Pt 3)
2242	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toys & Sport Equipment	Certain Phthalate Esters (Di-iso-decyl phthalate , DIDP)	IS 9873 (Pt 6) IS 9873 (Pt 9) & ISO : 8124 (Pt 6)
2243	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Water & Waste Water	Nonyl phenol & Nonyl phenol etoxylates	SRI/RES/044
2244	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Acetaldehyde	IS 695
2245	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Acetic Acid content	IS 695
2246	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Chlorides	IS 695
2247	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Crystallising point	IS 695
2248	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Formic Acid	IS 695
2249	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Heavy metal , including Fe (Calculated as Pb)	IS 695
2250	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Iron	IS 695
2251	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Oxidizable impurities	IS 695

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	153 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2252	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Relative Density	IS 695
2253	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Residue on evaporation	IS 695
2254	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Solubility in Water	IS 695
2255	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Sulphate s SO4	IS 695
2256	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetic Acid	Water content	IS 695
2257	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Acidity	IS 170
2258	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Alcoholic impurities	IS 170
2259	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Alkalinity	IS 170
2260	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Colour	IS 8768
2261	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Distillation range	IS 1448 (Pt 18)
2262	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Permanganate test	IS 170
2263	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Purity	SRI/PEST/094
2264	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Relative Density	IS 82
2265	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Residue on Evaporation	IS 82
2266	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Water (Karl Fischer)	IS 2362
2267	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Ammonia	IS 799
2268	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Arsenic	IS 799
2269	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Ca & Mg	IS 799
2270	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Carbonates as CO2	IS 799

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 154 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2271	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Chloride as Cl	IS 799
2272	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Copper	IS 799
2273	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Heavy Metals as Lead	IS 799
2274	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Iron	IS 799
2275	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Phosphate as PO4	IS 799
2276	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Pyridine homologous	IS 799
2277	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Reducing substances as O	IS 799
2278	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Residue on evaporation	IS 799
2279	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Silicate (as SiO2)	IS 799
2280	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Sulphate (As SO4)	IS 799
2281	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonia Liquor	Sulphide (As S)	IS 799
2282	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonium Chloride	Ammonium Chloride	IS 1113
2283	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonium Chloride	Arsenic	IS 1113
2284	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonium Chloride	Fe & Pb	IS 1113
2285	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonium Chloride	Iron	IS 1113
2286	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonium Chloride	Matter insoluble in water	IS 1113
2287	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonium Chloride	Moisture	IS 1113
2288	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonium Chloride	pH	IS 1113
2289	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonium Chloride	Sulphate	IS 1113

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 155 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2290	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ammonium Chloride	Total Sulphated residue	IS 1113
2291	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Benzalkonium chloride	Purity	IP Vol II, Page 1337-1338
2292	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Benzene	Purity	SRI/PEST/094
2293	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Bleaching Powder	Available Chlorine	IS 1065 (Pt 1)
2294	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Bleaching Powder	Keeping quality (after 30 days)	IS 1065 (Pt 1)
2295	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Bleaching Powder	Moisture	IS 1065 (Pt 1)
2296	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Bleaching Powder	Particle Size	IS 1065 (Pt 1)
2297	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Bleaching Powder	Stability	IS 1065 (Pt 1)
2298	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Boric Acid	Arsenic as As2O5	IS 263
2299	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Boric Acid	Boric Acid as H3BO4	IS 263
2300	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Boric Acid	Iron	IS 263
2301	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Boric Acid	Lead	IS 263
2302	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Boric Acid	Loss on drying	IS 263
2303	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Boric Acid	Solubility in Alcohol	IS 263
2304	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Boric Acid	Solubility in water	IS 263
2305	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Boric Acid	Sulphate	IS 263
2306	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Calcium Carbonate	Acid Insolubles	IS 7086 (Pt 1)
2307	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Calcium Carbonate	Calcium Carbonate & Magnesium Carbonate	IS 917
2308	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Calcium Carbonate	Chloride	IS 917

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	156 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2309	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Calcium Carbonate	Copper	IS 7086 (Pt 1)
2310	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Calcium Carbonate	Loss on ignition	IS 7086 (Pt 1)
2311	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Calcium Carbonate	Manganese	IS 7086 (Pt 1)
2312	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Calcium Carbonate	Mixed Oxides	IS 917
2313	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Calcium Carbonate	Moisture & Volatile matter	IS 917
2314	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Calcium Carbonate	pH	IS 7086 (Pt 1)
2315	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Calcium Carbonate	Sieve Residue	IS 7086 (Pt 1)
2316	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Calcium Carbonate	Total Fatty Matter	IS 917
2317	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Chloroform	Purity	SRI/PEST/094
2318	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Citric Acid (Monohydrated)	Arsenic	IS 5464
2319	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Citric Acid (Monohydrated)	Citric Acid	IS 5464
2320	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Citric Acid (Monohydrated)	Halides as cl	IS 5464
2321	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Citric Acid (Monohydrated)	Heavy metals as Lead	IS 5464
2322	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Citric Acid (Monohydrated)	Iron	IS 5464
2323	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Citric Acid (Monohydrated)	Oxalates	IS 5464
2324	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Citric Acid (Monohydrated)	Readily Carbonizable substances	IS 5464
2325	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Citric Acid (Monohydrated)	Sulphate	IS 5464
2326	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Citric Acid (Monohydrated)	Sulphated Ash	IS 5464
2327	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Citric Acid (Monohydrated)	Water Content	IS 5464

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	157 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2328	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Common Salt	Calcium Salt	IS 797
2329	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Common Salt	Iron Compound	IS 797
2330	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Common Salt	Magnesium Salt	IS 797
2331	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Common Salt	Matter insoluble in Water	IS 797
2332	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Common Salt	Moisture content	IS 797
2333	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Common Salt	Sodium chloride	IS 797
2334	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Common Salt	Sulphate	IS 797
2335	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Cyclohexane	Purity	SRI/PEST/094
2336	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Dichloro methane	Purity	SRI/PEST/094
2337	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Diethylene glycol	Acidity (as Acetic acid)	IS 7918
2338	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Diethylene glycol	Colour, Pt- CO Scale	IS 8768
2339	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Diethylene glycol	Distillation range (a. initial boiling point at 760 mm Hb , b. Dry point 760 mm Hg)	IS 7918
2340	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Diethylene glycol	Iron	IS 7918
2341	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Diethylene glycol	Mono- Ethylene glycol content	IS 7918
2342	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Diethylene glycol	Purity	SRI/PEST/094
2343	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Diethylene glycol	Relative Density at 27 degree C	IS 7918
2344	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Diethylene glycol	Tri- ethylene glycol content	IS 7918
2345	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Diethylene glycol	Water Content (Dean & Stark)	IS 7918

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 158 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2346	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Diethylene glycol	Water content (Karl Fischer)	IS 7918
2347	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Dimethyl Formamide	Purity	SRI/PEST/094
2348	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Dithiocarbamate based biocide	Purity	IS 4320
2349	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethanol	Purity	SRI/PEST/094
2350	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethyl Acetate	Purity	SRI/PEST/094
2351	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Acidity	IS 5295
2352	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Ash Content	IS 5295
2353	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Chlorides	IS 5295
2354	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Colour	IS 5295
2355	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Colour after boiling for 4 hours under total reflux	IS 5295
2356	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Diethylene glycol	IS 5295
2357	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Distillation range at 760 mm Hg (a. Initial boiling point , b. Temperature at which 95% of material shall distil)	IS 5295
2358	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Freezing Point	IS 5295
2359	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Iron Content	IS 5295
2360	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Moisture Content (Karl Fischer)	IS 5295
2361	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Purity	SRI/PEST/094
2362	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Relative Density	IS 5295
2363	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Ultra Violet transmittance in 1 cm cel at 220 nm	IS 5295

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	159 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2364	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Ultra Violet transmittance in 1 cm cell at 275 nm	IS 5295
2365	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ethylene Glycol	Ultra Violet transmittance in 1 cm cell at 350 nm	IS 5295
2366	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Anionic detergent (as MBAS)	IS 299
2367	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Arsenic (As As2O3)	IS 299
2368	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Basicity (as Al2O3) & Free Acidity (as H2SO4)	IS 299
2369	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Cadmium (as Cd)	IS 299
2370	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Chromium (as Cr)	IS 299
2371	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Insoluble matter	IS 299
2372	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Lead (as Pb)	IS 299
2373	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Manganese (as Mn)	IS 299
2374	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Mercury (as Hg)	IS 299
2375	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Organic Impurities : Phenolic Compound (as C6H5OH)	IS 299
2376	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	pH (of 5% solution)	IS 299
2377	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Selenium (as Se)	IS 299
2378	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Soluble iron compounds (as Fe)	IS 299
2379	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Ferric Alum	Water soluble aluminium compounds (As Al2O3)	IS 299
2380	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Formaldehyde	Acidity	IS 3321
2381	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Formaldehyde	Aldehyde Content	IS 3321
2382	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Formaldehyde	Ash	IS 3321

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	160 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2383	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Formaldehyde	Iron	IS 3321
2384	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hand Sanitizers	Alcohol	SOP No. SRI/RES/045
2385	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hexane	Purity	SRI/PESt/094
2386	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrochloric Acid	Total Acidity (as HCl)	IS 265
2387	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrochloric Acid	Ammonium Compounds (As NH4)	IS 265
2388	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrochloric Acid	Arsenic	IS 265
2389	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrochloric Acid	Free chlorine & Bromine	IS 265
2390	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrochloric Acid	Heavy metals (as Pb)	IS 265
2391	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrochloric Acid	Iron	IS 265
2392	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrochloric Acid	Mercury	IS 265
2393	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrochloric Acid	Residue on ignition	IS 265
2394	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrochloric Acid	Sulphate	IS 265
2395	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrochloric Acid	Sulphites	IS 265
2396	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrogen Peroxide	Acidity (as H2SO4)	IS 2080
2397	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrogen Peroxide	Arsenic	IS 2080
2398	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrogen Peroxide	Copper	IS 2080
2399	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrogen Peroxide	Iron	IS 2080
2400	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrogen Peroxide	Lead	IS 2080
2401	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrogen Peroxide	Residue on evaporation	IS 2080

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	161 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2402	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Hydrogen Peroxide	Strength (as H2O2)	IS 2080
2403	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Iso Octane	Purity	SRI/PEST/094
2404	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Iso- Propyl Alcohol	Purity	SRI/PEST/094
2405	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Menthol	Colour & Appearance	IS 326
2406	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Menthol	Melting Range	IS 326
2407	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Menthol	Non Volatile Matter	IS 3134
2408	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Menthol	Optical rotation, 10%(m/v) solution in 95 % Ethyl Alcohol	IS 326
2409	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Menthol	Purity	IS 3134
2410	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Methanol	Acidity	IS 517
2411	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Methanol	Aldehydes & Ketones , as Acetone	Is 517
2412	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Methanol	Alkalinity	IS 517
2413	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Methanol	Chorine & Chlorine Compounds	IS 517
2414	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Methanol	Distillation range	IS 1448(Pt 18)
2415	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Methanol	Purity	SRI/PEST/094
2416	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Methanol	Relative Density	IS 82
2417	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Methanol	Residue on Evaporation	IS 82
2418	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Methanol	Water (by Karl Fischer)	IS 2362
2419	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Naphthalene	Acid Wash Test	IS 539
2420	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Naphthalene	Colour	IS 539

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	162 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2421	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Naphthalene	Crystallising point	IS 539
2422	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Naphthalene	Matter insoluble in Benzene	IS 539
2423	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Naphthalene	Moisture	IS 539
2424	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Naphthalene	Non Volatile matter at 160 degree C	IS 539
2425	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Napthalene	Ash	IS 539
2426	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Neutral Spirit	Ethyl Alcohol	IS 323
2427	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Ammonium Salts	IS 264
2428	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Arsenic	IS 264
2429	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Chloride	IS 264
2430	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Iodine	IS 264
2431	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Iron	IS 264
2432	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Lead	IS 264
2433	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Manganese	IS 264
2434	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Nitrous acid	IS 264
2435	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Phosphate	IS 264
2436	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Residue on ignition	IS 264
2437	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Silicates	IS 264
2438	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Sulphate	Is 264
2439	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitric Acid	Total Acidity (As HNO3)	IS 264

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	163 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2440	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Nitrobenzene	Purity	SRI/PEST/094
2441	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Antimony	IS 798
2442	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Arsenic (as As2O3)	IS 798
2443	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Calcium as Ca & Magnesium as Mg	IS 798
2444	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Chlorides	IS 798
2445	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Heavy metals as Lead	IS 798
2446	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Iron (as Fe)	IS 798
2447	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Manganese	IS 798
2448	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Nitrates	IS 798
2449	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Orthophosphoric Acid (as H3PO4)	IS 798
2450	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Oxygen Absorbed	IS 798
2451	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Relative Density	IS 798
2452	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Silica as SiO2	IS 798
2453	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Sulphate	IS 798
2454	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Orthophosphoric Acid	Volatile acids	IS 798
2455	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Oxalic Acid	Calcium	IS 501
2456	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Oxalic Acid	Chlorides	IS 501
2457	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Oxalic Acid	Iron	IS 501
2458	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Oxalic Acid	Lead	IS 501

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 164 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2459	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Oxalic Acid	Magnesium	IS 501
2460	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Oxalic Acid	Nitrogen	IS 501
2461	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Oxalic Acid	Oxalic Acid	IS 501
2462	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Oxalic Acid	Solubility in Water	IS 501
2463	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Oxalic Acid	Sulphated Ash	IS 501
2464	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Oxalic Acid	Sulphates (As SO4)	IS 501
2465	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phenol	Active Ingredient	IS 538
2466	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phenol	Crystallization point	IS 538
2467	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phenol	Moisture (by Karl Fischer)	IS 538
2468	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phenol	Residue on Evaporation	Is 538
2469	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phenyl Ethyl Methyl Ester	Acid Value	IS 326 (Pt 7)
2470	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phenyl Ethyl Methyl Ester	Odour (Sensory)	IS 2284
2471	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phenyl Ethyl Methyl Ester	Peroxide Value	IS 7697
2472	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phenyl Ethyl Methyl Ester	Purity	IS 7697
2473	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phenyl Ethyl Methyl Ester	Refractive Index	IS 326 (Pt 5)
2474	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phenyl Ethyl Methyl Ester	Relative Density	IS 326(Pt 3)
2475	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphoric Acid	Arsenic	IS 1699
2476	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphoric Acid	Chlorides	IS 10508
2477	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphoric Acid	Fluoride	IS 10508

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	165 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2478	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphoric Acid	Heavy metal as Pb	IS 1699
2479	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphoric Acid	Nitrates	IS 10508
2480	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphoric Acid	Purity (as H3PO4)	IS 10508
2481	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphoric Acid	Sulphate	IS 10508
2482	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphoric Acid	Volatile Acids	IS 10508
2483	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Plasticizer esters	Acidity (as Phthalic acid)	IS 9591
2484	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Plasticizer esters	Ash	IS 9591
2485	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Plasticizer esters	Colour	IS 9591
2486	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Plasticizer esters	Colour after Heat treatment	IS 9591
2487	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Plasticizer esters	Ester Value	IS 9591
2488	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Plasticizer esters	Matter Oxidizable by Potassium dichromate	IS 9591
2489	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Plasticizer esters	Refractive Index	IS 9591
2490	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Plasticizer esters	Relative Density	IS 9591
2491	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Plasticizer esters	Volatile Loss	IS 9591
2492	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Plasticizer esters	Water content (Karl Fischer)	IS 9591
2493	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Aluminium (as Al2O3)	IS 15573
2494	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Arsenic	IS 15573
2495	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Basicity	IS 15573
2496	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Cadmium	IS 15573

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 166 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2497	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Chloride	IS 15573
2498	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Chromium	IS 15573
2499	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Insoluble matter	IS 15573
2500	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Iron	IS 15573
2501	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Lead	IS 15573
2502	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Manganse	IS 15573
2503	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Mercury	IS 15573
2504	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	pH	IS 15573
2505	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Specific Gravity	IS 15573
2506	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Sulphate	IS 15573
2507	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Poly Aluminium Chloride	Viscosity	IS 15573
2508	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium dichromate	Aluminium (as Al)	IS 250
2509	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium dichromate	Calcium (as CaSO4)	IS 250
2510	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium dichromate	Chlorides (as Cl)	IS 250
2511	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium dichromate	Matter insoluble in water	IS 250
2512	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium dichromate	Moisture	IS 250
2513	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium dichromate	Potassium dichromate (as K2Cr2O7)	IS 250
2514	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium dichromate	Sodium (as Na)	IS 250
2515	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium dichromate	Sulphates	IS 250

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	167 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2516	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Propylene glycol	Acidity	IS 13702
2517	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Propylene glycol	Arsenic	IS1699
2518	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Propylene glycol	Ethylene glycol	IS 13702
2519	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Propylene glycol	Heavy metals (as Pb)	IS 13702
2520	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Propylene glycol	Moisture (Karl Fischer)	IS 2362
2521	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Propylene glycol	Moisture (Dean & Stark)	IS 2362
2522	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Propylene glycol	Presence of other polyhydroxy compounds	IS 13702
2523	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Propylene glycol	Purity (as C3H8O2)	IS 137-2 & SRI/PEST/ 094
2524	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Propylene glycol	Sulphated Ash	IS13702
2525	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Soda Ash	Bulk Density	IS 251
2526	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Soda Ash	Chlorides (as Cl)	IS 251
2527	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Soda Ash	Iron (as Fe)	IS 251
2528	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Soda Ash	Matter Insoluble	IS 251
2529	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Soda Ash	Sulphate as Na2SO4	IS 251
2530	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Soda Ash	total alkalinity (as Na2CO3)	IS 251
2531	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Soda Ash	Volatile matter	IS 251
2532	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	Carbonates	IS 9157
2533	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	Chlorides (as Cl)	IS 9157
2534	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	Copper (as Cu)	IS 9157

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	168 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2535	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	Iron (as Fe)	IS 9157
2536	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	Manganese	IS 9157
2537	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	Matter insoluble in water	IS 9157
2538	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	Moisture & Volatile matter	IS 9157
2539	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	Nitrites	IS 9157
2540	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	Potassium Compounds (K)	IS 9157
2541	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	Potassium Nitrate (As KNO3)	IS 9157
2542	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	Sodium Compounds (Na)	IS 9157
2543	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	Sodium Nitrate (As NaNO3)	IS 9157
2544	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium & Potassium Nitrate	sulphates (As SO4)	IS 9157
2545	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Ammonium compounds (As NH4)	IS 2124
2546	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Arsenic	IS 2124
2547	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Calcium	IS 2124
2548	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Chlorides	IS 2124
2549	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Copper	IS 2124
2550	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Insoluble matter	IS 2124
2551	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Iron (as Fe)	IS 2124
2552	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Lead	IS 2124
2553	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Nitrates	IS 2124

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	169 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2554	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	pH	IS 2124
2555	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Phosphates	IS 2124
2556	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Potassium	IS 2124
2557	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Silicates (As SiO2)	IS 2124
2558	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Substances reducing iodine	IS 2124
2559	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	sulphate (As SO4)	IS 2124
2560	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bicarbonate	Total Alkalinity (NaHCO3)	IS 2124
2561	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bichromate	Calcium compounds (as CaSO4)	IS 249
2562	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bichromate	Chlorides (as NaCl)	IS 249
2563	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bichromate	Free Moisture	IS 249
2564	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bichromate	Matter Insoluble in water	IS 249
2565	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bichromate	pH Value	IS 249
2566	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bichromate	Sodium bichromate (as Na2Cr2O7)	IS 249
2567	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium bichromate	Sulphates (as Na2SO4)	IS 249
2568	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Carbonate	Alkalinity (Na2CO3)	IS 296
2569	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Carbonate	Ammonia (As NH4)	IS 296
2570	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Carbonate	Chlorides (as Cl)	IS 296
2571	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Carbonate	Copper (as Cu)	IS 296
2572	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Carbonate	Heavy metals (as Pb)	IS 296

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	170 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2573	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Carbonate	Iron (as Fe)	IS 296
2574	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Carbonate	Loss on ignition	IS 296
2575	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Carbonate	Matter Insoluble in Water	IS 296
2576	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Carbonate	Nitrates (as NO3)	IS 296
2577	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Carbonate	Phosphates (As PO4)	IS 296
2578	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Carbonate	Silicates (As SiO2)	IS 296
2579	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Carbonate	Sulphates (as SO4)	IS 296
2580	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Ammonium Salts (As NH4)	IS 4408
2581	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Arsenic (as As)	IS 4408
2582	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Barium (as Ba)	IS 4408
2583	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Bromides & Iodides	IS 4408
2584	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Calcium & Magnesium together (as Ca)	IS 4408
2585	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Ferro Cyanide (as Fe(CN)6)	IS 4408
2586	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Heavy metals (as Pb)	IS 4408
2587	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Insoluble matter	IS 4408
2588	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Iron (As Fe)	IS 4408
2589	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Nitrates (As NO3)	IS 4408
2590	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	pH (of 10% Solution)	IS 4408
2591	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Phosphates (as PO4)	IS 4408

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	171 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2592	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Potassium (as K)	IS 4408
2593	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Sodium chloride	IS 4408
2594	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium chloride (Analytical reagent)	Sulphate (As SO4)	IS 4408
2595	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Hydroxide Lye & Flakes	Chlorate & Perchlorate	IS 252
2596	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Hydroxide Lye & Flakes	Chlorides	IS 252
2597	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Hydroxide Lye & Flakes	Copper (as Cu)	IS 252
2598	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Hydroxide Lye & Flakes	Iron (as Fe)	IS 252
2599	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Hydroxide Lye & Flakes	Manganese (as Mn)	IS 252
2600	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Hydroxide Lye & Flakes	Matter Insoluble	IS 252
2601	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Hydroxide Lye & Flakes	Silicates (As SiO2)	IS 252
2602	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Hydroxide Lye & Flakes	Sodium Carbonate (As Na2CO3)	IS 252
2603	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Hydroxide Lye & Flakes	Sodium Hydroxide (As NaOH)	IS 252
2604	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Hydroxide Lye & Flakes	Sodium Hydroxide (Dry basis)	IS 252
2605	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Hydroxide Lye & Flakes	Sulphates (As SO4)	IS 252
2606	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Hydroxide Lye & Flakes	Total Hg	IS 252
2607	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium hypo chlorite	Available chlorine (as Cl)	IS 11673
2608	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium hypo chlorite	Free Alkali (As NaOH)	IS 11673
2609	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium hypo chlorite	Free Sodium Carbonates (As Na2CO3)	IS 11673
2610	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium hypo chlorite	Iron (as Fe)	IS 11673

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	172 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2611	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium hypo chlorite	Relative Density at 25 / 25 degree C	IS 11673
2612	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium hypo chlorite	Sodium Chlorate (As NaClO3)	IS 11673
2613	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium hypo chlorite	Total Chlorine (As Cl)	IS 11673
2614	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Sulphate	Chlorides (As NaCl)	IS 255
2615	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Sulphate	Irom, Alumina , Chromium (As R2O3)	IS 255
2616	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Sulphate	Iron (as Fe)	IS 255
2617	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Sulphate	Loss on Drying	IS 255
2618	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Sulphate	Matter insoluble in Water	IS 255
2619	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Sulphate	pH (10% Solution)	IS 255
2620	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Sulphate	Sodium Sulphate (As Na2SO4)	IS 255
2621	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium thiosulphate	Heavy metal (as Pb)	IS 246
2622	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium thiosulphate	Insoluble matter & metal other than alkali metal	IS 246
2623	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium thiosulphate	Iron	IS 246
2624	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium thiosulphate	pH (of 10% solution)	IS 246
2625	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium thiosulphate	Sodium sulphide (As Na2S)	IS 246
2626	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium thiosulphate	Sodium thiosulphate (as Na2S2O3)	IS 246
2627	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Ammonia	IS 266
2628	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Arsenic	IS 266
2629	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Chloride	IS 266

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	173 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2630	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Copper	IS 266
2631	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Iron	IS 266
2632	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Lead	IS 266
2633	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Manganese	IS 266
2634	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Nitrates	IS 266
2635	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Nitrites, Nitrates & Ammonia	IS 266
2636	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Organic Matter	IS 266
2637	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Oxidizable impurities	IS 266
2638	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Residue on Evaporation	IS 266
2639	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Selenium	IS 266
2640	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Total Acidity (as H2SO4)	IS 266
2641	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphuric Acid	Zinc	IS 266
2642	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Tetra Hydrofuran(THF)	Purity	SRI/PEST/094
2643	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Toluene	Purity	SRI/PST/094
2644	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Xylene	Purity	SRI/PEST/094
2645	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Zinc Oxide	Oil Absorption	IS 33
2646	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Zinc Oxide	Residue on sieve	IS 33
2647	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Zinc Oxide	Sulphur content	IS 35
2648	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Zinc Oxide	Volatile matter	IS 33

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 174 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2649	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Zinc Oxide	Water Solubles	IS 33
2650	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Zinc Oxide	Zinc Oxide	IS 35
2651	CHEMICAL- LUBRICANTS	Engine oil	Evaporation Loss	IS 1448 (Pt 136)
2652	CHEMICAL- LUBRICANTS	Engine oil	Flash Point (COC)	IS 1448 (Pt 69) & ASTM D 92
2653	CHEMICAL- LUBRICANTS	Engine oil	Foaming Tendency / Stability	IS 1448 (Pt 67) & ASTM D 892
2654	CHEMICAL- LUBRICANTS	Engine Oil	Kinematic Viscosity	ASTM D 445
2655	CHEMICAL- LUBRICANTS	Engine oil	Kinematic Viscosity	IS 1448 (Pt 25) & ASTM D 445
2656	CHEMICAL- LUBRICANTS	Engine Oil	Kinematic Viscosity	IS 1448 pt 25
2657	CHEMICAL- LUBRICANTS	Engine oil	Pour Point	IS 1448 (Pt 10) & ASTM D 97
2658	CHEMICAL- LUBRICANTS	Gear Lubricants	Ash content	IS 1448 (Pt 4) 2007 & ASTM D 482
2659	CHEMICAL- LUBRICANTS	Gear Lubricants	Carbon Residue (Ramsbottom)	IS 1448 (Pt 8)
2660	CHEMICAL- LUBRICANTS	Gear Lubricants	Copper Strip Corrosion	IS 1448 (Pt 15)
2661	CHEMICAL- LUBRICANTS	Gear Lubricants	Flash Point (COC)	IS 1448 (Pt 69) 2013 & ASTM D 92
2662	CHEMICAL- LUBRICANTS	Gear Lubricants	Foaming Characteristics	IS 1448 (Pt 67) & ASTM D 892
2663	CHEMICAL- LUBRICANTS	Gear Lubricants	Kinematic Viscosity	IS 1448 (Pt 25) & ASTM D 445
2664	CHEMICAL- LUBRICANTS	Gear Lubricants	Pour Point	IS 1448 (Pt 10) 2013 & ASTM D 97
2665	CHEMICAL- LUBRICANTS	Gear Lubricants	Rust Preventive Characteristics	IS 1448 (Pt 96)
2666	CHEMICAL- LUBRICANTS	Gear Lubricants	Saponification value	IS 1448 (Pt 55)
2667	CHEMICAL- LUBRICANTS	Gear Lubricants	Viscosity Index	IS 1448 (Pt 56) : 2013 & ASTM D 2270
2668	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Consistency & Work penetration	IS 1448 (Pt 60)
2669	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Copper Strip corrosion	IS 1448 (Pt 51)
2670	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Drop Point	IS 1448 (Pt 52) & ASTMD 566
2671	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Evaporation loss	IS 1448 (Pt 61)
2672	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Flash Point (COC)	IS 1448 (Pt 69)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 175 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2673	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Four Ball test (Scar dia)	ASTM D 2266
2674	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Four ball test (Weld Load)	ASTM D 2596 & ASTM D 2783
2675	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Free alkalinity (as Ca(OH)2 & NaOH)	IS 1448 (Pt 53)
2676	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Free Organic Acidity (as Oleic acid)	IS 1448 (Pt 53)
2677	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Heat Stability	IS 1448 (Pt 62) 1974 & IS 1448 (Pt 89)
2678	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Insoluble in grease	IS 1448 (Pt 58)
2679	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Kinematic viscosity	ASTM D 445
2680	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Kinematic Viscosity	IS 1448 (Pt 25)
2681	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Oxidation Stability	IS 1448 (Pt 69)
2682	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Sulphated Ash	IS 1448 (Pt 4)
2683	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Viscosity Index	IS 1448 (Pt 56) & ASTM D 2270
2684	CHEMICAL- LUBRICANTS	Grease (Automotive , General Purpose , Locomotive , Wheel bearing , Antifriction)	Water content	IS 1448 (Pt 40)
2685	CHEMICAL- LUBRICANTS	Turbine Lubricating Oil	Acidity	ASTM D 974
2686	CHEMICAL- LUBRICANTS	Turbine Lubricating Oil	Air Release Value	IS 1448 (Pt 102)
2687	CHEMICAL- LUBRICANTS	Turbine Lubricating Oil	Copper Strip Corrosion	Is 1448 (Pt 15)
2688	CHEMICAL- LUBRICANTS	Turbine Lubricating Oil	Density	IS 1448 (Pt 32)
2689	CHEMICAL- LUBRICANTS	Turbine Lubricating Oil	Emulsion characteristics	IS 1448 (Pt 91)
2690	CHEMICAL- LUBRICANTS	Turbine Lubricating Oil	Flash Point (COC)	IS 1448 (Pt 69) & ASTM D 92
2691	CHEMICAL- LUBRICANTS	Turbine Lubricating Oil	Foaming Characteristics	IS 1448 (Pt 67) & ASTM D 892
2692	CHEMICAL- LUBRICANTS	Turbine Lubricating Oil	Kinematic Viscosity	IS 1448 (Pt 25) & ASTM D 445
2693	CHEMICAL- LUBRICANTS	Turbine Lubricating Oil	Oxidation Stability	IS 1448 (Pt 106) & ASTM D 942
2694	CHEMICAL- LUBRICANTS	Turbine Lubricating Oil	Pour Point	IS 1448 (Pt 10)
2695	CHEMICAL- LUBRICANTS	Turbine Lubricating Oil	Rust Preventive Characteristics	IS 1448 (Pt 96)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 176 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2696	CHEMICAL- LUBRICANTS	Turbine Lubricating Oil	Viscosity Index	IS 1448 (Pt 56) & ASTM D 2270
2697	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	Anodised Al section	Anodic coating thickness	IS 5523
2698	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	Copper & its alloys , Zinc & its alloys , Ferrous alloys products	Chromium coating	IS 3203
2699	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	Copper & its alloys , Zinc & its alloys , Ferrous alloys products	Nickel coating	IS 3203
2700	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	EPNS ware	Silver coating	IS 3203
2701	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	GI Pipe	Mass of zinc coating	IS 6745
2702	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	GI sheet	Mass of zinc coating (Both side inclusive)	IS 6745
2703	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	GI Sheet	Mass of Zinc coating (both side inclusive)	IS 6745
2704	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	GI Sheet	Mass of zinc coating (Both side inclusive)	IS 6745
2705	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	GI Wire	Mass of zinc coating	IS 6745
2706	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	Gold plated articles	Gold Coating	IS 12114 (Pt 2)
2707	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	Gold Plated articles	Gold Coating	IS 3266
2708	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	Mild steel phosphate coated products	Phosphate coating	IS 3618
2709	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	Mirror	Copper coating	IS 3438

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	177 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2710	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	Mirror	Silver Coating	IS 3438
2711	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	Structural Steel and Other allied products	Mass of Zinc coating	IS 6745
2712	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	Tin Sheet	Mass of Tin coating	IS 1327
2713	CHEMICAL- METALS & ALLOYS	Alumimium	Lead	ASTM E 3061
2714	CHEMICAL- METALS & ALLOYS	Aluminium	Aluminium	SOP No. SRI/CHE-MET/23
2715	CHEMICAL- METALS & ALLOYS	Aluminium	Chromium	ASTM E 3061
2716	CHEMICAL- METALS & ALLOYS	Aluminium	Iron	ASTM E 3061
2717	CHEMICAL- METALS & ALLOYS	Aluminium	Magnesium	ASTM E 3061
2718	CHEMICAL- METALS & ALLOYS	Aluminium	Manganese	ASTM E 3061
2719	CHEMICAL- METALS & ALLOYS	Aluminium	Nickel	ASTM E 3061
2720	CHEMICAL- METALS & ALLOYS	Aluminium	Silicon	IS 504 (Pt 1)
2721	CHEMICAL- METALS & ALLOYS	Aluminium	Titanium	ASTM E 3061
2722	CHEMICAL- METALS & ALLOYS	Aluminium	Zinc	ASTM E 3061
2723	CHEMICAL- METALS & ALLOYS	Aluminium alloy	Chromium	ASTM E 1251
2724	CHEMICAL- METALS & ALLOYS	Aluminium alloy	Copper	ASTM E 1251
2725	CHEMICAL- METALS & ALLOYS	Aluminium alloy	Iron	ASTM E 1251
2726	CHEMICAL- METALS & ALLOYS	Aluminium alloy	Lead	ASTM E 1251
2727	CHEMICAL- METALS & ALLOYS	Aluminium alloy	Magnesium	ASTM E 1251

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	178 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2728	CHEMICAL- METALS & ALLOYS	Aluminium alloy	Manganese	ASTM E 1251
2729	CHEMICAL- METALS & ALLOYS	Aluminium alloy	Nickel	ASTM E 1251
2730	CHEMICAL- METALS & ALLOYS	Aluminium alloy	Silicon	ASTM E 1251
2731	CHEMICAL- METALS & ALLOYS	Aluminium alloy	Titanium	ASTM E 1251
2732	CHEMICAL- METALS & ALLOYS	Aluminium alloy	Zinc	ASTM E 1251
2733	CHEMICAL- METALS & ALLOYS	Brass	Arsenic	SRI/CHE-MET/06
2734	CHEMICAL- METALS & ALLOYS	Brass	Bismuth	SRI/CHEM/09
2735	CHEMICAL- METALS & ALLOYS	Brass	Copper	IS 3685
2736	CHEMICAL- METALS & ALLOYS	Brass	Iron	SRI/CHE-MET/06
2737	CHEMICAL- METALS & ALLOYS	Brass	Lead	SRI/CHE-MET/06
2738	CHEMICAL- METALS & ALLOYS	Brass	Manganese	SRI/CHE-MET/06
2739	CHEMICAL- METALS & ALLOYS	Brass	Nickel	SRI/CHE-MET/06
2740	CHEMICAL- METALS & ALLOYS	Brass	Phosphorous	IS 3685
2741	CHEMICAL- METALS & ALLOYS	Brass	Silicon	IS 3685
2742	CHEMICAL- METALS & ALLOYS	Brass	Tin	SRI/CHE-MET/06
2743	CHEMICAL- METALS & ALLOYS	Brass	Zinc	IS 3685
2744	CHEMICAL- METALS & ALLOYS	Bronze	Bismuth	SRI/CHEM/09
2745	CHEMICAL- METALS & ALLOYS	Bronze	Copper	IS 4027 (Part 1)
2746	CHEMICAL- METALS & ALLOYS	Bronze	Iron	SRI/CHE-MET/05

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 179 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2747	CHEMICAL- METALS & ALLOYS	Bronze	Lead	IS 4027 (Part 1)
2748	CHEMICAL- METALS & ALLOYS	Bronze	Nickel	SRI/CHE-MET/05
2749	CHEMICAL- METALS & ALLOYS	Bronze	Phosphorous	IS 4027 (Part 3)
2750	CHEMICAL- METALS & ALLOYS	Bronze	Tin	IS 4027 (Part 5)
2751	CHEMICAL- METALS & ALLOYS	Bronze	Zinc	IS 4027 (Part 6), IS 7608 clause 6.2
2752	CHEMICAL- METALS & ALLOYS	Cast Iron & Pig Iron	Carbon	IS 12308 (Part 11)
2753	CHEMICAL- METALS & ALLOYS	Cast Iron & Pig Iron	Chromium	IS 12308 (Part 8)
2754	CHEMICAL- METALS & ALLOYS	Cast Iron & Pig Iron	Copper	IS 12308 (Part 12)
2755	CHEMICAL- METALS & ALLOYS	Cast Iron & Pig Iron	Manganese	SI No. CHE-MET/18
2756	CHEMICAL- METALS & ALLOYS	Cast Iron & Pig Iron	Nickel	SRI/CHE-MET/18
2757	CHEMICAL- METALS & ALLOYS	Cast Iron & Pig Iron	Phosphorous	IS 12308 (Part 5)
2758	CHEMICAL- METALS & ALLOYS	Cast Iron & Pig Iron	Silicon	IS 12308 (Pt 6)
2759	CHEMICAL- METALS & ALLOYS	Cast Iron & Pig Iron	Sulphur	IS 12308 (Part 2)
2760	CHEMICAL- METALS & ALLOYS	Ceramic wares, Vitreous enamel ware , Glass ware , EPNS wares in contact with food	Toxic materials release test for Lead & Cadmium per surface area (Cadmium)	IS 9806
2761	CHEMICAL- METALS & ALLOYS	Ceramic wares, Vitreous enamel ware , Glass wares, EPNS wares in contact with food	Toxic materials release test for Lead & Cadmium per surface area (Lead)	IS 9806
2762	CHEMICAL- METALS & ALLOYS	Ceramic Wares, Vitreous enamel ware, Glass wares , EPNS wares in contact with food	Toxic materials release test for Lead & Cadmium per surface area (Lead)	IS 12038 (Pt 1 & 2)
2763	CHEMICAL- METALS & ALLOYS	Ceramic wares, Vitreous enamel ware, Glass wares, EPNS wares in contact with food	Toxic materials release test for Lead & Cadmium per surface area (Cadmium)	IS 12038 (Pt 1 & 2)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	180 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2764	CHEMICAL- METALS & ALLOYS	Copper	Antimony	SRI/CHE-MET/09
2765	CHEMICAL- METALS & ALLOYS	Copper	Arsenic	SRI/CHE-MET/09
2766	CHEMICAL- METALS & ALLOYS	Copper	Bismuth	SRI/CHE-MET/09
2767	CHEMICAL- METALS & ALLOYS	Copper	Copper	IS 440
2768	CHEMICAL- METALS & ALLOYS	Copper	Iron	SRI/CHE-MET/09
2769	CHEMICAL- METALS & ALLOYS	Copper	Lead	SRI/CHE-MET/09
2770	CHEMICAL- METALS & ALLOYS	Copper	Nickel	SRI/CHE-MET/09
2771	CHEMICAL- METALS & ALLOYS	Copper	Phosphorous	SRI/CHE-MET/09
2772	CHEMICAL- METALS & ALLOYS	Copper	Selenium	SRI/CHE-MET/09
2773	CHEMICAL- METALS & ALLOYS	Copper	Silver	SRI/CHEM/09
2774	CHEMICAL- METALS & ALLOYS	Copper	Sulphur	SRI/CHEM/09
2775	CHEMICAL- METALS & ALLOYS	Copper	Tellurium	SRI/CHE-MET/09
2776	CHEMICAL- METALS & ALLOYS	Copper	Tin	SRI/CHE-MET/09
2777	CHEMICAL- METALS & ALLOYS	Ferro Manganese	Carbon	SRI/CHE -MET/03
2778	CHEMICAL- METALS & ALLOYS	Ferro Manganese	Manganese	IS 1559 Pt 7
2779	CHEMICAL- METALS & ALLOYS	Ferro Manganese	Phosphorous	IS 1559 Pt 4
2780	CHEMICAL- METALS & ALLOYS	Ferro Manganese	Silicon	IS 1559 Pt 1
2781	CHEMICAL- METALS & ALLOYS	Ferro Manganese	Sulphur	IS 1559 Pt 3
2782	CHEMICAL- METALS & ALLOYS	Lead & alloy	Antimony	IS 403

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 181 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2783	CHEMICAL- METALS & ALLOYS	Lead & alloy	Arsenic	SRI/CHE-MET/20
2784	CHEMICAL- METALS & ALLOYS	Lead & alloy	Bismuth	SRI/CHE-MET/20
2785	CHEMICAL- METALS & ALLOYS	Lead & alloy	Copper	SRI/CHE-MET/20
2786	CHEMICAL- METALS & ALLOYS	Lead & alloy	Iron	SRI/CHE-MET/20
2787	CHEMICAL- METALS & ALLOYS	Lead & alloy	Lead	SRI/CHE-MET/24
2788	CHEMICAL- METALS & ALLOYS	Lead & alloy	Silver	SRI/CHE-MET/20
2789	CHEMICAL- METALS & ALLOYS	Lead & alloy	Tin	SRI/CHE-MET/20
2790	CHEMICAL- METALS & ALLOYS	Lead & alloy	Zinc	SRI/CHE-MET/20
2791	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Copper	ASTM E 415
2792	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Aluminium	ASTM E 415
2793	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Aluminium	SOP SRI /CHE-MET/01
2794	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Boron	ASTM E 415
2795	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Boron	SOP No. SRI/CHE-MET/01
2796	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Carbon	ASTM E 415
2797	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Carbon	IS 228 (Part 1)
2798	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Chromium	ASTM E 415
2799	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Chromium	IS 228 (Part 6)
2800	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Cobalt	ASTM E 415
2801	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Cobalt	SOP SRI/CHE-MET/01

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 182 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2802	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Copper	SOP No. SRI/CHE-MET/15
2803	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Manganese	ASTM E 415
2804	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Manganese	IS 228 (Part 2)
2805	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Manganese	IS 228 (Pt 12)
2806	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Manganese	SOP No. SRI/CHE-MET/01
2807	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Molybdenum	SOP No. SRI/CHE-MET/15
2808	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Molybednum	ASTM E 415
2809	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Nickel	ASTM E 415
2810	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Nickel	SOP No. SRI/CHE-MET/15
2811	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Niobium	ASTM E 415
2812	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Niobium	SOP No. SRI/CHE-MET/01
2813	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Nitrogen	ASTM E 415
2814	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Nitrogen	SOP No. SRI/CHE-MET/10
2815	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Phosphorous	ASTM E 415
2816	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Phosphorous	IS 228 (Part 3)
2817	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Silicon	ASTM E 415
2818	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Silicon	IS 228 (Part 8)
2819	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Sulphur	ASTM E415
2820	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Sulphur	IS 228 (Part 9)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	183 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2821	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Titanium	ASTM E 415
2822	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Titanium	SOP SRI/CHE-MET/01
2823	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Vanadium	ASTM E 415
2824	CHEMICAL- METALS & ALLOYS	Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Vanadium	SOP SRI/CHE-MET/01
2825	CHEMICAL- METALS & ALLOYS	Low Alloy steel Low Alloy steel , Low Carbon Steel, Medium carbon & High Carbon steel	Copper	ASTM E 415
2826	CHEMICAL- METALS & ALLOYS	Nickel & alloy	Aluminium	IS 14644 (Part 7)
2827	CHEMICAL- METALS & ALLOYS	Nickel & alloy	Carbon	IS 1952
2828	CHEMICAL- METALS & ALLOYS	Nickel & alloy	Chromium	IS 14644 (Part 3)
2829	CHEMICAL- METALS & ALLOYS	Nickel & alloy	Cobalt	IS 14644 (Part 2)
2830	CHEMICAL- METALS & ALLOYS	Nickel & alloy	Iron	IS 14644 (Part 5)
2831	CHEMICAL- METALS & ALLOYS	Nickel & alloy	Manganese	IS 14644 (Part 6)
2832	CHEMICAL- METALS & ALLOYS	Nickel & alloy	Nickel	IS 1952
2833	CHEMICAL- METALS & ALLOYS	Silico Manganese	Carbon	IS 1559 Pt 2
2834	CHEMICAL- METALS & ALLOYS	Silico Manganese	Manganese	IS 1559 Pt 7
2835	CHEMICAL- METALS & ALLOYS	Silico Manganese	Phosphorous	IS 1559 Pt 4
2836	CHEMICAL- METALS & ALLOYS	Silico Manganese	Silicon	IS 1559 Pt 1
2837	CHEMICAL- METALS & ALLOYS	Silico Manganese	Sulphur	IS 1559 Pt 3
2838	CHEMICAL- METALS & ALLOYS	Stainless Steel	Carbon	ASTM E 1086
2839	CHEMICAL- METALS & ALLOYS	Stainless Steel	Carbon	IS 228 (Part 1)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	184 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2840	CHEMICAL- METALS & ALLOYS	Stainless Steel	Chromium	ASTM E 1086
2841	CHEMICAL- METALS & ALLOYS	Stainless Steel	Chromium	IS 228 (Part 6)
2842	CHEMICAL- METALS & ALLOYS	Stainless Steel	Cobalt	SRI/ CHE-MT/15
2843	CHEMICAL- METALS & ALLOYS	Stainless Steel	Copper	SRI/CHE-MET/15
2844	CHEMICAL- METALS & ALLOYS	Stainless Steel	Manganese	ASTM E 1086
2845	CHEMICAL- METALS & ALLOYS	Stainless Steel	Manganese	IS 228 (Part 12)
2846	CHEMICAL- METALS & ALLOYS	Stainless Steel	Manganese	IS 228 (Pt 2)
2847	CHEMICAL- METALS & ALLOYS	Stainless Steel	Manganese	SRI/CHE-MET/15
2848	CHEMICAL- METALS & ALLOYS	Stainless Steel	Molybdenum	SRI/CHE-MET/15
2849	CHEMICAL- METALS & ALLOYS	Stainless Steel	Molybednum	ASTM E 1086
2850	CHEMICAL- METALS & ALLOYS	Stainless Steel	Molybednum	IS 228 (Part 7)
2851	CHEMICAL- METALS & ALLOYS	Stainless Steel	Nickel	ASTM E 1086
2852	CHEMICAL- METALS & ALLOYS	Stainless Steel	Nickel	IS 228 (Part 5)
2853	CHEMICAL- METALS & ALLOYS	Stainless Steel	Niobium	SOP SRI/CHE-MET/16
2854	CHEMICAL- METALS & ALLOYS	Stainless steel	Nitrogen	ASTM E 1086
2855	CHEMICAL- METALS & ALLOYS	Stainless Steel	Nitrogen	SOP No. SRI/CHE-MET/10
2856	CHEMICAL- METALS & ALLOYS	Stainless Steel	Phosphorous	ASTM E 1086
2857	CHEMICAL- METALS & ALLOYS	Stainless Steel	Phosphorous	IS 228 (Part 3)
2858	CHEMICAL- METALS & ALLOYS	Stainless Steel	Silicon	ASTM E 1086

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	185 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2859	CHEMICAL- METALS & ALLOYS	Stainless Steel	Silicon	IS 228 (Part 8)
2860	CHEMICAL- METALS & ALLOYS	Stainless Steel	Sulphur	SRI/CHE-MET/14
2861	CHEMICAL- METALS & ALLOYS	Stainless Steel	Sulphur	ASTM E 1086
2862	CHEMICAL- METALS & ALLOYS	Stainless Steel	Titanium	SOP SRI/CHE-MET/15
2863	CHEMICAL- METALS & ALLOYS	Stainless Steel	Tungsten	SRI/CHE-MET/16
2864	CHEMICAL- METALS & ALLOYS	Stainless Steel	Vanadium	SOP SRI/CHE-MET/15
2865	CHEMICAL- METALS & ALLOYS	Stainless Steel / Utensils	Leaching Test (Fe, Cu, Ni, Cr)	SOP/CHEM/MET/25
2866	CHEMICAL- METALS & ALLOYS	Tin & alloys	Antimony	IS 998 (Part 1)
2867	CHEMICAL- METALS & ALLOYS	Tin & alloys	Arsenic	IS 998 (Part 2)
2868	CHEMICAL- METALS & ALLOYS	Tin & alloys	Copper	IS 998 (Part 2)
2869	CHEMICAL- METALS & ALLOYS	Tin & alloys	Iron	IS 998 (Part 2)
2870	CHEMICAL- METALS & ALLOYS	Tin & alloys	Lead	SRI/CHE-MET/24
2871	CHEMICAL- METALS & ALLOYS	Tin & alloys	Silver	SRI/CHE-MET/08
2872	CHEMICAL- METALS & ALLOYS	Tin & alloys	Zinc	SRI/CHE-MET/08
2873	CHEMICAL- METALS & ALLOYS	Tin and alloy	Tin	IS 998 (Part 1)
2874	CHEMICAL- METALS & ALLOYS	Tin and alloys	Aluminium	SRI/CHE-MET/08
2875	CHEMICAL- METALS & ALLOYS	Tin and Alloys	Bismuth	SRI/CHE-MET/08
2876	CHEMICAL- METALS & ALLOYS	Tin and alloys	Cadmium	SRI/CHE-MET/08
2877	CHEMICAL- METALS & ALLOYS	Tin and alloys	Nickel	SRI/CHE-MET/08

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 186 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2878	CHEMICAL- METALS & ALLOYS	Titanium & its alloys	Titanium	SRI/CHE-MET/22
2879	CHEMICAL- METALS & ALLOYS	Tool steel	Carbon	IS 228 (Part 1)
2880	CHEMICAL- METALS & ALLOYS	Tool steel	Chromium	IS 228 (Part 6)
2881	CHEMICAL- METALS & ALLOYS	Tool Steel	Cobalt	SOP SRI/CHE-MET/03
2882	CHEMICAL- METALS & ALLOYS	Tool steel	Copper	SRI/CHE-MET/17
2883	CHEMICAL- METALS & ALLOYS	Tool steel	Manganese	IS 228 (Part 12)
2884	CHEMICAL- METALS & ALLOYS	Tool steel	Manganese	SRI/CHE-MET/17
2885	CHEMICAL- METALS & ALLOYS	Tool steel	Molybdenum	IS 228 (Part 7)
2886	CHEMICAL- METALS & ALLOYS	Tool steel	Phosphorous	IS 228 (Part 3)
2887	CHEMICAL- METALS & ALLOYS	Tool steel	Silicon	IS 228 (Part 8)
2888	CHEMICAL- METALS & ALLOYS	Tool steel	Sulphur	SRI/ CHE-MET/14
2889	CHEMICAL- METALS & ALLOYS	Tool steel	Tungsten	SRI/CHE-MET/17
2890	CHEMICAL- METALS & ALLOYS	Tool steel	Vanadium	SRI/CHE-MET/03
2891	CHEMICAL- METALS & ALLOYS	Zinc & alloy	Aluminium	SRI/CHE-MET/19
2892	CHEMICAL- METALS & ALLOYS	Zinc & alloy	Cadmium	IS 2600 (Part 2)
2893	CHEMICAL- METALS & ALLOYS	Zinc & alloy	Chromium	IS 2600 (Part 4)
2894	CHEMICAL- METALS & ALLOYS	Zinc & alloy	Copper	IS 2600 (Part 2)
2895	CHEMICAL- METALS & ALLOYS	Zinc & Alloy	Indium	IS 2600 (Pt 3)
2896	CHEMICAL- METALS & ALLOYS	Zinc & alloy	Iron	IS 2600 (Part 2)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 187 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2897	CHEMICAL- METALS & ALLOYS	Zinc & alloy	Lead	IS 2600 (Part 2)
2898	CHEMICAL- METALS & ALLOYS	Zinc & alloy	Magnesium	SRI/CHE-MET/19
2899	CHEMICAL- METALS & ALLOYS	Zinc & alloy	Nickel	IS 2600 (Part 2)
2900	CHEMICAL- METALS & ALLOYS	Zinc & Alloy	Thallium	SRI/CHEMET/19
2901	CHEMICAL- METALS & ALLOYS	Zinc & alloy	Tin	IS 2600 (Part 1)
2902	CHEMICAL- METALS & ALLOYS	Zinc & alloy	Zinc	SRI/CHE-MET/19
2903	CHEMICAL- ORES & MINERALS	Refractory	Loss on Ignition	Is 1527
2904	CHEMICAL- ORES & MINERALS	Bauxite	Alumina	IS 2000 (Pt 3)
2905	CHEMICAL- ORES & MINERALS	Bauxite	Iron Oxide (As Fe2O3)	IS 2000 (Pt 4)
2906	CHEMICAL- ORES & MINERALS	Bauxite	Loss on Ignition	IS 2000 (Pt 1)
2907	CHEMICAL- ORES & MINERALS	Bauxite	Magnesium (as MgO)	IS 2000 (Pt 9)
2908	CHEMICAL- ORES & MINERALS	Bauxite	Manganese (as Mn2O3)	IS 2000 (Pt 8)
2909	CHEMICAL- ORES & MINERALS	Bauxite	Phosphorous Pentoxide	IS 2000 (Pt 7)
2910	CHEMICAL- ORES & MINERALS	Bauxite	Silica	IS 2000 (Pt 2)
2911	CHEMICAL- ORES & MINERALS	Bauxite	Titania	IS 2000 (Pt 5)
2912	CHEMICAL- ORES & MINERALS	Bauxite	Vanadium (as V2O5)	IS 2000 (Pt 6)
2913	CHEMICAL- ORES & MINERALS	Chrome ores	Alumina	IS 4737
2914	CHEMICAL- ORES & MINERALS	Chrome ores	Chromium Oxide (as Cr2O3)	IS 4737
2915	CHEMICAL- ORES & MINERALS	Chrome ores	Lime (as CaO)	IS 4737

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 188 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2916	CHEMICAL- ORES & MINERALS	Chrome ores	Magnesia	IS 4737
2917	CHEMICAL- ORES & MINERALS	Chrome ores	Silica	IS 4737
2918	CHEMICAL- ORES & MINERALS	Chrome ores	Total Iron (as Fe2O3)	IS 4737
2919	CHEMICAL- ORES & MINERALS	Iron Ore	Alumina	IS 1493 (Pt 4)
2920	CHEMICAL- ORES & MINERALS	Iron Ore	Lime (as CaO)	IS 1493 (Pt 3)
2921	CHEMICAL- ORES & MINERALS	Iron Ore	Magnesia	IS 1493 (Pt 3)
2922	CHEMICAL- ORES & MINERALS	Iron Ore	Manganese (as MnO)	IS 1493
2923	CHEMICAL- ORES & MINERALS	Iron ore	Phosphorous	IS 1493 (Pt 1)
2924	CHEMICAL- ORES & MINERALS	Iron Ore	Silica	IS 1493 (Pt 1)
2925	CHEMICAL- ORES & MINERALS	Iron Ore	Sulphur (S)	IS 1493 (Pt 1)
2926	CHEMICAL- ORES & MINERALS	Iron Ore	Titania	IS 1493 (Pt 3)
2927	CHEMICAL- ORES & MINERALS	Iron Ore	Total Iron (as Fe)	IS 1493 (Pt 1)
2928	CHEMICAL- ORES & MINERALS	Iron Ore	Total Moisture	IS 1493 (Pt 1)
2929	CHEMICAL- ORES & MINERALS	Limestone , Dolomite	Carbon dioxide (CO2)	IS 1760 (Pt 4)
2930	CHEMICAL- ORES & MINERALS	Limestone , Dolomite	Loss on Ignition	IS 1760 (Pt 1)
2931	CHEMICAL- ORES & MINERALS	Limestone, dolomite	Alumina	IS 1760 (Pt 3)
2932	CHEMICAL- ORES & MINERALS	Limestone, Dolomite	Chlorides (as Cl)	IS 1760 (Pt 5)
2933	CHEMICAL- ORES & MINERALS	Limestone, Dolomite	Iron Oxide (as Fe2O3)	IS 1760 (Pt 3)
2934	CHEMICAL- ORES & MINERALS	Limestone, Dolomite	Lime (as CaO)	IS 1760 (Pt 3)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 189 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2935	CHEMICAL- ORES & MINERALS	Limestone, Dolomite	Magnesia (as MgO)	IS 1760 (Pt 3)
2936	CHEMICAL- ORES & MINERALS	Limestone, Dolomite	Silica	IS 1760 (Pt 2)
2937	CHEMICAL- ORES & MINERALS	Manganese ore	Alumina	IS 1473
2938	CHEMICAL- ORES & MINERALS	Manganese Ore	Moisture	IS 1473
2939	CHEMICAL- ORES & MINERALS	Manganese ore	Phosphorous (As P2O5)	IS 1473
2940	CHEMICAL- ORES & MINERALS	Manganese ore	Silica	IS 1473
2941	CHEMICAL- ORES & MINERALS	Manganese ore	Sulphur (as S)	IS 1473
2942	CHEMICAL- ORES & MINERALS	Manganese ore	Total Iron (ad Fe2O3)	IS 1473
2943	CHEMICAL- ORES & MINERALS	Manganese ore	Total Manganese (as Mn)	IS 1473
2944	CHEMICAL- ORES & MINERALS	Mineral Gypsum	Acid Insolubles	IS 1288
2945	CHEMICAL- ORES & MINERALS	Mineral Gypsum	Alumina & Iron Oxide (R2O3)	IS 1288
2946	CHEMICAL- ORES & MINERALS	Mineral Gypsum	Calcium Sulphate (as CaSO4.2H2O)	IS 1288
2947	CHEMICAL- ORES & MINERALS	Mineral Gypsum	Combined Water	IS 1288
2948	CHEMICAL- ORES & MINERALS	Mineral Gypsum	Free Water	IS 1288
2949	CHEMICAL- ORES & MINERALS	Mineral Gypsum	Lime (as CaO)	IS 1288
2950	CHEMICAL- ORES & MINERALS	Mineral Gypsum	Magnesia (as MgO)	IS 1288
2951	CHEMICAL- ORES & MINERALS	Mineral Gypsum	NaCl	IS 1288
2952	CHEMICAL- ORES & MINERALS	Mineral Gypsum	Sulphates (As SO3)	IS 1288
2953	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Alkalinity (pH)	IS 8183

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 190 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2954	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Bulk Density	IS 8183
2955	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Carbon	IS 3144
2956	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Chlorides	IS 3144
2957	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Corrosive attack	IS 8183
2958	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Dimension	IS 3144 & IS 8183
2959	CHEMICAL- ORES & MINERALS	Mineral Wool/ Glass Wool / Rock Wool / Fibre	Moisture	IS 8183
2960	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Moisture absorption	IS 8183
2961	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Odour Emission	IS 8183
2962	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Oil content	IS 3144
2963	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Organic Matter	IS 3144
2964	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Recovery after Compression	IS 8183
2965	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Shot content	IS 8183
2966	CHEMICAL- ORES & MINERALS	Mineral wool/ Glass wool / Rock Wool / Fibre	Sulphur	IS 8183
2967	CHEMICAL- ORES & MINERALS	Quartzite sand/ HighSilica Sand	Alumina	IS 1917 (Pt 4)
2968	CHEMICAL- ORES & MINERALS	Quartzite sand/ HighSilica Sand	Lime	IS 1917 (Pt 6)
2969	CHEMICAL- ORES & MINERALS	Quartzite sand/ HighSilica Sand	Loss on Ignition	IS 1917 (Pt 1)
2970	CHEMICAL- ORES & MINERALS	Quartzite sand/ HighSilica Sand	Magnesia	IS 1917 (Pt 6)
2971	CHEMICAL- ORES & MINERALS	Quartzite sand/ HighSilica Sand	Silica	IS 1917 (Pt 3)
2972	CHEMICAL- ORES & MINERALS	Refractory	Alumina	IS 1527

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	191 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2973	CHEMICAL- ORES & MINERALS	Refractory	Calcium Oxide	IS 1527
2974	CHEMICAL- ORES & MINERALS	Refractory	Iron Oxide (as Fe2O3)	IS 1527
2975	CHEMICAL- ORES & MINERALS	Refractory	Magnesium Oxide	IS 1527
2976	CHEMICAL- ORES & MINERALS	Refractory	Silica	IS 1527
2977	CHEMICAL- ORES & MINERALS	Refractory	Titania	IS 1527
2978	CHEMICAL- ORES & MINERALS	Silica Gel	Adsorption Capacity	IS 3401
2979	CHEMICAL- ORES & MINERALS	Silica Gel	Bulk Density	IS 3401
2980	CHEMICAL- ORES & MINERALS	Silica Gel	COCl2	IS 3401
2981	CHEMICAL- ORES & MINERALS	Silica Gel	Loss on Attrition	IS 3401
2982	CHEMICAL- ORES & MINERALS	Silica Gel	Loss on drying	IS 3401
2983	CHEMICAL- ORES & MINERALS	Silica Gel	Na2SO4	IS 3401
2984	CHEMICAL- ORES & MINERALS	Silica Gel	NaCl	IS 3401
2985	CHEMICAL- ORES & MINERALS	Silica Gel	Particle size/ Sieving	IS 3401
2986	CHEMICAL- ORES & MINERALS	Silica Gel	pH	IS 3401
2987	CHEMICAL- ORES & MINERALS	Sulphur	Acidity	IS 6655
2988	CHEMICAL- ORES & MINERALS	Sulphur	Ash	IS 6655
2989	CHEMICAL- ORES & MINERALS	Sulphur	Carbon	IS 6655
2990	CHEMICAL- ORES & MINERALS	Sulphur	Fineness	IS 6655
2991	CHEMICAL- ORES & MINERALS	Sulphur	Moisture	IS 6655

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	192 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2992	CHEMICAL- ORES & MINERALS	Sulphur	Oil & Bituminous Matter	IS 6655
2993	CHEMICAL- ORES & MINERALS	Sulphur	Purity	IS 6655
2994	CHEMICAL- PAINTS & SURFACE COATING	Putty for use on window frame	Setting Time	IS 419
2995	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Aluminium Powder / Pigment Content	IS 2339, IS 101 (Pt (8) sec 2
2996	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Colour	IS 13183
2997	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Consistency	IS 101 (Pt 1) SEc 5
2998	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Drying Time (Surface dry/ Tack Free/ Hard dry)	IS 101 (Pt 3) sec 1, IS 2339, IS 13183
2999	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Finish	IS 101 (Pt 3) Sec 4
3000	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	flash Point	IS 101 (Pt 1) sec 6
3001	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Flexibility & Adhesion , bend test using type 1 mandrel and 6.25 mm dia mandrel)	IS 101(Pt 5/sec 2), IS 101 (Pt 3) Sec 1
3002	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Heat Resistance	IS 13183
3003	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Mass in Kg/10 Liters	IS 101 (Pt 1) sec 7
3004	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Non Volatile matter	IS 13183, IS 101 (Pt 8) sec 2
3005	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Protection against corrosion under condition of condensation	IS 101 (Pt 6) Sec 1
3006	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Resistance to humidity under condition of Condensation	IS 2339, IS 101 (Pt 6) Sec 1
3007	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Salt spray resistance	IS 13183, IS 101 (Pt 6) Sec 1
3008	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Scratch Hardness	IS 101 (Pt 5) sec 2
3009	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Volatile matter	IS 101 (Ptt 2) Sec 2

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	193 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3010	CHEMICAL- PAINTS & SURFACE COATING	Aluminium Paint (General purpose & Heat Resistant)	Water Resistance	IS 13183
3011	CHEMICAL- PAINTS & SURFACE COATING	Distemper	Accelerated Storage stability	IS 428
3012	CHEMICAL- PAINTS & SURFACE COATING	Distemper	Application	IS 428
3013	CHEMICAL- PAINTS & SURFACE COATING	Distemper	Colour	IS 428 , IS 101 (Pt 4) sec 2
3014	CHEMICAL- PAINTS & SURFACE COATING	Distemper	Consistency	IS 428
3015	CHEMICAL- PAINTS & SURFACE COATING	Distemper	Drying time (Surface dry & Hard Dry)	IS 428
3016	CHEMICAL- PAINTS & SURFACE COATING	Distemper	Finish	IS 428, IS 101(Pt 3) sec 4
3017	CHEMICAL- PAINTS & SURFACE COATING	Distemper	Form & Condition	IS 428
3018	CHEMICAL- PAINTS & SURFACE COATING	Distemper	Recoating Properties	IS 428
3019	CHEMICAL- PAINTS & SURFACE COATING	Distemper	Residue on sieve	IS 428
3020	CHEMICAL- PAINTS & SURFACE COATING	Distemper	Resistance to Alkali	IS 428
3021	CHEMICAL- PAINTS & SURFACE COATING	Distemper	Resistance to Dry rubbing	IS 418
3022	CHEMICAL- PAINTS & SURFACE COATING	Distemper	Thinning	IS 428
3023	CHEMICAL- PAINTS & SURFACE COATING	Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches	Water content	IS 101 (Pt 2) Sec 1
3024	CHEMICAL- PAINTS & SURFACE COATING	Enamel Interior - a. Undercoating ,b.Finishing	Resistance to Water	IS 133
3025	CHEMICAL- PAINTS & SURFACE COATING	Enamel Interior- a. Undercoating b. Finishing	Freedom from Yellowing for white paint	IS 133
3026	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Accelerated Storage Stability	IS 101 (Pt 1) Sec 5, IS 133, IS 2932 , IS 2932, IS : 2933, IS 8622

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	194 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3027	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Application Properties	IS 2932
3028	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Colour	Is 101 (Pt 4) sec 2
3029	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Condition in the container	IS 2932 , IS 133 , IS 8862
3030	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Consistency	IS 101 (Pt 1) Sec 5, IS 133, IS 2932 , IS 2933, IS 8662
3031	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Drying Time (Surface dry, Hard Dry Tack free, Hard dry at 70 degree C with 15 min flash off time)	IS 101 (Pt 3) Sec 1, IS 8662
3032	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Fineness of grind	IS 101 (Pt 3) sec 5
3033	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Finish	IS 101 (Pt 3) Sec 4
3034	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Flash Point	IS 101 (Pt 1) Sec 6
3035	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Flexibility and Adhesion	IS 101 (Pt 5) sec 2
3036	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Synthetic Exterior: a. Undercoating, b. Finishing for railway coaches Enamel Interior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Freedom from Coarse Particles	IS 101 (Pt 1) sec 2

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 195 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3037	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating ,b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches . Enamel Interior a. Undercoating b. Finishing	Gloss at 20 degree	IS 101 (Pt 4)sec 4
3038	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Skin Formation	IS 101 (Pt 1) sec 2
3039	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Application Properties	IS 2932, IS 8662
3040	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Natural Rosin or its Derivatives	IS101(Pt 9/ Sec 2) ,IS 2932, IS 8662
3041	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Scratch Hardness (Load 1000 g) , Bend test with 6.25 Mandrel	IS 101 (Pt 5) Sec 2
3042	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Thinning Property	IS 133, IS 2932, IS 2933 & IS 8662
3043	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Total Non Volatile content	IS 101 (Pt 8) sec 2
3044	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Viscosity in No. 4 ford / flow Cup at 27 +/- 2 degree C	IS 101 (Pt 1) sec 5
3045	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Volume Solid	IS 101(Pt 8) Sec 6
3046	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating , b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches Enamel interior (a) Undercoating (b) Finishing	Wet Opacity	IS 101 (Pt 4) Sec 1
3047	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating ,b.Finishing	Resistance to Acid (2%)	IS 2932

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	196 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3048	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating ,b.Finishing	Resistance to Alkali (2%)	IS 2932
3049	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating ,b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches . Enamel Interior a. Undercoating b. Finishing	Gloss at 60 degree	IS 101 (Pt 4 / Sec 4)
3050	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating ,b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches . Enamel Interior a. Undercoating b. Finishing	Mass in g/ 10 lit (Finishing & Undercoating)	IS 101 (Pt 1) sec 7
3051	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating ,b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches . Enamel Interior a. Undercoating b. Finishing	Phthalic Anhydride content of Non volatile Content	IS 101(Pt 8) Sec 4
3052	CHEMICAL- PAINTS & SURFACE COATING	Enamel Synthetic Exterior - a. Undercoating ,b.Finishing Enamel Exterior- a. Undercoating b. Finishing Enamel Synthetic Exterior- a. Undercoating , b. Finishing for railway coaches . Enamel Interior a. Undercoating b. Finishing	Pigment Content	IS 101 (Pt 8) Sec 2 , IS 2933
3053	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Dry Paint	Colour	IS 101 (Pt 4) sec 2, IS 5
3054	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Dry Paint	Dry Film Thickness per coat	IS 101 (Pt 3) sec 2
3055	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Dry Paint	finish	IS 101 (Pt 3) sec 4
3056	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Dry Paint	Flexibility and Adhesion a) Bend test with 6.25 dia ,mandrel with type 1 apparatus b) Scratch Hardness after 1500 g	IS 101 (Pt 5) sec 2
3057	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Dry Paint	Gloss 60 degree	Is 101 (Pt 4) Sec 4
3058	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Dry Paint	Resistance to Acid	IS 14209
3059	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Dry Paint	Resistance to alkali	IS 14209
3060	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Wet Paint	Consistency	IS 14209
3061	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Wet Paint	Drying Time (Surface dry, Hard Dry)	IS 101 (Pt 3) sec 1
3062	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Wet Paint	Flash Point	IS 101 (Pt 1) Sec 6

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	197 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3063	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Wet Paint	Mass in kg/10L	IS 101 (Pt 1) sec 7
3064	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Wet Paint	Pot life hour	IS 14209
3065	CHEMICAL- PAINTS & SURFACE COATING	Epoxy Enamel (Two component) : Wet Paint	Volume Solids	IS 101(Pt 8) sec 6
3066	CHEMICAL- PAINTS & SURFACE COATING	Ink (Foundation pen ink- dye based)	Washability test (for Washable inks)	IS 1221
3067	CHEMICAL- PAINTS & SURFACE COATING	Ink (Foundation pen ink- dye based / Fountain pen ink / Ferrgallotannate)	Corrosion	IS 220, IS 1221
3068	CHEMICAL- PAINTS & SURFACE COATING	Ink (Foundation pen ink- dye based / Fountain pen ink / Ferrgallotannate)	Freedom from Clogging	IS 220, IS 1221
3069	CHEMICAL- PAINTS & SURFACE COATING	Ink (Foundation pen ink- dye based / Fountain pen ink / Ferrgallotannate)	Stability	IS 220 , IS 1221
3070	CHEMICAL- PAINTS & SURFACE COATING	Ink (Fountain pen ink / Ferrgallotannate)	Sedimentation	IS 220
3071	CHEMICAL- PAINTS & SURFACE COATING	Ink (Indelible ink)	Colour	IS 13209
3072	CHEMICAL- PAINTS & SURFACE COATING	Ink (Indelible ink)	Development	IS 13209
3073	CHEMICAL- PAINTS & SURFACE COATING	Ink (Indelible ink)	pH / Acidity	IS 13209
3074	CHEMICAL- PAINTS & SURFACE COATING	Ink (Indelible ink/ Fountain pen ink / Ferrgallotannate)	Total solid	IS 13209, IS 220
3075	CHEMICAL- PAINTS & SURFACE COATING	Ink (Indelible ink/ Stamp Pad ink)	Performance	IS 13209 , IS 393
3076	CHEMICAL- PAINTS & SURFACE COATING	Ink (Indelible ink/Stamp Pad ink)	Description	IS 13209, IS 393
3077	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Accelerated Storage Stability	IS 15489
3078	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Application properties	IS 15489
3079	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Colour	IS 15489
3080	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Condition in the container	IS 15489
3081	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Consistency	IS 15489

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	198 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3082	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Drying time (Surface dry / Hard Dry)	IS 101 (Pt 3) Sec 1
3083	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Finish	IS 15489
3084	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Gloss at 60 degree	IS 101 (Pt 4) Sec 4
3085	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Mass in Kg/ 10 L	IS 101 (Pt 1) Sec 7, IS 15489
3086	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Opacity	IS 15489
3087	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Recoating properties	IS 15489
3088	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Resistance to Alkali	IS 15489
3089	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Thinning	IS 15489
3090	CHEMICAL- PAINTS & SURFACE COATING	Plastic Emulsion Paint	Washability & cleanability	IS 15489
3091	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Accelerated test a) Resistance to Acid , b) Resistance to alkali c) Resistance to oil d) Resistance to solvent	IS 13213
3092	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Colour	IS 101 (Pt 4) Sec 2 , IS 5
3093	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Consistency	IS 13213
3094	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Dry film Thickness per coat	IS 101 (Pt 3) Sec 2
3095	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Drying Time (Surface dry , Hard dry, Tack Free)	IS 101 (Pt 3) Sec 1, IS 13213
3096	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Fineness of Grind	IS 101 (Pt 3) sec 5
3097	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Finish	IS 101 (Pt 3)Sec 4, IS 13213
3098	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Flash Point (for each component)	IS 101 (Pt 1) Sec 6

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	199 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3099	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Flexibility and Adhesion (a. Bend test with 6.25 dia, mandrel with type 1 apparatus b. Scratch Hardness after 1500 g)	IS 101 (Pt 5) Sec 2
3100	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Gloss 60 degree	IS 101 (Pt 4) sec 4, IS 13213
3101	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Mass in Kg/10L	IS 101 (Pt 1) Sec 7
3102	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Pot life	IS 13213
3103	CHEMICAL- PAINTS & SURFACE COATING	Polyurethane full gloss (Two pack)	Volume Solid	IS 101 (Pt 8) Sec 6
3104	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Cross Cut Adhesion	IS 101 (Pt 5) sec 2
3105	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Dry Film Thickness	IS 101 (Pt 3) Sec 2
3106	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Erichen Test	IS 101 (Pt 5) Sec 2
3107	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Finish	IS 101 (Pt 3) Sec 4
3108	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Flexibility (6.25 mandrel)	IS 101 (Pt 5) Sec 2
3109	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Gloss 60 degree	IS 101(Pt 4) Sec 4
3110	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Impact Resistance (Direct /Reverse)	IS 101(Pt 5 , Sec 3()
3111	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Protection against Corrosion (1000 hours)	IS 101 (Pt 6) sec 1
3112	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Protection against Humidity	IS 101 (Pt 6) sec 1
3113	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Resistance to Acid / Alkali	IS 13871
3114	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Resistance to Boiling water (1/2 an hour at 100 degree C)	IS 101 (Pt 7) Sec 1
3115	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Resistance to Detergent	IS 13871
3116	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Resistance to Heat double bake schedule	IS 101 (Pt 7) sec 3

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	200 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3117	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Resistance to Petrol	IS 101(Pt 7) Sec 2, IS 13871
3118	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Resistant to Lubricating oil (SAE 30)	IS 101 (Pt 7) sec 2 , IS 13871
3119	CHEMICAL- PAINTS & SURFACE COATING	Powder Coating	Scratch Hardness (3000 g)	IS 101(Pt 5) sec 2
3120	CHEMICAL- PAINTS & SURFACE COATING	Putty for use on window frame	Composition Calcium Carbonate (CaCO3) content	IS 419
3121	CHEMICAL- PAINTS & SURFACE COATING	Putty for use on window frame	Consistency	IS 419
3122	CHEMICAL- PAINTS & SURFACE COATING	Putty for use on window frame	Form and Condition	IS 419
3123	CHEMICAL- PAINTS & SURFACE COATING	Putty for use on window frame	Residue on sieve	IS 101 (Pt 8) Sec , IS 419
3124	CHEMICAL- PAINTS & SURFACE COATING	Putty for use on window frame	Water Content	IS 419, IS 101 (Pt 2) Sec 1
3125	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Accelerated Storage Stability	IS 101 (Pt 1) Sec 5 , IS 13607, IS 168, IS 2074
3126	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Application	IS 164
3127	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Chromic anhydride (CrO3)	IS 51, IS 104, IS 2074
3128	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Colour	IS 101(Pt 4) sec 2, IS 5
3129	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Consistency	IS 101 (Pt1) sec 5, IS 13607, IS 104, IS 158, IS 164 , IS 168 , IS 2074, IS 3536 , IS 3536 , IS 9862

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	201 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3130	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Drying time	IS 101 (Pt 3, sec 1)
3131	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Durability (Out door Exposure / Salt spray test)	IS 13607, IS 164
3132	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Fineness of Grind	IS 101 (Pt 3) Sec 5
3133	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Finish	IS 01 (Pt 3) Sec 4, IS 13607, IS 168, IS 164 , IS 104 , IS 3536 , IS 158, IS 9862, IS 2074
3134	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Flash Point	IS 101 (Pt 1) Sec 6
3135	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Flexibility & Adhesion	IS 101 (Pt 5) Sec 2
3136	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Freedom from objectionable impurities	Is 2074
3137	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Gloss Specular 60 degree	IS 101 (Pt 4) Sec 4, IS 13607, IS 168, IS 2074
3138	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Mass in Kg/ 10 L	IS 101(Pt 1) Sec 7

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	202 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3139	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Pigment composition Zinc chrome	IS 51, IS 104 , IS 2074
3140	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Pigment Content	IS 101 (Pt 8) sec 2
3141	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Presence of rosin & Rosin Derivatives	IS 101 (Pt 9) Sec 2
3142	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Pressure Test	IS 101 (Pt 5) Sec 1, IS 168
3143	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Protection against corrosion under conditions of condensation/ Resistance to Humidity	IS 101 (Pt 6) sec 1
3144	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Recoating Properties	IS 164
3145	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Relative consistency / Viscosity by ford cup/ flow cup no. 4	IS 101 (Pt 1) sec 5
3146	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Residue on sieve	IS 101(Pt 8) Sec 1
3147	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Resistance to chlorine	IS 9862

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	203 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3148	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Resistance to Heat	Is 158
3149	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Resistance to Lubricating oil	IS 168
3150	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Resistance to Petroleum Hydrocarbon solvent	IS 168
3151	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Resistance to Salt Spray	IS 101 (Pt 6) Sec 1
3152	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Resistance to sea water (for marine paint)	IS 101 (Pt 6) Sec 1 , IS 2074
3153	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Resistance to Water	IS 101(Pt 7) Sec 1, IS 3536, IS 9862
3154	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Resistance to Wear	Is 164
3155	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Scratch Hardness	IS 101 (Pt 5) Sec 2
3156	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Stripping test	IS 101(Pt 5) sec 2

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	204 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3157	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Synthetic Red Oxide of Iron as Fe2O3	IS 44 , IS 2074
3158	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Volatile matter	IS 101 (Pt 2) Sec 2
3159	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Volume Solid	IS 101 (Pt 8) Sec 6
3160	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Water content	IS 101 (Pt 2) Sec 1
3161	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Wet Opacity	IS 101 (Pt 4) Sec 1
3162	CHEMICAL- PAINTS & SURFACE COATING	Ready Mix Paint (Finishing , Drying / Brushing , black acid , alkali and heat resisting/bituminous, black Lead free acid, alkali, water and chlorine resisting/ for road marking/ air drying red oxide zinc chrome priming/ air drying zinc chrome priming/ brushing wood primer).	Zinc Oxide	IS 51 , IS 104 , IS 2074
3163	CHEMICAL- PAPER AND PULP	Paper , Paper board , Newsprint & Board packing materials	pH of aqueous extract / surface pH	IS 1060 (Pt 1), IS 1060 (Pt 3) & IS 4658:
3164	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Alkalinity (as CaCO3)	IS 1060 (pt 3)
3165	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Ash	IS1060 (pt 1) ,ISO 2144 & ISO 1762
3166	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Calcium	IS 1060 (Pt 4/sec 11)
3167	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Chloride content (water soluble)	IS1060 (pt 2) & IS 1060 (Pt 4 /sec 8)
3168	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Cobb test	IS 1060 (pt 1) & IS 1060 (Pt 5/sec 4)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	205 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3169	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Copper	IS 1060 (part 4/ sec 11)
3170	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Ether soluble matter	IS 1060 (pt 2)
3171	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Fatty and Rosin Acid extractable by ether	IS 1060 (Pt 2)
3172	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Iron	IS1060 (Pt 4/sec 11)
3173	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Manganese	IS 1060 (Pt 4 / Sec11)
3174	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Potassium	IS1060 (part 4/sec 11)
3175	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Sodium	IS 1060 (pt4/ sec 11)
3176	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Sulphate content (water soluble)	IS 1060(pt2) & IS 1060 (Pt 4/sec 9)
3177	CHEMICAL- PAPER AND PULP	Paper , Paper board, News print and board packing materials	Water absorbency	IS 1060 (pt1)
3178	CHEMICAL- PAPER AND PULP	Paper ,Paper board , News print and board packing materials	Moisture	IS1060 (Pt1) & S 1060 (Pt 5/sec 2)
3179	CHEMICAL- PAPER AND PULP	Paper, Paper board, News print and board packing materials	Magnesium	IS 1060 (Pt 4/Sec 11)
3180	CHEMICAL- PESTICIDE FORMULATIONS	2,4-D Dimethylamine SL salt (SL)	Acid Content (expressed as 2,4-D)	IS 1827
3181	CHEMICAL- PESTICIDE FORMULATIONS	2,4-D Dimethylamine SL salt (SL)	Description/ Appearance	IS 1827, SRI/PEST/ 098
3182	CHEMICAL- PESTICIDE FORMULATIONS	2,4-D Dimethylamine SL salt (SL)	Identity test	IS 1827
3183	CHEMICAL- PESTICIDE FORMULATIONS	2,4-D Dimethylamine SL salt (SL)	Melting point of the extracted acid	IS 1827
3184	CHEMICAL- PESTICIDE FORMULATIONS	2,4-D Sodium salt (Tech)	Acid Content (2,4-D)	IS 1488
3185	CHEMICAL- PESTICIDE FORMULATIONS	2,4-D Sodium salt (Tech)	Description/ Appearance	IS 1488, SRI/PEST/098
3186	CHEMICAL- PESTICIDE FORMULATIONS	2,4-D Sodium salt (Tech)	Free Phenol	IS 4321
3187	CHEMICAL- PESTICIDE FORMULATIONS	2,4-D Sodium salt (Tech)	Identity Test	IS 1488

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 206 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3188	CHEMICAL- PESTICIDE FORMULATIONS	2,4-D Sodium salt (Tech)	Loss on Drying	IS 4321
3189	CHEMICAL- PESTICIDE FORMULATIONS	2,4-D Sodium salt (Tech)	Melting Point	IS 1488
3190	CHEMICAL- PESTICIDE FORMULATIONS	2,4-D Sodium salt (Tech)	Water insoluble matter	IS 1488
3191	CHEMICAL- PESTICIDE FORMULATIONS	Abamectin (EC)	Active Ingredient	SRI/PEST/086
3192	CHEMICAL- PESTICIDE FORMULATIONS	Abamectin (EC)	Description/ Appearance	SRI/PEST098
3193	CHEMICAL- PESTICIDE FORMULATIONS	Abamectin (Tech)	Active ingredient	SRI/PEST/086
3194	CHEMICAL- PESTICIDE FORMULATIONS	Abamectin (Tech)	Description / Appearance	SRI/PEST/098
3195	CHEMICAL- PESTICIDE FORMULATIONS	Acephate + Imidacloprid (SP)	Acephate + Imidacloprid content	SRI/PESt/115
3196	CHEMICAL- PESTICIDE FORMULATIONS	Acephate + Imidacloprid (SP)	Description / Appearance	SRI/PEST/098
3197	CHEMICAL- PESTICIDE FORMULATIONS	Acetamiprid(SP)	Acetamiprid Content	IS 15981
3198	CHEMICAL- PESTICIDE FORMULATIONS	Acetamiprid(SP)	Description / Appearance	SRI/PEST/098
3199	CHEMICAL- PESTICIDE FORMULATIONS	Acetamiprid(Tech)	Acetamiprid content	IS 15981
3200	CHEMICAL- PESTICIDE FORMULATIONS	Acetamiprid(Tech)	DEscription/ Appearance	IS 15981 & SRI/PEST/098
3201	CHEMICAL- PESTICIDE FORMULATIONS	Acetamiprid(Tech)	Melting Point	IS 6940 , CIPAC Handbook F, MT 2 & SRI/PEST/029
3202	CHEMICAL- PESTICIDE FORMULATIONS	Acetamiprid(Tech)	Moisture content	IS 6940 , CIPAC Handbook F, MT 30.1 & 30.2 , SRI/PEST/039
3203	CHEMICAL- PESTICIDE FORMULATIONS	Allethrin (Mosquito coil)	Allethrin content	IS 13438 & IS 13146
3204	CHEMICAL- PESTICIDE FORMULATIONS	Allethrin (Mosquito coil)	Description/ Appearance	IS 13438 , SRI/PEST/ 098
3205	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (EC)	Acidity	IS 6940, CIPAC Handbook F: MT 31.2.3 & CIPAC Handbook L: MT 191

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	207 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3206	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (EC)	Alkalinity	IS 6940 , CIPAC Handbook F: MT 31.2.3 & CIPAC Handbook L: MT 191
3207	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (EC)	Alpha Cypermethrin Content	IS 15616 & CIPAC Handbook H 454/EC/M/3
3208	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (EC)	Cold Test	IS 6940
3209	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (EC)	Description / Appearance	IS 15602 & SRI/PEST/098
3210	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (EC)	Emulsion Stability	IS 6940
3211	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (EC)	Flash Point	IS 1448 (Pt 20)
3212	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (Tech)	Acidity	IS 6940 & CIPAC Handbook F, MT 31.1.1/MT 31.2.1
3213	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (Tech)	Alkalinity	IS 6940 & CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3214	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (Tech)	Alpha Cypermethrin content	IS 15616 & CIPAC Handbook H-454/TC/M/3
3215	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (Tech)	Description/ Appearance	IS 15616 & SRI/PEST/098
3216	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (Tech)	Identity	CIPAC Handbook H-454/TC/M/2
3217	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (Tech)	Material Insoluble in Acetone	IS 6940, CIPAC Handbook F, MT 27 & SRI/PEST/042
3218	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (Tech)	moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2 & SRI/PEST/039
3219	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (WP)	Accelerated Storage Stability	CIPAC Handbook F: MT 46.1 & CIPAC Handbook J: MT 46.3
3220	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (WP)	Acidity	IS 6940 ,CIPAC Handbook F, MT 31.1.2/ MT 31.2.2, CIPAC Handbook L, MT 191 & SRI/PEST/063
3221	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (WP)	Alkalinity	IS 6940 ,CIPAC Handbook F, MT 31.1.2/ MT 31.2.2, CIPAC Handbook L, MT 191 & SRI/PEST/063
3222	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (WP)	Alpha Cypermethrin Content	CIPAC Handbook H-454/WP/M/3

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	208 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3223	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (WP)	Alpha Cypermethrin Content	IS 15616
3224	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (WP)	Description/ Appearance	IS 15603, WHO Specification 454 WP & SRI/PEST/098
3225	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (WP)	Persistent Foam	CIPAC Handbook F: MT 47
3226	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (WP)	pH	CIPAC Handbook F: MT 75.2 & CIPAC Handbook J: MT 75.2
3227	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (WP)	Suspensibility	IS 6940, IS 15603 & CIPAC Handbook K(MT 184)
3228	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (WP)	Wet Sieving	IS 6940 , CIPAC Hndbook K: MT 185/MT 59.3 & SRI/PEST/045
3229	CHEMICAL- PESTICIDE FORMULATIONS	Alpha Cypermethrin (WP)	Wettability	IS 6940, CIPAC MT 53.3 & SRI/PEST/044
3230	CHEMICAL- PESTICIDE FORMULATIONS	Aluminium Phosphide (Powder)	Aluminium Phosphide content	IS 6438 & SRI/PEST/111
3231	CHEMICAL- PESTICIDE FORMULATIONS	Aluminium Phosphide (Powder)	Description/ Appearance	IS 15219 & SRI/PEST/098
3232	CHEMICAL- PESTICIDE FORMULATIONS	Aluminium Phosphide (Tablets)	Aluminium Phosphide Content	IS 6438 & SRI/PEST/111
3233	CHEMICAL- PESTICIDE FORMULATIONS	Aluminium Phosphide (Tablets)	Average Weight	IS 6438 & SRI/PEST/ 113
3234	CHEMICAL- PESTICIDE FORMULATIONS	Aluminium Phosphide (Tablets)	Description / Appearance	IS 6438 & SRI/PEST/098
3235	CHEMICAL- PESTICIDE FORMULATIONS	Aluminium Phosphide (Tablets)	Disintegration	IS 6438 & SRI/PEST/112
3236	CHEMICAL- PESTICIDE FORMULATIONS	Aluminium Phosphide (Tablets)	Gross Weight	SOP No. SRI/PEST/119
3237	CHEMICAL- PESTICIDE FORMULATIONS	Aluminium Phosphide (Tech)	Aluminium Phosphide content	IS 6438 , SRI/PEST/111
3238	CHEMICAL- PESTICIDE FORMULATIONS	Aluminium Phosphide (Tech)	Description/ Appearance	SRI/PEST/098
3239	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (EC)	Acidity	IS 6940 , CIPAC Handbook F:MT 31.2.3 & CIPAC Handbook L: MT 191
3240	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (EC)	Alkalinity	IS 6940, CIPAC Handbook F :MT 31.2.3 & CIPAC Handbook L: MT 191

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 209 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3241	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (EC)	Anilophos Content	IS 13403
3242	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (EC)	Cold Test	IS 6940
3243	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (EC)	Description/ Appearance	IS 13403 & SRI/PEST/098
3244	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (EC)	Emulsion Stability	IS 6940
3245	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (EC)	Flash Point	IS 1448 (Pt 20)
3246	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (Tech)	Acidity	IS 6940 & CIPAC Handbook F: MT 31.1.1 / MT 31.2.1
3247	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (Tech)	Alkalinity	IS 6940 & CIPAC Handbook F: MT 31.1.1 / MT 31.2.1
3248	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (Tech)	Anilophos content	IS 13402
3249	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (Tech)	Description/ Appearance	IS 13402 & SRI/PEST/098
3250	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (Tech)	Material Insoluble in Acetone	IS 6940 , CIPAC Handbook F:MT 27 & SRI/PEST/042
3251	CHEMICAL- PESTICIDE FORMULATIONS	Anilophos (Tech)	Moisture	IS 6940, CIPAC Handbook F: MT 30.1 & 30.2 & SRI/PEST/039
3252	CHEMICAL- PESTICIDE FORMULATIONS	Atrazine (Tech)	Atrazine content	IS 12932
3253	CHEMICAL- PESTICIDE FORMULATIONS	Atrazine (Tech)	Description / Appearance	IS 12932 , SRI/PESt/098
3254	CHEMICAL- PESTICIDE FORMULATIONS	Atrazine (Tech)	Ionic Chloride	IS 12932
3255	CHEMICAL- PESTICIDE FORMULATIONS	Atrazine (Tech)	Melting Point	IS 6940, CIPAC Handbook F: MT2: & SRI/PEST/ 029
3256	CHEMICAL- PESTICIDE FORMULATIONS	Atrazine (Tech)	Moisture content	IS 6940 , CIPAC Handbook F : MT 30.1 & 30.2 & SRI/PEST/039
3257	CHEMICAL- PESTICIDE FORMULATIONS	Atrazine (WP)	Acidity	IS 6940, CIPAC MT 31.1.2/MT 31.2.2 , CIPAC Handbook L : MT 191 & SRI/PEST/063
3258	CHEMICAL- PESTICIDE FORMULATIONS	Atrazine (WP)	Alkalinity	IS 6940, CIPAC MT 31.1.2/MT 31.2.2, CIPAC Handbook L : MT 191 & SRI/PEST/063

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	210 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3259	CHEMICAL- PESTICIDE FORMULATIONS	Atrazine (WP)	Atrazine content	IS 12932
3260	CHEMICAL- PESTICIDE FORMULATIONS	Atrazine (WP)	Description / Appearance	IS 12931 & SRI/PEST/098
3261	CHEMICAL- PESTICIDE FORMULATIONS	Atrazine (WP)	Suspensibility	IS 6940 , CIPAC Handbook F (MT 15 & 177) & CIPAC Handbook K(MT 184)
3262	CHEMICAL- PESTICIDE FORMULATIONS	Atrazine (WP)	Wet sieving	IS 6940, CIPAC handbook K: MT 185/MT 59.3 : 2003 , & SRI/PEST/045
3263	CHEMICAL- PESTICIDE FORMULATIONS	Atrazine (WP)	Wettability	IS 6940, CIPAC Handbook F: MT 53.3 & SRI/PEST/044
3264	CHEMICAL- PESTICIDE FORMULATIONS	Azoxystrobin (Tech)	Azoxystrobin Content	SRI/PEST/068 : 2020 & CIPAC Handbook M (MT 571)
3265	CHEMICAL- PESTICIDE FORMULATIONS	Azoxystrobin (Tech)	Description / Appearance	SRI/PEST/ 098
3266	CHEMICAL- PESTICIDE FORMULATIONS	Azoxystrobin (WG)	Azoxystrobin Content	SRI/PEST/068 , CIPAC Handbook M(MT 571)
3267	CHEMICAL- PESTICIDE FORMULATIONS	Azoxystrobin (WG)	Description / Appearance	SRI/PEST/098
3268	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (EC)	Alkalinity	IS 6940, CIPAC Handbook F: MT 31.2.3 % CIPAC Handbook L: MT 191
3269	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (EC)	Bifenthrin Content	IS 15936 & SRI/PEST/048
3270	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (EC)	Cold Test	IS 6940
3271	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (EC)	Description/ Appearance	SRI/PEST/098
3272	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (EC)	Emulsion Stability	IS 6940
3273	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (EC)	Flash Point	IS 1448 (Pt 20)
3274	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (Tech)	Acidity / Alkalinity	IS 6940 & CIPAC Handbook F : MT 31.1.1/ MT 31.2.1
3275	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (Tech)	Bifenthrin Content	IS 15936 & SRI/ PEST/048
3276	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (Tech)	Cis-Isomer Content	IS 15936

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 211 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3277	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (Tech)	Description / Appearance	IS 15936 , SRI/PEST/098
3278	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (WP)	Acidity / Alkalinity	IS 6940L , CIPAC MT 31.1.2/ MT 31.2.2 , CIPAC Handbook L: MT 191 & SRI/PEST/063
3279	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (WP)	Bifenthrin content	IS 15936 & SRI/PEST/048
3280	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (WP)	Description/ Appearance	IS 15939, SRI/PEST/098
3281	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (WP)	pH	IS 15939, CIPAC Handbook F: MT 75.2 & CIPAC Handbook J: MT 75.3
3282	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (WP)	Suspensibility	IS 6940 , CIPAC Handbook F: (MT 15 & 177) & CIPAC Handbook K (MT 184)
3283	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (WP)	Wet Sieving	IS 6940 , CIPAC handbook K: MT 185/MT 59.3 : 2003 & SRI/PEST/045
3284	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin (WP)	Wettability	IS 6940 , CIPAC Handbook F: MT 53.3 & SRI/PEST/044
3285	CHEMICAL- PESTICIDE FORMULATIONS	Bifenthrin(EC)	Acidity	IS 6940 , CIPAC Handbook F: MT 31.2.3 % CIPAC Handbook L: MT 191
3286	CHEMICAL- PESTICIDE FORMULATIONS	Bispyribac sodium (SC)	Bispyribac sodium content	SRI/PEST/057
3287	CHEMICAL- PESTICIDE FORMULATIONS	Bispyribac sodium (SC)	Description / Appearance	SRI/PESt/098
3288	CHEMICAL- PESTICIDE FORMULATIONS	Bispyribac sodium (Tech)	Bispyribac sodium content	SRI/PEST/057
3289	CHEMICAL- PESTICIDE FORMULATIONS	Bispyribac sodium (Tech)	Description / Appearance	SRI/PEST/098
3290	CHEMICAL- PESTICIDE FORMULATIONS	Bispyribac sodium (WP)	Bispyribac sodium content	SRI/PEST/057
3291	CHEMICAL- PESTICIDE FORMULATIONS	Bispyribac sodium (WP)	Description/ Appearance	SRI/PEST/098
3292	CHEMICAL- PESTICIDE FORMULATIONS	Bispyribac sodium (SL)	Bispyribac sodium content	SRI/PEST/057
3293	CHEMICAL- PESTICIDE FORMULATIONS	Bispyribac sodium (SL)	Description / Appearance	SRI/PEST/098

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 212 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3294	CHEMICAL- PESTICIDE FORMULATIONS	Buprofezin (SC)	Buprofezin content	SRI/PEST/071
3295	CHEMICAL- PESTICIDE FORMULATIONS	Buprofezin (SC)	Description / Appearance	SRI/PEST/098
3296	CHEMICAL- PESTICIDE FORMULATIONS	Buprofezin (Tech)	Buprofezin content	SRI/PEST/071
3297	CHEMICAL- PESTICIDE FORMULATIONS	Buprofezin (Tech)	Description / Appearance	SRI/PESt/098
3298	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (EC)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook F: MT 31.2.3 & CIPAC Handbook L: MT 191
3299	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (EC)	Butachlor content	IS 9355
3300	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (EC)	Cold Test	IS 6940
3301	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (EC)	Description/ Appearance	IS 9356
3302	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (EC)	Emulsion stability	IS 6940
3303	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (EC)	Flash Point	IS 1448 (Pt 20)
3304	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (EW)	Butachlor Content	Is 9355
3305	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (EW)	Description / Appearance	SRI/PET/098
3306	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (GR)	Accelerated Storage stability	CIPAC Handbook F: MT 46.1 & CIPAC Handbook J: MT 46.3
3307	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (GR)	Acidity/ Alkalinity	IS 6940 & CIPAC Handbook L: MT 191
3308	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (GR)	Butachlor content	IS 9355
3309	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (GR)	Butachlor content after dusting	IS 9355
3310	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (GR)	Description/ Appearance	IS 9362 & SRI/PEST/098
3311	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (GR)	Dust	IS 6940

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	213 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3312	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (GR)	Moisture (Dean & Stark)	IS 6940 , CIPAC Handbook F MT 30.1 & 30.2 & SRI/PEST/039
3313	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (GR)	Particle size / Sieving	IS 6940 & CIPAC MT 59.4/ MT 58
3314	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (GR)	pH	CIPAC Handbook F: MT 75.2 , CIPAC Handbook J: MT 75.3
3315	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (GR)	Pour/ Bilk/ Tap/ Apparent density	CIPAC Handbook F : MT 159/ MT 58.3 & CIPAC Handbook L: MT 186
3316	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (Tech)	Acidity/ Alkalinity	IS 6940 & CIPAC Handbook F MT 31.1.1/MT 31.2.1
3317	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (Tech)	Butachlor content	IS 9355
3318	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (Tech)	Description / Appearance	SRI/PEST/098 & IS 9355
3319	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (Tech)	Materials Insoluble in Acetone	IS 6940, CIPAC Handbook F,MT 27 & SRI/PESt/042
3320	CHEMICAL- PESTICIDE FORMULATIONS	Butachlor (Tech)	Moisture (Karl fischer)	IS 6940 , CIPAC Handbook F : MT 30.1 & 30.2 , SRI/PEST/039
3321	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim (Tech)	Carbendazim content	IS 8445, CIPAC H: MT /263/TC/M,& SRI/PEST/067:2020
3322	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim (Teh)	Acidity / Alkalinity	IS 6940 & CIPAC Handbook F MT 31.1.1 /MT 31.2.1
3323	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim (Teh)	Description/ Appearance	IS 8445 & SRI/PEST/098
3324	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim (Teh)	Moisture	IS 6940 , SRI/PEST/039 & CIPAC Handbook F,MT 30.1 & 30.2
3325	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim (WP)	Acidity/ Alkalinity	IS 6940, CIPAC MT 31.1.2/ MT 31.2.2 , CIPAC Handbook L: MT 191 & SRI/PEST/ 063
3326	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim (WP)	Carbendazim content	IS 8446 , SRI/PEST/067 & CIPAC Handbook H (MT 263/ WP/M)
3327	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim (WP)	Description / Appearance	IS 8446 & SRI/PESt/098
3328	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim (WP)	Suspensibility	IS 8446

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	214 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3329	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim (WP)	Wet Sieving	IS 6940, CIPAC Handbook K: MT 185/ MT 59.3 & SRI/PEST/045
3330	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim (WP)	Wettability	IS 6940, CIPAC Handbook F: MT 53.3 & SRI/PEST/044
3331	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim + Mancozeb (WP)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.2/MT 31.2.2, CIPAC Handbook L, MT 191 , SRI/PEST/063
3332	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim + Mancozeb (WP)	Carbendazim + Mancozeb (WP) content	IS 16919
3333	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim + Mancozeb (WP)	Description/ Appearance	SRI/PEST/098 & IS 16919
3334	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim + Mancozeb (WP)	Sieving	IS 6940, CIPAC Handbook K: MT 185/ MT 59.3 & SRI/PEST.045
3335	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim + Mancozeb (WP)	Suspensibility	IS 6940 , CIPAC Handbook F(MT 15 & 177) & CIPAC Handbook K (MT 184)
3336	CHEMICAL- PESTICIDE FORMULATIONS	Carbendazim + Mancozeb (WP)	Wettability	IS 6940 , CIPAC Handbook F, MT 53.3, SRI/PEST/044
3337	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (GR)	Acidity/ alkalinity	IS 6940, CIPAC Handbook L: MT 191
3338	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (GR)	Carbofuran content after dusting	IS 9360
3339	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (GR)	Carbofuran content	IS 9360
3340	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (GR)	Description/ Appearance	IS 9360 , SRI/PEST/098
3341	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (GR)	Dust	IS 6940
3342	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (GR)	Encapsulation/ Attrition test	IS 9359
3343	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (GR)	Encapsulation/ Water run- off	IS 9359
3344	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (GR)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2 , SRI/PEST/039
3345	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (GR)	Particle Size / Sieving	IS 6940, CIPAC MT 59.4/ MT 58

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 215 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3346	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3347	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (Tech)	Carbofuran content	IS 9360
3348	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (Tech)	Description/ Appearance	IS 11019, SRI/PEST/098
3349	CHEMICAL- PESTICIDE FORMULATIONS	Carbofuran (Tech)	Moisture	IS6940, CIPAC Handbook F, MT 30.1 & 30.2 : 1994 , SRI/PESt/039
3350	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (GR)	Cartap Hydrochloride content	IS 14159 & CIPAC Handbook D, MT 387/TC/M-
3351	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (GR)	Cartp Hydrochloride content after dusting	IS 14159
3352	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (GR)	Description/ Appearance	IS 14184 & SRI/PESt/098
3353	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (GR)	Dust	IS 6940
3354	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (GR)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/ PEST/039
3355	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (GR)	Particle Size / Sieving (% Passing)	IS 6940 & CIPAC MT 59.4/ MT 58
3356	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (GR)	Particle Size / Sieving (% Retained)	IS 6940 & CIPAC MT 59.4/ MT 58
3357	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (GR)	pH of aqueous solution	IS 6940 , CIPAC Handbook F: MT 75.2 & CIPAC Handbook J: MT 75.3
3358	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (SP)	Cartap Hydrochloride content	IS 14159 & CIPAC Handbook D , MT 387/TC/M/-
3359	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (SP)	Description/ Appearance	IS 14183 & SRI/PEST/098
3360	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (SP)	Matter insoluble in Water	IS 6940
3361	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (SP)	pH of Aqueous solution	IS 14159, CIPAC Handbook F: MT 75.2 & CIPAC Handbook J MT 75.3
3362	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (Tech)	Cartap Hydrochloride content	IS 14159 & CIPAC Handbook D, MT 387/TC/M//
3363	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (Tech)	Description/ Appearance	IS 14159 & SRI/PEST/098

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	216 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3364	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1& 30.2 ^ SRI/PEST/039
3365	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride (Tech)	pH of aqueous solution	IS 14159, CIPAC Handbook F: MT 75.2 & CIPAC Handbook J: MT 75.3
3366	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride + Fipronil (CG)	Cartap Hydrochloride + Fipronil content	IS 14159, SRI/PEST/046
3367	CHEMICAL- PESTICIDE FORMULATIONS	Cartap Hydrochloride + Fipronil (CG)	Description/ Appearance	SRI/PEST/098
3368	CHEMICAL- PESTICIDE FORMULATIONS	Chlorantraniloprole (Tech)	Description/ Appearance	SRI/PEST/098
3369	CHEMICAL- PESTICIDE FORMULATIONS	Chlorantraniloprole GR)	Description/ Appearance	SRI/PESt/098
3370	CHEMICAL- PESTICIDE FORMULATIONS	Chlorantraniloprole ((SC)	Description/ Appearance	SRI/PEST/098
3371	CHEMICAL- PESTICIDE FORMULATIONS	Chlorantraniloprole (EC)	Chlorantraniloprole content	SRI/PEST/072
3372	CHEMICAL- PESTICIDE FORMULATIONS	Chlorantraniloprole (GR)	Chlorantraniloprole content	SRI/PEST/072
3373	CHEMICAL- PESTICIDE FORMULATIONS	Chlorantraniloprole (Tech)	Chlorantraniloprole content	SRI/PEST/072
3374	CHEMICAL- PESTICIDE FORMULATIONS	Chlorantraniloprole (SC)	Chlorantraniloprole content	SRI/PEST/072
3375	CHEMICAL- PESTICIDE FORMULATIONS	ChlorantraniloproleEC)	Description/ Appearance	SRI/PEST/098
3376	CHEMICAL- PESTICIDE FORMULATIONS	Chlorimuron ethyl (Tech)	Acidity/ Alkalinity	IS 6940 & CIPAC Handbook F,MT 31.1.1/MT 31.2.1
3377	CHEMICAL- PESTICIDE FORMULATIONS	Chlorimuron ethyl (Tech)	Chlorimuron ethyl content	IS 15619 & SRI/PESt/047
3378	CHEMICAL- PESTICIDE FORMULATIONS	Chlorimuron ethyl (Tech)	Description/ Appearance	IS 15619 & SRI/PEST/098
3379	CHEMICAL- PESTICIDE FORMULATIONS	Chlorimuron ethyl (Tech)	Matter soluble in Acetone	IS 6940, CIPAC Handbook F; MT 27 & SRI/ PEST/042
3380	CHEMICAL- PESTICIDE FORMULATIONS	Chlorimuron ethyl (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2 : 1994 & SRI/PEST/039
3381	CHEMICAL- PESTICIDE FORMULATIONS	Chlorimuron ethyl (WP)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F MT 31.1.2/ MT 31.2.2 & SRI/PEST/063

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	217 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3382	CHEMICAL- PESTICIDE FORMULATIONS	Chlorimuron ethyl (WP)	Chlorimuron ethyl content	IS 15619, SRI/PEST/047
3383	CHEMICAL- PESTICIDE FORMULATIONS	Chlorimuron ethyl (WP)	Description/ Appearance	IS 15619, SRI/OESt/098
3384	CHEMICAL- PESTICIDE FORMULATIONS	Chlorimuron ethyl (WP)	Sieving	IS 6940, CIPAC Handbook K MT 185 .MT 59.3 & SRI/PEST/045
3385	CHEMICAL- PESTICIDE FORMULATIONS	Chlorimuron ethyl (WP)	Suspensibility	IS 6940, CIPAC Handbook F (MT 15& 177) , CIPAC Handbook K (MT 184)
3386	CHEMICAL- PESTICIDE FORMULATIONS	Chlorimuron ethyl (WP)	Wettability	IS 6940, CIPAC Handbook F . MT 53.3 & SRI/PESt/044
3387	CHEMICAL- PESTICIDE FORMULATIONS	Chlorothalonil (Tech)	Acidity/ Alkalinity	IS 6940 & CIPAC Handbook F,MT 31.1.1/MT 31.2.1
3388	CHEMICAL- PESTICIDE FORMULATIONS	Chlorothalonil (Tech)	Chlorothalonil content	IS 13132
3389	CHEMICAL- PESTICIDE FORMULATIONS	Chlorothalonil (Tech)	Description/ Appearance	IS 13132 , SRI/PEST/ 098
3390	CHEMICAL- PESTICIDE FORMULATIONS	Chlorothalonil (Tech)	Melting Point	IS 6940, CIPAC Handbook F MT 2 & SRI/PEST/029
3391	CHEMICAL- PESTICIDE FORMULATIONS	Chlorothalonil (Tech)	Moisture	IS 6940, CIPAC Handbook F , MT 30.1& 30.2 & SRI/PEST/039
3392	CHEMICAL- PESTICIDE FORMULATIONS	Chlorothalonil (WG)	Chlorothalonil content	IS 13132
3393	CHEMICAL- PESTICIDE FORMULATIONS	Chlorothalonil (WG)	Description/ Appearance	SRI/PEST/098
3394	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (DP)	Chlorpyrifos content	IS 8963
3395	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (DP)	Description	SRI/PEST/098
3396	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (EC)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook F: MT 31.2.3 & CIPAC Handbook L: MT 191
3397	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (EC)	Chlorpyrifos content	IS 8963
3398	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (EC)	Cold Test	IS 6940
3399	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (EC)	Description / Appearance	SRI/PEST/098 & IS 8944

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	218 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3400	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (EC)	Emulsion Stability	IS 6940
3401	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (EC)	Flash Point	IS 1448 (Pt 20)
3402	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (GR)	Chlorpyrifos content	IS 8963
3403	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (GR)	Description/ Appearance	SRI/PEST/098
3404	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.1/MT 31.2.1
3405	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (Tech)	Chlorpyrifos content	IS 8963
3406	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (Tech)	Description/ Appearance	IS 8963 & SRI/PEST/098
3407	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (Tech)	Material insoluble in Acetone	IS 6940, CIPAC Handbook F,MT 27 , SRI/PEST/042
3408	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyrifos (Tech)	Moisture / Water content	IS 6940, CIPAC Handbook F,MT 30.1 & 30.2 , SRI/PEST/039
3409	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyriphos+Cypermethrin (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F: MT 31.2.3, CIPAC Handbook L: MT 191
3410	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyriphos+Cypermethrin (EC)	Chlorpyriphos+Cypermethrin content	IS 15235
3411	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyriphos+Cypermethrin (EC)	Cold Test	IS 6940
3412	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyriphos+Cypermethrin (EC)	Description/ Appearance	SRI/PESt/098 & IS 15235
3413	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyriphos+Cypermethrin (EC)	Emulsion stability	IS 6940
3414	CHEMICAL- PESTICIDE FORMULATIONS	Chlorpyriphos+Cypermethrin (EC)	Flash Point	IS 1448 (Pt 20)
3415	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.2.3 , CIPAC Handbook L, MT 191
3416	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (EC)	Clodinafop propargyl content	CIPAC handbook M, MT 683/ EC/ M/3-
3417	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (EC)	Cold Test	IS 6940

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	219 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3418	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (EC)	Description/ Appearance	SRI/PESt/098
3419	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (EC)	Emulsion Stability	IS 6940
3420	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (EC)	Flash Point	IS 1448 (Pt 20)
3421	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (Tech)	Acidity/ Alkalinity	IS 6940 & CIPAC Handbook F,MT 31.1.1/ MT 31.2.1
3422	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (Tech)	Clodinafop propargyl (isomer) fraction	CIPAC Handbook M,MT 683/TC/M/3
3423	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (Tech)	Clodinafop propargyl content	CIPAC Handbook M , MT 683/TC/M/3
3424	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (Tech)	Description/ Appearance	SRI/PESt/098
3425	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2 & SRI/PEST/039
3426	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (WP)	Acidity/ Alkalinity	CIPAC Handbook F,MT 31.1.2/MT 31.2.2, IS 6940, CIPAC Handbook L, MT 191, SRI/PEST/063
3427	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (WP)	Clodinafop propargyl content	CIPAC Hndbook M,MT 683/WP/M/3-
3428	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (WP)	Description/ Appearance	SRI/PEST/098
3429	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (WP)	Sieving	IS 6940 , CIPAC Handbook K, MT 185/ MT 59.3 & SRI/PEST/045
3430	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (WP)	Suspensibility	CIPAC MT 683/ WP/M-4, IS 6940, CIPAC Handbook K,(MT 184), & CIPAC Handbook F(MT 15& 177)
3431	CHEMICAL- PESTICIDE FORMULATIONS	Clodinafop propargyl (WP)	Wettability	IS 6940, CIPAC Handbook F, MT 53.3, SRI/PESt/044
3432	CHEMICAL- PESTICIDE FORMULATIONS	Clothianidin(GR)	Clothianidin content	SRI/PEST/089
3433	CHEMICAL- PESTICIDE FORMULATIONS	Clothianidin(GR)	Description/ Appearance	SRI/PEST/098
3434	CHEMICAL- PESTICIDE FORMULATIONS	Clothianidin(Tech)	Clothianidin content	SRI/PESt/089

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 220 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3435	CHEMICAL- PESTICIDE FORMULATIONS	Clothianidin(Tech)	Description/ Appearance	SRI/PEST/098
3436	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.2.3, CIPAC Handbook L: MT 191
3437	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (EC)	Cold Test	IS 6940
3438	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (EC)	Cyfluthrin content	IS 14156 , CIPAC Handbook H, MT 385/EC/M/3-
3439	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (EC)	Description	SRI/PEST/098
3440	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (EC)	Emulsion stability	IS 6940
3441	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (EC)	Flash Point	IS 1448 (Pt 20)
3442	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (EW)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook F: MT 31.2.2 & CIPAC Handbook L: MT 191
3443	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (EW)	Cold Test	IS 6940
3444	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (EW)	Cyfluthrin content	IS 14156, CIPAC Handbook H,MT 385/EW/M/3-
3445	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (EW)	Description / Appearance	SRI/PEST/098
3446	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (EW)	Dispersion stability	IS 15228
3447	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (Tech)	Alkalinity/ Acidity	Is 6940 ,CIPAC Handbook F,MT 31.1.1/ MT 31.2.1
3448	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (Tech)	Cyfluthrin content	IS 14156, CIPAC Handbook H,MT 385/TC/M/3-
3449	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (Tech)	Description/ Appearance	IS 14156 , SRI/PESt/098
3450	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1& 30.2 , SRI/PEST/039
3451	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (WP)	Acidity / Alkalinity	IS 6940, CIPAC Handbook F,MT 31.1.2/ MT 31.2.2, CIPAC Handbook L, MT 191 & SRI/PEST/063

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	221 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3452	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (WP)	Cyfluthrin content	IS 14156, CIPAC Handbook H MT 385/WP/M/3 & IS 14158
3453	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (WP)	Description/ Appearance	IS 14158, SRI/PEST/098
3454	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (WP)	Sieving	IS 6940, CIPAC Handbook K: MT 185/ MT 59.3, SRI/PEST/045
3455	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (WP)	Suspensibility	IS 14158, IS 6940 , CIPAC Handbook K,(MT 184), CIPAC Handbook F,(MT 15 & 177)
3456	CHEMICAL- PESTICIDE FORMULATIONS	Cyfluthrin (WP)	Wettability	IS 6940, CIPAC Handbook F, MT 53.3, SRI/PESt/044
3457	CHEMICAL- PESTICIDE FORMULATIONS	Cymoxanil (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F: MT 31.1.1/MT 31.2.1
3458	CHEMICAL- PESTICIDE FORMULATIONS	Cymoxanil (Tech)	Cymoxanil content	IS 15600 , CIPAC Handbook J:MT 419/T/M/3-
3459	CHEMICAL- PESTICIDE FORMULATIONS	Cymoxanil (Tech)	Description/ Appearance	SRI/PEST/098 & IS 15600
3460	CHEMICAL- PESTICIDE FORMULATIONS	Cymoxanil (Tech)	Material Insoluble in Acetone	IS 6940 , CIPAC Handbook F: MT 27, SRI/PEST/042
3461	CHEMICAL- PESTICIDE FORMULATIONS	Cymoxanil (Tech)	Moisture (Karl Fischer)	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/PESt/ 039
3462	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (EC)	Acidity / Alkalinity	IS 6940, CIPAC Handbook F: MT 31.2.3, CIPAC Handbook L: MT 191
3463	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (EC)	Cold Test	IS 6940
3464	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (EC)	Cypermethrin content	IS 12015
3465	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (EC)	Description/ Appearance	IS 12016 , SRI/PEST/098
3466	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (EC)	Emulsion stability	IS 6940
3467	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (EC)	Flash Point	IS 1448 (Pt 20)
3468	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (Tech)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3469	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (Tech)	Cypermethrin (cis trans ratio) / content	IS 12015

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 222 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3470	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (Tech)	Cypermethrin content	IS 12015
3471	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (Tech)	Description / Appearance	IS 12015 & SRI/PEST/098
3472	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (Tech)	Moisture (Karl Fischer)	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2 , SRI/PEST/ 039
3473	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (TK)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.1/MT 31.2.1
3474	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (TK)	Cypermethrin (Cis trans ratio)/ content	IS 12015
3475	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (TK)	Cypermethrin content	IS 12015
3476	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (TK)	Description /Appearance	IS 12017, SRI/PEST/098
3477	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (TK)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/ PEST/039
3478	CHEMICAL- PESTICIDE FORMULATIONS	Cypermethrin (TK)	Relative Density / Specific Gravity	IS 6940, SRI/PEST/041
3479	CHEMICAL- PESTICIDE FORMULATIONS	Cyphenothrin (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F: MT 31.2.3 & CIPA Handbook L: MT 191
3480	CHEMICAL- PESTICIDE FORMULATIONS	Cyphenothrin (EC)	Cold Test	IS 6940
3481	CHEMICAL- PESTICIDE FORMULATIONS	Cyphenothrin (EC)	Cyhenothrin content	IS 15978, CIPAC Handbook M. MT 804/TC/M/3 & 804/ EC/M/3
3482	CHEMICAL- PESTICIDE FORMULATIONS	Cyphenothrin (EC)	Emulsion Stability	IS 6940
3483	CHEMICAL- PESTICIDE FORMULATIONS	Cyphenothrin (EC)	Flash Point	IS1448 (Pt 20)
3484	CHEMICAL- PESTICIDE FORMULATIONS	Cyphenothrin (Tech)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3485	CHEMICAL- PESTICIDE FORMULATIONS	Cyphenothrin (Tech)	Cyphenothrin content	IS 15978 , CIPAC Handbook M, MT 804/TC/M/3
3486	CHEMICAL- PESTICIDE FORMULATIONS	Cyphenothrin (Tech)	Description/ Appearance	SRI/PEST/098 & IS 15978
3487	CHEMICAL- PESTICIDE FORMULATIONS	Cyphenothrin (Tech)	Material Insoluble in acetone	IS 6940 , CIPAC Handbook F, MT 27 &SRI/PEST/042

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	223 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3488	CHEMICAL- PESTICIDE FORMULATIONS	Cyphenothrin (Tech)	Moisture (Karl Fischer)	IS 6940 , CIPAC Handbook F, MT 20.1 & 30.2, SRI/PEST/ 039
3489	CHEMICAL- PESTICIDE FORMULATIONS	Cyphenothrin (EC)	Description / Appearance	SOP No. SRI/PEST/098 & IS 15979
3490	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (EC)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook F: MT 31.2.3 , CIPAC Handbook L: MT 191
3491	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (EC)	Cold Test	IS 6940
3492	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (EC)	Deltamethrin content	IS 12005 & CIPAC Handbook D, MT 333/ TC/M/3
3493	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (EC)	Description/ Appearance	SRI/PEST/098, IS 11996
3494	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (EC)	Emulsion stability	Is 6940
3495	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (EC)	Flash Point	IS 1448 (Pt 20)
3496	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (F)	Acidity / Alkalinity	Is 6940, CIPAC Handbook L,MT 191, SRI/PEST/063
3497	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (F)	Deltamethrin content	IS 12005
3498	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (F)	Description/ Appearance	SRI/PEST/ 098, IS 14411
3499	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (F)	Dispersibility in Water	IS 14411
3500	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (Tech)	Acid Anhydride	IS 12005
3501	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (Tech)	Acid Chloride	IS 12005
3502	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (Tech)	Deltamethrin content	IS 12005, CIPAC Handbook D,MT 333/TC/M/3
3503	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (Tech)	Melting Point	IS 6940
3504	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (Tech)	Optical Rotation	IS 12005
3505	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (ULV)	Acidity / Alkalinity	IS 6940

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	224 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3506	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (ULV)	Deltamethrin content	IS 12005
3507	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (ULV)	Description/ Appearance	SRI/PEST/098 & IS 15227
3508	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (ULV)	Flash Point	IS 1448 (PT 20)
3509	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (WP)	Acidity/ Alkalinity	IS 6940: , CIPAC Handbook F, MT 31.1.2/MT 31.2.2, CIPAC Handbooc L, MT 191 & SRI/PEST/063
3510	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (WP)	Deltamethrin content	IS 12005 , CIPAC Handbook D, MT 333/TC/M/3, CIPAC Handbook D, MT 333/WP/M/3
3511	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (WP)	Description / Appearance	SRI/PEST/098 & IS 13457
3512	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (WP)	Sieving	IS 6940 : , CIPAC Handbook K: MT 185/ MT 59.3, SRI/PEST/045
3513	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (WP)	Suspensibility	IS 13457, IS 6940 , CIPAC Handbook F (MT 15 & 177), CIPAC Handbook K (MT 184) & CIPAC Handbook D, MT 333/WP/M/4
3514	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin (WP)	Wettability	IS 6940, CIPAC Handbook F, MT 53.3, SRI/PEST/044
3515	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin + Triazophos (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F: MT 31.2.3 & CIPAC Handbook L: MT 191
3516	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin + Triazophos (EC)	Cold test	IS 6940
3517	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin + Triazophos (EC)	Deltamethrin + Triazophos content	IS 15157
3518	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin + Triazophos (EC)	Description / Appearance	SRI/PEST/098 & IS 15157
3519	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin + Triazophos (EC)	Emulsion stability	IS 6940
3520	CHEMICAL- PESTICIDE FORMULATIONS	Deltamethrin + Triazophos (EC)	Flash Point	IS 1448 (Pt 20)
3521	CHEMICAL- PESTICIDE FORMULATIONS	Diafenthiuron (SC)	Diafenthiuron content	SRI/PEST/090

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 225 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3522	CHEMICAL- PESTICIDE FORMULATIONS	Diafenthiuron (SC)	Description/ Appearance	SRI/PEST/098
3523	CHEMICAL- PESTICIDE FORMULATIONS	Diafenthiuron (Tech)	Description/ Appearance	SRI/PEST/098
3524	CHEMICAL- PESTICIDE FORMULATIONS	Diafenthiuron (Tech)	Diafenthiuron content	SRI/PESt/090
3525	CHEMICAL- PESTICIDE FORMULATIONS	Diafenthiuron (WP)	Description/ Appearance	SRI/PEST/098
3526	CHEMICAL- PESTICIDE FORMULATIONS	Diafenthiuron (WP)	Diafenthiuron content	SRI/PEST/090
3527	CHEMICAL- PESTICIDE FORMULATIONS	Dichlorvos (EC)	Acidity / Alkalinity	IS 6940, CIPAC Handbook F' MT 31.2.3, CIPAC Handbook L: MT 191
3528	CHEMICAL- PESTICIDE FORMULATIONS	Dichlorvos (EC)	Cold Test	Is 6940
3529	CHEMICAL- PESTICIDE FORMULATIONS	Dichlorvos (EC)	Description / Appearance	IS 5277, SRI/PEST/098
3530	CHEMICAL- PESTICIDE FORMULATIONS	Dichlorvos (EC)	Dichlorvos content	IS 5277
3531	CHEMICAL- PESTICIDE FORMULATIONS	Dichlorvos (EC)	Emulsion stability	IS 6940
3532	CHEMICAL- PESTICIDE FORMULATIONS	Dichlorvos (EC)	Flash Point	IS 1448 (Pt 20)
3533	CHEMICAL- PESTICIDE FORMULATIONS	Dichlorvos (Tech)	Acidity/ Alkalinity	IS 6940 & CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3534	CHEMICAL- PESTICIDE FORMULATIONS	Dichlorvos (Tech)	Description / Appearance	IS 4929, SRI/PESt/ 098
3535	CHEMICAL- PESTICIDE FORMULATIONS	Dichlorvos (Tech)	Dichlorvos content	IS 4929
3536	CHEMICAL- PESTICIDE FORMULATIONS	Dichlorvos (Tech)	Material insoluble in acetone	IS 6940, CIPAC Handbook F, MT 27 & SRI/PEST/042
3537	CHEMICAL- PESTICIDE FORMULATIONS	Dichlorvos (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1. & 30.2 & SRI/ PESt/ 039
3538	CHEMICAL- PESTICIDE FORMULATIONS	Diflubenzuron (Tech)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook F, MT 31.1.1/MT 31.2.1
3539	CHEMICAL- PESTICIDE FORMULATIONS	Diflubenzuron (Tech)	Description/ Appearance	IS 14185, SRI/PEST/098

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	226 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3540	CHEMICAL- PESTICIDE FORMULATIONS	Diflubenzuron (Tech)	Diflubenzuron content	Is 14185
3541	CHEMICAL- PESTICIDE FORMULATIONS	Diflubenzuron (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/ PEST/ 039
3542	CHEMICAL- PESTICIDE FORMULATIONS	Diflubenzuron (WP)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook F, MT 31.1.2/ T 31.2.2, CIPAC Handbook L, MT 191, SRI/ PEST /063
3543	CHEMICAL- PESTICIDE FORMULATIONS	Diflubenzuron (WP)	Description/ Appearance	IS 14186 , SRI/PEST/098
3544	CHEMICAL- PESTICIDE FORMULATIONS	Diflubenzuron (WP)	Diflubenzuron content	IS 14185
3545	CHEMICAL- PESTICIDE FORMULATIONS	Diflubenzuron (WP)	Sieving	IS 6940 , CIPAC Handbook K: MT 185/ MT 59.3, SRI/PESt/045
3546	CHEMICAL- PESTICIDE FORMULATIONS	Diflubenzuron (WP)	Suspensibility	IS 6940, IS 14186, CIPAC Handbook F(MT 15 & 177), CIPAC Handbook K(MT 184)
3547	CHEMICAL- PESTICIDE FORMULATIONS	Diflubenzuron (WP)	Wettability	IS 6940 , CIPAC Handbook F, MT 53.3, SRI/ PEST/044
3548	CHEMICAL- PESTICIDE FORMULATIONS	Dimethoate (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F,MT 31.2.3, CIPAC Handbook L, MT 191
3549	CHEMICAL- PESTICIDE FORMULATIONS	Dimethoate (EC)	Cold Test	IS 6940
3550	CHEMICAL- PESTICIDE FORMULATIONS	Dimethoate (EC)	Description/ Appearance	IS 3903, SRI/PEST/098
3551	CHEMICAL- PESTICIDE FORMULATIONS	Dimethoate (EC)	Dimethoate content	IS 3903
3552	CHEMICAL- PESTICIDE FORMULATIONS	Dimethoate (EC)	Emulsion stability	IS 6940
3553	CHEMICAL- PESTICIDE FORMULATIONS	Dimethoate (EC)	Flash Point	IS 1448 (Pt 20)
3554	CHEMICAL- PESTICIDE FORMULATIONS	Dimethoate (Tech)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook MT 31.1./MT 31.2.1
3555	CHEMICAL- PESTICIDE FORMULATIONS	Dimethoate (Tech)	Description/ Appearance	SRI/PEST/098 & IS 3902
3556	CHEMICAL- PESTICIDE FORMULATIONS	Dimethoate (Tech)	Dimethoate content	IS 3902

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 227 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3557	CHEMICAL- PESTICIDE FORMULATIONS	Dimethoate (Tech)	Matter insoluble in Acetone	IS 6940, CIPAC Handbook F, MT 27, SRI/PEST/042
3558	CHEMICAL- PESTICIDE FORMULATIONS	Dimethoate (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2 , SRI/PEST/039
3559	CHEMICAL- PESTICIDE FORMULATIONS	Emamectin benzoate (EC)	Description/ Appearance	SRI/PEST/098
3560	CHEMICAL- PESTICIDE FORMULATIONS	Emamectin benzoate (EC)	Emamectin benzoate content	SRI/PEST/069
3561	CHEMICAL- PESTICIDE FORMULATIONS	Emamectin benzoate (Tech)	Description/ Appearance	SRI/PEST/098
3562	CHEMICAL- PESTICIDE FORMULATIONS	Emamectin benzoate (Tech)	Emamectin benzoate content	SRI/PEST/069
3563	CHEMICAL- PESTICIDE FORMULATIONS	Emamectin benzoate (SG)	Description / Appearance	SRI/PEST/098
3564	CHEMICAL- PESTICIDE FORMULATIONS	Emamectin benzoate (SG)	Emamectin benzoate content	SRI/PEST/069
3565	CHEMICAL- PESTICIDE FORMULATIONS	Epoxiconazole (EC)	Description/ Appearance	SRI/PEST/098
3566	CHEMICAL- PESTICIDE FORMULATIONS	Epoxiconazole (EC)	Epoxiconazole content	SRI/PEST/073
3567	CHEMICAL- PESTICIDE FORMULATIONS	Epoxiconazole (SC)	Description/ Appearance	SRI/PEST/098
3568	CHEMICAL- PESTICIDE FORMULATIONS	Epoxiconazole (SC)	Epoxiconazole content	SRI/PEST/073
3569	CHEMICAL- PESTICIDE FORMULATIONS	Epoxiconazole (SE)	Description / Appearance	SRI/PEST/098
3570	CHEMICAL- PESTICIDE FORMULATIONS	Epoxiconazole (SE)	Epoxiconazole content	SRI/PEST/073
3571	CHEMICAL- PESTICIDE FORMULATIONS	Epoxiconazole (Tech)	Description/ Appearance	SRI/PEST/098
3572	CHEMICAL- PESTICIDE FORMULATIONS	Epoxiconazole (Tech)	Epoxiconazole content	SRI/PEST/073
3573	CHEMICAL- PESTICIDE FORMULATIONS	Ethiprole(Tech)	Description/ Appearance	SRI/PEST/098
3574	CHEMICAL- PESTICIDE FORMULATIONS	Ethiprole(Tech)	Ethiprole content	SRI/PEST/091

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	228 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3575	CHEMICAL- PESTICIDE FORMULATIONS	Fenoxaprop-p-ethyl (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F,MT 31.2.3, CIPAC Handbook L: MT 191
3576	CHEMICAL- PESTICIDE FORMULATIONS	Fenoxaprop-p-ethyl (EC)	Cold Test	IS 6940
3577	CHEMICAL- PESTICIDE FORMULATIONS	Fenoxaprop-p-ethyl (EC)	Description/ Appearance	SRI/PEST/098, IS 15239
3578	CHEMICAL- PESTICIDE FORMULATIONS	Fenoxaprop-p-ethyl (EC)	Emulsion Stability	IS 6940
3579	CHEMICAL- PESTICIDE FORMULATIONS	Fenoxaprop-p-ethyl (EC)	Fenoxaprop-p-ethyl content	IS 15232
3580	CHEMICAL- PESTICIDE FORMULATIONS	Fenoxaprop-p-ethyl (EC)	Flash Point	IS 1448 (Pt 20)
3581	CHEMICAL- PESTICIDE FORMULATIONS	Fenoxaprop-p-ethyl (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.1/MT 31.2.1
3582	CHEMICAL- PESTICIDE FORMULATIONS	Fenoxaprop-p-ethyl (Tech)	Description	IS 15232, SRI/PEST/098
3583	CHEMICAL- PESTICIDE FORMULATIONS	Fenoxaprop-p-ethyl (Tech)	Fenoxaprop-p-ethyl content	IS 15232
3584	CHEMICAL- PESTICIDE FORMULATIONS	Fenoxaprop-p-ethyl (Tech)	Material Insoluble in Acetone	IS 6940, CIPAC Handbook f, MT 27 & SRI/PEST/042
3585	CHEMICAL- PESTICIDE FORMULATIONS	Fenoxaprop-p-ethyl (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/PEST/039
3586	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (DP)	Acidity/ Alkalinity	IS 6940
3587	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (DP)	Bulk density ratio upon compacting	IS 6940
3588	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (DP)	Colour	SRI/PEST/098
3589	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (DP)	Description/ Appearance	SRI/PEST/098 & IS 15341
3590	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (DP)	Dry Sieving	IS 6940
3591	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (DP)	Fenvalerate content	IS 12003
3592	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.2.3, CIPAC Handbook L: MT 191

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 229 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3593	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (EC)	Cold Test	IS 6940
3594	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (EC)	Description/ Appearance	SRI/PEST/098, IS 11997
3595	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (EC)	Emulsion stability	IS 6940
3596	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (EC)	Fenvalerate content	IS 12003
3597	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (EC)	Flash Point	IS 1448 (Pt 20)
3598	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (Tech)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3599	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (Tech)	Description/ Appearance	IS 12003 & SRI/PEST/098
3600	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (Tech)	Fenvalerate content	IS 12003
3601	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (Tech)	Matter insoluble in Acetone	IS 6940, CIPAC Handbook F, MT 27, SRI/PEST/042
3602	CHEMICAL- PESTICIDE FORMULATIONS	Fenvalerate (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/PEST/039
3603	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (GR)	Acidity / Alkalinity	IS 6940
3604	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (GR)	Description/ Appearance	SRI/PEST/098 & IS 16331
3605	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (GR)	Dust	IS 6940
3606	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (GR)	Fipronil content	IS 16331
3607	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (GR)	Fipronil Content after dusting	IS 16331
3608	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (GR)	Moisture	IS 6940
3609	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (GR)	Particle Size / Sieving	IS 6940
3610	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (SC)	Acidity/ Alkalinity	IS 6940
3611	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (SC)	Description / Appearance	IS 16145, SRI/PEST/098

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	230 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3612	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (SC)	Fipronil content	IS 16145
3613	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (SC)	Persistent Foam	IS 16145
3614	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (SC)	pH of suspension	IS 16145
3615	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (SC)	Pourability	IS 16145
3616	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (SC)	Spontaneity of Dispersion	IS 16145
3617	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (SC)	Suspensibility	IS 6940 , IS 16145
3618	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (SC)	Wet Sieve Test	IS 6940
3619	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (Tech)	Acidity / Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3620	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (Tech)	Description / Appearance	SRI/PESt/098
3621	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (Tech)	Fipronil content	CIPAC Handbook J 581/TC/M/3 & SRI/PEST/046
3622	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (Tech)	Materials Insoluble in Acetone	IS 6940 , CIPAC Handbook f, MT 27, SRI/PESt/042
3623	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2,SRI/PEST/039
3624	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil +Imidacloprid (WG)	Description / Appearance	SRI/PEST/098
3625	CHEMICAL- PESTICIDE FORMULATIONS	Fipronil +Imidacloprid (WG)	Fipronil +Imidacloprid content	SRI/PEST/120
3626	CHEMICAL- PESTICIDE FORMULATIONS	Glyphosate (SL)	Description/ Appearance	SRI/PEST/098
3627	CHEMICAL- PESTICIDE FORMULATIONS	Glyphosate (SL)	Glyphosate content	IS 12502
3628	CHEMICAL- PESTICIDE FORMULATIONS	Glyphosate (Tech)	Chloride Content	IS 12502
3629	CHEMICAL- PESTICIDE FORMULATIONS	Glyphosate (Tech)	Description/ Appearance	SRI/PEST/098 & IS 12502
3630	CHEMICAL- PESTICIDE FORMULATIONS	Glyphosate (Tech)	Extra Acidity	IS 12502

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 231 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3631	CHEMICAL- PESTICIDE FORMULATIONS	Glyphosate (Tech)	Glyphosate content	IS 12502
3632	CHEMICAL- PESTICIDE FORMULATIONS	Glyphosate (Tech)	Moisture	IS 6940
3633	CHEMICAL- PESTICIDE FORMULATIONS	Glyphosate (SG)	Description / Appearance	SRI/PEST/098
3634	CHEMICAL- PESTICIDE FORMULATIONS	Glyphosate (SG)	Glyphosate Active ingredient	IS 12502
3635	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (EC)	Acidity/ Alkalinity	IS 6940
3636	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (EC)	Cold Test	IS 6940
3637	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (EC)	Description/ Appearance	SRI/PEST/098, IS 14550
3638	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (EC)	Emulsion stability	IS 6940
3639	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (EC)	Flash Point	IS 1448 (Pt 20)
3640	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (EC)	Hexaconazole content	IS 14549
3641	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (SC)	Acidity/ Alkalinity	IS 6940
3642	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (SC)	Description/ Appearance	SRI/PEST/098 & IS 15692
3643	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (SC)	Hexaconazole content	IS 14549
3644	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (SC)	Persistent Foam	IS 15692
3645	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (SC)	Pourability	IS 15692
3646	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (SC)	Spontaneity of Dispersion	IS 15692
3647	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (SC)	Suspensibility	IS 15692
3648	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (SC)	Wet Sieve Test	IS 6940
3649	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (Tech)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook F,MT 31.1.1/ MT 31.2.1

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	232 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3650	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (Tech)	Description	SRI/PEST/098 & IS 14549
3651	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (Tech)	Hexaconazole content	IS 14549
3652	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (Tech)	Material Insoluble in Acetone	IS 6940, CIPAC Handbook F, MT 27, SRI/PEST/042
3653	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (Tech)	Material Insoluble in Acetone	IS 6940, CIPAC Handbook F, MT 27, SRI/PEST/042
3654	CHEMICAL- PESTICIDE FORMULATIONS	Hexaconazole (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/PEST/ 039
3655	CHEMICAL- PESTICIDE FORMULATIONS	Imazethapyr (SL)	Imazethapyr content	SRI/PEST/074
3656	CHEMICAL- PESTICIDE FORMULATIONS	Imazethapyr (Tech)	Description/ Appearance	SRI/PEST/098
3657	CHEMICAL- PESTICIDE FORMULATIONS	Imazethapyr (Tech)	Imazethapyr content	SRI/PEST/074
3658	CHEMICAL- PESTICIDE FORMULATIONS	Imazthapyr (SL)	Description/ Appearance	SRI/PEST/098
3659	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SL)	Cold Test	IS 6940
3660	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SL)	Flash Point	IS 1448 (Pt 20)
3661	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SL)	Imidacloprid content	IS 15443 &CIPAC Handbook H & K (MT 582)
3662	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SL)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook L: MT 191
3663	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SL)	Description / Appearance	SRI/PEST/098 & IS 15335
3664	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (WS)	Imidacloprid content	IS 15443 & CIPAC Handbook H & K (MT 582)
3665	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (WS)	Sieving	IS 1290 & CIPAC Handbook K:MT 185/ MT 59.3
3666	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (WS)	Wettability	IS 6940 , CIPAC Handbook F, MT 53.3 & SRI/PEST/044
3667	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SC)	Acidity/ Alkalinity	IS 6940
3668	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SC)	Description/ Appearance	SRI/PESt/098 & IS 16131

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 233 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3669	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SC)	Imidacloprid content	IS 15443 , CIPAC Handbook H & K (MT 582)
3670	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SC)	Persistent Foam	IS 16131
3671	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SC)	Pourability	IS 16131
3672	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SC)	Spontaneity of Dispersion	IS 16131
3673	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SC)	Suspensibility	IS 16131
3674	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (SC)	Wet Sieve Test	IS 6940
3675	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (Tech)	Acidity / Alkalinity	IS 6940, CIPAV Handbook F, MT 31.1.1/ MT 31.2.1
3676	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (Tech)	Description/ Appearance	SRI/PEST/098 & IS 15443
3677	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (WG)	Description	SRI/PEST/098
3678	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (WG)	Imidacloprid content	IS 15443, CIPAC Hndbook H & K (MT 582)
3679	CHEMICAL- PESTICIDE FORMULATIONS	Imidacloprid (WS)	Description/ Appearance	SRI/PEST/098 & IS 15334
3680	CHEMICAL- PESTICIDE FORMULATIONS	Imidaclorprid (Tech)	Imidaclorprid content	IS 15443, CIPAC Handbook H & K (MT 582)
3681	CHEMICAL- PESTICIDE FORMULATIONS	Imidaclorprid(Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2 & SRI/PEST/039
3682	CHEMICAL- PESTICIDE FORMULATIONS	Indoxacarb (SC)	Description / Appearance	SRI/PESt/098
3683	CHEMICAL- PESTICIDE FORMULATIONS	Indoxacarb (SC)	Indoxacarb content	SRI/PEST/075, IS 15984
3684	CHEMICAL- PESTICIDE FORMULATIONS	Indoxacarb (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3685	CHEMICAL- PESTICIDE FORMULATIONS	Indoxacarb (Tech)	Description/ Appearance	SRI/PEST/098, IS 15984
3686	CHEMICAL- PESTICIDE FORMULATIONS	Indoxacarb (Tech)	Isomer Content	IS 15984
3687	CHEMICAL- PESTICIDE FORMULATIONS	Indoxacarb (Tech)	Matter Insoluble in Acetone	IS 6940, CIPAC Handbook F, MT 27 & SRI/PEST/042

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	234 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3688	CHEMICAL- PESTICIDE FORMULATIONS	Indoxacarb (Tech)	Moisture	IS 6940, CIPAC Handbook F' MT 30.1 & 30.2, SRI/PEST/039
3689	CHEMICAL- PESTICIDE FORMULATIONS	Indoxacarb (Tech)	Total Indoxacarb content	IS 15984
3690	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (CS)	Description/ Appearance	SRI/PEST/098
3691	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (CS)	Lambda Cyhalothrin content	CIPAC Handbook K: MT 463/CS/M/3-
3692	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F'MT 31.2.3, CIPAC Handbook L, MT 191
3693	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (EC)	Cold Test	IS 6940
3694	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (EC)	Description/ Appearance	SRI/PEST/098
3695	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (EC)	Emulsion stability	IS 6940
3696	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (EC)	Flash Point	IS 1448(Pt 20)
3697	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (EC)	Lambda Cyhalothrin content	IS 14509, CIPAC Handbook E,MT 463/TC/M/3-
3698	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (Tech)	Acidity/ Alkalinity	IS 6940 & CIPAC Handbook F'MT 31.1.1/ MT 31.2.1
3699	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (Tech)	Description/ Appearance	SRI/PEST/098 & IS 14509
3700	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (Tech)	Lambda Cyhalothrin content	IS 14509 , CIPAC Handbook E' MT 463/ TC/M/3-
3701	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (Tech)	Moisture (Karl Fischer)	IS 6940 , CIPAC Handbook F; MT 30.1& 30.2 , SRI/PEST/039
3702	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (WP)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook F, MT 31.1.2/MT 31.2.2, CIPAC Handbook L,MT 191, SRI/PEST/063
3703	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (WP)	Description/ Appearance	SRI/PEST/098, IS 14510
3704	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (WP)	Lambda Cyhalothrin content	IS 14509, IS 14510, CIPAC Handbook E,MT 463/ WP/M/3-
3705	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (WP)	Sieving	IS 6940, CIPAC Handbook K,MT 185/ MT 59.3, SRI/PEST/045

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	235 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3706	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (WP)	Suspensibility	IS 14510, IS 6940, CIPAC Handbook F (MT 15& 177) , CIPAC Handbook K (MT 184), CIPAC Handbook E,MT 463/WP/M/4-
3707	CHEMICAL- PESTICIDE FORMULATIONS	Lambda Cyhalothrin (WP)	Wettability	IS 6940, CIPAC Handbook F, MT 53.3, SRI/PEST/044
3708	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (DP)	Acidity / Alkalinity	IS 6940
3709	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (DP)	Bulk Density Ratio upon compacting	IS 6940
3710	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (DP)	Description/ Appearance	SRI/PEST/098,IS 2568
3711	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (DP)	Dry Sieving	IS 6940
3712	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (DP)	Malathion content	IS 1832 , SRI/PEST/064
3713	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (EC)	Acidity / Alkalinity	IS 6940, CIPAC Handbook F,MT 31.2.3L, CIPAC Handbook L, MT 191
3714	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (EC)	Cold Test	IS 6940
3715	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (EC)	Description/ Appearance	SRI/PEST/098, IS 2567
3716	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (EC)	Emulsion Stability	IS 6940
3717	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (EC)	Flash Point	IS 1448 (Pt 20)
3718	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (EC)	Malathion content	CIPAC Handbook K(MT 12/EC/M/3-), SRI/PEST/064, IS 1832
3719	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F,MT 31.1.1/MT 31.2.1
3720	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (Tech)	Description/ Appearance	SRI/PEST/098, IS 1832
3721	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (Tech)	Malathion content	CIPAC Handbook K' (MT 12/TC/M/3, IS 1832 ,SRI/PEST//064
3722	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (Tech)	Material insoluble in Acetone	IS 6940 , CIPAC Handbook F, MT 27, SRI/PEST/042

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 236 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3723	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (Tech)	Specific Gravity	IS 6940, CIPAC Handbook F,MT 3.2, SRI/PEST/041
3724	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (WP)	Acidity / Alkalinity	IS 6940
3725	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (WP)	Description/ Appearance	SRI/PEST/ 098, IS 2569
3726	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (WP)	Malathion content	IS 1832, SRI/PEST/064
3727	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (WP)	Suspensibility	IS 2569
3728	CHEMICAL- PESTICIDE FORMULATIONS	Malathion (WP)	Wet Sieving	IS 6940
3729	CHEMICAL- PESTICIDE FORMULATIONS	Mancozeb (Tech)	Description/ Appearance	IS 8707, SRI/PEST/098
3730	CHEMICAL- PESTICIDE FORMULATIONS	Mancozeb (Tech)	Ethylene thiourea content	IS 8707, SRI/ PEST/105
3731	CHEMICAL- PESTICIDE FORMULATIONS	Mancozeb (Tech)	Mancozeb content	IS 8707, SRI/PESt//103
3732	CHEMICAL- PESTICIDE FORMULATIONS	Mancozeb (Tech)	Manganese Content	IS 8707, SRI/PEST/104
3733	CHEMICAL- PESTICIDE FORMULATIONS	Mancozeb (Tech)	Zinc Content	IS 8707, SRI/PEST/104
3734	CHEMICAL- PESTICIDE FORMULATIONS	Mancozeb (WP)	Description / Appearance	IS 8708, SRI/PEST/098
3735	CHEMICAL- PESTICIDE FORMULATIONS	Mancozeb (WP)	Mancozeb content	IS 8707, SRI/PEST/103
3736	CHEMICAL- PESTICIDE FORMULATIONS	Mancozeb (WP)	Manganese Content	IS 8707, SRI/PEST/104
3737	CHEMICAL- PESTICIDE FORMULATIONS	Mancozeb (WP)	Sieving	IS 6940 , CIPAC Handbook K: MT 185/MT 59.3, SRI/PEST/045
3738	CHEMICAL- PESTICIDE FORMULATIONS	Mancozeb (WP)	Suspensibility	IS 6940 , SIPAC Handbook, F (MT 15 & 177) , CIPAC Handbook K, (MT 184)
3739	CHEMICAL- PESTICIDE FORMULATIONS	Mancozeb (WP)	Wettability	IS6940 , CIPAC Handbook F, MT 53.3, SRI/PEST/044
3740	CHEMICAL- PESTICIDE FORMULATIONS	Mancozeb (WP)	Zinc content	IS 8707, SRI/PEST/104

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	237 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3741	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl (Tech)	Acidity / Alkalinity	IS 6940 , CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3742	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl (Tech)	Description/ Appearance	IS 13458 ,SRI/PEST/098
3743	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl (Tech)	Matter insoluble in Acetone	IS 6940, CIPAC Handbook F, MT 27, SRI/PEST/042
3744	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl (Tech)	Metalaxyl content	IS 13458 , CIPAC Handbook E 365/TC/M/3
3745	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl (Tech)	Moisture / Water Content	IS 6940 , CIPAC Handbook F , MT 30.1 & 30.2, SRI/PEST/004
3746	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl (WS)	Description/ Appearance	SRI/ PESt/098, IS 13641
3747	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl (WS)	Metalaxyl content	IS 13458, CIPAC Handbook E,365/WP/M/3
3748	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl (WS)	Sieving	IS 6940, CIPAC Handbook K, MT 185/MT 59.3, SRI/ PEST/045
3749	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl (WS)	Wettability	IS 6940, CIPAC Handbook F,MT 53.3, SRI/PEST/044
3750	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl + Mancozeb (WP)	Description / Appearance	SRI/PEST/098, IS 13692
3751	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl + Mancozeb (WP)	Metalaxyl + Mancozeb content	IS 13458 & IS 13692
3752	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl + Mancozeb (WP)	Sieving	IS 6940, CIPAC Handbook K: MT 185/MT 59.3 , SRI/PEST/045
3753	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl + Mancozeb (WP)	Suspensibility	IS 13692 , IS 6940, CIPAC Handbook F(MT 15 & 177) & CIPAC Handbook K(MT 184)
3754	CHEMICAL- PESTICIDE FORMULATIONS	Metalaxyl + Mancozeb (WP)	Wettability	IS 6940 , CIPAC Handbook F'MT 53.3, SRI/PEST/044
3755	CHEMICAL- PESTICIDE FORMULATIONS	Metribuzin (Tech)	Acidity/ Alkalinity	IS 6940 , CIPAC Handbook F, MT 31.1.1 & MT 31.2.1
3756	CHEMICAL- PESTICIDE FORMULATIONS	Metribuzin (Tech)	Description/ Appearance	SRI/PEST/098, IS 13332
3757	CHEMICAL- PESTICIDE FORMULATIONS	Metribuzin (Tech)	Material Insoluble in Acetone	IS 6940, CIPAC Handbook F, MT 27, SRI/PEST/042
3758	CHEMICAL- PESTICIDE FORMULATIONS	Metribuzin (Tech)	Melting Point	IS 6940, CIPAC Handbook F, MT 2, SRI/PEST/029

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	238 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3759	CHEMICAL- PESTICIDE FORMULATIONS	Metribuzin (Tech)	Metribuzin content	IS 13332
3760	CHEMICAL- PESTICIDE FORMULATIONS	Metribuzin (Tech)	Moisture Content	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/PEST/039
3761	CHEMICAL- PESTICIDE FORMULATIONS	Metribuzin (WP)	Acidity / Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.2/ MT 31.2.2, CIPAC Handbook L, MT 191, m SRI/PEST/ 063
3762	CHEMICAL- PESTICIDE FORMULATIONS	Metribuzin (WP)	Description/ Appearance	SRI/PEST/098, IS 13333
3763	CHEMICAL- PESTICIDE FORMULATIONS	Metribuzin (WP)	Metribuzin content	IS13332
3764	CHEMICAL- PESTICIDE FORMULATIONS	Metribuzin (WP)	Sieving	IS 6940, CIPAC Handbook K, MT 185/ MT 59.3 , SRI/PEST/045
3765	CHEMICAL- PESTICIDE FORMULATIONS	Metribuzin (WP)	Suspensibility	IS 13333, IS 6940, CIPAC Handbook F,(MT 15 & 177), CIPAC Handbook K(MT 184)
3766	CHEMICAL- PESTICIDE FORMULATIONS	Metribuzin (WP)	Wettability	IS 6940 , CIPAC Handbook F, MT 53.3, SRI/PEST/044
3767	CHEMICAL- PESTICIDE FORMULATIONS	Metsulfuron- methyl (WG)	Description/ Appearance	SRI/PESt/098
3768	CHEMICAL- PESTICIDE FORMULATIONS	Metsulfuron- methyl (WG)	Metsulfuron- methyl content	IS 15615 , CIPAC Handbook H 441/TC/M/3
3769	CHEMICAL- PESTICIDE FORMULATIONS	Metsulfuron-methyl (Tech)	Acidity /Alkalinity	IS 6940 , CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3770	CHEMICAL- PESTICIDE FORMULATIONS	Metsulfuron-methyl (Tech)	Description/ Appearance	SRI/PEST/098, IS 15615
3771	CHEMICAL- PESTICIDE FORMULATIONS	Metsulfuron-methyl (Tech)	Material Insoluble in Acetone	IS 6940, CIPAC Handbook F, MT 27, SRI/PEST/042
3772	CHEMICAL- PESTICIDE FORMULATIONS	Metsulfuron-methyl (Tech)	Metsulfuron-methyl content	IS 15615 , CIPAC Handbook H, 441/TC/M/3
3773	CHEMICAL- PESTICIDE FORMULATIONS	Metsulfuron-methyl (Tech)	Moisture content	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2,SRI/PESt/039
3774	CHEMICAL- PESTICIDE FORMULATIONS	Metsulfuron-methyl (WP)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.2/MT 31.2.2, CIPAC Handbook L,MT 191, SRI/PEST/063
3775	CHEMICAL- PESTICIDE FORMULATIONS	Metsulfuron-methyl (WP)	Description/ Appearance	SRI/PEST/098, IS 15605

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	239 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3776	CHEMICAL- PESTICIDE FORMULATIONS	Metsulfuron-methyl (WP)	Metsulfuron-methyl content	IS 15615, CIPAC Handbook H, 441/TC/M/3
3777	CHEMICAL- PESTICIDE FORMULATIONS	Metsulfuron-methyl (WP)	Suspensibility	IS 6940 , CIPAC Handbook F(MT 15 & 177), CIPAC Handbook K (MT 184)
3778	CHEMICAL- PESTICIDE FORMULATIONS	Metsulfuron-methyl (WP)	Wettability	IS 6940, CIPAC Handbook E, MT 53.3, SRI/PEST/044
3779	CHEMICAL- PESTICIDE FORMULATIONS	Monocrotophos (SL)	Acidity/ Alkalinity	IS 6940
3780	CHEMICAL- PESTICIDE FORMULATIONS	Monocrotophos (SL)	Cold Test	IS 6940
3781	CHEMICAL- PESTICIDE FORMULATIONS	Monocrotophos (SL)	Description/ Appearance	SRI/PEST/098, IS 8074
3782	CHEMICAL- PESTICIDE FORMULATIONS	Monocrotophos (SL)	Flash Point	IS 1448 (Pt 20)
3783	CHEMICAL- PESTICIDE FORMULATIONS	Monocrotophos (SL)	Free MMA Content	IS 8025
3784	CHEMICAL- PESTICIDE FORMULATIONS	Monocrotophos (SL)	Monocrotophos content	IS 8025, CIPAC Handbook E,287/TC/M/3
3785	CHEMICAL- PESTICIDE FORMULATIONS	Monocrotophos (TC/TK)	Acidity/ Alkalinity	IS 6940
3786	CHEMICAL- PESTICIDE FORMULATIONS	Monocrotophos (TC/TK)	Description / Appearance	SRI/PEST/ 098, IS 8025
3787	CHEMICAL- PESTICIDE FORMULATIONS	Monocrotophos (TC/TK)	Free MMA Content	IS 8025
3788	CHEMICAL- PESTICIDE FORMULATIONS	Monocrotophos (TC/TK)	Monocrotophos content	IS 8025 , CIPAC Handbook E 287/TC/M/3
3789	CHEMICAL- PESTICIDE FORMULATIONS	Neem based EC (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F: MT 31.2.3, CIPAC Handbook L: MT 191
3790	CHEMICAL- PESTICIDE FORMULATIONS	Neem based EC (EC)	Azadirachtin content	IS 14300, SRI/PEST/070
3791	CHEMICAL- PESTICIDE FORMULATIONS	Neem based EC (EC)	Cold Test	IS 6940
3792	CHEMICAL- PESTICIDE FORMULATIONS	Neem based EC (EC)	Description/ Appearance	IS 14300, SRI/PEST/098
3793	CHEMICAL- PESTICIDE FORMULATIONS	Neem based EC (EC)	Emulsion Stability	IS 6940

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	240 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3794	CHEMICAL- PESTICIDE FORMULATIONS	Neem based EC (EC)	Flash Point	IS 1448 (Pt 20)
3795	CHEMICAL- PESTICIDE FORMULATIONS	Neem Extract containing Azadirachtin (Tech)	Azadirachtin content	IS 14299, SRI/PEST/070
3796	CHEMICAL- PESTICIDE FORMULATIONS	Neem Extract containing Azadirachtin (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook E, MT 31.1.1/ MT 31.2.1
3797	CHEMICAL- PESTICIDE FORMULATIONS	Neem Extract containing Azadirachtin (Tech)	Description/ Appearance	IS: 14299, SRI/PEST/098
3798	CHEMICAL- PESTICIDE FORMULATIONS	Neem Extract containing Azadirachtin (Tech)	Material insoluble in acetone	IS 6940, CIPAC Handbook F, MT 27, SRI/PEST/042
3799	CHEMICAL- PESTICIDE FORMULATIONS	Neem Extract containing Azadirachtin (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/PEST/039
3800	CHEMICAL- PESTICIDE FORMULATIONS	Pendimethalin (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.2.3, CIPAC Handbook L: MT 191
3801	CHEMICAL- PESTICIDE FORMULATIONS	Pendimethalin (EC)	Cold Test	IS 6940
3802	CHEMICAL- PESTICIDE FORMULATIONS	Pendimethalin (EC)	Description/ Appearance	SRI/PEST/098, IS 12751
3803	CHEMICAL- PESTICIDE FORMULATIONS	Pendimethalin (EC)	Emulsion Stability	IS 6940
3804	CHEMICAL- PESTICIDE FORMULATIONS	Pendimethalin (EC)	Flash Point	IS 1448 (Pt 20)
3805	CHEMICAL- PESTICIDE FORMULATIONS	Pendimethalin (EC)	Pendimethalin content	IS 12685
3806	CHEMICAL- PESTICIDE FORMULATIONS	Pendimethalin (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3807	CHEMICAL- PESTICIDE FORMULATIONS	Pendimethalin (Tech)	Description/ Appearance	SRI/PEST/098, IS 12685
3808	CHEMICAL- PESTICIDE FORMULATIONS	Pendimethalin (Tech)	Material Insoluble in Acetone	IS 6940, CIPAC Handbook F, MT 27, SRI/PEST/042
3809	CHEMICAL- PESTICIDE FORMULATIONS	Pendimethalin (Tech)	Melting Point	IS 6940, CIPAC Handbook F, MT 2, SRI/PEST/029
3810	CHEMICAL- PESTICIDE FORMULATIONS	Pendimethalin (Tech)	Moisture Content	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/PEST/039
3811	CHEMICAL- PESTICIDE FORMULATIONS	Pendimethalin (Tech)	Pendimethalin content	IS 12685

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 241 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3812	CHEMICAL- PESTICIDE FORMULATIONS	Phorate(GR)	Acidity/ Alkalinity	IS 6940
3813	CHEMICAL- PESTICIDE FORMULATIONS	Phorate(GR)	Description/ Appearance	SRI/PEST/098, IS 9359
3814	CHEMICAL- PESTICIDE FORMULATIONS	Phorate(GR)	Dust	IS 6940
3815	CHEMICAL- PESTICIDE FORMULATIONS	Phorate(GR)	Encapsulation / Attrition test	IS 9359
3816	CHEMICAL- PESTICIDE FORMULATIONS	Phorate(GR)	Encapsulation / Water run- off	IS 9359
3817	CHEMICAL- PESTICIDE FORMULATIONS	Phorate(GR)	Moisture	IS 6940
3818	CHEMICAL- PESTICIDE FORMULATIONS	Phorate(GR)	Particle Size / Sieving	IS 6940
3819	CHEMICAL- PESTICIDE FORMULATIONS	Phorate(GR)	Phorate content	IS 9359
3820	CHEMICAL- PESTICIDE FORMULATIONS	Phorate(GR)	Phorate content after dusting	IS 9359
3821	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F' MT 31.2.3, CIPAC Handbook L: MT 191
3822	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (EC)	Cold Test	IS 6940
3823	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (EC)	Description/ Appearance	SRI/PEST/098, IS 13456
3824	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (EC)	Emulsion Stability	IS 6940
3825	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (EC)	Flash Point	IS 1448 (Pt 20)
3826	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (EC)	Pirimiphos methyl content	IS 13080
3827	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (Tech)	Acidity / Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3828	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (Tech)	Description / Appearance	SRI/PEST/098, IS 13080
3829	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (Tech)	Flash Point	IS 1448 (Pt 20)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	242 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3830	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 301. & 30.2, SRI/PEST/039
3831	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (Tech)	Pirimiphos methyl content	IS 13080
3832	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (Tech)	Relative Density/ Specific Gravity	IS 6940, SRI/PEST/041
3833	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (WP)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F: MT 311.2/ MT 31.2.2, CIPAC Handbook L, MT 191, SRI/PEST//063
3834	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (WP)	Description/ Appearance	SRI/PEST/098, IS 13454
3835	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (WP)	Pirimiphos methyl Content	IS 13080
3836	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (WP)	Sieving	IS 6940 , CIPAC Handbook K: MT 185 / MT 59.3 : 20003 , SRI/PEST/045
3837	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (WP)	Suspensibility	IS 6940,IS 13454, CIPAC Handbook F,MT 15 & 177, CIPAC Handbook K (MT 184)
3838	CHEMICAL- PESTICIDE FORMULATIONS	Pirimiphos methyl (WP)	Wettability	IS 6940 , CIPAC Handbook F: MT 53.3: m SRI/PEST/044
3839	CHEMICAL- PESTICIDE FORMULATIONS	Pofenophos+Cypermethrin (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F: MT 31.2.3 & CIPAC Handbook L: MT 191
3840	CHEMICAL- PESTICIDE FORMULATIONS	Pofenophos+Cypermethrin (EC)	Cold Test	IS 6940
3841	CHEMICAL- PESTICIDE FORMULATIONS	Pofenophos+Cypermethrin (EC)	Description / Appearance	SRI/PEST/098 & IS 15236
3842	CHEMICAL- PESTICIDE FORMULATIONS	Pofenophos+Cypermethrin (EC)	Emulsion stability	IS 6940
3843	CHEMICAL- PESTICIDE FORMULATIONS	Pofenophos+Cypermethrin (EC)	Flash Point	IS 1448 (Pt 20)
3844	CHEMICAL- PESTICIDE FORMULATIONS	Pofenophos+Cypermethrin (EC)	Pofenophos+Cypermethrin content	IS 15236
3845	CHEMICAL- PESTICIDE FORMULATIONS	Pretilachlor (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.2.3, CIPAC Handbook L: MT 191
3846	CHEMICAL- PESTICIDE FORMULATIONS	Pretilachlor (EC)	Cold Test	IS 6940

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 243 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3847	CHEMICAL- PESTICIDE FORMULATIONS	Pretilachlor (EC)	Description / Appearance	SRI/PEST/098 IS 15160
3848	CHEMICAL- PESTICIDE FORMULATIONS	Pretilachlor (EC)	Emulsion stability	IS 6940
3849	CHEMICAL- PESTICIDE FORMULATIONS	Pretilachlor (EC)	Flash Point	IS 1448 (Pt 20)
3850	CHEMICAL- PESTICIDE FORMULATIONS	Pretilachlor (EC)	Pretilachlor content	IS 15158
3851	CHEMICAL- PESTICIDE FORMULATIONS	Pretilachlor (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3852	CHEMICAL- PESTICIDE FORMULATIONS	Pretilachlor (Tech)	Description/ Appearance	IS 15158, SRI/PEST/098
3853	CHEMICAL- PESTICIDE FORMULATIONS	Pretilachlor (Tech)	Materials Insoluble in Acetone	IS 6940, CIPAC Handbook F, MT 27, SRI/PEST/042
3854	CHEMICAL- PESTICIDE FORMULATIONS	Pretilachlor (Tech)	Moisture Content	IS 6940 , CIPAC Handbook F, MT 30.1 & 30.2, SRI/PEST/039
3855	CHEMICAL- PESTICIDE FORMULATIONS	Pretilachlor (Tech)	Pretilachlor content	IS 15158
3856	CHEMICAL- PESTICIDE FORMULATIONS	Propicanazole (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F: MT 31.1.1/ MT 31.2.1
3857	CHEMICAL- PESTICIDE FORMULATIONS	Propicanazole (Tech)	Description/ Appearance	SRI/PEST/098, IS 15241
3858	CHEMICAL- PESTICIDE FORMULATIONS	Propicanazole (Tech)	Material Insoluble in Acetone	IS 6940, CIPAC Handbook MR 27, SRI/PEST/042
3859	CHEMICAL- PESTICIDE FORMULATIONS	Propicanazole (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/PEST/039
3860	CHEMICAL- PESTICIDE FORMULATIONS	Propiconazole (EC)	Acidity / Alkalinity	IS 6940 , CIPAC Handbook F: MT 31.2.3 CIPAC Handbook L: MT 191
3861	CHEMICAL- PESTICIDE FORMULATIONS	Propiconazole (EC)	Cold Test	IS 6940
3862	CHEMICAL- PESTICIDE FORMULATIONS	Propiconazole (EC)	Description/ Appearance	IS 5277, SRI/PEST/098, IS 15182
3863	CHEMICAL- PESTICIDE FORMULATIONS	Propiconazole (EC)	Emulsion Stability	IS 6940
3864	CHEMICAL- PESTICIDE FORMULATIONS	Propiconazole (EC)	Flash Point	IS 1448 (Pt 20)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 244 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3865	CHEMICAL- PESTICIDE FORMULATIONS	Propiconazole (EC)	Propiconazole content	IS 15241
3866	CHEMICAL- PESTICIDE FORMULATIONS	Propiconazole (Tech)	Propiconazole content	IS 15241
3867	CHEMICAL- PESTICIDE FORMULATIONS	Propoxur (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F:MT 31.2.3, CIPAC Handbook L: MT 191
3868	CHEMICAL- PESTICIDE FORMULATIONS	Propoxur (EC)	Cold Test	IS 6940
3869	CHEMICAL- PESTICIDE FORMULATIONS	Propoxur (EC)	Emulsion Stability	IS 6940
3870	CHEMICAL- PESTICIDE FORMULATIONS	Propoxur (EC)	Flash Point	IS 1448 (Pt 20)
3871	CHEMICAL- PESTICIDE FORMULATIONS	Propoxur (EC)	Propoxur content	IS 8496
3872	CHEMICAL- PESTICIDE FORMULATIONS	Propoxur (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F. MT 31.1.1./ MT 31.2.1
3873	CHEMICAL- PESTICIDE FORMULATIONS	Propoxur (Tech)	Description/ Appearance	SRI/PEST/098. IS 8496
3874	CHEMICAL- PESTICIDE FORMULATIONS	Propoxur (Tech)	Propoxur content	IS 8496
3875	CHEMICAL- PESTICIDE FORMULATIONS	Propoxur (EC)	Description/ Appearance	SOP No. SRI/PEST/098 & IS 9665
3876	CHEMICAL- PESTICIDE FORMULATIONS	Propoxur (Tech)	Material Insoluble in Acetone	IS 6940 , CIPAC Handbook MT 27
3877	CHEMICAL- PESTICIDE FORMULATIONS	Pyrazosulfuron ethyl (Tech)	Description/ Appearance	SRI/PEST/098
3878	CHEMICAL- PESTICIDE FORMULATIONS	Pyrazosulfuron ethyl (Tech)	Pyrazosulfuron ethyl content	SRI/PEST/077
3879	CHEMICAL- PESTICIDE FORMULATIONS	Pyrazosulfuron ethyl (WG)	Description / Appearance	SRI/PEST/098
3880	CHEMICAL- PESTICIDE FORMULATIONS	Pyrazosulfuron ethyl (WG)	Pyrazosulfuron ethyl content	SRI/PEST/077
3881	CHEMICAL- PESTICIDE FORMULATIONS	Pyrazosulfuron ethyl (WP)	Description / Appearance	SRI/PEST/098
3882	CHEMICAL- PESTICIDE FORMULATIONS	Pyrazosulfuron ethyl (WP)	Pyrazosulfuron ethyl content	SRI/PEST/077

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 245 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3883	CHEMICAL- PESTICIDE FORMULATIONS	Pyriproxyfen (GR)	Description / Appearance	SRI/PEST/098
3884	CHEMICAL- PESTICIDE FORMULATIONS	Pyriproxyfen (GR)	Pyriproxyfen content	CIPAC Handbook M (MT 715/GR/M/3-)
3885	CHEMICAL- PESTICIDE FORMULATIONS	Quizalofop ethyl (EC)	Description / Appearance	SRI/PEST/098
3886	CHEMICAL- PESTICIDE FORMULATIONS	Quizalofop ethyl (EC)	Quizalofop ethyl content	SRI/PEST/078
3887	CHEMICAL- PESTICIDE FORMULATIONS	Quizalofop ethyl (Tech)	Description/ Appearance	SRI/PEST/098
3888	CHEMICAL- PESTICIDE FORMULATIONS	Quizalofop ethyl (Tech)	Quizalofop ethyl content	SRI/PESt/078
3889	CHEMICAL- PESTICIDE FORMULATIONS	Quizalofop-p- ethyl (EC)	Description/ Appearance	SRI/PEST/098
3890	CHEMICAL- PESTICIDE FORMULATIONS	Quizalofop-p- ethyl (EC)	Quizalofop-p- ethyl content	SRI/PEST/079
3891	CHEMICAL- PESTICIDE FORMULATIONS	Quizalofop-p- ethyl (Tech)	Description / Appearance	SIP/ PEST./ 098
3892	CHEMICAL- PESTICIDE FORMULATIONS	Quizalofop-p- ethyl (Tech)	Quizalofop-p- ethyl content	SRI/PEST/079
3893	CHEMICAL- PESTICIDE FORMULATIONS	Sulfosulfuron (Tech)	Description/ Appearance	SRI/PEST/098
3894	CHEMICAL- PESTICIDE FORMULATIONS	Sulfosulfuron (Tech)	Sulfosulfuron content	SRI/PEST/080
3895	CHEMICAL- PESTICIDE FORMULATIONS	Sulfosulfuron (Tech)	Sulfosulfuron content	SRI/PEST/080
3896	CHEMICAL- PESTICIDE FORMULATIONS	Sulfosulfuron (WG)	Description/ Appearance	SRI/PEST/098
3897	CHEMICAL- PESTICIDE FORMULATIONS	Sulfosulfuron + Metsulfuron methyl (WG)	Description/ Appearance	SRI/PEST/098
3898	CHEMICAL- PESTICIDE FORMULATIONS	Sulfosulfuron + Metsulfuron methyl (WG)	Sulfosulfuron + Metsulfuron methyl content	SRI/PEST/093
3899	CHEMICAL- PESTICIDE FORMULATIONS	Sulphur (DP)	Bulk Density ratio upon compacting	IS 6940
3900	CHEMICAL- PESTICIDE FORMULATIONS	Sulphur (DP)	Description / Appearance	IS 6444 & SRI/PEST/098
3901	CHEMICAL- PESTICIDE FORMULATIONS	Sulphur (DP)	Dry Sieving	IS 6940

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	246 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3902	CHEMICAL- PESTICIDE FORMULATIONS	Sulphur (DP)	Sulphur content	IS 6444
3903	CHEMICAL- PESTICIDE FORMULATIONS	Sulphur (WG)	Description/ Appearance	SRI/PEST/098
3904	CHEMICAL- PESTICIDE FORMULATIONS	Sulphur (WG)	Sulphur content	IS 3383
3905	CHEMICAL- PESTICIDE FORMULATIONS	Sulphur (WP)	Description /Appearance	SRI/PEST/ 098, IS 3383
3906	CHEMICAL- PESTICIDE FORMULATIONS	Sulphur (WP)	Sieving	IS 6940, CIPAC handbook K: MT 185/MT 59.3 & SRI/PEST/045
3907	CHEMICAL- PESTICIDE FORMULATIONS	Sulphur (WP)	Sulphur content	IS 3383
3908	CHEMICAL- PESTICIDE FORMULATIONS	Sulphur (WP)	Suspensibility	IS 6940, CIPAC handbook F (MT 15 & 177) , CIPAC Handbook K (MT 184)
3909	CHEMICAL- PESTICIDE FORMULATIONS	Sulphur (WP)	Wettability	IS 6940, CIPAC Handbook F, MT 53.3 & SRI/PEST/044
3910	CHEMICAL- PESTICIDE FORMULATIONS	Tebuconazole (DS)	Description	IS 15159, SRI/PEST/098
3911	CHEMICAL- PESTICIDE FORMULATIONS	Tebuconazole (DS)	Moisture (Karl Fischer)	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2 , SRI/PEST/039
3912	CHEMICAL- PESTICIDE FORMULATIONS	Tebuconazole (DS)	Tebuconazole content	IS 15165
3913	CHEMICAL- PESTICIDE FORMULATIONS	Tebuconazole (DS)	Wet Sieving	IS 4783
3914	CHEMICAL- PESTICIDE FORMULATIONS	Tebuconazole (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC handbook F, MT 31.1.1/ MT 31.2.1
3915	CHEMICAL- PESTICIDE FORMULATIONS	Tebuconazole (Tech)	Description	IS 15165, SRI/PEST/098
3916	CHEMICAL- PESTICIDE FORMULATIONS	Tebuconazole (Tech)	Moisture (Karl Fischer)	IS 6940, CIPAC handbook F, MT 30.1 & 30.2, SRI/PEST/039
3917	CHEMICAL- PESTICIDE FORMULATIONS	Tebuconazole (Tech)	Tebuconazole content	IS 15165
3918	CHEMICAL- PESTICIDE FORMULATIONS	Tebuthiuron(Tech)	Description / Appearance	SRI/PEST/098
3919	CHEMICAL- PESTICIDE FORMULATIONS	Tebuthiuron(Tech)	Tebuthiuron content	SRI/PEST/081

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	247 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3920	CHEMICAL- PESTICIDE FORMULATIONS	Tebuthiuron(WG)	Description/ Appearance	SRI/PEST/098
3921	CHEMICAL- PESTICIDE FORMULATIONS	Tebuthiuron(WG)	Tebuthiuron content	SRI/PEST/081
3922	CHEMICAL- PESTICIDE FORMULATIONS	Temephos (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.2.2 , CIPAC Handbook L: MT 191
3923	CHEMICAL- PESTICIDE FORMULATIONS	Temephos (EC)	Cold Test	IS 6940
3924	CHEMICAL- PESTICIDE FORMULATIONS	Temephos (EC)	Description/ Appearance	SRI/PEST/098 , IS 8498
3925	CHEMICAL- PESTICIDE FORMULATIONS	Temephos (EC)	Emulsion stability	IS 6940
3926	CHEMICAL- PESTICIDE FORMULATIONS	Temephos (EC)	Flash Point	IS 1448 (Pt 20)
3927	CHEMICAL- PESTICIDE FORMULATIONS	Temephos (EC)	Temephos content	IS 8701
3928	CHEMICAL- PESTICIDE FORMULATIONS	Temephos(Tech)	Acidity / Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.1/ MT 31.2.1
3929	CHEMICAL- PESTICIDE FORMULATIONS	Temephos(Tech)	Description/ Appearance	IS 8701, SRI/PEST/098
3930	CHEMICAL- PESTICIDE FORMULATIONS	Temephos(Tech)	Materials insoluble in acetone	IS 6940, CIPAC handbook F, MT 27 & SRI/PEST/042
3931	CHEMICAL- PESTICIDE FORMULATIONS	Temephos(Tech)	Moisture (Karl Fischer)	IS 6940, CIPAC Handbook F,MT 30.1 & 30.2, SRI/PEST /039
3932	CHEMICAL- PESTICIDE FORMULATIONS	Temephos(Tech)	Temephos content	IS 8701
3933	CHEMICAL- PESTICIDE FORMULATIONS	Terbuthylazine (Tech)	Description/ Appearance	SRI/PEST/098
3934	CHEMICAL- PESTICIDE FORMULATIONS	Terbuthylazine (Tech)	Terbuthylazine content	SRI/PEST/092
3935	CHEMICAL- PESTICIDE FORMULATIONS	Terbuthylazine (WG)	Description/ Appearance	SRI/PEST/098
3936	CHEMICAL- PESTICIDE FORMULATIONS	Terbuthylazine (WG)	Terbuthylazine content	SRI/PEST/092
3937	CHEMICAL- PESTICIDE FORMULATIONS	Thiamethoxam (FS)	Description/ Appearance	SRI/PEST/098

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 248 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3938	CHEMICAL- PESTICIDE FORMULATIONS	Thiamethoxam (FS)	Thiamethoxam content	SRI/PEST/082
3939	CHEMICAL- PESTICIDE FORMULATIONS	Thiamethoxam (Tech)	Description /Appearance	SRI/PEST/098
3940	CHEMICAL- PESTICIDE FORMULATIONS	Thiamethoxam (Tech)	Thiamethoxam Content	SRI/PEST/082
3941	CHEMICAL- PESTICIDE FORMULATIONS	Thiamethoxam (WG)	Description/ Appearance	SRI/PEST/098
3942	CHEMICAL- PESTICIDE FORMULATIONS	Thiamethoxam (WG)	Thiamethoxam content	SRI/PEST/082
3943	CHEMICAL- PESTICIDE FORMULATIONS	Thiophanate Methyl (Tech)	Acidity	IS 6940, CIPAC Handbook F,MT 31.1.1/MT 31.2.1
3944	CHEMICAL- PESTICIDE FORMULATIONS	Thiophanate Methyl (Tech)	Description/ Appearance	SRI/PEST/098, IS 14551
3945	CHEMICAL- PESTICIDE FORMULATIONS	Thiophanate Methyl (Tech)	Matter insoluble in Acetone	IS 6940, CIPAC Handbook F, MT 27, SRI/PEST/042
3946	CHEMICAL- PESTICIDE FORMULATIONS	Thiophanate Methyl (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/PEST/039
3947	CHEMICAL- PESTICIDE FORMULATIONS	Thiophanate Methyl (Tech)	Thiophanate Methyl content	IS 14551
3948	CHEMICAL- PESTICIDE FORMULATIONS	Thiophanate Methyl (WP)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F,MT 31.1.2 & MT 31.2.2, CIPAC Handbook L, MT 191 , SRI/PEST/063
3949	CHEMICAL- PESTICIDE FORMULATIONS	Thiophanate Methyl (WP)	Description/ Appearance	SRI/PEST/098, IS 14552
3950	CHEMICAL- PESTICIDE FORMULATIONS	Thiophanate Methyl (WP)	Sieving	IS 6940 , CIPAC handbook K:MT 185/MT 59. 3, SRI/PEST/045
3951	CHEMICAL- PESTICIDE FORMULATIONS	Thiophanate Methyl (WP)	Suspensibility	IS 6940, IS 14552, CIPAC Handbook F (MT 15 & 177) ,CIPAC handbook K (MT 184)
3952	CHEMICAL- PESTICIDE FORMULATIONS	Thiophanate Methyl (WP)	Thiophanate Methyl content	IS 14551
3953	CHEMICAL- PESTICIDE FORMULATIONS	Thiophanate Methyl (WP)	Wettability	IS 6940, CIPAC Handbook F,MT53.3, SRI/PEST/044
3954	CHEMICAL- PESTICIDE FORMULATIONS	Thiram (DS)	Colour	IS 4783 SOP/PEST/098
3955	CHEMICAL- PESTICIDE FORMULATIONS	Thiram (DS)	Description/ Appearance	SRI/PEST/098, IS 4783

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	249 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3956	CHEMICAL- PESTICIDE FORMULATIONS	Thiram (DS)	Thiram content	IS 4320
3957	CHEMICAL- PESTICIDE FORMULATIONS	Thiram (DS)	Wet Sieving	IS 4783
3958	CHEMICAL- PESTICIDE FORMULATIONS	Thiram (Tech)	Ash	IS 4320
3959	CHEMICAL- PESTICIDE FORMULATIONS	Thiram (Tech)	Description/ Appearance	SRI/PEST/098, IS 4320
3960	CHEMICAL- PESTICIDE FORMULATIONS	Thiram (Tech)	Loss on Drying	IS 4320
3961	CHEMICAL- PESTICIDE FORMULATIONS	Thiram (Tech)	Thiram content	IS 4320
3962	CHEMICAL- PESTICIDE FORMULATIONS	Thiram (WS)	Description/ Appearance	SRI/PEST/098, IS 4766
3963	CHEMICAL- PESTICIDE FORMULATIONS	Thiram (WS)	Thiram content	IS 4320
3964	CHEMICAL- PESTICIDE FORMULATIONS	Thiram (WS)	Wet Sieving	IS 6940, CIPAC Handbook K: MT 185/ MT 59.3 , SRI/PEST/045
3965	CHEMICAL- PESTICIDE FORMULATIONS	Thiram (WS)	Wettability	IS 6940, CIPAC Handbook F, MT 53.3 , SRI/PEST/044
3966	CHEMICAL- PESTICIDE FORMULATIONS	Transfluthrin (Tech)	Description/ Appearance	SRI/PEST/098
3967	CHEMICAL- PESTICIDE FORMULATIONS	Transfluthrin (Tech)	Transfluthrin content	SRI/PEST/083
3968	CHEMICAL- PESTICIDE FORMULATIONS	Transfluthrin (LV)	Description/ Appearance	SRI/PEST/098
3969	CHEMICAL- PESTICIDE FORMULATIONS	Transfluthrin (LV)	Transfluthrin content	SRI/PEST/083
3970	CHEMICAL- PESTICIDE FORMULATIONS	Triaconatanol (GR)	Description/ Appearance	SRI/PEST/098
3971	CHEMICAL- PESTICIDE FORMULATIONS	Triaconatanol (GR)	Triaconatanol content	SRI/PEST/084
3972	CHEMICAL- PESTICIDE FORMULATIONS	Triacontanol (Tech)	Description/ Appearance	SRI/PEST/098
3973	CHEMICAL- PESTICIDE FORMULATIONS	Triacontanol (Tech)	Transfluthrin content	SRI/PEST/084

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	250 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3974	CHEMICAL- PESTICIDE FORMULATIONS	Triazohos (Tech)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F,MT 31.1.1/ MT 31.2.1
3975	CHEMICAL- PESTICIDE FORMULATIONS	Triazohos (Tech)	Description/ Appearance	SRI/PEST/098, IS : 14936
3976	CHEMICAL- PESTICIDE FORMULATIONS	Triazohos (Tech)	Material insoluble in acetone	IS 6940, CIPAC Handbook F, MT 27 , SRI/PEST/042
3977	CHEMICAL- PESTICIDE FORMULATIONS	Triazohos (Tech)	Moisture	IS 6940, CIPAC Handbook F, MT 30.1 & 30.2, SRI/PEST/039
3978	CHEMICAL- PESTICIDE FORMULATIONS	Triazohos (Tech)	Triazohos content	IS 14936
3979	CHEMICAL- PESTICIDE FORMULATIONS	Triazophos (EC)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F: MT 31.2.3 , CIPAC Handbook L: MT 191
3980	CHEMICAL- PESTICIDE FORMULATIONS	Triazophos (EC)	Cold Test	IS 6940
3981	CHEMICAL- PESTICIDE FORMULATIONS	Triazophos (EC)	Description / Appearance	SRI/PEST/098, IS 14937
3982	CHEMICAL- PESTICIDE FORMULATIONS	Triazophos (EC)	Emulsion Stability	IS 6940
3983	CHEMICAL- PESTICIDE FORMULATIONS	Triazophos (EC)	Flash Point	IS 1448 (Pt 20)
3984	CHEMICAL- PESTICIDE FORMULATIONS	Triazophos (EC)	Triazophos content	IS 14936
3985	CHEMICAL- PESTICIDE FORMULATIONS	Tricyclazole (Tech)	Acidity/ Alkalinity	IS 6940 , CIPACHandbook F, MT 31.1.1/ MT 31.2.1
3986	CHEMICAL- PESTICIDE FORMULATIONS	Tricyclazole (Tech)	Material insoluble in acetone	IS 6940, CIPAC Handbook F'MT 27, SRI/PEST/042
3987	CHEMICAL- PESTICIDE FORMULATIONS	Tricyclazole (Tech)	Moisture	IS 6940, CIPAC Handbook F,MT 30.1 & 30.2, SRI/PEST /039
3988	CHEMICAL- PESTICIDE FORMULATIONS	Tricyclazole (Tech)	Tricyclazole content	IS 15982
3989	CHEMICAL- PESTICIDE FORMULATIONS	Tricyclazole (WP)	Acidity/ Alkalinity	IS 6940, CIPAC Handbook F, MT 31.1.2 , CIPAC Handbook L,MT 191 , SRI/PEST/ 063
3990	CHEMICAL- PESTICIDE FORMULATIONS	Tricyclazole (WP)	Description/ Appearance	SRI/PEST/098 IS 15985
3991	CHEMICAL- PESTICIDE FORMULATIONS	Tricyclazole (WP)	pH	IS 15985

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	251 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
3992	CHEMICAL- PESTICIDE FORMULATIONS	Tricyclazole (WP)	Sieving	IS 6940 , CIPAC handbook K: MT 185/ MT 59.3 , SRI/PEST/045
3993	CHEMICAL- PESTICIDE FORMULATIONS	Tricyclazole (WP)	Suspensibility	IS 6940, CIPAC Handbook F(MT 15 & 177) , CIPAC handbook K (MT 184)
3994	CHEMICAL- PESTICIDE FORMULATIONS	Tricyclazole (WP)	Triclazole content	IS 15985
3995	CHEMICAL- PESTICIDE FORMULATIONS	Tricyclazole (WP)	Wettability	IS 6940, CIPAC Handbook F,MT 53.3, SRI/PEST/044
3996	CHEMICAL- PESTICIDE FORMULATIONS	Tricyclozole (Tech)	Description/ Appearance	SRI/PEST/098, IS 15982
3997	CHEMICAL- PESTICIDE FORMULATIONS	Validamycin (L)	Description/ Appearance	SRI/PEST/098
3998	CHEMICAL- PESTICIDE FORMULATIONS	Validamycin (L)	Validamycin content	SRI/PEST/085
3999	CHEMICAL- PESTICIDE FORMULATIONS	Validamycin (Tech)	Description/ Appearance	SRI/PEST/098
4000	CHEMICAL- PESTICIDE FORMULATIONS	Validamycin (Tech)	Validamycin content	SRI/PEST/085
4001	CHEMICAL- PESTICIDE FORMULATIONS	Zinc Phosphide (Tech)	Description/ Appearance	SRI/PEST/098, IS 1251
4002	CHEMICAL- PESTICIDE FORMULATIONS	Zinc Phosphide (Tech)	Sieving	IS 6940
4003	CHEMICAL- PESTICIDE FORMULATIONS	Zinc Phosphide (Tech)	Sulphides	IS 1251
4004	CHEMICAL- PESTICIDE FORMULATIONS	Zinc Phosphide (Tech)	Zinc Content	IS 1251
4005	CHEMICAL- PESTICIDE FORMULATIONS	Zinc Phosphide (Tech)	Zinc Phosphide content	IS 1251
4006	CHEMICAL- PESTICIDE FORMULATIONS	Zineb (Tech)	Description/ Appearance	SRI/PEST/098, IS 3898
4007	CHEMICAL- PESTICIDE FORMULATIONS	Zineb (Tech)	Moisture	IS 6940
4008	CHEMICAL- PESTICIDE FORMULATIONS	Zineb (Tech)	Zinc Content	IS 8707
4009	CHEMICAL- PESTICIDE FORMULATIONS	Zineb (Tech)	Zineb content	IS 3898

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 252 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4010	CHEMICAL- PESTICIDE FORMULATIONS	Zineb (WP)	Description/ Appearance	SRI/PEST/098L , IS 3899
4011	CHEMICAL- PESTICIDE FORMULATIONS	Zineb (WP)	Sieving	IS 6940, CIPAC Handbook K: MT 185/MT 59.3 ,SRI/PEST/045
4012	CHEMICAL- PESTICIDE FORMULATIONS	Zineb (WP)	Suspensibility	IS 6940, CIPAC Handbook F (MT 15 & 177) , CIPAC Handbook K (MT 184)
4013	CHEMICAL- PESTICIDE FORMULATIONS	Zineb (WP)	Wettability	IS 6940, CIPAC Handbook F,MT 53.3 , SRI/PEST/044
4014	CHEMICAL- PESTICIDE FORMULATIONS	Zineb (WP)	Zinc Content	IS 8707
4015	CHEMICAL- PESTICIDE FORMULATIONS	Zineb (WP)	Zineb content	IS 3898
4016	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (CS)	Colloidal content	IS 11010
4017	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (CS)	Description/ Appearance	SRI/PEST//098, IS 11010
4018	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (CS)	pH	IS 11010
4019	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (CS)	Suspensibility	IS 11010
4020	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (CS)	Ziram Content	IS 3900
4021	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (Tech)	Description/ Appearance	SRI/PEST/098, IS 3900
4022	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (Tech)	Moisture	IS 6940
4023	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (Tech)	Ziram content	IS 3900
4024	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (WP)	Description / Appearance	SRI/PEST/098, IS 3901
4025	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (WP)	Sieving	IS 6940, CIPAC Handbook K : MT 59.3, SRI/PEST/045
4026	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (WP)	Suspensibility	IS 6940, CIPAC Handbook F (MT 15 & 177) , CIPAC Handbook K (MT 184)
4027	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (WP)	Wettability	IS 6940, CIPAC Handbook F , MT 53.3, SRI/PEST/044

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	253 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4028	CHEMICAL- PESTICIDE FORMULATIONS	Ziram (WP)	Ziram content	IS 3900
4029	CHEMICAL- PETROLEUM AND PRODUCTS	Anti Stripping Agent	Flash Point (COC)	IS 1209
4030	CHEMICAL- PETROLEUM AND PRODUCTS	Anti Stripping Agent	Nitrogen	IS 5194
4031	CHEMICAL- PETROLEUM AND PRODUCTS	Anti Stripping Agent	Pour Point	IS 1448 (Pt 10) Sec 2
4032	CHEMICAL- PETROLEUM AND PRODUCTS	Anti Stripping Agent	Solubility in HSD	IS 14982 Annexure A
4033	CHEMICAL- PETROLEUM AND PRODUCTS	Anti Stripping Agent	Specific Gravity	IS 1202
4034	CHEMICAL- PETROLEUM AND PRODUCTS	Anti Stripping Agent	Thermal Stability	IS 14982 Annexure B
4035	CHEMICAL- PETROLEUM AND PRODUCTS	Anti Stripping Agent	Total Base Number	IS 1448 (Pt 86)
4036	CHEMICAL- PETROLEUM AND PRODUCTS	Anti Stripping Agent	Water Content	IS 1211
4037	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Boiling Point	IS 5759 Annexure Q
4038	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Boiling Point	JISK 2234
4039	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Compatibility with hard water	IS 5759 Annexure B
4040	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Effect on Rubber	IS 5759 Annexure Q
4041	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Foaming during test	IS 1448 (Pt 67)
4042	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Foaming during test	IS 5759 Annexure N
4043	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Foaming Property	IS 5759 Annexure C
4044	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Freezing point	IS 5759 & JISK 2234
4045	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Glassware Metal corrosion Amount of precipitation	IS 5759 , Annexure O
4046	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	glassware Metal corrosion Appearance of liquid phase	IS 5759 Annexure O

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	254 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4047	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Glassware Metal corrosion change in reserve alkalinity	IS 5759 Annexure P
4048	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Glassware Metal corrosion Properties of coolant after test (pH)	IS 5759 Annexure P
4049	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Glassware Metal corrosion property (Appearance of specimen after test)	IS 5759 Annexure N
4050	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Glassware Metal Corrosion property (Mass Change)	IS 5759 Annexure N
4051	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Kinematic viscosity	ASTM D 445
4052	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Kinematic Viscosity	IS 1448 (Pt 25)
4053	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	pH value	IS 5759 Annexure G & IS 8654
4054	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Reserved Alkalinity	IS 5759 Annexure H
4055	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Specific Gravity	IS 5759 Annexure D
4056	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Storage Stability	Is 5759 Annexure K
4057	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze coolant / Brake fluid	Water content	IS 5759 Annexure F & IS 1448 (Pt 40)
4058	CHEMICAL- PETROLEUM AND PRODUCTS	Antifreeze Coolant/ Brake Fluid	Boiling Point (ERBP)	IS 8654 Annexure A :
4059	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Copper Strip Corrosion	ASTM D 130
4060	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Copper Strip corrosion	IS 1448 (Pt 15)
4061	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Density	IS 1448 (Pt 16)
4062	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine fuel (ATF)	Distillation : 10% Recovery	IS 1448 (Pt 18)
4063	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Distillation : 50% Recovery	ASTM D 86
4064	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine fuel (ATF)	Distillation : 50% Recovery	IS 1448 (Pt 18)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	255 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4065	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Distillation : 90% Recovery	ASTM D 86
4066	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine fuel (ATF)	Distillation : 90% Recovery	IS 1448 (Pt 18)
4067	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Distillation : final Boiling Point	ASTM D 86
4068	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine fuel (ATF)	Distillation : Final Boiling Point	IS 1448 (Pt 18)
4069	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Distillation : Initial Boiling Point	ASTM D 86
4070	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine fuel (ATF)	Distillation : Initial Boiling Point	IS 1448 (Pt 18)
4071	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Distillation : Loss Percent	ASTM D 86
4072	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Distillation : Loss Percent	IS 1448 (Pt 18)
4073	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine fuel (ATF)	Distillation : Percent Residue	IS 1448 (Pt 18)
4074	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Distillation : Residue Percent	ASTM D 86
4075	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Distillation: 10% Recovery	ASTM D 86
4076	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	flash Point (Abel)	IS 1448 (Pt 16)
4077	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Silver Strip Corrosion	IS 1571 Annexure B
4078	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Specific Energy	IS 1448 (Pt 6)
4079	CHEMICAL- PETROLEUM AND PRODUCTS	Aviation Turbine Fuel (ATF)	Visual Appearance	IS 1571 Annexure D
4080	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Acid Value	IS 1448 (Pt 2)
4081	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Acid Value ,Organic Acidity	ASTM D 974
4082	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Calculated Cetane Index (CCI)	ASTM D 4737
4083	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Carbon Residue (Ramsbottom)	IS 1448 (Pt 8)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 256 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4084	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Cloud Point	ASTM D 2500
4085	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Cold Filter Plugging Point (CFPP)	EN 116
4086	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	copper Strip Corrosion	IS 1448 (Pt 15) & ASTM D 130
4087	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Density	IS 1448 (Pt 32)
4088	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Distillation (v/v)	ASTM D 86
4089	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Distillation (v/v)	IS 1448 (Pt 18)
4090	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Ester Content	EN 14103
4091	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Ester Content	IS 9591
4092	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Flash Point (PMCC)	ASTM D 93
4093	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Flash Point (PMCC)	IS 1448 (Pt 21)
4094	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Iodine value	EN 14111
4095	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Iodine value	IS 548 (Pt 1)
4096	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Kinematic Viscosity	ASTM D 445
4097	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Kinematic Viscosity	IS 1448 (Pt 25)
4098	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Methanol / Ethanol	EN 14110
4099	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Oxidation stability	EN 14112
4100	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Phosphorous	ASTM D 4981
4101	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Pour Point	IS 1448 (Pt 10) Sec 2
4102	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Sodium & Calcium	EN 14108 & EN 14109

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	257 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4103	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Sulphated Ash	ASTM D 874
4104	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Sulphated Ash	IS 1448 (Pt 4)
4105	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Total Contamination	EN 12662
4106	CHEMICAL- PETROLEUM AND PRODUCTS	Biodiesel	Water Content	ISO 6296
4107	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Air Release Properties	IS 1448 (Pt 102)
4108	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Ash Content	ASTM D 482
4109	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Ash content	IS 1448 (Pt 4)
4110	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Demulsification number	IS 1448 (Pt 95)
4111	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Emulsion Stability	IS 10532 (Pt 1 & 2) Appendix A
4112	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Emulsion Stability	IS 10532 (Pt 1) Appendix D
4113	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Fire Point	IS1448 (Pt 69)
4114	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Flash Point (COC)	IS 1448 (Pt 69)
4115	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Foaming Stability Characteristics	ASTM D 892
4116	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Foaming Stability Characteristics	IS 1448 (Pt 67)
4117	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Four Ball Test (Scar dia)	ASTM D 2266
4118	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Four Ball Test (Scar dia)	ASTM D 4172
4119	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Frothing Characteristics	IS 1448 (Pt 99)
4120	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Kinematic Viscosity	IS 1448 (Pt 25)
4121	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Pour Point	IS 1448 (Pt 10)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	258 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4122	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Relative density	IS 1448 (Pt 32)
4123	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Rubber Swelling Test	IS 10532 (Pt 1) Appendix C
4124	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Rust preventive Characteristics	IS 10532 (Pt 1) Appendix B
4125	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Rust Preventive characteristics	IS 1448 (Pt 96)
4126	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Stability Test (Hydrolytic Corrosion)	IS 10532 (Pt 4) Appendix A
4127	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Stability Test (Oxidation & Thermal)	IS 10532 (Pt 4) Appendix A
4128	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Thermal Stability	IS 10532 Appendix A
4129	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Total Acidity	IS 1448 (Pt 2)
4130	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Viscosity Index	IS 1448 (Pt 56) & ASTM D 2270
4131	CHEMICAL- PETROLEUM AND PRODUCTS	Fire Resistant Hydraulic Fluid	Water content	IS 1448 (Pt 40)
4132	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace Oil	Acidity (TAN)	IS 1448 (Pt 2) :
4133	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace oil	Ash content	IS 1448 part 4
4134	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace oil	Carbon Residue (Conradson)	IS 1448 (Pt 122) :
4135	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace oil	Flash Point (PMCC)	IS 1448 part 21
4136	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace oil	Gross Calorific Value	IS 1448 part 6
4137	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace oil	Kinematic Viscosity	ASTM D 445
4138	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace oil	Kinematic Viscosity	IS 1448 part 25
4139	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace oil	Net Calorific Value	IS 1448 part 7
4140	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace oil	Pour Point	IS 1448 (part 10)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	259 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4141	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace oil	Relative Density	IS 1448 part 32
4142	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace oil	Sediments	IS 1448 part 30
4143	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace oil	Sulphur	IS 1448 (Pt 33) :
4144	CHEMICAL- PETROLEUM AND PRODUCTS	Furnace oil	Water content	IS 1448 part 40
4145	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Ash content	IS 1448 (Pt 4)
4146	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Calculated Cetane Index (CCI)	ASTM D 4737
4147	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Carbon Residue (Ramsbottom)	IS 1448 (Pt 8)
4148	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Cold filter Plugging Point (CFPP)	IS 1448 (Pt 110)
4149	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Copper Strip Corrosion	IS 1448 (Pt 15) & ASTMD 130
4150	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Distillation (v/v)	ASTM D 86
4151	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Distillation (v/v)	IS 1448 (Pt 18)
4152	CHEMICAL- PETROLEUM AND PRODUCTS	High speed Diesel	FAME content	IS 1460 Annexure A
4153	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Flash Point (Abel)	IS 1448 (Pt 20)
4154	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Flash Point (PMCC)	ASTM D 93
4155	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Flash point (PMCC)	IS 1448 (Pt 21)
4156	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Gross Calorific Value	IS 1448 (Pt 6)
4157	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Kinematic Viscosity	ASTM D 445
4158	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Kinematic Viscosity	IS 1448 (Pt 25)
4159	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Net Calorific Value	IS 1448 (Pt 7)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	260 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4160	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Oxygen Content	IS 1460 Annexure A
4161	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Polyaromatic Hydrocarbon	EN 12916
4162	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Pour Point	IS 1448 (Pt 10) sec 1
4163	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Relative Density	ASTM D 1298
4164	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Relative density	IS 1448 (Pt 16)
4165	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Relative Density	IS 1448 (Pt 32)
4166	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Sediment	IS 1448 (Pt 30)
4167	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Total Acidity	IS 1448 (Pt 2) :
4168	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Total Acidity / Acid Value	ASTM D 974
4169	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Total Contamination	EN 12662
4170	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Total Sulphur	ASTM D 4294 :
4171	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel	Water content	ASTM D 6304
4172	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Acidity & alkalinity (Inorganic & Organic)	ASTM D 974
4173	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Acidity (Inorganic & Organic)	IS 1448 (Pt 2) Method C (1A) & Method A (OA):
4174	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Copper Strip Corrosion	IS 1448 (Pt 15)
4175	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Emulsion characteristics	IS 1448 (Pt 91)
4176	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Flash Point (COC)	ASTM D 92
4177	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Flash Point (COC)	IS 1448 (Pt 69)
4178	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Foaming characteristics	ASTM D 892

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	261 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4179	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Foaming characteristics	IS 1448 (Pt 67)
4180	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Kinematic Viscosity	ASTM D 445
4181	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Kinematic Viscosity	IS 1448 (Pt 25)
4182	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Oxidation test	IS 1448 (Pt 106)
4183	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Pour Point	ASTM D 97
4184	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Pour Point	IS 1448 (Pt 10)
4185	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Rust Preventive Characteristic	IS 1448 (Pt 96)
4186	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Seal Compatibility (Change in Hardness)	IS 3098 , Appendix A & IS 10522 , Appendix A
4187	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Seal Compatibility (Volume Change)	IS 3098 , Appendix A & IS 10522 , Appendix A
4188	CHEMICAL- PETROLEUM AND PRODUCTS	Hydraulic Oil	Viscosity Index	IS: 1448 (Pt 56) & ASTM D 2270
4189	CHEMICAL- PETROLEUM AND PRODUCTS	Jelly	Arsenic	IS 4887 Annexure 5
4190	CHEMICAL- PETROLEUM AND PRODUCTS	Jelly	Colour (ASTM)	IS 1448 (Pt 12), ASTM D 1500, & IP 196
4191	CHEMICAL- PETROLEUM AND PRODUCTS	Jelly	Consistency & Worked Penetration	IS 4887 Annexure 12
4192	CHEMICAL- PETROLEUM AND PRODUCTS	Jelly	Flash Point (COC)	ASTM D 92
4193	CHEMICAL- PETROLEUM AND PRODUCTS	Jelly	Flash Point (COC)	IS 1448 (Pt 69)
4194	CHEMICAL- PETROLEUM AND PRODUCTS	Jelly	Free Acid & Alkalies	IS 4887 ,Annexure 4
4195	CHEMICAL- PETROLEUM AND PRODUCTS	Jelly	Heavy metals (as Pb)	IS 4887 Annexure 6
4196	CHEMICAL- PETROLEUM AND PRODUCTS	Jelly	Iodine Value	IS 4887 Annexure 7
4197	CHEMICAL- PETROLEUM AND PRODUCTS	Kerosene	Burning Quality (Bloom on glass chimney)	IS 1448 (Pt 5)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	262 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4198	CHEMICAL- PETROLEUM AND PRODUCTS	Kerosene	Burning Quality (Char Value)	IS 1448 (Pt 5)
4199	CHEMICAL- PETROLEUM AND PRODUCTS	Kerosene	Copper strip corrosion	IS 1448 (Pt 15), ASTM D 130
4200	CHEMICAL- PETROLEUM AND PRODUCTS	Kerosene	Density at 15 degree C	ASTM D 1298 :
4201	CHEMICAL- PETROLEUM AND PRODUCTS	Kerosene	Density at 15 degree C	IS 1448 (Pt 16) :
4202	CHEMICAL- PETROLEUM AND PRODUCTS	Kerosene	Distillation (Recovery 10-100 %) , FBP (350 %)	IS 1448 (Pt 18) & ASTM D 86
4203	CHEMICAL- PETROLEUM AND PRODUCTS	Kerosene	Flash Point (Abel)	IS 1448 (Pt 20)
4204	CHEMICAL- PETROLEUM AND PRODUCTS	Kerosene	Smoke Point	IS 1448 (Pt 31)
4205	CHEMICAL- PETROLEUM AND PRODUCTS	Kerosene	Total Acidity	ASTM D 974
4206	CHEMICAL- PETROLEUM AND PRODUCTS	Kerosene	Total Acidity	IS 1448 (Pt 2) :
4207	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil	Sulphur content	IS 1448 (Pt 33) :
4208	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil	Total Acidity	IS 1448 (Pt 2):
4209	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Ash content	IS 1448 (Pt 4)
4210	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Calculated Cetane Index (CCI)	ASTM D 4737
4211	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Carbon Residue (Ramsbottom)	IS 1448 (Pt 8)
4212	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Cold filter Plugging Point (CFPP)	IS 1448 (Pt 110)
4213	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Copper strip corrosion	IS 1448 (pt 15P), ASTM D 130
4214	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Density	IS 1448 (Pt 32)
4215	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Distillation	ASTM D 86
4216	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Distillation	IS 1448 (pt 18)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 263 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4217	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Distillation Recovery (v/v)	IS 1448(pt 18)
4218	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Flash Point (Abel)	IS 1448 (Pt 20)
4219	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Flash Point (PMCC)	ASTM D 93
4220	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Flash Point (PMCC)	IS 1448 (Pt 21)
4221	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Kinematic Viscosity	ASTM D 445
4222	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Kinematic Viscosity	IS 1448 (Pt 25)
4223	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Pour Point	ASTM D 97
4224	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Pour Point	IS 1448(Pt 10) sec 2
4225	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Sediment	IS 1448 (Pt 30)
4226	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Total Acidity	ASTM D 974
4227	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Total Sediments	IS 1448 Pt 30 , IS 15770
4228	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Water Content	IS 1448 (Pt 40)
4229	CHEMICAL- PETROLEUM AND PRODUCTS	Light Diesel Oil (LDO)	Distillation recovery (v/v)	ASTM D 86
4230	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Ageing Characteristics after accelerated ageing (Tan delta)	IS 6103
4231	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Ageing characteristics after accelerated ageing (Total sludge)	IS 12177
4232	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Ageing Characteristics and Accelerates ageing (Specific Resistance)	IS 12177
4233	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Corrosive sulphur	IS 335 Annexure B
4234	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Density	ASTM D 1298 , ISO 3675

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	264 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4235	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Density	IS 1448 part 16
4236	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Dielectric dissipation factor / Strength (Tan delta)	IS 6262
4237	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Dielectric dissipation factor / Strength(Tan delta)	ASTM D 924, IEC 60247
4238	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Electric Strength (BDV)	ASTM D 1816
4239	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Electric Strength (BDV)	IS 6792, IEC 60156
4240	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Flash Point (PMCC)	ASTM D 93 , ISO 2719
4241	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Flash Point (PMCC)	IS 1448 part 21
4242	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Furan Analysis	ASTM D 5837
4243	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Furan Analysis	IS 15668
4244	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Interfacial Tension	ASTM D 971
4245	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Interfacial Tension	IS 6104 , ASTM D 97
4246	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Kinematic Viscosity	ASTM D 445
4247	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Kinematic Viscosity	IS 1448 part 25
4248	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Oxidation stability (Neutralization value)	IS 335 Annexure C
4249	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Oxidation Stability (Total Sludge)	ASTM D 943
4250	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Oxidation stability (Total Sludge)	IS 12422
4251	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	PAH	IP 346
4252	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	PCB content	IS 16082, IEC 61619
4253	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Pour Point	ASTM D 97

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	265 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4254	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Pour point	IS 1448 part 10
4255	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Presence of Oxidation inhibitor	IS 13631
4256	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	S K Value	IS 335 Annexure D
4257	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Specific resistance (resistivity)	ASTM D 1169 , IEC 60247
4258	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Specific resistance (Resistivity)	IS 6103
4259	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Total Acidity	ASTM D 974
4260	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Total Acidity	IS 1448 part 2
4261	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Water content	IS 13567 , IEC 60814
4262	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils (Insulation oils, Transformer oils/ Mineral Inhibited oils)	Water content	ISO: 6296 ,ASTM D 1533
4263	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating oils : Transformer oil / Mineral inhibited oil	Furan analysis	IEC 61198
4264	CHEMICAL- PETROLEUM AND PRODUCTS	Mineral Insulating Oils : Transformer oils/ Mineral inhibited oil	Density	IS 1448 (pt 16)
4265	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Copper Strip Corrosion	IS 1448 (Pt 15) & ASTM D 130
4266	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Density	IS 1448 (Pt 16), ASTM D 1298
4267	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Density	IS 1448 (Pt 32)
4268	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Distillation Final Boiling Point	ASTM D 86
4269	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Distillation Final Boiling Point	IS 1448 (Pt 18)
4270	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Distillation Recovery	ASTM D 86
4271	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Distillation recovery	IS 1448 (Pt 18)
4272	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Distillation Residue	ASTM D 86

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	266 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4273	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Distillation residue	IS 1448 (Pt 18)
4274	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Existent gum	IS 1448 (Pt 29)
4275	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Reid Vapour Pressure	IS 1448 (Pt 39)
4276	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Ash content	IS 1448 (Pt 4)
4277	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Flash Point (COC)	ASTM D 92
4278	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Melting Point	IS 13833 Annexure A
4279	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Melting Point	IS 4654 Annexure A
4280	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Melting Point	IS 4887
4281	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Needle Penetration	IS 1448 (Pt 93)
4282	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Oil content	IP 158 & ASTM D 721
4283	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Oil content	IS 4654 Annexure B
4284	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Saponification Value	ASTM D 94
4285	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Saponification value	IP 136
4286	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Saponification Value	IS 1448 (Pt 55)
4287	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Saponification value	IS 4887
4288	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Sulphated Ash	IS 4887 Annexure 9
4289	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Sulphur & Sulphides	IS 4887 Annexure 11
4290	CHEMICAL- PETROLEUM AND PRODUCTS	Paraffin Wax	Volatile matter	IS 4887 Annexure 13
4291	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Ash Content	ASTM D 482

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	267 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4292	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Ash content	IS 1448 (Pt 4)
4293	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Carbon Residue (Conradson)	ASTM D 189
4294	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Carbon Residue (Conradson)	IS 1448 (Pt 122)
4295	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Copper Strip Corrosion	IS : 1448 (Pt 15) & ASTM D 130
4296	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Density	IS 1448 (Pt 32)
4297	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Flash Point (COC)	ASTM D 92
4298	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Flash Point (COC)	IS 1448 (Pt 69)
4299	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Insolubles in the Oxidised oil	IS 2264 , Appendix B
4300	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Kinematic Viscosity	ASTM D 445
4301	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Kinematic Viscosity	IS 1448 (Pt 25)
4302	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Pour Point	ASTM D 97
4303	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Pour Point	IS 1448 (Pt 10)
4304	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Resistance to Oxidation	IS 1448 (Pt 65)
4305	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Saponification value	IS 1448 (Pt 55)
4306	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Total Acidity	ASTM D 974
4307	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Viscosity Index	IS: 1448 (Pt 56)& ASTMD 2270
4308	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Volatile loss on heating	IS 2662 , Appendix A
4309	CHEMICAL- PETROLEUM AND PRODUCTS	Quenching Oil	Water content	IS 1448 (Pt 40)
4310	CHEMICAL- PETROLEUM AND PRODUCTS	Sealing Compound	Aviation fuel resistance	IS 1834

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	268 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4311	CHEMICAL- PETROLEUM AND PRODUCTS	Sealing Compound	Change in Mass	IS 1834
4312	CHEMICAL- PETROLEUM AND PRODUCTS	Sealing Compound	Flow Test	IS 1834 :
4313	CHEMICAL- PETROLEUM AND PRODUCTS	Sealing Compound	Increase in Penetration	IS 1203 & IS 1834
4314	CHEMICAL- PETROLEUM AND PRODUCTS	Sealing Compound	Penetration	IS 1203 & ASTM D 5
4315	CHEMICAL- PETROLEUM AND PRODUCTS	Sealing Compound	Pour Point	IS 1834
4316	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Acidity (TAN)	IS 1448 (Pt 2) Method C for IA , Method A for OA
4317	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Acidity (TAN)	ASTM D 974
4318	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Ash content	ASTM D 482
4319	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Ash Content	IP 4
4320	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Ash Content	IS 1448 (Pt 4)
4321	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Carbon Residue	ASTM D 524
4322	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Carbon Residue	IS 1448 (Pt 122)
4323	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Copper Strip Corrosion	IS 1448 (Pt 15)
4324	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Fire Point	ASTM D 92
4325	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Fire Point	IS 1448 (Pt 69)
4326	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Flash Point (COC)	ASYM D 92
4327	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Flash Point (COC)	IS 1448 (Pt 69)
4328	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Initial Boiling Point	IS 1448 (Pt 18)
4329	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Kinematic Viscosity	ASTM D 445

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	269 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4330	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Kinematic Viscosity	IS 1448 (Pt 25) SEc 1
4331	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Pour Point	ASTM D 97
4332	CHEMICAL- PETROLEUM AND PRODUCTS	Thermic Fluid	Pour Point	IS 1448 (Pt 10) Sec 2
4333	CHEMICAL- PETROLEUM AND PRODUCTS	Turpentine Oil	Acid Value	IS 326 (Pt 7)
4334	CHEMICAL- PETROLEUM AND PRODUCTS	Turpentine Oil	Distillation range	IS 326 (Pt 20)
4335	CHEMICAL- PETROLEUM AND PRODUCTS	Turpentine Oil	Refractive Index	IS 326 (Pt 5)
4336	CHEMICAL- PETROLEUM AND PRODUCTS	Turpentine Oil	Relative Density	ASTM D 1298
4337	CHEMICAL- PETROLEUM AND PRODUCTS	Turpentine Oil	Relative Density	IS 326 (Pt 3)
4338	CHEMICAL- PETROLEUM AND PRODUCTS	Turpentine Oil	Residue on Evaporation	IS 326 (Pt 10)
4339	CHEMICAL- PETROLEUM AND PRODUCTS	White Oil	Acidity & Alkalinity	IS 1083 A-2
4340	CHEMICAL- PETROLEUM AND PRODUCTS	White Oil	Ash Content	IS 1448 (Pt 4)
4341	CHEMICAL- PETROLEUM AND PRODUCTS	White oil	Cloud Point	ASTM D 97
4342	CHEMICAL- PETROLEUM AND PRODUCTS	White oil	Cloud Point	IS 1448 (pt10)
4343	CHEMICAL- PETROLEUM AND PRODUCTS	White Oil	Copper strip Corrosion	ASTM D 130
4344	CHEMICAL- PETROLEUM AND PRODUCTS	White Oil	Copper Strip Corrosion	IS 1448 (Pt 15)
4345	CHEMICAL- PETROLEUM AND PRODUCTS	White oil	Flash Point (COC)	ASTM D 92
4346	CHEMICAL- PETROLEUM AND PRODUCTS	White oil	Flash Point (COC)	IS 1448 (Pt 69)
4347	CHEMICAL- PETROLEUM AND PRODUCTS	White Oil	Flash Point (PMCC)	ASTM D 93
4348	CHEMICAL- PETROLEUM AND PRODUCTS	White Oil	Flash Point (PMCC)	IS 1448 (Pt 21)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	270 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4349	CHEMICAL- PETROLEUM AND PRODUCTS	White oil	Kinematic Viscosity	ASTM D 445
4350	CHEMICAL- PETROLEUM AND PRODUCTS	White Oil	Kinematic Viscosity	IS 1448 (Pt 25)
4351	CHEMICAL- PETROLEUM AND PRODUCTS	White oil	Pour Point	ASTM D 97
4352	CHEMICAL- PETROLEUM AND PRODUCTS	White oil	Pour Point	IS 1448 (Pt 10)
4353	CHEMICAL- PETROLEUM AND PRODUCTS	White Oil	Relative Density	IS 1448 (Pt 32)
4354	CHEMICAL- PETROLEUM AND PRODUCTS	White Oil	Saponification value	IS 1448 (Pt 55)
4355	CHEMICAL- PETROLEUM AND PRODUCTS	White Oil	Sulphur & Sulphides	IS 1083
4356	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Accelerated Weathering (Visual observations)	ISO 4892, ASTM G 154, ASTM G 155, ISO 877 & ISO 4582
4357	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Arsenic	SRI/R& P/ Ash analysis / 004 , IS 12235 (Pt 4,10 & 11)
4358	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Ash content	IS 14735 & IS 12235 (Pt 17)
4359	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Ash Content / Filler content	ASTM D 5630
4360	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Brookfield Viscosity	ASTM D 2196
4361	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Cadmium	SRI/R&P/Ash analysis/004, IS 12235 (Pt 4,10 & 11)
4362	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Calcium Carbonate	IS 918
4363	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Carbon	SRI/R&P/CHNC/002

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	271 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4364	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Carbon Black dispersion	IS 2530
4365	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Density / Specific gravity	ASTM D 792
4366	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Density / Specific gravity	IS 13360 (Pt 3) sec 2
4367	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Density/ Specific Gravity	IS 11239 (Pt 2)
4368	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Density/ Specific gravity	ISO 1183
4369	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Density/ Specific gravity	ISO 60
4370	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Effect on Water	IS 12235 (Pt 4,10,11)
4371	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Flammability	ASTM D 635-14, ISO 1210, UL-94, IS 13360-6-sec 4 , IS 7888, IS 12436, IS 4671
4372	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Ford Cup Viscosity	ASTM D 1200 -10, ISO 2431:11
4373	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	HCl gas generation	IEC 754 Pt 1 & IS 10810 (Pt 59)
4374	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Hydrogen	SRI/R&P/CHNS/
4375	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Identification	SRI/R&P/Identification /006
4376	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Intrinsic Viscosity	ASTM D 4603
4377	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Lead	SOP/R & P/ Ash Analysis /004, IS 12235 (Pt 4, 10 & 11)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	272 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4378	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Limiting Oxygen Index	ASTM D 2863, m IS 13501, ISO 4589-1 & IS 13360- 6 -sec 6
4379	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Melting Point /DSC	ASTM D 3418
4380	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Mercury	SRI/R&P ash analysis/ 004
4381	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Migration test	IS 9845
4382	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Moisture content	ASTM D 6304 , ISO 15512, ASTM D 6980
4383	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Moisture Vapour transmission rate	IS 7290, ASTM D 3575, ASTM E 96-16 & ASTM E 96-16
4384	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Nitrogen	SRI/R&P/CHNS/002
4385	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Oxygen Induction time	ASTM D 3895
4386	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Photo degradation	ASTM D 5208
4387	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Plasticiser content	ISO 6427
4388	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Resistance to spread of flame	UIC 564-2 Appendix 5,8,11
4389	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Resistance to staining / Resistance to chemical	SRI/R&P/Chemical resist/003 , AMMA-2605, IS 2046, ASTM D 543, IS 3400 Pt 6
4390	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Resistance to Sulphuric Acid	IS 12235 (Pt 7)
4391	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Smoke Density	ASTM D 2843

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	273 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4392	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Solvent extraction / Plasticiser content / Process oil	ISO 6427: 2013 , IS 13360 -11, sec 7
4393	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Sulphated Ash	IS 14735 & IS 12235 (Pt 17)
4394	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Sulphur	SRI/R&P/CHNS/002
4395	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Thermal Gravimetric Analysis (TGA)	ASTM D 6370
4396	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Tin	SRI/R&P/Ash Analysis /003 , IS 12235 (Pt 4,10 & 11)
4397	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Titanium dioxide	IS 12235 (Pt 7) & IS 14735
4398	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Toxicity Index	NCD 1409, SRI.R&P/ TOXICITY INDEX/001
4399	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Viscosity Number (K -value)	IS 4669
4400	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Visibility due to smoke	UIC 564 part 2 appendix 15
4401	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Visibility due to smoke	UIC 564-2 Appendix 15
4402	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Volatile content	IS 4669
4403	CHEMICAL- PLASTIC & RESINS	Plastics : Rigid , Flexible composite, Laminated , Cellular, Film Resin Plastics, Fibre ,Raw materials, Finish products, Cable, packaging	Water Absorption	IS 1998 , IS 12866, ASTM D 570, ASTM D 3575, IS 13360-8-sec-1 & ISO 62
4404	CHEMICAL- POLLUTION & ENVIRONMENT	Effluent Toxicity	Bioassay test (90% survival of fish in 100 % of effluent)	IS 6582 & IS 6582 (Pt 2) , SOP/ Fish Toxicity test in Water & Waste water /05
4405	CHEMICAL- POLLUTION & ENVIRONMENT	Solid / Hazardous Waste	Cyanide	SOP/Analysis of Cyanide in solid Waste / 08

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	274 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4406	CHEMICAL- POLLUTION & ENVIRONMENT	Solid / Hazardous Waste	Gross Calorific Value	IS 10158 & IS 1350 (Pt 2)
4407	CHEMICAL- POLLUTION & ENVIRONMENT	Solid / Hazardous Waste	Metals (Arsenic)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4408	CHEMICAL- POLLUTION & ENVIRONMENT	Solid / Hazardous Waste	Metals (Calcium)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4409	CHEMICAL- POLLUTION & ENVIRONMENT	Solid / Hazardous Waste	Metals (Copper)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4410	CHEMICAL- POLLUTION & ENVIRONMENT	Solid / Hazardous Waste	Metals (Potassium)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4411	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Aluminium	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4412	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Arsenic	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4413	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Cadmium	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4414	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Calcium	EPA SW 846 Method No. 3050 , 3052 & IS 3025 (2)
4415	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Chloride	EPA SW-8 46, Method no. 9253-9077
4416	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Chromium	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4417	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Copper	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4418	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Cyanide	SOP/Analysis of Cyanide in solid Waste / 08
4419	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Gross Calorific Value	IS 10518 & IS 1350 Pt 2
4420	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Iron	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4421	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Lead	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4422	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Loss on Ignition	ASTM D 7348
4423	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Magnesium	EPA SW 846 Method No. 3050 , 3052 & IS 3025 (2)
4424	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Manganese	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 275 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4425	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Mercury	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4426	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Nickel	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4427	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Nitrogen	IS 10158
4428	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Oil & Grease	EPA SW 846 Method No. 9071 B
4429	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	pH (1:2.5)	IS 10158
4430	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Phosphorous	IS 10158
4431	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Potassium	EPA SW- 846 egod No. 3050 , 3052 & IS 3025 (Pt 2)
4432	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Silica as SiO2	Manual on sampling , analysis & Characterization of Hazardous waste , CPCB
4433	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Sodium	EPA SW- 846, Method no. 3050, 3052 & IS 3025 (Pt 2)
4434	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Sulphate	IS 2720 (Part 27)
4435	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Titanium	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4436	CHEMICAL- POLLUTION & ENVIRONMENT	Solid Waste & Hazardous Waste	Zinc	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4437	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Chlorides	EPA SW-846, Method No. 9253-9077
4438	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Loss on Ignition	ASTM D 7348
4439	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Aluminium)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4440	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Cadmium)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4441	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Copper)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4442	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Iron)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	276 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4443	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Lead)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4444	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Magnesium)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4445	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Manganese)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4446	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Mercury)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4447	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Nickel)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4448	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Sodium)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4449	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Zinc)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4450	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Chromium)	EPA SW 846 Method No. 3050, 3052 & IS 3025 (Pt 2)
4451	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Metals (Titanium)	EPA SW 846 Method No. 6010 B & IS 3025 (Pt 2)
4452	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Nitrogen	IS 10158
4453	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Oil & Grease	EPA SW 846, Method No. 90711 B
4454	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	pH (1:2.5)	IS 10158
4455	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Phosphorous	Is 10158
4456	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Silica (As SiO2)	SRI/EPD/AIRLAB/03
4457	CHEMICAL- POLLUTION & ENVIRONMENT	Solid/ Hazardous Waste	Sulphate	IS 2720 (Pt 27)
4458	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1' Biphenyl, 2 - chloro	SRI/RES/026
4459	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1' Biphenyl, 2,2',5,5'-tetrachloro-	SRI/RES/026
4460	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'-Biphenly 2,3',4,4'-tetrachloro-	SRI/RES/026
4461	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'-Biphenly, 2,2'3,4',5,5',6-heptachloro- (PCB)	SRI/RES/026

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 277 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4462	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'-Biphenyl 2,2',3,4,4',5,5'-heptachloro- (PCB)	SRI/RES/026
4463	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'-Biphenyl -2,2',3,4,5'-pentachloro-	SRI/RES/026
4464	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'-Biphenyl 2,2',3,5,5',6-hexachloro (PCB)	SRI/RES/026
4465	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'-Biphenyl 2,2',4,4',5,5'-hexachloro (PCB)	SRI/RES/026
4466	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'Biphenyl 2,2',5-trichloro-	SRI/RES/026
4467	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'-Biphenyl 2,3-dichloro (PCB)	SRI/RES/026
4468	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'-Biphenyl 2,4' 5-trichloro-	SRI/RES/026
4469	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'Biphenyl, 2,2',3,4,4',5'-hexaachloro-	SRI/RES/026
4470	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'Biphenyl, 2,2',3,4,4',5',6-heptachloro- (PCB)	SRI/RES/026
4471	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'Biphenyl, 2,2',3,4,5,5'h exachloro- (PCB)	SRI/RES/026
4472	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'-Biphenyl, 2,2',3,5'-tetrachloro -	SRI/RES/026
4473	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'Biphenyl, 2,2',3,5,5',6-hexachloro-	SRI/RES/026
4474	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'-Biphenyl, 2,2',4,5,5'-pentachloro-	SRI/RES/026
4475	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	1,1'-Biphenyl,2,3,3',4',6-pentachloro(PCB)	SRI/RES/026
4476	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	2,2',3,4,4',5,5'-Heptachloro-1,1' biphenyl (PCB)	SR/RES/026
4477	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	2,2'3,3',4,4',5-Heptachloro -1,1'-biphenyl (PCB)	SRI/RES/026
4478	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water	2,4D (Pesticide)	SRI/RES/026
4479	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Acenaphthene (PAH)	SRI/RES/026
4480	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Acenaphthylene (PAH)	SRI/RES/026

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	278 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4481	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Alachlor (Pesticide)	SRI/RES/026
4482	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Anthracene (PAH)	SRI/RES/026
4483	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Atrazine (Pesticide)	SRI/RES/026
4484	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Benz(a) anthracene (PAH)	SRI/RES/026
4485	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Benz(k) fluoranthene (PAH)	SRI/RES/026
4486	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Benzo(a) pyrene (PAH)	SRI/RES/026
4487	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Benzo(b)fluoranthene	SRI/RES/026
4488	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Benzo(ghi)pyrene (PAH)	SRI/RES/026
4489	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Chrysene (PAH)	SRI/RES/026
4490	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Dibenz(a,h) anthracene (PAH)	SRI/RES/026
4491	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Ethion (Pesticide)	SRI/RES/026
4492	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Fluorene	SRI/RES/026
4493	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Fluorenthene	SRI/RES/026
4494	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Hexachlorobenzene (Pesticide)	SRI/RES/026
4495	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Indenol (1,2,3-cd)pyrene (PAH)	SRI/RES/026
4496	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Isoproturon (Pesticide)	SRI/RES/026
4497	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Malaoxon (Pesticide)	SRI/RES/026
4498	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Malathion (Pesticide)	SRI/RES/026
4499	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Methyl Parathion (Pesticide)	SRI/RES/026

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	279 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4500	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Monocrotophos (Pesticide)	SRI/RES/026
4501	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Naphthalene (PAH)	SRI/RES/026
4502	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Phenanthrene (PAH)	SRI/RES/026
4503	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Phorate (Pesticide)	SRI/RES/026
4504	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Phorate sulfone (Pesticide)	SRI/RES/026
4505	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Phorate sulfoxide (Pesticide)	SRI/RES/026
4506	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water	Pyrene (PAH)	SRI/RES/026
4507	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water	Trihalomethanes (PCB)	SRI/RES/026
4508	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluent / Sewage)	Total dissolved Solids	IS 3025 part 16
4509	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluent Sewage)	Odour	IS 3025 (Pt 5)
4510	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Iron	APHA 23rd Ed ,3111, IS 3025 (2)
4511	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Fixed & Volatile solids (Total, Dissolved & Suspended)	IS 3025 (Pt 18)
4512	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Alkalinity	IS 3025(Pt 23)
4513	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Aluminium	IS 3025 (Pt 2) , 3111 & 3500 - Al, APHA 23rd Ed
4514	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Ammoniacal Nitrogen / Free Ammonia	IS 3025 (Pt 34)
4515	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Anionic Detergents	APHA 23rd Ed , 5540
4516	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Antimony	IS 3025 (Pt 65), IS 3025 (Pt 2) & APHA 23rd Ed , 3111
4517	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Arsenic	IS 3025 (Pt 2), IS 3025 (Pt 65) & APHA 23rd Ed , 3114
4518	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Barium	IS 3025 (Pt 2)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 280 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4519	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	BOD	IS 3025 (Pt 44) & APHA 23rd Ed , 5210
4520	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Boron	IS 3025 (Pt 2) & IS 3025 (Pt 57)
4521	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Cadmium	IS 3025 (Pt 2) & APHA 23 rd Ed , 3111
4522	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Calcium	IS 3025 (Pt 40) & IS 3025 (Pt 2)
4523	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Carbonate & Bicarbonate	IS 3025 (Pt 51) & APHA 23rd Ed , 2320
4524	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Chloride	IS 3025 (Pt 32)
4525	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Chromium	IS 3025 (Pt 2) & APHA 23rd Ed , 3111
4526	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Cobalt	IS : 3025 (Pt 2) & APHA 23rd Ed , 3111
4527	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	COD	IS 3025 (Pt 58) & APHA 23rd Ed , 5220
4528	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Colour	IS 3025 (Pt 4)
4529	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Copper	IS 3025 (Pt 2) & APHA 23rd Ed , 3111
4530	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Cyanide	APHA 23rd Ed ,4500CN
4531	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Dissolved Oxygen	IS 3025 (Pt 38) & APHA 23rd Ed ,4500-O
4532	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Electrical conductivity	IS 3025 (Pt 14)
4533	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Fluoride	IS 3025 (Pt 60) & APHA 23rd Ed , 4500 F
4534	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Lead	IS 3025 (Pt 2) & APHA 23rd Ed , 3111
4535	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Magnesium	IS 3025 (Pt 46) & IS 3025 (Pt 2)
4536	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Manganese	IS 3025 (Pt 2) & APHA 23rd Ed , 3111
4537	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Mercury	IS 3025 (Pt 48) & APHA 23rd Ed , 3112

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 281 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4538	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Molybdenum	IS 3025 (Pt 2) & APHA 23rd Ed, 3111
4539	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Nickel	IS 3025 (Pt 2) & APHA 23rd Ed ,3111
4540	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Nitrate Nitrogen	IS 3025 (Pt 34)
4541	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Odour	IS 3025 (Pt 5)
4542	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Oil & Grease	IS 3025 (Pt 39) & APHA 23rd Ed :5520
4543	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Oxygen absorbed in 4 hours	IS 3025 (Pt 63)
4544	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	pH Value	I 3025 (Pt 11)
4545	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Phenolic Compounds	IS 3025 (Pt 43) & APHA 23rd Ed , 5530 C & D
4546	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Phosphates / Total & Dissolved Phosphorous	IS 3025 (Pt 31), IS 3025 (Pt 2) & APHA 23rd Ed , 4500P
4547	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Potassium	APHA 23rd Ed , 3111
4548	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Residual Chlorine	IS 3025 (Pt 26) & SOP/ Validation of E- merck kit/ 06
4549	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Selenium	IS 15303, IS 3025 (Pt 56), IS 3025 (Pt 65) & APHA 23 rd , 3114
4550	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Silica (Total, Molybdate reactive and Unreactive)	Is 3025 (Pt 35) & IS 3025 (Pt 2)
4551	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Silver	IS 3025 (Pt 2) & APHA 23rd Ed , 3111
4552	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Sodium	APHA 23rd Ed , 3111
4553	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Strontium	IS 3025 (Pt 2) & APHA 23rd Ed , 3111
4554	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Sulfide	IS 3025 (Pt 29) & APHA 23rd Ed .4500-S
4555	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Sulphates	IS 3025 (Pt 24)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	282 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4556	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Suspended Solids	IS 3025 (Pt 17)
4557	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Temperature	IS 3025 (Pt 9)
4558	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Tin	IS 3025 (Pt 2) & APHA 23rd Ed , 3111
4559	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Total dissolved solids	IS 3025(Pt 16)
4560	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Total Hardness	IS 3025 (Pt 21)
4561	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Total Kjeldhal Nitrogen	IS 3025 (Pt 34)
4562	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Total Residue / Solids	IS 3025 (Pt 15)
4563	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Vanadium	IS 3025 (Pt 2) & APHA 23rd Ed , 3111
4564	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Volatile Acids	APHA 23rd Ed, 5560
4565	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water (Effluents/ Sewage)	Zinc	IS 3025 (Pt 49) & IS 3025 (Pt 2)
4566	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereal	Clothianidin	SOP No. SRI/RES/019
4567	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	2,4-D	SRI/RES/019
4568	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Acephate	SOP No. SRI/RES/019
4569	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Aflatoxin B1	SOP No. SRI/RES/019
4570	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Aflatoxin B2	SOP No. SRI/RES/019
4571	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Aflatoxin G1	SOP No. SRI/RES/019
4572	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Aflatoxin G2	SOP No. SRI/RES/019
4573	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Aldrin	SOP No. SRI/RES/019
4574	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	alpha Endosulphan	SOP No. SRI/RES/019

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 283 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4575	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Arsenic (As)	SOP No. SRI/RES/032
4576	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	beta- Endosulphan	SOP No. SRI/RES/019
4577	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Buprofezin	SOP No. SRI/RES/019
4578	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Cadmium (Cd)	SOP No. SRI/RES/032
4579	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Carbaryl	SOP/RES/019
4580	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Carbendazim (including Benomyl)	SOP No. SRI/RES/019
4581	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Carbofuran	SOP/RES/019
4582	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Chlorfenviphos	SRI/RES/019
4583	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Chlorpyriphos	SOP No. SRI/RES/019
4584	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Cis-Chlordane	SOP No. SRI/RES/019
4585	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Cyfluthrin	SOP No. SRI/RES/019
4586	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Cypermethrin	SOP No. SRI/RES/019
4587	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Deltamethrin	SOP No. SRI/RES/019
4588	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Diazinon	SRI/RES/019
4589	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Dichlorvos	SRI/RES/019
4590	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Dieldrin	SOP No.SRI/RES/019
4591	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Dimethoate	SOP No. : SRI/RES/019
4592	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Dithiocarbamates as CS2	SRI/RES/019
4593	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Endosulfan-sulphate	SOP No. : SRI/RES/019

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	284 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4594	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Ethion	SRI/RES/019
4595	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Fenazaquin	SOP No. : SRI/RES/019
4596	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Fenitrothion	SRI/RES/019
4597	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Fenthion (Sulphoxide & Sulphones)	SRI/RES/019
4598	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Flonicamid	SOP No. SRI/RES/019
4599	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Heptachlor	SOP No. SRI/RES/019
4600	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Heptachlor epoxide	SOP No. SRI/RES/019
4601	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Imidacloprid	SOP No. SRI/RES/019
4602	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Isoprothiolane	SOP No. SRI/RES/019
4603	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Isoprutron	SOP No. : SRI/RES/019
4604	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Lead (Pb)	SOP No. SRI/RES/032
4605	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Lindane	SOP No. SRI/RES/019
4606	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Malaoxon	SRI/RES/019
4607	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Malathion	SOP No. SRI/RES/019
4608	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Mercury(Hg)	SOP N. SRI/RES/032
4609	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Metconazole	SOP No. SRI/RES/019
4610	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Methamidophos	SOP No. SRI/RES/019
4611	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Monocrotophos	SRI/RES/019
4612	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Paraquat dichloride	SRI/RES/019

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 285 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4613	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Phenthoate	SRI/RES/019
4614	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Phorate	SRI/RES/019
4615	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Phorate sulphones	SRI/RES/019
4616	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Phorate sulphoxide	SRI/RES/019
4617	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Phosphamidon	SRI/RES/019
4618	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Pirimiphos methyl	SOP No. SRI/RES/019
4619	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Primiphos-methyl	SRI/RES/019
4620	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Profenofos	SRI/RES/019
4621	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Propiconazole	SOP No. SRI/RES/019
4622	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Prothiconazole Desthio	SOP No. SRI/RES.019
4623	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Prothioconazole	SRI/RES/019
4624	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Pyrethrin I,II & Other	SRI/RES/019
4625	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Tebuconazole	SOP No. SRI/RES/019
4626	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Tebufenozide	SOP No. SRI/RES/019
4627	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	TFNA	SOP No. SRI/RES/019
4628	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	TFNG	SOPNp. SRI/RES/019
4629	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Thiamethoxam	SOP No. SRI/RES/019
4630	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Thiomenton & its Sulphoxide & Sulphone	SRI/RES/019
4631	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Thiophenate Methyl	SOP No. SRI/RES/019

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	286 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4632	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Trans-Chlordane	SOP No. SRI/RES/019
4633	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Triazophos	SOP No. SRI/RES/019
4634	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Trichlorfon	SRI/RES/019
4635	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Cereals	Tricyclozole	SOP No. SRI/RES/019
4636	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegatables	alpha-HCH	SRI/RES/021
4637	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	beta- HCH	SRI/RES/021
4638	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Alachlor	SRI/RES/021
4639	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Aldrin	SRI/RES/021
4640	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	alpha- Endosulfan	SRI/RES/021
4641	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Amitaz	SRI/RES/021
4642	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Atrazine	SRI/RES/021
4643	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	beta-Endosulfan	SRI/RES/021
4644	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Brompropylate	SRI/RES/021
4645	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Butachlor	SRI/RES/021
4646	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Carbendazim	SRI/RES/021
4647	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Carbofuran	SRI/RES/021
4648	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Chlorobenzilate	SRI/RES/021
4649	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Chlorpyrifos	SRI/RES/021
4650	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	cis-Chlordane	SRI/RES/021

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	287 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4651	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Cyfluthrin	SRI/RES/021
4652	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Cypermethrin	SRI/RES/021
4653	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	DDE	SRI/RES/021
4654	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	delta-HCH	SRI/RES/021
4655	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Deltamethrin	SRI/RES/021
4656	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Dieldrin	SRI/RES/021
4657	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Endosulfan sulphate	SRI/RES/021
4658	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Endrin	SRI/RES/021
4659	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Ethion	SRI/RES/021
4660	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Fenthion	SRI/RES/021
4661	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Fenvalerate	SRI/RES/021
4662	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Heptachlor	SRI/RES/021
4663	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Heptachlor epoxide	SRI/RES/021
4664	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Hexachlorobenzene	SRI/RES/021
4665	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Isoproturon	SRI/RES/021
4666	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	lambda - cyhalothrin	SRI/RES/021
4667	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Lindane	SRI/RES/021
4668	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Malaoxon	SRI/RES/021
4669	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Malathion	SRI/RES/021

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 288 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4670	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Methyl Parathion	SRI/RES/021
4671	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Monocrotophos	SRI/RES/021
4672	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	o,p- DDD	SRI/RES/021
4673	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	o,p-DDT	SRI/RES/021
4674	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	p,p-DDD	SRI/RES/021
4675	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	p,p-DDT	SRI/RES/021
4676	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Permethrin	SRI/RES/021
4677	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Phorate	SRI/RES/021
4678	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Phorate Sulphone	SRI/RES/021
4679	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Phorate sulphoxide	SRI/RES/021
4680	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Phorate sulphoxide	SRI/RES/021
4681	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Phosalone	SRI/RES/021
4682	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Propoxur	SRI/RES/021
4683	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	Tau-Fluvalinate	SRI/RES/021
4684	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Fruits & Vegetables	trans-Chlordane	SRI/RES/021
4685	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Alachlor	SOP No. SRI/RES/022
4686	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Aldrin	SOP No. SRI/RES/022
4687	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	alpha- Endosulfan	SOP No. SRI/RES/022
4688	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	alpha-HCH	SOP No. SRI/RES/022

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	289 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4689	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Amitraz	SOP No. SRI/RES/022
4690	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Ampicillin	SOP/RES/022
4691	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Arsenic	SOP No. SRI/RES/022
4692	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	beta HCH	SOP No. SRI/RES/022
4693	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	beta-Endosulfan	SOP No. SRI/RES/022
4694	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Bromopropylate	SOP No. SRI/RES/022
4695	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Butachlor	SOP No. SRI/RES/022
4696	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Cadmium	SOP No. SRI/RES/022
4697	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Carbendazim	SOP No. SRI/RES/022
4698	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Carbofuran	SOP No. SRI/RES/022
4699	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Carbofuran	SRI/RES/022
4700	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Chloramphenicol	SOP No. SRI/RES/022
4701	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Chlorobenzilate	SOP No. SRI/RES/022
4702	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Chlorpyrifos	SOP No. SRI/RES/022
4703	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Chlortetracycline	SOP No. SRI/RES/022
4704	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Ciprofloxacin	SOP No. SRI/RES/022
4705	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	cis-Chlordane	SOP No. SRI/RES/022
4706	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Cyfluthrin	SOP No. SRI/RES/022
4707	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Cypermethrin	SOP No. SRI/RES/022

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	290 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4708	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	DDE	SOP No. SRI/RES/022
4709	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	delta- HCH	SOP No. SRI/RES/022
4710	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Deltamethrin	SOP No. SRI/RES/022
4711	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Dieldrin	SOP No. SRI/RES/022
4712	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Endosulphan sulphtae	SOP No. SRI/RES/022
4713	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Endrin	SOP No. SRI/RES/022
4714	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Enrofloxacin	SOP No. SRI/RES/022
4715	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Erythromycin	SOP No. SRI/RES/022
4716	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Ethion	SOP No. SRI/RES/022
4717	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Fenthion	SOP No. SRI/RES/022
4718	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Fenvalerate	SOP No. SRI/RES/022
4719	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Furatadone (AMOZ)	SOP No. SRI/RES/022
4720	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Furazolidone(AOZ)	SOP No. SRI/RES/022
4721	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Heptachlor	SOP No. SRI/RES/022
4722	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Heptachlor epoxide	SOP No. SRI/RES/022
4723	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Hexachlorobenzene	SOP No. SRI/RES/022
4724	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Isoproturon	SRI/RES/022
4725	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	lambda - cyhalothrin	SOP No. SRI/RES/022
4726	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Lead	SOP No. SRI/RES/022

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	291 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4727	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Lindane	SOP No. SRI/RES/022
4728	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Malaoxon	SOP No. SRI/RES/022
4729	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Malathion	SOP No. SRI/RES/022
4730	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Mercury	SOP No. SRI/RES/022
4731	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Methyl Parathion	SOP No. SRI/RES/022
4732	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Monocrotophos	SRI/RES/022
4733	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Nitrofurantoin (AHD)	SOP No. SRI/RES/022
4734	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Nitrorfurazone (SEM)	SOP No. SRI/RES/22
4735	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Norfloxacin	SOP No. SRI/RES/022
4736	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	o,p-DDD	SOP No. SRI/RES/022
4737	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	o,p-DDT	SOP No. SRI/RES/022
4738	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Oxytetracycline	SOP No. SRI/RES/022
4739	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	p,p-DDD	SOP No. SRI/RES/022
4740	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	p,p-DDT	SOP No. SRI/RES/022
4741	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Permethrin	SOP No. SRI/RES/022
4742	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Phorate	SOP No. SRI/RES/022
4743	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Phorate Sulfone	SOP No. SRI/RES/022
4744	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Phorate sulfoxide	SOP No. SRI/RES/022
4745	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Phosalone	SRI/RES/022

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	292 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4746	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Propoxur	SRI/RES/022
4747	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Streptomycin	SOP No. SRI/RES/022
4748	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Sulphonamides & its metabolites	SOP No. SRI/RES/022
4749	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Tau-Fluvalinate	SOP No. SRI/RES/022
4750	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Tetracycline	SOP No. SRI/RES/022
4751	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	trans-Chlordane	SOP No. SRI/RES/022
4752	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Honey	Tylosin	SRI/RES/022
4753	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Aflatoxin M1	SOP/RES/023
4754	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Alachlor	SOP No. SRI/RES/023
4755	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Aldrin	SOP No. SRI/RES/023
4756	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	alpha -Endosulfan	SOP No. SRI/RES/023
4757	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	alpha-HCH	SOP No. SRI/RES/023
4758	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Benomyl	SRI/RES/023
4759	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Beta- HCH	SOP No. SRI/RES/023
4760	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	beta-Endosulfan	SOP No. SRI/RES/023
4761	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Butachlor	SOP No. SRI/RES/023
4762	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Carbendazim	SOP No. SRI/RES/023
4763	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Carbofuran	SRI/RES/023
4764	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Chloramphenicol	SOP NO. SRI/RES/023

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	293 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4765	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Chlorfenviphos	SOP No. SRI/RES/023
4766	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Chlorpyrifos	SOP No. SRI/RES/023
4767	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Chlortetracycline	SOP NO. SRI/RES/023
4768	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Ciprofloxacin	SOP No. SRI/RES/023
4769	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	cis-Chlordane	SOP No. SRI/RES/023
4770	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Cyfluthrin	SOP No. SRI/RES/023
4771	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Cypermethrin	SOP No. SRI/RES/023
4772	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	DDE	SOP No. SRI/RES/023
4773	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	delta-HCH	SOP No. SRI/RES/023
4774	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Deltamethrin	SOP No. SRI/RES/023
4775	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Diazinon	SOP No. SRI/RES/023
4776	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Dichlorovos	SOP No. SRI/RES/023
4777	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Dieldrin	SOP No. SRI/RES/023
4778	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Ediphenphos	SRI/RES/023
4779	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Endosulfan sulphate	SOP No. SRI/RES/023
4780	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Endrin	SOP No. SRI/RES/023
4781	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Enrofloxacin	SOP No. SRI/RES/023
4782	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Ethion	SOP No. SRI/RES/023
4783	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Fenitrothion	SOP No. SRI/RES/023

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	294 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4784	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Fenthion	SRI/RES/023
4785	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Fenvalerate	SOP No. SRI/RES/023
4786	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Furatadone (AMOZ)	SOP NO. SRI/RES/023
4787	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Furazolidone (AOZ)	SOP NO.SRI/RES/023
4788	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Heptachlor	SOP No. SRI/RES/023
4789	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Heptachlor epoxide	SOP No. SRI/RES/023
4790	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Hexachloro Benzene	SRI/RES/023
4791	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	lambda-Cyhalothrin	SOP No. SRI/RES/023
4792	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Lindane	SOP No. SRI/RES/023
4793	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Malaoxon	SOP No. SRI/RES/023
4794	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Malathion	SOP No. SRI/PESt/023
4795	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Methoxychlor	SOP No. SRI/RES/023
4796	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Methyl Paraoxon	SOP No. SRI/RES/023
4797	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Methyl Parathion	SOP No. SRI/RES/023
4798	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Monocrotophos	SOP No. SRI/RES/023
4799	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Nitrofurantoin (AHD)	SOP NO.SRI/RES/023
4800	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Nitrofurazone (SEM)	SOP NO. SRI/RES/023
4801	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Norfloxacin	SOP No. SRI/RES/023
4802	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	o,p-DDD	SOP No. SRI/RES/023

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	295 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4803	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	o,p-DDT	SOP No. SRI/RES/023
4804	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Oxytetracycline	SOP NO. SRI/RES/023
4805	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	p,p-DDD	SOP No. SRI/RES/023
4806	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	p,p-DDT	SOP No. SRI/RES/023
4807	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Paraquat dichloride	SRI/RES/023
4808	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Permethrin	SOP No. SRI/RES/023
4809	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Phenthoate	SRI/RES/023
4810	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Phorate	SOP No. SRI/RES/023
4811	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Phorate Sulfone	SOP No. SRI/RES/023
4812	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Phorate sulfoxide	SOP No. SRI/RES/023
4813	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Pirimiphos methyl	SOP No. SRI/RES/023
4814	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Tau- Fluvalinate	SOP No. SRI/RES/023
4815	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Tetracycline	SOP No. SRI/RES/023
4816	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	trans-chlordane	SOP No. SRI/RES/023
4817	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Milk	Trichlorfon	SRI/RES/023
4818	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Spices	Carbaryl	SRI/RES/025
4819	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Spices	Dicofol	SRI/RES/025
4820	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Spices	Dimethoate	SRI/RES/025
4821	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Spices	Endosulfan(Alpha, Beta & Sulphate)	SOP No. SRI/RES/025

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	296 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4822	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Spices	Fosetyl Al	SRI/RES/025
4823	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Spices	Mancozeb	SRI/RES/025
4824	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Spices	Monocrotophos	SRI/RES/025
4825	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Spices	Quinalphos	SRI/RES/025
4826	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Spices	Triazophos	SRI/RES/025
4827	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Dicofol	SRI/RES/025
4828	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Diuron	SRI/RES/018
4829	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Fenazaquin	SRI/RES/018
4830	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Floupyram	SRI/RES/018
4831	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Glufosinate ammonium	SRI/RES/018
4832	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Glyphosate	SRI/RES/018
4833	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Hexaconazole	SRI/RES/018
4834	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Imazapic	SRI/RES/018
4835	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Imazapyr	SRI/RES/018
4836	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	MCPA	SRI/RES/018
4837	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Oxyfluorfen	SRI/RES/018
4838	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Propagiate	SRI/RES/018
4839	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Quinaphos	SRI/RES/018
4840	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Tea	Triasulfuron	SRI/RES/018

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 297 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4841	CHEMICAL- RESIDUES IN WATER	Water	' 1,1'-Biphenyl, 2,2',4,5,5'-pentachloro-	SRI/RES/026
4842	CHEMICAL- RESIDUES IN WATER	Water	1,1' Biphenyl, 2 - chloro	SRI/RES/026
4843	CHEMICAL- RESIDUES IN WATER	Water	1,1'- Biphenyl, 2,2',3,4,4',5'-hexachloro-	SRI/RES/026
4844	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenly, 2,2'3,4',5,5',6-heptachloro-	SRI/RES/026
4845	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenly,2,2',3,3',4,4',5,5',6-nonachloro	SRI/RES/026
4846	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenyl ,2,4',5- trichloro-	SRI/RES/026
4847	CHEMICAL- RESIDUES IN WATER	Water	1,1'-biphenyl 2,2',3,4,4',5,5'-Heptachloro -	SRI/RES/026
4848	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenyl 2,2',3,4',5,5',6-heptachloro-	SRI/RES/026
4849	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenyl 2,2',3,5'-tetrachloro-	SRI/RES/026
4850	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenyl 2,2',4,5,5'-pentachloro	SRI/RES/026
4851	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenyl 2,3-dichloro-	SRI/RES/026
4852	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenyl, 2,2',3,4,4',5',6 heptachloro-	SRI/RES/026
4853	CHEMICAL- RESIDUES IN WATER	Water	1,1-Biphenyl, 2,2',3,4,5,5'-hexachloro-	SRI/RES/026
4854	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenyl, 2,2',3,5,5',6-hexachloro-	SRI/RES/026
4855	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenyl,2,2',3,4,5'-pentachloro-	SRI/RES/026
4856	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenyl,2,2',4,4',5,5'-hexachloro-	SRI/RES/026
4857	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenyl,2,2',5,5'-tetrachloro-	SRI/RES/026
4858	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenyl,2,3,3'4',6-pentachloro-	SRI/RES/026

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	298 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4859	CHEMICAL- RESIDUES IN WATER	Water	1,1'-Biphenyl,2,3',4,4'-tetrachloro-	SRI/RES/026
4860	CHEMICAL- RESIDUES IN WATER	Water	1-1'Biphenyl, 2,2',5-trichloro-	SRI/RES/026
4861	CHEMICAL- RESIDUES IN WATER	Water	2,2',3,3',4,4',5-Heptachloro -1,1'- biphenyl	SRI/RES/026
4862	CHEMICAL- RESIDUES IN WATER	Water	2,4-D	SRI/RES/026
4863	CHEMICAL- RESIDUES IN WATER	Water	Acenaphthene	SRI/RES/026
4864	CHEMICAL- RESIDUES IN WATER	Water	Acenaphthylene	SRI/RES/026
4865	CHEMICAL- RESIDUES IN WATER	Water	Acenaphthylene	SRI/RES/026
4866	CHEMICAL- RESIDUES IN WATER	Water	Alachlor	SRI/RES/026
4867	CHEMICAL- RESIDUES IN WATER	Water	Aldrin	SRI/RES/026
4868	CHEMICAL- RESIDUES IN WATER	Water	alpha-Endosulfan	SRI/RES/026
4869	CHEMICAL- RESIDUES IN WATER	Water	alpha-HCH	SRI/RES/026
4870	CHEMICAL- RESIDUES IN WATER	Water	Anthracene	SRI/RES/026
4871	CHEMICAL- RESIDUES IN WATER	Water	Atrazine	SRI/RES/026
4872	CHEMICAL- RESIDUES IN WATER	Water	Benz(a) anthracene	SRI/RES/026
4873	CHEMICAL- RESIDUES IN WATER	Water	Benz(a)anthracene	SRI/RES/026
4874	CHEMICAL- RESIDUES IN WATER	Water	Benz(k) fluoranthene	SRI/RES/026
4875	CHEMICAL- RESIDUES IN WATER	Water	Benz(k)fluoranthene	SRI/RES/026
4876	CHEMICAL- RESIDUES IN WATER	Water	Benzo(a) pyrene	SRI/RES/026
4877	CHEMICAL- RESIDUES IN WATER	Water	Benzo(b) fluoranthene	SRI/RES/026

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	299 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4878	CHEMICAL- RESIDUES IN WATER	Water	Benzo(b)fluoranthene	SRI/RES/026
4879	CHEMICAL- RESIDUES IN WATER	Water	Benzo(ghi)pyrene	SRI/RES/026
4880	CHEMICAL- RESIDUES IN WATER	Water	beta- HCH (Pesticide)	SRI/RES/026
4881	CHEMICAL- RESIDUES IN WATER	Water	beta-Endosulfan	SRI/RES/026
4882	CHEMICAL- RESIDUES IN WATER	Water	beta-HCH	SRI/RES/026
4883	CHEMICAL- RESIDUES IN WATER	Water	Butachlor	SRI/RES/026
4884	CHEMICAL- RESIDUES IN WATER	Water	Chlorpyrifos	SRI/RES/026
4885	CHEMICAL- RESIDUES IN WATER	Water	Chlorpyrifos (Pesticide)	SRI/RES/026
4886	CHEMICAL- RESIDUES IN WATER	Water	Chrysene	SRI/RES/026
4887	CHEMICAL- RESIDUES IN WATER	Water	cis-Chlordane	SRI/RES/026
4888	CHEMICAL- RESIDUES IN WATER	Water	cis-Chlordane (Pesticide)	SRI/RES/026
4889	CHEMICAL- RESIDUES IN WATER	Water	DDE	SRI/RES/026
4890	CHEMICAL- RESIDUES IN WATER	Water	DDE	SRI/RES/026
4891	CHEMICAL- RESIDUES IN WATER	Water	delta- HCH	SRI/RES/026
4892	CHEMICAL- RESIDUES IN WATER	Water	delta-HCH	SRI/RES/026
4893	CHEMICAL- RESIDUES IN WATER	Water	Dibenz(a,h) anthracene	SRI/RES/026
4894	CHEMICAL- RESIDUES IN WATER	Water	Dieldrin	SRI/RES/026
4895	CHEMICAL- RESIDUES IN WATER	Water	Endosulfan -sulphate	SRI/RES/026
4896	CHEMICAL- RESIDUES IN WATER	Water	Endosulfan -sulphate (Pesticide)	SRI/RES/026

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	300 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4897	CHEMICAL- RESIDUES IN WATER	Water	Endrin	SRI/RES/026
4898	CHEMICAL- RESIDUES IN WATER	Water	Ethion	SRI/RES/026
4899	CHEMICAL- RESIDUES IN WATER	Water	Fluorene	SRI/RES/026
4900	CHEMICAL- RESIDUES IN WATER	Water	Fluorenthene	SRI/RES/026
4901	CHEMICAL- RESIDUES IN WATER	Water	Heptachlor	SRI/RES/026
4902	CHEMICAL- RESIDUES IN WATER	Water	Heptachlor (Pesticide)	SRI/RES/026
4903	CHEMICAL- RESIDUES IN WATER	Water	Heptachlor epoxide	SRI/RES/026
4904	CHEMICAL- RESIDUES IN WATER	Water	Heptachlor epoxide (Pesticide)	SRI/RES/026
4905	CHEMICAL- RESIDUES IN WATER	Water	Hexachlorobenzene	SRI/RES/026
4906	CHEMICAL- RESIDUES IN WATER	Water	Indenol(1,2,3-cd)pyrene	SRI/RES/026
4907	CHEMICAL- RESIDUES IN WATER	Water	Isoproturon	SRI/RES/026
4908	CHEMICAL- RESIDUES IN WATER	Water	Lindane	SRI/RES/026
4909	CHEMICAL- RESIDUES IN WATER	Water	Malaoxon	SRI/RES/026
4910	CHEMICAL- RESIDUES IN WATER	Water	Malathion	SRI/RES/026
4911	CHEMICAL- RESIDUES IN WATER	Water	Methyl Parathion	SRO/RES/026
4912	CHEMICAL- RESIDUES IN WATER	Water	Monocrotophos	SRI/RES/026
4913	CHEMICAL- RESIDUES IN WATER	Water	Monocrotophos	SRI/RES/026
4914	CHEMICAL- RESIDUES IN WATER	Water	Naphthalene	SRI/RES/026
4915	CHEMICAL- RESIDUES IN WATER	Water	o,p DDT	SRI/RES/026

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	301 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4916	CHEMICAL- RESIDUES IN WATER	Water	o,p-DDD	SR/RES/026
4917	CHEMICAL- RESIDUES IN WATER	Water	o,p-DDD	SRI/RES/026
4918	CHEMICAL- RESIDUES IN WATER	Water	o,p-DDT	SRI/RES/026
4919	CHEMICAL- RESIDUES IN WATER	Water	p,p-DDD	SRI/RES/026
4920	CHEMICAL- RESIDUES IN WATER	Water	p,p-DDT	SRI/RES/026
4921	CHEMICAL- RESIDUES IN WATER	Water	Phenanthrene	SRI/RES/026
4922	CHEMICAL- RESIDUES IN WATER	Water	Phorate	SRI/RES/026
4923	CHEMICAL- RESIDUES IN WATER	Water	Phorate sulfone	SRI/RES/026
4924	CHEMICAL- RESIDUES IN WATER	Water	Phorate sulfoxide	SRI/RES/026
4925	CHEMICAL- RESIDUES IN WATER	Water	Pyrene	SRI/RES/026
4926	CHEMICAL- RESIDUES IN WATER	Water	trans-Chlordane	SRI/RES/026
4927	CHEMICAL- RESIDUES IN WATER	Water	Trihalomethanes	SI/RES/026
4928	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber : Rigid, Flexible, Composite, Laminated, Cellular Sheet, Rubber Raw materials , Finished products	Aluminium Oxide	IS 3400 (Pt 22)
4929	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber : Rigid, Flexible, Composite, Laminated, Cellular Sheet, Rubber Raw materials , Finished products	Ash content/ Filler content	ASTM D 5630, ASTM D 297, IS 3400 (Pt22)
4930	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber : Rigid, Flexible, Composite, Laminated, Cellular Sheet, Rubber Raw materials , Finished products	Calcium Oxide	ASTM D 297
4931	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber : Rigid, Flexible, Composite, Laminated, Cellular Sheet, Rubber Raw materials , Finished products	Density	ASTM D 792
4932	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber : Rigid, Flexible, Composite, Laminated, Cellular Sheet, Rubber Raw materials , Finished products	Identification	SRI/R&P/Identification /006
4933	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber : Rigid, Flexible, Composite, Laminated, Cellular Sheet, Rubber Raw materials , Finished products	Iron Oxide	IS 3400 (Pt 22)
4934	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber : Rigid, Flexible, Composite, Laminated, Cellular Sheet, Rubber Raw materials , Finished products	Lead Oxide	IS 3400 Pt 22

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 302 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4935	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber : Rigid, Flexible, Composite, Laminated, Cellular Sheet, Rubber Raw materials , Finished products	Silicon Dioxide	ASTM D 297
4936	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber : Rigid, Flexible, Composite, Laminated, Cellular Sheet, Rubber Raw materials , Finished products	Solvent Extraction / Process oil	ASTM D 297, ISO 6427 & IS 3400 (Pt 22)
4937	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber : Rigid, Flexible, Composite, Laminated, Cellular Sheet, Rubber Raw materials , Finished products	Thermal Gravimetric analysis (TGA)	ASTM D 6370-09
4938	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Accelerated weathering (Visual observation)	ISO 4892, ASTM G 154, ASTM G 155, ISO 877 & ISO 4582
4939	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Barium Carbonate	IS 3400 (Pt 22)
4940	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Barium Sulphate	IS 3400 (Pt 22)
4941	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Carbon Black content	ASTM D 297, IS 3400 (Pt 22)
4942	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Carbon content	SRI/R&P/ CHNS/002
4943	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Flammability test	ASTM D 635-14, UL 94 , ISO 1210
4944	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Hydrogen	SRI/R&P/CHNS/002
4945	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Limiting Oxygen Index	ASTM D 2863, IS 13501 & ISO 4589-2
4946	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Magnesium Oxide	IS 3400 (Pt 22)
4947	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Moisture	ASTM D 6304, ISO 15512 , ASTM D 95 & ASTM D 6980
4948	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Nitrogen	SRI/R&P/CHNS/002
4949	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	pH value	IS 7523
4950	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Polymer content	ASTM D 297 , IS 3400 (Pt 22) , IS 3660 (Pt 6), IS 9162
4951	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Resistance to chemical	ASTM D 543 & IS 3400 (Pt 6)
4952	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Resistance to spread of flame	UIC 564-2 Appendix 5 , 8 & 11
4953	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Smoke Density	ASTM D 2843

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	303 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4954	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Sulphur	SRI/R&P/CHNS/002
4955	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Titanium dioxide	IS 3400 (pt 22)
4956	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	toxicity Index	NCD 1409, SRI/R&P/ TOXICITY INDEX/ 001
4957	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Visibility due to smoke	UIC 564 part 2 appendix 15
4958	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Visibility due to smoke	UIC 564-2 appendix 15
4959	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Volatile content	IS 4669: & ASTM D 1203
4960	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Water absorption	ASTM D 3575, ISO 62
4961	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber: rigid, flexible, Composite, Laminated, Cellular sheet, Rubber Raw materials, Finished Products	Zinc Oxide	IS 3400 (Pt 22)
4962	CHEMICAL- SOAP DETERGENT & TOILETRIES	Acid Slurry	Active ingredient (Anionic type)	IS 8401
4963	CHEMICAL- SOAP DETERGENT & TOILETRIES	Bathing Bar	Synthetic Surface active agent	IS 13498
4964	CHEMICAL- SOAP DETERGENT & TOILETRIES	Bathing Bar	Total Fatty Matter	IS 13498
4965	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry detergent (Powder, Bar)	Active Alkali	IS 8180
4966	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry detergent (Powder, Bar)	Active ingredient (Detergent)	IS 4955
4967	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry Detergent powder	Active Alkalinity	IS 4955
4968	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry detergent powder	Total phosphates	IS 4955
4969	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry Soap	Glycerol	IS 286
4970	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry soap	Titre of Fatty Acids	IS 286
4971	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry soap	Unsaponifiable fatty matter	IS 286
4972	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry Soap , Toilet Soap	Chlorides	IS 286

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	304 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4973	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry soap, Toilet soap	Presence of Starch	IS 286
4974	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry Soap, Toilet Soap	Rosin Acids	IS 286
4975	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry Soap, Toilet soap , Liquid toilet Soap	Cresylic acid	IS 286
4976	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry Soap, Toilet Soap, Bathing bar, Liquid Soap	Free Caustic Alkali	IS 286
4977	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry Soap, Toilet Soap, Bathing bar, Scouring powder	Moisture & Volatile Matter	IS 286
4978	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry Soap, Toilet Soap, Liquid Soap, Soap base shampoo, Scouring powder	Matter Insoluble in Alcohol	IS 286
4979	CHEMICAL- SOAP DETERGENT & TOILETRIES	Laundry Soap, Toilet Soap, Liquid Soap, Soap based shampoo	Total Fatty Matter	IS 286
4980	CHEMICAL- SOAP DETERGENT & TOILETRIES	Liquid synthetic detergent	Clear point	IS 4956
4981	CHEMICAL- SOAP DETERGENT & TOILETRIES	Liquid synthetic detergent	pH	IS 4956
4982	CHEMICAL- SOAP DETERGENT & TOILETRIES	Liquid Toilet cleaner	Hydrochloric acid content	IS 7983
4983	CHEMICAL- SOAP DETERGENT & TOILETRIES	Liquid Toilet cleaner	Sediment	IS 7983
4984	CHEMICAL- SOAP DETERGENT & TOILETRIES	Liquid Toilet Soap	pH of aqueous solution	IS 286
4985	CHEMICAL- SOAP DETERGENT & TOILETRIES	Liquid Toilet soap	Stability at 5 degree for 24 hours	IS 4199
4986	CHEMICAL- SOAP DETERGENT & TOILETRIES	Liquid Toilet soap	Synthetic detergent	IS 4955
4987	CHEMICAL- SOAP DETERGENT & TOILETRIES	Scouring powder	Active alkalinity	IS 6047 :
4988	CHEMICAL- SOAP DETERGENT & TOILETRIES	Scouring powder	Active Matter	IS 6047 :
4989	CHEMICAL- SOAP DETERGENT & TOILETRIES	Scouring powder	Cleaning Efficiency	IS 6047 :
4990	CHEMICAL- SOAP DETERGENT & TOILETRIES	Scouring powder	Lather	IS 6047 :
4991	CHEMICAL- SOAP DETERGENT & TOILETRIES	Scouring powder	Surface damage	IS 6047 :

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	305 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
4992	CHEMICAL- SOAP DETERGENT & TOILETRIES	Scouring powder	Tough soil Cleaning	IS 6047
4993	CHEMICAL- SOAP DETERGENT & TOILETRIES	Scouring powder	Water insoluble matter retained on 250 microns sieve	IS 6047
4994	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shampoo	Active Ingredient	IS 7884
4995	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shampoo	Arsenic as As2O3	IS 7884
4996	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shampoo	Foam Height	IS 7669
4997	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shampoo	Heavy metals as Pb	IS 7884
4998	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shampoo	Non Volatile alcohol soluble matter	IS 7884
4999	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shampoo	pH	IS 7884
5000	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shaving Cream	Consistency	IS 9470
5001	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shaving Cream	Foaming Power	IS 9740
5002	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shaving Cream	Free Caustic Alkali	IS 9740
5003	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shaving Cream	Homogeneity	IS 9740
5004	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shaving Cream	Test for Stability	IS 9740
5005	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shaving Cream	Total Fatty Substance	IS 9740
5006	CHEMICAL- SOAP DETERGENT & TOILETRIES	Shaving Cream	Water Content	IS 9740
5007	CHEMICAL- SOAP DETERGENT & TOILETRIES	Soap based Shampoo	Foam height	IS 7669
5008	CHEMICAL- SOAP DETERGENT & TOILETRIES	Soap based Shampoo	Free Caustic Alkali	IS 7669
5009	CHEMICAL- SOAP DETERGENT & TOILETRIES	Synthetic DEtergent	Active ingredient (detergent)	IS 4956
5010	CHEMICAL- SOAP DETERGENT & TOILETRIES	Synthetic detergent	Matter insoluble in Water	IS 4956

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 306 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5011	CHEMICAL- SOAP DETERGENT & TOILETRIES	Synthetic detergent powder	Moisture & Volatile matter	IS 4956
5012	CHEMICAL- SOAP DETERGENT & TOILETRIES	Toilet soap , Bathing Bar	Free Carbonated Alkali	IS 286
5013	CHEMICAL- SOAP DETERGENT & TOILETRIES	Toilet Soap, Bathing Bar	Lather	IS 13498
5014	CHEMICAL- SOAP DETERGENT & TOILETRIES	Tooth paste	Dispensing	IS 6356
5015	CHEMICAL- SOAP DETERGENT & TOILETRIES	Toothpaste	Arsenic as As2O3	IS 6356
5016	CHEMICAL- SOAP DETERGENT & TOILETRIES	Toothpaste	Available fluoride ion	IS 6356
5017	CHEMICAL- SOAP DETERGENT & TOILETRIES	Toothpaste	Foaming power	Is 6356
5018	CHEMICAL- SOAP DETERGENT & TOILETRIES	Toothpaste	Heavy Metals as Pb	IS 6356
5019	CHEMICAL- SOAP DETERGENT & TOILETRIES	Toothpaste	Particle retained on 150 microns IS sieve	IS 6356
5020	CHEMICAL- SOAP DETERGENT & TOILETRIES	Toothpaste	Particle retained on 75 microns IS sieve	IS 6356
5021	CHEMICAL- SOAP DETERGENT & TOILETRIES	Toothpaste	pH of Aqueous suspension	Is 6356
5022	CHEMICAL- SOAP DETERGENT & TOILETRIES	Toothpaste	Stability at 28 days	IS 6356
5023	CHEMICAL- SOIL AND ROCK	Bentonite	Fineness	IS 6186
5024	CHEMICAL- SOIL AND ROCK	Bentonite	Gel Formation Index	IS 6186
5025	CHEMICAL- SOIL AND ROCK	Bentonite	Loss on Ignition	IS 6186
5026	CHEMICAL- SOIL AND ROCK	Bentonite	Matter soluble in Water	IS 6186
5027	CHEMICAL- SOIL AND ROCK	Bentonite	Moisture	IS 6186
5028	CHEMICAL- SOIL AND ROCK	Bentonite	pH	IS 6186
5029	CHEMICAL- SOIL AND ROCK	Bentonite	Sand Content	IS 6186

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 307 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5030	CHEMICAL- SOIL AND ROCK	Bentonite	Swelling Power	IS 6186
5031	CHEMICAL- SOIL AND ROCK	Soil	Calcium Carbonates (as CaCO3)	IS 2720 Pt 23
5032	CHEMICAL- SOIL AND ROCK	Soil	Organic Matter	IS 2720 Pt 22
5033	CHEMICAL- SOIL AND ROCK	Soil	pH value	IS 2720 Pt 26
5034	CHEMICAL- SOIL AND ROCK	Soil	Total soluble Solids	IS 2720 Pt 21
5035	CHEMICAL- SOIL AND ROCK	Soil	Total Soluble Sulphates (as SO4)	IS 2720 Pt 27
5036	CHEMICAL- SOLID FUELS	Bitumen	Complex Modulus (G*/Sin as 1.0 kPa, 25 mm plate , 1 mm gap at 10 rad/s at temperature)	IS 15462 Annexure A
5037	CHEMICAL- SOLID FUELS	Bitumen	Ductility	IS 1208
5038	CHEMICAL- SOLID FUELS	Bitumen	Elastic Recovery of Half thread in ductilometer	IS 15462 Annexure A
5039	CHEMICAL- SOLID FUELS	Bitumen	Loss on Heating (TFOT)	IS 1212
5040	CHEMICAL- SOLID FUELS	Bitumen	Penetration	IS 1203
5041	CHEMICAL- SOLID FUELS	Bitumen	Separation difference softening Pint (R & B)	IS 15462 Annexure B:2019, IS 17079 Annexure B
5042	CHEMICAL- SOLID FUELS	Bitumen	Softening Point	IS 1205
5043	CHEMICAL- SOLID FUELS	Bitumen	Specific Gravity	IS 1202
5044	CHEMICAL- SOLID FUELS	Bitumen	Stability to mixing with cement	IS 8887
5045	CHEMICAL- SOLID FUELS	Bitumen	Thin Film Oven test on residue (Loss in mass)	IS 9382
5046	CHEMICAL- SOLID FUELS	Bitumen	Thin Film Oven test on residue (Residue in Penetration of residue)	IS 1203
5047	CHEMICAL- SOLID FUELS	Bitumen	Thin Film Oven test on residue(Increase in softening point)	IS 1205
5048	CHEMICAL- SOLID FUELS	Bitumen	Viscosity by Saybolt Furol Viscometer	IS 3117
5049	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Absolute Viscosity at 60 degree C	IS 1206 (Pt 2)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 308 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5050	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Ash content	IS 1217
5051	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Ductility	IS 1208
5052	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Elastic Recovery of half thread in ductilometer	IS 15462 Annexure, IS 17079 Annexure A
5053	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Flash Point	IS 1209, IS 1448 (PT 69)
5054	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Frass breaking point	IS 9381
5055	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Kinematic Viscosity at 135 degree C	IS 1206 (Pt 3)
5056	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Loss on Heating (TFOT)	ASTM D 6
5057	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Loss on Heating (TFOT)	IS 1212
5058	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Matter soluble or solubility in Toluene	IS 1215
5059	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Matter soluble or solubility in Trichloroethylene/ CS2	IS 1216
5060	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Penetration	ASTM D 5
5061	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Penetration	IS 1203
5062	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Separation difference Softening point (R & B)	IS 15462 Annexure B , IS 17079 Annexure B
5063	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Softening Point	IS 1205
5064	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Specific Gravity	IS 1202
5065	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Thin Film Oven Test (Reduction in Penetration)	IS 1203
5066	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Thin film oven test on residue (Elastic recovery of half thread in ductilometer)	IS 15462 Annexure A , IS 17079 Annexure A
5067	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Thin Film Oven test on Residue (Increase in softening point & Change in Softening point)	IS 1205

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	309 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5068	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Thin film Oven test on Residue (Loss on mass)	IS 9382
5069	CHEMICAL- SOLID FUELS	Bitumen & allied Materials , Paving Bitumen, Industrial Bitumen , Polymer Modified Bitumen	Viscosity Ratio	IS 1206 (Pt 2)
5070	CHEMICAL- SOLID FUELS	Bitumen Emulsion , Bitumen Primer	Viscosity by Tar viscometer	IS 1206 (Pt 1)
5071	CHEMICAL- SOLID FUELS	Bitumen Emulsion Bitumen Primer	Mixing time	IS 17016 Annexure B
5072	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Coagulation of emulsion	IS 8887
5073	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Coating ability for water resistance	IS 8887
5074	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Distillation percentage Recovery	IS 8887
5075	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Distillation percentage residue at 360 degree C	IS 1213
5076	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Flash Point (PMCC)	IS 1209
5077	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Homogeneity test	IS 8887
5078	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Miscibility with water	IS 8887
5079	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Particle Charge	IS 8887
5080	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Residue on 600 micron sieve	IS 8887
5081	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Specific Gravity	IS 1202
5082	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Stability to mixing with Cement	IS 8887
5083	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Storage stability	IS 8887
5084	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Test of Residue by Evaporation	Is 8887
5085	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Test on Residue from distillation upto 360 degree C (Ductility)	IS 1208, IS 8887, IS 17016
5086	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Tests on Residue from distillation upto 360 degree (Penetration)	IS 1203 , IS 8887, IS 17016
5087	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Tests on residue from distillation upto 360 degree C (Solubility in TCl3)	IS 1216
5088	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Viscosity by Saybolt furol Viscometer	IS 3117
5089	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Viscosity by Saybolt Furol Viscometer / Tar Viscometer	IS 3117
5090	CHEMICAL- SOLID FUELS	Bitumen Emulsion, Bitumen Primer	Water content	IS 1211

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 310 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5091	CHEMICAL- SOLID FUELS	Coal	Aluminium Oxide	IS: 1355 , ASTM D 3682 , ASTM D 6349 , SOP/ Instrumentation/ ICP/00
5092	CHEMICAL- SOLID FUELS	Coal	Ash Fusion Temperature	ASTM D 1857
5093	CHEMICAL- SOLID FUELS	Coal	Barium Oxide	IS: 1355 , ASTM D 3682 , ASTM D 6349 , SOP/ Instrumentation/ ICP/00
5094	CHEMICAL- SOLID FUELS	Coal	Calcium Oxide	IS: 1355 , ASTM D 3682 , ASTM D 6349 , SOP/ Instrumentation/ ICP/00
5095	CHEMICAL- SOLID FUELS	Coal	Gross Calorific Value	ASTM D 5865
5096	CHEMICAL- SOLID FUELS	Coal	Gross Calorific Value	IS 1350 (Pt 2)
5097	CHEMICAL- SOLID FUELS	Coal	Hardgroove Grindability Index	ASTM D 409
5098	CHEMICAL- SOLID FUELS	Coal	Hardgroove Grindability Index	IS 4433
5099	CHEMICAL- SOLID FUELS	Coal	Iron Oxide	IS: 1355 : , ASTM D 3682 : , ASTM D 6349 : , SOP/ Instrumentation/ ICP/00
5100	CHEMICAL- SOLID FUELS	Coal	Magnesium Oxide	IS: 1355 , ASTM D 3682 , ASTM D 6349 , SOP/ Instrumentation/ ICP/00
5101	CHEMICAL- SOLID FUELS	Coal	Manganese Oxide	IS: 1355 , ASTM D 3682 , ASTM D 6349 , SOP/ Instrumentation/ ICP/00
5102	CHEMICAL- SOLID FUELS	Coal	Net Calorific Value	ASTM D 5865
5103	CHEMICAL- SOLID FUELS	Coal	Net Calorific Value	IS 1350 (Pt 2)
5104	CHEMICAL- SOLID FUELS	Coal	Phosphorous Pentaoxide	IS: 1355, ASTM D 3682, ASTM D 6349, SOP/ Instrumentation/ ICP/00
5105	CHEMICAL- SOLID FUELS	Coal	Potassium Oxide	IS: 1355 , ASTM D 3682 , ASTM D 6349 , SOP/ Instrumentation/ ICP/00
5106	CHEMICAL- SOLID FUELS	Coal	Proximate analysis (Ash content)	ASTM D 3174
5107	CHEMICAL- SOLID FUELS	Coal	Proximate analysis (Ash content)	IS 1350 (Pt 1)
5108	CHEMICAL- SOLID FUELS	Coal	Proximate analysis (Fixed Carbon)	IS 1350 (Pt 1) , ASTM D 3172

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 311 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5109	CHEMICAL- SOLID FUELS	Coal	Proximate analysis (Volatile matter)	ASTM D 3175
5110	CHEMICAL- SOLID FUELS	Coal	Proximate analysis (Volatile matter)	IS : 1350 (Pt 1)
5111	CHEMICAL- SOLID FUELS	Coal	Proximate Analysis (Moisture)	ASTM D 3173
5112	CHEMICAL- SOLID FUELS	Coal	Proximate Analysis (Moisture)	IS 1350 pt 1
5113	CHEMICAL- SOLID FUELS	Coal	Sieve Analysis (Particle Size)	ASTM D 4749
5114	CHEMICAL- SOLID FUELS	Coal	Sieve Analysis (Particle Size)	IS 437
5115	CHEMICAL- SOLID FUELS	Coal	Sodium Oxide	IS: 1355, ASTM D 3682 , ASTM D 6349 , SOP/ Instrumentation/ ICP/00
5116	CHEMICAL- SOLID FUELS	Coal	Sulphur trioxide	IS: 1355
5117	CHEMICAL- SOLID FUELS	Coal	Titanium oxide	IS: 1355, ASTM D 3682, ASTM D 6349, SOP/ Instrumentation/ ICP/00
5118	CHEMICAL- SOLID FUELS	Coal	Total Moisture	IS 1350 (Pt 1)
5119	CHEMICAL- SOLID FUELS	Coal	Ultimate Analysis (Ash Content)	ASTM D 3174
5120	CHEMICAL- SOLID FUELS	Coal	Ultimate Analysis (Ash Content)	IS 1350 (Pt 1)
5121	CHEMICAL- SOLID FUELS	Coal	Ultimate Analysis (Carbon)	ASTM D 3176
5122	CHEMICAL- SOLID FUELS	Coal	Ultimate Analysis (Carbon)	ASTM D 5373
5123	CHEMICAL- SOLID FUELS	Coal	Ultimate Analysis (Hydrogen)	ASTM D 3176
5124	CHEMICAL- SOLID FUELS	Coal	Ultimate Analysis (Hydrogen)	ASTM D 5373
5125	CHEMICAL- SOLID FUELS	Coal	Ultimate Analysis (Nitrogen)	ASTM D 3176
5126	CHEMICAL- SOLID FUELS	Coal	Ultimate Analysis (Nitrogen)	ASTM D 5373
5127	CHEMICAL- SOLID FUELS	Coal	Ultimate Analysis (Oxygen)	ASTM D 3176
5128	CHEMICAL- SOLID FUELS	Coal	Ultimate Analysis (Sulphur)	ASTM D 3177
5129	CHEMICAL- SOLID FUELS	Coal	Ultimate Analysis (Sulphur)	ASTM D 4239 (Method B) :
5130	CHEMICAL- SOLID FUELS	Coal	Ultimate analysis (Sulphur)	ASTM D 4239, Method B
5131	CHEMICAL- SOLID FUELS	Coal	Ultimate Analysis (Sulphur)	IS 1350 (Pt 3)
5132	CHEMICAL- SOLID FUELS	Coal	Useful heat Value	Notification by Ministry of Coal , IS 1350 (Pt 1)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 312 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5133	CHEMICAL- SOLID FUELS	Coal & Coke	Silica	IS: 1355, ASTM D 3682 , ASTM D 6349 , SOP/ Instrumentation/ ICP/00
5134	CHEMICAL- SOLID FUELS	Coke	Aluminium Oxide	IS: 1355, ASTM D 3682, ASTM D 6349, SOP/ Instrumentation/ ICP/00
5135	CHEMICAL- SOLID FUELS	Coke	Ash Fusion Temperature	ASTM D 1857
5136	CHEMICAL- SOLID FUELS	Coke	Barium Oxide	IS: 1355 , ASTM D 3682 , ASTM D 6349 , SOP/ Instrumentation/ ICP/00
5137	CHEMICAL- SOLID FUELS	Coke	Calcium Oxide	IS: 1355, ASTM D 3682, ASTM D 6349, SOP/ Instrumentation/ ICP/00
5138	CHEMICAL- SOLID FUELS	Coke	Gross Calorific Value	ASTM D 5865
5139	CHEMICAL- SOLID FUELS	Coke	Gross Calorific Value	IS 1350 (Pt 2)
5140	CHEMICAL- SOLID FUELS	Coke	Hardgroove Griandability Index	ASTM D 5003
5141	CHEMICAL- SOLID FUELS	Coke	Hardgroove Grindability Index	IS 4433
5142	CHEMICAL- SOLID FUELS	Coke	Iron Oxide	IS: 1355 : ASTM D 3682 : ASTM D 6349 : SOP/ Instrumentation/ ICP/00
5143	CHEMICAL- SOLID FUELS	Coke	Magnesium Oxide	IS: 1355, ASTM D 3682 , ASTM D 6349, SOP/ Instrumentation/ ICP/00
5144	CHEMICAL- SOLID FUELS	Coke	Manganese oxide	IS: 1355 , ASTM D 3682, ASTM D 6349, SOP/ Instrumentation/ ICP/00
5145	CHEMICAL- SOLID FUELS	Coke	Net Calorific Value	ASTM D 5865
5146	CHEMICAL- SOLID FUELS	Coke	Net Calorific Value	IS 1350 (pt 2)
5147	CHEMICAL- SOLID FUELS	Coke	Phosphorous Pentoxide	IS: 1355, ASTM D 3682 , ASTM D 6349, SOP/ Instrumentation/ ICP/00
5148	CHEMICAL- SOLID FUELS	Coke	Potassium Oxide	IS: 1355 , ASTM D 3682, ASTM D 6349, SOP/ Instrumentation/ ICP/00
5149	CHEMICAL- SOLID FUELS	Coke	Proximate Analysis (Ash Content)	ASTM D 3174
5150	CHEMICAL- SOLID FUELS	Coke	Proximate Analysis (Ash content)	IS 1350 (Pt 1)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 313 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5151	CHEMICAL- SOLID FUELS	Coke	Proximate Analysis (Fixed Carbon)	ASTM D 3172
5152	CHEMICAL- SOLID FUELS	Coke	Proximate Analysis (Fixed Carbon)	IS 1350 (Pt 1)
5153	CHEMICAL- SOLID FUELS	Coke	Proximate Analysis (Moisture)	ASTM D 3173
5154	CHEMICAL- SOLID FUELS	Coke	Proximate Analysis (Moisture)	IS 1350 (Pt 1)
5155	CHEMICAL- SOLID FUELS	Coke	Proximate Analysis (volatile matter)	ASTM D 3175
5156	CHEMICAL- SOLID FUELS	Coke	Proximate Analysis (Volatile matter)	IS 1350 (Pt 1)
5157	CHEMICAL- SOLID FUELS	Coke	Sieve analysis (Particle Size)	ASTM D 293, IS 437
5158	CHEMICAL- SOLID FUELS	Coke	Silica	IS: 1355 , ASTM D 3682 , ASTM D 6349, SOP/ Instrumentation/ ICP/00
5159	CHEMICAL- SOLID FUELS	Coke	Sodium Oxide	IS: 1355 , ASTM D 3682, ASTM D 6349 , SOP/ Instrumentation/ ICP/00
5160	CHEMICAL- SOLID FUELS	Coke	Sulphur	IS 1350 (Pt 3)
5161	CHEMICAL- SOLID FUELS	Coke	Sulphur Trioxide	IS 1355
5162	CHEMICAL- SOLID FUELS	Coke	Titanium Oxide	IS: 1355 , ASTM D 3682 , ASTM D 6349 , SOP/ Instrumentation/ ICP/00
5163	CHEMICAL- SOLID FUELS	Coke	Total Moisture	IS 1350 (pt 1)
5164	CHEMICAL- SOLID FUELS	Coke	Ultimate Analysis (Ash content)	ASTM D 3174
5165	CHEMICAL- SOLID FUELS	Coke	Ultimate Analysis (Ash content)	IS 1350 (pt 1)
5166	CHEMICAL- SOLID FUELS	Coke	Ultimate Analysis (Carbon)	ASTM D 3176
5167	CHEMICAL- SOLID FUELS	Coke	Ultimate Analysis (Carbon)	ASTM D 5373
5168	CHEMICAL- SOLID FUELS	Coke	Ultimate Analysis (Hydrogen)	ASTM D 3176
5169	CHEMICAL- SOLID FUELS	Coke	Ultimate Analysis (Hydrogen)	ASTM D 5373
5170	CHEMICAL- SOLID FUELS	Coke	Ultimate Analysis (Nitrogen)	ASTM D 3176
5171	CHEMICAL- SOLID FUELS	Coke	Ultimate Analysis (Nitrogen)	ASTM D 5373
5172	CHEMICAL- SOLID FUELS	Coke	Ultimate Analysis (Oxygen)	ASTM D 3176
5173	CHEMICAL- SOLID FUELS	Coke	Ultimate Analysis (sulphur)	ASTM D 3177

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 314 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5174	CHEMICAL- SOLID FUELS	Coke	Ultimate Analysis (Sulphur)	ASTM D 4239 (Method B):
5175	CHEMICAL- SOLID FUELS	Coke	Useful Heat Value	Notification by Ministry of Coal, IS 1350 (Pt 1)
5176	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Acrylic Products	Composition	IS 3421
5177	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Cellulose Acetate Products	Composition	IS 2176
5178	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Cotton & Viscose Products	Composition	IS 1889 (Pt 4) & IS 6504
5179	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Cotton & Viscose Products	Composition	IS 1889 (Pt 4) IS 6504
5180	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Cotton & Viscose Products	Composition	IS 1889 (Pt 4) , IS 6504
5181	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Cotton & Viscose Products	Composition	IS 1889 (Pt 4), IS 6504
5182	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Cotton & Viscose Products	Composition	IS 1889 (Pt 4) , IS 6504
5183	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filament	moisture content	IS 199
5184	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Cadmium	IS 4655
5185	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & filaments	Cadmium	SOP-SRI/T&P/002
5186	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Calcium	IS 4655
5187	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Calcium	SOP-SRI/T&P/002
5188	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & filaments	Chloride content	IS 4202
5189	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Chromium	IS 4655
5190	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & filaments	Chromium	SOP-SRI/T&P/002
5191	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & filaments	Colour / colour difference	SOP/T&P/004 & IS/ISO 105- C06
5192	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & filaments	Colour / colour difference	SOP/T&P/004 & IS/ISO 105- C06

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 315 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5193	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Artificial Light)	AATCC-16.3
5194	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Artificial Light)	EN ISO 105 - B02
5195	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Artificial Light)	IS/ISO - 105 pt. B-06
5196	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Dry Cleaning)	EN ISO 105-D01
5197	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Dry Cleaning)	IS 4802
5198	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Organic Solvent)	IS 688
5199	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Organic Solvent)	IS/ISO 105 - 006
5200	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Perspiration)	EN ISO 105 -E04
5201	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Perspiration)	IS/ISO 105 pt. B-07
5202	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Rubbing)	AATCC-08
5203	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Rubbing)	EN ISO 105 X12
5204	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Rubbing)	IS: 766
5205	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Washing)	AATCC-61
5206	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Washing)	IS/ISO: 105 C10
5207	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Colour Fastness (Water)	IS 767
5208	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Copper	IS 4655
5209	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & filaments	copper	SOP-SRI/T&P/002
5210	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Identification of Material	ASTM D 3677
5211	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Identification of Material	IS: 667

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	316 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5212	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Identification of Material	SOP/T&P/003
5213	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Iron	IS 4655
5214	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Iron	SOP-SRI/T&P/002
5215	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Lead	IS 4655
5216	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & filaments	Lead	SOP-SRI/T&P/002
5217	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & filaments	Moisture content	IS 6637
5218	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	pH of aqueous Extract	IS 1390
5219	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & filaments	Phosphorous	SOP-SRI/T&P/002
5220	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Phosphorus	SOP-SRI/T&P/002 & IS 4655
5221	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & Filaments	Solvent Extractable matter	IS 4390
5222	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fibre & filaments	Sulphate content	IS 4203
5223	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Cadmium	IS 4655
5224	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Cadmium	SOP-SRI/T&P/002
5225	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Calcium	IS 4655
5226	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Calcium	SOP-SRI/T&P/002
5227	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Chloride Content	IS 4202
5228	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Chromium	IS 4655
5229	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Chromium	SOP-SRI/T&P/002
5230	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished fabric	Colour / colour difference	SOP/T&P/004 & IS/ISO 105- C06

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 317 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5231	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Artificial Light)	AATCC-16.3
5232	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Artificial Light)	EN ISO 105 B02
5233	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Artificial Light)	IS/ISO-105 Pt. B-06
5234	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Dry Cleaning)	EN ISO 105-D01
5235	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Dry Cleaning)	IS 4802
5236	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Organic Solvent)	IS 688
5237	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Organic Solvent)	IS/ISO 105 - 006
5238	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Perspiration)	EN ISO 105- E04
5239	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Perspiration)	IS/ISO 105 Pt. B-07
5240	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Rubbing)	EN ISO 105X12
5241	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Rubbing)	IS 766
5242	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Rubbing)	AATCC-08
5243	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Washing)	AATCC-61
5244	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Washing)	IS/ISO 105 C 10
5245	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Colour Fastness (Water)	IS 767
5246	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Copper	IS 4655
5247	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Copper	SOP-SRI/T&P/002
5248	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Dimensional change to water washing	AATCC135 BS EN ISO 5077
5249	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Dimensional change to water washing	IS 2977 & IS 665

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	318 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5250	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished fabric	Flammability	IS 11871 & IS1259
5251	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished fabric	Flammability	IS 11871:1986 & IS1259
5252	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Identification of Material	ASTM D 3677
5253	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Identification of Material	IS 667
5254	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Identification of Material	SOP/T&P/003
5255	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Iron	IS 4655
5256	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Iron	SOP-SRI/T&P/002
5257	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Lead	IS 4655
5258	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Lead	SOP-SRI/T&P/002
5259	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Moisture Content	IS 199
5260	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Moisture Content	IS 6637
5261	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	pH of Water Extract	IS 1390
5262	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Phosphorus	IS 4655
5263	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Phosphorus	SOP-SRI/T&P/002
5264	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	finished fabric	Solvent extractable matter	IS 4390
5265	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Finished Fabric	Sulphate Content	IS 4203
5266	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Artificial Light)	AATCC-16.3
5267	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Artificial Light)	EN ISO 105-B02
5268	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Artificial Light)	IS/ISO 105 Pt. B-06

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	319 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5269	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Dry Cleaning)	EN ISO 105-D01
5270	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Dry Cleaning)	IS 4802
5271	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Organic Solvent)	IS 688
5272	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Organic Solvent)	IS/ISO 105-006
5273	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Perspiration)	EN ISO 105 -E04
5274	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Perspiration)	IS/ISO 105 Pt. B-07
5275	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Rubbing)	AATCC-08
5276	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Rubbing)	EN ISO 105 X12
5277	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Rubbing)	IS 766
5278	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Washing)	ATTCC-61
5279	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Washing)	IS/ISO 105 C10
5280	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garment & Apparels	Colour Fastness (Water)	IS 767
5281	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Cadmium	IS 4655
5282	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Cadmium	SOP-SRI/T&P/002
5283	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Calcium	IS 4655
5284	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Calcium	SOP-SRI/T&P/002
5285	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Chloride Content	IS 4202
5286	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Chromium	IS 4655
5287	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Chromium	SOP-SRI/T&P/002

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 320 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5288	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	garments & Apparels	Colour / Colour difference	SOP/T&P/004 & IS/ISO 105- C06
5289	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Copper	IS 4655
5290	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Copper	SOP-SRI/T&P/002
5291	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Dimensional change to water washing	AATCC 135 & BS EN ISO 5077
5292	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Dimensional change to water washing	AATCC 135(2018) & BS EN ISO 5077
5293	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Dimensional change to water washing	IS 2977 & IS 665
5294	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Dimensional change to water washing	IS 2977: 1989 & IS 665
5295	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Flammability	IS 11871 & IS1259
5296	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Flammability	IS 11871:1986 & IS1259
5297	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Identification of Material	ASTM D 3677
5298	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Identification of Material	IS 667
5299	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Identification of Material	SOP/T&P/003
5300	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Iron	IS 4655
5301	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Iron	SOP-SRI/T&P/002
5302	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Lead	IS 4655
5303	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Lead	SOP-SRI/T&P/002
5304	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Moisture Content	IS 199
5305	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Moisture Content	IS 6637
5306	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	pH of Water Extract	IS 1390

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 321 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5307	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Phosphorus	IS 4655
5308	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Phosphorus	SOP-SRI/T&P/002
5309	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Solvent Extractable Matter	IS: 4390
5310	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Apparels	Sulphate Content	IS 4203
5311	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made - ups	Dimensional change to water washing	AATCC 135 & BSEN ISO
5312	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made ups	Colour /Colour difference	SOP/T&P/004 & IS/ISO 105- C06
5313	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made ups	Colour /Colour difference	SOP/T&P/004 & IS/ISO 105- C06
5314	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made ups	Flammability	IS 11871 & IS 1259
5315	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made ups	Flammability	IS 11871 & IS 1259
5316	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made- ups	Dimensional change to water washing	IS 2977 & IS 665
5317	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Cadmium	IS 4655
5318	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Cadmium	SOP-SRI/T&P/002
5319	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Calcium	IS 4655
5320	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Calcium	SOP-SRI/T&P/002
5321	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Chloride Content	IS 4202
5322	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Chromium	IS 4655
5323	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Chromium	SOP-SRI/T&P/002
5324	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Artificial Light)	AATCC-16.3
5325	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Artificial Light)	EN ISO 105-B02

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 322 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5326	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Artificial Light)	IS/ISO-105 Pt. B-06
5327	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Dry Cleaning)	EN ISO 105-D01
5328	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Dry Cleaning)	IS 4802
5329	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Organic Solvent)	IS 688
5330	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Organic Solvent)	IS/ISO 105-006
5331	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Perspiration)	EN ISO 105 - E04
5332	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Perspiration)	IS/ISO 105 Pt. B-07
5333	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Rubbing)	IS 766
5334	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Rubbing)	AATCC-08
5335	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Rubbing)	EN ISO 105 X12
5336	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Washing)	AATCC-61
5337	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Washing)	IS/ISO 105 C10
5338	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Colour Fastness (Water)	IS 767
5339	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Copper	IS 4655
5340	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Copper	SOP-SRI/T&P/002
5341	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Identification of Material	ASTM D 3677
5342	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Identification of Material	IS 667
5343	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Identification of Material	SOP/T&P/003
5344	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Iron	IS 4655

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	323 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5345	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Iron	SOP-SRI/T&P/002
5346	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Lead	IS 4655
5347	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Lead	SOP-SRI/T&P/002
5348	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Moisture Content	IS 199
5349	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Moisture Content	IS 6637
5350	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	pH of Water Extract	IS 1390
5351	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Phosphorus	IS 4655
5352	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Phosphorus	SOP-SRI/T&P/002
5353	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Solvent Extractable Matter	IS 4390
5354	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Made-ups	Sulphate Content	IS 4203
5355	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Nylon Products	Composition	IS 2005
5356	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Nylon Products	Composition	IS 2005 & AATCC TM20A
5357	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Nylon Products	Composition	IS 2005 & AATCC TM20A
5358	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Polyester & Cotton Products	Composition	IS 3416 pt 1
5359	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Polyester & Cotton Products	Composition	IS 3416 pt 1
5360	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Polyester & Cotton Products	Composition	IS 3416 pt 1 & AATCC TM20A
5361	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Polyester & Cotton Products	Composition	IS 3416 pt 1 & AATCC TM20A
5362	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Polypropylene Products	Composition	IS 9896
5363	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Polypropylene Products	Composition	IS 9896 & AATCC TM20A

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 324 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5364	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Sanitary Napkins	Absorbency and Ability to withstand pressure after absorption , Disposability	IS 5405
5365	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tape & Thread	Identification of Material	ASTM D 3677
5366	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tape & Thread	Identification of Material	IS 667
5367	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tape & Thread	Identification of Material	SOP/T&P/003
5368	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tape & Thread	Solvent Extractable Matter	IS 4390
5369	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tape & Thread (Acrylic Products)	Composition	IS 3421
5370	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tape & Thread (Cellulose Acetate Products)	Composition	IS 2176
5371	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tape & Thread (Cotton & Viscose Products)	Composition	IS 1889 (Pt 4) ,IS 6504
5372	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tape & Thread (Nylon Products)	Composition	IS 2005
5373	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tape & Thread (Polyester & Cotton Products)	Composition	IS 3416 pt 1
5374	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tape & Thread (Polypropylene Products)	Composition	IS 9896
5375	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tape & Thread (Woolen & Nylon Products)	Composition	IS 6503
5376	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tape & Thread (Woolen Products)	Composition	IS 2006
5377	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Cadmium	IS 4655
5378	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Cadmium	SOP-SRI/T&P/002
5379	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Calcium	IS 4655
5380	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Calcium	SOP-SRI/T&P/002
5381	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Chloride Content	IS 4202

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 325 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5382	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Chromium	IS 4655
5383	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Chromium	SOP-SRI/T&P/002
5384	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Artificial Light)	AATCC-16.3
5385	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Artificial Light)	EN ISO 105 - B02
5386	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Artificial Light)	IS/ISO - 105 Pt. B-06
5387	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Dry Cleaning)	EN ISO 105 - D01
5388	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Dry Cleaning)	IS 4802
5389	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Organic Solvent)	IS 688
5390	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Organic Solvent)	IS/ISO 105-006
5391	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Perspiration)	EN ISO 105 - E04
5392	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Perspiration)	IS/ISO 105 Pt. B-07
5393	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Rubbing)	AATCC-08
5394	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Rubbing)	EN ISO 105 X12
5395	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Rubbing)	IS 766
5396	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Washing)	AATCC-61
5397	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Washing)	IS/ISO 105 C10
5398	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Colour Fastness (Water)	IS 767
5399	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Copper	IS 4655
5400	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Copper	SOP-SRI/T&P/002

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	326 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5401	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Iron	IS 4655
5402	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Iron	SOP-SRI/T&P/002
5403	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Lead	IS 4655
5404	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Lead	SOP-SRI/T&P/002
5405	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Moisture Content	IS 199
5406	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Moisture Content	IS 6637
5407	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	pH of Water Extract	IS 1390
5408	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Phosphorus	IS 4655
5409	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Phosphorus	SOP-SRI/T&P/002
5410	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Thread & Tape	Sulphate Content	IS 4203
5411	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Threads & Tapes	Colour / colour difference	SOP/T&P/004 & IS/ISO 105- C06
5412	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Threads & Tapes	Colour / colour difference	SOP/T&P/004 & IS/ISO 105- C06
5413	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woolen & Nylon Products	Composition	IS 6503
5414	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woolen & Nylon Products	Composition	IS 6503
5415	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woolen & Nylon Products	Composition	IS 6503 & AATCC TM20A
5416	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woolen Products	Composition	IS 2006
5417	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woolen Products	Composition	IS 2006 & AATCC TM20A
5418	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woolen Products	Composition	IS 2006 & AATCC TM20A
5419	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarn & chords	Calcium	SOP-SRI/T&P/002

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 327 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5420	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarn & chords	Colour / Colour difference	SOP/T&P/004 & IS/ISO 105- C06
5421	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarn & filaments	Sulphate content	IS 4203
5422	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Cadmium	IS 4655
5423	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & chords	Cadmium	SOP-SRI/T&P/002
5424	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Calcium	IS 4655
5425	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & chords	Chloride content	IS 4202
5426	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Chromium	IS 4655
5427	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & chords	Chromium	SOP-SRI/T&P/002
5428	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Artificial Light)	AATCC-16.3
5429	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Artificial Light)	EN ISO 105- B-02
5430	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Artificial Light)	IS/ISO - 105 Pt. b-06
5431	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Dry Cleaning)	EN ISO 105-D01
5432	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Dry Cleaning)	IS 4802
5433	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Organic Solvent)	IS 688
5434	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Organic Solvent)	IS/ISO 105-006
5435	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Perspiration)	EN ISO 105 - E04
5436	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Perspiration)	IS/ISO 105 pt. B-07
5437	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Rubbing)	AATCC-08
5438	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Rubbing)	EN ISO 105 X12

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 328 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5439	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Rubbing)	IS 766
5440	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Washing)	AATCC-61
5441	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Washing)	IS/ISO 105 C 10
5442	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Colour Fastness (Water)	IS 767
5443	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Copper	IS 4655
5444	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & chords	Copper	SOP-SRI/T&P/002
5445	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Identification of Material	ASTM D 3677
5446	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Identification of Material	IS 667
5447	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Identification of Material	SOP/T&P/003
5448	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Iron	IS 4655
5449	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & chords	Iron	SOP-SRI/T&P/002
5450	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Lead	IS 4655
5451	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & chords	Lead	SOP-SRI/T&P/002
5452	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & chords	Moisture content	Is 199
5453	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & chords	Moisture content	IS 6637
5454	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & chords	pH of aqueous extract	IS 1390
5455	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & chords	Phosphorous	SOP-SRI/T&P/002
5456	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & Chords	Phosphorus	IS 4655
5457	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarns & chords	Solvent extractable matter	IS 4390

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	329 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5458	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Total Hardness	IS 3025 (Pt 21)
5459	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water ,Ground water , Surface water , Industrial Water	Magnesium	IS 3025 Pt 46, IS 3025 Pt 2
5460	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Fixed & Volatile (Dissolved Solids/ Suspended solids / Total Solids)	IS 3025 (Pt 18)
5461	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Acidity	IS 3025 (Pt 22)
5462	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Alkalinity (Total/ Methyl Orange/ Phenolphthalein)	IS 3025 (23)
5463	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Ammoniacal Nitrogen /Ammonia	IS 3025 (Pt 34)
5464	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Anionic Detergents / Anionic Surface active agent	IS 13428, Ann K & APHA 23rd Ed 5520
5465	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Appearance	SOP/Appearance/ Water & Waste Water /10
5466	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	BOD	IS 3025 (Pt 44) & APHA 23rd Ed 5210
5467	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Boron/ Borate	IS 3025 (Pt 2) & IS 3025 (Pt 57)
5468	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground Water , Surface Water , Industrial Water	Bromate	ISO 15061
5469	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Calcium	IS 3025 (Pt 40) & IS 3025 (Pt 2)
5470	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Calcium Hardness	IS 3025 (Pt 40) & IS 3025 (Pt 2)
5471	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Carbonate & Bicarbonate	IS 3025 (Pt 51), APHA 23rd Ed ,2320

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	330 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5472	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Chloramines	APHA 23rd Ed 4500-Cl & IS 3025 (Pt 26)
5473	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Chlorides	IS 3025 (Pt 32)
5474	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	COD	IS 3025 (Pt 58) & APHA 23rd Ed 5220
5475	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Colour /True Colour	IS 3025 (Pt 4)
5476	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Cyanide	IS 3025 (Pt 27) & APHA 23rd Ed 4500 CN-E & F
5477	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Dissolved Oxygen	IS 3025 (Pt 38) & APHA 23rd Ed 4500- O
5478	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Electrical conductivity	IS 3025 (Pt 14)
5479	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Fluorides	IS 3025 (Pt 60) & APHA 23rd Ed 4500 F
5480	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Free Residual Chlorine / Residual Chlorine	IS: 3025 (Pt 26) SOP/ Validation of Chlorine kit / 06
5481	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Free/ Total Carbon Dioxide	IS 3025 (Pt 61) & APHA 23rd Ed 4500- CO2
5482	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Hexavalent Chromium , Trivalent Chromium	IS 3025 (Pt 52) & APHA 23rd Ed 3500 Cr
5483	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Hydrazine / Residual Hydrazine	IS 3550 , ASTM D 1385
5484	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Magnesium Hardness	IS 3025 (Pt 46) & IS 3025 (Pt 2)
5485	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Mineral Oil	IS 3025 (Pt 39)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	331 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5486	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Nitrate	IS 3025 (34)
5487	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Nitrite	IS 3025 (Pt 34)
5488	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Odour	IS 3025 (Pt 5)
5489	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Oil & Grease	IS 3025 (Pt 39), APHA 23rd Ed 5520
5490	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Oxygen absorbed in 4hours	IS 3025 (Pt 63)
5491	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Permanent Hardness (Non carbonate Hardness)	IS 3025 (Pt 21)
5492	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	pH value	IS 3025 (Pt 11)
5493	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Phenols / Phenolic compounds	IS 3025 (Pt 43) & APHA 23rd Ed 5530 C & D
5494	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Phosphates / Phosphorous	IS 3025 (Pt 31), IS 3025 (Pt 2) & APHA 23rd Ed 4500-P
5495	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Potassium	APHA 23rd Ed , 3111
5496	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Residual Free Chlorine	SOP/ Validation of Merck Kit/ 06
5497	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Silica(Total, Molybdate reactive & Unreactive)	IS 3025 (Pt 35) & IS 3025 (Pt 2)
5498	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Sodium	APHA 23rd Ed ,3111
5499	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Sulfites	IS 3025 (Pt 28)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	332 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5500	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Sulphates	IS 3025 (Pt 24)
5501	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Sulphide / H2S	IS 3025 (Pt 29) & APHA 23rd Ed 4500-S
5502	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Suspended solids / Total suspended Solids	Is 3025 (Pt 17)
5503	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Taste	IS 3025 (Pt 7)
5504	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Temperature	IS 3025 (Pt 9)
5505	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Temporary Hardness (Carbonate Hardness)	IS 3025 (Pt 21)
5506	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Total alkalinity	IS 3025 (Pt 23)
5507	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Total dissolved Solids (Residue on Evaporation)	IS 3025 (Pt 16)
5508	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Total Kjeldhal's Nitrogen	IS 3025 (Pt 34)
5509	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Total solids	IS 3025 (Pt 15)
5510	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace metals (Aluminium)	IS 3025 (Pt 55), IS 3025 (Pt 2) , APHA 23rd Ed 3111
5511	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace Metals (Antimony)	IS: 3025 (Pt 2) & IS 3025 (Pt 65)
5512	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace metals (Arsenic/ Total Arsenic)	IS 3025 (Pt 37), IS 3025 (Pt 65) , APHA 23rd Ed , 3114
5513	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace metals (Chromium)	IS 3025 (Pt 52) , IS 3025 (Pt 2) & APHA 23rd Ed 3111

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	333 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5514	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace metals (Copper)	IS 3025 (Pt 42) & IS 3025 (Pt 2)
5515	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace Metals (Lead)	IS 3025 (Pt 47), IS (3025 (Pt 2) & APHA 23rd Ed 3111
5516	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace metals (Manganese)	IS 3025 (Pt 59) & IS 3025 (Pt 2)
5517	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace metals (Mercury)	IS 3025 (Pt 48) , APHA 23rd Ed , 3112
5518	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace Metals (Molybdenum)	IS 3025 (Pt 2) , APHA 23rd Ed , 3111
5519	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace metals (Nickel)	IS 3025 (Pt 54), IS 3025 (Pt 2) & APHA 23rd Ed 3111
5520	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace metals (Silver)	Is 3025 (Pt 2) & APHA 23rd Ed 3111
5521	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace metals (Strontium)	IS 3025 (Pt 2) , APHA 23 rd , 3111
5522	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace Metals (Tin)	IS 3025 (Pt 2), APHA 23rd Ed , 3111
5523	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace Metals (Zinc)	IS 3025 (Pt 49) & IS 3025 (Pt 2)
5524	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace Metals (Cadmium)	IS 3025 (Pt41) , IS 3025 (Pt 2) & APHA 23rd Ed 3111 Pt 65) , IS 3025 (Pt
5525	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace metals (Iron, Total & Dissolved)	IS 3025 (Pt 2) , IS 3025 (Pt 53) & APHA 23rd Ed 3111
5526	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Trace metals(Barium)	IS 3025 (Pt 2), IS 13428 - Anne F & IS 15302
5527	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Turbidity	IS 3025 (Pt 10)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	334 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5528	CHEMICAL- WATER	Drinking water , Packaged Drinking Water , Packaged Natural Mineral Water , Ground water , Surface water , Industrial Water	Volatile Acids	APHA 23rd Ed 5560
5529	CHEMICAL- WATER	Drinking Water, Packaged Drinking Water , Natural Mineral Water , Bore Well Water , Surface water , Industrial Water	Trace metals (Selenium)	IS 15303 , IS 3025 (Pt 56) , IS 3025 (Pt 65) & APHA 23rd Ed ,3114
5530	CHEMICAL- WATER	Irrigation water	Boron	IS 3025 (Pt 57) & IS 3025 (Pt 2)
5531	CHEMICAL- WATER	Irrigation water	Residual Sodium Carbonate	IS 11624
5532	CHEMICAL- WATER	Irrigation Water	Sodium Adsorption Ratio	IS 11624
5533	CHEMICAL- WATER	Irrigation Water	Total Salt Concentration (on the basis of electrical conductivity)	IS 3025 (Pt 14)
5534	CHEMICAL- WATER	Water For Construction Purpose	Acidity (Volume of 0.02 N NaOH required to neutralize sample)	IS 3025 (Pt 22)
5535	CHEMICAL- WATER	Water for construction purpose	Alkalinity (Volume of 0.02 N H2SO4 required to neutralize sample)	IS 3025 Pt 23
5536	CHEMICAL- WATER	Water For Construction Purpose	Chloride	IS 3025 (Pt 32)
5537	CHEMICAL- WATER	Water For Construction Purpose	Inorganic Solids	IS 3025 (Pt 18)
5538	CHEMICAL- WATER	Water For Construction Purpose	Organic Solids	IS 3025 (Pt 18)
5539	CHEMICAL- WATER	Water For Construction Purpose	pH value	IS 3025 (Pt 11)
5540	CHEMICAL- WATER	Water For Construction Purpose	Sulfate	IS 3025 (Pt 24)
5541	CHEMICAL- WATER	Water for construction purpose	Suspended Matter	IS 3025 (Pt 17)
5542	CHEMICAL- WATER	Water for Swimming Pool	Aluminium	IS 3025 (Pt 55) & IS 3025 (Pt 2)
5543	CHEMICAL- WATER	Water for Swimming Pool	Chloride	IS 3025 (Pt 32)
5544	CHEMICAL- WATER	Water for Swimming Pool	Clearness	IS 3328
5545	CHEMICAL- WATER	Water for Swimming Pool	Colour	IS 3025 (Pt 4)
5546	CHEMICAL- WATER	Water for Swimming Pool	Heavy Metals (as Lead)	IS 3025 (Pt 2) & APHA 23rd Ed , 3111
5547	CHEMICAL- WATER	Water for Swimming Pool	Iron	IS 3025 (Pt 2) & APHA 23rd Ed , 3111
5548	CHEMICAL- WATER	Water for Swimming Pool	Odour	IS 3025 (Pt 5)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	335 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5549	CHEMICAL- WATER	Water for Swimming Pool	Oxygen absorbed in 4 hours	APHA 23rd Edition 4500 -O,IS 3025 (Pt 63)
5550	CHEMICAL- WATER	Water for Swimming Pool	pH	IS 3025 (Pt 11)
5551	CHEMICAL- WATER	Water for Swimming Pool	Taste	IS 3025 (Pt 8)
5552	CHEMICAL- WATER	Water for Swimming Pool	Total Alkalinity	IS 3025 (Pt 23)
5553	CHEMICAL- WATER	Water for Swimming Pool	Total dissolved Solids	IS 3025 (Pt 16)
5554	CHEMICAL- WATER	Water for Swimming Pool	Total Residual chlorine	IS 3025 (Pt 26) & SOP/ Validation of E Merck Chlorine kit / 06
5555	CHEMICAL- WATER	Water for Swimming Pool	Turbidity	IS 3025 (Pt 10)
5556	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Additional ageing tests for OU cables (tests on complete cable)	IS 694, Cl 10.9
5557	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Ageing in air oven test (Test on insulation and sheath)	Is 10810 (pt 11)
5558	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Annealing test for Copper conductor (test on Conductor)	IS 10810 (Pt 1)
5559	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	circuit integrity test under fire condition (resistance to fire alone) (Tests on complete cable)	BS 6387

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	336 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5560	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Circuit integrity test under fire condition (resistance to fire alone) 450 -750 degree C (Tests on complete cable)	IEC 60331-21
5561	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Cold bend test (Test on complete cable)	IS 10810 (Pt 20)
5562	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Cold Impact Test (Test on complete cable)	IS 10810 (Pt 21)
5563	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Conductor resistance (tests on conductor)	IS 10810 (Pt 5)
5564	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Dimension for armouring material (Test for armouring wires & strips)	IS 10810 (Pt 36)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	337 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5565	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Elongation at break (test for armouring wires & strips)	IS 10810 (Pt 37)
5566	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Elongation at break (Test on insulation & sheath)	IS 10810 (Pt 7)
5567	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Elongation at break (test on insulation and sheath)	IS 10810 (Pt 11)
5568	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Flame Retardant Test	IS 10810 (Pt 61)
5569	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	flammability test (tests on complete cable)	IS 10810 (Pt 53)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	338 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5570	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Halogen acid gas evaluation test (Test on insulation and sheath)	IS 10810 (Pt 59) IEC 60754-1
5571	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Heat Shock Test (Test on insulation and sheath)	IS 10810 (Pt 14)
5572	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	High voltage test / Electric strength test (Tests on complete cable)	IS 10810 (Pt 45)
5573	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	High voltage test / Electric strength test (Tests on complete cable)	IS 694
5574	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Hot Deformation test (Test on insulation and sheath)	IS 10810 (Pt 15)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	339 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5575	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Hot set test for insulation (Test on insulation and sheath)	IS 10810 (Pt 30)
5576	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Insulation resistance (tests on complete cable)	IS 10810 (Pt 43)
5577	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Loss of mass test (test on insulation and sheath)	IS 10810 (Pt 10)
5578	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Mass of Zinc coating (Test for armouring wires & strips)	IS 10810 (Pt 41)
5579	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Oxygen Index Test (OIT) (test on insulation and sheath	IS 10810 (Pt 58)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	340 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5580	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Oxygen Index Test (OIT) (Test on Insulation and sheath)	ASTM D 2863
5581	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Resistivity & Conductance test or armour (Test for Armour wires & strips)	IS 10810 (Pt 42)
5582	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Smoke density rating (test on insulation & sheath)	ASTM D 2843
5583	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Smoke density rating (Test on insulation & sheath)	IS 13360 (Pt 6/ sec 9)
5584	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Temperature index test (Test on insulation & sheath)	IS 10810 (Pt 64)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	341 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5585	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Tensile Strength (teat on armouring wires & strips)	IS 10810 (Pt 37)
5586	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Tensile strength (Test on insulation & sheath)	IS 10810 (Pt 7)
5587	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Tensile Strength (Tests on insulation and sheath)	IS 10810 (Pt 11)
5588	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Tensile strength for aluminium conductor (Test on conductor)	IS 10810 (Pt 2)
5589	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Test for overall dimensions and thickness of insulation / sheath (Tests on insulation & sheath)	IS 10810 (Pt 6)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	342 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5590	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Thermal Stability (Test on insulation & sheath)	IS 5831 (App B) ,IS 10810 (Pt 60)
5591	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Thickness of Metallic Sheath (test on insulation and sheath)	IS 10810 (Pt 34)
5592	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Torsion test on Galvanized steel wire for armouring (test for armouring wires & strips)	IS 10810 (Pt 38)
5593	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Uniformity of Zinc Coating (Test for armouring & strips)	IS 10810 (Pt 40)
5594	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Water absorption (Gravimetric) (Test on insulation and sheath)	IS 10810 (Pt 33)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	343 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5595	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Weight of Conductor	CSC-1 15/R-III/DH/UH/P&D
5596	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Winding test on Galvanized steel strips for armouring (test for armouring wires & strips)	IS 10810 (Pt 39)
5597	ELECTRICAL- CABLES & WIRES	PVC insulated cable rated voltage 1100 V / PVC insulated (heavy duty) electric cables upto 1100 V / PVC insulated (heavy duty) Electric Cables from 3.3 kV to 11000 V / XLPE Insulated thermoplastic sheathed cables upto 1100 V / XLPE insulated thermoplastic cables from 3.3 kV to 33 kV / XLPE insulated thermoplastic sheated cables from 66 kV to 220 kV / Arial bunched cable for working voltage upto 1100 volts .	Wrapping test for Aluminium conductor (Tests on conductor)	IS 10810 (Pt 3)
5598	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Abnormal operation	IS 2082 & IS 302-2-21
5599	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Mechanical Strength	IS 2082 & IS 302-2-21
5600	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Overload protection	IS 2082 & IS 302-2-21
5601	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Screw & Connections	IS 2082 & IS 302-2-21
5602	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationary Storage type Electric Water Heater	Electrical Insulation & Leakage current at operating temperature	IS 2082 : 2018 & IS 302-2-21
5603	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationary Storage type Electric Water Heater	Electrical insulation & leakage current operating temperature	IS 2082 : 2018 & IS 302-2-21
5604	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationary Storage type Electric Water Heater	Input	IS 2082: 2018 & IS 302-2-21
5605	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationary Storage type Electric Water Heater	Operation Under Overload conditions	IS 2082 : 2018 & IS 302-2-21
5606	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationary Storage type Electric Water Heater	Temperature rise	IS 2082 : 2018 & IS 302-2-21

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	344 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5607	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electric Ceiling Type Fans	Leakage Current & Electric Strength	IS 374 : 2019 & IS 302-2-80
5608	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electric Ceiling & Type Fans	Clearances , Creepage distance & solid insulation	IS 374 : 2019 & IS 302-2-80
5609	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electric Ceiling type Fans	Leakage Current & Electric Strength at operating Temperature	IS 374 & IS 302-2-80
5610	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electric Ceiling type Fans	Power Input	IS 374
5611	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electric Ceiling Type Fans	Abnormal Operations	IS 374 , IS 302-2-80
5612	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electric Ceiling Type Fans	Performance Requirement	IS 374
5613	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electric Ceiling Type fans	Provision for earthing	IS 374 & IS 302-2-80
5614	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electric Ceiling Type Fans	Speed regulators	IS 374
5615	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electric Ceiling Type Fans	Starting	IS 374
5616	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Construction	IS 374 , IS 302-2-80 :
5617	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Endurance Test	IS 374
5618	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Interchangeability	IS 374
5619	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Internal Wiring	IS 374, IS 302-2-80 :
5620	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Leakage Current & Electric Strength	IS 374, IS 302-2-80:
5621	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Over voltage Protection of Transformers and associated circuits	IS 374, IS 302-2-80:
5622	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Protection against Access to Live parts	IS 374, IS 302-2-80:
5623	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Resistance to rusting	IS 374 , IS 302-2-80:
5624	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Screws & Connections	IS 374, IS 302-2-80 :

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	345 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5625	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Silent Operation	IS 374
5626	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Speed & Power Factor	IS 374
5627	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Speed & Power Factor	IS 374
5628	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Stability and Mechanical Hazards	IS 374 , IS 302-2-80:
5629	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Supply Connection and External Flexible Cords	IS 374 , IS 302-2-80:
5630	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Terminals for External conductors	IS 374 , IS 302-2-80:
5631	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling & Type Fans	Test for Harmonic Distortion	IS 374
5632	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Electrical Ceiling Type Fans	Heating	IS 374 : 2019 & IS 302-2-80
5633	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Resistance to Heat & Fire	IS 2082 & IS 302-2-21
5634	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Capacity	IS 2082
5635	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Components	IS 2082 & IS 302-2-21
5636	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Construction	IS 2082 & IS 302-2-21
5637	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Cord Grip & Cord Guard	IS 2082, IS 302-2-21 :
5638	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Creepage distances & Clearances	IS 2082 & IS 302-2-21
5639	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Cyclic Temperature Variation	IS 2082 :
5640	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Deviation of Dial calibration	IS 2082
5641	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Earthing	IS 2082 & IS 302-2-21
5642	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Finish	IS 2082
5643	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Hot Water Output	IS 2082

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 346 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5644	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Insulation Resistance & Electrical Strength (after Humidity treatment)	IS 2082 & IS 302-2-21
5645	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Insulation Resistance & Electrical Strength (after Humidity treatment)	IS 2082 & IS 302-2-21
5646	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Insulation Resistance & Electrical Strength (after Humidity treatment)	IS 2082 & IS 302-2-21
5647	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Internal Wiring	IS 2082 & IS 302-2-21
5648	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Mixing Factor	IS 2082
5649	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Moisture resistance	IS 2082 & IS 302-2-21
5650	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Protection against Electric Shock	IS 2082, IS 302-2-21:
5651	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Radiations Hazards	IS 2082 , IS 302-2-21:
5652	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Reheating time	IS 2082
5653	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Resistance to Rusting	IS 2082 & IS 302-2-21
5654	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Stability & Mechanical Hazards	IS 2082 , IS 302-2-21
5655	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Standing Loss	IS 2082
5656	ELECTRICAL- DOMESTIC ELECTRICAL APPLIANCES	Stationery Storage Type Electric Water Heater	Terminal for External conductor	IS 2082 & IS 302-2-21
5657	ELECTRICAL- MISCELLANEOUS	Safety of Electric Toys	Components	IS 15644 : 2006 , IEC 62115
5658	ELECTRICAL- MISCELLANEOUS	Safety of Electric Toys	Clearance & Creepage distance	IS 15644 , IEC 62115
5659	ELECTRICAL- MISCELLANEOUS	Safety of Electric Toys	Construction	IS 15644 , IEC 62115
5660	ELECTRICAL- MISCELLANEOUS	Safety of Electric Toys	Electric strength at operating temperature	IS 15644, IEC 62115
5661	ELECTRICAL- MISCELLANEOUS	Safety of Electric Toys	Electric Strength at room temperature	IS 15644, IEC 62115

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 347 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5662	ELECTRICAL-MISCELLANEOUS	Safety of Electric Toys	Heating & Abnormal Operation	IS 15644, IEC 62115
5663	ELECTRICAL-MISCELLANEOUS	Safety of Electric Toys	Mechanical strength	IS 15644, IEC 62115
5664	ELECTRICAL-MISCELLANEOUS	Safety of Electric Toys	Moisture resistance	IS 15644, IEC 62115
5665	ELECTRICAL-MISCELLANEOUS	Safety of Electric Toys	Power Input	IS 15644 , IEC 62115
5666	ELECTRICAL-MISCELLANEOUS	Safety of Electric Toys	Protection of cords & wires	IS 15644, IEC 62115
5667	ELECTRICAL-MISCELLANEOUS	Safety of Electric Toys	Radiation , toxicity & similar hazards (excluding laser emitting toys)	IS 15644 , IEC 62115
5668	ELECTRICAL-MISCELLANEOUS	Safety of Electric Toys	Resistance to heat & fire (Ball pressure Test)	IS 15644 , IEC 62115
5669	ELECTRICAL-MISCELLANEOUS	Safety of Electric Toys	Resistance to heat & fire (Glow Wire test)	IS 15644, IEC 62115
5670	ELECTRICAL-MISCELLANEOUS	Safety of Electric Toys	Screws & Connections	IS 15644, IEC 62115
5671	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors - Galvanized steel reinforced for extra high voltage (400 kV and above)	Breaking Load on individual aluminium & steel wire	IS 398 (Pt 5)
5672	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors - Galvanized steel reinforced for extra high voltage (400 kV and above)	Diameter of Aluminium & steel wire	IS 398 (Pt 5)
5673	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors - Galvanized steel reinforced for extra high voltage (400 kV and above)	Ductility test on Galvanized steel wire (Torsion test)	IS 398 (Pt 5)
5674	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors - Galvanized steel reinforced for extra high voltage (400 kV and above)	Ductility test on Galvanized steel wire (Elongation test)	IS 398 (Pt 5)
5675	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors - Galvanized steel reinforced for extra high voltage (400 kV and above)	Galvanizing test on Steel Wire	IS 398 (Pt 5)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	348 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5676	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors - Galvanized steel reinforced for extra high voltage (400 kV and above)	Lay Ratio	IS 398 (Pt 5)
5677	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors - Galvanized steel reinforced for extra high voltage (400 kV and above)	Resistance test on Aluminium wire	IS 398 (Pt 5)
5678	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors - Galvanized steel reinforced for extra high voltage (400 kV and above)	Wrapping test on Aluminium wire & Galvanized steel wire	IS 398 (Pt 5)
5679	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium Conductors aluminized reinforced)	Breaking Load on Individual aluminium wire	IS 398 (Pt 3)
5680	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium Conductors aluminized reinforced)	Dimension of Aluminium Wire	IS 398 (Pt 3)
5681	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium Conductors aluminized reinforced)	Ductility test on Galvanised steel wire (Elongation test)	IS 398 (Pt 3)
5682	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium Conductors aluminized reinforced)	Ductility test on Galvanized steel wire (Torsion test)	IS 398 (Pt 3)
5683	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium Conductors aluminized reinforced)	Resistance test of Aluminium wire	IS 398 (Pt 3)
5684	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium Conductors aluminized reinforced)	Wrapping test on Aluminium & Aluminized wire	IS 398 (Pt 3)
5685	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium conductor Galvanised steel reinforced)	Breaking load on individual aluminium & Steel Wire	IS 398 (Pt 2)
5686	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium conductor Galvanised steel reinforced)	Diameter of Aluminium & Steel Wire	IS 398 (Pt 2)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 349 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5687	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium conductor Galvanised steel reinforced)	Ductility test on Galvanised steel wire (Elongation test)	IS 398 (Pt 2)
5688	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium conductor Galvanised steel reinforced)	Ductility test on Galvanised steel wire (Torsion test)	IS 398 (Pt 2)
5689	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium conductor Galvanised steel reinforced)	Galvanising test of steel wire	IS 398 (Pt 2)
5690	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium conductor Galvanised steel reinforced)	Lay Ratio	IS 398 (Pt 2)
5691	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium conductor Galvanised steel reinforced)	Resistance test of aluminium Wire	IS 398 (Pt 2)
5692	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium conductor Galvanised steel reinforced)	Wrapping test on aluminium Wire & Galvanised wire	IS 398 (Pt 2)
5693	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead Transmission purpose (Aluminium alloy stranded conductors- Aluminium Magnesium Silicon Type)	Breaking Load	IS 398 (Pt 4)
5694	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead Transmission purpose (Aluminium alloy stranded conductors- Aluminium Magnesium Silicon Type)	Diameter of Aluminium Wire & stranded conductor	IS 398 (pt 4)
5695	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead Transmission purpose (Aluminium alloy stranded conductors- Aluminium Magnesium Silicon Type)	Elongation	IS 398 (Pt 4)
5696	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead Transmission purpose (Aluminium alloy stranded conductors- Aluminium Magnesium Silicon Type)	Lay Ratio	IS 398 (Pt 4)
5697	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead Transmission purpose (Aluminium alloy stranded conductors- Aluminium Magnesium Silicon Type)	Resistance	IS 398 (Pt 4)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 350 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5698	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead transmission purpose (Aluminium Conductors aluminized reinforced)	Lay Ratio	IS 398 (Pt 3)
5699	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead Transmission purpose (Aluminium stranded conductor)	Breaking Load of individual aluminium wire	IS 398 (Pt 1)
5700	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead Transmission purpose (Aluminium stranded conductor)	Diameter of Aluminium wire	IS 398 (Pt 1)
5701	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead Transmission purpose (Aluminium stranded conductor)	Resistance test of Aluminium wire	IS 398 (Pt 1)
5702	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead Transmission purpose (Aluminium stranded conductor)	Wrapping Test of aluminium wire	IS 398(pt 1)
5703	ELECTRICAL-TRANSMISSION LINE EQUIPMENT & ACCESSORIES	Aluminium Conductors for Overhead Transmission purpose (Aluminium Stranded conductor)	Lay Ratio	IS 398 (Pt 1)
5704	ELECTRICAL- WIRING ACCESSORIES	Rigid plane conduit of insulating material for electrical installation	Bending test	IS 9537 (Pt 1) , IS 9537 (Pt 3)
5705	ELECTRICAL- WIRING ACCESSORIES	Rigid plane conduit of insulating material for electrical installation	Collapse	IS 9537 (Pt 1) , IS 9537 (Pt 3)
5706	ELECTRICAL- WIRING ACCESSORIES	Rigid plane conduit of insulating material for electrical installation	Compression	IS 9537 (Pt 1) , IS 9537 (Pt 3)
5707	ELECTRICAL- WIRING ACCESSORIES	Rigid plane conduit of insulating material for electrical installation	Dimension	IS 9537 (Pt 1) , IS 9537 (Pt 3)
5708	ELECTRICAL- WIRING ACCESSORIES	Rigid plane conduit of insulating material for electrical installation	Electrical characteristics (Insulation resistance)	IS 9537 (Pt 1) , IS 9537 (Pt 3)
5709	ELECTRICAL- WIRING ACCESSORIES	Rigid plane conduit of insulating material for electrical installation	Electrical characteristics (Electrical Strength)	IS 9537 (Pt 1), IS 9537 (Pt 3)
5710	ELECTRICAL- WIRING ACCESSORIES	Rigid plane conduit of insulating material for electrical installation	impact test	IS 9537 (Pt 1), IS 9537 (Pt 3)
5711	ELECTRICAL- WIRING ACCESSORIES	Rigid plane conduit of insulating material for electrical installation	Resistance of Burning test	IS 9537 (Pt 1), IS 9537 (Pt 3)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	351 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5712	ELECTRICAL- WIRING ACCESSORIES	Rigid plane conduit of insulating material for electrical installation	Resistance of heat test	IS 9537 (Pt 1), IS 9537 (Pt 3)
5713	ELECTRICAL- WIRING ACCESSORIES	Rigid Steel conduit for electrical installation	Bending Test	IS 9537 (Pt 1) , IS 9537 (Pt 2)
5714	ELECTRICAL- WIRING ACCESSORIES	Rigid Steel conduit for electrical installation	Compression	IS 9537 (Pt 1) , IS 9537 (Pt 2)
5715	ELECTRICAL- WIRING ACCESSORIES	Rigid Steel conduit for electrical installation	Construction	IS 9537 (Pt 1) , IS 9537 (Pt 2)
5716	ELECTRICAL- WIRING ACCESSORIES	Rigid Steel conduit for electrical installation	Dimension	IS 9537 (Pt 1) , IS 9537 (Pt 2)
5717	ELECTRICAL- WIRING ACCESSORIES	Rigid Steel conduit for electrical installation	External Influences	IS 9537 (Pt 1) , IS 9537 (Pt 2)
5718	ELECTRICAL- WIRING ACCESSORIES	Rigid Steel conduit for electrical installation	Marking	IS 9537 (Pt 1) , IS 9537 (Pt 2)
5719	MECHANICAL-AUTOMOTIVE COMPONENTS	Cycle tubes	Dimensions (width & Thickness)	IS 2415
5720	MECHANICAL-AUTOMOTIVE COMPONENTS	Cycle tubes	Elongation at break	IS 3400 (Pt 1)
5721	MECHANICAL-AUTOMOTIVE COMPONENTS	Cycle Tubes	Joint Adhesion strength	IS 3400 (Pt 1)
5722	MECHANICAL-AUTOMOTIVE COMPONENTS	Cycle tubes	Tensile strength	IS 3400 (Pt 1)
5723	MECHANICAL-AUTOMOTIVE COMPONENTS	Cycle tubes	Tension test	IS 3400 (Pt 13)
5724	MECHANICAL-AUTOMOTIVE COMPONENTS	General purpose rubber water hose	Accelerated ageing test	IS 444
5725	MECHANICAL-AUTOMOTIVE COMPONENTS	General purpose rubber water hose	Adhesion strength	IS 444
5726	MECHANICAL-AUTOMOTIVE COMPONENTS	General purpose rubber water hose	Dimensions (Length ,Inner & Outer diameter)	IS 444

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 352 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5727	MECHANICAL-AUTOMOTIVE COMPONENTS	General purpose rubber water hose	Elongation at break of lining and cover	IS 444
5728	MECHANICAL-AUTOMOTIVE COMPONENTS	General purpose rubber water hose	Hydraulic test	IS 444
5729	MECHANICAL-AUTOMOTIVE COMPONENTS	General purpose rubber water hose	Swelling test	IS 444
5730	MECHANICAL-AUTOMOTIVE COMPONENTS	General purpose rubber water hose	Tensile strength at break of lining and cover	IS 444
5731	MECHANICAL-AUTOMOTIVE COMPONENTS	Self Adhesive tape	Adhesion to Backing	IS 7809
5732	MECHANICAL-AUTOMOTIVE COMPONENTS	Self Adhesive tape	Adhesion to steel	IS 7809
5733	MECHANICAL-AUTOMOTIVE COMPONENTS	Self Adhesive tape	Appearance	IS 7809
5734	MECHANICAL-AUTOMOTIVE COMPONENTS	Self Adhesive tape	Dimensions (Width, Lenght, Thickness)	IS 7809
5735	MECHANICAL-AUTOMOTIVE COMPONENTS	Self Adhesive tape	Flamability	IS 7809
5736	MECHANICAL-AUTOMOTIVE COMPONENTS	Self Adhesive tape	Stability to accelerated ageing	IS 7809
5737	MECHANICAL-AUTOMOTIVE COMPONENTS	Self Adhesive tape	Tensile strength	IS 7809
5738	MECHANICAL-AUTOMOTIVE COMPONENTS	Valves & Accessories for Tyre & Tubes	Adhesion test	IS 9081
5739	MECHANICAL-AUTOMOTIVE COMPONENTS	Valves & Accessories for Tyre & Tubes	Bendability (10 to -40 degree C)	IS 9081
5740	MECHANICAL-AUTOMOTIVE COMPONENTS	Valves & Accessories for Tyre & Tubes	Dimensions (thickness)	IS 9801

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 353 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5741	MECHANICAL-AUTOMOTIVE COMPONENTS	Valves & Accessories for Tyre & Tubes	Hardness Shore A	IS 9081
5742	MECHANICAL-AUTOMOTIVE COMPONENTS	Valves & Accessories for Tyre & Tubes	Hot air/ aging treatment	IS 9081
5743	MECHANICAL-AUTOMOTIVE COMPONENTS	Valves & Accessories for Tyre & Tubes	Pull out strength	IS 9081
5744	MECHANICAL-AUTOMOTIVE COMPONENTS	Valves and accessories for tyre and tubes	Adhesion test	IS 9081
5745	MECHANICAL-AUTOMOTIVE COMPONENTS	Valves and accessories for tyre and tubes	Bendability 10 to -40 degree C	IS 9081
5746	MECHANICAL-AUTOMOTIVE COMPONENTS	Valves and accessories for tyre and tubes	Dimensions (thickness)	IS 9081
5747	MECHANICAL-AUTOMOTIVE COMPONENTS	Valves and accessories for tyre and tubes	Hardness Shore A	IS 9081
5748	MECHANICAL-AUTOMOTIVE COMPONENTS	Valves and accessories for tyre and tubes	Hot air treatment	IS 9081
5749	MECHANICAL-AUTOMOTIVE COMPONENTS	Valves and accessories for tyre and tubes	Pull out strength	IS 9081
5750	MECHANICAL- BUILDINGS MATERIALS	AAC / CLC blocks	Block density	IS 6441(Pt 1), IS 6598, IS 2185 (Pt 3), IS 2185 (Pt 4)
5751	MECHANICAL- BUILDINGS MATERIALS	AAC / CLC blocks	Compressive strength	IS 6441 (Pt 5)
5752	MECHANICAL- BUILDINGS MATERIALS	AAC / CLC blocks	Dimensions (Height)	IS 2185 (Pt 3)
5753	MECHANICAL- BUILDINGS MATERIALS	AAC / CLC blocks	Dimensions (Length)	IS 2185 (Pt 3)
5754	MECHANICAL- BUILDINGS MATERIALS	AAC / CLC blocks	Dimensions (Width)	IS 2185 (Pt 3)
5755	MECHANICAL- BUILDINGS MATERIALS	AAC / CLC blocks	Drying shrinkage	IS 6441 (Pt 2)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 354 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5756	MECHANICAL- BUILDINGS MATERIALS	AAC /CLC Blocks	Thermal conductivity	IS 3346
5757	MECHANICAL- BUILDINGS MATERIALS	Admixture	Air Content	IS 9103 , IS 1199
5758	MECHANICAL- BUILDINGS MATERIALS	Admixture	Air Content	IS 9103, IS 1199 Pt 4
5759	MECHANICAL- BUILDINGS MATERIALS	Admixture	Bleeding	IS 9103
5760	MECHANICAL- BUILDINGS MATERIALS	Admixture	Compressive strength (at1 day)	IS 9103, IS 516 Pt 1, Sec 1 & IS 456
5761	MECHANICAL- BUILDINGS MATERIALS	Admixture	Compressive strength at 28 days	IS 9103, IS 5160 IS 516 Pt 1, Sec 1 & IS 456
5762	MECHANICAL- BUILDINGS MATERIALS	Admixture	Compressive Strength at 3 days	IS 9103:, IS 516 Pt 1, Sec 1: , & IS 456
5763	MECHANICAL- BUILDINGS MATERIALS	Admixture	Compressive strength at 7 days	IS 9103: , IS 516 Pt 1, Sec 1:,& IS 456
5764	MECHANICAL- BUILDINGS MATERIALS	Admixture	Flexural Strength (at 3 days)	IS 9013, IS 516 , IS 456
5765	MECHANICAL- BUILDINGS MATERIALS	Admixture	Flexural Strength (at 7 days)	IS 9103: , IS 516 Pt 1, Sec 1:. & IS 456
5766	MECHANICAL- BUILDINGS MATERIALS	Admixture	Flexural strength at 28 days	IS 9103:, IS 516 Pt 1, Sec 1: & IS 456
5767	MECHANICAL- BUILDINGS MATERIALS	Admixture	Flow	IS 9103
5768	MECHANICAL- BUILDINGS MATERIALS	Admixture	Length change (Drying shrinkage)	IS 9103 & IS 516 Pt 6
5769	MECHANICAL- BUILDINGS MATERIALS	Admixture	Loss of Workability	IS 9103
5770	MECHANICAL- BUILDINGS MATERIALS	Admixture	Setting time	IS 9103 & IS 1199 Pt 7
5771	MECHANICAL- BUILDINGS MATERIALS	Admixture	Slump	IA 9103 & IS 1199
5772	MECHANICAL- BUILDINGS MATERIALS	Admixture	Water content	IS 9103
5773	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Sieve Analysis (Gradation) For 0.150 mm IS sieve	IS 2386 (Pt 1)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	355 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5774	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Sieve analysis (Gradation) for 0.600 mm IS sieve	IS 2386 (Pt 1)
5775	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	75 micron passing materials	IS 2386 (Pt 1)
5776	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Bulking	IS 2386 (Pt 3)
5777	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Clay Lumps	IS 2386 (Pt 2)
5778	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Clay, fine silt & fine dust (Sedimentation method)	IS 2386 (Pt 2)
5779	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Coal & Lignite	IS 2386 (Pt 2)
5780	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Fineness Modulus	ASTM C 136
5781	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Loose Weight Bulk density	IS 2386 (Pt 3)
5782	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Organic Impurities	IS 2386 (Pt 2)
5783	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Potential Alkali Aggregate Reactivity (Mortar Bar) , Length Change	ASTM C 1105
5784	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Potential Alkali Aggregate Reactivity (Mortar Bar, Length Change)	ASTM C 227 , ASTM C 33 & ASTM C 586
5785	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Potential alkali aggregate reactivity (Mortar bar method) Length change	ASTM C 1260
5786	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Potential alkali aggregate reactivity (Mortar bar method) Length change	IS 2386 (Pt 7)
5787	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Rodded / Compacted weight Bulk Density	IS 2386 (Pt 3)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	356 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5788	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Sand Equivalent Value	IS 2720 (Pt 37)
5789	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Sieve analysis (Gradation) For 4.75 mm IS sieve	IS 2386 (Pt 1)
5790	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Soundness	IS 2386 (Pt 5)
5791	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Specific gravity	IS 2386 (Pt 3)
5792	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Total Deleterious materials	IS 383
5793	MECHANICAL- BUILDINGS MATERIALS	Aggregates (Fine, Crushed stone sand, Natural sand, Crushed gravel sand, Binding & Screening material, Mixed sand, Manufactured sand	Water absorption	IS 2386 (Pt 3)
5794	MECHANICAL- BUILDINGS MATERIALS	Antistripping agent	Specific gravity	IS 1202
5795	MECHANICAL- BUILDINGS MATERIALS	Antistripping agent	Stripping value	IS 6241
5796	MECHANICAL- BUILDINGS MATERIALS	Antistripping agent	Under water coating	IS 14982
5797	MECHANICAL- BUILDINGS MATERIALS	Bricks (Burnt clay / Modular/ Non modular/Sewer/ Tile bricks)	Compressive strength	IS 3495 (Pt 1)
5798	MECHANICAL- BUILDINGS MATERIALS	Bricks (Burnt clay / Modular/ Non modular/Sewer/ Tile bricks)	Dimensions (Length)	IS 1077, IS 2222, IS 4885
5799	MECHANICAL- BUILDINGS MATERIALS	Bricks (Burnt clay / Modular/ Non modular/Sewer/ Tile bricks)	Dimensions (Thickness)	IS 1077, IS 2222, IS 4885
5800	MECHANICAL- BUILDINGS MATERIALS	Bricks (Burnt clay / Modular/ Non modular/Sewer/ Tile bricks)	Effloresence	IS 3495 (Pt 3)
5801	MECHANICAL- BUILDINGS MATERIALS	Bricks (Burnt clay / Modular/ Non modular/Sewer/ Tile bricks)	Warpage (Concave)	IS 3495 (Pt 4)
5802	MECHANICAL- BUILDINGS MATERIALS	Bricks (Burnt clay / Modular/ Non modular/Sewer/ Tile bricks)	Water absorption	IS 3495 (Pt 2)
5803	MECHANICAL- BUILDINGS MATERIALS	Bricks (Burnt clay / Modular/ Non modular/Sewer/ Tile bricks)	Dimensions (Width)	IS 1077, IS 2222, IS 4885
5804	MECHANICAL- BUILDINGS MATERIALS	Bricks(Burnt clay/ Modular/ Non Modular/ Sewer/ Tile bricks)	Warpage (convex)	IS 3495 (Pt 4)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 357 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5805	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Breaking Strength	IS 13630 (Pt 6)
5806	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Bulk Density	IS 13630 (Pt 2)
5807	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Chemical Properties / Chemical Resistance	IS 13630 (Pt 7)
5808	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Chemical Resistance / Chemical Properties	IS 13630 (Pt 8)
5809	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Crazing Resistance	US 13630 (Pt 9)
5810	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Dimension & surface Quality (Thickness)	Is 13630 (Pt 1) & IS 15622
5811	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Dimensions & Surface Quality (Width)	/is 13630 (Pt 1) & IS 15622
5812	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Modulus of Rupture	IS 13630 (Pt 6)
5813	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Scratch Hardness (Moh's Hardness)	IS 13620 (Pt 13)
5814	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Stain Resistance	IS 13630 (Pt 8)
5815	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Thermal shock Resistance	IS 13630 (Pt 5)
5816	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Tile Abrasion (Surface)	IS 13630 (Pt 11)
5817	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Glazed / Vitrified	Water Absorption	IS 13630(Pt 2)
5818	MECHANICAL- BUILDINGS MATERIALS	Coarse , graded, single ,all in one, key stone metal, ballast, boulder	Combined Flakiness and Elongation Index	IS 383
5819	MECHANICAL- BUILDINGS MATERIALS	Coarse , graded, single, all in one , key stone metal, ballast , boulder	Sieve Analysis (Gradation) For 20 mm IS sieve	ASTM C 136
5820	MECHANICAL- BUILDINGS MATERIALS	Coarse , graded, single, all in one , key stone metal, ballast , boulder	Sieve Analysis (Gradation) For 40 mm IS Sieve	ASTM C 136
5821	MECHANICAL- BUILDINGS MATERIALS	Coarse , graded, single, all in one , key stone metal, ballast , boulder	Sieve analysis (Gradation) for 20 mm IS sieve	IS 2386 (Pt 1)
5822	MECHANICAL- BUILDINGS MATERIALS	Coarse , graded, single, all in one , key stone metal, ballast , boulder	Sieve Analysis (Gradation) for 40 mm IS sieve	IS 2386 (Pt 1)
5823	MECHANICAL- BUILDINGS MATERIALS	Coarse , graded, single, all in one , key stone metal, ballast , boulder	Sieve Analysis (Gradation) For 63 mm IS sieve	ASTM C 136

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 358 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5824	MECHANICAL- BUILDINGS MATERIALS	Coarse , graded, single, all in one , key stone metal, ballast , boulder	Sieve analysis (Gradation) For 63 mm IS Sieve	IS 2386 (Pt 1)
5825	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	10% Fines Value	IS 2386 (Pt 4)
5826	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	75 micron passing materials	IS 2386 (Pt 1)
5827	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Abrasion value	ASTM C 131
5828	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Abrasion value	IS 2386 (Pt 4)
5829	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Bulk density/ Density/ Loose weight	IS 2386 (Pt 3)
5830	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Clay Lumps	IS 2386 (Pt 2)
5831	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Coal & Lignite	IS 2386 (Pt 2)
5832	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Crushing value	IS 2386 (Pt 4)
5833	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Deleterious materials	ASTM C 142
5834	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Elongation Index	IS 2386 (Pt 1)
5835	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Flakiness Index	IS 2386 (Pt 1)
5836	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Impact value	ASTM C 131
5837	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Impact value	IS 2386 (Pt 4)
5838	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Impact value	IS 5640
5839	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Polished stone value (PSV)	BS 812 (Pt 114)
5840	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Polished stone value (PSV)	DIN EN 1097 (pT 8)
5841	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Polished stone value (PSV)	IS 2386 (Pt 4)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 359 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5842	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Potential Alkali Aggregate Reactivity (Mortar Bar) Length Change	ASTM C 1260
5843	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Potential Alkali aggregate reactivity (Mortar bar method) length change	ASTM C 227, ASTM C 33, ASTM C 586, ASTM C 1105
5844	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Potential Alkali aggregate reactivity (Mortar bar method) Length Change	IS 2386 (Pt 7) Clause 2.0
5845	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Rodded / Compacted Weight Bulk Density	IS 2386 (Pt 3)
5846	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Sieve analysis (Gradation) For 10 mm IS Sieve	ASTM C 136
5847	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Sieve analysis (Gradation) For 10 mm IS Sieve	IS 2386 (Pt I)
5848	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Soundness	ASTM C 88
5849	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Soundness	IS 2386 (Pt 5)
5850	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Specific gravity	AASHTO T 85
5851	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Specific gravity	ASTM C 127
5852	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Specific gravity	ASTM C 128
5853	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Specific gravity	IS 2386 (Pt 3)
5854	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Stripping value	IS 6241
5855	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Total Deleterious materials	IS 383
5856	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Water absorption	AASHTO T 85
5857	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Water absorption	ASTM C 127
5858	MECHANICAL- BUILDINGS MATERIALS	Coarse, graded, single, all in one, key stone metal, ballast, boulder	Water absorption	IS 2386 (Pt 3)
5859	MECHANICAL- BUILDINGS MATERIALS	Concerete cores / cubes / beams	Air content	IS 1199 (Pt 4)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 360 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5860	MECHANICAL- BUILDINGS MATERIALS	Concerete cores / cubes / beams	Concrete permeability	DIN 1048 (Pt 5)
5861	MECHANICAL- BUILDINGS MATERIALS	Concerete cores / cubes / beams	Drying Shrinkage	IS 516 Pt 6
5862	MECHANICAL- BUILDINGS MATERIALS	Concerete cores / cubes / beams	Flexural Strength	IS 516 Pt 1 Sec 1
5863	MECHANICAL- BUILDINGS MATERIALS	Concerete cores / cubes / beams	Length Change	ASTM C 157/157M
5864	MECHANICAL- BUILDINGS MATERIALS	Concerete cores / cubes / beams	RCPT	ASTM C 1202
5865	MECHANICAL- BUILDINGS MATERIALS	Concerete cores / cubes / beams	Slump	IS 1199
5866	MECHANICAL- BUILDINGS MATERIALS	Concerete cores / cubes / beams	Split Tensile strength	IS 1881 (Pt 117)
5867	MECHANICAL- BUILDINGS MATERIALS	Concerete cores / cubes / beams	Split Tensile Strength	IS 516 Pt 1 Sec 1
5868	MECHANICAL- BUILDINGS MATERIALS	Concrete cores / cubes / beams	Compressive strength	IS 516 (Pt 4)
5869	MECHANICAL- BUILDINGS MATERIALS	Concrete Cores/ Cubes/ Beams	Flexural Strength at 28 days	IS 516 Pt 1 Sec 1
5870	MECHANICAL- BUILDINGS MATERIALS	Concrete Cores/ Cubes/ Beams	Flexural Strength at 7 days	IS 516 Pt 1 Sec 1
5871	MECHANICAL- BUILDINGS MATERIALS	Concrete including Core /Cube/ Beam	Compressive Strength	IS 516 Pt 4
5872	MECHANICAL- BUILDINGS MATERIALS	Concrete Pipe : Reinforced , Asbestos/ Stoneware (Dia upto 350 mm)	Absorption test (Water Absorption)	IS 651
5873	MECHANICAL- BUILDINGS MATERIALS	Concrete Pipe : Reinforced , Asbestos/ Stoneware (Dia upto 350 mm)	Acid Resistance	IS 651
5874	MECHANICAL- BUILDINGS MATERIALS	Concrete Pipe : Reinforced , Asbestos/ Stoneware (Dia upto 350 mm)	Alkali Resistance	IS 651
5875	MECHANICAL- BUILDINGS MATERIALS	Concrete Pipe : Reinforced , Asbestos/ Stoneware (Dia upto 350 mm)	Dimensions (Length)	IS 458, IS 651 & IS 1592
5876	MECHANICAL- BUILDINGS MATERIALS	Concrete Pipe : Reinforced , Asbestos/ Stoneware (Dia upto 350 mm)	Dimensions (Barrel Wall Thickness)	IS 458, IS 651, IS 1592
5877	MECHANICAL- BUILDINGS MATERIALS	Concrete Pipe : Reinforced , Asbestos/ Stoneware (Dia upto 350 mm)	Dimensions (Internal diameter)	IS 651, IS 458 & IS 1592
5878	MECHANICAL- BUILDINGS MATERIALS	Concrete Pipe : Reinforced , Asbestos/ Stoneware (Dia upto 350 mm)	Hydraulic Pressure	IS 458

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 361 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5879	MECHANICAL- BUILDINGS MATERIALS	Concrete Pipe : Reinforced , Asbestos/ Stoneware (Dia upto 350 mm)	Hydraulic Pressure	IS 651
5880	MECHANICAL- BUILDINGS MATERIALS	Concrete Pipe : Reinforced , Asbestos/ Stoneware (Dia upto 350 mm)	Hydrostatic Test	IS 3597
5881	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Buckling	IS 4020 (Pt 9)
5882	MECHANICAL- BUILDINGS MATERIALS	Flush door Shutter	Dimensions & Squareness (Squareness)	IS 4020 (Pt 2)
5883	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Dimensions & Squareness (Thickness)	IS 4020 (Pt 2)
5884	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Dimensions & Squareness (Width)	IS 4020 (Pt 2)
5885	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Dimensions & Squareness (Length)	IS 4020 (Pt 2)
5886	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Edge loading	IS 4020 (Pt 7)
5887	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	End Immersion Test	IS 4020 (Pt 13)
5888	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Flexure Test	IS 4020 (Pt 6)
5889	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	General Flatness	IS 4020 (Pt 3)
5890	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Glue Adhesion Test	IS 4020 (Pt 25)
5891	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Impact Indentation	IS 4020 (Pt 5)
5892	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Knife Test	IS 4020 (Pt 14)
5893	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Local Planeness	IS 4020 (Pt 4)
5894	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Misuse Test	IS 4020 (Pt 11)
5895	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Moisture	IS 2202 (Pt 1)
5896	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Screw Withdrawal Strength	IS 4020 (Pt 16)
5897	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Shock Resistance	IS 4020 (Pt 8)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	362 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5898	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Slamming Test	IS 4020 (Pt 10)
5899	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Varying Humidity test (For Visual Appearance)	IS 4020 (Pt 12)
5900	MECHANICAL- BUILDINGS MATERIALS	Flush Door Shutter	Varying Humidity Test (Local Planeness)	IS 4020 (Pt 12)
5901	MECHANICAL- BUILDINGS MATERIALS	Fly ash bricks/ Fly ash lime bricks	Compressive strength	IS 3495 (Pt 1)
5902	MECHANICAL- BUILDINGS MATERIALS	Fly ash bricks/ Fly ash lime bricks	Dimensions (Length)	IS 12984, IS 13757
5903	MECHANICAL- BUILDINGS MATERIALS	Fly ash bricks/ Fly ash lime bricks	Dimensions (Thickness/Height)	IS 12894, IS 13757
5904	MECHANICAL- BUILDINGS MATERIALS	Fly ash bricks/ Fly ash lime bricks	Dimensions (Width)	IS 12894, IS 13757
5905	MECHANICAL- BUILDINGS MATERIALS	Fly ash bricks/ Fly ash lime bricks	Drying shrinkage	IS 4139
5906	MECHANICAL- BUILDINGS MATERIALS	Fly ash bricks/ Fly ash lime bricks	Efflorescence	IS 3495 Pt 3)
5907	MECHANICAL- BUILDINGS MATERIALS	Fly ash bricks/ Fly ash lime bricks	Water absorption	IS 3495 (Pt 2)
5908	MECHANICAL- BUILDINGS MATERIALS	Fly ash/ Fuel ash, Bottom ash/Pond ash	Compressive strength , % of Control Mix	IS 1727
5909	MECHANICAL- BUILDINGS MATERIALS	Fly ash/ Fuel ash, Bottom ash/Pond ash	Drying shrinkage	IS 1727
5910	MECHANICAL- BUILDINGS MATERIALS	Fly ash/ Fuel ash, Bottom ash/Pond ash	Fineness-Specific surface (Blaine)	IS 1727
5911	MECHANICAL- BUILDINGS MATERIALS	Fly ash/ Fuel ash, Bottom ash/Pond ash	Lime reactivity	IS 1727
5912	MECHANICAL- BUILDINGS MATERIALS	Fly ash/ Fuel ash, Bottom ash/Pond ash	Sieve analysis (45 microns retained)	IS 1727
5913	MECHANICAL- BUILDINGS MATERIALS	Fly ash/ Fuel ash, Bottom ash/Pond ash	Soundness (Autoclave)	IS 1727
5914	MECHANICAL- BUILDINGS MATERIALS	Gypsum Building Plaster Board	Dimensions	IS 2542 (Pt 2/Sec 1) , IS 2380 (Pt 2) , IS 2095 (Pt 1) & BS EN 520+A1
5915	MECHANICAL- BUILDINGS MATERIALS	Gypsum Building Plaster Board	Dry Set Density	IS 2542 Pt 1/ Sec 5) , IS 2547 (Pt 2)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	363 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5916	MECHANICAL- BUILDINGS MATERIALS	Gypsum Building Plaster Board	Free Moisture / Moisture	Is 2095 (Pt 3) & IS 2542 (Pt 2/ Sec 7)
5917	MECHANICAL- BUILDINGS MATERIALS	Gypsum Building Plaster Board	Mass of Plaster	IS 2542 (Pt 2/ SEc 3)
5918	MECHANICAL- BUILDINGS MATERIALS	Gypsum Building Plaster Board	Surface Hardness Test	IS 2095 (Pt 3)
5919	MECHANICAL- BUILDINGS MATERIALS	Gypsum Building Plaster Board	Swelling	IS 2380 (Pt 17)
5920	MECHANICAL- BUILDINGS MATERIALS	Gypsum Building Plaster Board	Transverse strength (Breaking load)	IS 2542 (Pt 2/ Sec 4) & BS EN 520 +A1
5921	MECHANICAL- BUILDINGS MATERIALS	Gypsum Building Plaster Board	Water Absorption	IS 2542 (Pt 2/ Sec 6), IS 2380 (Pt 16) & BS EN 520+A1
5922	MECHANICAL- BUILDINGS MATERIALS	Hardened Concrete (Precast block, kerbs, RCC slab, channels, paver block,Interlocking tiles)	Dimension (Length)	IS 15658 , IS 5758
5923	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Abrasion resistance (Loss in volume after 16 cycles)	IS 15658
5924	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Aspect Ratio	IS 15658
5925	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Chamfer	IS 15658
5926	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Compressive strength	IS 15658
5927	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Dimensions (Length)	IS 15658 & IS 5758
5928	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Dimensions (Thickness)	IS 15658, IS 5758
5929	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Dimensions (Width)	IS 15658, IS 5758
5930	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Freez and thaw durability	IS 15658
5931	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Plan area	IS 15658
5932	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Squareness	IS 15658
5933	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Thickness of wearing layer	IS15658
5934	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Water absorption	IS 15658, IS 5758

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 364 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5935	MECHANICAL- BUILDINGS MATERIALS	Hardened concrete (Precast, block, kerbs, RCC slab, channels, paver block, interlocking tiles)	Wearing face Area	IS 15658
5936	MECHANICAL- BUILDINGS MATERIALS	Integral Water proofing compound	Compressive strength at 3 days	IS 4031 (Pt 6)
5937	MECHANICAL- BUILDINGS MATERIALS	Integral Water Proofing Compound	Compressive strength at 7 days	IS 4031 (Pt 5)
5938	MECHANICAL- BUILDINGS MATERIALS	Integral Water proofing compound	Setting time (Final)	IS 4031 (Pt 5)
5939	MECHANICAL- BUILDINGS MATERIALS	Integral Water proofing compound)	Setting time (Initial)	IS 4031 (Pt 5)
5940	MECHANICAL- BUILDINGS MATERIALS	Integral WPC	Permeability to water	IS 2645
5941	MECHANICAL- BUILDINGS MATERIALS	Manhole cover (Concrete, SRFC)	Load test	IS 12592
5942	MECHANICAL- BUILDINGS MATERIALS	Micro silica, Silica fume	Compressive strength	IS 1727
5943	MECHANICAL- BUILDINGS MATERIALS	Micro silica, Silica fume	Moisture	IS 1727
5944	MECHANICAL- BUILDINGS MATERIALS	Micro silica, Silica fume	Pozzalana activity index, % of Control	ASTM C 1240
5945	MECHANICAL- BUILDINGS MATERIALS	Micro silica, Silica fume	Sieve analysis (45 micron retained) Wet Sieving	IS 1727
5946	MECHANICAL- BUILDINGS MATERIALS	Micro silica, Silica fume	Sieve analysis (45 microns retained) Wet sieving	ASTM C 1240
5947	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Compressive Strength (28 days)	BS EN 196 (Pt 1)
5948	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Compressive Strength (7 days)	BS EN 196 (Pt 1)
5949	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Final Setting Time	ASTM C 191
5950	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Final Setting Time	BS EN 196 (Pt 3)
5951	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Final Setting time	IS 4031 ,Pt 5
5952	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Fineness (Blaine's)	ASTM C 204
5953	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Fineness (Blain's)	BS EN 196 (Part 6)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 365 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5954	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Fineness (Blain's)	IS: 4031 (Part 2)
5955	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Initial Setting Time	ASTM C 191
5956	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Initial Setting Time	BS EN 196 (Part 3)
5957	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Initial Setting Time	IS 4031 (Part 5)
5958	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Soundness (Autoclave)	BS EN 196 (Pt 3)
5959	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Soundness (Autoclave)	IS 4031 (Part 3)
5960	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Soundness (Le chatlier)	BS EN 196 (Part 3)
5961	MECHANICAL- BUILDINGS MATERIALS	OPC ,PPC, PSC, SRC, WPC	Soundness (Le Chatlier)	IS 4031 (Part 3)
5962	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC	Heat of Hydration	IS 4031 (Pt 9)
5963	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Compressive strength at 3 days	BSEN 196 (pt-1)
5964	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Compressive strength at 1 day	BSEN 196 (Part 1)
5965	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Compressive Strength at 1 day	IS 4031 (Part 6)
5966	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Compressive strength at 2 days	BS EN 196 (Part 1)
5967	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Compressive strength at 28 days	ASTM C 109
5968	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Compressive strength at 28 days	IS 4031 (Part 6)
5969	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Compressive strength at 3 days	ASTM C 109
5970	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Compressive strength at 3 days	IS 4031(Part 6)
5971	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Compressive strength at 7 days	ASTM C 109
5972	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Compressive strength at 7 days	IS 4031(Part6)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	366 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5973	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Consistency	ASTM C 187
5974	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Consistency	BS EN 196 (Pt 3)
5975	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Consistency	IS 4031 (Pt 4)
5976	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Density	ASTM C 188
5977	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Density	IS 4031 (Pt 11)
5978	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Soundness (Autoclave)	ASTM C 151
5979	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Transverse Strength at 28 days	IS 4031 (Pt 8)
5980	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Transverse Strength at 3 days	IS 4031 (Part 8)
5981	MECHANICAL- BUILDINGS MATERIALS	OPC,PPC,PSC,SRC,WPC	Transverse Strength at 7 days	IS 4031 (Part 8)
5982	MECHANICAL- BUILDINGS MATERIALS	Plaster of Paris	Compressive Strength (Dry)	IS 2542 (Pt 1/Sec 5 ,IS 2547 (Pt 2)
5983	MECHANICAL- BUILDINGS MATERIALS	Plaster of Paris	Fineness (retaining on 75 & 150 microns)	IS 2542 (Pt 1/ Sec 8)
5984	MECHANICAL- BUILDINGS MATERIALS	Plaster of Paris	Normal Consistency	IS 2542 (Pt1/ sec 8)
5985	MECHANICAL- BUILDINGS MATERIALS	Plaster of Paris	Setting time , Neat Sand Mix	IS 2542 (Pt 1/Sec 3)
5986	MECHANICAL- BUILDINGS MATERIALS	Plaster of Paris	Soundness (Popping Pitting)	IS 2542(Pt 1/ Sec 6)
5987	MECHANICAL- BUILDINGS MATERIALS	Plaster of Paris	Transverse Strength	IS 2333 & IS 2542 (Pt 1/ Sec 4)
5988	MECHANICAL- BUILDINGS MATERIALS	Portland Pozzolana Cement	Drying Shrinkage	IS 4031 (Pt 10)
5989	MECHANICAL- BUILDINGS MATERIALS	Terrazzo / Cement Concrete / Chequered Tiles	Dimensions	IS 1237 & IS 13801
5990	MECHANICAL- BUILDINGS MATERIALS	Terrazzo / Cement Concrete / Chequered Tiles	Flatness	IS 1237 & IS 13801
5991	MECHANICAL- BUILDINGS MATERIALS	Terrazzo / Cement Concrete / Chequered Tiles	Perpendicularity	IS 1237 & IS 13801

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	367 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
5992	MECHANICAL- BUILDINGS MATERIALS	Terrazzo / Cement Concrete / Chequered Tiles	Resistance to Wear	IS 1237 & IS 13801
5993	MECHANICAL- BUILDINGS MATERIALS	Terrazzo / Cement Concrete / Chequered Tiles	Straightness	IS 1237 & IS 13801
5994	MECHANICAL- BUILDINGS MATERIALS	Terrazzo / Cement Concrete / Chequered Tiles	Thickness of Wearing layer	IS 1237 & IS 13801
5995	MECHANICAL- BUILDINGS MATERIALS	Terrazzo / Cement Concrete / Chequered Tiles	Water Absorption	IS 1237 & IS 13801
5996	MECHANICAL- BUILDINGS MATERIALS	Terrazzo / Cement Concrete / Chequered Tiles	Wet Transverse Strength	IS 1237 & IS 13801
5997	MECHANICAL- BUILDINGS MATERIALS	Unglazed Ceramic / Vitrified tiles	Tile abrasion (Deep)	IS 13630 Pt 12
5998	MECHANICAL- BUILDINGS MATERIALS	White Portland Cement	Degree of Whiteness	IS 8042
5999	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Barbed wire	Maximum Peak Load/ Breaking load test / Tensile test (Pullout load)	IS 278 & IS 1608 (Pt 1)
6000	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Aluminium Materials , Alloys & Products	Dimension : Ovality/ Roundness (Tube /Pipe)	SOP/Metal & Alloys / 03
6001	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Aluminium Materials , Alloys & Products	Dimension : Straightens	SOP/Metal & Alloys / 03
6002	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Aluminium Materials , Alloys & Products	Dimensions : Length	SOP/Metal & Alloys /03
6003	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Aluminium Materials , Alloys & Products	Elongation	ASTM B 557 M
6004	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Aluminium Materials , Alloys & Products	Freedom from defects	SOP/Metal & Alloys / 03
6005	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Aluminium Materials , alloys & Products	Mass	SOP/Metal & Alloys/ 03
6006	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Aluminium Materials , Alloys & Products	Tensile Strength	ASTM B 557

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	368 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6007	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials , Alloys & Products	Workmanship & Finish	SOP/Metal & Alloys / 03
6008	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials , Alloys & Products	Yield strength, 0.2% Proof / Yield stess	ASTM B 557
6009	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials , Alloys & Products	Yield Strength, 0.2% Proof / Yield Stress	IS 1608 (Pt1)
6010	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials , Alloys & Products (Tube / Pipe)	Dimension : Other - diameter	SOP/ Metal & Alloys / 03
6011	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium materials ,alloys & products	Yield Strength (0.2% Proof)/ Yield Stress	ASTM E 8 M
6012	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Tensile strength	IS 1608 (Part 1)
6013	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Bend Test	IS 1599
6014	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Brinell Hardness (HBW 187.5/2.5)	IS 1500 (Part1)
6015	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Brinell Hardness (HBW 187.5/2.5)	ASTM E 10
6016	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Dimension (Thickness)	SOP/Metal & Alloys/ 03
6017	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Dimension : Wire / Bar diameter	SOP / Metal & alloys / 03
6018	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Dimensions (Width/ Depth / Height) & Specified marking	SOP/Metal & Alloys /03
6019	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Elongation	ASTM E 8 M
6020	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Elongation	IS 1608 (Part 1)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 369 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6021	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Flattening test (Tube / Pipe)	IS 2328
6022	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Mass per unit length	SOP/Metal & alloys / 03
6023	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Rockwell hardness (HRBW)	ASTM E 18
6024	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Rockwell Hardness (HRBW)	IS 1586 (Part 1)
6025	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Tensile strength	ASTM E 8 M
6026	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers Hardness (HV 0.3)	IS 1501 (Part 1)
6027	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers hardness (HV 0.5)	ASTM E 92 & E 384
6028	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers Hardness (HV 0.1)	ASTM E 92 & E 384
6029	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers hardness (HV 0.1)	IS 1501 (Part 1)
6030	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers hardness (HV 0.2)	ASTM E 92 & E 384
6031	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers hardness (HV 0.2)	IS 1501(Part 1)
6032	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers hardness (HV 0.3)	ASTM E 92 & E 384
6033	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers Hardness (HV 0.5)	IS 1501 (Part 1)
6034	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers hardness (HV 1)	ASTM E 92 & E 384

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 370 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6035	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers Hardness (HV 10)	ASTM E 92
6036	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers Hardness (HV 10)	IS 1501 (Part1)
6037	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers Hardness (HV 5)	ASTM E 92
6038	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers Hardness (HV 5)	IS 1501 (Part 1)
6039	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers hardness (HV1)	IS 1501 (Part1)
6040	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Vickers hardness (HV 0.5)	ASTM E 92 & E 384
6041	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Aluminium Materials, Alloys & Products	Yield strength, 0.2% Proof)/Yield stress	IS 1608 (part 1)
6042	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Blades , Surgical, Detachable (Bard Parker Type) and Handles	Visual Examination	IS 3319
6043	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Blades, Surgical, Detachable (Bard Parker Tyoe) and Handles	Performance test	IS 3319
6044	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Bend Test (Mandrel size close - 70 mm)	IS 1599
6045	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Brinell Hardness (187.5/2.5)	IS 1500 (Part 1)
6046	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Brinell Hardness (HBW 187.5/2.5)	ASTM E 10
6047	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Dimension (Thickness)	SOP/Metal & Alloys /03
6048	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Dimension -Straightness	SOP/Metal & Alloys / 03

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 371 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6049	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Dimensions (Width / Depth / Height) & Specified marking	SOP/Meal & Alloys / 03
6050	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Dimensions (Wire / Bar Diameter)	SOP/ Metal & Alloys /03
6051	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Dimensions : Length	SOP/Metal & Alloys / 03
6052	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Dimensions : Tube /Pipe/ Other - diameter	SOP/Metal & alloys / 03
6053	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Drift Expansion (Tube / Pipe)	IS 2335
6054	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Elongation	ASTM E 8 M
6055	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Elongation	IS 1608 (Part 1)
6056	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Flattening (Tube / Pipe)	IS 2328
6057	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Freedom from Defects	SOP/Metal & Alloys / 03
6058	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Mass	SOP/Metal & Alloys / 03
6059	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Mass per unit length	SOP/ Metal & Alloys /03
6060	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Ovality / Roundness (Tube / Pipe)	SOP/Metal & Alloys / 03
6061	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Rockwell Hardness (HRBW)	ASTM E 18
6062	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Rockwell Hardness (HRBW)	IS 1586 (Part 1)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 372 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6063	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Tensile strength	IS 1608 (part 1)
6064	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Tensle strength	ASTM E 8M
6065	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV 5)	IS 1501 (Part 1)
6066	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV 0.1)	ASTM E 92 & E 384
6067	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV 0.1)	IS 1501 (Part1)
6068	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV 0.2)	ASTM E 92 & E 384
6069	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV 0.3)	ASTM E 92 & E 384
6070	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers hardness (HV 0.3)	IS 1501 (Part 1)
6071	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV 0.5)	IS 1501 (Part 1)
6072	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV 1)	ASTM E 92 & E 384
6073	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV 10)	IS 1501 (Part 1)
6074	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV 5)	ASTM E 92
6075	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV1)	IS 1501 (Part 1)
6076	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV 0.2)	IS 1501 (Part 1)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	373 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6077	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV 0.5)	ASTM E 92
6078	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Vickers Hardness (HV 10)	ASTM E 92 & E 384
6079	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Workmanship & Finish	SOP/Metal & Alloys / 03
6080	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Yield Strength (0.2 % Proof)/ Yield stress	ASTM E 8 M
6081	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper Materials , Alloys & Products	Yield Strength (0.2% Proof)/ Yield Stress	IS 1608 (part 1)
6082	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Copper materials , Alloys and Products	Dimension : Pitch of thread	SOP/Metal & Alloys / 03
6083	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Coupler joints / Weld Joints/ Ferrous & Non- Ferrous Products	Maximum Peak Load/ Breaking Load/Yield Load/ Tensile test (Pull out load)	IS 1608 (part 1)
6084	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Deformed Reinforcement , Steel Bar	Re-bend test	IS 1786
6085	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Deformed reinforcement steel bars	Deformation & Surface Characteristics (Rib Area)	SOP/ Metal & Alloys/ 03 , IS 1786
6086	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ductile / Cast Iron Pipe	Cement Mortar Lining Thickness (Dry)	SOP/Metal & Alloys / 03, IS 8329
6087	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel	Reverse bend test (Wires / Bars)	IS 1716
6088	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel & Pipes/ Tubes	Bend test	IS 1599- 2019 , IS 2329
6089	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron	Bituminous Tar Coating (CI/DI Pipes & Fittings)	IS 1536, IS 1537, IS 1538, IS 3989, IS 1729, IS 8329, IS 15905
6090	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron	Dimensions (Thickness)	SOP/Metal & Alloys /03

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	374 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6091	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron	Drift Expansion test (Tube / pipe / sockets)	IS 2335
6092	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron	Flattening test (Tube / Pipe / Sockets)	IS 2328
6093	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron	Ring Test (Modulus of rupture) , Pipe	IS 1536
6094	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Strands, Threaded fasteners	Dimension: Diameter (Tube / Pipe / Other - diameter)	SOP/Metal & Alloys / 03
6095	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Strands, Threaded fasteners	Dimensions :Wire / Bar-diameter	SOP/ Metal & Alloys/03 (STP/ MER-MEC /00)Issue 03
6096	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Strands, Threaded fasteners	Dimensions: Width /Depth / Height & Specified marking	SOP/ Metal & Alloys /03
6097	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Strands, Threaded fasteners	Elongation	ASTM E 8M , ASTM A 370
6098	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Strands, Threaded fasteners	Elongation	IS 1608 (part 1)
6099	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Strands, Threaded fasteners	Length	SOP/Metal & Alloys/03
6100	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Strands, Threaded fasteners	Mass	SOP/ Metal & alloys/03
6101	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Strands, Threaded fasteners	Mass per Unit length	SOP/Metal & alloys /03
6102	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Strands, Threaded fasteners	Tensile strength	ASTM E 8 M & ASTM A 370
6103	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Strands, Threaded fasteners	Tensile strength	IS 1608 (part 1)
6104	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Strands, Treaded fasteners	Length	SOP/Metal & Alloys / 03

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 375 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6105	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Brinell Hardness , HBW(187.5/2.5)	IS 1500 (Part 1)
6106	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Brinell Hardness, HBW (187.5/2.5)	ASTM E 10
6107	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Reduction in area	IS 1608 (part 1)
6108	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Reduction is area	ASTM E 8M & ASTM A370
6109	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Rockwell Hardness (HRA)	ASTM E 18
6110	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Rockwell Hardness (HRBW)	IS 1586 (Part 1)
6111	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Shear strength	IS 5242
6112	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Vickers hardness (HV 10)	IS 1501 (Part 1)
6113	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Vickers Hardness (HV 0.2)	ASTM E 92 , ASTM E 384)
6114	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Vickers hardness (HV 0.2)	IS 1501(Pt 1)
6115	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Vickers hardness (HV 0.3)	ASTM E 92 & E 384
6116	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Vickers Hardness (HV 1)	ASTM E 92 & ASTM E 384
6117	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Vickers Hardness (HV 30)	ASTM E 92
6118	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Vickers Hardness (HV 30)	IS 1501 (Part 1)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	376 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6119	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Vickers Hardness (HV 0.3)	IS 1501 (Part 1)
6120	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Vickers Hardness (HV 0.5)	IS 1501 (Part 1)
6121	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded Fasteners	Vickers Hardness (HV 1)	IS 1501 (Part 1)
6122	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Vickers Hardness (HV 10)	ASTM E 92
6123	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Vickers Hardness (HV 5)	ASTM E 92
6124	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Vickers Hardness (HV 5)	IS 1501 (Part 1)
6125	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Yield strength (0.2 % Proof)/Yield stress	ASTM E 8 M & ASTM A 370
6126	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners	Yield strength(0.2 % Proof) / Yield stress	IS 1608 (part 1)
6127	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, Threaded fasteners, Square/ Rectangular tube	Radius	SOP/ Metal & Alloys / 03
6128	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron, TMT	Dimension :Angle	SOP/Metal & Alloys / 03
6129	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron,Threaded fasteners	Rockwell Hardness (HRA)	IS 1586 (Part 1)
6130	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron,Threaded fasteners	Rockwell Hardness (HRBW)	ASTM E 18
6131	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron,Threaded fasteners	Rockwell Hardness (HRC)	ASTM E 18
6132	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron,Threaded fasteners	Rockwell Hardness (HRC)	IS 1586 (Part 1)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	377 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6133	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Cast Iron, Ductile iron,Threaded fasteners	Vickers Hardness (HV 0.5)	ASTM E 92 & E 384
6134	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel , Threaded fasteners	Charpy impact test (V -notch) RT 23 +/- 5 degree C & 0 to -40 degree C	IS 1757 (Part 1)
6135	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel , alloys & products, Stainless steel ,Ductile iron, Threaded fasteners	Charpy Impact test (V -notch) RT 23 +/ 5 degree C & 0 to -40 degree C	ISO 148 (Part 1)
6136	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel, alloys & products, Stainless steel, Cast Iron, Ductile iron	Crush Test (Modulus of Rupture) , Pipe	IS 15905
6137	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel, alloys & products, Stainless steel, Cast Iron, Ductile iron	Dimension : Ovality / Roundness (Tube / Pipe)	SOP/Metal & Alloys / 03
6138	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel, alloys & products, Stainless steel, Cast Iron, Ductile iron	Dimensions : Concavity/ Convexity (Tube/ Pipe)	SOP/Metal & Alloys / 03
6139	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel, Alloys & Products, Stainless steel, Cast Iron, Ductile Iron	Hammer Test (Pipe / Fittings)	IS 1729 , IS 3989 , IS 15905
6140	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel, Alloys & Products, Stainless steel, Cast Iron, Ductile Iron, Square / Rectangular tube	Dimensions : Straightness / Twist (Tube / Pipe)	SOP/Metal & Alloys / 03
6141	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel, Alloys & Products, Stainless steel, Cast Iron, Ductile Iron, Square / Rectangular tube	Dimensions: Squareness of corner	SOP/Metal & Alloys / 03
6142	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel, Alloys & Products, Stainless steel, Cast Iron, Ductile Iron, Strands, Threaded Fasteners	Workmanship & Finish	SOP/Metal & Alloys / 03
6143	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel, Alloys & Products, Stainless steel, Cast Iron, Ductile Iron, Strands,Threaded Fasteners	Freedom from Defects	SOP/Metal & Alloys / 03
6144	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel, Alloys & Products, Stainless steel, Cast Iron, Ductile Iron, Threaded Fasteners	Dimension : Pitch of thread	SOP/Metal & Alloys / 03
6145	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel, Steel Alloys & products, Stainless steel , Cast Iron, ductile iron, Strands, Threaded Fasteners	Vickers Hardness (HV 0.1)	ASTM E 92 & ASTM E 384
6146	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel, Steel Alloys & products, Stainless steel , Cast Iron, ductile iron, Strands, Threaded Fasteners	Vickers Hardness (HV 0.1)	IS 1501 (Pt 1)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 378 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6147	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Steel, Steel Alloys & products, Stainless steel , Cast Iron, ductile iron, Strands, Threaded Fasteners	Vickers Hardness (HV 0.2)	ASTM E 92 & ASTM E 384
6148	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic / Non Metallic Coatings on Ferrous & Non Ferrous materials * Hard Anodized * Hard Chrome	Micro hardness measurement (Hard anodized coating) (HV1) * Vickers Hardness HV 0.3	ASTM E 92 & ASTM E 384
6149	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic / Non Metallic Coatings on Ferrous & Non Ferrous materials * Hard Anodized * Hard Chrome	Micro hardness measurement (Hard anodized coating) (HV 0.1) * Vickers Hardness HV 0.3	ASTM E 92 & ASTM E 384
6150	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic / Non Metallic Coatings on Ferrous & Non Ferrous materials * Hard Anodized * Hard Chrome	Micro hardness Measurement (Hard anodized coating) (HV 0.1) * Vickers Hardness HV 0.3	IS 1501 (Part 1)
6151	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic / Non Metallic Coatings on Ferrous & Non Ferrous materials * Hard Anodized * Hard Chrome	Micro hardness measurement (Hard anodized coating) (HV 0.2) * Vickers Hardness HV 0.3	ASTM E 384 & ASTM E 92
6152	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic / Non Metallic Coatings on Ferrous & Non Ferrous materials * Hard Anodized * Hard Chrome	Micro hardness measurement (Hard anodized coating) (HV 0.2) * Vickers Hardness HV 0.3	IS 1501 (Part 1)
6153	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic / Non Metallic Coatings on Ferrous & Non Ferrous materials * Hard Anodized * Hard Chrome	Micro hardness measurement (Hard anodized coating) (HV 0.3) * Vickers Hardness HV 0.3	ASTM E 384 & ASTM E 92
6154	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic / Non Metallic Coatings on Ferrous & Non Ferrous materials * Hard Anodized * Hard Chrome	Micro hardness measurement (Hard anodized coating) (HV 0.3) * Vickers Hardness HV 0.3	IS 1501 (Part)
6155	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic / Non Metallic Coatings on Ferrous & Non Ferrous materials * Hard Anodized * Hard Chrome	Micro hardness measurement (Hard anodized coating) (HV 0.5) *Vickers Hardness HV 0.3	ASTM E 384 & ASTM E 92
6156	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic / Non Metallic Coatings on Ferrous & Non Ferrous materials * Hard Anodized * Hard Chrome	Micro Hardness Measurement (Hard anodized coating) (HV 1) *Vickers Hardness HV 0.3	IS 1501 (Part 1)
6157	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic / Non Metallic Coatings on Ferrous & Non Ferrous materials * Hard Anodized * Hard Chrome	Micro hardness measurement (Hard anodized coating) (HV 0.5) * Vickers Hardness HV 0.3	IS 1501 (Part 1)
6158	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Non Metallic Coatings (Anodised coating on Aluminium , Powder / Paint / Enamelled / Epoxy / PU coating/ Bituminous on Ferrous & Non Ferrous materials), Bitumen/ Thermoplastic/ Ceramic	Measurement of Coating thickness (Non destructive instrumntal method)	IS 6012 -1992 , IS 5523-1983 & IS 101 (Pt 3, Sec 2)
6159	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welded Wire Mesh	Weld Shear Strength	IS 4948

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	379 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6160	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welds & Welded test specimens	Vickers Hardness (HV 5)	IS 1501 (Pt 1) : 2020, ASTM E 92 : 2017, ASTM E 384
6161	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welds & Welded test specimen	Elongation	IS 3600 (Pt 3) : 2018, IS 3600 (Pt 4) : 1984 & ASME Sec IX
6162	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welds & Welded test specimen	Reduction in area	IS 3600 (Pt 3) : 2018, IS 3600 (Pt 4) : 1984 & ASME Sec IX
6163	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welds & Welded test specimen	Tensile Strength	IS 3600 (Pt 3) : 2018, IS 3600 (Pt 4) : 1984 & ASME Sec IX
6164	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welds & Welded test specimen	Yield strength (0.2 % Proof)/ Yield Stress	IS 3600 (Pt 3) : 2018, IS: 3600 (Pt 5): 1984 & ASME Sec IX
6165	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welds & Welded test specimens	Bend Test (Face/ Root/ Side / Bend)	IS 3600 (Pt 5), IS 3600 (Pt 7) & ASME Sec IX
6166	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welds & Welded test specimens	Charpy Impact Test (V-Notch) Room Temperature (23 +/- 5 degree C) & 0 to -40 degree C	IS 1757 (Pt 1), IS 3600 (Pt 2),& ISO 148 (Pt 1)
6167	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welds & Welded Test specimens	Vickers Hardness (HV 0.3)	IS 1501(Pt 1) ASTM E 92 ASTM E 384
6168	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welds & Welded test specimens	Vickers Hardness (HV 0.5)	IS 1501 (Pt 1),ASTM E 92, ASTM E 384
6169	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welds & Welded test specimens	Vickers Hardness (HV 1)	IS 1501 9Pt 1), ASTM E 92, ASTM E 384
6170	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welds & Welded test specimens	Vickers Hardness (HV 10)	IS 1501 (Pt 1) , ASTM E 92
6171	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Welds & Welded test specimens	Vickers Hardness (HV 10)	IS 1501(Pt 1) , ASTME 92, ASTM E 384
6172	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Wire Strands	Maximum Peak Load/ Breaking Load/ Tensile Test (Pull out Load)	IS 14268 , IS 6006, IS 1608 9Pt 1)
6173	MECHANICAL-METALLOGRAPHY TEST	Aluminium & its alloys	Microstructural examination	ASM Handbook Volume 9 , Metal Handbook Vol 7 (8th Edition) & IS 7739 (Pt 3)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	380 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6174	MECHANICAL-METALLOGRAPHY TEST	Austenitic stainless steel	Intergranular corrosion	IS 10461 (Part 1 & 2)
6175	MECHANICAL-METALLOGRAPHY TEST	Copper & its alloys	Micro structural examination	ASM Handbook Volume 9, Metal handbook Vol 7 (8th Edition) & IS 7739 (Pt 4)
6176	MECHANICAL-METALLOGRAPHY TEST	Ferrous Materials, Alloys & Product	Depth of decarburized layer by microscopic method	IS 6396
6177	MECHANICAL-METALLOGRAPHY TEST	Ferrous Materials, Alloys & Product	Macro Graphic Examination by sulphur Print	IS 12037
6178	MECHANICAL-METALLOGRAPHY TEST	Ferrous metals & Alloys	Case depth by microscopic method (Case Hardened steel)	IS 6416
6179	MECHANICAL-METALLOGRAPHY TEST	Ferrous metals & Alloys	Grain size analysis (by microscopic method)	ASTM E 112 & IS 4748
6180	MECHANICAL-METALLOGRAPHY TEST	Ferrous metals & alloys	Inclusion rating	ASTM E 45 & IS 4163
6181	MECHANICAL-METALLOGRAPHY TEST	Ferrous metals & alloys	Micro structural examination	IS 7754, IS 8329, ASTM E 562,Metal Handbook Vol. 7 (8th Ed), ASTM A 247 & ASM Handbook Vol 9, Metal Handbook Vol 7 (8th Ed)
6182	MECHANICAL-METALLOGRAPHY TEST	Ferrous metals and alloys	Macro structural examination	IS 11371 & IS 3600(Part 9)
6183	MECHANICAL-METALLOGRAPHY TEST	Metallic / Non Metallic coating on Ferrous / Non Ferrous alloys	Coating thickness by Microscopy method	ASTM B 487
6184	MECHANICAL-METALLOGRAPHY TEST	Metallic / Non Metallic coating on Ferrous / Non Ferrous alloys	Coating thickness by Microscopy method	IS 3203, IS 5523 ,IS 101 (Pt 3/ Sec 2)
6185	MECHANICAL-METALLOGRAPHY TEST	Stainless steel	Inter granular corrosion (Practice C & E)	ASTM A 262
6186	MECHANICAL-METALLOGRAPHY TEST	Welds & Welded test specimens	Macro / Micro examiation	IS 3600 (Part 9)
6187	MECHANICAL-METALLOGRAPHY TEST	Welds & Welded test specimens	Macro / Micro examination	ASME Section IX
6188	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Brightness	IS 1060 (Part 2)
6189	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Brightness	IS 1060 (part 2), ISO 2470(Pt 1)
6190	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Burst Index	IS 1060 (Pt) & IS 1060 (Pt 6/sec 2)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	381 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6191	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Burst Index	IS 1060 (Pt 1) & IS 1060 (Pt 6/sec 2)
6192	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Burst strength & burst factor	IS 1060 (Pt 1) & IS 1060 (Pt 7/sec 1)
6193	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Folding Endurance	IS 1060 (pt 1) & IS 1060 (Part 6/sec3)
6194	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Folding Endurance	IS 1060 (Pt 1) & IS 1060 (Pt 6/sec3)
6195	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Gloss	IS 1060 (Part 1)
6196	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Gloss	IS 1060 (part 1), IS/ISO 8254 (Pt 3)
6197	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Grammage	IS 1060 (Pt 1) & IS : 1060 (Pt 5/Sec 5)
6198	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Grammage	IS 1060 (Pt 1) & IS 1060 (Pt 5/sec 5)
6199	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Opacity	IS 1060 (Part1)
6200	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Opacity	IS 1060 (Pt 1), ISO 2471
6201	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Size	IS 1060 (Part 1) IS 1064
6202	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Size	IS 1060 (Pt 1)
6203	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Smoothness (Bendsten)	IS 1060 (Part 5/Sec 17)
6204	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Smoothness (Bendtsen)	IS 1060 (Pt 5/sec 17)
6205	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Tear Index	IS 1060 (Pt 1) & IS 1060 (Pt 6/sec 1)
6206	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Tear Index	IS 1060 (Pt 1) & IS 1060 (Pt 6/sec 1)
6207	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Tear Strength / Tear factor	IS 1060 (pt 1) & IS 1060 (Pt 6/sec 1)
6208	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Tear Strength/ Tear factor	IS 1060 (Pt 11) & IS 1060 (Pt 6/ Sec 1)
6209	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Tensile Index	IS 1060 (Pt 1) & IS 1060 (Pt 5/ Sec 6)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	382 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6210	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Tensile Index	IS 1060(Pt 1) & IS 1060 (Pt 5/ Sec 6)
6211	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Tensile strength	IS 1060 (Pt 1) & IS 1060 (Pt 5/sec 6)
6212	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Tensile strength	IS 1060 (Pt 1) & IS 1060 (Pt 5/sec 6)
6213	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Thickness	IS 1060 (Pt 1) & IS 1060 ((Pt 5/ sec 3)
6214	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Thickness	IS 1060 (Pt 1) & IS 1060 (Pt 5/sec 3)
6215	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Wax Pick number	IS 1060 (Pt 3) & IS 1060 (Pt 5/sec 9)
6216	MECHANICAL- PAPER & PAPER PRODUCTS	Paper & its products (Paper board , News print and Board packing material)	Wax Pick number	IS 1060 (Part 3) & IS 1060 (Part 5/Sec 9)
6217	MECHANICAL- PAPER & PAPER PRODUCTS	Paper and its products (Paper, Paper Board, Newsprint and board packing material)	Burst strength & Burst factor	IS 1060 (Pt 1) & IS 1060 (Pt 7 / sec 1)
6218	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Adhesive Tape	Adhesive Strength	BP , USP 42 NF 37
6219	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Adhesive tape	Dimensions	BP , USP 42 NF 37
6220	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Adhesive tape	Tensile Strength	BP, USP 42 NF 37
6221	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Bib Cock, Stop cock, Valves (Size 8 -100 mm , 15-400 mm)	Hydraulic Pressure test	IS 781, IS 778 & IS 16045
6222	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Copper -T 380A/Copper T 200B/IUD-375	Copper Collar pull	SRI/DRUGS/072
6223	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Copper -T 380A/Copper T 200B/IUD-375	Diameter of Copper Collar	SRI/DRUGS/072
6224	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Copper -T 380A/Copper T 200B/IUD-375	Packaging and labelling requirements	SRI/DRUG /072
6225	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Copper -T 380A/Copper T 200B/IUD-375	Pouch content	SRI/DRUGS/072

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	383 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6226	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Copper -T 380A/Copper T 200B/IUD-375	Pouch Integrity test	SRI/DRUGS/72
6227	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Copper -T 380A/Copper T 200B/IUD-375	Strength of Tie	SRI/DRUGS/072
6228	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Copper -T 380A/Copper T 200B/IUD-375	visual inspection of all the content	SRI/DRUGS/072
6229	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Copper -T 380A/Copper T 200B/IUD-375	Weight of Copper Wire	SRI/DRUGS/072
6230	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Domestic Pressure cooker	Air pressure test	IS 2347
6231	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Domestic Pressure cooker	Bursting pressure test	IS 2347
6232	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Domestic Pressure cooker	Capacity	IS 2347
6233	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Domestic Pressure cooker	Operating test for pressure regulating device	IS 2347
6234	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Domestic Pressure cooker	Proof pressure test	IS 2347
6235	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Domestic Pressure cooker	Test for removal of lid under pressure	IS 2347
6236	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Domestic Pressure cooker	Test for safety pressure relief device	IS 2347
6237	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Domestic Pressure cooker	Tests for induction bottom (Hot plate / Bottom)	IS 2347
6238	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Domestic Pressure Cooker	Workmanship & Finish	SOP/Metal & Alloys / 03
6239	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Burner pan support	IS 4246

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	384 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6240	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Burners	IS 4246, IS 5116
6241	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	CO	IS 4246
6242	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	CO2	IS 4246
6243	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Combustion	IS 4246
6244	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Fire hazard and limiting temperature	IS 4646 , IS 5116
6245	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Flame stability	IS 4246
6246	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	flash Back	IS 4246
6247	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	formation of soot	IS 4246
6248	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Fragmentation	IS 4246
6249	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Gas consumption	IS 4246, IS 5116
6250	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Gas inlet connection	IS 4246, IS 5116
6251	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Gas soundness	IS 4246, IS 5116
6252	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Gas taps	IS 4246, IS 5116
6253	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Ignition and flame travel	IS 4246, IS 5116

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 385 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6254	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Injector Jets	IS 4646 & IS 5116
6255	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Noise control	IS 4246
6256	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Resistance to draught	IS 4246
6257	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Rigidity and stability	IS 4246
6258	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Strength & Rigidity	IS 4246, IS 5116
6259	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Strength of toughened glass	IS 4246
6260	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Thermal efficiency	IS 4246
6261	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	LPG Stove	Workmanship & Finish	SOP/Metal & Alloys / 03
6262	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Male Latex Condom	Burst Volume	ISO 4074 SOP SRI/ DRUGS/072
6263	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Male Latex condom	Bursting Pressure	ISO 4074, SOP SRI/ DRUGS/072
6264	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Male Latex Condom	Water Leakage	ISO 4074 SOP SRI/ DRUGS/072
6265	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Male Latex Condoms	Colour Fastness	ISO 4074, SOP SRI/ DRUGS/072
6266	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Male Latex Condoms	Length	ISO 4074, SOP SRI/ DRUGS/072
6267	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Male Latex Condoms	Lubricants	ISO 4074, SOP SRI/ DRUGS/072

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 386 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6268	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Male Latex Condoms	Packaging & Labelling requirements	ISO 4074, SOP SRI/ DRUGS/072
6269	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Male Latex Condoms	Thickness	ISO 4074, SOP SRI/ DRUGS/072
6270	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Male Latex Condoms	Width	ISO 4074, SOP SRI/ DRUGS/072
6271	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Milk Can & Container	Hydraulic Pressure Test	IS 10325 , IS 10339 & IS 2471
6272	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Milk can & Containers	Air pressure test	IS 10325, IS 10339, IS -1825, IS 9992, IS 916, IS 2471
6273	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Milk can & Containers	Capacity	IS 10325, IS 10339, IS -1825, IS 9992 & IS 916
6274	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Milk can & Containers	Drop test	IS 1825, IS 2471
6275	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Milk can & Containers	Handle pull test	IS 10325, IS 9992, IS 916, IS 2471, IS 10339
6276	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Milk can &Containers	Liquid Leakage Test	IS 9992
6277	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Pipe fittings (size 6- 200mm) , Valves (size 50-500 mm)	Hydraulic pressure test	IS 1239 (Part 2), IS 3989, IS 1729, IS 1879 & IS 14846
6278	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Surgical Items & Sutures	Physical Dimensions (Length & Diameter)	IP BP , USP 42 NF 37
6279	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Surgical items & Sutures	Tensile Strength . Min. Breaking Load Needle attachment	IP BP , USP 42 NF 37
6280	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal ring	Content of Pack	IS: 13009 & SOP SRI/DRUG/072
6281	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal rings	Fracture	IS: 13009 & SOP SRI/DRUG/072

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 387 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6282	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal Rings	Friction force test	IS: 13009 & SOP SRI/DRUG/072
6283	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal Rings	Identification of the material	IS: 13009 & SOP SRI/DRUG/072
6284	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal Rings	Inner Diameter	IS: 13009 & SOP SRI/DRUG/072
6285	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal rings	Memory Test	IS: 13009 & SOP SRI/DRUG/072
6286	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal rings	Outer Diameter	IS: 13009 & SOP SRI/DRUG/072
6287	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal Rings	Pack integrity test	IS: 13009 & SOP SRI/DRUG/072
6288	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal Rings	Packaging & labelling requirements	IS: 13009 & SOP SRI/DRUG/072
6289	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal Rings	Shape Fibrous protrusion and cutting	IS: 13009 & SOP SRI/DRUG/072
6290	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal rings	Stain Capacity	IS: 13009 & SOP SRI/DRUG/072
6291	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal rings	Thickness	IS: 13009 & SOP SRI/DRUG/072
6292	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Tubal Rings	Visual inspection of colour	IS: 13009 & SOP SRI/DRUG/072
6293	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Adhesive tape	Adhesive strength	BP , USP 41 NF 36
6294	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Adhesive tape	Dimensions	BP , USP 41 NF 36
6295	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Adhesive tape	Tensile strength	BP , USP 41 NF 36
6296	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	0.2% proof stress	ASTM E 8

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	388 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6297	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Abrasive resistance	ASTM D 968
6298	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Adhesion	ASTM D 3359
6299	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Aluminium coil thickness	SOP/ RP/02
6300	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Chemical resistance (10% HCl for 72hrs, 20% H2SO4 for72 hrs, 20% NaOH for 18 hrs & 3% detergent solution at 38 degree for 72 hrs)	ASTM D 543 & AMMA specification 2605
6301	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Elongation	ASTM E 8
6302	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Flexural Modulus	ASM D 790
6303	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Flexural Strength	ASTM D 790
6304	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	formability	ASTM D 522 & ASTM D 4145
6305	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Gloss at 60 degree	ASTM D 523
6306	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Heat Deflection temperature	ASTM D 648
6307	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Modulus of Elasticity	ASTM E 8
6308	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Paint coating thickness	SOP/RP/02
6309	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Panel thickness	SOP/ RP/02
6310	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Peel off strength	ASTM D 903
6311	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Pencil hardness	ASTM D 3363
6312	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Puncture resistance	ASTM E 154
6313	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Shear strength	ASTM D 732
6314	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Tensile strength	ASTM E 8

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	389 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6315	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Water absorption	ASTM D 570-
6316	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Aluminium Composite Panel (ACP) / Sheet	Weight	SOP/RP/02
6317	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP membrane (sheet)	Adhesion strength of the membrane	UEAtc M.O.A.T. No. 30
6318	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Creeping of the mmbrane	UEAtc M.O.A.T No. 30
6319	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (Sheet)	Dimensional Stability	UEAtc M.O.A. T. No. 30 & ASTM D 5147
6320	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Elongation	ASTM D 5147 & D 146
6321	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Elongation	DIN 52123
6322	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Elongation	UEAtc M.O.A.T. No. 30
6323	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Flexibility at low temperature (-10 °C)	ASTM D 5147
6324	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Flexibility at low temperature (-10 °C)	EN 1109
6325	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Impermeability of the membrane of water	UEAtc M.O.A.T. No. 30
6326	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Lap joint strength	UEAtc M.O.A.T. No. 30 , ASTM D 5147 & D 146
6327	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Load strain product	UEAtc M.O.A.T. No. 30
6328	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Loss on heating	ASTM D 146
6329	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Loss on heating	UEAtc M.O.A.T. No. 30
6330	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Moisture	ASTM D 5147 , D 95 , D 146
6331	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Penetration (100 g. 5 sec)	ASTM D 5
6332	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Pilability	ASTM D 146
6333	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Puncture resistance	ASTM D 4833

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	390 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6334	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Puncture resitance	UEAtc M.O.A.T. No. 30
6335	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP membrane (sheet)	Resistance to ageing due to UV Radiation for 100 hours	UEAtc M.O.A.T. No. 30
6336	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Resistance to thermal ageing at 100 °C for 2 hours	UEAtc M.O.A.T. No. 30
6337	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Tear Resistance	ASTM D 5147 , ASTM D 146, ASTM D 4073
6338	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Tear Strength	UAAtc M.O.A.T. No. 30
6339	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Tensile strength	ASTMD 5147 & D 146
6340	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Tensile strength	DIN 52123
6341	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Tensile strength	UEAtc M.O.A.T. No. 30
6342	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Thickness	ASTM D 5147 & D 751
6343	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Thickness	DIN EN 1849 -1
6344	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Thickness	UEAtc M.O.A.T. No. 30
6345	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Water Resistance / Water Absorption	ASTM D 5147 & D 570
6346	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Weight	ASTM D 751
6347	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Weight	DIN-EN 1849-1
6348	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	APP Membrane (sheet)	Weight	UEAtc M.O.A.T. No. 30
6349	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated Polyvenyl Chloride (CPVC) pipes for automatic sprinkler fire exinguishing system	Dimensions	ID 12235 (Pt 1 & 2)
6350	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Appearance	IS 16088
6351	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Density	IS 12235 (Pt 14)
6352	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Fire Exposure test	IS 16088 Annx

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 391 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6353	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Flammability test	IS 16088 Annx C
6354	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Flatting test	IS 12235 (Pt 19)
6355	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Hydrostatic characteristics	IS 12235 (Pt 8)
6356	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Kinking resistance	IS 16088 claue 10.5
6357	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Opacity	IS 12235 (Pt 3)
6358	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Pipe ends	IS 16088
6359	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Resistance to external blows at 0 degree C	IS 15778 & IS 4985 annx C
6360	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Reversion	IS 12235 (Pt 5 sec 1 & sec 2)
6361	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Tensile strength	IS 12235 (Pt 13)
6362	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes for automatic sprinkler fire extinguishing system	Vicat softening point	IS 12235 (Pt 2)
6363	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes forPotable Hot & Cold water	Appearance	IS 15778
6364	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes forPotable Hot & Cold water	Density	IS 12235 (Pt 14)
6365	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes forPotable Hot & Cold water	Dimensions	IS 12235 (Part 1 &2)
6366	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes forPotable Hot & Cold water	Flatting test	IS 12235 (Pt 19)
6367	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes forPotable Hot & Cold water	Hydrostatic characteristics	IS 15778 cl 10.1 & 10.2, IS 12235 (Pt 8,sec 1)
6368	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes forPotable Hot & Cold water	Opacity	IS 12235 (Pt 3)
6369	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes forPotable Hot & Cold water	Pipe Ends	IS 15778
6370	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes forPotable Hot & Cold water	Resistance to exteenal blows at 0 degree C	IS 4985 annx C-2000 & is 12235 (Pt 9)
6371	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes forPotable Hot & Cold water	Reversion	IS 12235 (Pt 5 sec 1 & 2)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	392 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6372	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes forPotable Hot & Cold water	Tensile strength	IS 12235 (Pt 13)
6373	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Chlorinated polyvenyl chloride (CPVC) pipes forPotable Hot & Cold water	Vicat softening point	IS 12235 (Pt 2)
6374	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Conduits for Electrical Installation	Compression set	IS 9537 (Pt 1)
6375	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Conduits for Electrical Installation	Dimensions	IS 9537 (Pt 3)
6376	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Conduits for Electrical Installation	Impact test	IS 9537 (Pt 1)
6377	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Conduits for Electrical Installation	Resistance to Burning	IS 9537 (Pt 1)
6378	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Conduits for Electrical Installation	Resistance to heat	IS 9537 (Pt 1)
6379	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Containers for packaging of Natural Mineral water & packaged drinking water	Capacity	IS 15410
6380	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Containers for packaging of Natural Mineral water & packaged drinking water	Drop test	IS 2798 (Clause 8)
6381	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Containers for packaging of Natural Mineral water & packaged drinking water	Environmental stress crack resistance	IS 8747 (Method 1)
6382	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Containers for packaging of Natural Mineral water & packaged drinking water	Leakage test	IS 2798 (Clause 6.0)
6383	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Containers for packaging of Natural Mineral water & packaged drinking water	Transmittance	IS 15410 (Annex A)
6384	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Containers for packaging of Natural Mineral water & packaged drinking water	Wall thickness	IS 15410
6385	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Containers for packaging of Natural Mineral water & packaged drinking water	Water potability	IS 15410
6386	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Containers for packaging of Natural Mineral water & packaged drinking water	Workmanship, Finish & appearance	IS 15410
6387	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Copper -T 380 A/Copper -T 200B/ IUD -375	Copper Collar Pull	Guidelines of MOHFW
6388	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Copper -T 380 A/Copper -T 200B/ IUD -375	diameter of copper collar	Guidelines of MOHFW
6389	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Copper -T 380 A/Copper -T 200B/ IUD -375	Packaging & Labelling	Guidelines of MOHFW
6390	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Copper -T 380 A/Copper -T 200B/ IUD -375	Pouch content	Guidelines of MOHFW

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	393 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6391	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Copper -T 380 A/Copper -T 200B/ IUD -375	Pouch Integrity test	Guidelines of MOHFW
6392	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Copper -T 380 A/Copper -T 200B/ IUD -375	Strength of tie	Guidelines of MOHFW
6393	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Copper -T 380 A/Copper -T 200B/ IUD -375	Visual inspection on all the contents	Guidelines of MOHFW
6394	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Copper -T 380 A/Copper -T 200B/ IUD -375	Weight of Copper wire	Guidelines of MOHFW
6395	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	Dimension stability at deviated temperature at 20 degree C	IS 2046
6396	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	Flexural Modulus	IS 2046
6397	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	flexural Strength	IS 2046
6398	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	Resistance to cigarette burning	IS 2046
6399	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	Resistance to colour change (in Xenon arc light)	IS 2046
6400	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	Resistance to crazing	IS 2046
6401	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	Resistance to dry heat at 180 degree C	IS 2046
6402	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	Resistance to immersion in boiling water	IS 2046
6403	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	Resistance to moisture	IS 2046
6404	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	Resistance to scratching	IS 2046
6405	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	Resistance to steam	IS 2046
6406	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	Resistance to surface wear	IS 2046
6407	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Decorative thermosetting laminate	Tensile strength	IS 2046
6408	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Expanded polystyrene for thermal insulation	Bulk density	IS 5688
6409	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Expanded polystyrene for thermal insulation	Compressive strength at 10 % deformation	IS 4671

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 394 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6410	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Expanded polystyrene for thermal insulation	Cross breaking strength	IS 4671
6411	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Expanded polystyrene for thermal insulation	Dimensions	IS 4671
6412	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Expanded polystyrene for thermal insulation	Moisture absorption	IS 4871
6413	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Expanded polystyrene for thermal insulation	Thermal stability	IS 4671
6414	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Expanded polystyrene for thermal insulation	Water vapour Permeance	IS 4671
6415	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible load bearing PU foam components	Colour	IS 8255
6416	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible load bearing PU foam components	Component mass	IS 8255
6417	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible load bearing PU foam components	Compression set	IS 8255
6418	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible load bearing PU foam components	Dimensions (Length, width , thickness)	IS 8255
6419	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible load bearing PU foam components	Elongation	IS 8255
6420	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible load bearing PU foam components	Fatigue etst	IS 8255
6421	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible load bearing PU foam components	Flammability	IS 8255
6422	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible load bearing PU foam components	Hardness	IS 8255
6423	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible load bearing PU foam components	Heat ageing test	IS 8255
6424	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible load bearing PU foam components	Load quotient	IS 8255
6425	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible load bearing PU foam components	Tensile strength	IS 8255
6426	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam	Compression set	IS 7888
6427	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam	Density	IS 7888
6428	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam	Elongation	IS 7888

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 395 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6429	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam	Flammability	IS 7888
6430	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam	Heat Ageing Test	IS 7888
6431	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam	Humidity ageing test	IS 7888
6432	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam	Indentation load deflection test (Hardness number & Load quotient)	IS 7888
6433	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam	Resilience	ISO 8307
6434	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam	Shear Fatigue Test	IS 7888
6435	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam	Tear Strength	ISO 8067
6436	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam	Tensile strength	IS 7888
6437	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam for domestic mattresses	Colour	IS 7933
6438	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam for domestic mattresses	Compression set	IS 7888
6439	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam for domestic mattresses	Condition	IS 7933
6440	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam for domestic mattresses	Constituents	IS 7933
6441	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam for domestic mattresses	Density	IS 7888
6442	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam for domestic mattresses	Dimensions (Length, width , thickness)	IS 7933
6443	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam for domestic mattresses	Durability	IS 7888
6444	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam for domestic mattresses	Indentation hardness	IS 7888
6445	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Polyurethane Foam for domestic mattresses	Tensile strength	IS 7888
6446	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass Reinforced chopped strand for the reinforcement of Epoxy, Phenolic & Polyester resin system	Cross breaking strength of laminates	IS 11551

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 396 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6447	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass Reinforced chopped strand for the reinforcement of Epoxy, Phenolic & Polyester resin system	Loss on ignition	IS 11551
6448	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass Reinforced chopped strand for the reinforcement of Epoxy, Phenolic & Polyester resin system	Mass per unit area	IS 11551
6449	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass Reinforced chopped strand for the reinforcement of Epoxy, Phenolic & Polyester resin system	Moisture content	IS 11551
6450	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass Reinforced chopped strand for the reinforcement of Epoxy, Phenolic & Polyester resin system	Tensile strength	IS 11551
6451	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass Reinforced chopped strand for the reinforcement of Epoxy, Phenolic & Polyester resin system	Variation in mass per unit area	IS 11551
6452	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass reinforced polyester moulding compounds (GRP sheets)	Density of moulding	IS 13660 (pt 3, sec 1)
6453	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass reinforced polyester moulding compounds (GRP sheets)	Flexural strength	IS 13411
6454	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass reinforced polyester moulding compounds (GRP sheets)	Glass content	IS 13411
6455	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass reinforced polyester moulding compounds (GRP sheets)	Heat distortion temperature	IS 13411
6456	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass reinforced polyester moulding compounds (GRP sheets)	Izod Impact strength	IS 13411
6457	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass reinforced polyester moulding compounds (GRP sheets)	Modulus of elasticity	IS 8543 (Pt 4 / Sec 1)
6458	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass reinforced polyester moulding compounds (GRP sheets)	Oxygen Index	IS 13360 (Part 6/ Sec 6)
6459	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass reinforced polyester moulding compounds (GRP sheets)	Surface resistivity	IS 3396
6460	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass reinforced polyester moulding compounds (GRP sheets)	Volume resistivity	IS 3396
6461	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Glass reinforced polyester moulding compounds (GRP sheets)	Water absorption	IS 13411
6462	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE Containers for Pesticides	Capacity	IS 9754
6463	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE Containers for Pesticides	Dimension (Wall thickness , Height)	IS 9754
6464	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE Containers for Pesticides	Drop test	IS 9754 appendix F
6465	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE Containers for Pesticides	Environmental stress crack resistance	IS 8747

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	397 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6466	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE Containers for Pesticides	Ink Adhesion	IS 9754 Appendix G
6467	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE Containers for Pesticides	Leakage test	IS 9754
6468	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE Containers for Pesticides	Workmanship ans Finish	IS 9754
6469	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Appearance	IS 14333
6470	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Carbon Black dispersion	IS 2530
6471	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Carbon Black content	IS 2530
6472	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Carbon Black Content	IS 2530
6473	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Carbon Black Dispersion	IS 2530
6474	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Color	IS 14141 (Pt 1)
6475	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Colour	IS 14151 (Pt 1)
6476	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Density	IS 7328 (Pt 14)
6477	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Density	IS 7328 (Pt 14)
6478	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Dimension	IS 14151 (Pt 1)
6479	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Dimensions	IS 14333
6480	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Elongation at Break	IS 14151 (Pt 1)
6481	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Hydrostatic characteristics	IS 14333 Annexure B
6482	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Hydrostatic characterstics	IS 14151 (Pt 1)
6483	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Melt Flow Index	IS 2530
6484	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Melt flow index	IS 2530

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 398 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6485	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Reversion	IS 14151 (Pt 1)
6486	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Reversion	IS 14333 annexure C
6487	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Tensile strength	IS 14151 (Pt 1)
6488	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Density Polyethylene Pipes for Sewerage (HDPE)	Visual appearance	IS 14151(Pt 1)
6489	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Male Latex Condoms	Burst Volume	ISO 4074 Drugs & Cosmetics act
6490	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Male Latex Condoms	Bursting pressure	ISO 4074 Drugs & Cosmetics act
6491	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Male Latex Condoms	Colour fastness	ISO 4074 Drugs & Cosmetics act
6492	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Male Latex Condoms	Length	ISO 4074 Drugs & Cosmetics act
6493	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Male Latex Condoms	Lubricant	ISO 4074 Drugs & Cosmetics act
6494	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Male Latex Condoms	Packaging & Labelling requirements	ISO 4074 & Drug & Cosmetics act
6495	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Male Latex Condoms	Thickness	ISO 4074 Drugs & Cosmetics act
6496	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Male Latex Condoms	Water leakage	ISO 4074 Drugs & Cosmetics act
6497	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Male Latex Condoms	Width	ISO 4074 Drugs & Cosmetics act
6498	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered Cross laminated PE film	Exposing to UV lamp type B (313 nm), Weathering for 192 hours	IS 14611 Annx G
6499	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered Cross laminated PE film	Dart Impact Stength	IS 13360 (Pt 5 sec 6) method B
6500	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered Cross laminated PE film	Elongation (after ageing at 70 + - 1 °C in Longitudinal & Transverse directions)	IS 13360 (Pt 5 Sec 1 & 3)
6501	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered cross laminated PE film	Elongation (Transverse & Longitudinal direction)	IS 13360 (Pt 5 sec 1)
6502	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered Cross laminated PE film	Flex test	IS 7016 (Pt 4 & 8)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 399 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6503	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered cross laminated PE film	Strength of joints / seams	IS 14611 Annx C
6504	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered cross laminated PE film	Tear strength (a) Longitudinal director , (b) Transverse direction	IS 14611
6505	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered cross laminated PE film	Tear strength after ageing at 70 +/- 1 degree C for 168 hours (a) Longitudinal direction , (b) Transverse direction	IS 14611
6506	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered Cross laminated PE film	Tensile strength (after ageing at 70 + - 1 °C for 168 hrs in logitudinal & Transverse direction)	IS 13360 (Pt 5 sec 1 & Sec 3)
6507	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered cross laminated PE film	Tensile strength (Longitudinal & Transverse direction)	IS 13360 (Pt 5 Sec 1 & 3)
6508	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered cross laminated PE film	Total mass per unit area	IS 7016 (Pt 1)
6509	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered cross laminated PE film	Water proofness test	IS 7016 (P 7)
6510	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Multilayered cross laminated PE film	Workmanship	IS 14611
6511	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Non- Percolating Fire Fighting Hose pipe	Adhesion	IS 636
6512	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Non- Percolating Fire Fighting Hose pipe	Dimension stability	IS 636
6513	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Non- Percolating Fire Fighting Hose pipe	Dimensions (Length, Inner & Outer diameter)	IS 636
6514	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Non- Percolating Fire Fighting Hose pipe	Heat Resistance	IS 636
6515	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Non- Percolating Fire Fighting Hose pipe	Hydrostatic burst test	IS 636
6516	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Non- Percolating Fire Fighting Hose pipe	Hydrostatic Proof presssure	IS 636
6517	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Non- Percolating Fire Fighting Hose pipe	Kink test	IS 636
6518	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Non- Percolating Fire Fighting Hose pipe	Mass	IS 636
6519	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Non- Percolating Fire Fighting Hose pipe	Water absorption	IS 636

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	400 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6520	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Phenol Formaldehyde Resin sheet	Density	IS 867
6521	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Phenol Formaldehyde Resin sheet	Elongation	IS 867
6522	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Phenol Formaldehyde Resin sheet	Flexural Strength	IS 867
6523	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Phenol Formaldehyde Resin sheet	Impact test	IS 867
6524	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Phenol Formaldehyde Resin sheet	Tensile strength	IS 867
6525	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic feeding bottles	Capacity	IS 14625
6526	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic feeding bottles	Compressive deformation resistance	IS 14625
6527	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic feeding bottles	Drop test	IS 14625
6528	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic feeding bottles	Leakage test	IS 14625
6529	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic feeding bottles	Manufacture, Workmanship, Finish & appearance	IS 14625 clause 4.3.2
6530	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic feeding bottles	Neck dimensions	IS 14625
6531	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic feeding bottles	Product resistance of printed container	IS 14625
6532	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic feeding bottles	Transparency	IS 14625
6533	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic feeding bottles	Wall thickness	IS 2798 Clause 4.5
6534	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plasticized PVC Pipes for potable water supplies	Density	IS 12235 (Pt 14)
6535	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plasticized PVC Pipes for potable water supplies	Dimensions	IS 12235 (Pt 1 & 2)
6536	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plasticized PVC Pipes for potable water supplies	Dimensions of sockets	IS 4985 (Cl 7.2)
6537	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plasticized PVC Pipes for potable water supplies	Hydrostatic Characteristics	IS 12235 (Pt 8)
6538	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plasticized PVC Pipes for potable water supplies	Opacity	IS 12235 (Pt 2)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	401 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6539	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plasticized PVC Pipes for potable water supplies	Pipe Ends	IS 4985 (Cl 9.0)
6540	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plasticized PVC Pipes for potable water supplies	Resistance to external blows at 0 degree C	IS 4985 , annexure C
6541	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plasticized PVC Pipes for potable water supplies	Vicat Softening point	IS 6307 & IS 12235 (Pt 2)
6542	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plasticized PVC Pipes for potable water supplies	Visual Appearance	IS 4985 (Cl 10.1)
6543	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polycarbonate sheet	Dart drop impact	IS 14443
6544	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polycarbonate sheet	Flammability	IS 14443
6545	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polycarbonate sheet	Grammage	IS 14443
6546	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polycarbonate sheet	Light Transmission	IS 14443
6547	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene / Aluminium / Polyethylene Composite pressure pipes for hot & cold water supplies (PE-Al-PE)	Carbon Black dispersion	IS 2530
6548	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene / Aluminium / Polyethylene Composite pressure pipes for hot & cold water supplies (PE-Al-PE)	Adhesion	IS 15450
6549	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene / Aluminium / Polyethylene Composite pressure pipes for hot & cold water supplies (PE-Al-PE)	Apparent Tensile strength	IS 15450
6550	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene / Aluminium / Polyethylene Composite pressure pipes for hot & cold water supplies (PE-Al-PE)	Burst Pressure	IS 15450
6551	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene / Aluminium / Polyethylene Composite pressure pipes for hot & cold water supplies (PE-Al-PE)	Carbon Black content	IS 2530
6552	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene / Aluminium / Polyethylene Composite pressure pipes for hot & cold water supplies (PE-Al-PE)	Density	IS 7328
6553	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene / Aluminium / Polyethylene Composite pressure pipes for hot & cold water supplies (PE-Al-PE)	Hydraulic Characteristics	IS 15450
6554	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene / Aluminium / Polyethylene Composite pressure pipes for hot & cold water supplies (PE-Al-PE)	Melt Flow rate	IS 2530 (
6555	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene / Aluminium / Polyethylene Composite pressure pipes for hot & cold water supplies (PE-Al-PE)	Thermal stability (Oxidation induction time , OIT)	IS 15450
6556	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene / Aluminium / Polyethylene Composite pressure pipes for hot & cold water supplies (PE-Al-PE)	Visual Appearance	IS 15450
6557	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene / Aluminium / Polyethylene Composite pressurepipes for hot & cold water supplies (PE-Al-PE)	Dimensions	IS 15450

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	402 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6558	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene / Aluminium / Polyethylene Composite pressurepipes for hot & cold water supplies (PE-Al-PE)	Overall Migration	IS 9845
6559	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Carbon black dispersion	IS 2530
6560	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Ageing test at 70 + - 1 °C for 7 days Tensile srength (Machine & Transverse direction)	IS 13360 (Pt 5/ Sec 1) & IS !3360 (Pt 5 /Sec 3)
6561	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Appearance	IS 2508 Clause 5.1.1
6562	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Ash content	IS 13360 (Pt 8 sec 8)
6563	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Carbon black content	IS 2530 Clause 10
6564	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Dart impact strength	IS 13360 (Pt 5, sec 6)
6565	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Density	IS 13360 (Pt 3 sec 1)
6566	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Elongation (Machine & Transverse direction)	IS 13360 (Pt 5 , Sec 1 & 3)
6567	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Melt flow Index	IS 13360 (Pt 4 Sec 1)
6568	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Nominal Thickness	IS 2508 Annx A
6569	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Nominal width	IS 2508 claue 5.2.1
6570	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Odour	IS 2508 Clause 5.1.3
6571	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Puncture resistance	IS 2508 Annx C
6572	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Tear strength (Machine & Transverse direction)	IS 2508 Annx B
6573	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene films & sheets	Tensile strength (Machine & Transverse direction)	IS 13360 (Pt 5 , SEc 1 & 3)
6574	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene LLDPE Water tank	Dimensions	IS 12701
6575	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene LLDPE Water tank	Flexural Modulus	IS 13360 (Part 5/Sec 7)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	403 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6576	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene LLDPE Water tank	Gross capacity	IS 12701
6577	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene LLDPE Water tank	Resistance to deformation	IS 12701
6578	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene LLDPE Water tank	Resistance to impact	IS 12701
6579	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene LLDPE Water tank	Tensile strength	IS 8543 (Part 4/ Sec 1)
6580	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene LLDPE Water tank	Test for Top load resistance	IS 12701
6581	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene LLDPE Water tank	Weight	IS 12701
6582	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Appearance	IS 4984
6583	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Carbon Black	IS 2530
6584	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Carbon Black Dispersion	IS 2530
6585	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Color	IS 4984
6586	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Density	IS 7328 (Pt 14)
6587	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Dimensions	IS 4984
6588	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Elongation at break	IS 4984
6589	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Hydrostatic Characteristics	IS 4984
6590	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Melt flow Index	IS 2530
6591	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Overall Migration	IS 9845, IS 10146
6592	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Oxygen Induction Time (OIT)	IS 4984
6593	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Reversion	IS 4984 Anexure F
6594	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Slow cracks Growth rate	IS 4984

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	404 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6595	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene Pipes for Water Supplies (HDPE)	Tensile strength of Butt- Fusion	IS 4984
6596	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polypropylene Random Copolymer Pipes (PPR)	Carbon Black Content	IS 2530
6597	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polypropylene Random Copolymer Pipes (PPR)	Carbon Black dispersion	IS 2530
6598	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polypropylene Random Copolymer Pipes (PPR)	Density	IS 12235 (Pt 14)
6599	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polypropylene Random Copolymer Pipes (PPR)	Dimensions of Pipe	IS 15801
6600	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polypropylene Random Copolymer Pipes (PPR)	Hydrostatic characteristics	IS 15801
6601	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polypropylene Random Copolymer Pipes (PPR)	Impact Strength	IS 15801
6602	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polypropylene Random Copolymer Pipes (PPR)	Opacity	IS 12235 (Pt 3)
6603	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polypropylene Random Copolymer Pipes (PPR)	Reversion test	IS 12235 (Pt 5 / Sec 1)
6604	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polypropylene Random Copolymer Pipes (PPR)	Visual appearance	IS15801
6605	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polypropylene Random Copolymer pipes (PPR)	Color	IS 15801
6606	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Bond strength of bonded material	IS 3400 (Pt 14) & ASTM D 1623
6607	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Compression set	IS 3400 (Pt 10) & ASTM D 395
6608	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Compressive Strength	ASTM D 695
6609	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Compressive strength	DIN 53454 & ISO 604
6610	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Dart impact	ASTM D 1709 & IS 2508
6611	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Dart impact	IS 13360 (Pt 5 , sec 6) Method B & ASTM D 1709
6612	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Flexural Strength	ASTM D 790 & IS 13360 (Pt 5 / Sec 7)
6613	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Flexural Strength	ISO 178 & BS 2782

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	405 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6614	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Heat (Vicat) softening point	ASTM D 1525 & IS 13360 (Pt 6, Sec 1)
6615	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Heat (Vicat) softening temperature	DIN 53460 & ISO 306
6616	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Heat deformation temperature	ASTM D 648 & ISO 75
6617	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Inflammability / Fire resistance	ASTM D 635 & UL 94
6618	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Izod Impact	ASTM D 256, ISO 180 & IS 13360 (Pt 5 sec 4)
6619	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Low temperature brittleness	ASTM D 2137 & ASTM D 746
6620	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Melt flow rate	IS 2530 & ASTM D 1238
6621	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Melt flow rate	IS13360 (Pt 4, sec 1), sub sec 1) & ISO 1133
6622	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Tear Strength	ASTM D 624
6623	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP, PE, HDPE, LDPE,ABS,PC,PVC,POM,PU,PEEK,PS,Nylon 6, Nylon 66, Resin, Compound and product	Thermal conductivity	ISO 22007 (Pt 2)
6624	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	Barcol Hardness	IS 13360(Pt 5, Sec 14) & ASTM D 2583
6625	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	Density / specific Gravity	IS 2508: 2016, ASTM D 792
6626	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	Density/ Specific Gravity	ISO 1183
6627	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	Elongation	ASTM D 412
6628	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	Elongation	ASTM D 638 : 2014 & ISO 527
6629	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	Elongation	IS 2508: 2016, IS 13360 (Pt 1)
6630	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	Hardness , Shore A & Shore D	IS: 13360 (Pt 5 , SEc 11) & ASTM D 2240 ASTM D 2240
6631	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	IRHD Hardness	IS 3400 (Pt 2) , ASTM D 1415 & ISO 48
6632	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	Rockwell Hardness	IS 13360 (Pt 5, SEc 13), ISP 2039/2 & ASTM D 785

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	406 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6633	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	Tensile Strength	ASTM D 412
6634	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	Tensile Strength	ASTM D 638
6635	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	Tensile Strength	IS 13360 (Pt 1) & IS 2508
6636	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PP,PE,HDPE,LDPE,ASB,PC,PVC,POM,PU, PEEK,PS,Nylon 6, Nylon 66, Resin compound & product	Tensile Strength	ISO 527
6637	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water proofing membrane	Change of dimension after heating at 70 °C for 2 hours	DIN 16726
6638	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC water proofing membrane	Cold bending (Foldability)	EN 4955 & DIN 16726
6639	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water proofing membrane	Elongation	ASTM D 638
6640	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water proofing membrane	Elongation	EN 12311-2
6641	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water proofing membrane	Elongation	ISO 527 -2
6642	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water proofing membrane	Material .characteristics during and after storage at 80 degree C	DIN 16726
6643	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water proofing membrane	Resistance under water pressure /water tightness	BS EN 1928
6644	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water proofing membrane	Tear Propagation strength	ASTM D 624
6645	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water proofing membrane	Tear propagation strength	DIN 53363
6646	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water proofing membrane	Tear Propagation strength	EN 12310 -2
6647	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water proofing membrane	Tensile strength	ASTM D 638
6648	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water proofing membrane	Tensile strength	EN 12311-2
6649	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water proofing membrane	Tensile strength	ISO 527-2
6650	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water stopper	Elongation	IS 15058

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	407 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6651	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water stopper	Change in dimensions	IS 15058
6652	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water stopper	Change in hardness in 7 days	IS 15058
6653	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water stopper	Changes in hardness	IS 15058
6654	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water stopper	Cold Bend Test	IS 15058
6655	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water stopper	Hardness Shore A	IS 15058
6656	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water stopper	Stability in Effect of alkalies	IS 15058
6657	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water stopper	Tensile strength	IS 15058
6658	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water stopper	Water Absorption	IS 15058
6659	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water stopper	Weight increase / decrease in 20 days	IS 15058
6660	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	PVC Water stopper	Weight increase/ decrease in 7 days	IS 15058
6661	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Rigid Cellular Foam Material	Apparent Density	IS 11239 (Part 2)
6662	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Rigid Cellular Foam Material	Compressive Strength	IS 11239 (Part 11)
6663	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Rigid Cellular Foam Material	Dimensional stability at elevated temperature	IS 11239 (Part 3)
6664	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Rigid Cellular Foam Material	Dimensions (Length , width , thickness)	IS 11239(Part 1)
6665	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Rigid Cellular Foam Material	Flame height, time of burning & loss of mass	IS 11239 (Part 8)
6666	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Rigid Cellular Foam Material	Flexural Strength	IS 11239 (Part 10)
6667	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Rigid Cellular Foam Material	Horizontal Burning characteristics	IS 11239 (Part 12)
6668	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Rigid Cellular Foam Material	Water absorption	IS 11239 (Part 9)
6669	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Rigid Cellular Foam Material	Water vapour transmission rate	IS 11239 (Part 4)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	408 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6670	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Apperance	IS 16098 (Pt 2)
6671	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Colour	IS 16098 (Pt 2)
6672	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Density	IS 7328
6673	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Dimension	IS 16098 (Pt 2)
6674	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Dimension of pipes and fittings	IS 16098 (Pt 1)
6675	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Effect of Heating (Stress Relief Test)	IS 12235 (Pt 6)
6676	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Impact strength at 0°C (TIR)	IS 12235 (Pt 9)
6677	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Longitudinal Reversion	IS 12235 (Pt 5)
6678	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Melt flow rate	IS 2530
6679	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Resistance to external Blows at 0°C	IS 12235 (Pt 9)
6680	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Resistance to heating	IS: 12235 (Pt 6)
6681	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Ring Flexibility	IS 16098 (Pt 1) Annx D
6682	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Ring Stiffness	IS 16098 (Pt 1)
6683	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Ring Stiffness	IS 16098 (Pt 1) annx C
6684	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Thermal stability (Oxidation Induction time, OIT)	Is 16098 (Pt 2)
6685	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Vicat Softening Tempearture for the fittings	IS 12235 (Pt 2)
6686	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Structured Wall Plastic Piping systems for Non Pressure drainage and sewerage (DWC pipe)	Vicat Softening temperature for the pipes	IS 12235 (Pt 2)
6687	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Surgical Items & Sutures	Dimensions (Length & Diameter)	IP
6688	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Surgical items & sutures	Dimensions (Length & diameter)	USP 41.NF 36

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 409 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6689	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Surgical items & Sutures	Tensile strength / Minimum Breaking load Needle attachment	BP
6690	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Surgical items & Sutures	Tensile strength / Minimum Breaking load Needle attachment	IP
6691	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Surgical items and Sutures	Tensile strength / Minimum Breaking load Needle attachment	USP -41. NF 36
6692	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Synthetic resin bonded laminated sheets for use in coaching stock	dimension stability at elevated temperature at 20 degree C	IS 2046
6693	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Synthetic resin bonded laminated sheets for use in coaching stock	Flexural strength	IS 13411
6694	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Synthetic resin bonded laminated sheets for use in coaching stock	Resistance to colour change (Blue wool standard No.) in Xenon arc light	IS 2046
6695	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Synthetic resin bonded laminated sheets for use in coaching stock	Resistance to dry heat at 180 degree	IS 2046
6696	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Synthetic resin bonded laminated sheets for use in coaching stock	Resistance to immersion in boiling water	IS 2046
6697	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Synthetic resin bonded laminated sheets for use in coaching stock	Resistance to impact strength by falling weight method	RDSO/C-K 514
6698	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Synthetic resin bonded laminated sheets for use in coaching stock	Resistance to staining , rating scale	IS 2046
6699	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Synthetic resin bonded laminated sheets for use in coaching stock	Resistance to steam	IS 2046 (annex T)
6700	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Synthetic resin bonded laminated sheets for use in coaching stock	Resistance to surface wear	IS 2046
6701	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Synthetic resin bonded laminated sheets for use in coaching stock	surface finish (by 60 degree specular gloss meter)	ASTM D 523
6702	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Thermosetting synthetic resin bonded laminated sheets	Compressive strength Flatwise	IS 1998
6703	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Thermosetting synthetic resin bonded laminated sheets	Cross breaking strength	IS 1998
6704	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Thermosetting synthetic resin bonded laminated sheets	Impact strength flatwise	IS 1998
6705	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Thermosetting synthetic resin bonded laminated sheets	Shearing strength flatwise	IS 1998

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	410 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6706	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Thermosetting synthetic resin bonded laminated sheets	Tensile strength	IS 1998
6707	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Thermosetting synthetic resin bonded laminated sheets	Thickness	IS 1998
6708	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Content of the pack	IS 13009
6709	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Fracture	IS 13009
6710	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Friction force test	IS 13009
6711	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Identification of the material	IS 13009
6712	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Inner diameter	IS 13009
6713	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Memory test	IS 13009
6714	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Outer diameter	IS 13009
6715	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Pack integrity test	IS 13009
6716	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Packaging and labelling requirements	IS 13009
6717	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Shape , Fibrous protrusion and Cutting	IS 13009
6718	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Stain Capacity	IS 13009
6719	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Thickness	IS 13009
6720	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Tubal Rings	Visual inspection of colour	IS 13009
6721	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Non pressure Polyvenyl Chloride (PVC-U) pipes for use in underground drainage and sewerage system	Appearance	IS 15328
6722	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Non pressure Polyvenyl Chloride (PVC-U) pipes for use in underground drainage and sewerage system	Colour	IS 15328
6723	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Non pressure Polyvenyl Chloride (PVC-U) pipes for use in underground drainage and sewerage system	Dimension	IS 12235 (Pt 1 & 2)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	411 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6724	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Non pressure Polyvenyl Chloride (PVC-U) pipes for use in underground drainage and sewerage system	Dimensions of sockets	IS 13592 clause 7.3
6725	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Non Pressure Polyvenyl Chloride VC-U)pipe for use in uinderground Drainage & sewerage system	Resistance to external blow at 0 degree C	IS 15328
6726	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Non Pressure Polyvenyl Chloride VC-U)pipe for use in uinderground Drainage & sewerage system	Reversion	IS 12235 (pt 5)
6727	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Non Pressure Polyvenyl Chloride VC-U)pipe for use in uinderground Drainage & sewerage system	Ring Stiffness	IS 15328
6728	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Non Pressure Polyvenyl Chloride VC-U)pipe for use in uinderground Drainage & sewerage system	Vicat softening point	IS 15328
6729	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Non Pressure Polyvenyl Chloride VC-U)pipe for use in underground Drainage & sewerage system	Elastomeric Sealing ring joints	IS 15328
6730	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Non Pressure Polyvenyl Chloride VC-U)pipe for use in underground Drainage & sewerage system	Internal Hydrostatic pressure	IS 12235 (Pt 8)
6731	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Non Pressure Polyvenyl Chloride VC-U)pipe for use in underground Drainage & sewerage system	Solvent Cemented Joint	IS 15328
6732	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (PVC-U) pipes for soil & waste discharge system	Axil shrinkage	IS 13592
6733	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (PVC-U) pipes for soil & waste discharge system	Colour	IS 13592
6734	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (PVC-U) pipes for soil & waste discharge system	Dimension	IS 12235 (Pt 1 & 2)
6735	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (PVC-U) pipes for soil & waste discharge system	Dimension of sockets	IS 13592
6736	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (PVC-U) pipes for soil & waste discharge system	Effect of Sunlight	IS 13592 Clause 8.5
6737	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (PVC-U) pipes for soil & waste discharge system	Resistance to External Blows at 0 degree C	IS 12235 (pt 9)
6738	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (PVC-U) pipes for soil & waste discharge system	Reversion	IS 12235 (Pt 5)
6739	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (PVC-U) pipes for soil & waste discharge system	Stress Releif	IS 12235 (Pt 6)
6740	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (PVC-U) pipes for soil & waste discharge system	Tensile strngth	IS 12235 (Pt 13)
6741	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (PVC-U) pipes for soil & waste discharge system	Vicat softening Point	IS 12235 (pt 2)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 412 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6742	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (PVC-U) pipes for soil & waste discharge system	Visual Appearance	IS 13592
6743	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (PVC-U) pipes for soil & waste discharge system	Water tightness of Joints	IS 13592
6744	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (UPVC) pipes for inside and outside building	Water tightness of joints	IS : 14735
6745	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (UPVC) pipes for inside and outside	Appearance	IS 14735
6746	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (UPVC) pipes for inside and outside	Color	IS 14735
6747	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (UPVC) pipes for inside and outside	Dimension of sockets	IS 14735
6748	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (UPVC) pipes for inside and outside	Resistance to external blow at 0 degree C (Impact test)	IS 14735 Annexure C
6749	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (UPVC) pipes for inside and outside	Stress relief	IS 12235 (Pt 6)
6750	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (UPVC) pipes for inside and outside	Vicat Softening point	IS 6307
6751	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (UPVC) pipes for inside and outside	Workmanship	IS 14735
6752	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride (UPVC) pipes for inside and outside building	Dimension	IS 12235 (Pt 1 & 2)
6753	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride PVC-U) screen and Casting pipe	Appearance	IS 12818
6754	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride PVC-U) screen and Casting pipe	Density	IS 12235 (Pt 14)
6755	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride PVC-U) screen and Casting pipe	Dimension	IS 12235 (Pt 1 & 2)
6756	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride PVC-U) screen and Casting pipe	Internal diameter	IS 12818
6757	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride PVC-U) screen and Casting pipe	Resistance to External Blows at 0 degree C	IS 12235 (Pt 9)
6758	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride PVC-U) screen and Casting pipe	Tensile strength	IS 12818
6759	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Unplasticized Polyvenyl Chloride PVC-U) screen and Casting pipe	Vicat Softening Point	IS 12235 (Pt 2)
6760	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Adhesion of coating	ASTM D 751

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 413 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6761	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Breaking strength in direction A & B	iS 7016 (part2)
6762	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Colour fastness to daylight or accelerated fading	IS 1259 (appendix D , E)
6763	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Dimensional change	IS 1259 (Appendix F)
6764	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Mass of the coated fabric	IS 7016 (Pt 1)
6765	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Mass of the coating	IS 7016(Part 1)
6766	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Resistance to damage by flexing (De Mattia method)	IS 7016 (Part 4)
6767	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Resistance to heat	IS 1259 (appendix B)
6768	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Soiling & Cleanability test with house hold chemicals	RDSO/2008/CG-07 (Appendix - A)
6769	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Surface Resistance to chemicals	IS 1259
6770	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Taber Abrasion Resistance , Mass loss	ISO 9332
6771	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Tearing strength (a) Direction A , (b) Direction B	IS 2076 (Method C2 pf appendix C)
6772	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Vinyl Coated Upholstery sheet	Thickness of the coating	IS 7016 (Part1)
6773	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Conveyer belt	Adhesion	IS 1891
6774	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Conveyer belt	Dimension (Length , width , thickness)	IS 1891
6775	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Conveyer Belt	Elongation	IS 1891
6776	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Conveyer belt	Elongation at break	IS 3400 (Part 1)
6777	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Conveyer belt	Full thickness breaking strength	IS 1891
6778	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Conveyer belt	Full thickness Elongation	IS 1891
6779	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Conveyer belt	Tensile strength	IS 3400 (Part 1)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 414 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6780	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Hospital Rubber sheeting	Autoclaving change upto 125 degree C	IS 8164
6781	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Hospital Rubber sheeting	Resistance to detergents	IS 8164
6782	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Accelerated ageing test at 27-100 degree C	IS 9573
6783	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Adhesion	IS 9573
6784	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Burning behaviour	IS 9573
6785	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Bursting pressure	IS 9573
6786	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Dimension (length , wall thickness , inner and outer diameter)	IS 9537
6787	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Elongation for lining and cover	IS 9573
6788	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Flexibility of hose	IS 9573
6789	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Hydraulic test	IS 9573
6790	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Low temperature flexibility	IS 9573
6791	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Proof pressure test	IS 9573
6792	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Resistance of lining to n-pentane	IS 9573
6793	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Tensile strength for lining and cover	IS 9573
6794	MECHANICAL- RUBBER AND RUBBER PRODUCTS	LPG Rubber hose	Thickness of Lining and Cover	IS 9573
6795	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Catheter	Elongation	IS 3400 (Part 1)
6796	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Catheter	Extractable Colour	IS 7523
6797	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Catheter	Hydraulic Test	IS 443 (Pt 3)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	415 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6798	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Catheter	Tensile strength	IS 3400 (Part 1)
6799	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Flooring materials for general purpose	Compression set	IS 3400 (Part 10)
6800	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Flooring materials for general purpose	Dimensions (Thickness)	IS 809
6801	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Flooring materials for general purpose	IHRD Hardness	IS 3400 (Part 2)
6802	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Flooring materials for general purpose	Resistance to abrasion	IS 3400 (Part 3)
6803	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Flooring materials for general purpose	Water absorption	IS 3400 (Part 6)
6804	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Flooring materials for general purpose	Width of sheet applicable on roll	IS 809
6805	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Gasket for Pressure Cooker	Change in hardness after ageing at 100 degree C for 3 days	IS 3400 (Pt 2)
6806	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Gasket for Pressure Cooker	Compression Set	IS 3400 (Pt 10)
6807	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Gasket for Pressure Cooker	Elongation	Is 3400 (Pt 1)
6808	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Gasket for Pressure Cooker	Elongation after ageing at 100 degree C for 3 days	IS 3400 (Pt 1)
6809	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Gasket for Pressure Cooker	IRHD Hardness	IS 3400 (Pt 2)
6810	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Gasket for Pressure Cooker	Tensile Strength	IS 3400 (Pt 1)
6811	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Gasket for Pressure Cooker	Tensile strength after ageing at 100 degree C for 3 days	IS 3400 (Pt 1)
6812	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber hose for oil suction	Accelerated ageing	IS 8189
6813	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber hose for oil suction	Dimensions (Length , Inner & Outer diameter)	IS 8189
6814	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber hose for oil suction	Elongation of lining and cover	IS 8189
6815	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber hose for oil suction	Hydrostatic test	IS 8189

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	416 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6816	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber hose for oil suction	Identification of fabric	IS 8189
6817	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber hose for oil suction	Tensile strength of lining and cover	IS 8189
6818	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber hose for oil suction	Type of wire	IS 8189
6819	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Accelerated ageing at temperature 70 degree c	IS 5382
6820	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Change in elongation	IS 3400 (Pt 1)
6821	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Change in Hardness	IS 3400 (Pt 2)
6822	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Change in Tensile Strength	IS 3400 (Pt 1)
6823	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Change in volume	IS 3400 (Pt 6)
6824	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Cold Resistance	IS 5382
6825	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Compression Set	IS 3400 (Pt 10)
6826	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Elongation	IS 3400 (Pt 1)
6827	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Finish	IS 5382
6828	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	IRHD Hardness	IS 3400 (Pt 2)
6829	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Splice Strength	IS 5382
6830	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Stress Relaxation in compression	IS 5832
6831	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Stretch on ring	IS 5382
6832	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Tensile strength	IS 3400 (Pt 2)
6833	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Water absorption	IS 3400 (Pt 6)
6834	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber Sealing Ring	Water immersion	IS 3400 (Pt 6)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 417 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6835	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Surgical Rubber Gloves	Dimension (Length , Width & Thickness)	IS 4148 & IS 13422
6836	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Surgical Rubber gloves	Elongation	IS 3400 (Part 1)
6837	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Surgical Rubber gloves	Stress at 500% elongation	IS 13422
6838	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Surgical Rubber Gloves	Tensile strength	IS 3400 (Pt 1)
6839	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Surgical Rubber gloves	Tension test	is 4148
6840	MECHANICAL- RUBBER AND RUBBER PRODUCTS	V -belts	Belt Pitch Length	IS 2494
6841	MECHANICAL- RUBBER AND RUBBER PRODUCTS	V -belts	Cross Section Dimensions	IS 2494
6842	MECHANICAL- RUBBER AND RUBBER PRODUCTS	V -belts	Elongation	IS 2494
6843	MECHANICAL- RUBBER AND RUBBER PRODUCTS	V -belts	Tensile strength	IS 2494
6844	MECHANICAL- RUBBER AND RUBBER PRODUCTS	V-Belts	Matched Belts	IS 2494
6845	MECHANICAL- SOIL AND ROCK	Base & Surface Course ,Bituminous /DAC/SDBC/BC/SDAC/BM/SDBM/Premix Carpet , Seal coat, Slurry Seal, MixSeal surfacing, Mastic, BUSG, Bitumen Penetration Macadam	Binder Content	ASTM D 6307
6846	MECHANICAL- SOIL AND ROCK	Base & Surface Course ,Bituminous /DAC/SDBC/BC/SDAC/BM/SDBM/Premix Carpet , Seal coat, Slurry Seal, MixSeal surfacing, Mastic, BUSG, Bitumen Penetration Macadam	Density of Cores	AASHTO T 166
6847	MECHANICAL- SOIL AND ROCK	Base & Surface Course ,Bituminous /DAC/SDBC/BC/SDAC/BM/SDBM/Premix Carpet , Seal coat, Slurry Seal, MixSeal surfacing, Mastic, BUSG, Bitumen Penetration Macadam	Gradation (Sieving)	IS : 2386, MOST IV revision & MORTH V revision
6848	MECHANICAL- SOIL AND ROCK	Base & Surface Course ,Bituminous /DAC/SDBC/BC/SDAC/BM/SDBM/Premix Carpet , Seal coat, Slurry Seal, MixSeal surfacing, Mastic, BUSG, Bitumen Penetration Macadam	Hardness number	IS 1195 & IS 5317
6849	MECHANICAL- SOIL AND ROCK	Base & Surface Course ,Bituminous /DAC/SDBC/BC/SDAC/BM/SDBM/Premix Carpet , Seal coat, Slurry Seal, MixSeal surfacing, Mastic, BUSG, Bitumen Penetration Macadam	Marshall Stability	MORTH V revision , MS-2 seventh edition, AASHTO T 245 & ASTM D 6927

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	418 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6850	MECHANICAL- SOIL AND ROCK	Base & Surface Course ,Bituminous /DAC/SDBC/BC/SDAC/BM/SDBM/Premix Carpet , Seal coat, Slurry Seal, MixSeal surfacing, Mastic, BUSG, Bitumen Penetration Macadam	Stone Polishing Value	IS 2386 (Pt 4) & BS 812 (Pt 114)
6851	MECHANICAL- SOIL AND ROCK	Base & Surface Course ,Bituminous /DAC/SDBC/BC/SDAC/BM/SDBM/Premix Carpet , Seal coat, Slurry Seal, MixSeal surfacing, Mastic, BUSG, Bitumen Penetration Macadam	Stripping Value	Is 6241
6852	MECHANICAL- SOIL AND ROCK	Base & Surface Course ,Bituminous /DAC/SDBC/BC/SDAC/BM/SDBM/Premix Carpet , Seal coat, Slurry Seal, MixSeal surfacing, Mastic, BUSG, Bitumen Penetration Macadam	Thickness	ASTM D 3549 /M:
6853	MECHANICAL- SOIL AND ROCK	Bentonite	Density	IS 2911 (Pt 1, sec 2) & IS 2720 (Pt 3/ Sec 1)
6854	MECHANICAL- SOIL AND ROCK	Bentonite	Differential Free Swell	IS 2720 (Pt 40)
6855	MECHANICAL- SOIL AND ROCK	Bentonite	Liquid Limit	IS 2720 (Pt 5)
6856	MECHANICAL- SOIL AND ROCK	Bentonite	Marsh Viscosity	IS 2911 (Pt 3/ Sec 1) & ASTM D 6910
6857	MECHANICAL- SOIL AND ROCK	Bentonite	Sand Content	IS 2720 (Pt 4)
6858	MECHANICAL- SOIL AND ROCK	Bentonite	Sand Content	IS 6186
6859	MECHANICAL- SOIL AND ROCK	Granite	Tensile Strength	IS 1121 (Pt 3)
6860	MECHANICAL- SOIL AND ROCK	Granite (strutural, polished)	Compressive strength	IS 3316 IS: 14223 (Pt 1) & IS 1121 (Pt 1)
6861	MECHANICAL- SOIL AND ROCK	Granite (strutural, polished)	Moh's hardness (Scratch hardness)	IS 13630 (Pt 13)
6862	MECHANICAL- SOIL AND ROCK	Granite (strutural, polished)	Moh's hardness (Scratch hardness)	IS 14223 (Pt 1)
6863	MECHANICAL- SOIL AND ROCK	Granite (strutural, polished)	Moisture content	IS 13030
6864	MECHANICAL- SOIL AND ROCK	Granite (strutural, polished)	Porosity apparent	IS 1124
6865	MECHANICAL- SOIL AND ROCK	Granite (strutural, polished)	Specific gravity	IS 3316, IS 1122
6866	MECHANICAL- SOIL AND ROCK	Granite (strutural, polished)	Water absorption	ASTM C 615

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 419 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6867	MECHANICAL- SOIL AND ROCK	Granite (strutural, polished)	Water absorption	IS 3316, IS: 13030 , IS 1124 & IS 14223
6868	MECHANICAL- SOIL AND ROCK	Granite- Structural, Polished	Resistance to Wear	IS14223 (Pt 1) : 1995 & IS 1706
6869	MECHANICAL- SOIL AND ROCK	Granite- Structural, Polished	Tensile Strength	IS 14223 (Pt 1): 1995 , IS 1121 (Pt 3)
6870	MECHANICAL- SOIL AND ROCK	Marble	Dimensions	EN 98
6871	MECHANICAL- SOIL AND ROCK	Marble	Dimensions	IS 1130 & EN 98
6872	MECHANICAL- SOIL AND ROCK	Marble	Moh's hardness (Scratch hardness)	IS 1130
6873	MECHANICAL- SOIL AND ROCK	Marble	Specific gravity/ true specific gravity/ true and apparent porosity	ASTM C 97
6874	MECHANICAL- SOIL AND ROCK	Marble	Specific gravity/ true specific gravity/ true and apparent porosity	IS 1130 IS 1124 IS 1122
6875	MECHANICAL- SOIL AND ROCK	Marble	Water absorption (moisture)	IS 1130, IS1124 & ASTM C 97
6876	MECHANICAL- SOIL AND ROCK	Sand Stone	Resistance to Wear	IS 3622 : 1969 & IS 1706 :
6877	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Apparent/ True porosity/ Apparent specific gravity	BSEN 772 (Pt 4)
6878	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Apparent/ True porosity/ Apparent specific gravity	IS 1124 & IS 13030
6879	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Compressive strength	ASTM C 170
6880	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Compressive strength	BS EN 1926
6881	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Compressive strength	IS 1121 (Pt 1)
6882	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Dimensions	IS 1130 & IS 3622
6883	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Durability	IS 1126
6884	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Moh's hardness (Scratch hardness)	IS 13630(Pt 13) & IS1130

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	420 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6885	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Specific gravity/ True specific gravity	IS 1122
6886	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Transverse strength	IS 1121
6887	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Water absorption	ASTM C 97
6888	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Water absorption	IS 13030 & IS 1124
6889	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz base stone, Sand stone, Dholpur stone, Kota stone	Weathering	IS 1125
6890	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz, Base stone, Sand stone, Dholpur stone, Kota Stone	Resistance to Wear	IS 3622 : 1969 & IS 1706
6891	MECHANICAL- SOIL AND ROCK	Slate stone, Quartz, Base stone, Sand stone, Dholpur stone, Kota Stone	Specific gravity/ True	IS 1122
6892	MECHANICAL- SOIL AND ROCK	Soil testing (field)	Earth resistivity	IS 15736
6893	MECHANICAL- SOIL AND ROCK	Soil testing (field)	Field density test (Core cuter method)	IS 2720 (Pt 29)
6894	MECHANICAL- SOIL AND ROCK	Soil, Sub grade, Embankment	Atterberg's limit (Liquid limit)	IS 2720 (Pt 5)
6895	MECHANICAL- SOIL AND ROCK	Soil, Sub grade, Embankment	Atterberg's limit (Plastic limit)	IS 2720 (Pt 5)
6896	MECHANICAL- SOIL AND ROCK	Soil, Sub grade, Embankment	California bearing ratio	IS 2720 (Pt16)
6897	MECHANICAL- SOIL AND ROCK	Soil, Sub Grade, Embankment	Direct shear strength (Angle of internal friction)	IS 2720 (Pt 13)
6898	MECHANICAL- SOIL AND ROCK	Soil, Sub Grade, Embankment	Direct shear strength (Cohesion)	IS 2720 (Pt 13)
6899	MECHANICAL- SOIL AND ROCK	Soil, Sub grade, Embankment	Free swell index	IS 2720 (Pt 40)
6900	MECHANICAL- SOIL AND ROCK	Soil, Sub grade, Embankment	Grain size analysis	IS 2720 (Pt 4)
6901	MECHANICAL- SOIL AND ROCK	Soil, Sub grade, Embankment	Moisture content	IS 2720 (Pt 2)
6902	MECHANICAL- SOIL AND ROCK	Soil, Sub grade, Embankment	Permeablity	IS 2720 (Pt 17), IS 2720 (Pt 36)
6903	MECHANICAL- SOIL AND ROCK	Soil, Sub Grade, Embankment	Proctor Compaction test (MDD) Heavy compaction	IS 2720 (Pt 8)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	421 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6904	MECHANICAL- SOIL AND ROCK	Soil, Sub Grade, Embankment	Proctor Compaction test (MDD) Light compaction	IS 2720 (Pt 7)
6905	MECHANICAL- SOIL AND ROCK	Soil, Sub Grade, Embankment	Proctor Compaction test (OMC) Heavy compaction	IS 2720 (Pt 8)
6906	MECHANICAL- SOIL AND ROCK	Soil, Sub Grade, Embankment	Proctor Compaction test (OMC) Light compaction	IS 2720 (Pt 7)
6907	MECHANICAL- SOIL AND ROCK	Soil, Sub grade, Embankment	Shrinkage limit	IS 2720 (Pt 6)
6908	MECHANICAL- SOIL AND ROCK	Soil, Sub grade, Embankment	Specific gravity	IS 2720 (Pt 3)
6909	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous) GSB, WMM, WBM, Stone metal	Gradation (Sieving)	IS 2386 (Pt 1) & MORTH Fifth Revision
6910	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous) GSB, WMM, WBM, Stone metal	Soundness	IS 2386 (Pt 5)
6911	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous) GSB, WMM, WBM, Stone metal	Water absorption	IS 2386 (Pt 3)
6912	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous), GSB, WMM, WBM, Stone metal	Abrasion Value	IS 2386 (Pt 4)
6913	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous), GSB, WMM, WBM, Stone metal	CBR	IS 2720 (Pt 16) & MORTH fifth revision
6914	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous), GSB, WMM, WBM, Stone metal	Combined EI & FI	IS 2386 (Pt 1) & MORTH fifth revision
6915	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous), GSB, WMM, WBM, Stone metal	Deleterious Materials	IS 2386 (Pt 2) & MORTH fifth Revision
6916	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous), GSB, WMM, WBM, Stone metal	Impact Value	IS 2386 (Pt 4) , IS 5640 & MORTH fifth revision
6917	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous), GSB, WMM, WBM, Stone metal	Liquid Limit	IS 2720 (Pt 5) & MORTH Fifth revision
6918	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous), GSB, WMM, WBM, Stone metal	Plastic Limit	IS 2720 (Pt 5)
6919	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous), GSB, WMM, WBM, Stone metal	Plasticity Index	IS 2720 (Pt 5) & MORTH fifth revision
6920	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous), GSB, WMM, WBM, Stone metal	Polished Stone Value (PSV)	DIN EN 1097 (Pt 8) BS 812 (Pt 114) & IS 2386 (Pt 4)
6921	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous), GSB, WMM, WBM, Stone metal	Proctor Compaction Test (MDD)	IS 2720 (Pt 7)
6922	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous), GSB, WMM, WBM, Stone metal	Proctor Compaction test (OMC)	IS 2720 (Pt 7)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 422 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6923	MECHANICAL- SOIL AND ROCK	Sub base (Non-bituminous), GSB, WMM, WBM, Stone metal	Proctor compaction test (MDD), Heavy compaction	IS 2720 (Pt 8)
6924	MECHANICAL- TEXTILE MATERIALS	Carpet & Rugs	Pile density	IS 5884
6925	MECHANICAL- TEXTILE MATERIALS	Carpet & Rugs	Pile height	IS 7877 (Pt I to V)
6926	MECHANICAL- TEXTILE MATERIALS	Carpet & Rugs	Point Density	SOP- SRI/T & P / 001
6927	MECHANICAL- TEXTILE MATERIALS	Carpet & Rugs	Thickness	IS 5884
6928	MECHANICAL- TEXTILE MATERIALS	Carpet & Rugs	Total Carpet Weight	IS 1964
6929	MECHANICAL- TEXTILE MATERIALS	Carpet & Rugs	Total Pile Weight	IS 1964 ,IS 667
6930	MECHANICAL- TEXTILE MATERIALS	Carpet & Rugs	Tuft withdrawal force	IS 5884
6931	MECHANICAL- TEXTILE MATERIALS	Coated fabrics	Accelerate ageing	IS 7016 (pt 8)
6932	MECHANICAL- TEXTILE MATERIALS	Coated fabrics	Blocking resistance	IS 7016 (pt 9)
6933	MECHANICAL- TEXTILE MATERIALS	Coated Fabrics	Breaking strength & Elongation of fabric	IS 7016 (pt 2)
6934	MECHANICAL- TEXTILE MATERIALS	Coated fabrics	Bursting strength	EN ISO 13938 -2 ,IS 7016 (Pt 6)
6935	MECHANICAL- TEXTILE MATERIALS	Coated Fabrics	coating adhesion	IS 7016 (pt 5)
6936	MECHANICAL- TEXTILE MATERIALS	Coated Fabrics	Mass	IS 7016 (pt 1)
6937	MECHANICAL- TEXTILE MATERIALS	Coated Fabrics	Resistance to damage by flexing	IS 7016 (pt 4)
6938	MECHANICAL- TEXTILE MATERIALS	Coated Fabrics	Tear Strength	IS 7016 (pt 3)
6939	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Abrasion resistance	ASTM D 4966
6940	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Antistaticity	BS EN 1149 -1
6941	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Average breaking strength & Elongation of fabric	BS EN ISO 13934 -1

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 423 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6942	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Average breaking strength & elongation of fabric	IS 1969 (part 1) & IS 1969 (Part 2)
6943	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Average breaking strength and elongation of fabric	ASTM D 5034 -09
6944	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Crease recovery angle	IS 4681
6945	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Dimensions (width)	ASTM D 3774
6946	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Dimensions (Width)	IS 1954
6947	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Ends/ Picks	IS 1963
6948	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Mass / Weight	IS 1964
6949	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Mass/ Weight	ASTM D 3776
6950	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Pilling	ASTM D 3512 /D 3512 M-10
6951	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Pilling	IS 10971 (part1-2)
6952	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Tear Strength	ASTM D 1424
6953	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Tear Strength	BS EN ISO 4674 -1
6954	MECHANICAL- TEXTILE MATERIALS	Fabrics (woven) , Garments, Made ups	Tear strength	IS 6489 (pt 1 to 4)
6955	MECHANICAL- TEXTILE MATERIALS	Geo textiles	Dynamic perforation (one drop test)	IS 13162(Part4)
6956	MECHANICAL- TEXTILE MATERIALS	Geo textiles	Elongation	ASTM D 4595, ASTM D 6693 M
6957	MECHANICAL- TEXTILE MATERIALS	Geo textiles	Index puncture test	ASTM D 4833/D4833M
6958	MECHANICAL- TEXTILE MATERIALS	Geo textiles	Static pressure test (CBR test)	EN ISO 12236
6959	MECHANICAL- TEXTILE MATERIALS	Geo textiles	Tear test	ASTM D 4533
6960	MECHANICAL- TEXTILE MATERIALS	Geo textiles	Tensile strength	ASTM D 4595 & ASTM D 6693 M

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 424 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6961	MECHANICAL- TEXTILE MATERIALS	Geo textiles	Thickness	BS EN ISO 9863-1
6962	MECHANICAL- TEXTILE MATERIALS	Geo textiles	Thickness	IS 13162 (Part 3)
6963	MECHANICAL- TEXTILE MATERIALS	Geo textiles	Unit weight	ASTM D 5261
6964	MECHANICAL- TEXTILE MATERIALS	Geo textiles	Unit weight	ISO 9864
6965	MECHANICAL- TEXTILE MATERIALS	Jute and its products	Average breaking strength of seam	IS 9030
6966	MECHANICAL- TEXTILE MATERIALS	Jute and its products	Breaking load	IS 1969 (Part 1)
6967	MECHANICAL- TEXTILE MATERIALS	Jute and its products	Corrected Mass per bag	IS 9113
6968	MECHANICAL- TEXTILE MATERIALS	Jute and its products	Dimensions	IS 1954
6969	MECHANICAL- TEXTILE MATERIALS	Jute and its products	Ends /Picks	IS 1963
6970	MECHANICAL- TEXTILE MATERIALS	Knitted products	Courses & Wales	IS 5450
6971	MECHANICAL- TEXTILE MATERIALS	Knitted products	Courses and Wales	IS 4964
6972	MECHANICAL- TEXTILE MATERIALS	Knitted products	Dimensions	IS 5084
6973	MECHANICAL- TEXTILE MATERIALS	Knitted products	Dimensions	IS 5450
6974	MECHANICAL- TEXTILE MATERIALS	Knitted products	Elongation at break	IS 5084
6975	MECHANICAL- TEXTILE MATERIALS	Knitted products	Tenacity	IS 5084
6976	MECHANICAL- TEXTILE MATERIALS	Knitted products	Weight	IS 5084
6977	MECHANICAL- TEXTILE MATERIALS	Knitted products	Weight	IS 5450
6978	MECHANICAL- TEXTILE MATERIALS	Medical Face Mask	Differential Pressure (Breathability)	EN 14683
6979	MECHANICAL- TEXTILE MATERIALS	Medical Face Mask	Dimension (Width, Length)	SRI/R&P/008

National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 425 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6980	MECHANICAL- TEXTILE MATERIALS	Medical Face Mask	Flammability	ASTM D 1230
6981	MECHANICAL- TEXTILE MATERIALS	Medical Face Mask	GSM	ASTM D 3776
6982	MECHANICAL- TEXTILE MATERIALS	Medical Face Mask	Ply	SRI/R& P/007
6983	MECHANICAL- TEXTILE MATERIALS	Medical Face Mask	Synthetic Blood Penetration Test (Splash test)	ASTM D 1862
6984	MECHANICAL- TEXTILE MATERIALS	Medical Face Mask	Thickness	ISO 9863
6985	MECHANICAL- TEXTILE MATERIALS	Packaging Textiles (HDPE/ PP Woven Sacks)	Average breaking stength of seam	IS 9030
6986	MECHANICAL- TEXTILE MATERIALS	Packaging Textiles (HDPE/ PP Woven Sacks)	Breaking load and elongation	IS 1969 (part1)
6987	MECHANICAL- TEXTILE MATERIALS	Packaging Textiles (HDPE/ PP Woven Sacks)	Dimensions	IS 1954
6988	MECHANICAL- TEXTILE MATERIALS	Packaging Textiles (HDPE/ PP Woven Sacks)	End picks	IS 1963,IS 14887, IS 14968
6989	MECHANICAL- TEXTILE MATERIALS	Packaging Textiles (HDPE/ PP Woven Sacks)	Mass	IS 1964
6990	MECHANICAL- TEXTILE MATERIALS	Ropes , Yarn , Chords & Threads	Breaking load & Elongation	ASTM D 204
6991	MECHANICAL- TEXTILE MATERIALS	Ropes , Yarn , Chords & Threads	Breaking Load & Elongation	IS 1670 & IS 7071 (Pt 4)
6992	MECHANICAL- TEXTILE MATERIALS	Ropes , Yarn , Chords & Threads	Breaking Load & Elongation	IS 1670 & IS 7071 (Pt 4)
6993	MECHANICAL- TEXTILE MATERIALS	Ropes , Yarn , Chords & Threads	Count of yarn	IS 3442
6994	MECHANICAL- TEXTILE MATERIALS	Ropes , Yarn , Chords & Threads	Count strength product (CSP)	IS 1671
6995	MECHANICAL- TEXTILE MATERIALS	Ropes , Yarn , Chords & Threads	Knot strength	ASTM D 204
6996	MECHANICAL- TEXTILE MATERIALS	Ropes , Yarn , Chords & Threads	Loop strength	ASTM D 204
6997	MECHANICAL- TEXTILE MATERIALS	Ropes , Yarn , Chords & Threads	Twist	IS 832 (Pt 1 & 2)
6998	MECHANICAL- WOOD AND WOOD PRODUCTS	Prelaminated Particle board	Resistance to Crack	IS12823

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	426 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
6999	MECHANICAL- WOOD AND WOOD PRODUCTS	Prelaminated Particle board	Resistance to Cigarette burns	IS 12823
7000	MECHANICAL- WOOD AND WOOD PRODUCTS	Prelaminated Particle board	Resistance to Stain	Is 12823
7001	MECHANICAL- WOOD AND WOOD PRODUCTS	Block board	Adhesion of Plies	IS 1659
7002	MECHANICAL- WOOD AND WOOD PRODUCTS	Block board	Dimensional Changes caused by humidity	IS 1659
7003	MECHANICAL- WOOD AND WOOD PRODUCTS	Block Board	Dimensions (Edge Straightness)	IS 1659
7004	MECHANICAL- WOOD AND WOOD PRODUCTS	Block Board	Dimensions (Length)	IS 659
7005	MECHANICAL- WOOD AND WOOD PRODUCTS	Block Board	Dimensions (Squareness)	IS 1659
7006	MECHANICAL- WOOD AND WOOD PRODUCTS	Block Board	Dimensions (Thickness)	IS 659
7007	MECHANICAL- WOOD AND WOOD PRODUCTS	Block Board	Dimensions (Width)	IS 1659
7008	MECHANICAL- WOOD AND WOOD PRODUCTS	Block Board	Modulus of Elasticity	IS 1659
7009	MECHANICAL- WOOD AND WOOD PRODUCTS	Block Board	Modulus of Rupture	IS 1659
7010	MECHANICAL- WOOD AND WOOD PRODUCTS	Block board	Resistance to Water	IS1659
7011	MECHANICAL- WOOD AND WOOD PRODUCTS	Boards (MDF, Particle boards, Prelaminated Particle board , Veneered Particle board , Prelaminated MDF Board)	Internal Bond (Tensile Strength perpendicular to surface) in Board	IS 2380 (Pt 5)
7012	MECHANICAL- WOOD AND WOOD PRODUCTS	Boards (MDF, Particle boards, Prelaminated Particle board , Veneered Particle board , Prelaminated MDF Board)	Modulus of Elasticity (MOE) in Board	IS 2380 (Pt 8)
7013	MECHANICAL- WOOD AND WOOD PRODUCTS	Boards (MDF, Particle boards, Prelaminated Particle board , Veneered Particle board , Prelaminated MDF Board)	Modulus of rupture (MOR) in Board	IS 2380 (Pt 8)
7014	MECHANICAL- WOOD AND WOOD PRODUCTS	Boards (MDF, Particle boards, Prelaminated Particle board , Veneered Particle board , Prelaminated MDF Board)	Moisture in Board	IS 2380 (Pt 8)
7015	MECHANICAL- WOOD AND WOOD PRODUCTS	Boards (MDF, Particle boards, Prelaminated Particle board , Veneered Particle board , Prelaminated MDF Board)	Swelling in Board	IS 2380 (Pt 17)
7016	MECHANICAL- WOOD AND WOOD PRODUCTS	Boards (MDF, Particle boards, Prelaminated Particle board , Veneered Particle board , Prelaminated MDF Board)	Water absorption in Board	IS 2380 (Pt 16)

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 427 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
7017	MECHANICAL- WOOD AND WOOD PRODUCTS	Boards (MDF,Particle boards, Prelaminated Particle board , Veneered Particle board , Prelaminated MDF Board)	Screw Withdrawal test in Board	IS 2380 (Pt 14)
7018	MECHANICAL- WOOD AND WOOD PRODUCTS	Boards(MDF, Particle Boards, Prelaminated Particle board , Veneered Particle Board , Prelaminated MDF Board)	Density	IS 2380 (Pt 3)
7019	MECHANICAL- WOOD AND WOOD PRODUCTS	Floor Laminate	Abrasion Resistance	EN 13329
7020	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Concrete Shuttering)	Dimensions (Thickness)	IS 4990
7021	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Concrete Shuttering)	Dimensions (Edge Straightness)	IS 4990
7022	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Concrete Shuttering)	Dimensions (Length)	IS 4990
7023	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Concrete Shuttering)	Dimensions (Squareness)	IS 4990
7024	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Concrete Shuttering)	Dimensions (Width)	IS 4990
7025	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Decorative)	Dimensions (Edge Straightness)	IS 1328
7026	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Decorative)	Dimensions (Length)	IS 1328
7027	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Decorative)	Dimensions (Squareness)	IS 1328
7028	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Decorative)	Dimensions (Thickness)	IS 1328
7029	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Decorative)	Dimensions (Width)	IS 1328
7030	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (General purpose)	Dimensions (Edge Straightness)	IS 303
7031	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (General purpose)	Dimensions (Squareness)	IS 303
7032	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (General purpose)	Dimensions (Thickness)	IS 303
7033	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (General purpose)	Dimensions (Width)	IS 303
7034	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (General purpose)	Dimensions (Length)	IS 303
7035	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (General, Marine , Concrete Shuttering ,Decorative)	Adhesion of Plies	IS 1734 (Pt 5)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	428 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
7036	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (General, Marine , Concrete Shuttering ,Decorative)	Moisture Content	IS 1734 (Pt 1)
7037	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (General, Marine , Concrete Shuttering ,Decorative)	Static Bending Strength - Modulus of Elasticity (Along & Across the grains)	IS 1734 (Pt 11)
7038	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (General, Marine , Concrete Shuttering ,Decorative)	Static Bending Strength - Modulus of Rupture (Along & Across the grains)	IS 1734 (Pt 11)
7039	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (General, Marine , Concrete Shuttering ,Decorative)	Tensile Strength parallel to surface - along the grain & across the grain	IS 1734 (Pt 9)
7040	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (General, Marine , Concrete Shuttering ,Decorative)	Water resistance test (Adhesion of Plies)	IS 1734 (Pt 6)
7041	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Marine)	Dimension (Squareness)	IS 710
7042	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Marine)	Dimensions (Edge Straightness)	IS 710
7043	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Marine)	Dimensions (Length)	IS 710
7044	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Marine)	Dimensions (Thickness)	IS 710
7045	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood (Marine)	Dimensions (Width)	IS 710
7046	MECHANICAL- WOOD AND WOOD PRODUCTS	Prelaminated MDF Board	Resistance to Abrasion	IS 14587
7047	MECHANICAL- WOOD AND WOOD PRODUCTS	Prelaminated MDF Board	Resistance to Cigarette burn	IS 14587
7048	MECHANICAL- WOOD AND WOOD PRODUCTS	Prelaminated MDF Board	Resistance to Crack	IS 14587
7049	MECHANICAL- WOOD AND WOOD PRODUCTS	Prelaminated MDF Board	Resistance to Stain	IS 14587
7050	MECHANICAL- WOOD AND WOOD PRODUCTS	Prelaminated MDF Board	Resistance to Steam	IS 14587
7051	MECHANICAL- WOOD AND WOOD PRODUCTS	Prelaminated Particle Board	Resistance to Abrasion	IS 12823
7052	MECHANICAL- WOOD AND WOOD PRODUCTS	Prelaminated Particle board	Resistance to Steam	IS 12823
7053	MECHANICAL- WOOD AND WOOD PRODUCTS	Timber/ Wood	Compressive strength (Parallel to Grain)	IS 1708 (Pt8)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	429 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
7054	MECHANICAL- WOOD AND WOOD PRODUCTS	Timber/ Wood	Density / Specific gravity	IS: 1708 (Pt 2)
7055	MECHANICAL- WOOD AND WOOD PRODUCTS	Timber/ Wood	Modulus of Elasticity (MOE)	IS 1708 (Pt 5)
7056	MECHANICAL- WOOD AND WOOD PRODUCTS	Timber/ Wood	Modulus of Rupture (MOR)	IS 1708 (Pt 5)
7057	MECHANICAL- WOOD AND WOOD PRODUCTS	Timber/ Wood	Moisture Content (Wood)	IS 287 & IS 1708(Pt1)
7058	MECHANICAL- WOOD AND WOOD PRODUCTS	Timber/ Wood	Nail Holding Test	IS 1708 (Pt 15)
7059	MECHANICAL- WOOD AND WOOD PRODUCTS	Timber/ Wood	Screw Holding Test	IS 1708 (Pt 15)
7060	MECHANICAL- WOOD AND WOOD PRODUCTS	Timber/ Wood	Tensile Strength	IS 1708 (Pt 12)
7061	MECHANICAL- WOOD AND WOOD PRODUCTS	Veneered Particle Board	Resistance to Water in Veneered Particle Board	IS 3097
7062	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Compressive strength (Rebound Number 9.9 - 62)	ASTM C 805
7063	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Compressive Strength (Rebound Number 9.9-62)	IS 516 (Pt 5) Sec 4
7064	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Cover depth	BS 1881 (Pt 204)
7065	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Half Cell Potential	ASTM C 876
7066	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Rebar mapping	BS 1881 (Pt 204)
7067	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Ultrasonic Pulse Velocity	ASTM C 597

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	430 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
7068	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Ultrasonic Pulse Velocity	IS 516 (Pt 5/Sec-1)
7069	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete, Structural Members	Half Cell Potential	IS 516, Part 5, Section 2
7070	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Reinforced Concrete Structure	Carbonation	IS 516 Part 5, Sec 3
7071	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Reinforced Concrete Structure	Carbonation Test	BS EN 14630
7072	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Animal Food & Feed	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7073	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Animal Food & Feed (Pet Foods)	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7074	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Ayush Products (Ayurvedic Drugs)	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7075	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Ayush Products (Drug Intermediates & Raw materials)	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	431 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
7076	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Ayush Products (Herbal Drugs)	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7077	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Ayush Products (Veterinary Drugs)	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7078	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Bakery & Confectionery	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7079	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Beverages (Alcoholic & Non Alcoholic)	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7080	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Canned and Processed foods	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7081	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Cereals , Pulses & by products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7082	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Coffee , cocoa & by products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	432 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
7083	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Essential Nutrients including Vitamins	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7084	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Fish and Sea foods	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7085	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Food additives (Food Colour & coal Tar dyes)	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7086	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Fruit & Vegetable products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7087	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Fruit Juice & Concentrates	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7088	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Gelatin and other Gums	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7089	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Gems, Precious and Semi Precious Stones	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	433 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
7090	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Honey and Honey products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7091	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Infant Foods	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7092	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Meat & Meat Products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7093	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Metals Alloys	Presence of Radioactive contamination (Co-60) in Metal Alloys	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7094	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Milk & Dairy products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7095	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Nut and Nut products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7096	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Oil seeds & by products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	434 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
7097	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Oil, Fat and related products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7098	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Poultry & Poultry products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7099	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Snacks & Instant Mixes	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7100	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Spices and Condiments	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7101	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Starch & starchy Products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7102	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Sugar & by products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7103	RADIOLOGICAL- FOOD AND AGRICULTURE PRODUCTS (RADIOACTIVE CONTAMINANTS)	Tea & Tea products	Presence of Radioactive contamination (Cs-137)	IAEA Technical report Series No. 295 on measurement of radionuclides in food and environment 1989 using NaI(Tl) based gamma spectroscopy
7104	RADIOLOGICAL- WATER (RADIOACTIVE CONTAMINANTS)	Bore Well water , Raw water , Treated Water , Water for Industrial Use , Others	Alpha Emitters	IS 14194 (Pt 2)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	435 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
7105	RADIOLOGICAL- WATER (RADIOACTIVE CONTAMINANTS)	Bore Well water , Raw water , Treated Water , Water for Industrial Use , Others	Beta Emitters	IS 14194 (Pt 1)
7106	RADIOLOGICAL- WATER (RADIOACTIVE CONTAMINANTS)	Drinking Water , Packaged drinking water	Alpha Emitters	IS 14194 (Pt 2)
7107	RADIOLOGICAL- WATER (RADIOACTIVE CONTAMINANTS)	Drinking Water , Packaged drinking water	Beta Emitters	IS 14194 (Pt 1)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	436 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Site Facility				
1	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Ammonia	ISC Method 401, 3rd Ed
2	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Arsenic	ASTM D 4185
3	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Benzene	IS 5182 (Pt 11)
4	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Carbon monoxide	IS 5182 (Pt 10)
5	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Chlorine	IS 5182 (Pt 19)
6	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Fine Particulate Matter (PM 2.5)	SOP No. SRI/EPD-Air Lab/01
7	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Hydrogen sulphide	IS 5182 (Pt 7)
8	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Lead	IS 5182 (Pt 22)
9	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Methane	IS 5182 (Pt 17)
10	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Nickel	ASTM D 4185
11	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Oxides of Nitrogen (as NO2)	IS 5182 (Pt 6)
12	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Ozone	ISC method No. 417 & ASTM D 5156
13	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	PAH's- Benzo alpha Pyrene (BaP)	IS 5182 (Pt 12)
14	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Respirable Particulate Matter (PM 10)	IS 5182 (Pt 23)
15	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Sulphur dioxide	IS 5182 (Pt 2)
16	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Suspended Particulate Matter (SPM)	IS 5182 (Pt 4)
17	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Total fluorides	IS 5182 (Pt 13)
18	CHEMICAL- ATMOSPHERIC POLLUTION	Air Pollution	Total Hydrocarbon (as CH4)	SOP No. SRI/EPD-Air Lab/ 01

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 437 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
19	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Acid Mist	USEPA Method 8
20	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Ammonia	IS 11255 (Pt 6)
21	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Antimony	USEPA Method 29
22	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Arsenic	USEPA Method 29
23	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Cadmium	USEPA Method 29
24	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Carbon dioxide	IS 13270
25	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Carbon Monoxide	IS 13270
26	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Carbon Monoxide	USEPA (method 10)
27	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Chromium	USEPA Method 29
28	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Cobalt	USEPA Method -29
29	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Flow (Gas Velocity)	IS 11255 (Pt 3)
30	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Hydrogen bromide	US EPA Method -26
31	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Hydrogen chloride	US EPA Method -26
32	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Hydrogen fluoride	US EPA Method -26
33	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Hydrogen sulphide	IS 11255 (Pt 4)
34	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Iron	USEPA Method 29
35	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Lead	USEPA Method 29
36	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Manganese	USEPA Method 29
37	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Mercury	USEPA Method 29

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 438 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
38	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Moisture	IS 11255 (Pt 3)
39	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Nickel	USEPA Method 29
40	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Nitrogen	SOP No. SRI/EDP-Air Lab/01
41	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Oxide of Nitrogen	IS 11255 (Pt 7)
42	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Oxygen	IS 13270
43	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Particulate matter	IS 11255 (Pt 1)
44	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Sulphur dioxide	IS 11255 (pt 2)
45	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Sulphur trioxide	USEPA Method 8
46	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Total fluorides	IS 11255 (pt 5)
47	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationary Sources from Stacks / Ducts	Total Hydrocarbons as CH4	SOP No. SRI/EPD-Air Lab/01
48	CHEMICAL- ATMOSPHERIC POLLUTION	Emission From Stationary sources from Stacks / Ducts	Vanadium	USEPA Method 29
49	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationery Sources from Stacks / Ducts	Total Organic Carbon (TOC) As CH4	SOP No. SRI/EPD-Air Lab/01
50	CHEMICAL- ATMOSPHERIC POLLUTION	Emission from Stationery Sources from Stacks/ Ducts	Non Methane Hydrocarbon (NMHC as C)	SOP No. SRI/EPD/Air Lab/01
51	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Ammonia	ISC Method 401
52	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Arsenic	ASTM D 4185
53	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Benzene	IS 5182 (Pt 11) & NISOH method 1501
54	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Cadmium	ASTM D 4185
55	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Carbon dioxide	SOP No. SRI/EPD-Air Lab /01
56	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Carbon Monoxide	IS 5182 (Pt 10)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	439 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
57	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Chlorine	IS 5182 (Pt 19)
58	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Fine Particulate Matter (PM2.5)	SOP No. SRI/EPD-Air Lab/ 01
59	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Hydrogen chloride	SOP No. SRI/EPD-Air Lab /01
60	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Hydrogen fluoride	NISOH Method 7903
61	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Hydrogen sulphide	IS 5182 (Pt 7)
62	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Iron	ASTM D 4185
63	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Lead	IS 5182 (Pt 22)
64	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Mercury	ASTM D 4185
65	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Nickel	ASTM D 4185
66	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Nitric Acid	NISOH Method 7903
67	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Oxides of Nitrogen (as NO2)	IS 5182 (Pt 6)
68	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Ozone	ISC Method No. 417 & ASTMD 5156
69	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Respirable Particulate Metter (PM10)	IS 5182 (Pt 23)
70	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission Monitoring	Sulphur dioxide	IS 5182 (part 2)
71	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission Monitoring	Sulphur dioxide	IS 5182 (Pt 2)
72	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Sulphuric Acid	NISOH Method 7903
73	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission Monitoring	Suspended Particulate Matter (SPM)	IS 5182 (Pt 4)
74	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Toluene	IS 5182 (Pt 11) & NISOH Method 1501
75	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Total Hydrocarbons (as CH4)	SOP No. SRI/EDP-Air Lab/ 01

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 440 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
76	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission monitoring	Xylene	IS 5182 (Pt 11) & NISOH Method 1501
77	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor air Quality	Ammonia	ISC Method -401& SOP No. SRI/EPD-Air Lab /01
78	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor air quality	Carbon Dioxide	SOP No. SRI/EPD- Air Lab/01
79	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Carbon Monoxide	IS 5182 (Pt 10) & SOP No. SRI/EPD- Air Lab/01
80	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Chlorine	IS 5182 (Pt 19) & SOP No. SRI/EPD- air Lab/01
81	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Hydrogen Sulphide	IS 5182 (Pt 7) & SOP No. SRI/EPD-Air Lab /01
82	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Oxides of Nitrogen (as NO2)	IS 5182 (Pt 6)
83	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Particulate Matter PM10	SOP No. SRI/EPD-Air Lab/01
84	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor air Quality	Particulate Matter PM2.5	SOP No. SRI/EPD- Air Lab/01
85	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Relative Humidity	SOP No. SRI/ EPD-Air Lab/01
86	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Sulphur dioxide	IS 5182 (Pt 2)
87	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Temperature	SOP No. SRI/EPD-Air Lab/01
88	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Total Fluoride	IS 5182(Pt 13)
89	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Quality	Total Hydrocarbon (as CH4)	SOP No. SRI/EPD-Air Lab/ 01
90	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor air Quality	Total Suspended Particulate Matter (TSPM)	SOP No. SRI/EPD-Air Lab/01
91	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Ammonia	ISC Method 401
92	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Antimony	US EPA Method 29
93	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Arsenic	US EPA Method 29
94	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Chlorine	IS 5182 (Pt 19)

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5444
Page No	441 of 444
Validity	15/10/2021 to 14/10/2023
Last Amended on	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
95	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Hydrogen Chloride	US EPA Method 26
96	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Hydrogen fluoride	US EPA Method 26
97	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Hydrogen Sulphide	IS 11255 (Pt 4)
98	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Hydrogen sulphide	IS 5182 (Pt 7)
99	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Methane	IS 5182 (Pt 17)
100	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Sulphur trioxide	US EPA Method 8
101	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Total Fluorides	IS 5182 (Pt 13)
102	CHEMICAL- ATMOSPHERIC POLLUTION	Process Gases Excluding Vehicular	Total Hydrocarbons as CH4	SOP No. SRI/EPD-Air Lab/ 01
103	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Ammonia	ISC Method 401
104	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Arsenic	ASTM D 4185
105	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Benzene	IS 5182 (Pt 11) & NISOH Method 1501
106	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Cadmium	ASTM D 4185
107	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Carbon dioxide	SOP No. SRI/EPD-Air Lab/ 01
108	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Carbon Monoxide	IS 5182 (Pt 10) & IS 15206
109	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Chlorine	IS 5182 (Pt 19)
110	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Fine Particulate Matter (PM 2.5)	SOP No. SRI/EPD- Air Lab /01
111	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Formaldehyde	SOP No. SRI/EPD-Air Lab /01
112	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Hydrogen chloride	SOP No. SRI/EPD-Air Lab/ 01
113	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Hydrogen Fluoride	NISOH Method 7903

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	442 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
114	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Hydrogen sulphide	IS 5182 (Pt 7)
115	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Iron	ASTM D 4185
116	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Lead	IS 5182 (Pt 22)
117	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Mercury	ASTM D 4185
118	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Nickel	ASTM D 4185
119	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Nitric Acid	NISOH Method 7903
120	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Oxides of Nitrogen (as NO2)	IS 5182 (Pt 6) & IS 15209
121	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Ozone	ISC Method No. 417, ASTM D 5156
122	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Respirable Particulate Matter (PM10)	IS 5182 (Pt 23)
123	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Sulphur dioxide	IS 5182 (Pt 2)
124	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Sulphuric Acid	NISOH Method 7903
125	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Toluene	IS 5182 (Pt 11) & NISOH Method 1501
126	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Total Hydrocarbons (as CH4)	SOP No. SRI/EPD-Air Lab/ 01
127	CHEMICAL- ATMOSPHERIC POLLUTION	Work Area Air Quality	Xylene	IS 5182 (Pt 11) & NISOH Method 1501
128	CHEMICAL- GASES	CNG/PNG	Moisture	IS 307
129	CHEMICAL- GASES	CNG/PNG	Oil	IS 307
130	CHEMICAL- GASES	CNG/PNG	Particulate matter	IS 11255 (Pt 1) Under Non Iso-kinetic condition
131	CHEMICAL- GASES	CNG/PNG	Sulphide as H2S	IS 11255 (Pt 4)
132	CHEMICAL- GASES	Compressed Air	Carbon dioxide	SOP No. SRI/EPD- Air Lab /01
133	CHEMICAL- GASES	Compressed Air	Carbon Monoxide	IS 5182 (Pt 10)
134	CHEMICAL- GASES	Compressed Air	Moisture	IS 307

SCOPE OF ACCREDITATION

Laboratory Name : SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5444 **Page No** 443 of 444

Validity 15/10/2021 to 14/10/2023 **Last Amended on** 30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
135	CHEMICAL- GASES	Compressed Air	Oil	ISO 8573 (Pt 2) & IS 307
136	CHEMICAL- GASES	Compressed Air	Particulate Matter	ISO 8573 (pt 2)
137	CHEMICAL- GASES	Compressed Air	Particulate matter	S 11255 (Pt 1) Under Non Iso-kinetic conditions
138	CHEMICAL- GASES	Compressed Air	Total Hydrocarbons as CH4	SOP No. SRI/EPD-air Lab/ 01
139	CHEMICAL- GASES	Dissolved Acetylene Gas	sulphur compounds	IS 308
140	CHEMICAL- GASES	Dissolved Acetylene Gas	Total Impurities insoluble in Acetone	IS 308
141	MECHANICAL- NOISE & VIBRATION	Measurement of Noise	Environmental (Ambient) Noise level , Work area and Indoor noise level and Noise emitted by machine	SOP SRI/EPD/AIR LAB/NV/02
142	MECHANICAL- NOISE & VIBRATION	Noise Reduction	DG set Acoustic Enclosures, Acoustically treated DG rooms & Machines Noise	SOP SRI/EPD/AIR LAB/NV/02
143	MECHANICAL- SOIL AND ROCK	Base & Surface Course ,Bituminous /DAC/SDBC/BC/SDAC/BM/SDBM/Premix Carpet , Seal coat, Slurry Seal, MixSeal surfacing, Mastic, BUSG, Bitumen Penetration Macadam	Density of Cores	AASHTO T 166
144	MECHANICAL- SOIL AND ROCK	Soil testing (field)	Earth resistivity	IS 15736
145	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement , Concrete , Pile Foundations	Pile Integrity test (by PET) Pile Length	ASTM D 5882
146	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Compressive strength (Rebound Number 9.9 - 62)	ASTM C 805
147	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Compressive Strength (Rebound Number 9.9-62)	IS 516 (Pt 5) Sec 4
148	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Cover depth	BS 1881 (Pt 204)
149	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Half Cell Potential	ASTM C 876

SCOPE OF ACCREDITATION

Laboratory Name :	SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH(A UNIT OF SHRIRAM SCIENTIFIC AND INDUSTRIAL RESEARCH FOUNDATION), 19-UNIVERSITY ROAD, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5444	**Page No**	444 of 444
Validity	15/10/2021 to 14/10/2023	**Last Amended on**	30/05/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
150	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Rebar mapping	BS 1881 (Pt 204)
151	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Ultrasonic Pulse Velocity	ASTM C 597
152	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete , Structural Members	Ultrasonic Pulse Velocity	IS 516 (Pt 5/Sec-1)
153	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Cement Concrete, Structural Members	Half Cell Potential	IS 516, Part 5, Section 2
154	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Reinforced Concrete Structure	Carbonation	IS 516 Part 5, Sec 3
155	NON-DESTRUCTIVE-BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Reinforced Concrete Structure	Carbonation Test	BS EN 14630

NOTE- The Laboratory has demonstrated competence for the stated scope for WATER. This however does not fully cover the specification requirements of BIS for the Packaged Drinking Water as per IS 14543 and the Packaged Natural Mineral Water IS 13428.