National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 1 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	Disposable surgical rubber gloves-Latex single use gloves	Sterility test	IS 13422(clause no. 5.4)
2	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	FILTERING HALF MASK	CLEANING AND DISINFECTING	IS9473(CLAUSE NO.5.2)
3	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	HALF MASK & QUARTER MASK	CLEANING AND DISINFECTING	IS 14746 (CLAUSE NO.4.2):
4	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	HALF FILTERING MASK	NOMINAL VALUE AND TOLERANCE	EN 149+A1(CLAUSE NO.7.2):
5	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	HALF FILTERING MASK	PARTICLE FILTERING - VALVELESS HALF MASKS	EN 149
6	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	medical gloves for single use	Removable surface powder	ISO 21171:
7	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	MEDICAL GLOVES FOR SINGLE USES	POWDER CONTENT	EN455-3 (CLAUSE NO-5.2):
8	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	MEDICAL TEXTILE PRODUCT	CLEANLINESS MICROBIAL/BIO BURDEN	EN 13795-1(ANNEX A.2.1):
9	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	MEDICAL TEXTILE PRODUCT	RESISTANCE TO MICROBIAL PENETRATION WET	EN13795-1(ANNEX A.2.7):
10	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	MEDICAL TEXTILE PRODUCT	RESISTANCE TO MICROBIAL PENETRATION - DRY	EN13795-1(ANNEX A.2.6):

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 2 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
11	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	MEDICAL TEXTILE PRODUCTS	BARRIER PROPERTIES	IS 17334 (CLAUSE NO-5.3):
12	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	MEDICAL TEXTILE PRODUCTS	MICROBIOLOGICAL CLEANLINESS	ISO 11737-1
13	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	MEDICAL TEXTILE PRODUCTS	RESISTANCE TO DRY MICROBIAL PENETRATION	IS 16548
14	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	MEDICAL TEXTILE PRODUCTS	RESISTANCE TO DRY MICROBIAL PENETRATION	ISO 22612
15	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	MEDICAL TEXTILE PRODUCTS	RESISTANCE TO WET BACTERIAL PENETRATION	IS 16549:
16	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	MEDICAL TEXTILE PRODUCTS	RESISTANCE TO WET BACTERIAL PENETRATION	ISO 22610:
17	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	MEDICAL TEXTILE PRODUCTS	VIRAL PENETRATION RESISTANCE	ASTM F1671
18	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	PROTECTIVE CLOTHING	RESISTANCE TO PENETRATION BY INFECTIVE AGENTS DUE TO MECHANICAL CONTACT WITH SUBSTANCE CONTAINING CONTAMINATED LIQUID	EN14126(CLAUSE NO.4.1.4.2):
19	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	protective gloves	penetration test	EN ISO 374-5(CLAUSE NO.5.2):
20	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	PROTECTIVE GLOVES	PROTECTION AGAINST VIRUSES	EN ISO 375-5(CLAUSE NO. 5.3):

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	3 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
21	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	SURGICAL FACE MASK	BACTERIAL FILTRATION EFFICIENCY	IS 16288
22	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	SURGICAL FACE MASK	BACTERIAL FILTRATION EFFICIENCY (BFE)	ASTM F2101
23	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	SURGICAL FACE MASK	BACTERIAL FILTRATION EFFICIENCY (BFE)	EN 14683+AC(CLAUSE NO.5.2.2)ANNEXB
24	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	SURGICAL FACE MASK	BACTERIAL FILTRATION EFFICIENCY TEST	ASTM F2100(CLAUSE 9.1):
25	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	SURGICAL FACE MASK	MICROBIAL CLEANLINESS (BIO BURDEN)	EN 14683
26	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	SURGICAL FACE MASK	SUB-MICRON PARTICULATE FILTRATION AT 0.1 µ PERCENT (PFE)	ASTIM F2100 (CLAUSE NO.9.3):
27	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	Textile & Textile Products	ANTIBACTERIAL TEST	AATCC100:
28	BIOLOGICAL- BIOLOGICAL TESTS ON OTHER MISCELLANEOUS TEST ITEMS	Textile & Textile Products	ANTIBACTERIAL ACTIVITY	AATCC147:
29	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	All rubber gum boots and ankle boots	Resistance to Acid and Alkali	IS 5557-2 Clause 5.8
30	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Footwear	Acetone Extract	IS 6110
31	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Footwear	Resistance to Acid & Alkali	IS 5915

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	4 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
32	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	FOOTWEAR & FOOTWEAR MATERIAL	Allergenic and Carcinogenic Disperse dyes	IS 17011 CLAUSE 4.1
33	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	FOOTWEAR AND FOOTWEAR MATERIAL	AROMATIC AMINES RELEASED FROM AZO DYES	IS 17011 CLAUSE 4.1
34	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	FOOTWEAR AND FOOTWEAR MATERIAL	Chromium VI	IS 17011 Clause 4.1
35	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	FOOTWEAR AND FOOTWEAR MATERIAL	DIMETHYL FUMARATE	IS 17011 Clause 4.1
36	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	FOOTWEAR AND FOOTWEAR MATERIAL	FORMALDEHYDE	IS 17011 CLAUSE 4.1
37	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	FOOTWEAR AND FOOTWEAR MATERIAL	NICKEL	IS 17011 CLAUSE 4.1
38	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	FOOTWEAR AND FOOTWEAR MATERIAL	ORGANOTIN COMPOUNDS	IS 17011 CLAUSE 4.1
39	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	FOOTWEAR AND FOOTWEAR MATERIAL	pH VALUE	IS 17011 CLAUSE 4.1
40	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	FOOTWEAR AND FOOTWEAR MATERIAL	PHTHALATES	IS 17011 CLAUSE 4.1
41	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	FOOTWEAR AND FOOTWEAR MATERIAL	POLYCHLOROPHENOLS	IS 17011 CLAUSE 4.1
42	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Footwears	Bond organic substances	IS 582 LC:21
43	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Footwears	Degree of tannage	IS 582 LC:21
44	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Footwears	Proofing content	IS 6110
45	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Footwears	Water soluble organic Substance	IS 582 LC:9

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5579
Page No	5 of 125
Validity	24/10/2021 to 23/10/2023
Last Amended on	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
46	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCT	4-AMINOBENZENE	ISO 17234-2
47	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	FORMALDEHYDE CONTENT	IS 16297 (PART-3):
48	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2 Aminonitro-4 Toluene (99-55-8)	ISO 17234-1
49	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2 Aminonitro-4 Toluene (99-55-8)	ISO 17234-1
50	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2 Naphthalamine(91 - 59 - 8)	ISO 17234-1
51	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2 Naphthalamine(91 - 59 - 8)	ISO 17234-1
52	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2,4 Diaminoanisole(615-05-4)	ISO 17234-1
53	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2,4 Diaminoanisole(615-05-4)	ISO 17234-1
54	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2,4 Tolyenediamine(95-80-7)	ISO 17234-1
55	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2,4 Tolyenediamine(95-80-7)	ISO 17234-1
56	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2,4,5-Trimethylaniline (137-17-7)	ISO 17234-1
57	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2,4,5-Trimethylaniline (137-17-7)	ISO 17234-1

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5579
Page No	6 of 125
Validity	24/10/2021 to 23/10/2023
Last Amended on	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
58	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2,4-dimethylaniline(=2,4-Xylidine) (95-68-1)	ISO 17234-1
59	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2,4-dimethylaniline(=2,4-Xylidine) (95-68-1)	ISO 17234-1
60	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 2-methoxyaniline(=o-anisidine)(90-04-0)	ISO 17234-1
61	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 4 Aminobiphenyl(92-67-1)	ISO 17234-1
62	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 4 Aminobiphenyl(92-67-1)	ISO 17234-1
63	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 4 Chloro-O-Toluidine(95-69-2)	ISO 17234-1
64	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 4,4 Oxydi	ISO 17234-1
65	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 4,4 Oxydi	ISO 17234-1
66	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 4-Aminoazobenzene(60-09–03)	ISO 17234-1
67	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : 4-Aminoazobenzene(60-09–03)	ISO 17234-1
68	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : P -Cresidine (120-71-8)	ISO 17234-1
69	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : P -Cresidine (120-71-8)	ISO 17234-1
70	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : P-Choroaniline(106-47-8)	ISO 17234-1

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 7 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
71	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	Detection of certain aromatic derived from AZO Colourants : P-Choroaniline(106-47-8)	ISO 17234-1
72	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	MIGRATION OF CERTAIN ELEMENT : LEAD	ISO 8124-3
73	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	MIGRATION OF CERTAIN ELEMENT : LEAD	ASTM F963
74	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	MIGRATION OF CERTAIN ELEMENT : LEAD	BS EN 71-3
75	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	MIGRATION OF CERTAIN ELEMENT : LEAD	IS 9873-3
76	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	MIGRATION OF CERTAIN ELEMENT : NICKEL	ASTM F963
77	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	MIGRATION OF CERTAIN ELEMENT : NICKEL	BS EN 71-3
78	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	MIGRATION OF CERTAIN ELEMENT : NICKEL	IS 9873-3
79	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS	MIGRATION OF CERTAIN ELEMENT : NICKEL	ISO 8124-3
80	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS & ACCESSORIES	pH VALUE	EN ISO 21420 CLAUSE 4.2
81	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS & ACCESSORIES	pH VALUE	IS 15298-2 Clause 5.4.7, 5.5.4,& 5.6.2
82	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS & ACCESSORIES	pH VALUE	IS 15298-3 Clause 5.4.7, 5.5.4,& 5.6.2
83	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS & ACCESSORIES	pH VALUE	ISO 15298-1 Clause 6.9,
84	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS & ACCESSORIES	pH VALUE	ISO 20345 Clause 5.4.7, 5.5.4,& 5.6.2

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 8 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
85	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS & ACCESSORIES	pH VALUE	ISO 20346 Clause 5.4.7, 5.5.4,& 5.6.2
86	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS & ACCESSORIES	pH VALUE	ISO 20347Clause 5.4.7, 5.5.4,& 5.6.2
87	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER & LEATHER PRODUCTS & ACCESSORIES	pH VALUE	ISO 4045:
88	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER , LEATHER PRODUCTS & ACCESSORIES	Chlorinated Phenol: PCP	IS 16981
89	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER , LEATHER PRODUCTS & ACCESSORIES	Chlorinated Phenol: TCP	IS 16981
90	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER , LEATHER PRODUCTS & ACCESSORIES	Chlorinated Phenol: TeCP	IS 16981
91	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER , LEATHER PRODUCTS & ACCESSORIES	Chlorinated Phenol: TriCP	IS 16981
92	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM VI CONTENT	ISO 17075
93	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	2-PHENYLPHENOL(OPP)	ISO 13365
94	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	4- CHLORO-3-METHYLPHENOL(PCMC)	ISO 13365
95	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	BLUE COLORANTS (NAVY BLUE)	DIN 54231:
96	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Chlorinated Phenol: Pentachlorophenol (PCP); CAS no. 87-86-5,	IS 14575
97	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM (VI) CONTENT	IS 16259
98	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM (VI) CONTENT (BY HPLC)	ISO 17075-2:

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 9 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
99	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM VI CONTENT	EN ISO 21420 CLAUSE 4.2
100	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM VI CONTENT	IS 15298-1 CLAUSE 6.11
101	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM VI CONTENT	IS 15298-2 Clause 5.4.9, 5.5.5 & 5.6.3
102	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM VI CONTENT	IS 15298-3 Clause 5.4.9, 5.5.5 & 5.6.3
103	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM VI CONTENT	IS 15298-4 Clause 5.4.9, 5.5.5 & 5.6.3
104	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM VI CONTENT	ISO 17075
105	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM VI CONTENT	ISO 17075-1
106	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM VI CONTENT	ISO 20344 Clause 6.11
107	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM VI CONTENT	ISO 20345 Clause 5.4.9, 5.5.5 & 5.6.3
108	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	CHROMIUM VI CONTENT	ISO 20347 Clause 5.4.9, 5.5.5 & 5.6.3
109	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2 Aminonitro-4 Toluene (99-55-8)	IS 582 PART-5/SEC 1
110	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2 Aminonitro-4 Toluene (99-55-8)	IS 582 PART-5/SEC 1
111	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2 Aminonitro-4 Toluene (99-55-8)	IS 582 PART-5/SEC-2

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 10 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
112	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2 Aminonitro-4 Toluene (99-55-8)	IS 582 PART-5/SEC-2
113	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2 Naphthalamine(91 - 59 - 8)	IS 582 PART-5/SEC 1
114	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2 Naphthalamine(91 - 59 - 8)	IS 582 PART-5/SEC-2
115	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2 Naphthalamine(91 - 59 - 8)	IS 582 PART-5/SEC-2
116	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4 Diaminoanisole(615-05-4)	IS 582 PART-5/SEC 1
117	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4 Diaminoanisole(615-05-4)	IS 582 PART-5/SEC 1
118	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4 Diaminoanisole(615-05-4)	IS 582 PART-5/SEC-2
119	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4 Diaminoanisole(615-05-4)	IS 582 PART-5/SEC-2
120	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4 Tolyenediamine(95-80-7)	IS 582 PART-5/SEC 1
121	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4 Tolyenediamine(95-80-7)	IS 582 PART-5/SEC-2
122	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4 Tolyenediamine(95-80-7)	IS 582 PART-5/SEC-2
123	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4,5-Trimethylaniline (137-17-7)	IS 582 PART-5/SEC 1
124	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4,5-Trimethylaniline (137-17-7)	IS 582 PART-5/SEC-2

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 11 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
125	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4,5-Trimethylaniline (137-17-7)	IS 582 PART-5/SEC-2
126	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4-dimethylaniline(=2,4-Xylidine) (95-68-1)	IS 582 PART-5/SEC 1
127	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4-dimethylaniline(=2,4-Xylidine) (95-68-1)	IS 582 PART-5/SEC-2
128	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4-dimethylaniline(=2,4-Xylidine) (95-68-1)	IS 582 PART-5/SEC-2
129	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2-methoxyaniline(=o-anisidine)(90-04-0)	IS 582 PART-5/SEC 1
130	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2-methoxyaniline(=o-anisidine)(90-04-0)	IS 582 PART-5/SEC-2
131	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2-methoxyaniline(=o-anisidine)(90-04-0)	IS 582 PART-5/SEC-2
132	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4 Aminobiphenyl(92-67-1)	IS 582 PART-5/SEC 1
133	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4 Aminobiphenyl(92-67-1)	IS 582 PART-5/SEC 1
134	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4 Aminobiphenyl(92-67-1)	IS 582 PART-5/SEC-2
135	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4 Aminobiphenyl(92-67-1)	IS 582 PART-5/SEC-2
136	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4 Chloro-O-Toluidine(95-69-2)	IS 582 PART-5/SEC 1

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 12 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
137	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4 Chloro-O-Toluidine(95-69-2)	IS 582 PART-5/SEC 1
138	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4 Chloro-O-Toluidine(95-69-2)	IS 582 PART-5/SEC-2
139	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4 Chloro-O-Toluidine(95-69-2)	IS 582 PART-5/SEC-2
140	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4,4 Oxydi	IS 582 PART-5/SEC 1
141	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4,4 Oxydi	IS 582 PART-5/SEC 1
142	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4,4 Oxydi	IS 582 PART-5/SEC-2
143	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4,4 Oxydi	IS 582 PART-5/SEC-2
144	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4-Aminoazobenzene(60-09–03)	IS 582 PART-5/SEC 1
145	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4-Aminoazobenzene(60-09–03)	IS 582 PART-5/SEC 1
146	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4-Aminoazobenzene(60-09–03)	IS 582 PART-5/SEC-2
147	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4-Aminoazobenzene(60-09–03)	IS 582 PART-5/SEC-2
148	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : P -Cresidine (120-71-8)	IS 582 PART-5/SEC 1
149	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : P -Cresidine (120-71-8)	IS 582 PART-5/SEC-2
150	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : P -Cresidine (120-71-8)	IS 582 PART-5/SEC-2

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	13 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
151	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : P-Choroaniline(106-47-8)	IS 582 PART-5/SEC 1
152	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : P-Choroaniline(106-47-8)	IS 582 PART-5/SEC 1
153	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : P-Choroaniline(106-47-8)	IS 582 PART-5/SEC-2
154	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : P-Choroaniline(106-47-8)	IS 582 PART-5/SEC-2
155	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants O-Tiluidine(95-53-4)	IS 582 PART-5/SEC 1
156	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Detection of certain aromatic derived from AZO Colourants O-Tiluidine(95-53-4)	IS 582 PART-5/SEC-2
157	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Determination of Pesticides: DDT op(789-02-06)	ISO 22517
158	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	DIMETHYLFORMAMIDE (DMFA)	ISO / TS 16189:
159	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	DMFU CONTENT IN FOOTWEAR - QUANTITATIVE	IS 16991
160	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	FORMALDEHYDE CONTENT	IS 14563-1:
161	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	FORMALDEHYDE CONTENT	IS 16297 (PART-2):
162	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	FORMALDEHYDE CONTENT	IS 16297(PART 1):
163	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	FORMALDEHYDE CONTENT	ISO 17226-1:
164	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	ORTHOPHENYL PHENOL (OPP)	ISO 13365:

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 14 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
165	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	ORTHOPHENYL PHENOL (OPP)	ISO 17070:
166	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	PER FLURINATED CARBON(PFCS):PFOA/PFOS/PFOSA	CEN/TS 15968:
167	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Pesticides: Aldrin(309-00-2)	ISO 22517
168	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	PHENOL	ISO 20536:
169	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Phthalates: 1 Di-isononyl phthalate (DINP); CAS No. 28553-12-0	CPSC-CH-C1001-09.4
170	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Phthalates: Bis(2-methoxyethyl) phthalate (DMEP); CAS No. 117-82-8	CPSC-CH-C1001-09.4
171	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Phthalates: Butyl benzyl phthalate (BBP); CAS No. 85-68-7	CPSC-CH-C1001-09.4
172	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Phthalates: Di-butyl phthalate (DBP); CAS No. 84-72-2	CPSC-CH-C1001-09.4
173	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Phthalates: Di-iso-decyl phthalate (DIDP); CAS No. 26761-40-0	CPSC-CH-C1001-09.4
174	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Phthalates: Di-n-hexyl phthalates (DnHP); CAS No. 84-75-3	CPSC-CH-C1001-09.4
175	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Phthalates: Di-n-octyl phthalate (DNOP); CAS No. 117-84-0	CPSC-CH-C1001-09.4
176	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Phthalates: Di-n-pentyl phthalate	CPSC-CH-C1001-09.4
177	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Phthalates: N-pentyl-isopenthyl phthalate (NPIPP); CAS No. 84777-06-0	CPSC-CH-C1001-09.4
178	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	Phthalates:Di-(2-ethylhexyl) phthalate (DEHP); CAS No. 117-81-7	CPSC-CH-C1001-09.4

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 15 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
179	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	TOTAL HEAVY METALS CONTENT : CADMIUM	BS EN ISO 17072
180	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	TOTAL HEAVY METALS CONTENT : CADMIUM	BS EN ISO 17072-2
181	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	TOTAL HEAVY METALS CONTENT : LEAD	BS EN ISO 17072-2
182	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	TOTAL HEAVY METALS CONTENT : NICKEL	BS EN ISO 17072-2
183	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER ,LEATHER PRODUCTS & ACCESSORIES	VINYLCHLORIDE MONOMER	IS 10151:
184	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	LEATHER LEATHER PRODUCTS & ACCESSORIES	COLOPHONY	SL/SOP/TM/07:
185	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Boot And Shoes	Chromium (as Cr2O3)	IS 582 LC:10
186	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Boot And Shoes	Colour Fastness to Washing	IS 1989-1 Clause 8.5
187	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Boot And Shoes	pH Value	IS 1989-1 Clause 8.5
188	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Boot And Shoes	Solvent Extractable Substances	IS 582 LC:4
189	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Boot And Shoes	Sulphur Dye Feee	IS 1989-1 Clause 8.14 (Appendix A)
190	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Azo Dye	IS 14544 Clause 5.2.4
191	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Formaldehyde	IS 14544 Clause 5.2.4
192	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Hexavalent Chromium	IS 14544 Clause 5.2.4

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 16 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
193	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Pentachlorophenate	IS 14544 Clause 5.2.4
194	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded rubber Sole	Azo dyes	IS 11226 Clause 5.2.4
195	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded rubber Sole	Colour Fastness to perspiration	IS 11226 Clause 5.2.5
196	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded rubber Sole	Colour fastnessto rubbing	IS 11226 Clause 5.2.5
197	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded rubber Sole	Formaldehyde	IS 11226 Clause 5.2.4
198	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded rubber Sole	Hexavalent Chromium	IS 11226 Clause 5.2.4
199	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded rubber Sole	Hide Substances	IS 11226 Clause 5.2.2
200	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded rubber Sole	Mineral ash	IS 11226 Clause 5.2.2
201	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded rubber Sole	Pentachlorophenate	IS 11226 Clause 5.2.4
202	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather Safety Footwear With Direct Moulded rubber Sole	Water soluble matter	IS 11226 Clause 5.2.2
203	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather, Leather Products & Accessories	Chrome VI Content	ISO 17075-2

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5579
Page No	17 of 125
Validity	24/10/2021 to 23/10/2023
Last Amended on	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
204	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather, Leather Products & Accessories	Detection of certain aromatic derived from AZO Colourants (Total 24 aryl amines as listed) O-Tiluidine(95-53-4), 2,4-dimethylaniline(=2,4-Xylidine)(95-68-1), 2-methoxyaniline(=o-anisidine)(90-04-0), P-Choroaniline(106-47-8), P - Cresidine (120-71-8), 2,4,5-Trimethylaniline (137-17-7), 4 Chloro-O-Toluidine(95-69-2) 2,4 Tolyenediamine(95-80-7), 2,4 Diaminoanisole(615-05-4), 2 Naphthalamine(91 - 59 - 8), 2 Aminonitro-4 Toluene (99-55-8), 4 Aminobiphenyl(92-67-1), 4-Aminoazobenzene(60-09–03), 4	ISO 17234-1
205	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather, Leather Products & Accessories	Determination of Chlorinated Phenol: Pentachlorophenol (PCP); CAS no. 87-86-5, 2,3,4,5-Tetrachlorophenol (2,3,4,5-TeCP); CAS no. 4901-51-3 2,3,4,6-Tetrachlorophenol (2,3,4,6-TeCP); CAS no. 58-90-2 2,3,5,6-Tetrachlorophenol (2,3,5,6-TeCP); CAS no. 935-95-5 2,3,6-Trichlorophenol (2,3,6-TCP); CAS no. 933-75-5 2,4,6-Trichlorophenol (2,4,6-TCP); CAS no. 88-06-2	BS EN ISO 17070
206	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather, Leather Products & Accessories	Formaldehyde Content	ISO 17226 - 2
207	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather, Leather Products & Accessories	O-Tiluidine(95-53-4),	ISO 17234-1
208	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Leather, Leather Products & Accessories	Quantitative determination of DMFU content in footwear	ISO/TS 16186
209	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	metal & metal accessories	nickel release	EN 12472;2005_A1:

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 18 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
210	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	METAL & METAL ACCESSORIES	LEAD IN SURFACE COATING	CPSC-CH-E1004-11:
211	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	METAL & METAL ACCESSORIES	TOTAL LEAD CONTENT	CPSC-CH-E1001-08.3:
212	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	METAL & METAL ACCESSORIES	NICKEL RELEASE	EN 1811+A1:
213	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	METAL & METAL ACCESSORIES	TOTAL CADMIUM CONTENT	ASTM D1613:
214	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	METAL &METAL ACCESSORIES	CADMIUM IN METAL JEWELRY	CPSC-CH-E1004-11:
215	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	METAL , LEATHER , POLYMER, RUBBER, LEATHER PRODUCT & ACCESSORIES	MIGRATION OF CERTAIN ELEMENTS : CADMIUM	ASTM F963 (CLAUSE NO.4.3.5.2.)
216	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	METAL , LEATHER , POLYMER, RUBBER, LEATHER PRODUCT & ACCESSORIES	MIGRATION OF CERTAIN ELEMENTS : CADMIUM	IS 582 PART-6
217	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	METAL , LEATHER , POLYMER, RUBBER, LEATHER PRODUCT & ACCESSORIES	MIGRATION OF CERTAIN ELEMENTS : LEAD	ASTM F963 (CLAUSE NO.4.3.5.2.)
218	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	METAL , LEATHER , POLYMER, RUBBER, LEATHER PRODUCT & ACCESSORIES	MIGRATION OF CERTAIN ELEMENTS : LEAD	IS 582 PART-6
219	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	METAL , LEATHER , POLYMER, RUBBER, LEATHER PRODUCT & ACCESSORIES	MIGRATION OF CERTAIN ELEMENTS : NICKEL	ASTM F963 (CLAUSE NO.4.3.5.2.)
220	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	METAL , LEATHER , POLYMER, RUBBER, LEATHER PRODUCT & ACCESSORIES	MIGRATION OF CERTAIN ELEMENTS : NICKEL	IS 582 PART-6
221	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	METAL PARTS IN PROTECTIVE COLOTHING	INNOCUOUSNESS : NICKEL RELEASE	ISO 13688 (CLAUSE NO,4.2b):
222	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Determination of Phthalates: Bis(2-methoxyethyl) phthalate (DMEP); CAS No. 117-82-8	EN ISO 14389
223	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Determination of Phthalates: Butyl benzyl phthalate (BBP); CAS No. 85-68-7	EN ISO 14389

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 19 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
224	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Determination of Phthalates: Di-(2-ethylhexyl) phthalate (DEHP); CAS No. 117-81-7	EN ISO 14389
225	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Determination of Phthalates: Di-iso-decyl phthalate (DIDP); CAS No. 26761-40-0	EN ISO 14389
226	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Determination of Phthalates:N-pentyl-isopenthyl phthalate (NPIPP); CAS No. 84777-06-0	IS 9873-3
227	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Phthalates: Bis(2-methoxyethyl) phthalate (DMEP); CAS No. 117-82-8	IS 9873-3
228	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Phthalates: Di-butyl phthalate (DBP); CAS No. 84-72-2	EN ISO 14389
229	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Phthalates: Di-isononyl phthalate (DINP) CAS No. 28553-12-0	IS 9873-3
230	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Phthalates: Di-n-hexyl phthalates (DnHP); CAS No. 84-75-3	EN ISO 14389
231	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Phthalates: Di-n-octyl phthalate (DNOP); CAS No. 117-84-0	EN ISO 14389
232	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Phthalates: Di-n-pentyl phthalate	EN ISO 14389
233	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Phthalates: Di-n-pentyl phthalate	IS 9873-3
234	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & other Polymeric products	Phthalates: N-pentyl-isopenthyl phthalate (NPIPP); CAS No. 84777-06-0	EN ISO 14389
235	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & Polymeric Products	MIGRATION OF CERTAIN : CADMIUM	ASTM F963
236	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastic & Polymeric products	MIGRATION OF CERTAIN : CADMIUM	BS EN 71-3
237	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PLASTIC & POLYMERIC PRODUCTS	Phthalates : Butyl benzyl phthalate (BBP); CAS No. 85-68-7	IS 9873-3

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	20 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
238	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PLASTIC & POLYMERIC PRODUCTS	Phthalates : Di-butyl phthalate (DBP)	IS 9873-3
239	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PLASTIC & POLYMERIC PRODUCTS	Phthalates : Di-n-hexyl phthalates (DnHP); CAS No. 84-75-3	IS 9873-3
240	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PLASTIC & POLYMERIC PRODUCTS	Phthalates: Di-iso-decyl phthalate (DIDP); CAS No. 26761-40-0	IS 9873-3
241	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PLASTIC & POLYMERIC PRODUCTS	Phthalates: Di-n-octyl phthalate (DNOP); CAS No. 117-84-0	IS 9873-3
242	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PLASTIC & POLYMERIC PRODUCTS	Phthalates:Di-(2-ethylhexyl) phthalate (DEHP); CAS No. 117-81-7	IS 9873-3
243	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PLASTIC AND PLASTIC PRODUCT	AKYLPHENOL ETHOXYLATES (APEO)	ISO 18254-1
244	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PLASTIC/POLYMERIC MATERIAL	ASH CONTENT OF POLYMERIC MATERIALS	SATRA TM 353:
245	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastics & Polymeric Products	MIGRATION OF CERTAIN : CADMIUM	ISO 8124-3
246	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Plastics & Polymeric Products	Total Cadmium Content	EN 1122
247	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT & ACCESSORIES	Phthalates: 1 Di-isononyl phthalate (DINP); CAS No. 28553-12-0	IS 16915
248	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT & ACCESSORIES	Phthalates: Bis(2-methoxyethyl) phthalate (DMEP); CAS No. 117-82-8	IS 16915
249	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT & ACCESSORIES	Phthalates: Butyl benzyl phthalate (BBP); CAS No. 85-68-7	IS 16915
250	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT & ACCESSORIES	Phthalates: Di-(2-ethylhexyl) phthalate (DEHP); CAS No. 117-81-7	IS 16915
251	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT & ACCESSORIES	Phthalates: Di-butyl phthalate (DBP); CAS No. 84-72-2	IS 16915

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 21 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
252	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT & ACCESSORIES	Phthalates: Di-iso-decyl phthalate (DIDP); CAS No. 26761-40-0	IS 16915
253	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT & ACCESSORIES	Phthalates: Di-n-hexyl phthalates (DnHP); CAS No. 84-75-3	IS 16915
254	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT & ACCESSORIES	Phthalates: Di-n-octyl phthalate (DNOP); CAS No. 117-84-0	IS 16915
255	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT & ACCESSORIES	Phthalates: Di-n-pentyl phthalate	IS 16915
256	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT & ACCESSORIES	Phthalates: N-pentyl-isopenthyl phthalate (NPIPP); CAS No. 84777-06-0	IS 16915
257	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT AND ACCESSORIES	Phthalates: 1 Di-isononyl phthalate (DINP); CAS No. 28553-12-0	ISO 14389
258	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT AND ACCESSORIES	Phthalates: Bis(2-methoxyethyl) phthalate (DMEP); CAS No. 117-82-8	ISO 14389
259	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT AND ACCESSORIES	Phthalates: Butyl benzyl phthalate (BBP); CAS No. 85-68-7	ISO 14389
260	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT AND ACCESSORIES	Phthalates: Di-(2-ethylhexyl) phthalate (DEHP); CAS No. 117-81-7	ISO 14389
261	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT AND ACCESSORIES	Phthalates: Di-butyl phthalate (DBP); CAS No. 84-72-2	ISO 14389
262	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT AND ACCESSORIES	Phthalates: Di-iso-decyl phthalate (DIDP); CAS No. 26761-40-0	ISO 14389
263	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT AND ACCESSORIES	Phthalates: Di-n-hexyl phthalates (DnHP); CAS No. 84-75-3	ISO 14389
264	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT AND ACCESSORIES	Phthalates: Di-n-octyl phthalate (DNOP); CAS No. 117-84-0	ISO 14389
265	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT AND ACCESSORIES	Phthalates: Di-n-pentyl phthalate	ISO 14389

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	22 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
266	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMER, POLYMERIC PRODUCT AND ACCESSORIES	Phthalates: N-pentyl-isopenthyl phthalate (NPIPP); CAS No. 84777-06-0	ISO 14389
267	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Polymeric Accessories in Leather	Determination of Phthalates: 1 Di-isononyl phthalate (DINP); CAS No. 28553-12-0 Di-(2-ethylhexyl) phthalate (DEHP); CAS No. 117-81-7 Di-n-octyl phthalate (DNOP); CAS No. 117-84-0 Di-iso-decyl phthalate (DIDP); CAS No. 26761-40-0 Butyl benzyl phthalate (BBP); CAS No. 85-68-7 Di-butyl phthalate (DBP); CAS No. 84-72-2 Di-n-hexyl phthalates (DnHP); CAS No. 84-75-3 N-pentyl-isopenthyl phthalate (NPIPP); CAS No. 84777-06-0 Bis(2-methoxyethyl) phthalate (DMEP); CAS No. 117-82-8 Di-n-pentyl phthalate	ISO/TS 16191
268	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Polymeric Accessories in Textile & Textile Accessories	Determination of Phthalates: 1 Di-isononyl phthalate (DINP); CAS No. 28553-12-0 Di-(2-ethylhexyl) phthalate (DEHP); CAS No. 117-81-7 Di-n-octyl phthalate (DNOP); CAS No. 117-84-0 Di-iso-decyl phthalate (DIDP); CAS No. 26761-40-0 Butyl benzyl phthalate (BBP); CAS No. 85-68-7 Di-butyl phthalate (DBP); CAS No. 84-72-2 Di-n-hexyl phthalates (DnHP); CAS No. 84-75-3 N-pentyl-isopenthyl phthalate (NPIPP); CAS No. 84777-06-0 Bis(2-methoxyethyl) phthalate (DMEP); CAS No. 117-82-8 Di-n-pentyl phthalate	BS EN ISO 14389
269	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Determination of Phthalates: 1 Di-isononyl phthalate (DINP); CAS No. 28553-12-0	IS 9873-3
270	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Bis(2-methoxyethyl) phthalate (DMEP); CAS No. 117-82-8	CPSC-CH-C1001-09.3

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	23 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
271	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Bis(2-methoxyethyl) phthalate (DMEP); CAS No. 117-82-8	IS 9873-3
272	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Butyl benzyl phthalate (BBP); CAS No. 85-68-7	CPSC-CH-C1001-09.3
273	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Butyl benzyl phthalate (BBP); CAS No. 85-68-7	IS 9873-3
274	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Di-(2-ethylhexyl) phthalate (DEHP); CAS No. 117-81-7	CPSC-CH-C1001-09.3
275	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Di-(2-ethylhexyl) phthalate (DEHP); CAS No. 117-81-7	IS 9873-3
276	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Di-butyl phthalate (DBP); CAS No. 84-72-2	CPSC-CH-C1001-09.3
277	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Di-butyl phthalate (DBP); CAS No. 84-72-2	IS 9873-3
278	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Di-iso-decyl phthalate (DIDP); CAS No. 26761-40-0	CPSC-CH-C1001-09.3
279	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Di-iso-decyl phthalate (DIDP); CAS No. 26761-40-0	IS 9873-3
280	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Di-n-hexyl phthalates (DnHP); CAS No. 84-75-3	CPSC-CH-C1001-09.3
281	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Di-n-hexyl phthalates (DnHP); CAS No. 84-75-3	IS 9873-3
282	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Di-n-octyl phthalate (DNOP); CAS No. 117-84-0	CPSC-CH-C1001-09.3
283	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Di-n-octyl phthalate (DNOP); CAS No. 117-84-0	IS 9873-3
284	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Di-n-pentyl phthalate	CPSC-CH-C1001-09.3

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 24 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
285	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: Di-n-pentyl phthalate	IS 9873-3
286	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: N-pentyl-isopenthyl phthalate (NPIPP); CAS No. 84777-06-0	CPSC-CH-C1001-09.3
287	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: N-pentyl-isopenthyl phthalate (NPIPP); CAS No. 84777-06-0	IS 9873-3
288	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	POLYMERIC ACCESSORIES TEXTILE & TEXTILE ACCESSORIES	Phthalates: 1 Di-isononyl phthalate (DINP); CAS No. 28553-12-0	CPSC-CH-C1001-09.3
289	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants : 2 Aminonitro-4 Toluene (99-55-8)	ISO 13688
290	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants : 2 Naphthalamine(91 - 59 - 8)	ISO 13688
291	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants : 2,4 Diaminoanisole(615-05-4)	ISO 13688
292	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants : 2,4 Tolyenediamine(95-80-7)	ISO 13688
293	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants : 2,4,5-Trimethylaniline (137-17-7)	ISO 13688
294	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants : 2,4-dimethylaniline(=2,4-Xylidine) (95-68-1)	ISO 13688
295	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants : 2-methoxyaniline(=o-anisidine)(90-04-0)	ISO 13688
296	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants : 4 Aminobiphenyl(92-67-1)	ISO 13688

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 25 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
297	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants : 4 Chloro-O-Toluidine(95-69-2)	ISO 13688
298	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants : 4,4 Oxydi	ISO 13688
299	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants : 4-Aminoazobenzene(60-09–03)	ISO 13688
300	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants : P-Choroaniline(106-47-8)	ISO 13688
301	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE CLOTHING	Detection of certain aromatic derived from AZO Colourants O-Tiluidine(95-53-4)	ISO 13688
302	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Protective Gloves against mechanical risks	Azo Colorants	EN ISO 21420 Clause 4.2 (d)
303	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Protective Gloves against mechanical risks	Nickel Release	EN ISO 21420 Clause 4.2 (b)
304	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PROTECTIVE LEATHER CLOTHING	INNOCUOUSNESS : CHROME VI CONTENT	ISO 13688(CLAUSE NO.4.2 a):
305	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PVC Industrial Boots	Lead Content	IS 12254 Clause 5.7
306	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	PVC Sandal	Lead	IS 6721 Clause 4.1
307	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Rubber Gloves	pH OF AQUEOUS EXTRACT	IS 4148(CLAUSE NO.4.5):
308	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Safety Rubber Canvas Boots for Miners	Azo-dyes	IS 3976 Clause 8
309	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Safety Rubber Canvas Boots for Miners	Lead Content	IS 3976 Clause 8
310	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Safety Rubber Canvas Boots for Miners	pH value	IS 3976 Clause 8

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 26 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
311	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Solid PVC Sole & Heel	Lead	IS 6719 Clause 3.6
312	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4 Tolyenediamine(95-80-7)	IS 15570
313	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4-dimethylaniline(=2,4-Xylidine) (95-68-1)	IS 15570
314	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2 Aminonitro-4 Toluene (99-55-8)	IS 15570
315	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2 Naphthalamine(91 - 59 - 8)	IS 15570
316	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4 Diaminoanisole(615-05-4)	IS 15570
317	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2,4,5-Trimethylaniline (137-17-7)	IS 15570
318	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 2-methoxyaniline(=o-anisidine)(90-04-0)	IS 15570
319	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4 Aminobiphenyl(92-67-1)	IS 15570
320	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4 Chloro-O-Toluidine(95-69-2)	IS 15570
321	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : 4-Aminoazobenzene(60-09–03)	IS 15570
322	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : O-Tiluidine(95-53-4)	IS 15570

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	27 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
323	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : P -Cresidine (120-71-8)	IS 15570
324	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE ACCESSORIES	Detection of certain aromatic derived from AZO Colourants : P-Choroaniline(106-47-8)	IS 15570
325	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE PRODUCST	Chloro Organic Carriers(COC): 2-chlorotoluene(95-49-9)	DIN 54232 (Withdrawn standard)
326	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Textile & Textile Products	4-Aminoazobenzene(60-09–03)	ISO 14362-3
327	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE PRODUCTS	Chloro Organic Carriers(COC): Dichlorobenze(32768-54-0)	DIN 54232 (Withdrawn standard)
328	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE PRODUCTS	Chloro Organic Carriers(COC): Hexachlorobenze(118-74-1)	DIN 54232 (Withdrawn standard)
329	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE PRODUCTS	Chloro Organic Carriers(COC): Pentachlorobenze(608-93-5)	DIN 54232 (Withdrawn standard)
330	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE PRODUCTS	Chloro Organic Carriers(COC): Pentachlorotoluene(877-11-2)	DIN 54232 (Withdrawn standard)
331	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE PRODUCTS	Chloro Organic Carriers(COC): Tetrachlorobenze(634-66-2)	DIN 54232 (Withdrawn standard)
332	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE PRODUCTS	Chloro Organic Carriers(COC): Tetrachlorotoluene(81-19-6)	DIN 54232 (Withdrawn standard)
333	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE PRODUCTS	Chloro Organic Carriers(COC):1,2,3-Trichlorobenzene(87-61-1)	DIN 54232 (Withdrawn standard)

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	28 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
334	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Textile & Textile Products	Detection of certain aromatic derived from AZO Colourants O-Tiluidine(95-53-4) 2,4-Xylidine(95-68-1) 2-methoxyaniline (90-04-0) 4-Choroaniline(106-47-8) p -Cresidine (120-71-8) 2,4,5-Trimethylaniline (137-17-7) 4 Chloro-O-Toluidine(95-69-2) 4-methyl- m-phenylenediamine (95-80-7) 4-methoxy-m-phenylenediamine(615-05-4) 2 Naphthalamine(91 - 59 - 8) 5-nitro-o-toluidine(99-55-8) 4 Aminobiphenyl(92-67-1) 4-Aminoazobenzene(60-09–03) 4,4 Oxydianiline(101-80-4) Benzidine (92-87-5) 4,4 Diamino	ISO 14362-1
335	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Textile & Textile Products	Detection of certain aromatic derived from AZO Colourants O-Tiluidine(95-53-4) 2,4-Xylidine(95-68-1) 2-methoxyaniline (90-04-0) 4-Choroaniline(106-47-8) p -Cresidine (120-71-8) 2,4,5-Trimethylaniline (137-17-7) 4 Chloro-O-Toluidine(95-69-2) 4-methyl- m-phenylenediamine (95-80-7) 4-methoxy-m-phenylenediamine(615-05-4) 2 Naphthalamine(91 - 59 - 8) 5-nitro-o-toluidine(99-55-8) 4 Aminobiphenyl(92-67-1) 4-Aminoazobenzene(60-09–03) 4,4 Oxydianiline(101-80-4) Benzidine (92-87-5) 4,4 Diamino	ISO 14362-3

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 29 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
336	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Textile & Textile Products	Determination of Chlorinated Phenol: Pentachlorophenol (PCP); CAS no. 87-86-5, 2,3,4,5-Tetrachlorophenol (2,3,4,5-TeCP); CAS no. 4901-51-3 2,3,4,6-Tetrachlorophenol (2,3,4,6-TeCP); CAS no. 58-90-2 2,3,5,6-Tetrachlorophenol (2,3,5,6-TeCP); CAS no. 935-95-5 2,3,6-Trichlorophenol (2,3,6-TCP); CAS no. 933-75-5 2,4,6-Trichlorophenol (2,4,6-TCP); CAS no. 88-06-2	LMBG 82 - 02 – 8
337	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE PRODUCTS	Determination of Chloro Organic Carriers(COC): 1,2-Dichlorobenzene(95-50-1)	DIN 54232 (Withdrawn standard)
338	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE & TEXTILE PRODUCTS	Determination of Phthalates: 1 Di-isononyl phthalate (DINP); CAS No. 28553-12-0	EN ISO 14389
339	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Textile & Textile Products	Free formaldehyde content	AATCC 112
340	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Textile & Textile Products	Free formaldehyde content	ISO 14184-1
341	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	TEXTILE AND TEXTILE PRODUCTS	FORMALDEHYDE	AATCC 112:
342	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	textile and textile products	formaldehyde	BS EN ISO 14184-I:
343	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Textile Polymeric Accessories	Determination of PAHs in Plastic Naphthalene Acenaphtylene Acenaphthene Fluorene Phenanthrene Anthracene Fluoranthene Pyrene Benzo(a)Anthracene Chrysene Indeno(1,2,3-cd)pyrene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(a)pyrene Dibenzo(a,h)Anthracene Benzo(ghi)perylene Benzo(j) fluoranthene Benzo(e)pyrene	ISO/TS 16190

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 30 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
344	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Toys & Sports Equipment's	Migration of Heavy Metals Content: Cadmium Chromium Lead Mercury Arsenic	BS 5665-3
345	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	yam & chords ,finished fabrics ,apperals / garmments ,made ups ,terry fabrics & its produucts ,technical textile ,domestic textile & other	Arometic derived from azo colourants (total 24 aryl amines as listed O-tiluidine (95-52-4)	EN 14362-1
346	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	yam & chords ,finished fabrics ,apperals / garmments ,made ups ,terry fabrics & its produucts ,technical textile ,domestic textile & other	Arometic derived from azo colourants : o-anisidine (90-04-0)	EN 14362-1
347	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	yam & chords ,finished fabrics ,apperals / garmments ,made ups ,terry fabrics & its produucts ,technical textile ,domestic textile & other	Arometic derived from azo colourants :2,3 xylidine (95-68-1)	EN 14362-1
348	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Acidity (as Ch3COOH)	IS 170 Annex C
349	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Alcoholic Impurities	IS 170 Annex F
350	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Alkalinity	IS 170 Annex-D
351	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Benzene Content	IS 170 Annex A
352	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Colour	IS 170
353	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Methanol Content	IS 170 Annex A
354	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Permanganate Test	IS 170 Annex E
355	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Purity	IS 170 Annex A
356	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Relative Density	IS 170
357	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Acetone	Residue on evaporation	IS 170
358	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	ANILINE	ASSAY, PERCENT BY NITRITE VALUE	IS 2833 CLAUSE 3.2
359	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	ANILINE	ASSAY, PERCENTAGE BY GC	IS 2833 CLAUSE 3.2
360	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	ANILINE	DISTILLATION RANGE	IS 2833 CLAUSE 3.2

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 31 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
361	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	ANILINE	MOISTURE CONTENT	IS 2833 CLAUSE 3.2
362	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	ANILINE	NITROBENZEN CONTENT BY GC	IS 2833 CLAUSE 3.2
363	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	ANILINE	RELATIVE DENSITY	IS 2833 CLAUSE 3.2
364	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Beta Picoline	Beta Picoline Content	IS 16112 Annex A
365	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Beta Picoline	Moisture Content	IS 16112 Annex B
366	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Beta Picoline	Other unknown impurities	IS 16112 Annex A
367	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Gama Picoline	Gamma Picoline Content	IS 16113 Annex A
368	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	METHANOL	DISTILLATION RANGE	IS 517 CLAUSE 4.3
369	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	METHANOL	Relative density	IS 517 CLAUSE 4.3
370	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Morpholine	Ash Content	IS 12084 Annex E
371	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Morpholine	Boiling Range	IS 12084
372	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Morpholine	Chloride (as Cl)	IS 12084
373	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Morpholine	Copper (as Cu)	IS 12084
374	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Morpholine	Iron (as Fe)	IS 12084
375	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Morpholine	Nickel (as Ni)	IS 12084
376	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Morpholine	Purity (As Morpholine)	IS 12084 Annex B
377	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Morpholine	Relative Density	IS 12084 Annex C
378	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Morpholine	Residue on Evaporation	IS 12084
379	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Morpholine	Silica (as SiO2)	IS 12084

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5579
Page No	32 of 125
Validity	24/10/2021 to 23/10/2023
Last Amended on	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
380	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphorous Pentachloride	Phosphorous Pentachloride	IS 11744 Appendix A-2
381	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphorus Oxychloride	Assay (as POCl3)	IS 11657 Appendix A-4
382	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphorus Oxychloride	Boiling Range	IS 11657 Appendix A-2
383	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphorus Trichloride	Phosphorus Trichloride (as PCl3)	IS 4581 Appendix A-2
384	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Phosphorus Trichloride	Relative Density	IS 4581 Appendix A-3
385	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium Carbonate, Anhydrous	Chlorides (as KCl)	IS 7129 Annex A-6
386	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium Carbonate, Anhydrous	Heavy Metals (as Pb)	IS 7129 Annex A-9
387	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium Carbonate, Anhydrous	Iron (as Fe)	IS 7129 Annex A-8
388	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium Carbonate, Anhydrous	Loss on Heating	IS 7129 Annex A-10
389	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium Carbonate, Anhydrous	Matter Insoluble in Water	IS 7129 Annex A-7
390	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium Carbonate, Anhydrous	Potassium Bicarbonate (as KHCO3)	IS 7129 Annex A-4
391	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium Carbonate, Anhydrous	Sodium (as Na)	IS 7129 Annex A-11
392	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium Carbonate, Anhydrous	Sulphates (as K2SO4)	IS 7129 Annex A-5
393	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Potassium Carbonate, Anhydrous	Total Alkalinity (as K2CO3)	IS 7129 Annex A-3
394	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Pyridine	Boiling Range	IS 8058 Annex C
395	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Pyridine	Oxidizable Substances	IS 8058 Annex J
396	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Pyridine	Pyridine Content	IS 8058 Annex B
397	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Pyridine	Relative Density	IS 8058 Annex A
398	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Sulphide	Sodium Sulphate (as Na2SO4)	IS 297 Annex D

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 33 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
399	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sodium Sulphide	Total Sulphides (as Na2S)	IS 297 Annex - A
400	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Stabilized Hydrogen Peroxide	Acidity (as H2SO4)	IS 2080 Annex C-1
401	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Stabilized Hydrogen Peroxide	Arsenic (as As2O3)	IS 2080 Annex C-7
402	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Stabilized Hydrogen Peroxide	Copper (as cu)	IS 2080 Annex C-5
403	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Stabilized Hydrogen Peroxide	Iron (as Fe)	IS 2080 Annex C-4
404	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Stabilized Hydrogen Peroxide	Lead (as Pb)	IS 2080 Annex C-6
405	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Stabilized Hydrogen Peroxide	Residue on evaporation	IS 2080 Annex C-2
406	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Stabilized Hydrogen Peroxide	Residue on Ignition	IS 2080 Annex C-3
407	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphoxylate	Copper (as Cu)	IS 4505 Annex A-5
408	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphoxylate	Iron (As Fe)	IS 4505 Annex A-4
409	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphoxylate	Lead (as Pb)	IS 4505
410	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphoxylate	pH	IS 4505 Annex A-3
411	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphoxylate	Sodium Fomaldehyde Sulphoxylate dihydrate	IS 4505 Annex A-2
412	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphoxylate	Sodium Formaldehyde Bisulphate	IS 4505 Annex A-2
413	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphoxylate	Sodium Sulphite	IS 4505 Annex A-2
414	CHEMICAL- INDUSTRIAL & FINE CHEMICALS	Sulphoxylate	Zinc (As Zn)	IS 4505 Annex A-6
415	CHEMICAL- LEATHER	Footwears	Ash Content	SATRA TM 353
416	CHEMICAL- LEATHER	Leather & Leather Products	Bound Organic Substance	IS 582:LC:21(RA-2003)
417	CHEMICAL- LEATHER	LEATHER & LEATHER PRODUCTS	pH VALUE	ISO 20344:
418	CHEMICAL- LEATHER	LEATHER AND LEATHER PRODUCTS	Ph OF LEATHER	SASO ISO 4045:
419	CHEMICAL- LEATHER	Leather Safety Boot And Shoes	Chromium (as Cr2O3)	IS 1989-1&2 Clause 8.2 (e)

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	34 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
420	CHEMICAL- LEATHER	Leather Safety Boot And Shoes	Colour Fastness to rubbing	IS 1989-1&2 Clause 8.2 (c)
421	CHEMICAL- LEATHER	Leather Safety Boot And Shoes	Degree of tannage	IS 1989-1&2 Clause 8.3 (d)
422	CHEMICAL- LEATHER	Leather Safety Boot And Shoes	Hide Substance	IS 1989-1&2 Clause 8.2 (f)
423	CHEMICAL- LEATHER	Leather Safety Boot And Shoes	Solvent Extractable Substances	IS 1989-1&2 Clause 8.2 (d)
424	CHEMICAL- LEATHER	Leather Safety Boot And Shoes	Total Ash	IS 1989-1&2 Clause 8.3 (c)
425	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Bound organic substance	IS 14544 Clause 5.2.4
426	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Chromium (as Cr2O3)	IS 14544 Clause 5.2.4
427	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Chromium Content (as Cr2O3)	IS 14544 Clause 5.2.1
428	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Colour Fastness to perspiration	IS 14544 Clause 5.2.4
429	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Colour fastness to perspiration	IS 14544 Clause 5.2.5
430	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Colour fastness to rubbing	IS 14544 Clause 5.2.1
431	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Colour Fastness to Rubbing	IS 14544 Clause 5.2.4
432	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Colour Fastness to Washing	IS 14544 Clause 5.2.5
433	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Colour Fastness to washing	IS 14544 Clause 5.2.9
434	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Degree of Tannage	IS 14544 Clause 5.2.4
435	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Differential Member when pH of water soluble is between 3.5 & 4.0	IS 14544 Clause 5.2.4
436	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Hide Substance	IS 14544 Clause 5.2.4
437	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Hide Substances	IS 14544 Clause 5.2.2
438	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Mineral Ash	IS 14544 Clause 5.2.2
439	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	pH of water soluble	IS 14544 Clause 5.2.1

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	35 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
440	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	pH of water soluble	IS 14544 Clause 5.2.4
441	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Solvent Extractable Substances	IS 14544 Clause 5.2.1
442	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Solvent extractable substances	IS 14544 Clause 5.2.4
443	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Water insoluble ash	IS 14544 Clause 5.2.4
444	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Water soluble matter	IS 14544 Clause 5.2.1
445	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Water soluble matter	IS 14544 Clause 5.2.2
446	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Water soluble matter	IS 14544 Clause 5.2.4
447	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Bound organic substances	IS 11226 Clause 5.2.4
448	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Chromium (as Cr2O3)	IS 11226 Clause 5.2.4
449	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Chromium Content (Cr2O3)	IS 11226 Clause 5.2.1
450	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Colour fastness to perspiration	IS 11226 Clause 5.2.4
451	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Colour Fastness to rubbing	IS 11226 Clause 5.2.1
452	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Colour fastness to rubbing	IS 11226 Clause 5.2.4
453	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Colour Fastness to washing	IS 11226 Clause 5.2.9
454	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Degree of tannage	IS 11226 Clause 5.2.4
455	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Differential Member when pH of water soluble is between 3.5 & 4.0	IS 11226 Clause 5.2.4
456	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Hide Substances	IS 11226 Clause 5.2.4
457	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	pH of water soluble	IS 11226 Clause 5.2.4
458	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	pH value	IS 11226 Clause 5.2.1
459	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Solvent extractable substance	IS 11226 Clause 5.2.4
460	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Solvent Extractable Substances	IS 11226 Clause 5.2.1
461	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Sulphur Free	IS 11226 Clause 5.2.9
462	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Water insoluble ash	IS 11226 Clause 5.2.4
463	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Water soluble matter	IS 11226 Clause 5.2.1
464	CHEMICAL- LEATHER	Leather Safety Footwear With Direct Moulded rubber Sole	Water Soluble matter	IS 11226 Clause 5.2.4

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 36 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
465	CHEMICAL- LEATHER	Leather, Leather Products & Accessories	Determination of Chromic Oxide Content	IS:582:LC:10(RA 2003)
466	CHEMICAL- LEATHER	Leather, Leather Products & Accessories	Determination of Moisture	IS:582:LC:2(RA 2003)
467	CHEMICAL- LEATHER	Leather, Leather Products & Accessories	Determination of pH and Difference figure of Water Soluble Matter	IS:582:LC:18(RA 2003)
468	CHEMICAL- LEATHER	Leather, Leather Products & Accessories	Determination of Solvent Extract actable Substance	IS:582:LC:4(RA 2003)
469	CHEMICAL- LEATHER	Leather, Leather Products & Accessories	Determination of Total Ash	IS:582:LC:3(RA 2003)
470	CHEMICAL- LEATHER	Leather, Leather Products & Accessories	Determination of Volatile Matter	IS:582:LC:1(RA 2003)
471	CHEMICAL- LEATHER	Leather, Leather Products & Accessories	Determination of water Insoluble Ash	IS:582:LC:8(RA 2003)
472	CHEMICAL- LEATHER	Leather, Leather Products & Accessories	Determination of Water Soluble Matter	IS:582:LC:6(RA 2003)
473	CHEMICAL- LEATHER	Leather, Leather Products & Accessories	Determination of Water Soluble Organic	IS:582:LC:9(RA 2003)
474	CHEMICAL- LEATHER	Leather, Leather Products & Accessories	pH Value	ISO 4045
475	CHEMICAL- LEATHER	PVC Industrial Boots	Sulphur Free	IS 12254 Clause 4.2.3
476	CHEMICAL- LEATHER	Rubber & Rubber Products	Carbon Black	IS 3400:P-22(RA 2003)
477	CHEMICAL- LEATHER	Rubber & Rubber Products	Determination of Rubber Hydrocarbon	IS 3660:P-6(RA 2003)
478	CHEMICAL- LEATHER	Rubber & Rubber Products	Rubber Polymers Content	IS 3400:P-22(RA 2003)
479	CHEMICAL- LEATHER	Safety Rubber Canvas Boots for Miners	Sulphur Dye free	IS 3976 Clause 5.2.6
480	CHEMICAL- LEATHER	Safety Rubber Canvas Boots for Miners	Sulphur Free	IS 3976 Clause 5.2.3.1
481	CHEMICAL- LEATHER	Safety Rubber Canvas Boots for Miners	Sulphur Free	IS 3976 Clause 5.2.8.3
482	CHEMICAL- LEATHER	Sports Footwear	Colour Fastness to crocking	IS 15844 Clause 3.4
483	CHEMICAL- LEATHER	Sports Footwear	Colour fastness to rubbing	IS 15844 Clause 3.9
484	CHEMICAL- LEATHER	UPHOLSTERY LEATHER	COLOUR FASTNESS TO AND FRO RUBBING	IS 577 CLAUSE 3.1 AND 4.5
485	CHEMICAL- LEATHER	UPHOLSTERY LEATHER	COLOUR FASTNESS TO CIRCULAR RUBBING	IS 577 CLAUSE 3.1 AND 4.5
486	CHEMICAL- LEATHER	UPHOLSTERY LEATHER	pH OF AQUEOUS EXTRACT	IS 577 CLAUSE 3.1 AND 4.5
487	CHEMICAL- PAINTS & SURFACE COATING	Cement Paint	Fastness to Light	IS 5410

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 37 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
488	CHEMICAL- PAINTS & SURFACE COATING	Cement Paint	Pot life of mixed paint	IS 5410
489	CHEMICAL- PAINTS & SURFACE COATING	Cement Paint	Residue on sieve	IS 5410
490	CHEMICAL- PAINTS & SURFACE COATING	Cement Paint	Resistance to dry rubbing	IS 5410
491	CHEMICAL- PAINTS & SURFACE COATING	Cement Paint	Water repellency	IS 5410
492	CHEMICAL- PAINTS & SURFACE COATING	Enamel & Paints	Surface Drying Test	EN ISO 1517
493	CHEMICAL- PAINTS & SURFACE COATING	Enamels	Total Non-Volatile Content	IS 133
494	CHEMICAL- PAINTS & SURFACE COATING	PAINT & ENAMELS	SPREADING CAPACITY	IS 2933
495	CHEMICAL- PAINTS & SURFACE COATING	PAINT & ENAMELS	SPREADING TIME	IS 2933
496	CHEMICAL- PAINTS & SURFACE COATING	PAINT & ENAMELS	STRIPPING TEST	IS 2933
497	CHEMICAL- PAINTS & SURFACE COATING	PAINT & ENAMELS	WATER CONTENT	IS 2933
498	CHEMICAL- PAINTS & SURFACE COATING	Paint & Enamels	Wet Opacity	IS 101 (Part-4/Sec-1)
499	CHEMICAL- PAINTS & SURFACE COATING	Paints	Consistency	IS 2932)Part 1)
500	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Accelerated Storage Stability	IS 2932-1
501	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Application Properties	IS 2932-1
502	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Colour	IS 101(Part 4/Sec.)
503	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Composition	IS 8662(Clause 6.1)
504	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Composition : Pthalic anhydride	IS 101 (Part-8/Sec-4)
505	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Composition : Volume Solids	IS 101 (Part-8/Sec-6)
506	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Composition: Non Volatile Vehicle content	IS 101 (Part-8/Sec-2)

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 38 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
507	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Condition & Container	IS 8662 Clause 6.2
508	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Condition in Container : During Storage	IS 101 (part-6/Sec-2)
509	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Condition in container: At delivery	IS 2932-1
510	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Consistency	IS 101 (Part-1/Sec-5)
511	CHEMICAL- PAINTS & SURFACE COATING	Paints & enamels	Consistency	IS 133(Part 1):
512	CHEMICAL- PAINTS & SURFACE COATING	Paints & enamels	Consistency	IS 2933(Part 1):
513	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Consistency	IS 8662
514	CHEMICAL- PAINTS & SURFACE COATING	Paints & enamels	Drying Time: Hard Dry	IS 101(Part 3/Sec. 1):
515	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Drying Time: Surface Dry	IS 101(Part 3/Sec. 1):
516	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Drying Time: Tack Free	IS 101(Part 3/sec. 1):
517	CHEMICAL- PAINTS & SURFACE COATING	Paints & enamels	Durability	IS 8662 Clause 6.3
518	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Durability (By accelerated weathering apparatus)	IS 2932-1
519	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Fineness of Grind	IS 101(Part 3/Sec. 5):
520	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Finish	IS 101(part 3/Sec. 4):
521	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Flash Point	IS 101(Part 1/Sec. 6):
522	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Flexibility and Adhesion:a. Scratch Hardnessb. Bend test	IS 101(Part 5/ Sec. 2):
523	CHEMICAL- PAINTS & SURFACE COATING	Paints & enamels	Freedom from Cores Particle	IS 101 (Part-1/Sec-2)
524	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Gloss	IS 101(Part 4/Sec. 4):
525	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Keeping Particles	IS 101 (Part-6/Sec-2)

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5579
Page No	39 of 125
Validity	24/10/2021 to 23/10/2023
Last Amended on	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
526	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Lead Content	IS 101 (Part-1/Sec-5)
527	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	MASS	IS 101)Part 1/sec. 7):
528	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Resistance to Acid	IS 2932-1
529	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Resistance to Acid	IS 8662 Clause 6.4
530	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Resistance to Alkali	IS 2932-1
531	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Resistance to Alkali	IS 8662 Clause 6.5
532	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Skin Formation	IS 101 (Part-1/Sec-2)
533	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Triming Properties	IS 2932-1
534	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Viscosity	IS 101(Part 1/Sec.5)
535	CHEMICAL- PAINTS & SURFACE COATING	Paints & Enamels	Wet Opacity	IS 2932-1
536	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Accelerated storage stability test	IS 13607
537	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Accelerated storage stability test	IS 8982
538	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Barium compounds in dry pigments	IS 8982
539	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Calcium compounds in dry pigments	IS 8982
540	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Compatibility with thinner	IS 2074-1
541	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Composition	IS 159
542	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Composition: Non Volatile vehicle content	IS 101 (Part8/Sec-2)
543	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Composition: Non Volatile Vehicle Content	IS 2074-1
544	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Consistency	IS 2074-1

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 40 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
545	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Durability	IS 13607
546	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Freedom from objectionable impurities	IS 2074-1
547	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Keeping Properties	IS 101 (Part-6/Sec-2)
548	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Lead Content	IS 101 (Part-8/Sec-5)
549	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Mass in kg/10 litres	IS 12744
550	CHEMICAL- PAINTS & SURFACE COATING	READY MIXED PAINT	Protection against corrosion	IS 8982
551	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Resistance to Acids and Acid Fumes	IS 159
552	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Resistance to humidity under condition of condensation : Resistance saltspray	IS 2074-1
553	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Resistance to Humidity under condition of condensation: Resistance to Humidity	IS 101 (Part-6/Sec-1)
554	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Resistance to lubricating oil	IS 8982
555	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Resistance to salt water	IS 8982
556	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Resistance to warm water	IS 8982
557	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Volume Solids	IS 101 (Part-8/Sec-6)
558	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Volume Solids	IS 13607
559	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Volume Solids	IS 13607
560	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Water absorption test	IS 8982
561	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Zinc Chrome	IS 2074-1
562	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paint	Zinc phosphate	IS 12744

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	41 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
563	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paints	Accelerated Storage stability test	IS 2074-1
564	CHEMICAL- PAINTS & SURFACE COATING	Ready Mixed Paints	Resistance to humidity under condition of condensation: Resistance to sea water	IS 2074 Part 1
565	CHEMICAL- PAINTS & SURFACE COATING	Thinner	Colour	IS 14314
566	CHEMICAL- PAINTS & SURFACE COATING	Thinner	Distillation Range	IS 14314
567	CHEMICAL- PAINTS & SURFACE COATING	Thinner	Hydrocarbon content	IS 14314
568	CHEMICAL- PAINTS & SURFACE COATING	Thinner	Odour	IS 14314
569	CHEMICAL- PAINTS & SURFACE COATING	Thinner	Relative Density	IS 14314
570	CHEMICAL- PAINTS & SURFACE COATING	Thinner	Residue on evoporation	IS 14314
571	CHEMICAL- PAINTS & SURFACE COATING	Thinner	Spot Test	IS 14314
572	CHEMICAL- PLASTIC & RESINS	Plastic Material	Overall Migration	IS 9845
573	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Canvas Boot, Rubber Sole	Colour fastness to perspiration	IS 3735 Clause 4.1.3.2
574	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Canvas Boot, Rubber Sole	Colour Fastness to washing	IS 3735 Clause 4.1.1.2
575	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Canvas Boot, Rubber Sole	Colour fastness to washing	IS 3735 Clause 4.1.2.1
576	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Canvas Boot, Rubber Sole	Colour fastness to washing	IS 3735 Clause 4.1.3.2
577	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Canvas Boot, Rubber Sole	Colour Fastness to Washing	IS 3736 Clause 4.1.1.2
578	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Canvas Boot, Rubber Sole	Colour Fastness to washing	IS 3736 Clause 4.1.3.2
579	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Canvas Boot, Rubber Sole	Colour fastness to washing	IS 3736 Clause 4.1.6.3
580	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Canvas Boot, Rubber Sole	Phenolic (elusive) yellowing of textiles	SATRA TM 260

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 42 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
581	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Canvas Boot, Rubber Sole	Sulphur Free	IS 3736 Clause 4.1.3.3
582	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Canvas Boot, Rubber Sole	Sulphur Free	IS 3736 Clause 4.1.6.1
583	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Colour Fastness to Dry Cleaning	AATCC 132
584	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Colour Fastness to Dry Cleaning	ISO 105 D01
585	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Colour Fastness to Organic Solvent	ISO 105 X05
586	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Colour Fastness to Perspiration	AATCC 15
587	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Colour Fastness to Perspiration	ISO 105 E04
588	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Colour fastness to Saliva	DIN 53160-1
589	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Colour Fastness to Washing	AATCC 61
590	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Colour Fastness to Washing	ISO 105 C06
591	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Colour Fastness to Water	AATCC 107
592	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Colour Fastness to Water	ISO 105 E01
593	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Colour Fastness to Water Spotting	AATCC 104
594	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Colour Fastness to Water Spotting	ISO 105 E07
595	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Fiber Analysis	AATCC 20
596	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Fiber Analysis	IS 667
597	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Fiber Analysis	ISO 1833 (Part 1 to 5, 7 to 9, 11, 15, 16, 18 & 19)
598	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	Fiber Analysis	ISO 5088
599	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	pH Value	AATCC 81

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 43 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
600	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	pH Value	ISO 3071
601	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Garments & Related material	pH Value	SASO 2144
602	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Gent's Pullover	Alkali Solubility	IS 3617 Clause 5.2
603	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Gent's Pullover	Blend Composition	IS 3617 Clause 5.2
604	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Gent's Pullover	Colour Fastness to Light	IS 3617 Clause 5.2
605	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Gent's Pullover	Colour Fastness to rubbing	IS 3617 Clause 5.2
606	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Gent's Pullover	Colour fastness to washing	IS 3617 Clause 5.2
607	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Gent's Pullover	pH Value of aqueous extract	IS 3617 Clause 5.2
608	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Madical Gloves for single uses	Amino acid analysis content	EN 455-3(Clause no 5.3)Annex C
609	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	MEDICAL GLOVES FOR SINGLE USES	LEACHABLE PROTEINS CONTENT	EN 455-3 (CLAUSE5.3)ANNEX A:
610	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Medical Textiles — Coveralls for COVID-19	Blood Resistance	IS 17423 Clause 5.2
611	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Medical Textiles — Coveralls for COVID-19	Workmanship & Finish	IS 17423 Clause 5.1
612	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PROTECTIVE CLOTHING	DIMENSIONAL CHANGE DUE TO CLEANING	ISO 13688 (CLAUSE NO.5.3)
613	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PROTECTIVE CLOTHING	ERGONOMIC : REQUIREMENTS	ISO 13688 (ANEXX):
614	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PROTECTIVE CLOTHING	INNOCUOUSNESS : pH VALUE TEST	ISO 13688 (CLAUSE NO. 4.2c):
615	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	protective clothing	PROTECTIVE CLOTHING AGAINST INEFFECTIVE AGENTS :CHEMICAL REQUIREMENTS	EN 14126(CLAUSE NO.4.1.3):
616	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PROTECTIVE CLOTHING	RESISTANCE TO PENETRATION BY A JET OF LIQUID (JET TEST)	ISO 17491-3:
617	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PROTECTIVE CLOTHING	RESISTANCE TO PENETRATION BY A SPRAY OF LIQUID (SPRAY TEST)	ISO 17491-4:

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 44 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
618	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PROTECTIVE CLOTHING	RESISTANCE TO PERMEATION BY CHEMICAL	EN 14325(CLAUSE NO,4.11):
619	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PROTECTIVE CLOTHING	RESISTANCE TO PERMEATION CHEMICAL IN SEAM JOINTS	EN 14325(CLAUSE NO.5.5):
620	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PROTECTIVE CLOTHING	SIZE AND DESIGNATION	ISO 13688:2013(CLAUSE NO.6)::
621	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Protective clothing and related material	COLOR FASTNESS TO RUBBING	AATCC 8
622	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Protective Clothing and related material	COLOR FASTNESS TO RUBBING	IS 766 (IS/ISO 105 X12)
623	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Protective clothing and related material.	ASSESSMENT OF PERFORMANCE	ISO 3175-1:
624	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Protective clothing and related material.	COLOR FASTNESS TO RUBBING	ISO 105 X-12:
625	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Protective clothing and related material.	DIMENSIONAL CHANGE IN WASHING AND DRYING	ISO 5077:
626	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Protective clothing and related material.	DOMESTIC WASHING AND DRYING PROCEDURES FOR TEXTILE TESTING	ISO 6330:
627	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Protective clothing and related material.	pH VALUE	BS EN 1413 (Rep. ISO 3071
628	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Protective clothing and related material.	pH VALUE	IS 1390:
629	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Protective clothing and related material.	pH VALUE	ISO 3071:
630	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Protective clothing and related material.	PRE - TREATMENT FOR SAMPLE	EN14325(CLAUSE NO.4.2):
631	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Sanitary Napkins	pH of aqueous extract	IS 5405 Clause 3.1
632	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Slipper rubber	Colour fastness to rubbing	IS 11544 Clause 3.2.4
633	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	WOVEN SACKS	ASH CONTENT	14252 CLAUSE 4.1 & 4.2
634	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	WOVEN SACKS	ASH CONTENT	IS 14887 CLAUSE 3.2, 4.1, & 4.2
635	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	WOVEN SACKS	ASH CONTENT	IS 14968 Clauses 4.2, 5.1 and 5.2

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5579
Page No	45 of 125
Validity	24/10/2021 to 23/10/2023
Last Amended on	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
636	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	WOVEN SACKS	ASH CONTENT	IS 16208 Clauses 4.2, 5.1 and 5.2: 2015
637	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Abrasion Resistance	IS 17037 Clause 4.14.7
638	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Abrasion Resistance	IS 17037 Clause 4.7.4
639	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Abrasion Resistance	IS 17037 Clause 4.8.2
640	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Abrasion Resistance	IS 17037 Clause 4.9.2
641	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Antistatic Footwear	IS 17037 Clause 4.5.7.1
642	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Breaking Load	IS 17037 Clause 4.13
643	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Breaking Load	IS 17037 Clause 4.16.2
644	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Change in Hardness	IS 17037 Clause 4.14.5
645	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Cold Insulation of Sole Comples	IS 17037 Clause 4.5.9
646	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Compression Set	IS 17037 Clause 4.5.6.4
647	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Construction	IS 17037 Clause 4.5.1
648	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Dimension	IS 17037 4.5.5.1
649	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	D-Rings & Hooks	IS 17037 Clause 4.15
650	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Energy absorption of seat region	IS 17037 Clause 4.5.10
651	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Ergonomic Feature	IS 17037 Clause 4.5.2
652	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Flexing Resistance	IS 17037 Clause 4.14.8
653	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Flexing Resistance	IS 17037 Clause 4.5.5.2
654	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Hardness	IS 17037 Clause 4.14.2

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	46 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
655	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Heat Insulation of sole complex	IS 17037 Clause 4.5.8
656	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Height of upper	IS 17037 Clause 4.4
657	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Impact Resistance	IS 17037 Clause 4.5.6.3
658	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Interlayer Bond Strength	IS 17037 Clause 4.5.3.2
659	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Internal Length of Toe Cap	IS 17037 Clause 4.5.6.2
660	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Lace Length	IS 17037 Clause 4.16.1
661	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Molded Density	IS 17037 Clause 4.14.3
662	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Performance	IS 17037 Clause 4.5.5.3
663	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Resistance to Hot Contact	IS 17037 Clause 4.14.9
664	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Size	IS 17037 Clause 4.3.1
665	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Slip Resistance	IS 17037 Clause 4.5.4
666	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Tag Retention	IS 17037 Clause 4.16.2
667	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Tear Strength	IS 17037 Clause 4.11.2
668	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Tear Strength	IS 17037 Clause 4.12.2
669	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Tear Strength	IS 17037 Clause 4.14.6
670	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Tear Strength	IS 17037 Clause 4.6.2
671	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Tear Strength	IS 17037 Clause 4.7.3
672	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Thickness	IS 17037 Clause 4.10
673	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Thickness	IS 17037 Clause 4.11.1

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5579
Page No	47 of 125
Validity	24/10/2021 to 23/10/2023
Last Amended on	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
674	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Thickness	IS 17037 Clause 4.12.1
675	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Thickness	IS 17037 Clause 4.14.2
676	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Thickness	IS 17037 Clause 4.6.1
677	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Thickness	IS 17037 Clause 4.9
678	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Upper outsole bond strength	IS 17037 Clause 4.5.1.3
679	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Water absorption	IS 17037 Clause 4.6.4
680	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Water absorption	IS 17037 Clause 4.8.3
681	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Water Absorption	IS 17037 Clause 4.9.3
682	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Water desorption	IS 17037 Clause 4.8.3
683	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Water Desorption	IS 17037 Clause 4.9.3
684	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Water Penetration	IS 17037 Clause 4.6.4
685	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Water Resistance	IS 17037 Clause 4.5.11
686	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Water Vapour co-efficient	IS 17037 Clause 4.6.3
687	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Water Vapour Co-efficient	IS 17037 Clause 4.7.5
688	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Water Vapour Permeability	IS 17037 Clause 4.6.3
689	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Water Vapour Permeability	IS 17037 Clause 4.7.5
690	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Anti Riot Shoes	Weight	IS 17037 Clause 4.3.2
691	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Adhesion Test	IS 3736 Clause 4.8
692	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Ageing	IS 3736 4.1.7.4

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 48 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
693	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Breaking Load	IS 3736 Clause 4.1.1
694	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Breaking Load	IS 3736 Clause 4.1.2
695	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Breaking Load	IS 3736 Clause 4.1.3
696	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Breaking Load	IS 3736 Clause 4.1.5.1
697	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Breaking Load	IS 3736 Clause 4.1.6.1
698	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Change in Initial Hardness	IS 3736 Clause 4.1.7.3
699	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Colour Fastnes to light	IS 3736 Clause 4.1.3.1
700	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Colour fastness to light	IS 3736 Clause 4.1.5.2
701	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Compression Set	IS 3736 Clause 4.1.7.3
702	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Consolidation Test	IS 3736 Clause 4.7
703	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Construction	IS 3736 Clause 4.4
704	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Design	IS 3736 Clause 4.2.2
705	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Elongation at break	IS 3736 Clause 4.1.7.3
706	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Ends/dm	IS 3736 Clause 4.1.1
707	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Ends/dm	IS 3736 Clause 4.1.2
708	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Flexing Resistance	IS 3736 Clause 4.1.7.3
709	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Hardness	IS 3736 Clause 4.1.7.3
710	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Mass	IS 3736 Clause 4.6
711	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Picks/dm	IS 3736 Clause 4.1.1

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 49 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
712	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Picks/dm	IS 3736 Clause 4.1.2
713	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Relative Density	IS 3736 Clause 4.1.7.3
714	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Tensile Strength	IS 3736 Clause 4.1.7.3
715	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Thickness of components	IS 3736 Clause 4.1.7.5
716	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Boot, Rubber Sole	Width	IS 3736 Clause 4.1.3
717	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Adhesion Test	IS 3735 Clause 4.4
718	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Ageing	IS 3735 Clause 4.1.6.2
719	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Breaking Load	IS 3735 Clause 4.1.1
720	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Breaking Load	IS 3735 Clause 4.1.2
721	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Breaking Load	IS 3735 Clause 4.1.3.1
722	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Breaking Strength	IS 3735 Clause 4.1.5
723	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Chang in Initial Hardness	IS 3735 Clause 4.1.6
724	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Collar Diameter	IS 3735 Clause 4.1.4
725	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Compression Set	IS 3735 Clause 4.1.6
726	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Consolidation Test	IS 3735 Clause 4.5
727	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Construction	IS 3735 Clause 4.3
728	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Elongation at break	IS 3735 Clause 4.1.6
729	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Ends/dm	IS 3735 Clause 4.1.1
730	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Ends/dm	IS 3735 Clause 4.1.1

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 50 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
731	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Flexing Resistance	IS 3735 Clause 4.1.6
732	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Hardness	IS 3735 Clause 4.1.6
733	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Length	IS 3735 Clause 4.1.5
734	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Mass	IS 3735 Clause 4.6
735	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Pcks/dm	IS 3735 Clause 4.1.1
736	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Picks/dm	IS 3735 Clause 4.1.1
737	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Relative Density	IS 3735 Clause 4.1.6
738	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Tensile Strength	IS 3735 Clause 4.1.6
739	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Thickness	IS 3735 Clause 4.1.4
740	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Thickness of Component	IS 3735 Clause 4.1.6.3
741	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Canvas Shoe, Rubber Sole	Width	IS 3735 Clause 4.1.2
742	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Abrasion Resistance	IS 17043 Clause 4.13.7
743	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Abrasion Resistance	IS 17043 Clause 4.7.3
744	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Abrasion Resistance	IS 17043 Clause 4.8.2
745	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Abrasion Resistance	IS 17043 Clause 4.9.3
746	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Antistatic Footwear	IS 17043 Clause 4.5.5.1
747	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Breaking Load	IS 17043 Clause 4.15.2
748	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Breaking Strength	IS 17043 Clause 4.12
749	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Change in Hardness	IS 17043 Clause 4.13.5

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 51 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
750	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Cold insulation of sole complex	IS 17043 Clause 4.5.7
751	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Construction	IS 17043 Clause 4.5.1
752	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Design	IS 17043 Clause 4.2
753	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Energy absorption of seat region	IS 17043 Clause 4.5.8
754	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Ergonomic Feature	IS 17043 Clause 4.5.2
755	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Eyelet Pull Test	IS 17043 Clause 4.14
756	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Flexing Resistance	IS 17043 Clause 4.13.8
757	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Hardness	IS 17043 Clause 4.13.4
758	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Heat Insulation of sole complex	IS 17043 Clause 4.5.6
759	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Height of upper	IS 17043 Clause 4.4
760	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Interlayer Bond Strength	IS 17043 Clause 4.5.3.1
761	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Lace to Eyelet Abrasion	IS 17043 Clause 4.14
762	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Length	IS 17043 Clause 4.15.1
763	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Moulded Density	IS 17043 Clause 4.13.3
764	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Size	IS 17043 Clause 4.3.1
765	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Tag Retention	IS 17043 Clause 4.15.2
766	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Tear Strength	IS 17043 Clause 4.11.2
767	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Tear Strength	IS 17043 Clause 4.13.6
768	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Tear Strength	IS 17043 Clause 4.6.2

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 52 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
769	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Tear Strength	IS 17043 Clause 4.7.2
770	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Thickness	IS 17043 Clause 4.10
771	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Thickness	IS 17043 Clause 4.11.1
772	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Thickness	IS 17043 Clause 4.13.2
773	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Thickness	IS 17043 Clause 4.6.1
774	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Thickness	IS 17043 Clause 4.7.1
775	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Thickness	IS 17043 Clause 4.8.1
776	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Thickness	IS 17043 Clause 4.9
777	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Upper outsole bond strength	IS 17043 Clause 4.5.3.1
778	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Water absorption	IS 17043 Clause 4.6.4
779	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Water Absorption	IS 17043 Clause 4.8.3
780	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Water Absorption	IS 17043 Clause 4.9.2
781	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Water Desorption	IS 17043 Clause 4.8.3
782	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Water Desorption	IS 17043 Clause 4.9.2
783	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Water Penetration	IS 17043 Clause 4.6.4
784	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Water vapour co-efficient	IS 17043 Clause 4.6.3
785	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Water Vapour Co-efficient	IS 17043 Clause 4.7.4
786	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Water vapour permeability	IS 17043 Clause 4.6.3
787	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Water Vapour Permeability	IS 17043 Clause 4.7.4

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5579
Page No	53 of 125
Validity	24/10/2021 to 23/10/2023
Last Amended on	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
788	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Derby Shoes	Weight	IS 17043 Clause 4.3.2
789	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear	Density of Leather and insole material	SATRA TM 12
790	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Abrasion Resistance	IS 16994 Clause 7.4
791	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Abrasion Resistance	IS 16994 Clause 7.7.2
792	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Ageing test of whole footwear	IS 16994 Clause 7.10
793	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Collapsing Load	IS 16994 Clause 7.6
794	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Compression Set	IS 16994 Clause 7.1
795	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Construction	IS 16994 Clause 8
796	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Density	IS 16994 Clause 7.7
797	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Finish of Footwear	IS 16994 Clause 9
798	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Flexing Resistance	IS 16994 Clause 7.3.1
799	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Flexing Resistance	IS 16994 Clause 7.7.3
800	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Hardness	IS 16994 Clause 7.7
801	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Height of upper	IS 16994 Clause 8.1
802	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Hydrolysis	IS 16994 Clause 7.9
803	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Impact Test	IS 16994 Clause 7.1
804	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Interlayer Bond Strength	IS 16994 Clause 7.7.4
805	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Internal length of toe cap	IS 16994 Clause 8.2
806	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Leak proof test of whole footwear	IS 16994 Clause 8.6

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 54 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
807	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Moisture Resistance	IS 16994 Clause 7.6
808	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Peel Strength	IS 16994 Clause 7.6
809	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Resilience	IS 16994 Clause 7.6
810	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Shape retention	IS 16994 Clause 7.6
811	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Tear Strength	IS 16994 Clause 7.3.1
812	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Tear Strength	IS 16994 Clause 7.4
813	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Tear Strength	IS 16994 Clause 7.7.1
814	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Tensile Strength	IS 16994 Clause 7.3.1
815	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Thickness	IS 16994 Clause 5.7
816	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Thickness	IS 16994 Clause 7.3.1
817	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Thickness	IS 16994 Clause 7.7
818	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Upper-Outsole Bond Strength	IS 16994 Clause 7.7.5
819	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Water absorption	IS 16994 Clause 7.5
820	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Water desorption	IS 16994 Clause 7.5
821	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Water Vapour Co-efficient	IS 16994 Clause 7.3.1
822	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Water vapour co-efficient	IS 16994 Clause 7.4
823	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Water Vapour Permeability	IS 16994 Clause 7.3.1
824	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear for Municipal Scavenging Work	Water Vapour Permeability	IS 16994 Clause 7.4
825	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear/Leather/Textile	Colour Fastness to Light	IS 3735 Clause 4.1.2.1

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 55 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
826	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwear/Leather/Textile	Colour fastness to light	IS 3735 Clause 4.1.3.2
827	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Abrasion resistances of Insole / Insock	ISO 20344
828	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Accelarated ageing	IS 3400 Part-4
829	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Ageing Test	IS 7016 Part - 8
830	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Breaking force and extension of break	SATRA TM 74
831	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Breaking Strength of Buckle - Three point Bending test	SATRA TM 141
832	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Burst Strength and distension - diaphragm method	SATRA TM 170
833	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Colour fastness to domestic and commercial laundering	SATRA TM 207
834	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Density of cellular material	SATRA TM 68
835	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Density of complete sole unit	SATRA TM 138
836	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Elongation at break	IS 12240 Part - 6
837	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Hardness - Shor A	IS 3400 Part-23/Sec-2
838	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Hardness - Shore A	IS 12240 Part-2
839	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Mass per unit area	SATRA TM 28
840	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Oil swelling test for sole materials	SATRA TM 63
841	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Resistance to scuffing by mild circular abrasion	SATRA TM 14
842	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Resistance to surface wetting	SATRA TM 217
843	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Resistance to water penetration	SATRA TM 171
844	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Security attachment of Bottom stop	IS 14181 Part-2

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5579
Page No	56 of 125
Validity	24/10/2021 to 23/10/2023
Last Amended on	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
845	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Security of attachment of retainer to lateral load	IS 14181 Part -2
846	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Slider locking strength of slide fastners	SATRA TM 226
847	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Slip Resistance	ISO 13287
848	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Strength perpendicular to needle perforations	SATRA TM 33
849	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Tear Strength of rubber and plastic	SATRA TM 218
850	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Tensile properties of plastics and rubbers	SATRA TM 137
851	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Tensile Strength	IS 3400 Part -1
852	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Washability of footwear	SATRA TM 158
853	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Water Vapour Permeability	IS 5914 (LP-21)
854	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Water Vapour permeability and absorption	SATRA TM 47
855	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Abrasion Resistance	IS 17012 Clause 4.10.2
856	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Abrasion Resistance	IS 17012 Clause 4.14.5
857	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Abrasion Resistance	IS 17012 Clause 4.7.4
858	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Abrasion Resistance	IS 17012 Clause 4.9.2
859	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Breaking Load	IS 17012 Clause 4.13
860	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Breaking Load	IS 17012 Clause 4.16.2
861	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Change in Hardness after ageing	IS 17012 Clause 4.14.7
862	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Cold Insulation of Sole Complex	IS 17012 Clause 4.5.7
863	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Electrical Resistance	IS 17012 Clause 4.5.5

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 57 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
864	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Energy absorption of seat region	IS 17012 Clause 4.5.8
865	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Ergonomic Feature	IS 17012 Clause 4.5.2
866	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Flexing Resistance	IS 17012 Clause 4.14.8
867	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Hardness	IS 17012 Clause 4.14.6
868	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Heat Insulation of sole complex	IS 17012 Clause 4.5.6
869	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Height of Upper	IS 17012 Clause 4.4
870	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Interlayer Bond Strength	IS 17012 Clause 4.5.3.2
871	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Length	IS 17012 Clause 4.16.1
872	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Resistance to fuel oil	IS 17012 Clause 6.1
873	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Resistance to Hot Contact	IS 17012 Clause 4.14.9
874	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Size	IS 17012 Clause 4.3.1
875	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Slip Resistance	IS 17012 Clause 4.5.4
876	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Sole Density	IS 17012 Clause 4.14.3
877	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Tear Strength	IS 17012 Clause 4.11.2
878	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Tear Strength	IS 17012 Clause 4.12.2
879	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Tear Strength	IS 17012 Clause 4.14.4
880	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Tear Strength	IS 17012 Clause 4.6.2
881	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Tear Strength	IS 17012 Clause 4.7.3
882	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Thickness	IS 17012 Clause 4.10

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 58 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
883	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Thickness	IS 17012 Clause 4.11.1
884	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Thickness	IS 17012 Clause 4.12.1
885	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Thickness	IS 17012 Clause 4.14.2
886	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Thickness	IS 17012 Clause 4.6.1
887	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Thickness	IS 17012 Clause 4.8
888	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Thickness	IS 17012 Clause 4.9.1
889	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Upper-Outsole Bond Strength	IS 17012 Clause 4.5.3.1
890	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Water absorption	IS 17012 Clause 4.10.3
891	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Water absorption	IS 17012 Clause 4.6.4
892	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Water absorption	IS 17012 Clause 4.9.3
893	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Water desorption	IS 17012 Clause 4.10.3
894	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Water Desorption	IS 17012 Clause 4.9.3
895	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Water Penetration	IS 17012 Clause 4.6.4
896	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Water vapour co-efficient	IS 17012 Clause 4.6.3
897	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Water Vapour Co-efficient	IS 17012 Clause 4.7.5
898	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Water Vapour Permeability	IS 17012 Clause 4.6.3
899	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Water Vapour Permeability	IS 17012 Clause 4.7.5
900	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber Sole	Weight	IS 17012 Clause 4.3.2
901	MECHANICAL- LEATHER AND LEATHER PRODUCTS	High Ankle Tactical Boots with PU-Rubber SoleQ	Tag Retention	IS 17012 Clause 4.16.2

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 59 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
902	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Breaking Load	IS 5557 Clause 5.1.4.2
903	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Change in Elongation	IS 5557 Clause 5.1.4.1
904	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Change in Hardness	IS 5557 Clause 5.1.4.1
905	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Change in tensile strength	IS 5557 Clause 5.1.4.1
906	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Composite Strength	IS 5557 Clause 5.1.7.2
907	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Consolidation Test	IS 5557 Clause 5.1.7.5
908	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Construction	IS 5557 Clause 5.1.6
909	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Design	IS 5557 Clause 5.1.1
910	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Elongation at break	IS 5557 Clause 5.1.4.1
911	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Flexing Endurance	IS 5557 Clause 5.1.7.3
912	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Hardness	IS 5557 Clause 5.1.4.1
913	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Heat Treatment	IS 5557 Clause 5.1.7.1
914	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Height of Boots	IS 5557 Clause 5.1.7.7
915	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Impact Resistance	IS 5557 Clause 5.1.4.3
916	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Leakage Resistance Test	IS 5557 Clause 5.1.7.4
917	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Performance test	IS 5557 Clause 5.1.7.6
918	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Relative Density	IS 5557 Clause 5.1.4.1
919	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Resistance to Oil	IS 5557 Clause 5.1.7.8
920	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Size	IS 5557 Clause 5.1.2

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	60 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
921	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Tensile Strength	IS 5557 Clause 5.1.4.1
922	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Industrial and protective rubber knee and ankle boots	Thickness of component	IS 5557 Clause 5.1.3
923	MECHANICAL- LEATHER AND LEATHER PRODUCTS	INSERT	ELECTRICAL RESISTANCE	ISO 22568-4 CLAUSE 4.5
924	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	ABRASION RESISTANCE	IS 15298-2
925	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	ABRASION RESISTANCE	IS 15298-3:
926	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	ABRASION RESISTANCE	ISO 20344:
927	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	ABRASION RESISTANCE OF INSOLE	IS 15298
928	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	Abrasion Resistance Of Insole	IS 15298-1
929	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	Abrasion Resistance Of Insole	IS 15298-2
930	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	Abrasion Resistance Of Insole	IS 15298-3
931	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	Abrasion Resistance Of Insole	IS 15298-4
932	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	Abrasion Resistance Of Insole	ISO 20344
933	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	ABRASION RESISTANCE OF INSOLE	ISO 20344:
934	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	Abrasion Resistance Of Insole	ISO 20345
935	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	Abrasion Resistance Of Insole	ISO 20346
936	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	Abrasion Resistance Of Insole	ISO 20347
937	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Footwear Products	Abrasion Resistance of Leather	SATRA TM 193
938	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & FOOTWEAR PRODUCTS	Determination of resistance of upper to cutting	IS 15298-4
939	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Color fastness to Crocking	ISO 105 X12

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 61 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
940	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Color fastness to Crocking	SATRA TM 167
941	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Determination of resistance to damage by flexing	ASTM D430
942	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Determination of resistance to damage by flexing	ASTM D813
943	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Determination of resistance to damage by flexing	BS 3424-9
944	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Determination of resistance to damage by flexing	ISO 132
945	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Determination of resistance to damage by flexing	ISO 7854
946	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	BS 3144 (Part 6)
947	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER & LEATHER PRODUCTS	TEAR STRENGTH	BS EN ISO 17696:
948	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	IS 15298-1
949	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	IS 15298-2
950	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	IS 15298-3
951	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	IS 15298-4
952	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	ISO 20344
953	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	ISO 20345
954	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	ISO 20346
955	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	ISO 20347
956	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	ISO 3377 (Part 1)
957	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	SATRA TM 162
958	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	SATRA TM 179

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	62 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
959	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tear Strength	SATRA TM 30
960	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tensile Strength & Elongation at break	BS 3144 (Part 5)
961	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tensile Strength & Elongation at break	IS 15298-1
962	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tensile Strength & Elongation at break	IS 15298-2
963	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tensile Strength & Elongation at break	IS 15298-3
964	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tensile Strength & Elongation at break	IS 15298-4
965	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tensile Strength & Elongation at break	ISO 20344
966	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tensile Strength & Elongation at break	ISO 20345
967	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tensile Strength & Elongation at break	ISO 20346
968	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tensile Strength & Elongation at break	ISO 20347
969	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tensile Strength & Elongation at break	ISO 3376
970	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather & Leather Products	Tensile Strength & Elongation at break	SATRA TM 43
971	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Abrasion resistances	IS 15298-1
972	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Abrasion resistances	IS 15298-2
973	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Abrasion resistances	IS 15298-3
974	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Abrasion resistances	IS 15298-4
975	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Abrasion resistances	ISO 20345
976	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Abrasion resistances	ISO 20346
977	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Abrasion resistances	ISO 20347

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	63 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
978	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Adhesion of Finish	ISO 11644
979	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Adhesion of Finish	SATRA TM 410
980	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Attachment Strength of Shoe Lace tag	SATRA TM 175
981	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Attachments Strength of Eyelets	SATRA TM 150
982	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	BEHAIOR OF TOE-CAP	ISO 20347:
983	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	BEHAVIOR OF TOE - COP	IS 15298-2:
984	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	BEHAVIOR OF TOE -CAP	IS 15298-1
985	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Behavior of Toe-Cap	15298-2
986	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Behavior of Toe-Cap	IS 15298-1
987	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Behavior of Toe-Cap	IS 15298-3
988	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Behavior of Toe-Cap	IS 15298-4
989	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Behavior of Toe-Cap	ISO 20344
990	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Breaking Strength & Elongation at break	SATRA TM 29
991	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	BREAKING STRENGTH & ELONGATION AT BREAK	SATRA TM29:
992	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	CLEATED AREA (DESIGN)	IS 15298-3
993	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	CLEATED AREA (DESIGN)	IS 15298-1:
994	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	CLEATED AREA (DESIGN)	IS 15298-2:
995	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	CLEATED AREA (DESIGN)	IS 15298-4:
996	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	CLEATED AREA (DESIGN)	ISO 20344:

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 64 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
997	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	CLEATED AREA (DESIGN)	ISO 20345:
998	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Cleated Area(Design)	IS 15298-1
999	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Cleated Area(Design)	IS 15298-2
1000	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Cleated Area(Design)	IS 15298-3
1001	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Cleated Area(Design)	IS 15298-4
1002	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Cleated Area(Design)	ISO 20344
1003	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Cleated Area(Design)	ISO 20345
1004	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Cleated Height	IS 15298-1
1005	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Cleated Height	IS 15298-2
1006	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Cleated Height	IS 15298-3
1007	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Cleated Height	IS 15298-4
1008	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Cleated Height	ISO 20344
1009	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Cleated Height	ISO 20345
1010	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Cold Insulation of sole complex	IS 15298-1
1011	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Cold Insulation of sole complex	IS 15298-2
1012	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Cold Insulation of sole complex	IS 15298-3
1013	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Cold Insulation of sole complex	IS 15298-4
1014	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Cold Insulation of sole complex	ISO 20344
1015	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Cold Insulation of sole complex	ISO 20345

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	65 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1016	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Cold Insulation of sole complex	ISO 20346
1017	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Cold Insulation of sole complex	ISO 20347
1018	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Color fastness to Rubbing (Circular Motion)	ISO 17700(Method - B)
1019	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Color fastness to Rubbing (Circular Motion)	SATRA TM 8
1020	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Color fastness to Rubbing (To & Fro Motion)	ISO 11640
1021	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Color fastness to Rubbing (To & Fro Motion)	ISO 17700(Method - A)
1022	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Color fastness to Rubbing (To & Fro Motion)	SATRA TM 173
1023	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Comfort & Efficiency	EN 420: 2003+A1
1024	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Compression Resistance of Toe Cap	IS 15298-1
1025	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	COMPRESSION RESISTANCE OF TOE CAP	IS 15298-1:
1026	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Compression Resistance of Toe Cap	IS 15298-2
1027	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	COMPRESSION RESISTANCE OF TOE CAP	IS 15298-2:
1028	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Compression Resistance of Toe Cap	IS 15298-3
1029	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	COMPRESSION RESISTANCE OF TOE CAP	IS 15298-3:
1030	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Compression Resistance of Toe Cap	IS 15298-4
1031	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	COMPRESSION RESISTANCE OF TOE CAP	IS 15298-4:
1032	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Compression Resistance of Toe Cap	ISO 20344
1033	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Compression Resistance of Toe Cap	ISO 20345
1034	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	COMPRESSION RESISTANCE OF TOE CAP	ISO 20346

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 66 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1035	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	COMPRESSION RESISTANCE OF TOE CAP	ISO 20347:
1036	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction	IS 15298-1
1037	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction	IS 15298-2
1038	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction	IS 15298-3
1039	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction	IS 15298-4
1040	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction	ISO 20344
1041	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction	ISO 20345
1042	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction	ISO 20346
1043	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction	ISO 20347
1044	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction of Insole	IS 15298-1
1045	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction of Insole	IS 15298-2
1046	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction of Insole	IS 15298-3
1047	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction of Insole	IS 15298-4
1048	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction of Insole	ISO 20344
1049	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction of Insole	ISO 20345
1050	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction of Insole	ISO 20346
1051	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Construction of Insole	ISO 20347
1052	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Decorative Trim Attachment	SATRA TM 117

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	67 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1053	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of distention and strength of surface(Ball Burst Methods)	SATRA TM 24
1054	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of flex resistance test: Bally Flexing(Flexometer method)	ISO 5402-1
1055	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of resistance of upper to cutting	IS 15298-1
1056	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of resistance of upper to cutting	IS 15298-2
1057	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of resistance of upper to cutting	IS 15298-3
1058	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of resistance of upper to cutting	IS 15298-4
1059	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of resistance of upper to cutting	ISO 20344
1060	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of resistance of upper to cutting	ISO 20345
1061	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of resistance of upper to cutting	ISO 20346
1062	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of resistance of upper to cutting	ISO 20347
1063	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of the shock absorption capacity of ankle protection materials incorporated into the upper	15298-2
1064	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of the shock absorption capacity of ankle protection materials incorporated into the upper	IS 15298-1
1065	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of the shock absorption capacity of ankle protection materials incorporated into the upper	IS 15298-3
1066	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of the shock absorption capacity of ankle protection materials incorporated into the upper	IS 15298-4

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	68 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1067	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of the shock absorption capacity of ankle protection materials incorporated into the upper	ISO 20344
1068	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of the shock absorption capacity of ankle protection materials incorporated into the upper	ISO 20345
1069	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of the shock absorption capacity of ankle protection materials incorporated into the upper	ISO 20346
1070	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of the shock absorption capacity of ankle protection materials incorporated into the upper	ISO 20347
1071	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Determination of water resistance of flexible leather-Repeated linear compression method(Penetrometer)	ISO 5403-1
1072	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Dimension Test	IS 15298-1
1073	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Dimension Test	IS 15298-2
1074	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Dimension Test	IS 15298-3
1075	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Dimension Test	IS 15298-4
1076	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Dimension Test	ISO 20344
1077	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Dimension Test	ISO 20345
1078	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Dimension Test	ISO 20346
1079	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Dimension Test	ISO 20347
1080	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Insulation	ISO 20344
1081	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Insulation	IS 15298-1

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	69 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1082	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Insulation	IS 15298-2
1083	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Insulation	IS 15298-3
1084	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Insulation	IS 15298-4
1085	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Insulation	ISO 20345
1086	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Conductive Footwear	IS 15298-4
1087	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Conductive Footwear	ISO 20345
1088	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Antistatic Footwear	IS 15298-1
1089	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Antistatic Footwear	IS 15298-2
1090	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Antistatic Footwear	IS 15298-3
1091	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Antistatic Footwear	IS 15298-4
1092	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Antistatic Footwear	ISO 20344
1093	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Antistatic Footwear	ISO 20345
1094	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Antistatic Footwear	ISO 20346
1095	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Antistatic Footwear	ISO 20347
1096	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Conductive Footwear	IS 15298-1
1097	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Conductive Footwear	IS 15298-2
1098	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Conductive Footwear	ISO 20344
1099	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Conductive Footwear	ISO 20346
1100	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Conductive Footwear,	ISO 20347

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	70 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1101	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Electrical Properties - Conductive Footwear,	IS 15298-3
1102	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Energy Absorption of Seat Region	IS 15298-1
1103	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Energy Absorption of Seat Region	IS 15298-2
1104	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Energy Absorption of Seat Region	IS 15298-3
1105	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Energy Absorption of Seat Region	IS 15298-4
1106	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Energy Absorption of Seat Region	ISO 20344
1107	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Energy Absorption of Seat Region	ISO 20345
1108	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Energy Absorption of Seat Region	ISO 20346
1109	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Energy Absorption of Seat Region	ISO 20347
1110	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Flexing Endurance (Bally)	BS 3144 (Part 13)
1111	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Flexing Endurance (Bally)	SATRA TM 55
1112	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Hardness(IRHD)	BS ISO 48-2(Method N)
1113	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Hardness(IRHD)	SATRA TM 206
1114	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Heat Insulation of Sole Complex	IS 15298-1
1115	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Heat Insulation of Sole Complex	IS 15298-2
1116	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Heat Insulation of Sole Complex	IS 15298-3
1117	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Heat Insulation of Sole Complex	IS 15298-4
1118	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Heat Insulation of Sole Complex	ISO 20344
1119	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Heat Insulation of Sole Complex	ISO 20345

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	71 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1120	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Heel Attachment	BS EN 12785
1121	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Heel Attachment	SATRA TM 113
1122	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Height of Upper	IS 15298-1
1123	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Height of Upper	IS 15298-2
1124	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Height of Upper	IS 15298-3
1125	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Height of Upper	IS 15298-4
1126	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Height of Upper	ISO 20344
1127	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Height of Upper	ISO 20345
1128	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Height of Upper	ISO 20346
1129	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Height of Upper	ISO 20347
1130	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Hydrolysis of polyurethane solings and polyurethane coated material	SATRA TM 344
1131	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Hydrolysis test of PU based sheet material	SATRA TM 328
1132	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Impact Resistance of Toe cap	IS 15298-1
1133	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Impact Resistance of Toe cap	IS 15298-2
1134	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Impact Resistance of Toe cap	IS 15298-3
1135	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Impact Resistance of Toe cap	IS 15298-4
1136	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Impact Resistance of Toe cap	ISO 20344
1137	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Impact Resistance of Toe cap	ISO 20345

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 72 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1138	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Internal Length of Toe-Cap	IS 15298-1
1139	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Internal Length of Toe-Cap	IS 15298-2
1140	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Internal Length of Toe-Cap	IS 15298-3
1141	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Internal Length of Toe-Cap	IS 15298-4
1142	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Internal Length of Toe-Cap	ISO 20344
1143	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Internal Length of Toe-Cap	ISO 20345
1144	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Knot Slippage Test	SATRA TM 195
1145	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Leak Proofness test	IS 15298-1
1146	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Leak Proofness test	IS 15298-2
1147	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Leak Proofness test	IS 15298-3
1148	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Leak Proofness test	IS 15298-4
1149	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Leak Proofness test	ISO 20344
1150	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Leak Proofness test	ISO 20345
1151	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Leak Proofness test	ISO 20346
1152	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Leak Proofness test	ISO 20347
1153	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Martindale Abrasion	IS 15298-1
1154	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Martindale Abrasion	IS 15298-2
1155	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Martindale Abrasion	IS 15298-3
1156	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Martindale Abrasion	IS 15298-4

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5579
Page No	73 of 125
Validity	24/10/2021 to 23/10/2023
Last Amended on	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1157	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Martindale Abrasion	ISO 20344
1158	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Martindale Abrasion	ISO 20345
1159	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Martindale Abrasion	ISO 20345
1160	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Martindale Abrasion	ISO 20346
1161	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Martindale Abrasion	ISO 20347
1162	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Martindale Abrasion	SATRA TM 31
1163	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Penetration Resistance of Inserts	IS 15298-1
1164	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Penetration Resistance of Inserts	IS 15298-2
1165	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Penetration Resistance of Inserts	IS 15298-3
1166	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Penetration Resistance of Inserts	IS 15298-4
1167	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Penetration Resistance of Inserts	ISO 20344
1168	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Penetration Resistance of Inserts	ISO 20345
1169	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Penetration Resistance of Inserts	ISO 20346
1170	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Penetration Resistance of Inserts	ISO 20347
1171	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Rapid Sole Bond Strength	BS 5131: 5.1
1172	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Rapid Sole Bond Strength	SATRA TM 404
1173	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Requirements for Toe Caps Compression Resistance	ISO 22568-1 Clause 4.5
1174	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Seam Strength of Leather	SATRA TM 180
1175	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Seat Region	IS 15298-1

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 74 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1176	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Seat Region	IS 15298-2
1177	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Seat Region	IS 15298-3
1178	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Seat Region	IS 15298-4
1179	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Seat Region	ISO 20344
1180	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Seat Region	ISO 20345
1181	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Seat Region	ISO 20346
1182	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Seat Region	ISO 20347
1183	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Shoe Lace Strength	SATRA TM 94
1184	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Slip Resistance (Coefficient of Friction)	SATRA TM 144
1185	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Slip Resistance (Coefficient of Friction)	IS 15298-1
1186	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Slip Resistance (Coefficient of Friction)	IS 15298-2
1187	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Slip Resistance (Coefficient of Friction)	IS 15298-3
1188	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Slip Resistance (Coefficient of Friction)	IS 15298-4
1189	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Slip Resistance (Coefficient of Friction)	ISO 13287
1190	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Slip Resistance (Coefficient of Friction)	ISO 20344
1191	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Slip Resistance (Coefficient of Friction)	ISO 20345
1192	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Slip Resistance (Coefficient of Friction)	ISO 20346
1193	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Slip Resistance (Coefficient of Friction)	ISO 20347
1194	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Small molten metal splash test	ISO 20349-2(Clause No.: 7.3)

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5579
Page No	75 of 125
Validity	24/10/2021 to 23/10/2023
Last Amended on	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1195	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Specific ergonomic features	IS 15298-1
1196	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Specific ergonomic features	IS 15298-2
1197	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Specific ergonomic features	IS 15298-3
1198	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Specific ergonomic features	IS 15298-4
1199	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Specific ergonomic features	ISO 20344
1200	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Specific ergonomic features	ISO 20345
1201	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Specific ergonomic features	ISO 20346
1202	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Specific ergonomic features	ISO 20347
1203	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Split Tear Strength	SATRA TM 65
1204	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Stitch Tear Strength	SATRA TM 5
1205	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Strap / Buckle & Related Attachment Strength	BS 5131: 5.11
1206	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Strap / Buckle & Related Attachment Strength	SATRA TM 181
1207	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Strap to Sole Attachment	SATRA TM 120
1208	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Strength of Buckle Attachment	SATRA TM 151
1209	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Strength of Eyelet Facing & other laced fastening	SATRA TM 149
1210	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Surface peel strength of Insole material	SATRA TM 101
1211	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Thickness of Leather & Insole Material	SATRA TM 1
1212	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Thickness of non Leather Flexing Shoe Material	SATRA TM 27
1213	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Thickness Test	IS 15298-1

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	76 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1214	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Thickness Test	IS 15298-3
1215	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Thickness Test	IS 15298-4
1216	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Thickness Test	ISO 20344
1217	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Thickness Test	ISO 20345
1218	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Thickness Test	ISO 20346
1219	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER / FOOTWEAR PRODUCTS & ACCESSORIES	Thickness Test	ISO 20347
1220	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Toe-post Attachment	SATRA TM 118
1221	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Toe-Protection (General Clause)	IS 15298-1
1222	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Toe-Protection (General Clause)	IS 15298-2
1223	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Toe-Protection (General Clause)	IS 15298-3
1224	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Toe-Protection (General Clause)	IS 15298-4
1225	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Toe-Protection (General Clause)	ISO 20344
1226	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Toe-Protection (General Clause)	ISO 20345
1227	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Top-Piece Attachment	BS 5131: 5.9
1228	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Top-Piece Attachment	SATRA TM 108
1229	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Upper/Sole Bond Strength	BS 5131: 5.4
1230	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Upper/Sole Bond Strength	IS 15298-1
1231	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Upper/Sole Bond Strength	IS 15298-2
1232	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Upper/Sole Bond Strength	IS 15298-3

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	77 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1233	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Upper/Sole Bond Strength	IS 15298-4
1234	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Upper/Sole Bond Strength	ISO 17708
1235	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Upper/Sole Bond Strength	ISO 20344
1236	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Upper/Sole Bond Strength	ISO 20345
1237	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Upper/Sole Bond Strength	ISO 20346
1238	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Upper/Sole Bond Strength	ISO 20347
1239	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Upper/Sole Bond Strength	SATRA TM 411
1240	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Vamp Flex Test: Resistance to creasing & cracking	SATRA TM 25
1241	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Absorption & Desorption	IS 15298-1
1242	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Absorption & Desorption	IS 15298-2
1243	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Absorption & Desorption	IS 15298-3
1244	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Absorption & Desorption	IS 15298-4
1245	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Absorption & Desorption	ISO 20345
1246	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Absorption & Desorption	ISO 20346
1247	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Absorption & Desorption	ISO 20347
1248	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Absorption & Desorption of	ISO 20344
1249	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Penetration & Water Absorption	IS 15298-1
1250	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Penetration & Water Absorption	IS 15298-2
1251	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Penetration & Water Absorption	IS 15298-3

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-5579
Page No	78 of 125
Validity	24/10/2021 to 23/10/2023
Last Amended on	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1252	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Penetration & Water Absorption	IS 15298-4
1253	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Penetration & Water Absorption	ISO 20344
1254	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Penetration & Water Absorption	ISO 20345
1255	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Penetration & Water Absorption	ISO 5403
1256	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Resistance	IS 15298-1
1257	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Resistance	IS 15298-2
1258	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Resistance	IS 15298-3
1259	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Resistance	IS 15298-4
1260	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Resistance	ISO 20344
1261	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Resistance	ISO 20345
1262	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Resistance	ISO 20346
1263	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Resistance	ISO 20347
1264	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapor Transmission Absorption	EN 420: 2003+A1
1265	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Absorption	IS 15298-1
1266	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Absorption	IS 15298-3
1267	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Absorption	IS 15298-4
1268	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Absorption	ISO 20344
1269	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Absorption	ISO 20345
1270	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Absorption	ISO 20346

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	79 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1271	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Absorption	ISO 20347
1272	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Absorption	SATRA TM 178
1273	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Coefficient	IS 15298-1
1274	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Coefficient	IS 15298-2
1275	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Coefficient	IS 15298-3
1276	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Coefficient	IS 15298-4
1277	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Coefficient	ISO 20344
1278	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Coefficient	ISO 20345
1279	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Coefficient	ISO 20346
1280	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Coefficient	ISO 20347
1281	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Permeability	BS 3144 (Part 24)
1282	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Permeability	IS 15298-1
1283	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Permeability	IS 15298-2
1284	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Permeability	IS 15298-3
1285	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Permeability	IS 15298-4
1286	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Permeability	ISO 14268
1287	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Permeability	ISO 20344
1288	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Permeability	ISO 20346
1289	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Permeability	ISO 20347

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	80 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1290	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Water Vapour Permeability	SATRA TM 172
1291	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather / Footwear Products & Accessories	Whole Shoe Flexing	SATRA TM 92
1292	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Component	Thickness	ISO 2781
1293	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot & Shoe	Design	IS 1989-1&2 Clause 7.1
1294	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot & Shoe	Tensile Strength	IS 1989-1&2 Clause 8.1 (a)
1295	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Breaking Load	IS 1989-1&2 Clause 8.14
1296	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Breaking Strength	IS 1989-1&2 Clause 8.5
1297	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Breaking Strength	IS 1989-1&2 Clause 8.9
1298	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Change in Elongation	IS 1989-1&2 Clause 8.3
1299	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Change in Initial Hardness	IS 1989-1&2 Clause 8.3
1300	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Change in tensile strength	IS 1989-1&2 Clause 8.3
1301	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Colour Fastness to dry rubbing	IS 1989-1&2 Clause 8.1 (b)
1302	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Compression Set	IS 1989-1&2 Clause 8.3
1303	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Dimension	IS 1989-1&2 Clause 8.7
1304	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Elongation at Break	IS 1989-1&2 Clause 8.3
1305	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Ends in Full width	IS 1989-1&2 Clause 8.5
1306	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Flexing Resistance	IS 1989-1&2 Clause 8.3
1307	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	GSM	IS 1989-1&2 Clause 8.15
1308	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Hardness	IS 1989-1&2 Clause 8.3

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	81 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1309	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Length	IS 1989-1&2 Clause 8.10
1310	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Length	IS 1989-1&2 Clause 8.12
1311	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Length	IS 1989-1&2 Clause 8.14
1312	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Length of Role	IS 1989-1&2 Clause 8.5
1313	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Mass	IS 1989-1&2 Clause 8.5
1314	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Performance Test	IS 1989-1&2 Clause 8.4
1315	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Picks/cm	IS 1989-1&2 Clause 8.5
1316	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Relative Density	IS 1989-1&2 Clause 8.3
1317	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Resistance to Cracking	IS 1989-1&2 Clause 8.3 (b)
1318	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Shape & Dimension	IS 1989-1&2 Clause 8.4
1319	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Stitch Tear Strength	IS 1989-1&2 Clause 8.2 (b)
1320	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Tensile Strength	IS 1989-1&2 Clause 8.2 (a)
1321	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Tensile Strength	IS 1989-1&2 Clause 8.3
1322	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Thickness	IS 1989-1&2 Clause 8.17
1323	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Thickness	IS 1989-1&2 Clause 8.3
1324	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Boot And Shoes	Width	IS 1989-1&2 Clause 8.13
1325	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Abrasion Resistance	IS 14544 Clause 5.2.4
1326	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Adhesion test on molded bottoms	IS 14544 Clause 5.7
1327	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Area Shrinkage	IS 14544 Clause 5.2.2

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	82 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1328	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Breaking Strength	IS 14544 Clause 5.2.5
1329	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Breaking Strength	IS 14544 Clause 5.2.7
1330	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Breaking Strength	IS 14544 Clause 5.2.9
1331	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Collapsing Load	IS 14544 Clause 5.2.3
1332	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Construction	IS 14544 Clause 5.4
1333	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Crack Resistance	IS 14544 Clause 5.2.2
1334	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Density	IS 14544 Clause 5.2.2
1335	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Diameter	IS 14544 Clause 5.2.6.3
1336	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Distension and strength of grain	IS 14544 Clause 5.2.1
1337	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Elongation at break	IS 14544 Clause 5.2.1
1338	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Elongation at Break	IS 14544 Clause 5.2.11
1339	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Elongation at break	IS 14544 Clause 5.2.2
1340	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Ends	IS 14544 Clause 5.2.7
1341	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Flexing Endurance	IS 14544 Clause 5.2.2
1342	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Flexing Resistance	IS 14544 Clause 5.2.11
1343	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Flexural Endurance	IS 14544 Clause 5.2..1
1344	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Gripping Strength of Tag	IS 14544 Clause 5.2.9
1345	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Hardness	IS 14544 Clause 5.2.11
1346	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Heat Resistance	IS 14544 Clause 5.2.1

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	83 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1347	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Impact Resistance	IS 14544 Clause 5.2.10
1348	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Length	IS 14544 Clause 5.2.9
1349	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Linear Shrinkage	IS 14544 Clause 5.2.2
1350	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Mass	IS 14544 Clause 5.5
1351	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Moisture Resistance	IS 14544 Clause 5.2.3
1352	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Peel Strength	IS 14544 Clause 5.2.3
1353	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Picks/cm	IS 14544 Clause 5.2.7
1354	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Relative Density	IS 14544 Clause 5.2.11
1355	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Resilience	IS 14544 Clause 5.2.3
1356	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Shape & Design	IS 14544 Clause 5.2.6.2
1357	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Shape & Dimension	IS 14544 Clause 5.2.10
1358	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Shape Retention	IS 14544 Clause 5.2.3
1359	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Slip Resistance of lace	IS 14544 Clause 5.2.9
1360	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Stitch Tear Strength	IS 14544 Clause 5.2.1
1361	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Stitch Tear Strength	IS 14544 Clause 5.2.2
1362	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Tensile Strength	IS 14544 Clause 5.2.1
1363	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Tensile Strength	IS 14544 Clause 5.2.11
1364	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Tensile Strength	IS 14544 Clause 5.2.2
1365	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Tensile Strength	IS 14544 Clause 5.2.4

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	84 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1366	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Thickness	IS 14544 Clause 5.2.1
1367	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Thickness	IS 14544 Clause 5.2.4
1368	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Thickness	IS 14544 Clause 5.2.6.2
1369	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Thickness of componenets	IS 14544 Clause 5.3
1370	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Tongue Tear Resistance	IS 14544 Clause 5.2.1
1371	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Tongue Tear Strength	IS 14544 Clause 5.2.4
1372	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Type of Shank	IS 14544 Clause 5.2.6.2
1373	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Water absorption	IS 14544 Clause 5.2.2
1374	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Water Vapour Permeability	IS 14544 Clause 5.2.4
1375	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Width	IS 14544 Clause 5.2.6.2
1376	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded Polyvinyl Chloride Sole (PVC)	Workmanship and finish	IS 14544 Clause 5.4.8
1377	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Abrasion Resistance	IS 11226 Clause 5.2.4
1378	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Area Shrinkage	IS 11226 Clause 5.2.2
1379	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Breaking Strength	IS 11226 Clause 5.2.4
1380	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Breaking Strength	IS 11226 Clause 5.2.5
1381	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Breaking Strength	IS 11226 Clause 5.2.9
1382	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Change in Initial Hardness	IS 11226 Clause 5.2.11
1383	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Collapsing Load	IS 11226 Clause 5.2.3
1384	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Collar Diameter	IS 11226 Clause 5.2.6.3

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 85 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1385	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Crack Resistance - Insole	IS 11226 Clause 5.2.2
1386	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Density - Insole	IS 11226 Clause 5.2.1
1387	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Distension and Strength of Grain - Upper	IS 11226 Clause 5.2.1
1388	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Elongation at break - Insole	IS 11226 Clause 5.2.2
1389	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Elongation at break - Sole	IS 11226 Clause 5.2.11
1390	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Elongation at Break - Upper	IS 11226 Clause 5.2.1
1391	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Ends - Cotton Tape	IS 11226 Clause 5.2.7
1392	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Flexing Endurance - Insole	IS 11226 Clause 5.2.2
1393	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Flexing Resistance - Sole	IS 11226 Clause 5.2.11
1394	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Flexural Endurance	IS 11226 Clause 5.2.1
1395	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Gripping Strength of metallic tag - Lace	IS 11226 Clause 5.2.9
1396	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Hardness - Sole and Heel	IS 11226 Clause 5.2.11
1397	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Heat Resistance	IS 11226 Clause 5.2.1
1398	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Impact Resistance - Toe Cap	IS 11226 Clause 5.2.10
1399	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Length - Lace	IS 11226 Clause 5.2.9
1400	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Length - Shank	IS 11226 Clause 5.2.6.2
1401	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Length of Thread	IS 11226 Clause 5.2.5
1402	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Moisture Resistance - Stiffener	IS 11226 Clause 5.2.3
1403	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Oil Resistance - Sole and Heel	IS 11226 Clause 5.2.11

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	86 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1404	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Peel Strength - Stiffener	IS 11226 Clause 5.2.3
1405	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Picks - Cotton Tape	IS 11226 Clause 5.2.7
1406	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Relative Density - Sole and Heel	IS 11226 Clause 5.2.11
1407	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Resilience - Stiffener	IS 11226 Clause 5.2.3
1408	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Shape retention - Stiffener	IS 11226 Clause 5.2.3
1409	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Slip Resistance - Lace	IS 11226 Clause 5.2.9
1410	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Stitch Tear Strength - Insole	IS 11226 Clause 5.2.2
1411	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Stitch Tear Strength - Upper	IS 11226 Clause 5.2.1
1412	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Tensile Strength - Insole	IS 11226 Clause 5.2.2
1413	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Tensile Strength - Lining	IS 11226 Clause 5.2.4
1414	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Tensile Strength - Sole and Heel	IS 11226 Clause 5.2.11
1415	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Tensile Strength - Upper	IS 11226 Clause 5.2.1
1416	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Thickness - Eyelet	IS 11226 Clause 5.2.6.3
1417	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Thickness - Lining	IS 11226 Clause 5.2.4
1418	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Thickness - Shank	IS 11226 Clause 5.2.6.2
1419	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Thickness - Upper	IS 11226 Clause 5.2.1
1420	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Thickness of Component	IS 11226 Clause 5.3
1421	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Thickness of Component	IS 11226 Clause 5.3
1422	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Tongue Tear Strength - Lining	IS 11226 Clause 5.2.4

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 87 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1423	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Tongue Tear Strength - Upper	IS 11226 Clause 5.2.1
1424	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Type & Design - Shank	IS 11226 Clause 5.2.6.2
1425	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Water Absorption - Insole	IS 11226 Clause 5.2.2
1426	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Water Vapour Permeability - Lining	IS 11226 Clause 5.2.4
1427	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Safety Footwear With Direct Moulded rubber Sole	Width - Shank	IS 11226 Clause 5.2.6.2
1428	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Sole	Abrasion Resistance (Drum)	SATRA TM 193
1429	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	ANTI STATIC FOOTWEAR	EN 15090(CLAUSE NO.6.6.3):
1430	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	BURNING BEHAVIOR	ISO 20349-1(CLAUSE NO,.7.5):
1431	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	BURNING BEHAVIOR	ISO 20349-2 (CLAUSE NO.7.4):
1432	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	CLEAT HEIGHT	EN 15090 (CLAUSE NO,. 6.6.2):
1433	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	CLEAT HEIGHT	EN 15090(CLAUSE NO.6.7.1):
1434	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	CLEAT HEIGHT	EN 15090(CLAUSE NO.6.7.2):
1435	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	CLEAT HEIGHT WAIST AREA	EN15090(CLAUSE NO.6.7.3):
1436	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	COMPRESSION RESISTANCE FOR TOE PUFF	EN 15090(CLAUSE NO.:6.4):
1437	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	COMPRESSION STE -CONSTANT STRESS METHOD	STARA TM 64:
1438	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	CONSTRUCTION	ISO 17249(CLAUSE NO.:6.3)
1439	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	DENSITY OF COMPLETE SOLE UNIT	SATRA TM
1440	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	design	ISO 17249(CLAUSE NO.602):
1441	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	DESIGN	ISO 20349-2(CLAUSE NO.:7.2):

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	88 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1442	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	DESIGN OF FOOTWEAR	ISO 20349-1(CLAUSE NO.:7.2):
1443	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	Determination of distention and strength of surface(Ball Burst Methods)	ISO 3379:
1444	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	Electrical Insulation	EN 50321-1:
1445	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	FLAME RESISTANCE TEST	EN 15090(CLAUSE NO.6.3.3):
1446	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HEAT INSULATION OF SOLE COMPLEX	ISO 20349-1(CLAUSE NO.7.6):
1447	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HEAT SHRINKAGE OF CELLULAR SOLINGS	SATRA TM 70:
1448	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HEEL BREST	EN 15090(CLAUSE NO.6.7.4):
1449	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HEIGHT OF UPPER	IS 15298-1:
1450	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HEIGHT OF UPPER	IS 15298-2:
1451	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	height of upper	IS 15298-3:
1452	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HEIGHT OF UPPER	IS 15298-4:
1453	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HEIGHT OF UPPER	ISO 20344:
1454	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HEIGHT OF UPPER	ISO 20345:
1455	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HEIGHT OF UPPER	ISO 20346:
1456	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HEIGHT OF UPPER	ISO 20347:
1457	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HEIGHT OF UPPER	ISO 20349-1(CLAUSE NO,7.1):
1458	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HEIGHT OF UPPER	ISO 20349-2(CLAUSE NO.7.1):
1459	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	HYDROLYSIS TEST PU SOLE & PU COATED LEATHER	SATRA TM 344:

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 89 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1460	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	INNOCUOUSNESS TEST	ISO 20349-1 (CLAUSE NO.7.9):
1461	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	INNOCUOUSNESS TEST	ISO 20349-2(CLAUSE NO.7.5):
1462	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	INSULATION AGAINST HEAT	EN 15090(CLAUSE NO.6.3.1):
1463	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	NEEDLE PERFORATION TEST	SATRA TM 33:
1464	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	REMOVAL TIME	ISO 20349-1(CLAUSE NO,7.8):
1465	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	RESISTANCE OF UPPER CONTACT TO HEAT TRANSMISSION	ISO 20349(CLAUSE NO.7.4):
1466	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	RESISTANCE TO CHEMICAL	EN 15090(CLAUSE NO.6.5):
1467	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	SCUFF RESISTANCE TEST	SATRA TM 140:
1468	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	SEAM STRENGTH OF LEATHER	SATRA TM 180:
1469	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	SHOE LACE STRENGTH	SATRA TM 94:
1470	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	SPECIFIC ERGONOMIC FEATURES	ISO 20349-1(CLAUSE NO.7.8):
1471	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	THICKNESS TEST	IS 15298-1:
1472	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	THICKNESS TEST	IS 15298-2:
1473	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	THICKNESS TEST	IS 15298-3:
1474	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	THICKNESS TEST	IS 15298-4:
1475	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	THICKNESS TEST	ISO 20344:
1476	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	THICKNESS TEST	ISO 20345:
1477	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	THICKNESS TEST	ISO 20346:

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	90 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1478	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	THICKNESS TEST	ISO 20347:
1479	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	WHOLE SHOE FLEXING	ISO 19955:
1480	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	YPE AND CLASSIFICATION	EN 15090(CLAUSE NO.4.1 & 6.1):
1481	MECHANICAL- LEATHER AND LEATHER PRODUCTS	LEATHER/ FOOTWEAR PRODUCTS & ACCESSORIES	ZIPPER STRENGTH	EN 15090(CLAUSE NO.6.8):
1482	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather/Textile	CF to Light	IS 105 B02
1483	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather/Textile	Colour Fastness to Light	AATCC 16.3
1484	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather/Textile/Synthetic	Colour Fastness of Zipper to Light	ASTM D2053
1485	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Plastics Footwear	Boot Height	IS 16645 Clause 4
1486	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Plastics Footwear	Cold Flex Temperature of upper	IS 16645 Clause 5.5
1487	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Plastics Footwear	Elongation at break	IS 16645 Clause 5.3
1488	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Plastics Footwear	Hardness	IS 16645 Clause 5.4
1489	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Plastics Footwear	Hydrolysis Resistance	IS 16645 Clause 5.8.2
1490	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Plastics Footwear	Resistance of soling to cut growth	IS 16645 Clause 5.6
1491	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Plastics Footwear	Resistance to Flexing of boot upper	IS 16645 Clause 5.2
1492	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Plastics Footwear	Resistance to hydrolysis	IS 16645 Clause 5.8.1
1493	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Plastics Footwear	Resistance to Hydrolysis	IS 16645 Clause 5.8.3
1494	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Plastics Footwear	Soling Pattern	IS 16645 Clause 4.1
1495	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Plastics Footwear	Tensile Strength	IS 16645 Clause 5.3
1496	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Plastics Footwear	Thickness	IS 16645 Clause 4.2

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 91 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1497	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Change in Elongation at break	IS 5676 Clause 5.7
1498	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Change in Initial Hardness	IS 5676 Clause 5.7
1499	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Change in Tensile Strength	IS 5676 Clause 5.7
1500	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Compression Set	IS 5676 Clause 5.7
1501	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Construction	IS 5676 Clause 5.3
1502	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Design	IS 5676 Clause 5.2
1503	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Elongation at break	IS 5676 Clause 5.7
1504	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Flexing Resistance	IS 5676 Clause 5.7
1505	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Hardness	IS 5676 Clause 5.7
1506	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Relative Density	IS 4676 Clause 5.7
1507	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Size	IS 5676 Clause 5.4
1508	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Tensile Strength	IS 5676 Clause 5.7
1509	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Moulded Solid Rubber soles and heels	Thickness	IS 5676 Clause 5.5
1510	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Outsole	Peel Strength of Bottom construction	SATRA TM 281
1511	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Polyurethane Sole, Semirigid	Abrasion Resistance	IS 13893 Clause 4.3
1512	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Polyurethane Sole, Semirigid	Ageing Test	IS 13893 Clause 4.3.2
1513	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Polyurethane Sole, Semirigid	Cut Growth	IS 13893 Clause 3.4
1514	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Polyurethane Sole, Semirigid	Design	IS 13893 Clause 4.1
1515	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Polyurethane Sole, Semirigid	Elongation at break	IS 13893 Clause 4.3

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 92 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1516	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Polyurethane Sole, Semirigid	Flexural Strength	IS 13893 Clause 3.4
1517	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Polyurethane Sole, Semirigid	Hardness	IS 13893 Clause 4.3
1518	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Polyurethane Sole, Semirigid	Relative Density	IS 13893 Clause 4.3
1519	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Polyurethane Sole, Semirigid	Tensile Strength	IS 13893 Clause 4.3
1520	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Polyurethane Sole, Semirigid	Thickness	IS 13893 Clause 4.2
1521	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Protective Gloves against mechanical risks	Dexterity	EN ISO 21420 Clause 5.2
1522	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Protective Gloves against mechanical risks	Sizing	EN ISO 21420 Clause 5.1
1523	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Protective Gloves against mechanical risks	Water Vapour Absorption	EN ISO 21420 Clause 5.3.2
1524	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Protective Gloves against mechanical risks	Water Vapour Transmission	EN ISO 21420 Clause 5.3.1
1525	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Breaking Load	IS 12254 Clause 4.2.2
1526	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Breaking Strength	IS 12254 Clause 4.1
1527	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Cold Flex Temperature	IS 12254 Clause 5.13
1528	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Collar Diameter	IS 12254 Clause 4.2
1529	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Finish	IS 12254 Clause 5.14
1530	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Hardness	IS 12254 Clause 5.4
1531	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Leakage Resistance	IS 12254 Clause 5.12
1532	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Leg Height	IS 12254 Clause 5.11
1533	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Length	IS 12254 Clause 4.2.2
1534	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Relative Density	IS 12254 Clause 5.5

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	93 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1535	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Resistance to cut growth	IS 12254 Clause 5.9
1536	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Resistance to flexing for upper	IS 12254 Clause 5.10
1537	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Shape & Design	IS 12254 Clause 5.1
1538	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Soling Pattern	IS 12254 Clause 5.2
1539	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Tensile Strength	IS 12254 Clause 5.8
1540	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Thickness of different component	IS 12254 Clause 5.3
1541	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Toe Cap Performance Test	IS 12254 Clause 4.3
1542	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Toe Cap Performance Test	IS 12254 Clause 5.15
1543	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Toe Cap Shape & Dimension	IS 12254 Clause 4.3
1544	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Industrial Boots	Volatility	IS 12254 Clause 5.6
1545	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Sandal	Elongation at break	IS 6721 Clause 4.1
1546	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Sandal	Hardness	IS 6721 Clause 4.1
1547	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Sandal	Relative Density	IS 6721 Clause 4.1
1548	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Sandal	Tear Strength	IS 6721 Clause 4.1
1549	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Sandal	Tensile Strength	IS 6721 Clause 4.1
1550	MECHANICAL- LEATHER AND LEATHER PRODUCTS	PVC Sandal	Volatility	IS 6721 Clause 4.1
1551	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Breaking Strength	IS 10702 Clause 5.4
1552	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Change in initial Hardness	IS 10702 Clause 5.4
1553	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Compression Set	IS 10702 Clause 5.4

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 94 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1554	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Elongation	IS 10702 Clause 5.4
1555	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Hardness	IS 10702 Clause 5.4
1556	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Hardness	IS 10702 Clause 5.4
1557	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Relative Density	IS 10702 Clause 5.4
1558	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Relative Density	IS 10702 Clause 5.4
1559	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Shrinkage at Heat	IS 10702 Clause 5.4
1560	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Shrinkage at room temp	IS 10702 Clause 5.4
1561	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Split Tear strength	IS 10702 Clause 5.4
1562	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Stud Bolt Diameter	IS 10702 Clause 5.4
1563	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Stud diameter	IS 10702 Clause 5.4
1564	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Tear Strength	IS 10702 Clause 5.4
1565	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Tensile Strength	IS 10702 Clause 5.4
1566	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber Hawai Chappal	Thickness	IS 10702 Clause 5.3
1567	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber microcellular sheets for soles and heels	Change in Hardness	IS 6664 Clause 4.1.3
1568	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber microcellular sheets for soles and heels	Compression Set	IS 6664 Clause 4.1.3
1569	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber microcellular sheets for soles and heels	Flexing Resistance	IS 6664 Clause 4.1.3
1570	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber microcellular sheets for soles and heels	Hardness	IS 6664 Clause 4.1.3
1571	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber microcellular sheets for soles and heels	Relative Density	IS 6664 Clause 4.1.3
1572	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber microcellular sheets for soles and heels	Relative Density	IS 6719 Clause 3.6

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 95 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1573	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber microcellular sheets for soles and heels	Shrinkage	IS 6664 Clause 4.1.3
1574	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber microcellular sheets for soles and heels	Split Tear Strength	IS 6664 Clause 4.1.3
1575	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Rubber microcellular sheets for soles and heels	Water Absorption	IS 6664 Clause 4.1.3
1576	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Footwear	Behavior of Toe Cap	IS 22775-2
1577	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Footwear	Cold insulation of sole complex	IS 15298-1
1578	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Footwear	Cold insulation of sole complex	IS 15298-2
1579	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Footwear	Cold insulation of sole complex	IS 15298-3
1580	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Footwear	Cold insulation of sole complex	IS 15298-4
1581	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Footwear	Cold Insulation of Sole Complex	ISO 20344
1582	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Footwear	Cold insulation of sole complex	ISO 20345
1583	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Footwear	Cold insulation of sole complex	ISO 20346
1584	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Footwear	Cold insulation of sole complex	ISO 20347
1585	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Abrasion Resistance	IS 3976 Clause 5.2.1.5
1586	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Abrasion Resistance	IS 3976 Clause 5.2.2.1
1587	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Abrasion Resistance	IS 3976 Clause 6.1
1588	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Ageing of whole footwear	IS 3976 Clause 5.2.5.3
1589	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Binding Material Width	IS 3976 Clause 5.2.3
1590	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Breaking Load	IS 3976 Clause 5.2.3
1591	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Breaking Load	IS 3976 Clause 5.2.8.2

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 96 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1592	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Change in Hardness	IS 3976 Clause 5.2.5.2
1593	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Consolidation Test	IS 3976 Caluse 5.2.1.1
1594	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Consolidation Test	IS 3976 Clause 5.10
1595	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Construction	IS 3976 Clause 5.3
1596	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Design	IS 3976 Clause 5.1
1597	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Energy Absorption	IS 3976 Clause 5.13
1598	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Eyelet Diameter	IS 3976 Clause 5.2.9
1599	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Finish	IS 3976 Clause 5.4
1600	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Fittings	IS 3976 Clause 5.1.1
1601	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Flexing Resistance	IS 3976 Clause 5.2.1.3
1602	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Flexing Resistance	IS 3976 Clause 6.2
1603	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Hardness	IS 3976 Clause 5.2.5.2
1604	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Height of upper	IS 3976 Clause 5.6
1605	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Hydrolysis	IS 3976 Clause 6.5
1606	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Impact Resistance	IS 3976 Clause 5.2.7
1607	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Length	IS 3976 Clause 5.2.8.1
1608	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Length of Thread	IS 3976 Clause 5.2.6
1609	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Mass	IS 3976 Clause 5.5
1610	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Resistance to Fuel	IS 3976 Clause 7.1

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	97 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1611	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Resistance to Hot Contact	IS 3976 Clause 6.4
1612	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Sole interlayer Bond Strength	IS 3976 Clause 5.9
1613	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Tear Strength	IS 3976 Clause 5.2.1.2
1614	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Tear Strength	IS 3976 Clause 5.2.2
1615	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Tear Strength	IS 3976 Clause 6.3
1616	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Thickness	IS 3976 Clause 5.2.10
1617	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Thickness	IS 3976 Clause 5.2.9
1618	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Thickness of compact sole heel	IS 3976 Clause 5.2.5.4
1619	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Toe Cap Compression	IS 3976 Clause 5.2.7
1620	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Toe Cap Impact	IS 3976 Clause 5.7
1621	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Upper/Outsole Bond Strength	IS 3976 Clause 5.8
1622	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Water Vapour Co-efficient	IS 3976 Clause 5.2.1.4
1623	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Rubber Canvas Boots for Miners	Water Vapour Permeability	IS 3976 Clause 5.2.1.4
1624	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slide Fastners	Attachment strength of slide fastners END stops	SATRA TM 53
1625	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slide Fastners	Lateral Strength of Slide Fastner	SATRA TM 51
1626	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slide Fastners	Security attachment of top stop	IS 14181 Part-2
1627	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slide Fastners	Strength of Slide Fastners puller	SATRA TM 52
1628	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Breaking Load	IS 11544 Clause 3.2.5
1629	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Change in initial Hardness	IS 11544 Clause 3.2.1

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 98 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1630	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Ends	IS 11544 Clause 3.2.4
1631	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Flexural Endurance	IS 11544 Clause 3.2.1.1
1632	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Hardness	IS 11544 Clause 3.2.1
1633	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Lace Length	IS 11544 Clause 3.2.5
1634	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Mass/meter square	IS 11544 Clause 3.2.4
1635	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Picks	IS 11544 Clause 3.2.4
1636	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Relative Density	IS 11544 Clause 3.2.1
1637	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Shape & Design	IS 11544 Clause 3.1
1638	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Thickness	IS 11544 Clause 3.2.6
1639	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Width	IS 11544 Clause 3.2.6
1640	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Slipper rubber	Workmanship & Finish	IS 11544 Clause 3.2.8
1641	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Solid PVC Sole & Heel	Elongation at break	IS 6719 Clause 3.6
1642	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Solid PVC Sole & Heel	Hardness	IS 6719 Clause 3.6
1643	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Solid PVC Sole & Heel	Tear Strength	IS 6719 Clause 3.6
1644	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Solid PVC Sole & Heel	Tensile Strength	IS 6719 Clause 3.6
1645	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Solid PVC Sole & Heel	Volatility	IS 6719 Clause 3.6
1646	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Abrasion Resistance	IS 15844 Clause 3.6
1647	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Abrasion Resistance	IS 15844 Clause 3.7
1648	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Abrasion Resistance	IS 15844 Clause 3.9

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	99 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1649	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Breaking Strength	IS 15844 Clause 3.9
1650	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Collapsing Load	IS 15844 Clause 3.10
1651	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Colour Fastness to Light	IS 15844 Clause 3.4
1652	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Compression Set	IS 15844 Clause 3.5
1653	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Compression Set	IS 15844 Clause 3.8
1654	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Construction	IS 15844 Clause 3.3.1
1655	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Corrosion Resistance	IS 15844 Clause 3.11
1656	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Crush Load	IS 15844 Clause 3.10
1657	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Design	IS 15844 Clause 3.2
1658	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Die-C Tear Strength	IS 15844 Clause 3.6
1659	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Die-C Tear Strength	IS 15844 Clause 3.8
1660	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Elongation	IS 15844 Clause 3.8
1661	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Elongation at break	IS 15844 Clause 3.4
1662	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Elongation at break	IS 15844 Clause 3.5
1663	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Energy absorption at seat region	IS 15844 Clause 3.3.4
1664	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Flexing Endurance	IS 15844 Clause 3.4
1665	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Flexing Index	IS 15844 Clause 3.7
1666	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Gripping Strength of tags	IS 15844 Clause 3.9
1667	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Heat Resistance	IS 15844 Clause 3.5

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 100 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1668	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Heat Resistance	IS 15844 Clause 3.8
1669	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Lastometer Test	IS 15844 Clause 3.4
1670	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Ross Flexing	IS 15844 Clause 3.10
1671	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Ross Flexing	IS 15844 Clause 3.6
1672	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Shape Retention	IS 15844 Clause 3.10
1673	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Sole to Midsole Bond Performance	IS 15844 Clause 3.3.3
1674	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Split Tear Strength	IS 15844 Clause 3.5
1675	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Tear Strength	IS 15844 Clause 3.4
1676	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Tear Strength	IS 15844 Clause 3.5
1677	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Tensile Strength	IS 15844 Clause 3.4
1678	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Tensile Strength	IS 15844 Clause 3.5
1679	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Tensile Strength	IS 15844 Clause 3.7
1680	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Tensile Strength	IS 15844 Clause 3.8
1681	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Trouser Tear Strength	IS 15844 Clause 3.6
1682	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Upper to Midsole Bond Performance	IS 15844 Clause 3.3.2
1683	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Sports Footwear	Water absorption	IS 15844 Clause 3.7
1684	MECHANICAL- LEATHER AND LEATHER PRODUCTS	TOE CAPS	CORROSION RESISTANCE	ISO 22568-3 CLAUSE 4.4
1685	MECHANICAL- LEATHER AND LEATHER PRODUCTS	TOE CAPS	FINISHING	ISO 22568-2 CLAUSE 4.2
1686	MECHANICAL- LEATHER AND LEATHER PRODUCTS	TOE CAPS	FLEXING RESISTANCE	ISO 22568-3 CLAUSE 4.3

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	101 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1687	MECHANICAL- LEATHER AND LEATHER PRODUCTS	TOE CAPS	INTERNAL LENGHT	ISO 22568-2 CLAUSE 4.3.1
1688	MECHANICAL- LEATHER AND LEATHER PRODUCTS	TOE CAPS	RESISTANCE TO NAIL PERFORATION	ISO 22568-4 CLAUSE 4.2
1689	MECHANICAL- LEATHER AND LEATHER PRODUCTS	TOE CAPS	STABILITY AGAINST AGEING AND ENVIRONMENTAL INFLUENCE	ISO 22568-2 CLAUSE 4.6
1690	MECHANICAL- LEATHER AND LEATHER PRODUCTS	TOE CAPS	STABILITY AGAINST AGEING AND ENVIRONMENTAL INFLUENCE	ISO 22568-4 CLAUSE 4.4
1691	MECHANICAL- LEATHER AND LEATHER PRODUCTS	TOE CAPS	WIDTH OF FLANGE	ISO 22568-2 CLAUSE 4.3.2
1692	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Unlined Moulded Rubber Boots	Design	IS 13995 Clause 5.1.6
1693	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Unlined Moulded Rubber Boots	Elongation at break	IS 13995 Clause 5.1.1
1694	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Unlined Moulded Rubber Boots	Elongation at break after ageing	IS 13995 Clause 5.1.2
1695	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Unlined Moulded Rubber Boots	Flexing Resistance of upper	IS 13995 Clause 5.1.5
1696	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Unlined Moulded Rubber Boots	Resistance to dry heat ageing	IS 13995 Clause 5.1.4
1697	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Unlined Moulded Rubber Boots	Size	IS 13995 Clause 5.1.7
1698	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Unlined Moulded Rubber Boots	Tear Resistance of upper	IS 13995 Clause 5.1.3
1699	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Unlined Moulded Rubber Boots	Tensile Strength	IS 13995 Clause 5.1.1
1700	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Unlined Moulded Rubber Boots	Tensile Strength after ageing	IS 13995 Clause 5.1.2
1701	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Unlined Moulded Rubber Boots	Thickness of rubber component	IS 13995 Clause 4.1
1702	MECHANICAL- LEATHER AND LEATHER PRODUCTS	UPHOLSTERY LEATHER	ADHESION OF FINISH	IS 577 CLAUSE 3.1 AND 4.5
1703	MECHANICAL- LEATHER AND LEATHER PRODUCTS	UPHOLSTERY LEATHER	COLOUR FASTNESS TO LIGHT	IS 577 CLAUSE 3.1 AND 4.5
1704	MECHANICAL- LEATHER AND LEATHER PRODUCTS	UPHOLSTERY LEATHER	FLEXURAL ENDURANCE	IS 577 CLAUSE 3.1 AND 4.5

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	102 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1705	MECHANICAL- LEATHER AND LEATHER PRODUCTS	UPHOLSTERY LEATHER	RESISTANCE TO BLOCKING	IS 577 CLAUSE 3.1 AND 4.5
1706	MECHANICAL- LEATHER AND LEATHER PRODUCTS	UPHOLSTERY LEATHER	TEAR STRENGTH	IS 577 CLAUSE 3.1 AND 4.5
1707	MECHANICAL- LEATHER AND LEATHER PRODUCTS	UPHOLSTERY LEATHER	THICKNESS	IS 577 CLAUSE 3.1 AND 4.5
1708	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Protective Gloves against mechanical risks	Abrasion Resistance	EN 388 Clause 6.1
1709	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Protective Gloves against mechanical risks	Blade Cut Resistance (Coupe Test)	EN 388 Clause 6.2
1710	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Protective Gloves against mechanical risks	Puncture Resistance	EN 388 Clause 6.5
1711	MECHANICAL-PERFORMANCE/DURABILITY/ SAFETY TEST	Protective Gloves against mechanical risks	Tear Resistance	EN 388 Clause 6.4
1712	MECHANICAL- RUBBER AND RUBBER PRODUCTS	SINGLE USE RUBBER EXAMINATION GLOVES	MATERIALS	IS 15354-PART 1(CLAUSE NO.3):
1713	MECHANICAL- RUBBER AND RUBBER PRODUCTS	SINGLE USE RUBBER EXAMINATION GLOVES	TENSILE STRENGTH	IS 15354-PART -1 (CLAUSE NO.6.3.2):
1714	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Abrasion Resistance	IS 5557-2 Clause 7.1.2
1715	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Abrasion Resistance	IS 5557-2 Clause 7.6.3
1716	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Abrasion Resistance	IS 5557-2 Clause 7.7.2
1717	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Adhesion test for rubberized textile upper	IS 5557-2 Clause 8.4
1718	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Antistatic Footwear	IS 5557-2 Clause 8.7.1
1719	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Breaking Load	IS 5557-2 Clause 7.2
1720	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Breaking Strength	IS 5557-2 Clause 7.3
1721	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Change in Hardness	IS 5557-2 Clause 7.4.1

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	103 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1722	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Conductive Footwear	IS 5557-2 Clause 8.7.2
1723	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Construction	IS 5557-2 Clause 8
1724	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Design	IS 5557-2 Clause 5
1725	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Electrically Insulating Footwear	IS 5557-2 Clause 8.7.3
1726	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Flexing Resistance	IS 5557-2 Clause 7.5.3
1727	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Flexing Resistance	IS 5557-2 Clause 7.6.4
1728	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Hardness	IS 5557-2 Clause 7.4.1
1729	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Height of upper	IS 5557-2 Clause 8.3
1730	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Interlayer Bond Strength	IS 5557-2 Clause 7.6.5
1731	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Leak Proof Test	IS 5557-2 Clause 8.2
1732	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Resistance to Cold	IS 5557-2 Clause 8.7.4
1733	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Resistance to Hot Contact	IS 5557-2 Clause 8.1
1734	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Sizes & Fittings	IS 5557-2 Clause 6
1735	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Tear Strength	IS 5557-2 Clause 7.1.1
1736	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Tear Strength	IS 5557-2 clause 7.6.2
1737	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Tensile Strength	IS 555-2 Clause 7.5.1
1738	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Thickness	IS 5557-2 Clause 7.5..2
1739	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Thickness	IS 5557-2 Clause 7.6.1
1740	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Thickness	IS 5557-2 Clause 7.7

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 104 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1741	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All rubber gum boots and ankle boots	Width	IS 5557-2 Clause 7.2
1742	MECHANICAL- RUBBER AND RUBBER PRODUCTS	DISPOSABLE SURGICAL RUBBER GLOVES - LATEX SINGLE USE GLOVES	AIRTIGHT TEST	IS 13422(CLAUSE NO,5.5):
1743	MECHANICAL- RUBBER AND RUBBER PRODUCTS	DISPOSABLE SURGICAL RUBBER GLOVES - LATEX SINGLE USE GLOVES	DIMENSIONS	IS 13422(CLAUSE NO.5.2.2):
1744	MECHANICAL- RUBBER AND RUBBER PRODUCTS	DISPOSABLE SURGICAL RUBBER GLOVES - LATEX SINGLE USE GLOVES	ELONGATION AT BREAK	IS 13422(CLAUSE NO.5.3.1):
1745	MECHANICAL- RUBBER AND RUBBER PRODUCTS	DISPOSABLE SURGICAL RUBBER GLOVES - LATEX SINGLE USE GLOVES	ELONGATION AT BREAK (AFTER ACCELERATING AGEING)	IS 13422(CLAUSE NO.5.3.2):
1746	MECHANICAL- RUBBER AND RUBBER PRODUCTS	DISPOSABLE SURGICAL RUBBER GLOVES - LATEX SINGLE USE GLOVES	MATERIAL	IS 13422(CLAUSE NO.5.1):
1747	MECHANICAL- RUBBER AND RUBBER PRODUCTS	DISPOSABLE SURGICAL RUBBER GLOVES - LATEX SINGLE USE GLOVES	TENSILE STRENGTH	IS 13422(CLAUSE NO,5.3.1):
1748	MECHANICAL- RUBBER AND RUBBER PRODUCTS	DISPOSABLE SURGICAL RUBBER GLOVES - LATEX SINGLE USE GLOVES	TENSILE STRENGTH (AFTER ACCELERATING AGEING)	IS 13422(CLAUSE NO,6.3.2):
1749	MECHANICAL- RUBBER AND RUBBER PRODUCTS	DISPOSABLE SURGICAL RUBBER GLOVES - LATEX SINGLE USE GLOVES	THICKNESS	IS 13422(CLAUSE NO.5.2.3):
1750	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves	Abrasion Resistance	EN 388
1751	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves	Blade Cut Resistance	EN 388
1752	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves	Puncture Resistance	EN 388
1753	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Gloves	Tear Resistance	EN 388
1754	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	CAPACITY	BS 1970 CLAUSE 4.2
1755	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	CLOSURE DIMENSION	BS 1970 CLAUSE 5.1, ANNEX - C
1756	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	COMPRESSION SET TEST	BS 1970 CLAUSE 5.3
1757	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	FILLING CHARACTERISTICS	BS 1970 CLAUSE 4.3
1758	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	INFORMATIVE LABELING	BS 1970 CLAUSE NO 8.1,8.2
1759	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	LEAK PROOFNESS	BS 1970 CLAUSE 6.1

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 105 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1760	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	LOSS OF WASHER THICKNESS	BS 1970 CLAUSE 5.1 ANNEX - C TEST 3
1761	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	MARKING	BS 1970 CLAUSE 7
1762	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	PACKING	BS 1970 CLAUSE 9
1763	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	PRESSURE TEST	BS 1970 CLAUSE 6.3
1764	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	SEPARATION OF SCREWED CLOSURES	BS 1970 CLAUSE 5.2 ANNEX - D
1765	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	STRENGTH OF BONDED SEAM	BS 1970 CLAUSE 6.2
1766	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	TEAR STRENGTH (CRESCENT TEAR)	BS 1970 CLAUSE 6.6
1767	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	TENSILE STRESS - STRAIN PROPERTIES (AFTER AGEING)	BS 1970 CLAUSE 6.4
1768	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	TENSILE STRESS - STRAIN PROPERTIES (BEFORE AGEING)	BS 1970 CLAUSE 6.4
1769	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	TENSILE STRESS-STRAIN (AFTER IMMERSION)	BS 1970 CLAUSE 6.4
1770	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	TENSION TEST	BS 1970 CLAUSE 6.5
1771	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	THICKNESS	BS 1970 CLAUSE 4.2
1772	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	VISUAL EXAMINATION	BS 1970 CLAUSE 4.1
1773	MECHANICAL- RUBBER AND RUBBER PRODUCTS	HOT WATER BOTTLE	VISUAL LEAKAGE	BS 1970 CLAUSE 5.1
1774	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Leather & Leather Products	Determination of resistance to damage by flexing	ISO 7854
1775	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	TENSILE STRENGTH (BEFORE ACCELERATED AGEING)	EN 455-2(CLAUSE NO.5.2):
1776	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	DESIGN	ISO 11139-1:
1777	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	DIMENSION: WIDTH	EN 455-2(CLAUSE NO.4.3):
1778	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	DIMENSIONS	ISO 11193-1:

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 106 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1779	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	DIMENSIONS: LENGTH	EN 455-2 CLAUSE 4.2
1780	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	DIMENSIONS: LENGTH & WIDTH	EN 455-(CLAUSE 4):
1781	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	MATERIAL	IS 15354:
1782	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	MATERIAL	ISO 11193-1:
1783	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	SEAM STRENGTH (AFTER ACCELERATED AGEING)	EN 455-2(CLAUISE 5.4)2015
1784	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	SEAM STRENGTH (AFTER ACCELERATED AGEING)	EN 455-2(CLAUSE NO,5.4_):
1785	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	TENSILE STRENGTH (AFTER ACCELERATED AGEING)	EN 455-2(CLAUSE NO,5.3):
1786	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	TENSILE STRENGTH AND ELONGATION AT BREAK AFTER ACCELERATED AGEING	ISO 11193-1:
1787	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	TENSILE STRENGTH AND ELONGATION AT BREAK AFTER ACCELERATED AGEING	ISO 11193-1:
1788	MECHANICAL- RUBBER AND RUBBER PRODUCTS	MEDICAL GLOVES FOR SINGLE USE	WATER TIGHTNESS	ISO 11193-1:
1789	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	BS 903:A9
1790	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	DIN 53516
1791	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	IS 15298-1
1792	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	IS 15298-2
1793	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	IS 15298-3
1794	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	IS 15298-4
1795	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	ISO 20344
1796	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	ISO 20345

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 107 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1797	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	ISO 20346
1798	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	ISO 20347
1799	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	ISO 4649
1800	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	SASO ISO 20871
1801	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Abrasion Resistance (Drum)	SATRA TM 174
1802	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Capacity	BS 1970(4.2) Annex –B
1803	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Cleated Area/Height (Design)	IS 15298-1
1804	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Cleated Area/Height (Design)	IS 15298-2
1805	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Cleated Area/Height (Design)	IS 15298-3
1806	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Cleated Area/Height (Design)	IS 15298-4
1807	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Cleated Area/Height (Design)	ISO 20344
1808	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Cleated Area/Height (Design)	ISO 20345
1809	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Closure Dimension	BS 1970(5.1) Annex –C.5 Test 3
1810	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Compression Set Test	BS 1970(5.3)
1811	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Compression Set Test	BS ISO 815-I
1812	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Filling Characteristics	BS 1970(4.3)
1813	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Flexing Endurance (Vamp)	BS EN ISO 7854
1814	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Flexing Endurance (Vamp)	ISO 5402-2
1815	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hardness	BS 1970(5.3)

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 108 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1816	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hardness Shore A	BS 903:A26:N
1817	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hardness Shore A	SATRA TM 205
1818	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hardness(IRHD)	BS ISO 48-2(Method N)
1819	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hardness(IRHD)	SATRA TM 206
1820	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hydrolysis	IS 15298-1
1821	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hydrolysis	IS 15298-2
1822	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hydrolysis	IS 15298-3
1823	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hydrolysis	IS 15298-4
1824	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hydrolysis	ISO 20344
1825	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hydrolysis	ISO 20345
1826	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hydrolysis	ISO 20346
1827	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hydrolysis	ISO 20347
1828	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Hydrolysis	SATRA TM 344
1829	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Leak-proof ness	BS 1970(6.1)
1830	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Loss of washer Thickness	BS 1970(5.1) Annex –C.4 Test 3
1831	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Pressure Test	BS 1970(6.3)
1832	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Fuel Oil	IS 15298-1
1833	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Fuel Oil	IS 15298-2
1834	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Fuel Oil	IS 15298-3

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	109 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1835	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Fuel Oil	IS 15298-4
1836	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Fuel Oil	ISO 20344
1837	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Fuel Oil	ISO 20345
1838	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Fuel Oil	ISO 20346
1839	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Fuel Oil	ISO 20347
1840	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Hot Contact	IS 15298-1
1841	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Hot Contact	IS 15298-2
1842	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Hot Contact	IS 15298-3
1843	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Hot Contact	IS 15298-4
1844	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Hot Contact	ISO 20344
1845	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Hot Contact	ISO 20345
1846	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Hot Contact	ISO 20346
1847	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Resistance to Hot Contact	ISO 20347
1848	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Ross Flexing Resistance	IS 15298-1
1849	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Ross Flexing Resistance	IS 15298-2
1850	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Ross Flexing Resistance	IS 15298-3
1851	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Ross Flexing Resistance	IS 15298-4
1852	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Ross Flexing Resistance	ISO 20344
1853	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Ross Flexing Resistance	ISO 20345

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 110 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1854	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Ross Flexing Resistance	ISO 20346
1855	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Ross Flexing Resistance	ISO 20347
1856	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Ross Flexing Resistance	SATRA TM 60
1857	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Separation of Screwed Closures	BS 1970(5.2) Annexure – D
1858	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Sole Flexing (Bennewart)	, SASO EN ISO 17707
1859	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Sole Flexing (Bennewart)	DIN 53543
1860	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Sole Flexing (Bennewart)	IS 15298-1
1861	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Sole Flexing (Bennewart)	IS 15298-3
1862	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Sole Flexing (Bennewart)	IS 15298-4
1863	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Sole Flexing (Bennewart)	ISO 17707
1864	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Sole Flexing (Bennewart)	ISO 20344
1865	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Sole Flexing (Bennewart)	ISO 20345
1866	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Sole Flexing (Bennewart)	ISO 20346
1867	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Sole Flexing (Bennewart)	ISO 20347
1868	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Sole Flexing (Bennewart)	SATRA TM 161
1869	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Sole Flexing (Bennewart)	IS 15298-2
1870	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Strength of Bonded Seam	BS 1970(6.2)
1871	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Tear Strength (Crescent Tear)	BS 1970(6.6)
1872	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Tear Strength (Crescent Tear)	ISO 34 – I

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 111 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1873	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Tensile Stress-Strain Properties (after immersion)	BS 1970(6.4)
1874	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Tensile Stress-Strain Properties (after immersion)	ISO - 37
1875	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Tensile Stress-Strain Properties (after immersion)	ISO – 37
1876	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Tensile Stress-Strain Properties (after ageing)	ISO - 37
1877	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Tensile Stress-Strain Properties (after ageing)	BS 1970(6.4)
1878	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Tensile Stress-Strain Properties (before ageing)	BS 1970(6.4)
1879	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Tensile Stress-Strain Properties (before ageing)	ISO – 37
1880	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Tension Test	BS 1970(6.5)
1881	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Tension Test	BS ISO 2285
1882	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness	BS 1970(4.2) Annex –A
1883	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness of cleated outsole (Design)	IS 15298-1
1884	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness of cleated outsole (Design)	IS 15298-2
1885	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness of cleated outsole (Design)	IS 15298-3
1886	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness of cleated outsole (Design)	IS 15298-4
1887	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness of cleated outsole (Design)	ISO 20344
1888	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness of cleated outsole (Design)	ISO 20345
1889	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness of non cleated outsole	IS 15298-1
1890	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness of non cleated outsole	IS 15298-2
1891	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness of non cleated outsole	IS 15298-3

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	112 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1892	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness of non cleated outsole	IS 15298-4
1893	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness of non cleated outsole	ISO 20344
1894	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Thickness of non cleated outsole	ISO 20345
1895	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Visual Examination	BS 1970(4.1)
1896	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber & Rubber Products	Visual Leakage	BS 1970(5.1) Test 1 and Test 2
1897	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER AN RUBBER PRODUCTS	HARDNESS	BS ISO 48:
1898	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER AND RUBBER PRODUCTS	ABRASION RESISTANCE (DRUM)	ISO 4649:
1899	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER AND RUBBER PRODUCTS	ABRASION RESISTANCE (DRUM)	SASO ISO 20871:
1900	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER AND RUBBER PRODUCTS	ABRASION RESISTANCE (DRUM)	SATRA TM 174:
1901	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER AND RUBBER PRODUCTS	ABRASION RESISTANCE (DRUMS)	BS 903:A9:
1902	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER AND RUBBER PRODUCTS	HARDNESS SHORE A	ISO 868
1903	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber and Rubber Products	Hardness Shore D	BS 903:A26:N
1904	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER AND RUBBER PRODUCTS	Hardness Shore D	ISO 868
1905	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber and Rubber Products	Hardness Shore D	SATRA TM 205
1906	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER GLOVES / REUSABLE GLOVES	DIMENSION	IS 4148(CLAUSE NO.4.2):
1907	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER GLOVES / REUSABLE GLOVES	ELONGATION AT BREAK	IS 4148(CLAUSE NO.4.4.1):
1908	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER GLOVES / REUSABLE GLOVES	ELONGATION AT BREAK (AFTER HEAT AGEING IN AUTO CLAVE)	IS 4148(CLAUSE NO,.(CLAUSE NO,4.4.3):
1909	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER GLOVES / REUSABLE GLOVES	ELONGATION AT BREAK (AFTER ACCELERATED AGEING)	IS 4148(CLAUSE NO.4.4.2):

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 113 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1910	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER GLOVES / REUSABLE GLOVES	TENSILE STRENGTH	IS 4148(CLAUSE NO.4.4):
1911	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER GLOVES / REUSABLE GLOVES	TENSILE STRENGTH (AFTER ACCELERATED AGEING)	IS 4148(CLAUSE NO.4.4.2):
1912	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER GLOVES / REUSABLE GLOVES	TENSILE STRENGTH (HEAT AGEING OF AUTOCLAVE)	IS 4148(CLAUSE NO.4.4.3):
1913	MECHANICAL- RUBBER AND RUBBER PRODUCTS	rubber gloves / reusable gloves	tension set	IS 4148(CLAUSE NO.4.4.4):
1914	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER GLOVES / REUSABLE GLOVES	THICKNESS	IS 4148(CLAUSE NO.4.3):
1915	MECHANICAL- RUBBER AND RUBBER PRODUCTS	SINGLE USE RUBBER EXAMINATION GLOVES	DESIGN	IS 15354-PART1(CLAUSE NO.4):
1916	MECHANICAL- RUBBER AND RUBBER PRODUCTS	SINGLE USE RUBBER EXAMINATION GLOVES	DIMENSION	IS 15354-PART 1 (CLAUSE NO.6.1):'
1917	MECHANICAL- RUBBER AND RUBBER PRODUCTS	SINGLE USE RUBBER EXAMINATION GLOVES	ELONGATION AT BREAK	IS 15354-PART 1 (CLAUSE NO. 6.3.2):
1918	MECHANICAL- RUBBER AND RUBBER PRODUCTS	SINGLE USE RUBBER EXAMINATION GLOVES	ELONGATION AT BREAK (ACCELERATED AGEING)	IS 15354-PART 1(CLAUSE NO,6.3):
1919	MECHANICAL- RUBBER AND RUBBER PRODUCTS	SINGLE USE RUBBER EXAMINATION GLOVES	TENSILE STRENGTH (AFTER ACCELERATED AGEING)	IS 15354-PART1 (CLAUSE NO,6.3.3):
1920	MECHANICAL- RUBBER AND RUBBER PRODUCTS	SINGLE USE RUBBER EXAMINATION GLOVES	WATER TIGHTNESS	IS 15354-PART 1 (CLAUSE NO,.6.2):
1921	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	BREATHING RESISTANCE AFTER CLOGGING TEST	EN149+A1(CLAUSE NO.7.17);
1922	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	PENETRATION OF FILTER MATERIAL	EN149+A1(CLAUSE NO.7.9.2);:
1923	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	RESPIRATORY PROTECTIVE DEVICE : COMPATIBILITY WITH SKIN	EN149+A1(CLAUSE NO.7.10):
1924	MECHANICAL- TEXTILE MATERIALS	Carpet & Rugs	Tuft Withdrawal Strength	ISO 4919
1925	MECHANICAL- TEXTILE MATERIALS	Carpets & Rugs	Dimensions: Carpet	ISO 3018(RA 2009)
1926	MECHANICAL- TEXTILE MATERIALS	Carpets & Rugs	Rugs and Carpet Flammability	16 CFR 1630/1631
1927	MECHANICAL- TEXTILE MATERIALS	COVERALL	BURSTING STRENGTH (DRY & WET)	IS 1966-1:

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	114 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1928	MECHANICAL- TEXTILE MATERIALS	COVERALL	SEAM STRENGTH (DRY&WET)	IS 15891-18:
1929	MECHANICAL- TEXTILE MATERIALS	COVERALL	seam strength (dry& wet)	ISO 13935-1:
1930	MECHANICAL- TEXTILE MATERIALS	COVERALL	TENSILE STRENGTH (DRY & WET)	IS 1989-1:
1931	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	BREATHING RESISTANCE	EN149
1932	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	FINISH OF PART	EN 149+A1(CLAUSE NO.8.1):
1933	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	BREATHING RESISTANCE AFTER CLOGGING	IS 9473 CLAUSE NO.5.12.2
1934	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	BREATHING RESISTANCE AFTER CLOGGING OF FILTER PENETRATION	IS 9473(CLAUSE NO.5.12.13.):
1935	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	BREATHING RESISTANCE DEVICE	EN 149+A1(CLAUSE NO.7.16):
1936	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	CARBON DIOXIDE CONTENT	EN 149+A1(CLAUSE NO.7.12)
1937	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	CARBON DIOXIDE CONTENT	IS9473(CLAUSE NO. 5.7):
1938	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	DEMOUNTABLE PARTS	EN 149+A1(CLAUISE NO.7.18):
1939	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	Demountable parts	IS 9473(Clause NO.5.10):
1940	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	DESIGN	EN 149
1941	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	DESIGN	IS 16289(CLAUSE NO4.1.2):
1942	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	DIFFERENTIAL PRESSURE	IS 16289(ANNEX C):
1943	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	EXHALATION AIR FLOW RESISTANCE	NIOSH-RCT-ASR-STP-0107
1944	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	EXHALATION VALVE FLOW	IS 9473(CLAUSE NO.5.10):
1945	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	EXHALATION VALVE FLOW TEST	EN 149+A1(CLAUSE NO.7.15):

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 115 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1946	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	EXHALATION VALVE PULL TEST	EN 149+A1 (CLAUSE NO.7.15):
1947	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	EXHALATION VALVE PULL TEST	IS 9473(CLAUSE NO.5.10):
1948	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	FACE PIECE CONNECTOR STRENGTH	IS 14746(CLAUSE NO.4.12):
1949	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	FIELD OF VISION	EN 149+A1(CLAUSE NO 7.14):
1950	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	FIELD OF VISION	IS 9473(CLAUSE NO.5.9):
1951	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	FLAMMABILITY TEST	EN 149+A1(CLAUSE NO.7.11):
1952	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	FLAMMABILITY TEST	IS 9473(CLAUSE NO.5.6):
1953	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	HEAD HARNESS	EN 149+A1(CLAUSE NO.7.13):
1954	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	HEAD HARNESS TEST	IS 9473(CLAUSE NO,. 5.8):
1955	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	INHALATION AIRFLOW RESISTANCE	NIOSH-RCT-ASR-STP-0106
1956	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	INHALATION AIRFLOW RESISTANCE	NIOSH-RCT-ASR-STP-0107
1957	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	MATERIAL	EN 149+A1(CLAUSE NO.7.5):
1958	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	MATERIAL	IS 9473(CLAUSE NO.5.1):
1959	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	MATERIAL AND CONSTRUCTION	EN 149
1960	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	MATERIAL AND CONSTRUCTION	IS 16289(CLAUSE NO.4.1.1):
1961	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	PARTICLE FILTRATION PENETRATION	IS 9473(CLAUSE NO.5.4.2):
1962	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	PRACTICAL PERFORMANCE	EN 149+A1(CLAUSE NO.7.7):
1963	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	PRACTICAL PERFORMANCE TEST	IS 9473(CLAUSE NO.5.3):
1964	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	TOTAL INWARD LEAKAGE	EN 149+A1(CLAUSE NO.7.9.1):

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 116 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1965	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	TOTAL INWARD LEAKAGE	IS 9473(CLAUSE NO,.5.4.1):
1966	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	VALVE LESS FILTERING HALF MASKS	IS 9473(CLAUSE NO.5.125.2.2):
1967	MECHANICAL- TEXTILE MATERIALS	FILTERING HALF MASK	VISUAL INSPECTION	EN 149+A1(CLAUSE NO.,7.3,7.4,7.5,7.6,7.15,7.18):
1968	MECHANICAL- TEXTILE MATERIALS	FINISHED FABRICS	FABRIC LENGTH & WIDTH	ISO 22198:
1969	MECHANICAL- TEXTILE MATERIALS	Gent's Pullover	Construction	IS 3617 Clause 5.2
1970	MECHANICAL- TEXTILE MATERIALS	Gent's Pullover	Dimensonal change	IS 3617 Clause 5.2
1971	MECHANICAL- TEXTILE MATERIALS	Gent's Pullover	Scoring Loss	IS 3617 Clause 5.2
1972	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	CARBON DIOXIDE CONTENT OF THE INHALATION AIR	IS 14746(CLAUSE NO.4.15):
1973	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	DEMOUNTABLE PARTS	IS 14746 (CLAUSE NO.4.16):
1974	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	EXHALATION VALVE PULL TEST	IS 14746(CLAUSE NO.4.14.3):
1975	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	FIELD OF VISION	IS 14746(CLAUSE NO.4.13):1999
1976	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	FLAMMABILITY TEST	IS 14746(CLAUSE NO.4.9):
1977	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	HEAD HERNESS	IS14746(CLUSE NO.4.11):
1978	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	INHALATION AND EXHALATION VALVES :EXHALATION VALVE FLOW	IS14746 (CLAUSE NO.4.14.2):
1979	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	INHALATION AND EXHALATION VALVES :INHALATION VALVES	IS 14746(CLAUSE NO.4.14):
1980	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	MATERIAL	IS 14746(CLAUSE NO.4.1):
1981	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	PRACTICAL PERFORMANCE TEST	IS 14746(CLAUSE NO.4.5):
1982	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	REPLACEABLE COMPONENTS	IS 14746(CLAUSE NO.4.4):

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	117 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1983	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	RESISTANCE OF TEMPERATURE	IS 14746(CLAUSE NO.4.6):_ANNEX-3:
1984	MECHANICAL- TEXTILE MATERIALS	HALF MASK & QUARTER MASK	TOTAL INWARD LEAKAGE TEST	IS14746(CLAUSE NO.4.7):
1985	MECHANICAL- TEXTILE MATERIALS	HALF FILTERING MASK	BREATHING RESISTANCE AFTER CLOGGING VALVED FILTERING HALF MASK	IS 9473(CLAUSE NO. 5.12.2.1):
1986	MECHANICAL- TEXTILE MATERIALS	HALF FILTERING MASK	BREATHING RESISTENCE:VALVELESS PARTICLE FILTERING HALF MASK	EN 149+A1(CLAUSE NO.7.17.2.2):
1987	MECHANICAL- TEXTILE MATERIALS	HALF FILTERING MASK	CLOGGING COAL MINING AND DOLOMITE DUST	IS 9473(CLAUSE NO.5.12.1):
1988	MECHANICAL- TEXTILE MATERIALS	HALF FILTERING MASK & QUARTER MASK	BREATHING RESISTENCE	ID 14746(CLAUSE NO.4.15):
1989	MECHANICAL- TEXTILE MATERIALS	INDUSTRIAL SAFETY FACE SHIELD	FLAMMABILITY TEST	IS 8521-1(CLAUSE NO.4.2.4):
1990	MECHANICAL- TEXTILE MATERIALS	INDUSTRIAL SAFETY FACE SHIELD	IMPACT RESISTANCE TEST	IS 8521-1(CLAUSE NO.4.2.1):
1991	MECHANICAL- TEXTILE MATERIALS	INDUSTRIAL SAFETY FACE SHIELD	PENETRATION RESISTANCE TEST	IS 8521-1(CLAUSE NO.4.1):
1992	MECHANICAL- TEXTILE MATERIALS	INDUSTRIAL SAFETY FACE SHIELD	VISIBLE TRANSMITTANCE	IS 8521-1 (CLAUSE NO.4.2.4):
1993	MECHANICAL- TEXTILE MATERIALS	INDUSTRIAL SAFETY FACE SHIELD	VISUAL AND DIMENSIONAL EXAMINATION	IS 8521-1(CLAUSE NO4.1):
1994	MECHANICAL- TEXTILE MATERIALS	MEDICAL TEXTILE PRODUCT	Evaluation of particle release	en 13795-1(annexA.2.2.):
1995	MECHANICAL- TEXTILE MATERIALS	MEDICAL TEXTILE PRODUCT	HYDROSTATIC HEAD RESISTANCE TEST	EN 13795-1 (ANNEX A2.3):
1996	MECHANICAL- TEXTILE MATERIALS	protective clothing	ABRASION RESISTANCE TEST	EN 14325(CLAUSE NO.4.4):
1997	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	COMFORT TEST	ISO 13688(CLAUSE NO.4.4):ANEXX C :
1998	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	DESIGN	ISO 13688(CLAUSE NO.4.3) ANNEX C:
1999	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	DIMENSIONAL CHANGE DUE TO CLEANING	ISO 13688(CLAUSE NO.5.1):
2000	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	FLAMMABILITY TEST	EN 14126(CLAUSE NO4.1.2):

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	118 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2001	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	FLEX CRACKING RESISTANCE TEST (SCHILDKNECHT METHOD (AT -30 deg. C)	EN 14325(CLAUSE NO.4.6):
2002	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	FLEX CRCKING RESISTANCE TEST (SCHIELDKNECHT METHOD)	EN 14325(CLAUSE NO.4.5)
2003	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	GENERAL ERGONOMIC REQUIREMENTS	ISO 13688(CLAUSE NO.4.1):
2004	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	PULL STRENGTH OF JOINS AND ASSEMBLAGES	EN 14325(CLAUSE NO.5.6):
2005	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	PUNCTURE STRENGTH TEST	EN 14325(CLAUSE NO.4.10):
2006	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	REPELLENCY TO LIQUID CHEMICALS	ISO 6530:
2007	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	REPELLENCY TO LIQUID CHEMICALS	EN 14325 (CLAUSE NO.4.12):
2008	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	RESISTANCE TO FLAME	EN 14325(CLAUSE NO.4.15):
2009	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	RESISTANCE TO FLAME	ISO 13274-4:
2010	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	RESISTANCE TO IGNITION	EN 13274-4:
2011	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	RESISTANCE TO IGNITION	EN 14325(CLAUSE NO.4.14):
2012	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	RESISTANCE TO LIQUID	EN 14325(CLAUSE NO .5.4):
2013	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	RESISTANCE TO PENETRATION BY LIQUID	EN 14325(CLAUSE NO,.4.13):
2014	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	TEAR STRENGTH TEST (TRAPEZOIDAL TEAR)	EN 14325(CLAUSE NO.4.7):
2015	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	TENSILE STRENGTH TEST	EN 14325(CLAUSE NO.4.9):
2016	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE CLOTHING	WASHING AND DRY CLEANING	ISO 13688(CLAUSE NO.5.2):
2017	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE OVEN GLOVES	DOMESTIC OVEN GLOVES :SAFE IRONING TEMPERATURE	BS 6526(CLAUSE NO 4.2.1):
2018	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE OVEN GLOVES	domestic oven gloves : multilayer construction oven gloves	BS 6526(CLAUSE NO.4.2.2):

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 119 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2019	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE OVEN GLOVES	DOMESTIC OVEN GLOVES : SAFE IRONING TEMPERATURE	BS 7305:
2020	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE OVEN GLOVES	DOMESTIC OVEN GLOVES : THICKNESS OF BACK OF THE HAND OF NON-REVERSIBLE GLOVES	BS 6526(CLAUSE NO.4.2.3):
2021	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE OVEN GLOVES	DOMESTIC OVEN GLOVES DIMENSIONS	BS 6526(CLAUSE NO.4.4):
2022	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE OVEN GLOVES	protective gloves against thermal risk (heat and / or fire): contact heat resistance	ISO 12127-1:
2023	MECHANICAL- TEXTILE MATERIALS	PROTECTIVE OVEN GLOVES	PROTECTIVE GLOVES AGAINST THERMAL RISK(HEAT AND /OR FIRE):CONTACT HEAT RESISTANCE	EN 407(CLAUSE NO :5.2):
2024	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Absorbency	IS 5405 Clause 3.1
2025	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Count of Yarn	IS 5405 Clause 3.1
2026	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Ends	IS 5405 Clause 3.1
2027	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Length	IS 5405 Clause 3.1
2028	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Mass	IS 5405 Clause 3.1
2029	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Picks - Thread	IS 5405 Clause 3.1
2030	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Pressure after absorption	IS 5405 Clause 7.2
2031	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Sizes (Length & Width)	IS 5405 Clause 5
2032	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Type & Shape	IS 5405 Clause 4
2033	MECHANICAL- TEXTILE MATERIALS	Sanitary Napkins	Width - Cotton	IS 5405 Clause 3.1
2034	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	ABRASION RESISTANCE OF PROTECTIVE CLOTHING MATERIAL	BS EN 530:
2035	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	BURSTING STRENGTH	IS 1966-1:

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 120 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2036	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	BURSTING STRENGTH (DRY & WET)	EN 13795-1(ANNEX A.2.4):
2037	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	BURSTING STRENGTH TEST (DRY & WET)	ISO 13938-1:
2038	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	FLAMMABILITY	ASTM F2407(CLAUSE NO.6.3):
2039	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	HYDROSTATIC PRESSURE TEST .	AATCC 127:
2040	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	HYDROSTATIC RESISTANCE TEST	ISO 811:
2041	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	IMPACT PENETRATION TEST	AATCC 42:
2042	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	PUNCTURE RESISTANCE TEST	BS EN 863:
2043	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	RESISTANCE TO WATER PENETRATION - HYDROSTATIC PRESSURE TEST	ISO 811:
2044	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	RESISTANCE TO WATER PENETRATION IMPECT PENETRATION TEST	ISO 18695:
2045	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	TENSILE STRENGTH	EN 13795-1(ANNEX A 2.5):
2046	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	TENSILE STRENGTH & ELONGATION	IS 1969-1:
2047	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	TENSILE STRENGTH AND ELONGATION	IS 15891-3:
2048	MECHANICAL- TEXTILE MATERIALS	SURGICAL DRAPES & GOWNS	TENSILE STRENGTH TEST	ISO 13934-1:
2049	MECHANICAL- TEXTILE MATERIALS	Textile & Textile materials	Tensile Properties & Elongation	ASTM D5035
2050	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCT	BURSTING STRENGTH TEST	ISO 13938-1:
2051	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCT	FLAMMABILITY TEST	16 CFR-1610:
2052	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCT	SEAM STRENGTH	ASTM D751:
2053	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCT	TEAR RESISTANCE NON WOVEN	ISO 9073-4:

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	121 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2054	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCT	TEAR RESISTANCE TEST	ASTM D5587:
2055	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCT	TEAR RESISTANCE TEST	ASTM D5733:
2056	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCT	TENSILE STRENGTH & ELONGATION	EN 29073-3:
2057	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCT	Tensile Strength Test	ASTM D5034(2013)
2058	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCT	THICKNESS OF TEXTILE	EN 29073-3:
2059	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Abrasion Resistance	ASTM D 3885-07A
2060	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Abrasion Resistance	ASTM D 4966
2061	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Abrasion Resistance	ISO 12947-2
2062	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Abrasion Resistance	ISO 12947-3
2063	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Abrasion Resistance	ISO 12947-4
2064	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Colour Fastness to Water Spotting of Textiles and Coated Fabrics	SATRA TM 185
2065	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Elongation at break	ASTM D 5034
2066	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Elongation at break	ASTM D 5035
2067	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Elongation at Break	ISO 13934-1
2068	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Elongation at break	ISO 13934-2
2069	MECHANICAL- TEXTILE MATERIALS	Textile & Textile Products	Fabric Width	ASTM D 3774:1996
2070	MECHANICAL- TEXTILE MATERIALS	Textile & Textile Products	Fabric Width	ISO 3932
2071	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Mass per Unit Area	ISO 3801(RA 2011)

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	122 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2072	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Pilling Resistance	ASTM D 4970/ D 4970M
2073	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Pilling Resistance	ISO 12945-2
2074	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Seam Slippage	ASTM D 1683/D 1683M
2075	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Seam Slippage	ASTM D 434
2076	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Seam Slippage	BS 3320
2077	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Seam Slippage	ISO 13936-1
2078	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Seam Slippage	ISO 13936-2
2079	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Seam Strength	ASTM D 1683/D 1683M
2080	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Seam Strength	ISO 13935-2
2081	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Tear Strength	ASTM D 2261
2082	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Tear Strength	ISO 13937-2
2083	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Tear Strength	ISO 13937-3
2084	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Tear Strength	ISO 13937-4
2085	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	TENSILE PROPERTIES	ASTM D5035:
2086	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Thickness of textile products	BS EN ISO5084:
2087	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Vertical Wicking Test	AATCC 197
2088	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	VERTICAL WICKING TEST	AATCC 79
2089	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Vertical Wicking Test	SATRA TM 305
2090	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Wet ability Test	AATCC 79

SCOPE OF ACCREDITATION

Laboratory Name : SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5579 **Page No** 123 of 125

Validity 24/10/2021 to 23/10/2023 **Last Amended on** 14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2091	MECHANICAL- TEXTILE MATERIALS	TEXTILE & TEXTILE PRODUCTS	Wetability Test	BS 4554
2092	MECHANICAL- TEXTILE MATERIALS	WOVEN SACK	AVERAGE BREAKING STRENGTH AFTER UV STABLIZATION	14252 CLAUSE 4.1 & 4.2
2093	MECHANICAL- TEXTILE MATERIALS	WOVEN SACK	BREAKING STRENGTH OF FABRIC AFTER UV STABLIZATION	IS 16208 Clauses 4.2, 5.1 and 5.2: 2015
2094	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	AVERAGE BREAKING STRENGHT OF FABRIC	IS 16208 Clauses 4.2, 5.1 and 5.2
2095	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	AVERAGE BREAKING STRENGTH	14252 CLAUSE 4.1 & 4.2
2096	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	AVERAGE BREAKING STRENGTH AFTER UV STABLIZATION	IS 14887 CLAUSE 3.2, 4.1, & 4.2
2097	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	AVERAGE BREAKING STRENGTH AFTER UV STANLIZATION	IS 14968 Clauses 4.2, 5.1 and 5.2
2098	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	AVERAGE BREAKING STRENGTH OF FABRIC	IS 14887 CLAUSE 3.2, 4.1, & 4.2
2099	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	AVERAGE BREAKING STRENGTH OF FABRIC	IS 14968 Clauses 4.2, 5.1 and 5.2
2100	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	CAPACITY	IS 14887 CLAUSE 3.2, 4.1, & 4.2
2101	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	CAPACITY	IS 16208 Clauses 4.2, 5.1 and 5.2
2102	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	DIMENSION	IS 14252 CLAUSE 4.1 & 4.2
2103	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	DIMENSIONS	IS 14887 CLAUSE 3.2, 4.1, & 4.2
2104	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	DIMENSIONS	IS 14968 Clauses 4.2, 5.1 and 5.2
2105	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	DIMENSIONS	IS 16208 Clauses 4.2, 5.1 and 5.2
2106	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	ELONGATION AT BREAK	14252 CLAUSE 4.1 & 4.2
2107	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	ELONGATION AT BREAK	IS 14887 CLAUSE 3.2, 4.1, & 4.2

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	124 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2108	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	ELONGATION AT BREAK OF FABRIC	IS 14968 Clauses 4.2, 5.1 and 5.2
2109	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	ENDS	14252 CLAUSE 4.1 & 4.2
2110	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	ENDS	IS 14887 CLAUSE 3.2, 4.1, & 4.2
2111	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	ENDS	IS 14968 Clauses 4.2, 5.1 and 5.2
2112	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	ENDS	IS 16208 Clauses 4.2, 5.1 and 5.2
2113	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	MASS OF SACK	14252 CLAUSE 4.1 & 4.2
2114	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	MASS OF SACK	IS 14887 CLAUSE 3.2, 4.1, & 4.2
2115	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	MASS OF SACK	IS 14968 Clauses 4.2, 5.1 and 5.2
2116	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	MASS OF SACK	IS 16208 Clauses 4.2, 5.1 and 5.2
2117	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	MINIMUM BREAKING STRENGHT OF BOTTOM SEAM	IS 16208 Clauses 4.2, 5.1 and 5.2
2118	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	MINIMUM BREAKING STRENGTH OF BOTTOM SEAM	IS 14887 CLAUSE 3.2, 4.1, & 4.2
2119	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	MINIMUM BREAKING STRENGTH OF BOTTOM SEAM	IS 14968 Clauses 4.2, 5.1 and 5.2
2120	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	PCKS	IS 16208 Clauses 4.2, 5.1 and 5.2
2121	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	PICKS	14252 CLAUSE 4.1 & 4.2
2122	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	PICKS	IS 14887 CLAUSE 3.2, 4.1, & 4.2
2123	MECHANICAL- TEXTILE MATERIALS	WOVEN SACKS	PICKS	IS 14968 Clauses 4.2, 5.1 and 5.2
2124	MECHANICAL- TEXTILE MATERIALS	ZIPPER	Lateral strength of open-end attachment	EN 16732
2125	MECHANICAL- TEXTILE MATERIALS	ZIPPER	Lateral strength of slide fastener	EN 16732
2126	MECHANICAL- TEXTILE MATERIALS	ZIPPER	Open-end slide fastener single stringer slider retention	ASTM D 2061

SCOPE OF ACCREDITATION

Laboratory Name :	SLEEN INDIA BIZ VENTURE PRIVATE LIMITED, PLOT NO. - 199, 1ST FLOOR, NH-2, MAUJA SINGNA, TEHSIL KIRAWALI, AGRA, UTTAR PRADESH, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-5579	**Page No**	125 of 125
Validity	24/10/2021 to 23/10/2023	**Last Amended on**	14/01/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2127	MECHANICAL- TEXTILE MATERIALS	ZIPPER	Open-end slide fastener single stringer slider retention	EN 16732
2128	MECHANICAL- TEXTILE MATERIALS	ZIPPER	PULLER ATTACHMENT	ASTM D2061
2129	MECHANICAL- TEXTILE MATERIALS	ZIPPER	Strength of closed-end	ASTM D 2061
2130	MECHANICAL- TEXTILE MATERIALS	Zipper	Strength of closed-end	EN 16732
2131	MECHANICAL- TEXTILE MATERIALS	ZIPPER	Strength of open-end slide fastener box	ASTM D 2061
2132	MECHANICAL- TEXTILE MATERIALS	ZIPPER	Strength of open-end slide fastener box	EN 16732
2133	MECHANICAL- TEXTILE MATERIALS	ZIPPER	Strength of slider locking device	ASTM D 2061
2134	MECHANICAL- TEXTILE MATERIALS	ZIPPER	Strength of slider locking device	EN 16732
2135	MECHANICAL- TEXTILE MATERIALS	ZIPPER	STRENGTH OF TOP STOP	ASTM D2061
2136	MECHANICAL- TEXTILE MATERIALS	Zippers	Lateral strength of open-end attachment	ASTM D 2061
2137	MECHANICAL- TEXTILE MATERIALS	Zippers	Strength of puller attachment	EN 16732
2138	MECHANICAL- TEXTILE MATERIALS	Zippers	Strength of top stop	EN 16732