SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 1 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	CHEMICAL- LEATHER	Leather	Ash Content	IS 582(LC-3)
2	CHEMICAL- LEATHER	Leather	Bound Organic Substance	IS 582(LC-21)
3	CHEMICAL- LEATHER	Leather	Chromic Oxide (Cr2O3)	IS 582(LC-10)
4	CHEMICAL- LEATHER	Leather	Degree of tannage	IS 582(LC-21)
5	CHEMICAL- LEATHER	Leather	Hide Substance	IS 582(LC-5)
6	CHEMICAL- LEATHER	Leather	Moisture Content	IS 582(LC-2)
7	CHEMICAL- LEATHER	Leather	pH Value of Water Soluble Matter	IS 582(LC-18)
8	CHEMICAL- LEATHER	Leather	Resistance to Heat	IS 5677
9	CHEMICAL- LEATHER	Leather	Solvent Extractable Substance	IS 582(LC-4)
10	CHEMICAL- LEATHER	Leather	Sulphated ash of water soluble	IS 582(LC-7)
11	CHEMICAL- LEATHER	Leather	Volatile matter	IS 582(LC-1)
12	CHEMICAL- LEATHER	Leather	Water Insoluble Ash	IS 582(LC-8)
13	CHEMICAL- LEATHER	Leather	Water Soluble Matter	IS 582(LC-6)
14	CHEMICAL- LEATHER	Leather	Water soluble organic substance	IS 582(LC-9)
15	CHEMICAL- LEATHER	Safety Shoe	Determination of Chromium VI content, Clause 6.11	IS: 15248 Pt 1 (using ISO 17075 part 1)
16	CHEMICAL- LEATHER	Safety Shoe	Hexavalent Chromium Content	ISO: 20344
17	CHEMICAL- METALS & ALLOYS	Aluminium	Chromium	IS 504(Pt-8)
18	CHEMICAL- METALS & ALLOYS	Aluminium	Copper	IS 504(Pt-3)
19	CHEMICAL- METALS & ALLOYS	Aluminium	Iron	IS 504(Pt-2)
20	CHEMICAL- METALS & ALLOYS	Aluminium	Lead	IS 504(Pt-1)
21	CHEMICAL- METALS & ALLOYS	Aluminium	Magnesium	IS 504(Pt-6)
22	CHEMICAL- METALS & ALLOYS	Aluminium	Manganese	IS 504(Pt-5)
23	CHEMICAL- METALS & ALLOYS	Aluminium	Nickel	IS 504(Pt-7)

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 2 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
24	CHEMICAL- METALS & ALLOYS	Aluminium	Silicon	IS 504(Pt-1)
25	CHEMICAL- METALS & ALLOYS	Aluminium	Titanium	IS 504(Pt-11)
26	CHEMICAL- METALS & ALLOYS	Aluminium	Vanadium	IS 504(Pt-12)
27	CHEMICAL- METALS & ALLOYS	Aluminium	Zinc	IS 504(Pt-1)
28	CHEMICAL- METALS & ALLOYS	Copper	Copper	IS 3187
29	CHEMICAL- METALS & ALLOYS	Copper	Copper	IS 3685
30	CHEMICAL- METALS & ALLOYS	Copper	Copper	IS 4027(Pt-1)
31	CHEMICAL- METALS & ALLOYS	Copper	Copper	IS 440
32	CHEMICAL- METALS & ALLOYS	Copper	Iron	IS 3187
33	CHEMICAL- METALS & ALLOYS	Copper	Iron	IS 3685
34	CHEMICAL- METALS & ALLOYS	Copper	Iron	IS 4027(Pt-8)
35	CHEMICAL- METALS & ALLOYS	Copper	Lead	IS 3187
36	CHEMICAL- METALS & ALLOYS	Copper	Lead	IS 3685
37	CHEMICAL- METALS & ALLOYS	Copper	Lead	IS 4027(Pt-1)
38	CHEMICAL- METALS & ALLOYS	Copper	Lead	IS 440
39	CHEMICAL- METALS & ALLOYS	Copper	Manganese	IS 3187
40	CHEMICAL- METALS & ALLOYS	Copper	Manganese	IS 3685
41	CHEMICAL- METALS & ALLOYS	Copper	Manganese	IS 4027(Pt-2)
42	CHEMICAL- METALS & ALLOYS	Copper	Nickel	IS 3187

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 3 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
43	CHEMICAL- METALS & ALLOYS	Copper	Nickel	IS 3685
44	CHEMICAL- METALS & ALLOYS	Copper	Nickel	IS 4027(Pt-4)
45	CHEMICAL- METALS & ALLOYS	Copper	Nickel	IS 440
46	CHEMICAL- METALS & ALLOYS	Copper	Silicon	IS 3187
47	CHEMICAL- METALS & ALLOYS	Copper	Silicon	IS 3685
48	CHEMICAL- METALS & ALLOYS	Copper	Silicon	IS 4027(Pt-10)
49	CHEMICAL- METALS & ALLOYS	Copper	Tin	IS 3187
50	CHEMICAL- METALS & ALLOYS	Copper	Tin	IS 3685
51	CHEMICAL- METALS & ALLOYS	Copper	Tin	IS 4027(Pt-1)
52	CHEMICAL- METALS & ALLOYS	Copper	Tin	IS 440
53	CHEMICAL- METALS & ALLOYS	Copper	Zinc	IS 3187
54	CHEMICAL- METALS & ALLOYS	Copper	Zinc	IS 3685
55	CHEMICAL- METALS & ALLOYS	Copper	Zinc	IS 4027(Pt-8)
56	CHEMICAL- METALS & ALLOYS	Ferro Chrome	Chrome	IS 13452(Pt-5 & 6)
57	CHEMICAL- METALS & ALLOYS	Ferro Chrome	Phosphorus	IS 13452(Pt-7)
58	CHEMICAL- METALS & ALLOYS	Ferro Chrome	Silicon	IS 13452(Pt-1 & 2)
59	CHEMICAL- METALS & ALLOYS	Ferro Manganese	Carbon	IS 1559
60	CHEMICAL- METALS & ALLOYS	Ferro Manganese	Manganese	IS 1559
61	CHEMICAL- METALS & ALLOYS	Ferro Manganese	Phosphorus	IS 1559

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 4 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
62	CHEMICAL- METALS & ALLOYS	Ferro Manganese	Silicon	IS 1559
63	CHEMICAL- METALS & ALLOYS	Ferro Silicon	Aluminium	IS 1559(Pt-5)
64	CHEMICAL- METALS & ALLOYS	Ferro Silicon	Calcium	IS 1559(Pt-6)
65	CHEMICAL- METALS & ALLOYS	Ferro Silicon	Carbon	IS 1559(Pt-2)
66	CHEMICAL- METALS & ALLOYS	Ferro Silicon	Phosphorous	IS 1559(Pt-4)
67	CHEMICAL- METALS & ALLOYS	Ferro Silicon	Silicon	IS 1559(Pt-1)
68	CHEMICAL- METALS & ALLOYS	Ferro Silicon	Sulphur	IS 1559(Pt-3)
69	CHEMICAL- METALS & ALLOYS	Pig Iron / Cast Iron	Carbon	IS 12308(Pt-11)
70	CHEMICAL- METALS & ALLOYS	Pig Iron / Cast Iron	Carbon	IS 12308(Pt-4)
71	CHEMICAL- METALS & ALLOYS	Pig Iron / Cast Iron	Manganese	IS 12308(Pt-10)
72	CHEMICAL- METALS & ALLOYS	Pig Iron / Cast Iron	Phosphorous	IS 12308(Pt-5)
73	CHEMICAL- METALS & ALLOYS	Pig Iron / Cast Iron	Silicon	IS 12308(Pt-6)
74	CHEMICAL- METALS & ALLOYS	Pig Iron / Cast Iron	Sulphur	IS 12308(Pt-2)
75	CHEMICAL- METALS & ALLOYS	Steel & Steel Alloys	Carbon	IS 228(Pt-1)
76	CHEMICAL- METALS & ALLOYS	Steel & Steel Alloys	Chromium	IS 228(Pt-6)
77	CHEMICAL- METALS & ALLOYS	Steel & Steel Alloys	Manganese	IS 228(Pt-12)
78	CHEMICAL- METALS & ALLOYS	Steel & Steel Alloys	Manganese	IS 228(Pt-2)
79	CHEMICAL- METALS & ALLOYS	Steel & Steel Alloys	Molybdenum	IS 228(Pt-10)
80	CHEMICAL- METALS & ALLOYS	Steel & Steel Alloys	Molybdenum	IS 228(Pt-7)

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 5 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
81	CHEMICAL- METALS & ALLOYS	Steel & Steel Alloys	Nickel	IS 228(Pt-5)
82	CHEMICAL- METALS & ALLOYS	Steel & Steel Alloys	Phosphorous	IS 228(Pt-3)
83	CHEMICAL- METALS & ALLOYS	Steel & Steel Alloys	Silicon	IS 228(Pt-11)
84	CHEMICAL- METALS & ALLOYS	Steel & Steel Alloys	Silicon	IS 228(Pt-8)
85	CHEMICAL- METALS & ALLOYS	Steel & Steel Alloys	Sulphur	IS 228(Pt-9)
86	CHEMICAL- ORES & MINERALS	Bauxite	Alumina	IS 2000(Pt-3)
87	CHEMICAL- ORES & MINERALS	Bauxite	Ferric Oxide Content	IS 2000(Pt-4)
88	CHEMICAL- ORES & MINERALS	Bauxite	Loss on ignition	IS 2000(Pt-11)
89	CHEMICAL- ORES & MINERALS	Bauxite	Silica Content	IS 2000(Pt-11)
90	CHEMICAL- ORES & MINERALS	Bauxite	Titanium Content	IS 2000(Pt-5)
91	CHEMICAL- ORES & MINERALS	Chromite Ore	Alumina	IS 4737
92	CHEMICAL- ORES & MINERALS	Chromite Ore	Chromic Oxide	IS 4737
93	CHEMICAL- ORES & MINERALS	Chromite Ore	Magnesia	IS 4737
94	CHEMICAL- ORES & MINERALS	Chromite Ore	Silica	IS 4737
95	CHEMICAL- ORES & MINERALS	Chromite Ore	Total Iron	IS 4737
96	CHEMICAL- ORES & MINERALS	Chromite Ores	Alumina	IS 4737
97	CHEMICAL- ORES & MINERALS	Chromite Ores	Lime	IS: 4737
98	CHEMICAL- ORES & MINERALS	Iron Ores	Aluminium Content	IS 1493(Pt-1)
99	CHEMICAL- ORES & MINERALS	Iron Ores	Iron Content	IS 1493(Pt-1)

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 6 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
100	CHEMICAL- ORES & MINERALS	Iron Ores	Phosphorus Content	IS 1493(Pt-1)
101	CHEMICAL- ORES & MINERALS	Iron Ores	Silica Content	IS 1493(Pt-1)
102	CHEMICAL- ORES & MINERALS	Iron Ores	Sulphur	IS 1493(Pt-1)
103	CHEMICAL- ORES & MINERALS	Limestone & Dolomite	Alumina Content	IS 1760(Pt-3)
104	CHEMICAL- ORES & MINERALS	Limestone & Dolomite	Calcium Oxide Content	IS 1760(Pt-3)
105	CHEMICAL- ORES & MINERALS	Limestone & Dolomite	Iron Content	IS 1760(Pt-3)
106	CHEMICAL- ORES & MINERALS	Limestone & Dolomite	Loss on ignition	IS 1760(Pt-1)
107	CHEMICAL- ORES & MINERALS	Limestone & Dolomite	Magnesium Oxide	IS 1760(Pt-3)
108	CHEMICAL- ORES & MINERALS	Limestone & Dolomite	Silica	IS 1760(Pt-2)
109	CHEMICAL- ORES & MINERALS	Manganese Ore	Alumina Content	IS 1473
110	CHEMICAL- ORES & MINERALS	Manganese Ore	Iron Content	IS 1473
111	CHEMICAL- ORES & MINERALS	Manganese Ore	Manganese Content	IS 1473
112	CHEMICAL- ORES & MINERALS	Manganese Ore	Phosphorus Content	IS 1473
113	CHEMICAL- ORES & MINERALS	Manganese Ore	Silica Content	IS 1473
114	CHEMICAL- ORES & MINERALS	Manganese Ore	Sulphur Content	IS 1473
115	CHEMICAL- ORES & MINERALS	Manganese Ore	Titanium Oxide	IS 1473
116	CHEMICAL- ORES & MINERALS	Quarzite & High Silica Sand	Iron	IS 1917({Pt-5)
117	CHEMICAL- ORES & MINERALS	Quarzite & High Silica Sand	Loss on ignition	IS 1917(Pt-1)
118	CHEMICAL- ORES & MINERALS	Quarzite & High Silica Sand	Silica	IS 1917(Pt-3)

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 7 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
119	CHEMICAL- PAINTS & SURFACE COATING	Paints	Accelerated Storage Stability Test	IS: 2074
120	CHEMICAL- PAINTS & SURFACE COATING	Paints	Calcium Compound	IS 63
121	CHEMICAL- PAINTS & SURFACE COATING	Paints	Calcium compound	IS 6947(Pt-1)
122	CHEMICAL- PAINTS & SURFACE COATING	Paints	Calcium Compound	IS 8982
123	CHEMICAL- PAINTS & SURFACE COATING	Paints	Chromic Anhydride as CrO2	|IS 104
124	CHEMICAL- PAINTS & SURFACE COATING	Paints	Chromic Anhydride as CrO2	IS 1874
125	CHEMICAL- PAINTS & SURFACE COATING	Paints	Chromic Anhydride as CrO2	IS 6947(Pt-1)
126	CHEMICAL- PAINTS & SURFACE COATING	Paints	Chromium Oxide Cr2O3	IS 8982
127	CHEMICAL- PAINTS & SURFACE COATING	Paints	Colour	IS 101(Pt-4/Sec-2)
128	CHEMICAL- PAINTS & SURFACE COATING	Paints	Compatibility of paint system	IS 5083
129	CHEMICAL- PAINTS & SURFACE COATING	Paints	Compatibility of paint system	M&C/PCN/100/2009
130	CHEMICAL- PAINTS & SURFACE COATING	Paints	Compatibility with thinner	IS 2074
131	CHEMICAL- PAINTS & SURFACE COATING	Paints	Compatibility with white spirit	JSS: 8010-72
132	CHEMICAL- PAINTS & SURFACE COATING	Paints	Conformity Test of Shellac	JSS:8010-63 App E
133	CHEMICAL- PAINTS & SURFACE COATING	Paints	Consistency & Viscosity	IS 101(Pt-1/Sec-5)
134	CHEMICAL- PAINTS & SURFACE COATING	Paints	Corrosion	IS: 101 Pt6/Cl2,3,4
135	CHEMICAL- PAINTS & SURFACE COATING	Paints	Corrosion under artificial sea water	IS 101(Pt-6/Sec-1), Cl4
136	CHEMICAL- PAINTS & SURFACE COATING	Paints	Drying Time (Surface Dry)	IS: 101 (101) (Pt3 Sec1)
137	CHEMICAL- PAINTS & SURFACE COATING	Paints	Drying Time (Hard Dry)	IS: 101 (Pt3)

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 8 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
138	CHEMICAL- PAINTS & SURFACE COATING	Paints	Drying time (Surface / Tack / Hard)	IS 101 (Pt-3/Sec-1)
139	CHEMICAL- PAINTS & SURFACE COATING	Paints	Drying Time (Surface/Tack/Hard)	IS:101 Pt3
140	CHEMICAL- PAINTS & SURFACE COATING	Paints	Drying Time (Tack Dry)	IS:101 (Pt3)
141	CHEMICAL- PAINTS & SURFACE COATING	Paints	Fineness of grind	IS 101(Pt-3/Sec-5)
142	CHEMICAL- PAINTS & SURFACE COATING	Paints	Finish	IS 101(Pt-3/Sec-4)
143	CHEMICAL- PAINTS & SURFACE COATING	Paints	Fire Retardant Property	JSS 8010
144	CHEMICAL- PAINTS & SURFACE COATING	Paints	Fire Retardant Property	JSS:8010
145	CHEMICAL- PAINTS & SURFACE COATING	Paints	Flash Point	IS 101(Pt-1/Sec-6)
146	CHEMICAL- PAINTS & SURFACE COATING	Paints	Flexibility	ASTM D 522
147	CHEMICAL- PAINTS & SURFACE COATING	Paints	Flexibility & Adhesion	IS 101(Pt-5/Sec-2)
148	CHEMICAL- PAINTS & SURFACE COATING	Paints	Freedom from defects	NES 805 (Pt1),
149	CHEMICAL- PAINTS & SURFACE COATING	Paints	Gloss Value	IS 101(Pt-4/Sec-4)
150	CHEMICAL- PAINTS & SURFACE COATING	Paints	Gloss Value (at 45 deg and 60 deg)	IS 101(Pt-4/Sec-4) 1988
151	CHEMICAL- PAINTS & SURFACE COATING	Paints	Grease Content	IS 289
152	CHEMICAL- PAINTS & SURFACE COATING	Paints	Holdout Property	IS 5083
153	CHEMICAL- PAINTS & SURFACE COATING	Paints	Holdout Property	M&C/PCN/100
154	CHEMICAL- PAINTS & SURFACE COATING	Paints	Impact Test	IS 101(Pt-5/Sec-3) Falling ball method
155	CHEMICAL- PAINTS & SURFACE COATING	Paints	Impact Test	IS 101(Pt-6/Sec-3)
156	CHEMICAL- PAINTS & SURFACE COATING	Paints	Impact Test	IS 168

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 9 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
157	CHEMICAL- PAINTS & SURFACE COATING	Paints	Iron Oxide	IS 6947(Pt-III)
158	CHEMICAL- PAINTS & SURFACE COATING	Paints	Leachable Chloride	NES 805, Pt1
159	CHEMICAL- PAINTS & SURFACE COATING	Paints	Lead Restriction	IS 101(Pt-8/Sec-5)
160	CHEMICAL- PAINTS & SURFACE COATING	Paints	Leafing Value	IS 289
161	CHEMICAL- PAINTS & SURFACE COATING	Paints	Mass per 10 litre/Specific Gravity	IS 101(Pt-1/Sec-7)
162	CHEMICAL- PAINTS & SURFACE COATING	Paints	Metallic Zn	IS 4611
163	CHEMICAL- PAINTS & SURFACE COATING	Paints	Moist Vapour	IS 101(Pt-6/Sec-3)
164	CHEMICAL- PAINTS & SURFACE COATING	Paints	Non Volatile Matter	IS 101(Pt-2/Sec-2)
165	CHEMICAL- PAINTS & SURFACE COATING	Paints	Non Volatile matter	JSS-8010-63
166	CHEMICAL- PAINTS & SURFACE COATING	Paints	Penetration Test with Diesel Oil	NES805 Pt1
167	CHEMICAL- PAINTS & SURFACE COATING	Paints	Penetration test with Lubricating Oil	NES 805 Pt1
168	CHEMICAL- PAINTS & SURFACE COATING	Paints	Penetration test with water	NES 805 Pt1
169	CHEMICAL- PAINTS & SURFACE COATING	Paints	pH value	JSS: 8010-48
170	CHEMICAL- PAINTS & SURFACE COATING	Paints	Phthalic Anhydride	IS 101(Pt-8/Sec-4)
171	CHEMICAL- PAINTS & SURFACE COATING	Paints	Pigment Content	IS 101(Pt-8/Sec-2)
172	CHEMICAL- PAINTS & SURFACE COATING	Paints	Pigment Content	IS 2074
173	CHEMICAL- PAINTS & SURFACE COATING	Paints	Water Vapour Permeance	ASTM E
174	CHEMICAL- PAINTS & SURFACE COATING	Paints	Weaving Test	JSS: 8010-41
175	CHEMICAL- PAINTS & SURFACE COATING	Paints	Wet Opacity	IS 101(Pt-4/Sec-1)

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 10 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
176	CHEMICAL- PAINTS & SURFACE COATING	Paints	Zinc Oxide as ZnO	IS 104
177	CHEMICAL- PAINTS & SURFACE COATING	Paints	Zinc Oxide as ZnO	IS 2074
178	CHEMICAL- PAINTS & SURFACE COATING	Paints	Zinc Oxide as ZnO	IS 2074, Annex B
179	CHEMICAL- PAINTS & SURFACE COATING	Paints	Zn Phosphate	IS 12744
180	CHEMICAL- PAINTS & SURFACE COATING	Putty	Rubbing Property of Putty	IS 5083
181	CHEMICAL- PAINTS & SURFACE COATING	Putty	Rubbing Property of Putty	M&C/PCN/100/2009
182	CHEMICAL- PAINTS & SURFACE COATING	Putty	Stopping Property of Putty	IS 5803
183	CHEMICAL- PAINTS & SURFACE COATING	Shellac	Iodine Value for Varnish & Shellac Composition	JSS-8010-63
184	CHEMICAL- PAINTS & SURFACE COATING	Shellac	Iodine Value for Varnish & Shellac Composition	JSS-8010-63
185	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Abrasion Test	ASTM D 4060
186	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Accelerated storage stability test	IS 168
187	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Acid Value	IS 101(Pt-9/Sec-1)
188	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Aluminium	IS 6947(Pt-II)
189	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Amine Value	MDTS 48279
190	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Application	IS 101(Pt-1/Sec-2)
191	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Argillaceous Matter	JSS: 8010-68 App D
192	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Ash Content	IND/ME-651 (a)
193	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Ash content	IS 101(Pt-8/Sec-3)
194	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Ash Content	JSS 8010-63

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 11 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
195	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Barium compound	IS 8982
196	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Catholic Bond	MDTS 48279
197	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Chromium Oxide Cr2O3	IS: 6974 Pt 1
198	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Coating Resistance	ASTM A 937/A 937M
199	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Compatibility of Paint System	JSS: 8010-72
200	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Corrosion (Salt Spray)	ISO 9227(07-15)
201	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Durability	IS: 13607
202	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Durability (Accelerated weathering)	N &C /PCN/109/2009
203	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Electrical Insulation (Holiday Test)	ASTM D 5162
204	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Fire Retardant Property	JSS: 47-05
205	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Identification of Poly Iso Cyanate	N &C /PCN/109/2009
206	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Impact Hardness	ASTM D2794
207	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Lead Restriction	IND/ME/651(a)
208	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Pencil Hardness	IS: 101 Pt 5
209	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Pigment Content	IS 8982
210	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Pot Life	IS 2932
211	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Pot Life	M&C/PCN/100
212	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Pot Life	M&C/PCN/109
213	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Pot Life	NCD 1435

SCOPE OF ACCREDITATION

Laboratory Name :	AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-10530	**Page No**	12 of 38
Validity	13/04/2022 to 12/04/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
214	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Pull Of Adhesion	ASTM D4541
215	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Residue on sieve	IS:101 Pt 8
216	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Resistance to Acid, Alkali & Solvent	IND/ME-651 (a)
217	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Steam Test	NES 805 Pt1
218	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Stopping Property of Putty	M&C/PCN/200/2009
219	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Stopping Putty	M&C/PCN/100
220	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Stripping Test	IS 101(Pt-5/Sec-2)
221	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Thickness of Coating	IS 101(Pt-3/Sec-2)
222	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Titanium Oxide	IS 411
223	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Titanium Oxide	IS 6947(Pt-1)
224	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Volatile Matter	IS 101(Pt-2/Sec2)
225	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Volatile Matter	IS 289
226	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Volume Solids	IS 101(Pt-8/Sec-6)
227	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Volume Solids	IS 2074
228	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Water Absorption	IS 8982, Annex D
229	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Water Content	IS 101(Pt-2/Sec-1)
230	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/ Undercoating	Water soluble chloride as sodium chloride on total solid	JSS:8010-28
231	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/Undercoating	Accelerated storage stability test	IS 2074
232	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/Undercoating	Cross cut adhesion	ASTM D 3359

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 13 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
233	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Cross cut Adhesion	IS: 101 (pt5)
234	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red Oxide/PU Based Finish/Undercoating	Dry Film Thickness	ASTM D 1186
235	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Preliminary Examination	IS 101(Pt-1/Sec-2)
236	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Pressure test	IS 101(Pt-5/Sec-1)
237	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Pull of Adhesion	IS: 101 (pt 5)
238	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Reaction with white paint	IS 341
239	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Recoating Property	IS 164
240	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Acid, Alkali & Solvent	IS 2932
241	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Acid, Alkali & Solvent	M&C/PCN/109
242	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Artificial sea water	IS 2074(Annex C)
243	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to artificial sea water	IS: 2932
244	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Benzol	IS 2932
245	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Boiling Water	JSS 8010, Appendix A
246	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Heat	IS 101(Pt-7/Sec-3)
247	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Heat	IS 13183
248	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Heat	IS 341
249	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to liquid	IS 101(Pt-7/Sec-2)
250	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Lubrication Oil	IND/SL/3285
251	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Petrol Benzol Mixture	IS 8982, Annex C

SCOPE OF ACCREDITATION

Laboratory Name :	AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-10530	**Page No**	14 of 38
Validity	13/04/2022 to 12/04/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
252	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Salt Water	IS 8982, Annex F
253	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to sea water	ASTM G 85
254	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Warm Water	IS 8982, Annex E
255	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Water	IS 101(Pt-7/Sec-1)
256	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Water	IS 133
257	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Water	IS 9862
258	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Water	M&C/PCN/100
259	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Resistance to Water	M&C/PCN/109
260	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Rosin Test	IS 101(Pt-9/Sec-2)
261	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Scratch Hardness	IS 101(Pt-5/Sec-2)
262	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Settling Properties	IS 289
263	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Spreading Capacity	IS 101(Cl-8)
264	CHEMICAL- PAINTS & SURFACE COATING	Synthetic Paint/Red oxide/PU Based Finish/Undercoating	Stability of colour	JSS:8010-41
265	CHEMICAL- PAINTS & SURFACE COATING	Varnish	Compatibility with white spirit	JSS-3-47, App-B, Cl.7.2.4
266	CHEMICAL- PAPER AND PULP	Corksheet	Ash Content	IS:3400 Pt22
267	CHEMICAL- PAPER AND PULP	Corksheet	Effect of liquid	IS:3400 Pt 6
268	CHEMICAL- PAPER AND PULP	Paper	Alkalinity as CaCO3	IS: 1060 Pt 3
269	CHEMICAL- PAPER AND PULP	Paper	Benzene Soluble Matter	IS: 1060 Pt 2
270	CHEMICAL- PAPER AND PULP	Paper	Burst Index	IS: 1060 Pt 1

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 15 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
271	CHEMICAL- PAPER AND PULP	Paper	Ether Soluble Matter	IS: 1060 Pt 2
272	CHEMICAL- PAPER AND PULP	Paper	Fatty Acid	IS: 1060 Pt 2
273	CHEMICAL- PAPER AND PULP	Paper	Lead	IS: 1060 Pt 2
274	CHEMICAL- PAPER AND PULP	Paper	Moisture Content	IS: 1060 Pt 1
275	CHEMICAL- PAPER AND PULP	Paper	pH value	IS: 1060 Pt 1
276	CHEMICAL- PAPER AND PULP	Paper	Water Absorbancy	IS: 1060 Pt 1
277	CHEMICAL- PAPER AND PULP	Paper Board	Ash Content	IS:1060 (pt2)
278	CHEMICAL- PAPER AND PULP	Paper products	Alkalinity as CaCO3	IS: 1060 (Pt3)
279	CHEMICAL- PAPER AND PULP	Paper products	Water Soluble Chloride	IS: 1060 (Part 2
280	CHEMICAL- PAPER AND PULP	paper products	Water Soluble Sulphate	IS: 1060 (pt2)
281	CHEMICAL- PAPER AND PULP	Wood	Moisture Content	IS: 1734
282	CHEMICAL- PAPER AND PULP	Wood	Preservative as Cu	IS:2753 (Pt2)
283	CHEMICAL- PAPER AND PULP	Wood	Preservative as Cu, As, Cr, Zn, B	IS: 2753 (Pt1)
284	CHEMICAL- PAPER AND PULP	Wood	Preservative Content	IS: 2753 Pt2
285	CHEMICAL- RUBBER & RUBBER PRODUCTS	Corksheet	Ash Content	IS: 3400 (pt22)
286	CHEMICAL- RUBBER & RUBBER PRODUCTS	Corksheet	Effect of liquid (Volume Swelling)	IS: 3400 (pt6)
287	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber	Carbon Black	ASTM D 297
288	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber	Identification of Polymer (rubber)	IS:3400 pt 22
289	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber	Polychloroprene	IND/ENG/PROV/1170B

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 16 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
290	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber	Polychloroprene	IND/ENG/PROV/1180C
291	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber	Resistance to cold	IS: 5915
292	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber	Rubber Hydrocarbon	ASTM D 297
293	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Acetone extract	IS 6110
294	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Adhesion to and corrosion of metals	IND/ME/884(Prov)
295	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Adhesion to and corrosion of metals	IND/ME/914 (Prov)
296	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Ash Content	ASTM D 297
297	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Ash Content	BS 903(Pt-B13)
298	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber products	Ash Content	IS: 3400 Pt22
299	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber products	Ash Content	JSS - 5330 - 09
300	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Autoclaving test	IS 4135
301	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Autoclaving test	IS 5915
302	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Carbon Black	IS 3400(Pt-22)
303	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber products	Carbon Black Content	IS:3400 Pt 22
304	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Chloride Content	IS 8391
305	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber products	Density (Dimensional Measurement Method)	IS: 2712
306	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Dry Rubber Content	IS 3708(Pt-1)
307	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Ether Soluble Matter	IS:1060 (Pt2)
308	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Extractable Sulphur	IS 6110

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 17 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
309	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Fuel soluble matter of rubber hose	IS 10733
310	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Heating loss	ASTM D 1509
311	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber products	Identification	IS:3400 Pt22
312	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Identification of Polymer	ASTM D 297
313	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Identification of Polymer	IS 3400(Pt-22)
314	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Iodine Absorption no.	ASTM D 1510
315	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	pH Value	IS 8391
316	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	pH Value	IS 9316(Pt-6)
317	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Polychloroprene	IND/ENG/PROV/1170B
318	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Polychlororprene	IND/ENG/PROV/1180C
319	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Resistance to acid & alkali	IS 5915
320	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Resistance to cold	IND/ME/884(Prov)
321	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Resistance to cold	IS 5915
322	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Resistance to Xylol	IS 6110
323	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Rubber Hydrocarbon	ASTM D 297
324	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Rubber Hydrocarbon	IS 3660(Pt-6)
325	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Rubber Polymer Content	ASTM D 297
326	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Rubber Polymer Content	IS 3400(Pt-22)
327	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Rubber Polymer Content	IS 5915

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 18 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
328	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Rubber Polymer Content	IS 6110
329	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Silicon Di Oxide	ASTM D 297
330	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Silicon Dioxide	ASTM D 297
331	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Silicon Dioxide	IS 3400(Pt-22)
332	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Solvent Extract	IS 3660(Pt-9)
333	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Solvent Extract	IS 6110
334	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Sulphur	ASTM D 297
335	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Sulphur	IS 3400(Pt-22)
336	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Volatile matter	IS 3660(Pt-2)
337	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Zinc Oxide	ASTM D 297
338	CHEMICAL- RUBBER & RUBBER PRODUCTS	Rubber Products	Zinc Oxide	IS 3400(Pt-22)
339	CHEMICAL- RUBBER & RUBBER PRODUCTS	Sheets, Gaskets, Seals	Ash Content	IS:3400 Pt22
340	CHEMICAL- RUBBER & RUBBER PRODUCTS	Sheets, Gaskets, Seals	Polymer Content	IS: 3400 Pt 22
341	CHEMICAL- SOLID FUELS	Coal	Air Dry Moisture	IS: 1350 Pt 1
342	CHEMICAL- SOLID FUELS	Coal	Ash	IS: 1350 Pt 1
343	CHEMICAL- SOLID FUELS	Coal	Calorific Value (By difference)	IS: 1350 Pt2
344	CHEMICAL- SOLID FUELS	Coal	Fixed Carbon	IS: 1350 Pt1
345	CHEMICAL- SOLID FUELS	Coal	Gross Calorific Value	IS: 1350 (Pt2)
346	CHEMICAL- SOLID FUELS	Coal	Total Moisture	IS: 1350 Pt1
347	CHEMICAL- SOLID FUELS	Coal	Volatile Matter	IS: 1350 Pt1
348	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Mineral Wool	Alkalinity (pH value)	IS: 8183

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 19 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
349	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Mineral Wool	Bulk Density	IS: 3144
350	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Mineral Wool	Chloride Content	IS: 3144
351	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Mineral Wool	Combustibility Test	IS: 3144
352	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Mineral Wool	Heat Resistance Test	IS: 3144
353	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Mineral Wool	Moisture absorption	IS: 3144
354	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Mineral Wool	Shot Content	IS: 3144
355	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Mineral Wool	Sulphur content	IS: 8183
356	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Absorbency	IS 2369
357	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Accelerated Ageing	IS 7016(Pt-8)
358	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Alumina Content	IS 2089
359	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Ash Content	IS 199
360	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Ash Content	IS 2089
361	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Identification & Blend Composition	IS 1889(Pt-1 & 2)
362	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Identification & Blend Composition	IS 2005
363	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Identification & Blend Composition	IS 2006
364	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Identification & Blend Composition	IS 3416(Pt-1&2)
365	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Identification & Blend Composition	IS 3421
366	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Identification & Blend Composition	IS 6503
367	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Identification & Blend Composition	IS 6504

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 20 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
368	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Identification & Blend Composition	IS 6570
369	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Identification & Blend Composition	IS 8476
370	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Preservative content	IS 2089
371	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Water Absorption	IND/TC/0344b, appendix B
372	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Water Proofness Test	IS: 1420
373	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Water Proofness Test	IS: 2089
374	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Water Proofness Test	IS: 5915
375	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Water Proofness Test	IS: 6110
376	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textile	Water Proofness Test	IS: 6803
377	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Autoclaving Test	IS 4135
378	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Autoclaving Test	IS 5915
379	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Barium Activity No.	IS 1689
380	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Bleaching	IS 1259
381	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Bleaching	IS 762
382	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Bleeding Test	IS 1259
383	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Chloride Content	IS 4202
384	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Coating Adhesion Test	IS 1259(App H)
385	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Coating Adhesion Test	IS 7016(Pt-5)
386	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Colour fastnes to Water	IS 767

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 21 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
387	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Colour fastness Sea Water	IS 1259
388	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Colour fastness test of various conditions perspiration	IS 971
389	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Colour fastness test of various conditions perspiration	ISO 105 E 04
390	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Colour fastness to Light	IS 2454
391	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Colour fastness to Rubbing	IS 766
392	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Colour fastness toWashing	IS - ISO-105-C10 (A1-E5)
393	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Colourfastness to Sea Water	IS 690
394	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Conductivity of water extract	IS 4420
395	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Cone Test	IS 2089
396	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Cone Test	IS 6803
397	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Cone Test	IS 7941
398	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Fatty Matter	IS 199
399	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Flame Resistance	IS 1259(Cl. 4.10) Appendix H
400	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Flame Resistance	IS 7888
401	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Free Acidity	IS 2089
402	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Freedom from optical whitener	IS 758(Table 1)
403	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Freedom from optical whitener	IS 863(Table 1)
404	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Heat Shrinkage of Polyester blended fabric	IS 11248
405	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Heat Shrinkage of Polyester blended fabric	IS 11815

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 22 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
406	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Heat Shrinkage of Polyester blended fabric	IS 15852
407	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Heat Shrinkage of polyester blended fabric	IS 15853
408	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Identification of Dye	IS 4472(Pt-1)
409	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Identification of Dye	IS 4472(Pt-2)
410	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Identification of Dye	IS 4472(Pt-3)
411	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Iron Content	IS 1039
412	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Iron Content	IS 4655
413	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Manganese Content	IS 1039
414	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Moisture Content	IS 199
415	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Moisture Regain	IS 2566
416	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Moisture Regain	IS 2818(Pt--I & II)
417	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Moisture Regain	IS 3790
418	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Moisture Regain	IS 9113
419	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Non Wool Content	IS 1719
420	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	pH of water extract	IS 1390
421	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Pliability	IS 2089
422	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Pliability	IS 6803
423	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Preservative content	IS 1039
424	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Preservative content	IS 11662

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 23 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
425	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Preservative content	IS 3522(Pt-2)
426	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Proofing content	IS 2089
427	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Proofing content	IS 4135
428	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Proofing Content	IS 6803
429	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Reaction of Aqueous Extract	IS 1390
430	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Reaction of Aqueous Extract	IS 5915
431	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Reaction of Aqueous Extract	IS 6110
432	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Residual Starch Content	IS 1967
433	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Resistance to acid and alkali	IS 5915
434	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Resistance to damage by flexing	IS 7016(Pt-4)
435	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Resistance to heating & loss of mass of coating	IS 1259
436	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Resistance to Organic Solvent	IS 688
437	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Resistance to Xylol	IS 6110
438	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Rubbing	IS 1259
439	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Rubbing	ISO 105 x 12
440	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Scouring Loss	G/Tex/W-69
441	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Scouring Loss	IS 1383
442	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Scouring Loss	IS 2187
443	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Scouring Loss	IS 2360

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 24 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
444	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Scouring Loss	IS 4371
445	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Solvent Extractable	IS 4390
446	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Sulphate Content	IS 4203
447	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Surface Resistance to chemicals	IS 1259
448	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Sweating Test for common proofed fabric	IS 2089
449	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Water Absorption	IS 6488
450	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Water Absorption	IS 7777
451	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Water Proofness test (Hydrostatic head test)	IS 391
452	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Water Proofness Test (Pressure Head Test)	IS 7016(Pt-7)
453	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Water Soluble Matter	IS 3456
454	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Wettability	IS 2349
455	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles, Manila, Sisal fibre	Identification & Blend Composition	IS 667
456	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles, Manila, Sisal fibre	Oil Content	IS 10036(Pt-1)
457	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles, Manila, Sisal fibre	Oil Content	IS 1084
458	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles, Manila, Sisal fibre	Oil Content	IS 1321(Pt-1)
459	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles, Manila, Sisal fibre	Oil Content	IS 199
460	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles, Manila, Sisal fibre	Preservative content	IS 3522(Pt-1)
461	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles, Manila, Sisal fibre	Preservative content	IS 3522(Pt-3)
462	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Apparent Density	IS 5914(LP-5)

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 25 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
463	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Bond Strength	IS 5914(LP-23)
464	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Corrosion resistance to toe caps	IS 15298(Pt-1)
465	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Insulation against cold of sole complex	IS 15298(Pt-1)
466	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Insulation against heat of sole complex	IS 15298(Pt-1)
467	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	Thickness	IS 5914(LP-2)
468	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears & Leather Products	Elongation at Break	IS 5914(LP-6)
469	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears & Leather Products	Tensile Strength	IS 5914(LP-6)
470	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather	Absorption of water	IS: 5914 LP11
471	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather	Anti static property	ISO:20344
472	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather	Water Vapour Permeability	IS: 15298 Pt1
473	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Product	Tearing Strength	EN ISO 3377-2
474	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Colour fastness to Rubbing	IS 6191(LF-10)
475	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Double hole stitch tear strength	IS 5914(LP-5)
476	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Flexing Endurance	IS 5914(LP-19)
477	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Resistance to cracking of grain & crack index	IS 5914(LP-13)
478	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Shrinkage Temperature	IS 5914(LP-10)
479	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Tearing Strength	IS 5914(LP-7)
480	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Tongue Tear Strength	IS 5914(LP-9)
481	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Shoe	Corrosion Resistance of Toe Cap	ISO: 20344

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 26 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
482	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Safety Shoe	Nail Penetration	ISO: 20344
483	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Burst Index	IS 1060(Pt-1)
484	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Burst Strength & Burst Factor	IS 1060(Pt-1)
485	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Cobb test	IS 1060(Pt-1)
486	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Grammage	IS 1060(Pt-1)
487	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Opacity	IS 1060(Pt-1)
488	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Tear Strength & Tear Factor	IS 1060(Pt-1)
489	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Thickness	IS 1060(Pt-1)
490	MECHANICAL- PAPER & PAPER PRODUCTS	Paper Products	Tensile Index	IS: 1060 (pt 1)
491	MECHANICAL- PAPER & PAPER PRODUCTS	Paper products	Tensile Strength	IS: 1060 Pt1
492	MECHANICAL- PAPER & PAPER PRODUCTS	Rubber Products	Compressibility	IS: 4253 Pt 2
493	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic and polymer products	Compressive Strength	IS: 14126
494	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic and polymer products	Compressive Strength	IS: 604
495	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic and polymer products	Polymer Identification	IRS: S-40
496	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic and polymer products	RESISTANCE TO SPREAD TO FLAME	IS: 2046
497	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic and polymer products	Tensile Strength	IS: 14753
498	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic and polymer products	Tensile Strength	IS: 1998
499	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic and polymer products	Tensile Strength	ISo: 3268
500	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic and polymer products	Tensile Strength	ISO: 572-2

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 27 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
501	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic and polymer products	Tensile Strength	JSS: 5330-09
502	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic and polymer products	Water Absorption	IS:13360 Pt8
503	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic material & Polymer products	Tensile Strength	IS 1969
504	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic material & Polymer products	Thickness	ASTM D 638
505	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic material & Polymer products	Thickness	IS 6193
506	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Adhesion (Pull Off) (Peel)	ISO - 11339
507	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Adhesion	ASTM D 5868
508	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Adhesion (Lapslim)	ASTM - D1002
509	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Adhesion (Lapslim)	ISO: 4587
510	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Compressive Strength	ASTM: 695
511	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Compressive Strength	IRS-T-44
512	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Compressive Strength	IS: 13360
513	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Compressive Strength	IS: 2036
514	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Compressive Strength	IS:1998
515	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Compressive Strength	IS:2221
516	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Compressive Strength	ISO: 178
517	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Density	IS: 5688
518	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Density	IS:7888
519	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Density (Dimension Measurement Method)	IS: 7888

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 28 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
520	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Density (Dimension Measurement Method)	IS:5688
521	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Elongation	ASTMD: 638
522	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Elongation	IS: 13360
523	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Elongation	IS: 1998
524	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Elongation	IS: 2221
525	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Elongation	IS:2530
526	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Elongation	ISO: 3268
527	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Flammability/Burning Test	IS: 10810 Pt53
528	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Flammability/Burning Test	IS:14753
529	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Flexural Strength/ Cross Breaking Strength	IS 1998/62
530	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Flexural Strength/Cross Breaking Strength	ASTM: 7264
531	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Flexural Strength/Cross Breaking Strength	IRS: T-44
532	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Flexural Strength/Cross Breaking Strength	IS 2036/95
533	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Flexural Strength/Cross Breaking Strength	IS:2221
534	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Flexural Strength/Cross Breaking Strength	ISO: 178
535	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Flexural Strength/Cross Breaking Strength	ISO:14125
536	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Shore D Hardness	IS: 3360
537	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Specific Gravity (Water Displacement Method)	ASTM-D-792
538	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Specific Gravity (Water Displacement Method)	IS: 10192-82

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 29 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
539	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Specific Gravity (Water Displacement Method)	IS:13360
540	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Specific Gravity (Water Displacement Method)	IS:2221-62
541	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Specific Gravity (Water Displacement Method)	JSS:5330-09
542	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Tensile Strenght	IS: 13360
543	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Tensile Strength	IS: 2221
544	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Water Absorption	IRS - T- 44
545	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Water Absorption	IS: 12866
546	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Water Absorption	IS: 13411
547	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic products	Water Absorption	IS: 2036
548	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastics	Density	ASTM D: 792
549	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastics	Melt Flow Index	ASTM D 1238
550	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastics	Melt Flow Index	IS: 2530
551	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastics	UV Resistance	IS: 9755
552	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Polyethylene moulding material & polyethylene Compounds	Tensile Strength	IS: 2530
553	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Corksheet	Density	IS:3400 Pt 9
554	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Corksheet	Tensile Strength	IRS- T-47
555	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Corksheet	Water Absorption	IS:5382
556	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Corksheets	Angular Tear Strength	IS:3400
557	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Corksheets	Compression Set	IRS - T - 47

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 30 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
558	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Corksheets	Modulus (relaxed at specified elongation)	IRS - T - 47
559	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Corksheets	Modulus (relaxed at specified elongation)	IS:3400 Pt 1
560	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Abrasion Resistance by DIN method	DIN 53516-87
561	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Abrasion Resistance by DIN method	IS 15298(Pt-1)
562	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Abrasion Resistance by DIN method	IS 3400(Pt-3)
563	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Abrasion Resistance by DIN method	ISO 8782-1
564	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Accelerated ageing test	ASTM D 573
565	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Accelerated ageing test	BS 903(Pt-A19)
566	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Accelerated ageing test	IS 3400(Pt-4)
567	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Accelerated ageing test	IS 8391
568	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Adhesion of rubber to metal	IS 3400(Pt-14)
569	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Adhesion of rubber to textile fabric	ASTM D 413
570	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Adhesion of rubber to textile fabric	BS 903(Pt-12)
571	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Adhesion of rubber to textile fabric	IS 3400(Pt-5)
572	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Compression set at constant strain	ASTM D 395
573	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Compression set at constant strain	BS 903(Pt-A6)
574	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Compression set at constant strain	IS 3400(Pt-10)
575	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Compression set at constant strain	IS 8391
576	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Compressive Strength	ASTM D 575

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 31 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
577	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Compressive Strength	IS 9162
578	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Cut growth of rubber by ross flexing m/c	IS 3400(Pt-16)
579	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Density	BS 903(Pt-A1)
580	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Density	IS 3400(Pt-9)
581	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Effect of liquids / Swelling test (Liquid A: 100% Isooctane Liquid B: 70% Isooctane:30% Toluene Liquid C: 50% Isooctane:50% Toluene Liquid D: 60% Isooctane:40% Toluene Liquid E: 100% Toluene)	IS 3400(Pt-6)
582	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Effect of liquids / Swelling test (Oil 1, 2, 3)	ASTM D 471
583	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Effect of liquids / Swelling test (Liquid A: 100% Isooctane Liquid B: 70% Isooctane:30% Toluene Liquid C: 50% Isooctane:50% Toluene Liquid D: 60% Isooctane:40% Toluene Liquid E: 100% Toluene)	BS 903(Pt-A16)
584	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Elongation at break	ASTM D 695
585	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Elongation at break	BS 903(Pt-A2)
586	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Elongation at break	IS 3400(Pt-1)
587	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Flexural Strength	IS 9162
588	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	IRHD Hardness	BS 903(Pt-26)
589	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	IRHD Hardness	IS 3400(Pt-2)
590	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Proofing Content of rubberised fabrics	IS 5915
591	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Proofing Content of rubberised fabrics	IS 6110

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 32 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
592	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Resistance to Flex cracking	BS 903(Pt-10)
593	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Resistance to Flex cracking	IS 3400(Pt-7)
594	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Resistance to Flex cracking	IS 3400(Pt-8)
595	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Shore - A - Hardness	ASTM D 2240-05
596	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Shore - A - Hardness	BS 903(Pt-7)
597	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Shore - A - Hardness	IS 3400(Pt-23)
598	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Shore - D Hardness	ASTM D 2240-05
599	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tear Strength	ASTM D 624-00
600	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tear Strength	BS 903(Pt-A3)
601	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tear Strength	IS 15298(Pt-1)
602	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tear Strength	IS 3400(Pt-12)
603	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tear Strength	IS 3400(Pt-17)
604	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tensile Strength	ASTM D 695
605	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tensile Strength	IS 3400(Pt-1)
606	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tensile Strength	IS 3400(Pt-1)
607	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tension Set	ASTM D 412
608	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tension Set	BS 903(Pt-A5)
609	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tension Set	IS 3400(Pt-13)
610	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Water Absorption	IS 5382

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 33 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
611	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Water Absorption	IS 5424
612	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Water Absorption	IS 867
613	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	% Elongation	IRS T-37
614	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	%Elongation	IRS - 443 - 75
615	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	%Elongation	IRS -T - 47
616	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	%Elongation	IS: 1891 Pt1
617	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	%Elongation	IS:1370
618	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	%Elongation	IS:2494
619	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Adhesion of Rubber to fabrics	IS:2412
620	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Angular Tear Strength	IS:3400 Pt17
621	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Compression Set	IRS - T - 37
622	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Compression Set	IRS - T - 47
623	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Compression Set	IRS - T- 47
624	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Compression Set	IS:7888
625	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Compression Set	JSS - 5330 - 09
626	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Compression Set	JSS - 5330-09
627	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Density	IS:3400 Pt 9
628	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Effect of Liquid (volume swelling)	IS: 3400 Pt 6
629	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Full Thickness Breaking Strength	IS: 1370

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 34 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
630	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Full Thickness Breaking Strength	IS: 1891 Pt 1
631	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Load Deflection	IS: 3400 Pt 10
632	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Modulus (Relaxed at specified elongation)	IS:3400
633	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Modulus (Relaxed at specified elongation)	IRS - T - 37
634	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Modulus (Relaxed at specified elongation)	IRS - T - 47
635	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Modulus (relaxed at specified elongation)	IRS - T - 47
636	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Modulus (relaxed at specified elongation)	IS:3400 Pt 1
637	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Tensile Strength	IRS - 443 - 75
638	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Tensile Strength	IRS - T - 37
639	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Tensile Strength	IRS - T - 47
640	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Tensile Strength	IRS - T-47
641	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber products	Water Absorption	IS: 5382
642	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubberized Coir Sheet	Density	IS 8391
643	MECHANICAL- TEXTILE MATERIALS	Fabric	Tensile Strength	IS 1969(Pt-1)
644	MECHANICAL- TEXTILE MATERIALS	Jute	Seam Strength of Jute Fabric	IS 9030
645	MECHANICAL- TEXTILE MATERIALS	Mineral Wool	Moisture Content	IS: 3144
646	MECHANICAL- TEXTILE MATERIALS	Mineral wool	Recovery after Compression	IS: 8183
647	MECHANICAL- TEXTILE MATERIALS	Rubberized Fabric	Tensile Strength	IS 7016(Pt-2)
648	MECHANICAL- TEXTILE MATERIALS	Single Strand Yarn	Tensile Strength	IS 1670

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 35 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
649	MECHANICAL- TEXTILE MATERIALS	Textile	Crease Recovery Angle Test	IS 4681
650	MECHANICAL- TEXTILE MATERIALS	Textile	Length & Width of woven fabric	IS 1954
651	MECHANICAL- TEXTILE MATERIALS	Textile	No of holes per 6.25cm2	IS 1431(App-A)
652	MECHANICAL- TEXTILE MATERIALS	Textile	Thread per unit length	IS: 2818
653	MECHANICAL- TEXTILE MATERIALS	Textile	Thread per unit length	IS: 2828
654	MECHANICAL- TEXTILE MATERIALS	Textile materials	Bursting Strength of fabric / coated fabric	IS 1966(Pt-1)
655	MECHANICAL- TEXTILE MATERIALS	Textile materials	Bursting Strength of fabric / coated fabric	IS 7016(Pt-6)
656	MECHANICAL- TEXTILE MATERIALS	Textile materials	Composite Strength (Coated fabric)	IS 5557
657	MECHANICAL- TEXTILE MATERIALS	Textile materials	Compression Resistance	ICF/MD/Specn 001. Issue 1, Rev. 02,clause 2.4
658	MECHANICAL- TEXTILE MATERIALS	Textile materials	Density	IS 1719
659	MECHANICAL- TEXTILE MATERIALS	Textile materials	Dimensional Stability	IS 1259(App. F)
660	MECHANICAL- TEXTILE MATERIALS	Textile materials	Dimensional Stability	IS 1313
661	MECHANICAL- TEXTILE MATERIALS	Textile materials	Dimensional Stability	IS 2360
662	MECHANICAL- TEXTILE MATERIALS	Textile materials	Dimensional Stability	IS 2977
663	MECHANICAL- TEXTILE MATERIALS	Textile materials	Dimensional Stability	IS 665
664	MECHANICAL- TEXTILE MATERIALS	Textile materials	Dimensional Stability	IS 6803(App. A3)
665	MECHANICAL- TEXTILE MATERIALS	Textile materials	Dimensional Stability	IS 9
666	MECHANICAL- TEXTILE MATERIALS	Textile materials	Elongation of fabric	IS: 13934-1
667	MECHANICAL- TEXTILE MATERIALS	Textile materials	Elongation of Yarn (Single Strand)	IS 1670

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 36 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
668	MECHANICAL- TEXTILE MATERIALS	Textile materials	Ends per dm	IS 2818(Pt-1)
669	MECHANICAL- TEXTILE MATERIALS	Textile materials	Linear Density of Yarn Spun on Cotton System	IS 1315
670	MECHANICAL- TEXTILE MATERIALS	Textile materials	Picks per dm	I|S 2818(Pt-1)
671	MECHANICAL- TEXTILE MATERIALS	Textile materials	Pilling Resistance test	IS 10971
672	MECHANICAL- TEXTILE MATERIALS	Textile materials	Pilling Resistance test	ISO 12945-1
673	MECHANICAL- TEXTILE MATERIALS	Textile materials	Tensile Strength	IS 1670
674	MECHANICAL- TEXTILE MATERIALS	Textile materials	Tensile Strength of Wool Felt	IS 1719
675	MECHANICAL- TEXTILE MATERIALS	Textile materials	Thread per unit	IS 13003(Ann B2 Amdt. 1)
676	MECHANICAL- TEXTILE MATERIALS	Textile materials	Thread per unit length of woven fabric / Knitted fabric	IS 1963
677	MECHANICAL- TEXTILE MATERIALS	Textile materials	Twist in yarn	IS 832(method 1 Am 2000)
678	MECHANICAL- TEXTILE MATERIALS	Textile materials	Universal Count of Yarn	IS 3442
679	MECHANICAL- TEXTILE MATERIALS	Textile materials	Universal Count of Yarn	IS 570
680	MECHANICAL- TEXTILE MATERIALS	Textile materials	Universal Count of Yarn	IS 681
681	MECHANICAL- TEXTILE MATERIALS	Textile materials	Wales & Courses	IS 2185
682	MECHANICAL- TEXTILE MATERIALS	Textile materials	Wales & Courses	IS 2360
683	MECHANICAL- TEXTILE MATERIALS	Textile materials	Wales & Courses	IS 9469
684	MECHANICAL- TEXTILE MATERIALS	Textile materials	Water Absorption & Penetration of fabric (Bundesmann)	IS 392
685	MECHANICAL- TEXTILE MATERIALS	Textile materials	Water repellency test (Spray test)	IS 390

SCOPE OF ACCREDITATION

Laboratory Name :	AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-10530	**Page No**	37 of 38
Validity	13/04/2022 to 12/04/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
686	MECHANICAL- TEXTILE MATERIALS	Textile materials	Weight of the Bag	IS 3790
687	MECHANICAL- TEXTILE MATERIALS	Textile materials	Weight of the Bag	IS 9113
688	MECHANICAL- TEXTILE MATERIALS	Textile materials	Weight per sq. meter of fabric & weight per linear meter of fabric	IS 1964
689	MECHANICAL- TEXTILE MATERIALS	Textile materials	Weight per sq.meter of fabric & weight per linear meter of fabric	IS 10036(Pt-1)
690	MECHANICAL- TEXTILE MATERIALS	Textile materials	Weight per sq.meter of fabric & weight per linear meter of fabric	IS 2387
691	MECHANICAL- TEXTILE MATERIALS	Textile materials	Weight per sq.meter of fabric & weight per linear meter of fabric	IS 7016(Pt-1)
692	MECHANICAL- TEXTILE MATERIALS	Textile products	Tear Strength (Elmendorf)	IS:6489 (pt1)
693	MECHANICAL- TEXTILE MATERIALS	Textile products	Tear Strength (Elmendorf)	ISO: 13937-1
694	MECHANICAL- TEXTILE MATERIALS	TExtile products	Tear strength for coated & treated fabric	EN ISO 4674-1
695	MECHANICAL- TEXTILE MATERIALS	Textile products	Tear Strength for coated & treated fabric	IS:701 (pt3)
696	MECHANICAL- TEXTILE MATERIALS	Textile Products	Water repellency test (Spray test)	ISO 4920
697	MECHANICAL- TEXTILE MATERIALS	Textiles	Colour fastness to Washing	IS 687
698	MECHANICAL- TEXTILE MATERIALS	Textiles	Thickness	IS 1719(App B2)
699	MECHANICAL- TEXTILE MATERIALS	Textiles	Total Sizing Material	IS 199
700	MECHANICAL- TEXTILE MATERIALS	Thickness	Thickness	IS 7702
701	MECHANICAL- TEXTILE MATERIALS	Wool	Fibre Diameter	IS: 5910
702	MECHANICAL- TEXTILE MATERIALS	Wool	Grade of wool	IS: 744

National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : AGLOW QUALITY CONTROL LABORATORY PVT. LTD., 424, CHOTA FINGA NORTH 24 PARGANAS, NIMTA, KOLKATA, 24 PARAGANAS NORTH, WEST BENGAL, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10530 **Page No** 38 of 38

Validity 13/04/2022 to 12/04/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
703	MECHANICAL- TEXTILE MATERIALS	Yarn	Yarn Count & Linear Density	IS: 1671