National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-6846
Page No	1 of 22
Validity	30/01/2022 to 29/01/2024
Last Amended on	28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Acidity	ASTM D3242
2	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Appearance	WI–09; Issue # 8 dtd. 02.08
3	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Aromatics (Uncorrected)	ASTM D1319
4	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Aromatics (Uncorrected)	IP 156
5	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Colour Saybolt	ASTM D156
6	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Copper Strip Corrosion @ 50°C & @ 100°C (Classification)	ASTM D130
7	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Copper Strip Corrosion @ 50°C & @ 100°C(Classification)	IP 154
8	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Density @ 15.0 °C	ASTM D1298
9	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Density @ 15.0 °C	ASTM D1298
10	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Density @ 15.0 °C	ASTM D4052
11	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Density @ 15.0 °C	ASTM D4052
12	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Density @ 15.0 °C	IP 160
13	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Density @ 15.0 °C	IP 160
14	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Density @ 15.0 °C	IS 1448 (P-16)
15	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Density @ 15.0 °C	IS 1448 (P-16)
16	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Distillation (FBP)	ASTM D86
17	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Distillation (FBP)	IP 123
18	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Distillation (FBP)	IS 1448 (P-18)

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 2 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
19	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Distillation (IBP)	ASTM D86
20	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Distillation (IBP)	IP 123
21	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Distillation (IBP)	IS 1448 (P-18)
22	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Distillation(50%)	ASTM D 86
23	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Distillation(50%)	IP 123
24	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Distillation(50%)	IS 1448 (P-18)
25	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Doctor Test	ASTM D4952
26	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Doctor Test	IP 30
27	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Electrical Conductivity	ASTM D2624
28	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Electrical Conductivity	IP 274
29	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Existent Gum	IP 540
30	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Flash Point (Abel)	IP 170
31	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Free Water & Particulate Contamination (Visual Inspection)	ASTM D4176
32	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Freezing Point	ASTM D2386
33	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Freezing Point	IP 16
34	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Mercaptan Sulphur	ASTM D3227
35	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Mercaptan Sulphur	ASTM D3227
36	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Mercaptan Sulphur	IS 1448 (P-109)

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 3 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
37	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Mercaptan Sulphur	IS 1448 (P-109):2004
38	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Olefins (Uncorrected)	ASTM D1319
39	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Olefins (Uncorrected)	IP 156
40	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Smoke Point; at 101.3 kPa	ASTM D1322
41	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D1298
42	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D4052
43	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Sulphur	ASTM D4294
44	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Sulphur	ASTM D4294
45	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Total Sulphur	ASTM D5453
46	CHEMICAL- PETROLEUM AND PRODUCTS	Aviatin Turbine Fuel	Total Sulphur	ASTM D5453
47	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Color ASTM	ASTM D1500
48	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Color ASTM	IP 196
49	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Density @ 15.0°C	ASTM D1298
50	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Density @ 15.0°C	ASTM D1298
51	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Density @ 15.0°C	ASTM D4052
52	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Density @ 15.0°C	ASTM D4052
53	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Density @ 15.0°C	IP 160
54	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Density @ 15.0°C	IP 160
55	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Density @ 15.0°C	IP 365

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 4 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
56	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Density @ 15.0°C	IP 365
57	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Density @ 15.0°C	IS 1448 (P-16)
58	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Density @ 15.0°C	IS 1448 (P-16)
59	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Flash Point	ASTM D92
60	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Flash Point (PMCC)	ASTM D93
61	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Flash Point (PMCC)	IP 34
62	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Flash Point (PMCC)	IS 1448 (P-21)
63	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Pour Point	ASTM D97
64	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Pour Point	IP 15
65	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D1298
66	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D4052
67	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Sulphur	ASTM D4294
68	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Sulphur	ASTM D4294
69	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Total Acid Number	ASTM D664
70	CHEMICAL- PETROLEUM AND PRODUCTS	BASE OIL	Total Acid Number	IP 177
71	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Asphaltenes (Heptane insolubles)	IP 143
72	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Asphaltenes (heptane insoluble)	ASTM D6560
73	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Density @ 15.0 °C	ASTM D1298
74	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Density @ 15.0 °C	ASTM D1298

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 5 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
75	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Density @ 15.0 °C	IP 160
76	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Density @ 15.0 °C	IP 160
77	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Density @ 15.0 °C	IS 1448 (P-16)
78	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Density @ 15.0 °C	IS 1448 (P-16)
79	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Sediments by Extraction	IP 53
80	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Sediments by Extraction	ASTM D473
81	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D1298
82	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Sulphur	ASTM D4294
83	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Sulphur	ASTM D4294
84	CHEMICAL- PETROLEUM AND PRODUCTS	CRUDE OIL	Water & Sediments	ASTM D4007
85	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Al	ASTM D5184
86	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Al	IP 377
87	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Al	IP 501
88	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Ash	ASTM D482
89	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Ash	IP 4
90	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Ash	IS 1448 (P-4)
91	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Ash	ISO 6245
92	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Asphaltenes (heptane insoluble)	ASTM D6560
93	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Asphaltenes (heptane insoluble)	IP 143

SCOPE OF ACCREDITATION

Laboratory Name :	INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-6846
Page No	6 of 22
Validity	30/01/2022 to 29/01/2024
Last Amended on	28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
94	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Ca	IP 501
95	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Density @ 15.0 °C	ASTM D1298
96	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Density @ 15.0 °C	ASTM D1298
97	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Density @ 15.0 °C	ASTM D4052
98	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Density @ 15.0 °C	ASTM D4052
99	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Density @ 15.0 °C	IP 160
100	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Density @ 15.0 °C	IP 160
101	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Density @ 15.0 °C	IP 365
102	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Density @ 15.0 °C	IP 365
103	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Density @ 15.0 °C	IS 1448 (P-16)
104	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Density @ 15.0 °C	IS 1448 (P-16)
105	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Density @ 15.0 °C	ISO 3675
106	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Density @ 15.0 °C	ISO 3675
107	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL Oil	Fe	IP 501
108	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Flash Point (PMCC)	ASTM D93
109	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Flash Point (PMCC)	IP 34
110	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Flash Point (PMCC)	IS 1448 (P-21)
111	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Flash Point (pmcc)	ISO 2719
112	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	H2S in the Vapour phase above residual fuel Oils,	ASTM D5705

SCOPE OF ACCREDITATION

Laboratory Name :	INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6846	**Page No**	7 of 22
Validity	30/01/2022 to 29/01/2024	**Last Amended on**	28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
113	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Kinematic viscosity @ 50.0 °C`	ASTM D445
114	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Kinematic viscosity @ 50.0 °C`	IP 71 (Section 1)
115	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Kinematic viscosity @ 50.0 °C`	IS 1448 (P-25) sec 1
116	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Kinematic viscosity @ 50.0 °C`	ISO 3104
117	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Na	IP 501
118	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Ni	IP 501
119	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	P	IP 501
120	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Pour Point	ASTM D97
121	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Pour Point	IP 15
122	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Pour Point	ISO 3016
123	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	RCR	ASTM D524
124	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Sediments by Extraction	ASTM D473
125	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Sediments by Extraction	IP 53
126	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Si	ASTM D5184
127	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Si	IP 377
128	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Si	IP 501
129	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D1298
130	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D4052
131	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Sulphur	ASTM D4294

SCOPE OF ACCREDITATION

Laboratory Name :	INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6846	**Page No**	8 of 22
Validity	30/01/2022 to 29/01/2024	**Last Amended on**	28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
132	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Total Acid Number	ASTM D664
133	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Total Acid Number	IP 177
134	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	V	IP 501
135	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Water	ASTM D95
136	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Water	IP 74
137	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Water	IS 1448 (P-40)
138	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Water	ISO 3733
139	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Water & Sediment	ASTM D1796
140	CHEMICAL- PETROLEUM AND PRODUCTS	FUEL OIL	Zn	IP 501
141	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Cetane Index	ASTM D976
142	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Distillation (IBP)	IS 1448 (P-18)
143	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Saybolt Universal and Saybolt Furol viscosities	ASTM D2161
144	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Strong Acid No.	ASTM D974
145	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Total Sulphur	ASTM D5453
146	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Total Sulphur	ASTM D5453
147	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Acid Number(Color Indicator)	IP 139
148	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Acid Number(Color Indicator)	ISO 6618
149	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Acid Number(Potentiometric)	ISO 6619
150	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Acid Number(Potentiometric)	IS 1448 (P-2)

SCOPE OF ACCREDITATION

Laboratory Name :	INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6846	**Page No**	9 of 22
Validity	30/01/2022 to 29/01/2024	**Last Amended on**	28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
151	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Ash	ASTM D482
152	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Ash	IP 4
153	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Ash	IS 1448 (P-4)
154	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Ash	ISO 6245
155	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Calorific Value	ASTM D4868
156	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Calorific Value	IS 1448 (P 7)
157	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Cetane Index	ASTM D4737
158	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Cetane Index	ISO 4264
159	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Cloud Point	ASTM D2500
160	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Cloud Point	IP 219:1994, RA
161	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Cold Filter Plugging Point (CFPP)	ASTM D6371
162	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Cold Filter Plugging Point (CFPP)	IP 309
163	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Color ASTM	ASTM D1500
164	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Color ASTM	IP 196
165	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Copper Strip Corrosion @ 100°C	ASTM D130
166	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Copper Strip Corrosion @ 100°C	IP 154
167	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Copper Strip Corrosion @ 100°C	ISO 2160
168	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Copper Strip Corrosion @ 50°C	ASTM D 130
169	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Copper Strip Corrosion @ 50°C	IP 154

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 10 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
170	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Copper Strip Corrosion @ 50°C	ISO 2160
171	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Density @ 15.0 °C	ASTM D1298
172	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Density @ 15.0 °C	ASTM D1298
173	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Density @ 15.0 °C	IP 160
174	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Density @ 15.0 °C	IP 160
175	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Density @ 15.0 °C	IS 1448 (P-16)
176	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Density @ 15.0 °C	IS 1448 (P-16)
177	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Density @ 15.0°C	ASTM D4052
178	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Density @ 15.0°C	ASTM D4052
179	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Density @ 15.0°C	IP 365
180	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Density @ 15.0°C	IP 365
181	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Density @ 15.0°C	ISO 12185
182	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Distillation (50%)	ASTM D86
183	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Distillation (50%)	IP 123
184	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Distillation (50%)	IS 1448 (P-18)
185	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Distillation (FBP)	ASTM D86
186	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Distillation (FBP)	IP 123
187	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Distillation (FBP)	IS 1448 (P-18)
188	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Distillation (IBP)	ASTM D86

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 11 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
189	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Distillation (IBP)	IP 123
190	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Distillation(50%)	ISO 3405
191	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Distillation(FBP)	ISO 3405
192	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Distillation(IBP)	ISO 3405
193	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Electrical Conductivity	ASTM D2624
194	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Electrical Conductivity	IP 274
195	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Flash Point (PMCC)	ASTM D93
196	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Flash Point (PMCC)	IP 34
197	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Flash Point (PMCC)	IS 1448 (P-21)
198	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Kinematic viscosity @ 37.8 °C	ASTM D445
199	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Kinematic viscosity @ 37.8 °C	IP 71 (Section-1)
200	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Kinematic viscosity @ 37.8 °C	IS 1448 (P-25) Sec-1
201	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Kinematic viscosity @ 40.0 °C	IP 71 (Section 1)
202	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Kinematic viscosity @ 40.0 °C	IS 1448 (P-25), Sec 1
203	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Kinematic viscosity @ 40.0 °C`	ASTM D445
204	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Kinematic Viscosity @ 40.0 °C`	ISO 3104
205	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Nitrogen	ASTM D4629:2012
206	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Pour Point	ASTM D97
207	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Pour Point	IP 15

SCOPE OF ACCREDITATION

Laboratory Name :	INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA
Accreditation Standard	ISO/IEC 17025:2017
Certificate Number	TC-6846
Page No	12 of 22
Validity	30/01/2022 to 29/01/2024
Last Amended on	28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
208	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Pour Point	IS 1448 (P-10)
209	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Pour Point	ISO 3016
210	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	RCR(10 %distillation residue)	ASTM D524
211	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Sp. Gr. 15.56 °C	ASTM D 4052
212	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D1298
213	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D4052
214	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Sulphur	ASTM D4294
215	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Sulphur	ASTM D4294
216	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Sulphur	ISO 20846
217	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Total Acid Number	ASTM D664
218	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Total Acid Number	ASTM D974
219	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Total Acid Number	IP 177
220	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Water	ASTM D95
221	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Water	IP 74
222	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	Water	IS 1448 (P-40)
223	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel(Gas Oil)	water	ISO 3733
224	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel,Light Diesel Oil(Gas Oil)	Calorific Value	ASTM D4868
225	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel,Light Diesel Oil(Gas Oil)	Calorific Value	IS 1448 (P-7)
226	CHEMICAL- PETROLEUM AND PRODUCTS	High Speed Diesel,Light Diesel Oil,Bio Diesel(Gas Oil)	Water & Sediment	ASTM D2709

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 13 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
227	CHEMICAL- PETROLEUM AND PRODUCTS	Liquefied/Compressed Gas	Oil Stain Observation	ASTM D2158
228	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Ethane	ASTM D2163
229	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS)	Gross Calorific Value	ASTM D3588
230	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS)	Propylene	ASTM D2163
231	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS)	Relative Density at 60°F	ASTM D2598
232	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	1-Butene	ASTM D2163
233	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	cis-2-butene	ASTM D2163
234	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Copper Strip Corrosion @ 37.8 °C (Rating)	ASTM D1838
235	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Isobutane	ASTM D2163
236	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Isobutene	ASTM D2163
237	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Isopentane	ASTM D2163
238	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Mercaptan By Organoleptic	WI 66 Issue # 8
239	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Molecular Weight	ASTM D2598:2021 & ASTM D2421
240	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Motor Octane Number , Number	ASTM D2598
241	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	n-Butane	ASTM D2163
242	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	n-Pentane	ASTM D2163
243	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Propane	ASTM D2163
244	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Residue on Evaporation	ASTM D2158
245	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Trans-2-butene	ASTM D2163

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 14 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
246	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Vapour Pressure @ 100 ° F (37.8 ° C)	ASTM D2598
247	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Vapour Pressure @ 40 ° C	IP 432
248	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS	Volatility (95% Evaporation temperature)	WI 69, Issue # 8
249	CHEMICAL- PETROLEUM AND PRODUCTS	LPG (LIQUIFIED PETROLEUM GAS)	1,3,butadiene	ASTM D2163
250	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Aromatics (Uncorrected)	ASTM D1319
251	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Aromatics (Uncorrected)	IP 156
252	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Copper Strip Corrosion @ 100°C	ASTM D130
253	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Density @ 15.0 °C	ASTM D1298
254	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Density @ 15.0 °C	ASTM D4052
255	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Density @ 15.0 °C	IP 160
256	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Density @ 15.0 °C	IP 160
257	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Density @ 15.0 °C	IS 1448 (P-16)
258	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Density @ 15.0 °C	IS 1448 (P-16)
259	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Distillation (FBP)	ASTM D86
260	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Distillation (FBP)	IP 123
261	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Distillation (IBP)	IP 123
262	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Distillation (IBP)	IS 1448 (P-18)
263	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Doctor Test	ASTM D4952
264	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Doctor Test	IP 30

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 15 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
265	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Existent Gum Unwashed/Washed	ASTM D381
266	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Existent Gum Unwashed/Washed	IP 131
267	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Existent Gum Unwashed/Washed	IS 1448 (P-29)
268	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Induction Period (Oxidation Stability)	ASTM D525
269	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Induction Period (Oxidation Stability)	IP 40
270	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Mercaptan Sulphur	ASTM D3227
271	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Mercaptan Sulphur	ASTM D3227
272	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Mercaptan Sulphur	IP 342
273	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Mercaptan Sulphur	IP 342
274	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Mercaptan Sulphur	IS 1448 (P-109)
275	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Mercaptan Sulphur	IS 1448 (P-109)
276	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Olefins (Uncorrected)	ASTM D1319
277	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Olefins (Uncorrected)	IP 156
278	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	RVP @ 37.8 °C	ASTM D323
279	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	RVP @ 37.8 °C	ASTM D323
280	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D1298
281	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D4052
282	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Total Sulphur	ASTM D5453
283	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Total Sulphur	ASTM D5453

SCOPE OF ACCREDITATION

Laboratory Name :	INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6846	**Page No**	16 of 22
Validity	30/01/2022 to 29/01/2024	**Last Amended on**	28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
284	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Appearance	WI–09; Issue # 8 Dt.02.08.
285	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Colour(Visual)	WI–09; Issue # 8 dtd. 02.08
286	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Copper Strip Corrosion @ 100°C	IP 154
287	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Copper Strip Corrosion @ 50°C	ASTM D 130
288	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Copper Strip Corrosion @ 50°C	ASTM D130
289	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Copper Strip Corrosion @ 50°C	IP 154
290	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Density @ 15.0 °C	ASTM D1298
291	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Density @ 15.0 °C	ASTM D4052
292	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Density @ 15.0 °C	IP 365
293	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Density @ 15.0 °C	IP 365
294	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Distillation (50%)	IP 123
295	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Distillation (FBP)	IS 1448 (P-18)
296	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Distillation (IBP)	ASTM D86
297	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Distillation(50%)	ASTM D86
298	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Distillation(50%)	S 1448 (P-18)
299	CHEMICAL- PETROLEUM AND PRODUCTS	Motor Gasoline	Nitrogen	ASTM D4629
300	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Sulphur	ASTM D4294
301	CHEMICAL- PETROLEUM AND PRODUCTS	MOTOR GASOLINE	Sulphur	ASTM D4294
302	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Appearance	WI–09;Issue # 8 dtd 02.08

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 17 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
303	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Aromatics (Uncorrected)	ASTM D1319
304	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Aromatics (Uncorrected)	IP 156
305	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	C/H Ratio	WI–024; Issue # 8 dtd. 02.08
306	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Colour Saybolt	ASTM D156
307	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Copper Strip Corrosion @ 50°C(Classification	ASTM D130
308	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Copper Strip Corrosion @ 50°C(Classification)	IP 154:2000, RA
309	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Density @ 15.0 °C	ASTM D1298
310	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Density @ 15.0 °C	ASTM D1298
311	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Density @ 15.0 °C	ASTM D4052
312	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Density @ 15.0 °C	IP 160
313	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Density @ 15.0 °C	IP 160
314	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Density @ 15.0 °C	IS 1448 (P-16)
315	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Density @ 15.0 °C	IS 1448 (P-16)
316	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Density @ 15.0°C	ASTM D4052
317	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Distillation (FBP)	ASTM D86
318	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Distillation (FBP)	IP 123
319	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Distillation (FBP)	IS 1448 (P-18)
320	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Distillation (IBP)	ASTM D86
321	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Distillation (IBP)	IP 123

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 18 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
322	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Distillation (IBP)	IS 1448 (P-18)
323	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Distillation(50%)	ASTM D86
324	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Distillation(50%)	IP 123
325	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Distillation(50%)	IS 1448 (P-18)
326	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Doctor Test	ASTM D4952
327	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Doctor Test	IP 30
328	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Existent Gum Unwashed /Washed	ASTM D381
329	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Existent Gum Unwashed /Washed	IP 131
330	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Existent Gum Unwashed/Washed	IS 1448 (P-29)
331	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Mercaptan Sulphur	ASTM D3227
332	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Mercaptan Sulphur	ASTM D3227
333	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Mercaptan Sulphur	IP 342
334	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Mercaptan Sulphur	IP 342
335	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Mercaptan Sulphur	IS 1448 (P-109)
336	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Mercaptan Sulphur	IS 1448 (P-109)
337	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Nitrogen	ASTM D4629
338	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Olefins (Uncorrected)	ASTM D1319
339	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Olefins (Uncorrected)	IP 156
340	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Organic Chloride	ASTM D4929 B

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 19 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
341	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	RVP @ 37.8 °C	ASTM D323
342	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	RVP @ 37.80C	ASTM D323
343	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D1298
344	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D4052
345	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Sulphur	ASTM D4294
346	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Total Sulphur	ASTM D5453
347	CHEMICAL- PETROLEUM AND PRODUCTS	NAPHTHA	Total Sulphur	ASTM D5453
348	CHEMICAL- PETROLEUM AND PRODUCTS	NAPTHA	Sulphur	ASTM D4294
349	CHEMICAL- PETROLEUM AND PRODUCTS	SKO	Freezing Point	IP 16
350	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Acidity	ASTM D3242
351	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Colour Saybolt	ASTM D156
352	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Free Water & Particulate Contamination (Visual Inspection)	ASTM D4176:2004, RA
353	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Freezing Point	IP 16
354	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Olefins (Uncorrected)	ASTM D1319
355	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Olefins (Uncorrected)	IP 156
356	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Appearance	WI–09; Issue # 8 dtd. 02.08
357	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Aromatics (Uncorrected)	ASTM D1319
358	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Aromatics (Uncorrected)	IP 156

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 20 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
359	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Colour	WI–09; Issue # 8 dtd 02.08
360	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Copper Strip Corrosion @ 50°C & @ 100°C(Classification)	ASTM D130
361	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Copper Strip Corrosion @ 50°C & @ 100°C(Classification)	IP 154
362	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Density @ 15.0 °C	ASTM D1298
363	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Density @ 15.0 °C	ASTM D1298
364	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Density @ 15.0 °C	ASTM D4052
365	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Density @ 15.0 °C	ASTM D4052
366	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Density @ 15.0 °C	IP 160
367	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Density @ 15.0 °C	IP 160
368	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Density @ 15.0 °C	IS 1448 (P-16)
369	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Density @ 15.0 °C	IS 1448 (P-16)
370	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Distillation (FBP)	IP 123
371	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Distillation (FBP)	IS 1448 (P-18)
372	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Distillation (FBP)	ASTM D86
373	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Distillation (IBP)	IP 123
374	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Distillation (IBP)	IS 1448 (P-18)
375	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Distillation (IBP)	ASTM D86
376	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Distillation(50%)	ASTM D86
377	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Distillation(50%)	IP 123

SCOPE OF ACCREDITATION

Laboratory Name : INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6846 **Page No** 21 of 22

Validity 30/01/2022 to 29/01/2024 **Last Amended on** 28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
378	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Doctor Test	ASTM D4952
379	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Doctor Test	IP 30
380	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Existent Gum	IP 540
381	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Flash Point (Abel)	IP 170
382	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Freezing Point	ASTM D2386
383	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Mercaptan Sulphur	ASTM D3227
384	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Mercaptan Sulphur	ASTM D3227
385	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Mercaptan Sulphur	IS 1448 (P-109)
386	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Mercaptan Sulphur	IS 1448 (P-109)
387	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Smoke Point; at 101.3 kPa	ASTM D1322
388	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D1298
389	CHEMICAL- PETROLEUM AND PRODUCTS	Superior Kerosene Oil	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D4052
390	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Asphaltens (heptaneinsoluble)	ASTM D6560
391	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Asphaltens (heptaneinsoluble)	IP 143
392	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Density @ 15 °C	ASTM D1298
393	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Density @ 15 °C	ASTM D1298
394	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Density @ 15 °C	IP 160
395	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Density @ 15 °C	IP 160
396	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Density @ 15 °C	IS 1448 (P-16)

SCOPE OF ACCREDITATION

Laboratory Name :	INSPECTORATE GRIFFITH INDIA PVT. LTD., NAVI MUMBAI LABORATORY, PLOT # B3/B4, TTC INDUSTRIAL AREA, DIGHA MIDC, NAVI MUMBAI, THANE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6846	**Page No**	22 of 22
Validity	30/01/2022 to 29/01/2024	**Last Amended on**	28/02/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
397	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Density @ 15 °C	IS 1448 (P-16)
398	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Flash Point	ASTM D92
399	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Flash Point (PMCC)	ASTM D93
400	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Flash Point (PMCC)	IP 34
401	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Pour Point	ASTM D97
402	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Pour Point	IP 15
403	CHEMICAL- PETROLEUM AND PRODUCTS	Vacuum gas oil	Sp. Gr. 15.56/15.56 °C 60/60°F	ASTM D1298