National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 1 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Airborne Equipment	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	DO 160G, Section 04, Clause 4.6.1
2	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Airborne Equipment	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	DO 160G, Section 08
3	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Airborne Equipment	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	DO 160G, Section 08
4	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Airborne Equipment	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	DO 160G, Section 07
5	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Airborne Equipment	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	DO 160G, Section 07
6	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	SAE J1455, Section 4.9
7	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	SAE J1455, Section 4.9
8	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	ISO 16750-3, Clause 4.2
9	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	ISO 16750-3, Clause 4.1

SCOPE OF ACCREDITATION

Laboratory Name :	TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-10433	**Page No**	2 of 21
Validity	17/03/2022 to 16/03/2024	**Last Amended on**	01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
10	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	ISO 16750-3, Clause 4.1
11	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	SAE J1455 , Section 4.10
12	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	SAE J1455, Section 4.10
13	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive- for Electronic component design in Heavy-Duty Vehicle applications	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	SAE J1455,Section 4.1
14	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive- for Electronic component design in Heavy-Duty Vehicle applications	Temperature Cycling Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	SAE J1455, Section 4.1
15	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive- for Electronic component design in Heavy-Duty Vehicle applications	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	SAE J 1455, Section 4.2
16	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive- for Electronic component design in Heavy-Duty Vehicle applications	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	SAE J 1455, Section 4.2
17	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive- for Electronic component design in Heavy-Duty Vehicle applications	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	SAE J1455, Section 4.1
18	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive-for electrical and electronic equipment of Road Vehicles	Cold (Low Temperature)Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	BS ISO 16750-4, Clause:5.1.1

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 3 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
19	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive-for electrical and electronic equipment of Road Vehicles	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	BS ISO 16750-4,Clause :5.6.2.2
20	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive-for electrical and electronic equipment of Road Vehicles	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	BS ISO 16750-4, Clause :5.6.2.2
21	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive-for electrical and electronic equipment of Road Vehicles	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	BS ISO 16750-4,Clause :5.7
22	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive-for electrical and electronic equipment of Road Vehicles	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	BS ISO 16750-4,Clause :5.7
23	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive-for electrical and electronic equipment of Road Vehicles	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	ISO 16750-4,Clause :5.1.2
24	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Automotive-for electrical and electronic equipment of Road Vehicles	Temperature Cycling Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	BS ISO 16750-4, Clause 5
25	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical & Electronic component parts /devices used for Military or defense equipments	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	MIL STD 202H, Test Method 103
26	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical & Electronic component parts/devices used for Military or defense equipments	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	MIL STD 202H, Test Method 103
27	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical relays	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60255-21-2, Clause 4.2

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 4 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
28	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical relays	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60255-21-2, Clause 4.2
29	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical Relays	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60255-21-1, Clause 4.2
30	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical Relays	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60255-21-1, Clause 4.2
31	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunication Equipment	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	QM 333 Test No : 01
32	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunication Equipment	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	QM 333,Test No:03
33	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunication Equipment	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	QM 333. Test No:03
34	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunication Equipment	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	QM 333, Test No : 05
35	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunication Equipment	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	QM 333, Test No:05
36	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunication Equipment	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	QM 333, Test No :02

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 5 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
37	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunication Equipment	Temperature Cycling Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	QM 333, Test Number 04
38	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-3, Clause 4.3, 4.4, 4.5, 4.6, 4.7, 4.8 Method: Ab/Ad/Ae
39	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-2, Clause 4.3, 4.4, 4.5 Method: Ab
40	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-4, Clause 4.3, 4.4, 4.5, Method: Ab/Ad/Ae; Clause :4.6, Method: Ab/Ad :
41	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-1, Clause 4.3, 4.4, 4.5, Method: Ab
42	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-2, Clause 4.3, 4.4, 4.5 Method: Db
43	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-2,Clause 4.3, 4.4, 4.5 Method: Db
44	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-4, Clause 4.3, 4.4, 4.5, 4.6 Method: Db
45	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-4,Clause 4.3, 4.4, 4.5, 4.6 Method: Db
46	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-1, Clause 4.4, 4.5, Method: Db

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 6 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
47	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-3,Clause 4.4, 4.5, 4.6, 4.7 Method: Db
48	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-3,Clause 4.4, 4.5, 4.6, 4.7 Method: Db
49	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-1, Clause 4.4, 4.5, Method: Db :
50	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-4,Clause 4.3, 4.4, 4.5, 4.6 Method: Cab
51	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-3, Clause 4.3, 4.4, 4.5, 4.6, 4.7, 4.8 Method: Cab
52	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-3,Clause 4.3, 4.4, 4.5, 4.6, 4.7, 4.8 Method: Cab
53	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-2 Clause 4.3, 4.4, 4.5 Method: Cab
54	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-2, Clause 4.3, 4.4, 4.5 Method: Cab
55	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-4,Clause 4.3, 4.4, 4.5, 4.6 Method: Cab

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 7 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
56	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-1,Clause 4.3, 4.4, 4.5, Method: Cab
57	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-1,Clause 4.3, 4.4, 4.5, Method: Cab
58	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-2, Clause 4.3, 4.4, 4.5 Method: Bb
59	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-4,Clause 4.3, 4.4, 4.5, Method: Bb/Bd/Be; Clause :4.6, Method: Bb/Bd
60	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-1, Clause 4.3, 4.4, 4.5, Method: Bb
61	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-3,Clause 4.3, 4.4, 4.5, 4.6, 4.8 Method: Bb/Bd/Be; Clause 4.7 Method: Bb/Bd/B3
62	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Temperature Cycling Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-2, Clause 4.3, 4.4, 4.5 Method Nb
63	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Temperature Cycling Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-1, Clause 4.5, Method Nb
64	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Temperature Cycling Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-4, Clause 4.3, 4.4, 4.5, 4.6; Method Nb

SCOPE OF ACCREDITATION

Laboratory Name :	TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-10433	**Page No**	8 of 21
Validity	17/03/2022 to 16/03/2024	**Last Amended on**	01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
65	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic components & devices of Telecommunications equipment	Temperature Cycling Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	EN ETSI 300019-2-3, Clause 4.3, 4.4, 4.5, 4.6, 4.7, 4.8 ; Method Nb
66	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic/Mechanical components & devices of Airborne Equipments	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	DO 160G, Section 4, Clause 4.5.1, 4.5.2
67	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic/Mechanical components & devices of Airborne Equipments	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	DO 160G, Section 06
68	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic/Mechanical components & devices of Airborne Equipments	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	DO 160G,Section 4, Clause 4.5.3, 4.5.4
69	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic/Mechanical components & devices of Airborne Equipments	Temperature Cycling Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	DO 160G, Section 5.0; Category B & C
70	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic/Mechanical components or devices of Airborne Equipments	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	DO 160G,Section 06
71	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical/Electronic/Mechanical components or devices used in Military/Defense equipments	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	MIL-STD-810H,METHOD 501.7
72	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60068-2-1, Method Test A
73	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IS 9000 Part 2, Section 01 to 04

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 9 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
74	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60068-2-30, Test Db
75	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60068-2-30, Test Db
76	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IS 9000 Part 5, Section 1 & 2
77	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IS 9000 Part 5, Section 1 & 2
78	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IS 9000 Part 4
79	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60068-2-78, Test Cab
80	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60068-2-78, Test Cab
81	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IS 9000 Part 4
82	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60068-2-2, Test B

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 10 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
83	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IS 9000 Part 3, Section 01 to 05
84	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Temperature Cycling Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60068-2-14, Test Na & Nb
85	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic & Electrical items of IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Temperature Cycling Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IS 9000 Part 14, Section 2
86	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic and Electrical Equiments of Military/Defense products	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	JSS 55555. Test Number 20
87	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic and Electrical Equiments of Military/Defense products	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	JSS 55555, Test Number 10
88	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic and Electrical Equiments of Military/Defense products	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	JSS 55555, Test Number 10
89	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic and Electrical Equiments of Military/Defense products	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	JSS 55555, Test Number 17
90	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic/Electrical/Mechanical components & devices of Military/Defense products	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	MIL-STD-810H, METHOD 502.7
91	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic/Electrical/Mechanical components & devices of Military/Defense products	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	MIL-STD-810H, METHOD 507.6

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 11 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
92	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic/Electrical/Mechanical components & devices of Military/Defense products	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	MIL-STD-810H, METHOD 507.6
93	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic/Electrical/Mechanical components & devices of Military/Defense products	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	MIL-STD-810H, METHOD 507.6
94	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronic/Electrical/Mechanical components & devices of Military/Defense products	Damp Heat (Steady State) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	MIL-STD-810H, METHOD 507.6
95	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/ Aerospace/ Automotive/Defense / Telecom/Consumer/ Household/ Machinery/Test and Measurement / Laboratory/Locomotive / Wireless Products	Shock test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60068-2-27, Test Ea
96	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/ Aerospace/ Automotive/Defense / Telecom/Consumer/ Household/ Machinery/Test and Measurement / Laboratory/Locomotive / Wireless Products	Shock test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60068-2-27, Test Ea
97	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/ Aerospace/ Automotive/Defense / Telecom/Consumer/ Household/ Machinery/Test and Measurement / Laboratory/Locomotive / Wireless Products	Shock test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IS 9000, Part 7, Section 01 to 05
98	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/ Aerospace/ Automotive/Defense / Telecom/Consumer/ Household/ Machinery/Test and Measurement / Laboratory/Locomotive / Wireless Products	Shock test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IS 9000, Part 7, Section 01 to 05
99	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/ Aerospace/ Automotive/Defense / Telecom/Consumer/ Household/ Machinery/Test and Measurement / Laboratory/Locomotive / Wireless Products	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60068-2-64, Test Fh
100	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/ Aerospace/ Automotive/Defense / Telecom/Consumer/ Household/ Machinery/Test and Measurement / Laboratory/Locomotive / Wireless Products	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60068-2-64, Test Fh

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 12 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
101	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/ Aerospace/ Automotive/Defense / Telecom/Consumer/ Household/ Machinery/Test and Measurement / Laboratory/Locomotive / Wireless Products	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60068-2-80, Test Fi
102	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/ Aerospace/ Automotive/Defense / Telecom/Consumer/ Household/ Machinery/Test and Measurement / Laboratory/Locomotive / Wireless Products	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60068-2-80, Test Fi
103	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	IEC 60068-2-39, Clause 4.2
104	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	ISO 2873, Procedure 8
105	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	IEC 60068-2-13, Test M
106	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	IEC 60068-2-13, Test M
107	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	IEC 60068-2-39, Clause 4.2
108	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	IS 9000 Part 13
109	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	IS 9000 Part 13
110	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	IS 9000 Part 31

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 13 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
111	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	IS 9000 Part 31
112	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	ISO 2873, Procedure 8
113	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Composite Temp & Humidity Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60068-2-38, Test Z/AD
114	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Composite Temp & Humidity Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60068-2-38, Test Z/AD
115	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Composite Temp & Humidity Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IS 9000 Part 6
116	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Composite Temp & Humidity Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IS 9000 Part 6
117	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Vibration test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60068-2-6, Test Fc
118	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60068-2-6, Test Fc
119	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IS 9000 Part 8

SCOPE OF ACCREDITATION

Laboratory Name :	TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-10433	**Page No**	14 of 21
Validity	17/03/2022 to 16/03/2024	**Last Amended on**	01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
120	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	IT Products/ Domestic/ Industrial Automation/ Scientific/ Medical/Aerospace/Automotive/ Defense /Telecom/Consumer/ Household/ Machinery/Test and Measurement /Laboratory/ Locomotive / Wireless Products	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IS 9000 Part 8
121	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	JSS 55555, Test Number 03
122	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	JSS 55555, Test Number 03
123	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	MIL STD 202H, Test Method 105
124	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	MIL STD 202H, Test Method 105
125	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	MIL-STD-810H, METHOD 500.6
126	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	MIL-STD-810H, METHOD 500.6
127	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	JSS 55555 , Test Number 24
128	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	JSS 55555 , Test Number 24
129	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	MIL PRF 28800F, Clause 4.5.5.4.1
130	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	MIL STD 202H, Test Method 213, Test Condition J & K

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 15 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
131	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	MIL STD 202H, Test Method 213, Test Condition J & K
132	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	MIL-STD-810H, Method 516.8, Procedure 1 & 2
133	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Tropical Exposure Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	JSS 55555, Test Number 27
134	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Tropical Exposure Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	JSS 55555, Test Number 27
135	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	JSS 55555, Test Number 28
136	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	JSS 55555, Test Number 28
137	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	MIL PRF 28800F, Clause 4.5.5.3
138	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	MIL PRF 28800F, Clause 4.5.5.3
139	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	MIL STD 202H, Test Method 201, 204; Method 214 Test Condition A to F (Table 1), A to E (Table 2

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 16 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
140	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	MIL STD 202H, Test Method 201, 204; Method 214 Test Condition A to F (Table 1), A to E (Table 2)
141	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	MIL-STD-810H,Method 514.8, Clause 4.2.2, Annexure A to E; Annexure F Appendix
142	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Military/Defense	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	MIL-STD-810H, Method 514.8, Clause 4.2.2, Annexure A to E; Annexure F Appendix
143	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Optical and Electro-optical Instruments/Devices and associated systems	Altitude Chamber Dimensions : 980 L x 980W x 940 H	JSS 5855-11 , Test Number: 1
144	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Optical and Electro-optical Instruments/Devices and associated systems	Altitude Chamber Dimensions : 980 L x 980W x 940 H	JSS 5855-11 ,Test Number: 1
145	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Optical and Electro-optical Instruments/Devices and associated systems	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	JSS 5855-11 , Test Number 12
146	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Optical and Electro-optical Instruments/Devices and associated systems	Damp Heat Test Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	JSS 5855-11, Test Number 6
147	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Optical and Electro-optical Instruments/Devices and associated systems	Damp Heat Test Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	JSS 5855-11,Test Number 6
148	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Optical and Electro-optical Instruments/Devices and associated systems	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	JSS 5855-11, Test Number 10
149	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Optical and Electro-optical Instruments/Devices and associated systems	Shock or Impact Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	JSS 5855-11, Test Number 16; Clause 04

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 17 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
150	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Optical and Electro-optical Instruments/Devices and associated systems	Tropical Exposure Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	JSS 5855-11, Test Number 19
151	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Optical and Electro-optical Instruments/Devices and associated systems	Tropical Exposure Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	JSS 5855-11, Test Number 19
152	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Optical and Electro-optical Instruments/Devices and associated systems	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	JSS 5855-11 ,Test Number 20
153	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Optical and Electro-optical Instruments/Devices and associated systems	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	JSS 5855-11 ,Test Number 20
154	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	BS EN 50155, Clause 13.4.11
155	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways	Shock test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60571, Test Number 11, Clause 12.2.12
156	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways	Shock test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60571, Test Number 11, Clause 12.2.12
157	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 61373 , Clause 10
158	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	BS EN 50155, Clause 13.4.11

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 18 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
159	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	BS EN 50155, Clause 13.4.11
160	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60571, Test Number 11, Clause 12.2.12
161	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 60571, Test Number 11, Clause 12.2.12
162	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 61373, Clause 08 & 09
163	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	IEC 61373, Clause 08 & 09
164	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways-Electronic Equipment used on rolling stock	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60571, Test No 03; Clause 12.2.4; Test Number 14, Clause 12.2.15
165	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways-Electronic Equipment used on rolling stock	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60571, Test Number 05, Clause 12.2.6
166	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways-Electronic Equipment used on rolling stock	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60571, Test Number 05, Clause 12.2.6
167	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways-Electronic Equipment used on rolling stock	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	IEC 60571, Test Number 04, Clause 12.2.5

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 19 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
168	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways-Rolling stock- Electronic Equipment	Temperature Cycling Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	BS EN 50155, Clause 13.4.14
169	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways-Rolling stock-Electronic Equipment	Cold (Low Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	BS EN 50155, Clause 13.4.4, 13.4.6
170	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways-Rolling stock-Electronic Equipment	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	BS EN 50155, Clause 13.4.7
171	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Railways-Rolling stock-Electronic Equipment	Damp Heat (Cyclic) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	BS EN 50155, Clause 13.4.7
172	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Telecommunication Equipment	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	QM 333, Test Number 07, Procedure 01 & 03
173	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Telecommunication Equipment	Altitude (low air pressure) test Chamber Dimensions : 980 L x 980W x 940 H	QM 333, Test Number 07, Procedure 01 & 03
174	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Telecommunication Equipment	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	EN ETSI 300019-2-4, Clause 4.7, Method Ea
175	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Telecommunication Equipment	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	EN ETSI 300019-2-4, Clause 4.7, Method Ea
176	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Telecommunication Equipment	Shock Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	EN ETSI 300019-2-3, Clause 4.3, 4.4, 4.5, 4.6, 4.7, 4.8; Method Ea
177	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Telecommunication Equipment	Tropical Exposure Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	QM 333, Test Number 03

SCOPE OF ACCREDITATION

Laboratory Name : TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-10433 **Page No** 20 of 21

Validity 17/03/2022 to 16/03/2024 **Last Amended on** 01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
178	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Telecommunication Equipment	Tropical Exposure Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	QM 333, Test Number 03
179	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Telecommunication Equipment	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	QM 333, Test Number 06
180	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Telecommunication Equipment	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	QM 333, Test Number 06
181	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	telecommunications equipment	Vibration test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	EN ETSI 300019-2-2, Clause 4.3, 4.4, 4.5 Method Fh
182	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	telecommunications equipment	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	EN ETSI 300019-2-2, Clause 4.3, 4.4, 4.5 Method Fh
183	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	telecommunications equipment	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	EN ETSI 300019-2-4, , Clause 4.7, Method Fc & Fh
184	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	telecommunications equipment	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	EN ETSI 300019-2-1 , , Clause 4.3, 4.4, 4.5 Method Fc & Fh
185	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	telecommunications equipment	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	EN ETSI 300019-2-1, Clause 4.3, 4.4, 4.5 Method Fc & Fh
186	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	telecommunications equipment	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	EN ETSI 300019-2-3, Clause 4.3; 4.4, 4.5, 4.6, 4.7, Method Fc, Fh ; 4.8

SCOPE OF ACCREDITATION

Laboratory Name :	TARANG LABS, WIPRO LIMITED, SURVEY NO.203/1, MANIKONDA JAGIR VILLAGE, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-10433	**Page No**	21 of 21
Validity	17/03/2022 to 16/03/2024	**Last Amended on**	01/04/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
187	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	telecommunications equipment	Vibration Test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	EN ETSI 300019-2-4, Clause 4.7, Method Fc & Fh
188	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	telecommunications equipment	Vibration test Dimensions (mm): Armature: 440 dia, Slip table (mm) :750 L 750W, Head Expander (mm) :1000 L 1000 W	EN ETSI 300019-2-3, Clause 4.3; 4.4, 4.5, 4.6, 4.7, Method Fc, Fh ; 4.8
189	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Test Railways-Rolling stock- Electronic Equipment	Dry Heat (High Temperature) Chamber Dimensions Minimum Size: 980 L x 980W x 940 H Maximum Size: 1200L x 1200W x 1300H	BS EN 50155, Clause 13.4.5