National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : CHEMICAL LABORATORY CGWB CR NAGPUR, NEW SECRETARIAT BUILDING, CIVIL LINE, NAGPUR, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8226 **Page No** 1 of 1

Validity 15/07/2022 to 14/07/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	CHEMICAL- WATER	Ground Water	Bicarbonate	APHA 2320 B
2	CHEMICAL- WATER	Ground Water	Calcium	APHA 3500 B
3	CHEMICAL- WATER	Ground Water	Carbonate	APHA 2320 B
4	CHEMICAL- WATER	Ground Water	Chloride	APHA 4500 B
5	CHEMICAL- WATER	Ground Water	Conductivity	APHA 2510 B
6	CHEMICAL- WATER	Ground Water	Magnesium	APHA 3500 B
7	CHEMICAL- WATER	Ground Water	pH	APHA 4500 H+ B
8	CHEMICAL- WATER	Ground Water	Potassium	APHA 3500 K B
9	CHEMICAL- WATER	Ground Water	Sodium	APHA 3500 Na B
10	CHEMICAL- WATER	Ground Water	Total Hardness	APHA 2340 C