National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 1 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	BIOLOGICAL-ENVIRONMENT AND POLLUTION	Effluents/Waste Water	E.coli	IS 1622
2	BIOLOGICAL-ENVIRONMENT AND POLLUTION	Effluents/Waste Water	Faecal coliforms	IS 1622
3	BIOLOGICAL-ENVIRONMENT AND POLLUTION	Effluents/Waste Water	Faecal streptococci	IS 1622
4	BIOLOGICAL-ENVIRONMENT AND POLLUTION	Effluents/Waste Water	Standard plate count	IS 1622
5	BIOLOGICAL-ENVIRONMENT AND POLLUTION	Effluents/Waste Water	Total coliforms	IS 1622
6	BIOLOGICAL-ENVIRONMENT AND POLLUTION	Sewage	E.coli	IS 1622
7	BIOLOGICAL-ENVIRONMENT AND POLLUTION	Sewage	Faecal coliforms	IS 1622
8	BIOLOGICAL-ENVIRONMENT AND POLLUTION	Sewage	Faecal streptococci	IS 1622
9	BIOLOGICAL-ENVIRONMENT AND POLLUTION	Sewage	Total coliforms	IS 1622
10	BIOLOGICAL-ENVIRONMENT AND POLLUTION	Sewage	Total Plate Count	IS 1622
11	BIOLOGICAL- WATER	Cooling Tower Water	E.coli	IS 1622
12	BIOLOGICAL- WATER	Cooling Tower Water	Faecal coliforms	IS 1622
13	BIOLOGICAL- WATER	Cooling Tower Water	Faecal streptococci	IS 1622
14	BIOLOGICAL- WATER	Cooling Tower Water	Total coliforms	Is 1622
15	BIOLOGICAL- WATER	Cooling Tower Water	Total Plate Count/Standard Plate Count	IS 1622
16	BIOLOGICAL- WATER	Cooling Tower Water	Yeast & moulds	IS 5403
17	BIOLOGICAL- WATER	Distilled /Demineralised Water	E.coli	IS 1622

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 2 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
18	BIOLOGICAL- WATER	Distilled /Demineralised Water	Faecal coliforms	IS 1622
19	BIOLOGICAL- WATER	Distilled /Demineralised Water	Faecal streptococci	IS 1622
20	BIOLOGICAL- WATER	Distilled /Demineralised Water	Total coliforms	IS 1622
21	BIOLOGICAL- WATER	Distilled /Demineralised Water	Total Plate Count/Standard Plate Count	IS 1622
22	BIOLOGICAL- WATER	Distilled /Demineralised Water	Yeast & moulds	IS 5403
23	BIOLOGICAL- WATER	Drinking Water	E.Coli	is 1622
24	BIOLOGICAL- WATER	Drinking Water	Faecal Coliforms	IS 1622
25	BIOLOGICAL- WATER	Drinking Water	Faecal streptococci	IS 1622
26	BIOLOGICAL- WATER	Drinking Water	Standard Plate Count	IS 1622
27	BIOLOGICAL- WATER	Drinking Water	Total Coliforms	IS 1622
28	BIOLOGICAL- WATER	Drinking Water	Yeast & moulds	IS 5403
29	BIOLOGICAL- WATER	Ground Water/Surface Water	E.coli	IS 1622
30	BIOLOGICAL- WATER	Ground Water/Surface Water	Faecal coliforms	IS 1622
31	BIOLOGICAL- WATER	Ground Water/Surface Water	Total coliforms	IS 1622
32	BIOLOGICAL- WATER	Ground Water/Surface Water	Total Plate Count/Standard Plate Count	IS 1622
33	BIOLOGICAL- WATER	Ground Water/Surface Water	Yeast & moulds	IS 5403
34	BIOLOGICAL- WATER	Water for Construction Purpose	E.coli	IS 1622
35	BIOLOGICAL- WATER	Water for Construction Purpose	Faecal coliforms	IS 1622
36	BIOLOGICAL- WATER	Water for Construction Purpose	Faecal streptococci	IS 1622
37	BIOLOGICAL- WATER	Water for Construction Purpose	Total coliforms	IS 1622
38	BIOLOGICAL- WATER	Water for Construction Purpose	Total Plate Count/Standard Plate Count	IS 1622
39	BIOLOGICAL- WATER	Water for Construction Purpose	Yeast & moulds	IS 5403
40	BIOLOGICAL- WATER	Water for industrial purpose	E.coli	IS 1622
41	BIOLOGICAL- WATER	Water for industrial purpose	Faecal coliforms	IS 1622
42	BIOLOGICAL- WATER	Water for industrial purpose	Faecal streptococci	IS 1622
43	BIOLOGICAL- WATER	Water for industrial purpose	Total coliforms	IS 1622
44	BIOLOGICAL- WATER	Water for industrial purpose	Total Plate Count/Standard Plate Count	IS 1622
45	BIOLOGICAL- WATER	Water for industrial purpose	Yeast & moulds	IS 5403

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 3 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
46	BIOLOGICAL- WATER	Water for Processed Food Industry	E.coli	IS 1622
47	BIOLOGICAL- WATER	Water for Processed Food Industry	Faecal Coliforms	IS 1622
48	BIOLOGICAL- WATER	Water for Processed Food Industry	Faecal streptococci	IS 1622
49	BIOLOGICAL- WATER	Water for Processed Food Industry	Total Coliforms	IS 1622
50	BIOLOGICAL- WATER	Water for Processed Food Industry	Total Plate Count/Standard Plate Count	IS 1622
51	BIOLOGICAL- WATER	Water for Processed Food Industry	Yeast & moulds	IS 5403
52	BIOLOGICAL- WATER	Water for Swimming Pool and Spas	E.coli	IS 1622
53	BIOLOGICAL- WATER	Water for Swimming Pool and Spas	Faecal Coliforms	IS 1622
54	BIOLOGICAL- WATER	Water for Swimming Pool and Spas	Faecal streptococci	IS 1622
55	BIOLOGICAL- WATER	Water for Swimming Pool and Spas	Total Coliforms	IS 1622
56	BIOLOGICAL- WATER	Water for Swimming Pool and Spas	Total Plate Count/Standard Plate Count	IS 1622
57	BIOLOGICAL- WATER	Water for Swimming Pool and Spas	Yeast & moulds	IS 5403
58	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Acetone	NIOSH 69 GC By FID
59	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Aldehydes (C1)	Methods of Air Sampling & Analysis (Method-123) 3rd Edition
60	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Aluminium as Al	USEPA Method IO 3.2
61	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Ambient Noise	NL/SOP/ENV-05 Based on IS 9989, By Noise Meter
62	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Ammonia	Method for Air Sampling & Analysis CPCB Guidelines
63	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Antimony as Sb	Methods of Air Sampling & Analysis (Method-301) 3rd Edition
64	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Arsenic	NL/SOP/AAQ-12
65	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Barium As Ba	USEPA Method IO 3.2
66	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Barometric Pressure	NL/SOP/ENV-13, issue no. 01,date 23.07.2017, Based on CPCB

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 4 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
67	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Benzene (C6H6)	IS 5182 (Part-11)
68	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Benzo (a) Pyrene (BaP) - Particulate Phase Only	IS 5182 (Part-12)
69	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Cadmium as Cd	USEPA Method IO 3.4
70	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Carbon Dioxide (CO2)	NL/SOP/GC-25, Based on IS 5182 (Part-21)
71	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Carbon Monoxide	IS 5182 (Part-10)
72	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Chlorine	IS 5182(Part-19)
73	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Cyclohexane	NIOSH 1022 GC By FID
74	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	DG Noise	NL/SOP/ENV-08, Based on CPCB Guidelines
75	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Ethyl Acetate	NIOSH 1457 GC By FID
76	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Fine Particulate Matter (PM2.5)	40 CFR Appendix L Part-53 CPCB Guidelines
77	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Fluoride	IS 5182(Part-13)
78	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Formaldehyde	Methods of Air Sampling & analysis (Method-16), 3rd Edition
79	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Hexane	NIOSH PV 2248 GC By FID
80	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Hg (Particulate)	Methods of Air Sampling & Analysis (Method-317) 3rd Edition
81	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Hydrogen Sulphide (H2S)	IS 5182 (Part-7)
82	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Iron as Fe	USEPA Method IO 3.2
83	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Isopropyl Alcohol	NIOSH 109 GC By FID
84	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Lead As Pb	NL/SOP/AAQ-11

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 5 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
85	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Manganese as Mn	USEPA Method IO 3.2
86	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Mercaptans (as CH3SH)	Methods of Air Sampling & Analysis (Method-118) 3rd Edition
87	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Methanol	NIOSH 91 GC By FID
88	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Nickel (Ni)	NL/SOP/AAQ-13
89	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Nitrogen Dioxide (NO2)	IS 5182 (Part-6)
90	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Ozone (O3)	IS 5182(Part-9)
91	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	PAHS	IS 5182 (Part-12)
92	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Pyridine	NIOSH PV2295 GC By FID
93	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Respirable Particulate Matter (PM10)	IS 5182(PART-23)
94	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Sulphur Dioxide (SO2)	IS 5182 (Part-2)
95	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Toluene	IS 5182(Part-11)
96	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Total Chromium	USEPA Method IO 3.4
97	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Total Suspended Particle	IS 5182 (Part4)
98	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	TVOC	NL/SOP/AAQ/VOC/01,issue no. 01, issue date 01.08
99	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	VOC's	GC Method Based on IS 5182 (Part-11)
100	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Xylene	IS 5182(Part-11)
101	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Noise Levels	Work Zone Noise	NL/SOP/ENV-07 Based on IS 4758, By Noise Meter
102	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	Ammonia (NH3)	NIOSH 6015 BY Spectrophotometer

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 6 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
103	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	Chlorine	IS 5182 (Part-19) By Spectrophotometer
104	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	CO	NIOSH 6604 BY CO Analyser
105	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	CO2	NL/SOP/GC-25 issue date 01.03.2018,Based on Method of Air Sampling & analysis by GC
106	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	Fluoride	IS 5182 (Part-13) By ion Specific Electrode
107	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	Formaldehyde	Methods of Air sampling & Analysis (Method-116), 3rd Edition By colorimetric Method
108	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	Hexavalent Chromium	NIOSH 7600 BY Spectrophotometer
109	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	Hydrocarbons	NL/SOP/GC-24 issue date 01.03.2018, Based on Method of Air Sampling & Analysis By GC
110	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	Hydrogen Sulphide	NIOSH 7601 BY Spectrophotometer
111	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	Methanol	NIOSH 91 GC by FID
112	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	Nitrogen Dioxide (NO2)	NIOSH 6014 BY Spectrophotometer
113	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	RSPM	NIOSH 0600 By Gravimetric Method
114	CHEMICAL- ATMOSPHERIC POLLUTION	Fugitive Emission	Sulphur Dioxide (SO2)	IS 5182(Part-2)
115	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Monitoring	Air Movement	NL/SOP/ENV-03 issue no.01,issue date 15.01.2016, Based on OSHA Manual Section II, By Anemometer
116	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Monitoring	Ammonia (NH3)	Methods of Air Sampling & analysis (Method-401) 3rd Edition
117	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Monitoring	Carbon Dioxide	NL/SOP/GC-25 Based on IS 5182 (Part-21)
118	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Monitoring	Carbon Monoxide	IS 5182 By CO Analyser

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 7 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
119	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Monitoring	Light Intensity/ Illumination	NL/SOP/ENV-16 issue no. 01 date15.01.2016, based on IS 3646 (Part-2)
120	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Monitoring	Nitrogen Dioxide	IS 5182 (Part-6)
121	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Monitoring	Oxygen (O2)	NL/SOP/ENV-14 issue no.01,issue date 15.01.16,Based on OSHA Manual Section II, By Gastec Pump
122	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Monitoring	Particulate Matter	IS 5182 (Part-4)
123	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Monitoring	Relative Humidity	OSHA Manual Section II, By Hygrometer
124	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Monitoring	Sulphur Dioxide	IS 5182 (Part-2)
125	CHEMICAL- ATMOSPHERIC POLLUTION	Indoor Air Monitoring	Ventilation Rate	NL/SOP/ENV-09 issue no. 01, date 15.01.16,Based on ASHRAE 62 by Anemometer
126	CHEMICAL- ATMOSPHERIC POLLUTION	Meteorological Parameters	Ambient Temperature	NL/SOP/ENV-06 issue no. 01 date 15.01.2016, Based on CPCB Guidelines, By Weather Monitoring Station
127	CHEMICAL- ATMOSPHERIC POLLUTION	Meteorological Parameters	Barometric Pressure	NL/SOP/ENV-13 issue no. 01 date 15.01.2016, Based on CPCB Guidelines, By Barometer
128	CHEMICAL- ATMOSPHERIC POLLUTION	Meteorological Parameters	Rainfall	NL/SOP/ENV-06 issue no. 01 date 15.01.2016, Based on CPCB Guidelines, By Weather Monitoring Station
129	CHEMICAL- ATMOSPHERIC POLLUTION	Meteorological Parameters	Relative Humidity	NL/SOP/ENV-06 issue no. 01 date 15.01.2016, Based on CPCB Guidelines, By Weather Monitoring Station
130	CHEMICAL- ATMOSPHERIC POLLUTION	Meteorological Parameters	Wind Direction	NL/SOP/ENV-06 issue no. 01 date 15.01.2016, Based on CPCB Guidelines, By Weather Monitoring Station
131	CHEMICAL- ATMOSPHERIC POLLUTION	Meteorological Parameters	Wind Speed	NL/SOP/ENV-06 issue no. 01 date 15.01.2016, Based on CPCB Guidelines, By Weather Monitoring Station °C

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 8 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
132	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Acid Mist	USEPA (Method-8)
133	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Aluminium as Al	USEPA Method 29
134	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Ammonia	IS 11255 (Part-6)
135	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Cadmium as Cd	USEPA Method 29
136	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Carbon Dioxide	IS 13270
137	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Carbon Disulphide as CS2	IS 11255(Part-4)
138	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Carbon Monoxide (CO)	IS 13270
139	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Chromium as Cr	USEPA Method 29
140	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	HCL	USEPA 26
141	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Hydrogen Sulphide as H2S	IS 11255(Part-4)
142	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Manganese as Mn	USEPA Method 29
143	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Moisture	IS 11255 (Part-3)
144	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Non-Methane hydrocarbon	NL/SOP/GC-24 issue no. 01 date 01.03.18, based on Method of Air sampling & Analysis By GC
145	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Oxides of Nitrogen	IS 11255 (Part-7)
146	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Oxygen	IS 13270
147	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Oxygen (O2)	IS 13270
148	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Particulate Matter	IS 11255 (Part-1)
149	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Sulphur Dioxide	IS 11255(Part-2)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 9 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
150	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Temperature	NL/SOP/ENV-04 issue no. 01 date 15.01.2016, Based on IS 11255(Part-3)
151	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Velocity & Flow	IS 11255 (Part-3)
152	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Aluminium	USEPA-3050B
153	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Antimony	USEPA-3050B
154	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Arsenic	USEPA-3050B
155	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Barium	USEPA-3050B
156	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Cadmium	USEPA-3050B
157	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Calcium	USEPA-3050B
158	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Chromium	USEPA-3050B
159	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Cobalt	USEPA-3050B
160	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Copper	USEPA-3050B
161	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Iron	USEPA-3050B
162	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Lead	USEPA-3050B
163	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Magnesium	USEPA-3050B
164	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Manganese	USEPA-3050B
165	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Mercury	USEPA-3051A
166	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Nickel	USEPA-3050B
167	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Potassium	USEPA-3050B

SCOPE OF ACCREDITATION

Laboratory Name :	NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6366	**Page No**	10 of 53
Validity	03/08/2022 to 02/08/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
168	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Selenium	USEPA-3050B
169	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Silver	USEPA-3050B
170	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Sodium	USEPA-3050B
171	CHEMICAL- POLLUTION & ENVIRONMENT	Sediments	Zinc	USEPA-3050B
172	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Aluminium	Ministry of agriculture Manual
173	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Antimony	Ministry of agriculture Manual
174	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Arsenic	Ministry of agriculture Manual
175	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Barium	Ministry of agriculture Manual
176	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Cadmium	Ministry of agriculture Manual
177	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Calcium	Ministry of agriculture Manual
178	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Chromium	Ministry of agriculture Manual
179	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Cobalt	Ministry of agriculture Manual
180	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Copper	Ministry of agriculture Manual
181	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Iron	Ministry of agriculture Manual
182	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Lead	Ministry of agriculture Manual
183	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Magnesium	Ministry of agriculture Manual
184	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Manganese	Ministry of agriculture Manual
185	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Mercury	Ministry of agriculture Manual
186	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Nickel	Ministry of agriculture Manual

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 11 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
187	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Potassium	Ministry of agriculture Manual
188	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Selenium	Ministry of agriculture Manual
189	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Silver	Ministry of agriculture Manual
190	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Sodium	Ministry of agriculture Manual
191	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Zinc	Ministry of agriculture Manual
192	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Calcium	USEPA-3050B
193	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Sodium	USEPA-3050B
194	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Available Nitrogen	NL/SOP/SOIL/08 issue no. 01 date 15.01
195	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Available Sulphur	NL/SOP/SOIL/6
196	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Bulk Density	NL/SOP/SOIL/25 issue no. 01 date 15.01
197	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Calcium Carbonate	IS 2720(Part-23)
198	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Cation Exchange Capacity	IS 2720(Part-24)
199	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Chloride	NL/SOP/SOIL/06 issue no. 01 date 15.01
200	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Conductivity	IS 2720(Part-21)
201	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Organic Carbon	IS 2720(Part-23)
202	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Organic Matter	IS 2720(Part-23)
203	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	pH	IS 2720(Part-26)
204	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Potassium	USEPA-3050B
205	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Sodium Absorption Ratio (SAR)	NL/SOP/SOIL/13 issue no. 01 date 15.01

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 12 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
206	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Soil Moisture	NL/SOP/SOIL/02 issue no. 01 date 15.01
207	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Sulphate	IS 2720(Part-27)
208	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	TKN	IS 14684
209	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Total Nitrogen	Ministry of agriculture manual -4.6.3/10
210	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Total Phosphorous	NL/SOP/SOIL/12 issue no. 01 date 15.01
211	CHEMICAL- POLLUTION & ENVIRONMENT	Soil/Sediments & Soil/Rock	Water Holding capacity	Ministry of Agriculture Manual-4.6.3/05
212	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluent/Sewage)	Chloride	IS 3025(Part-32)
213	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluent/Sewage)	Dissolved Oxygen	IS 3025(Part-38)
214	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluent/Sewage)	Sodium	IS 3025(Part-45)
215	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Ammonical Nitrogen	IS 3025(Part-34)
216	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	B.O.D	IS 3025(Part-44)
217	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Bioassay Toxic	IS 6582(Part-1)
218	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Borate	IS 13428
219	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Bromide	APHA 23rd ed(4500-B)
220	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Chemical Oxygen Demand	IS 3025(Part-58)
221	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Chloramines	IS 3025(Part-26)
222	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Color	IS 3025(Part-4)
223	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Fixed & Volatile Solids	APHA 23rd ed-2540
224	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Flocculation Test	APHA 23rd ed(4500)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 13 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
225	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Fluoride	IS 3025(Part-60)
226	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Free Carbon dioxide	APHA 23rd ed(4500-C)
227	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Magnesium	IS 3025(Part-46)
228	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Mineral Oil	IS 3025(Part-39)
229	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Mixed Liquor Suspended Solids	APHA 23rd ed
230	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Mixed Liquor Volatile Suspended Solids	APHA 23rd ed
231	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Nitrate Nitrogen	IS 3025(Part-34)
232	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Nitrite Nitrogen	IS 3025(Part-34)
233	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Odour	IS 3025(Part-06)
234	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Oil & Grease	IS 3025(Part-39)
235	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Oxygen Absorbed in 4 hrs	IS 3025(Part-63)
236	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Permanganate Value	APHA 23rd ed(4500-B)
237	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Phenol	IS 3025(Part-43)
238	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Phosphate	IS 3025(Part-31)
239	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Potassium	IS 3025(Part-45)
240	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Residual Free Chlorine	IS 3025(Part-26)
241	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Settable Solids	APHA 23rd ed-2540
242	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Settle Sludge Volume	APHA 23rd ed-2710
243	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Silica	IS 3025(Part-35)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 14 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
244	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Sludge Volume Index	APHA 23rd ed-2710
245	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Specific Conductance	IS 3025(Part-14)
246	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Sulphate	IS 3025(Part-24)
247	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Sulphide	IS 3025(Part-29)
248	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Sulphite	IS 3025(Part-28)
249	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Surfactants	IS 13428
250	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Tannin & Lignin	APHA 23rd ed(5550-B)
251	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Temperature	IS 3025(Part-9)
252	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	TKN	IS 3025(Part-34)
253	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Total Alkalinity	IS 3025(Part-23)
254	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Total Suspended Solids	IS 3025(Part-17)
255	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Turbidity	IS 3025(Part-10)
256	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Velocity & discharge measurement	IS 1192
257	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Volatile Fatty Acid	APHA 23rd ed(5560-B)
258	CHEMICAL- POLLUTION & ENVIRONMENT	Wate Water (Effluents/Sewage)	pH	IS 3025(Part-11)
259	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Aluminium	APHA 23rd Ed-3500B
260	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Antimony	APHA 23rd Ed-3111B & 3113B
261	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Arsenic	APHA 23rd Ed-3114B
262	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Barium	APHA 23rd Ed-3111B & 3113B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 15 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
263	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Cadmium	APHA 23rd Ed-3111B & 3113B
264	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Calcium	APHA 23rd Ed-3111B & 3113B
265	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Chromium	APHA 23rd Ed-3111B & 3113B
266	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Cobalt	APHA 23rd Ed-3111B & 3113B
267	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Copper	APHA 23rd Ed-3111B & 3113B
268	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Hexavalent Cr	IS 3025(Part-52)
269	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Iron	APHA 23rd Ed-3111B & 3113B
270	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Lead	APHA 23rd Ed-3111B & 3113B
271	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Magnesium	APHA 23rd Ed-3111B & 3113B
272	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Manganese	APHA 23rd Ed-3111B & 3113B
273	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Mercury	APHA 23rd Ed-3112B
274	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Nickel	APHA 23rd Ed-3113B
275	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Potassium	APHA 23rd Ed-3111A
276	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Selenium	APHA 23rd Ed-3113
277	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Silver	APHA 23rd Ed-3111A
278	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Sodium	APHA 23rd Ed-3111B
279	CHEMICAL- RESIDUES IN WATER	Bore Well Water	Zinc	APHA 23rd Ed-3111B
280	CHEMICAL- RESIDUES IN WATER	Construction Water	Aluminium	APHA 23rd Ed-3500B
281	CHEMICAL- RESIDUES IN WATER	Construction Water	Antimony	APHA 23rd Ed-3111B & 3113B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 16 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
282	CHEMICAL- RESIDUES IN WATER	Construction Water	Arsenic	APHA 23rd Ed-3114B
283	CHEMICAL- RESIDUES IN WATER	Construction Water	Barium	APHA 23rd Ed-3111B & 3113B
284	CHEMICAL- RESIDUES IN WATER	Construction Water	Cadmium	APHA 23rd Ed-3111B & 3113B
285	CHEMICAL- RESIDUES IN WATER	Construction Water	Calcium	APHA 23rd Ed-3111B & 3113B
286	CHEMICAL- RESIDUES IN WATER	Construction Water	Chromium	APHA 23rd Ed-3111B & 3113B
287	CHEMICAL- RESIDUES IN WATER	Construction Water	Cobalt	APHA 23rd Ed-3111B & 3113B
288	CHEMICAL- RESIDUES IN WATER	Construction Water	Copper	APHA 23rd Ed-3111B & 3113B
289	CHEMICAL- RESIDUES IN WATER	Construction Water	Hexavalent Cr	IS 3025(Part-52)
290	CHEMICAL- RESIDUES IN WATER	Construction Water	Iron	APHA 23rd Ed-3111B & 3113B
291	CHEMICAL- RESIDUES IN WATER	Construction Water	Lead	APHA 23rd Ed-3111B & 3113B
292	CHEMICAL- RESIDUES IN WATER	Construction Water	Magnesium	APHA 23rd Ed-3111B & 3113B
293	CHEMICAL- RESIDUES IN WATER	Construction Water	Manganese	APHA 23rd Ed-3111B & 3113B
294	CHEMICAL- RESIDUES IN WATER	Construction Water	Mercury	APHA 23rd Ed-3112B
295	CHEMICAL- RESIDUES IN WATER	Construction Water	Nickel	APHA 23rd Ed- 3113B
296	CHEMICAL- RESIDUES IN WATER	Construction Water	Potassium	APHA 23rd Ed-3111A
297	CHEMICAL- RESIDUES IN WATER	Construction Water	Selenium	APHA 23rd Ed-3113
298	CHEMICAL- RESIDUES IN WATER	Construction Water	Silver	APHA 23rd Ed-3111A
299	CHEMICAL- RESIDUES IN WATER	Construction Water	Sodium	APHA 23rd Ed-3111B
300	CHEMICAL- RESIDUES IN WATER	Construction Water	Zinc	APHA 23rd Ed-3111B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 17 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
301	CHEMICAL- RESIDUES IN WATER	Drinking Water	Chromium	APHA 23rd ed-3111B & 3113B
302	CHEMICAL- RESIDUES IN WATER	Drinking Water	Aluminium	APHA 23rd ED-3500B
303	CHEMICAL- RESIDUES IN WATER	Drinking Water	Antimony	APHA 23rd ed-3111B & 3113B
304	CHEMICAL- RESIDUES IN WATER	Drinking Water	Arsenic	APHA 23rd ED-3114B
305	CHEMICAL- RESIDUES IN WATER	Drinking Water	Barium	APHA 23rd ed-3111B & 3113B
306	CHEMICAL- RESIDUES IN WATER	Drinking Water	Cadmium	APHA ED-3111B & 3113B
307	CHEMICAL- RESIDUES IN WATER	Drinking Water	Calcium	APHA 23rd ed-3111B & 3113B
308	CHEMICAL- RESIDUES IN WATER	Drinking Water	Cobalt	APHA 23rd ed-3111B & 3113B
309	CHEMICAL- RESIDUES IN WATER	Drinking Water	Copper	APHA 23rd ed-3111B & 3113B
310	CHEMICAL- RESIDUES IN WATER	Drinking Water	Hexavalent Cr	IS 3025(Part-52)
311	CHEMICAL- RESIDUES IN WATER	Drinking Water	Iron	APHA 23rd ed-3111B & 3113B
312	CHEMICAL- RESIDUES IN WATER	Drinking Water	Lead	APHA 23rd ed-3111B & 3113B
313	CHEMICAL- RESIDUES IN WATER	Drinking Water	Magnesium	APHA 23rd ed-3111B & 3113B
314	CHEMICAL- RESIDUES IN WATER	Drinking Water	Manganese	APHA 23rd ED-3111B & 3113B
315	CHEMICAL- RESIDUES IN WATER	Drinking Water	Mercury	APHA 23rd ED-3112B
316	CHEMICAL- RESIDUES IN WATER	Drinking Water	Nickel	APHA 23rd ed-3113B
317	CHEMICAL- RESIDUES IN WATER	Drinking Water	Potassium	APHA 23rd ED-3111A
318	CHEMICAL- RESIDUES IN WATER	Drinking Water	Selenium	APHA 23rd ED-3113
319	CHEMICAL- RESIDUES IN WATER	Drinking Water	Silver	APHA 23rd ED-3111A

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 18 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
320	CHEMICAL- RESIDUES IN WATER	Drinking Water	Sodium	APHA 23rd ED-3111B
321	CHEMICAL- RESIDUES IN WATER	Drinking Water	Zinc	APHA 23rd ed-3111B
322	CHEMICAL- RESIDUES IN WATER	Effluent Water	Aluminium	APHA 23rd Ed-3500B
323	CHEMICAL- RESIDUES IN WATER	Effluent Water	Antimony	APHA 23rd Ed-3111B & 3113B
324	CHEMICAL- RESIDUES IN WATER	Effluent Water	Arsenic	APHA 23rd Ed-3114B
325	CHEMICAL- RESIDUES IN WATER	Effluent Water	Barium	APHA 23rd Ed-3111B & 3113B
326	CHEMICAL- RESIDUES IN WATER	Effluent Water	Cadmium	APHA 23rd Ed-3111B & 3113B
327	CHEMICAL- RESIDUES IN WATER	Effluent Water	Calcium	APHA 23rd Ed-3111B & 3113B
328	CHEMICAL- RESIDUES IN WATER	Effluent Water	Chromium	APHA 23rd Ed-3111B & 3113B
329	CHEMICAL- RESIDUES IN WATER	Effluent Water	Cobalt	APHA 23rd Ed-3111B & 3113B
330	CHEMICAL- RESIDUES IN WATER	Effluent Water	Copper	APHA 23rd Ed-3111B & 3113B
331	CHEMICAL- RESIDUES IN WATER	Effluent Water	Hexavalent Cr	IS 3025(Part-52)
332	CHEMICAL- RESIDUES IN WATER	Effluent Water	Iron	APHA 23rd Ed-3111B & 3113B
333	CHEMICAL- RESIDUES IN WATER	Effluent Water	Lead	APHA 23rd Ed-3111B & 3113B
334	CHEMICAL- RESIDUES IN WATER	Effluent Water	Magnesium	APHA 23rd Ed-3111B & 3113B
335	CHEMICAL- RESIDUES IN WATER	Effluent Water	Manganese	APHA 23rd Ed-3111B & 3113B
336	CHEMICAL- RESIDUES IN WATER	Effluent Water	Mercury	APHA 23rd Ed-3112B
337	CHEMICAL- RESIDUES IN WATER	Effluent Water	Nickel	APHA 23rd Ed-3113B
338	CHEMICAL- RESIDUES IN WATER	Effluent Water	Potassium	APHA 23rd Ed-3111A

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 19 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
339	CHEMICAL- RESIDUES IN WATER	Effluent Water	Selenium	APHA 23rd Ed-3113
340	CHEMICAL- RESIDUES IN WATER	Effluent Water	Silver	APHA 23rd Ed-3111A
341	CHEMICAL- RESIDUES IN WATER	Effluent Water	Sodium	APHA 23rd Ed-3111B
342	CHEMICAL- RESIDUES IN WATER	Effluent Water	Zinc	APHA 23rd Ed-3111B
343	CHEMICAL- RESIDUES IN WATER	Ground Water	Aluminium	APHA 23rd Ed -3500B
344	CHEMICAL- RESIDUES IN WATER	Ground Water	Antimony	APHA 23rd ED-3111B & 3113B
345	CHEMICAL- RESIDUES IN WATER	Ground Water	Arsenic	APHA 23rd Ed-3114B
346	CHEMICAL- RESIDUES IN WATER	Ground Water	Barium	APHA 23rd ED-3111B & 3113B
347	CHEMICAL- RESIDUES IN WATER	Ground Water	Cadmium	APHA 23rd Ed -3111B & 3113B
348	CHEMICAL- RESIDUES IN WATER	Ground Water	Calcium	APHA 23rd ED-3111B & 3113B
349	CHEMICAL- RESIDUES IN WATER	Ground Water	Chromium	APHA 23rd Ed -3111B & 3113B
350	CHEMICAL- RESIDUES IN WATER	Ground Water	Cobalt	APHA 23rd ED-3111B & 3113B
351	CHEMICAL- RESIDUES IN WATER	Ground Water	Copper	APHA 23rd ED-3111B & 3113B
352	CHEMICAL- RESIDUES IN WATER	Ground Water	Hexavalent Cr	IS 3025(Part-52)
353	CHEMICAL- RESIDUES IN WATER	Ground Water	Iron	APHA 23rd ED- 3111B & 3113B
354	CHEMICAL- RESIDUES IN WATER	Ground Water	Lead	APHA 23rd Ed-3111B & 3113B
355	CHEMICAL- RESIDUES IN WATER	Ground Water	Magnesium	APHA 23rd ED-3111B & 3113B
356	CHEMICAL- RESIDUES IN WATER	Ground Water	Manganese	APHA 23rd Ed -3111B & 3113B
357	CHEMICAL- RESIDUES IN WATER	Ground Water	Mercury	APHA 23rd ED-3111B & 3113B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 20 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
358	CHEMICAL- RESIDUES IN WATER	Ground Water	Nickel	APHA 23rd Ed- 3113B
359	CHEMICAL- RESIDUES IN WATER	Ground Water	Potassium	APHA 23rd ED-3111A
360	CHEMICAL- RESIDUES IN WATER	Ground Water	Selenium	APHA 23rd Ed -3113
361	CHEMICAL- RESIDUES IN WATER	Ground Water	Silver	APHA 23rd ED-3111A
362	CHEMICAL- RESIDUES IN WATER	Ground Water	Sodium	APHA 23rd Ed -3111B
363	CHEMICAL- RESIDUES IN WATER	Ground Water	Zinc	APHA 23rd ED- 3111B
364	CHEMICAL- RESIDUES IN WATER	Industrial Water	Aluminium	APHA 23rd Ed-3500B
365	CHEMICAL- RESIDUES IN WATER	Industrial Water	Antimony	APHA 23rd Ed-3111B & 3113B
366	CHEMICAL- RESIDUES IN WATER	Industrial Water	Arsenic	APHA 23rd Ed-3114B
367	CHEMICAL- RESIDUES IN WATER	Industrial Water	Barium	APHA 23rd Ed-3111B & 3113B
368	CHEMICAL- RESIDUES IN WATER	Industrial Water	Cadmium	APHA 23rd Ed-3111B & 3113B
369	CHEMICAL- RESIDUES IN WATER	Industrial Water	Calcium	APHA 23rd Ed-3111B & 3113B
370	CHEMICAL- RESIDUES IN WATER	Industrial Water	Chromium	APHA 23rd Ed-3111B & 3113B
371	CHEMICAL- RESIDUES IN WATER	Industrial Water	Cobalt	APHA 23rd Ed-3111B & 3113B
372	CHEMICAL- RESIDUES IN WATER	Industrial Water	Copper	APHA 23rd Ed-3111B & 3113B
373	CHEMICAL- RESIDUES IN WATER	Industrial Water	Hexavalent Cr	IS 3025(Part-52)
374	CHEMICAL- RESIDUES IN WATER	Industrial Water	Iron	APHA 23rd Ed-3111B & 3113B
375	CHEMICAL- RESIDUES IN WATER	Industrial Water	Lead	APHA 23rd Ed-3111B & 3113B
376	CHEMICAL- RESIDUES IN WATER	Industrial Water	Magnesium	APHA 23rd Ed-3111B & 3113B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 21 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
377	CHEMICAL- RESIDUES IN WATER	Industrial Water	Manganese	APHA 23rd Ed-3111B & 3113B
378	CHEMICAL- RESIDUES IN WATER	Industrial Water	Mercury	APHA 23rd Ed-3112B
379	CHEMICAL- RESIDUES IN WATER	Industrial Water	Nickel	APHA 23rd Ed-3113B
380	CHEMICAL- RESIDUES IN WATER	Industrial Water	Potassium	APHA 23rd Ed-3111A
381	CHEMICAL- RESIDUES IN WATER	Industrial Water	Selenium	APHA 23rd Ed-3113
382	CHEMICAL- RESIDUES IN WATER	Industrial Water	Silver	APHA 23rd Ed-3111A
383	CHEMICAL- RESIDUES IN WATER	Industrial Water	Sodium	APHA 23rd Ed-3111B
384	CHEMICAL- RESIDUES IN WATER	Industrial Water	Zinc	APHA 23rd Ed-3111B
385	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Aluminium	APHA 23rd Ed-3500B
386	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Antimony	APHA 23rd Ed-3111B &3113B
387	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Arsenic	APHA 23rd Ed-3114B
388	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Barium	APHA 23rd Ed-3111B &3113B
389	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Cadmium	APHA 23rd Ed-3111B &3113B
390	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Calcium	APHA 23rd Ed-3111B &3113B
391	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Chromium	APHA 23rd Ed-3111B &3113B
392	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Cobalt	APHA 23rd Ed-3111B &3113B
393	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Copper	APHA 23rd Ed-3111B & 3113B
394	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Hexavalent Cr	IS 3025(Part-52)
395	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Iron	APHA 23rd Ed-3111B & 3113B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 22 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
396	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Lead	APHA 23rd Ed-3111B & 3113B
397	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Manganese	APHA 23rd Ed-3111B &3113B
398	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Mercury	APHA 23rd Ed-3112B
399	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Nickel	APHA 23rd Ed-3113B
400	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Potassium	APHA 23rd Ed-3111A
401	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Selenium	APHA 23rd Ed-3113
402	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Silver	APHA 23rd Ed-3111A
403	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Sodium	APHA 23rd Ed-3111B
404	CHEMICAL- RESIDUES IN WATER	Irrigation Water	Zinc	APHA 23rd Ed-3111B
405	CHEMICAL- RESIDUES IN WATER	Irrigaton Water	Magnesium	APHA 23rd Ed-3111B &3113B
406	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Aluminium	APHA 23rd ed-3500B
407	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Antimony	APHA 23rd ed-3111B & 3113B
408	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Arsenic	APHA 23rd ed-3114B
409	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Barium	APHA 23rd ed-3111B & 3113B
410	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Cadmium	APHA 23rd ed-3111B & 3113B
411	CHEMICAL- RESIDUES IN WATER	Packed Drinking water	Calcium	APHA 23rd ed-3111B & 3113B
412	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Chromium	APHA 23rd ed-3111B & 3113B
413	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Cobalt	APHA 23rd ed-3111B & 3113B
414	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Copper	APHA 23rd ed-3111B & 3113B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 23 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
415	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Hexavalent Cr	IS 3025(Part-52)
416	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Iron	APHA 23rd ed-3111B & 3113B
417	CHEMICAL- RESIDUES IN WATER	Packed Drinking water	Lead	APHA 23rd ed-3111B & 3113B
418	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Magnesium	APHA 23rd ed-3111B & 3113B
419	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Manganese	APHA 23rd ed-3111B & 3113B
420	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Mercury	APHA 23rd ed-3112B
421	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Nickel	APHA 23rd ed-3113B
422	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Potassium	APHA 23rd ed-3111A
423	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Selenium	APHA 23rd ed-3113
424	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Silver	APHA 23rd ed-3111A
425	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Sodium	APHA 23rd ed-3111B
426	CHEMICAL- RESIDUES IN WATER	Packed Drinking Water	Zinc	APHA 23rd ed-3111B
427	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Arsenic	APHA 23rd Ed-3114B
428	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Iron	APHA 23rd Ed-3111B & 3113B
429	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Lead	APHA 23rd Ed-3111B & 3113B
430	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Nickel	APHA 23rd Ed- 3113B
431	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Sodium	APHA 23rd Ed-3111B
432	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Zinc	APHA 23rd Ed-3111B
433	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Aluminium	APHA 23rd Ed-3500B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 24 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
434	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Antimony	APHA 23rd Ed-3111B & 3113B
435	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Barium	APHA 23rd Ed-3111B & 3113B
436	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Cadmium	APHA 23rd Ed-3111B & 3113B
437	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Calcium	APHA 23rd Ed-3111B & 3113B
438	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Chromium	APHA 23rd Ed-3111B & 3113B
439	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Cobalt	APHA 23rd Ed-3111B & 3113B
440	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Copper	APHA 23rd Ed-3111B & 3113B
441	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Hexavalent Cr	IS 3025(Part-52)
442	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Magnesium	APHA 23rd Ed-3111B & 3113B
443	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Manganese	APHA 23rd Ed-3111B & 3113B
444	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Mercury	APHA 23rd Ed-3112B
445	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Potassium	APHA 23rd Ed-3111A
446	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Selenium	APHA 23rd Ed-3113
447	CHEMICAL- RESIDUES IN WATER	Packed Natural Mineral Water	Silver	APHA 23rd Ed-3111A
448	CHEMICAL- RESIDUES IN WATER	Process Water	Aluminium	APHA 23rd Ed-3500B
449	CHEMICAL- RESIDUES IN WATER	Process Water	Antimony	APHA 23rd Ed-3111B & 3113B
450	CHEMICAL- RESIDUES IN WATER	Process Water	Arsenic	APHA 23rd Ed-3114B
451	CHEMICAL- RESIDUES IN WATER	Process Water	Barium	APHA 23rd Ed-3111B & 3113B
452	CHEMICAL- RESIDUES IN WATER	Process Water	Cadmium	APHA 23rd Ed-3111B & 3113B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 25 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
453	CHEMICAL- RESIDUES IN WATER	Process Water	Calcium	APHA 23rd Ed-3111B & 3113B
454	CHEMICAL- RESIDUES IN WATER	Process Water	Chromium	APHA 23rd Ed-3111B & 3113B
455	CHEMICAL- RESIDUES IN WATER	Process Water	Cobalt	APHA 23rd Ed-3111B & 3113B
456	CHEMICAL- RESIDUES IN WATER	Process Water	Copper	mg/l
457	CHEMICAL- RESIDUES IN WATER	Process Water	Hexavalent Cr	IS 3025(Part-52)
458	CHEMICAL- RESIDUES IN WATER	Process Water	Iron	APHA 23rd Ed-3111B & 3113B
459	CHEMICAL- RESIDUES IN WATER	Process Water	Lead	APHA 23rd Ed-3111B & 3113B
460	CHEMICAL- RESIDUES IN WATER	Process Water	Magnesium	APHA 23rd Ed-3111B & 3113B
461	CHEMICAL- RESIDUES IN WATER	Process Water	Manganese	APHA 23rd Ed-3111B & 3113B
462	CHEMICAL- RESIDUES IN WATER	Process Water	Mercury	APHA 23rd Ed-3112B
463	CHEMICAL- RESIDUES IN WATER	Process Water	Nickel	APHA 23rd Ed-3113B
464	CHEMICAL- RESIDUES IN WATER	Process Water	Potassium	APHA 23rd Ed-3111A
465	CHEMICAL- RESIDUES IN WATER	Process Water	Selenium	APHA 23rd Ed-3113
466	CHEMICAL- RESIDUES IN WATER	Process Water	Silver	APHA 23rd Ed-3111A
467	CHEMICAL- RESIDUES IN WATER	Process Water	Sodium	APHA 23rd Ed-3111B
468	CHEMICAL- RESIDUES IN WATER	Process Water	Zinc	APHA 23rd Ed-3111B
469	CHEMICAL- RESIDUES IN WATER	Sewage Water	Aluminium	APHA 23rd Ed-3500B
470	CHEMICAL- RESIDUES IN WATER	Sewage Water	Antimony	APHA 23rd Ed-3111B & 3113B
471	CHEMICAL- RESIDUES IN WATER	Sewage Water	Arsenic	APHA 23rd Ed-3114B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 26 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
472	CHEMICAL- RESIDUES IN WATER	Sewage Water	Barium	APHA 23rd Ed-3111B & 3113B
473	CHEMICAL- RESIDUES IN WATER	Sewage Water	Cadmium	APHA 23rd Ed-3111B & 3113B
474	CHEMICAL- RESIDUES IN WATER	Sewage Water	Calcium	APHA 23rd Ed-3111B & 3113B
475	CHEMICAL- RESIDUES IN WATER	Sewage Water	Chromium	APHA 23rd Ed-3111B & 3113B
476	CHEMICAL- RESIDUES IN WATER	Sewage Water	Cobalt	APHA 23rd Ed-3111B & 3113B
477	CHEMICAL- RESIDUES IN WATER	Sewage Water	Copper	APHA 23rd Ed-3111B & 3113B
478	CHEMICAL- RESIDUES IN WATER	Sewage Water	Hexavalent Cr	IS 3025(Part-52)
479	CHEMICAL- RESIDUES IN WATER	Sewage Water	Iron	APHA 23rd Ed-3111B & 3113B
480	CHEMICAL- RESIDUES IN WATER	Sewage Water	Lead	APHA 23rd Ed-3111B & 3113B
481	CHEMICAL- RESIDUES IN WATER	Sewage Water	Magnesium	APHA 23rd Ed-3111B & 3113B
482	CHEMICAL- RESIDUES IN WATER	Sewage Water	Manganese	APHA 23rd Ed-3111B & 3113B
483	CHEMICAL- RESIDUES IN WATER	Sewage Water	Mercury	APHA 23rd Ed-3112B
484	CHEMICAL- RESIDUES IN WATER	Sewage Water	Nickel	APHA 23rd Ed-3113B
485	CHEMICAL- RESIDUES IN WATER	Sewage Water	Potassium	APHA 23rd Ed-3111A
486	CHEMICAL- RESIDUES IN WATER	Sewage Water	Selenium	APHA 23rd Ed-3113
487	CHEMICAL- RESIDUES IN WATER	Sewage Water	Silver	APHA 23rd Ed-3111A
488	CHEMICAL- RESIDUES IN WATER	Sewage Water	Sodium	APHA 23rd Ed-3111B
489	CHEMICAL- RESIDUES IN WATER	Sewage Water	Zinc	APHA 23rd Ed-3111B
490	CHEMICAL- RESIDUES IN WATER	Surface Water	Calcium	APHA 23rd Ed-3111B & 3113B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 27 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
491	CHEMICAL- RESIDUES IN WATER	Surface Water	Hexavalent Cr	IS 3025(Part-52)
492	CHEMICAL- RESIDUES IN WATER	Surface Water	Mercury	APHA 23rd Ed-3112B
493	CHEMICAL- RESIDUES IN WATER	Surface Water	Selenium	APHA 23rd Ed-3113
494	CHEMICAL- RESIDUES IN WATER	Surface Water	Silver	APHA 23rd Ed-3111A
495	CHEMICAL- RESIDUES IN WATER	Surface Water	Aluminium	APHA 23rd Ed-3500B
496	CHEMICAL- RESIDUES IN WATER	Surface Water	Antimony	APHA 23rd Ed-3111B & 3113B
497	CHEMICAL- RESIDUES IN WATER	Surface Water	Arsenic	APHA 23rd Ed-3114B
498	CHEMICAL- RESIDUES IN WATER	Surface Water	Barium	APHA 23rd Ed-3111B & 3113B
499	CHEMICAL- RESIDUES IN WATER	Surface Water	Cadmium	APHA 23rd Ed-3111B & 3113B
500	CHEMICAL- RESIDUES IN WATER	Surface Water	Chromium	APHA 23rd Ed-3111B & 3113B
501	CHEMICAL- RESIDUES IN WATER	Surface Water	Cobalt	APHA 23rd Ed-3111B & 3113B
502	CHEMICAL- RESIDUES IN WATER	Surface Water	Copper	APHA 23rd Ed-3111B & 3113B
503	CHEMICAL- RESIDUES IN WATER	Surface Water	Iron	APHA 23rd Ed-3111B & 3113B
504	CHEMICAL- RESIDUES IN WATER	Surface Water	Lead	APHA 23rd Ed-3111B & 3113B
505	CHEMICAL- RESIDUES IN WATER	Surface Water	Magnesium	APHA 23rd Ed-3111B & 3113B
506	CHEMICAL- RESIDUES IN WATER	Surface Water	Manganese	APHA 23rd Ed-3111B & 3113B
507	CHEMICAL- RESIDUES IN WATER	Surface Water	Nickel	APHA 23rd Ed-3113B
508	CHEMICAL- RESIDUES IN WATER	Surface Water	Potassium	APHA 23rd Ed-3111A
509	CHEMICAL- RESIDUES IN WATER	Surface Water	Sodium	APHA 23rd Ed-3111B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 28 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
510	CHEMICAL- RESIDUES IN WATER	Surface Water	Zinc	APHA 23rd Ed-3111B
511	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Aluminium	APHA 23rd Ed-3500B
512	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Antimony	APHA 23rd Ed-3111B & 3113B
513	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Arsenic	APHA 23rd Ed-3114B
514	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Barium	APHA 23rd Ed-3111B & 3113B
515	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Cadmium	APHA 23rd Ed-3111B & 3113B
516	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Calcium	APHA 23rd Ed-3111B & 3113B
517	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Chromium	APHA 23rd Ed-3111B & 3113B
518	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Cobalt	APHA 23rd Ed-3111B & 3113B
519	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Hexavalent Cr	IS 3025(Part-52)
520	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Iron	mg/l
521	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Lead	APHA 23rd Ed-3111B & 3113B
522	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Magnesium	APHA 23rd Ed-3111B & 3113B
523	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Manganese	APHA 23rd Ed-3111B & 3113B
524	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Nickel	APHA 23rd Ed- 3113B
525	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Potassium	APHA 23rd Ed-3111A
526	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Selenium	APHA 23rd Ed-3113
527	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Silver	APHA 23rd Ed-3111A
528	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Zinc	APHA 23rd Ed-3111B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 29 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
529	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Copper	APHA 23rd Ed-3111B & 3113B
530	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Mercury	APHA 23rd Ed-3112B
531	CHEMICAL- RESIDUES IN WATER	Swimming Pool Water	Sodium	APHA 23rd Ed-3111B
532	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Aluminium	APHA 23rd ED- 3500B
533	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Antimony	APHA 23rd Ed -3111B & 3113B
534	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Arsenic	APHA 23rd ED-3114B
535	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Barium	APHA 23rd Ed -3111B & 3113B
536	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Cadmium	APHA 23rd ED-3111B & 3113B
537	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Calcium	APHA 23rd Ed -3111B & 3113B
538	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Chromium	APHA 23rd ED-3111B & 3113B
539	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Cobalt	APHA 23rd Ed -3111B & 3113B
540	CHEMICAL- RESIDUES IN WATER	Tube Well water	Copper	APHA 23rd Ed-3111B & 3113B
541	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Hexavalent Cr	IS 3025(Part-52)
542	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Iron	APHA 23rd Ed-3111B & 3113B
543	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Lead	APHA 23rd ED- 3111B & 3113B
544	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Magnesium	APHA 23rd Ed -3111B & 3113B
545	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Manganese	APHA 23rd ED-3111B & 3113B
546	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Mercury	APHA 23rd Ed -3112B
547	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Nickel	APHA 23rd ED- 3111B & 3113B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 30 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
548	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Potassium	APHA 23rd Ed -3111A
549	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Selenium	APHA 23rd ED-3113
550	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Silver	APHA 23rd Ed -3111A
551	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Sodium	APHA 23rd ED-3111B
552	CHEMICAL- RESIDUES IN WATER	Tube Well Water	Zinc	mg/l
553	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Aluminium	APHA 23rd Ed-3500B
554	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Antimony	APHA 23rd Ed-3111B & 3113B
555	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Arsenic	APHA 23rd Ed-3114B
556	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Barium	APHA 23rd Ed-3111B & 3113B
557	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Cadmium	APHA 23rd Ed-3111B & 3113B
558	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Calcium	APHA 23rd Ed-3111B & 3113B
559	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Chromium	APHA 23rd Ed-3111B & 3113B
560	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Cobalt	APHA 23rd Ed-3111B & 3113B
561	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Copper	APHA 23rd Ed-3111B & 3113B
562	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Hexavalent Cr	IS 3025(Part-52)
563	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Iron	APHA 23rd Ed-3111B & 3113B
564	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Lead	APHA 23rd Ed-3111B & 3113B
565	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Magnesium	APHA 23rd Ed-3111B & 3113B
566	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Manganese	APHA 23rd Ed-3111B & 3113B

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 31 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
567	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Mercury	APHA 23rd ed-3112B
568	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Nickel	APHA 23rd Ed-3113B
569	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Potassium	APHA 23rd ed-3111A
570	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Selenium	APHA 23rd Ed-3113
571	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Silver	APHA 23rd Ed-3111A
572	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Sodium	APHA 23rd Ed-3111B
573	CHEMICAL- RESIDUES IN WATER	Water From Purifiers	Zinc	APHA 23rd Ed-3111B
574	CHEMICAL- SOIL AND ROCK	Clay	Aluminium	Ministry of agriculture Manual
575	CHEMICAL- SOIL AND ROCK	Clay	Antimony	Ministry of agriculture Manual
576	CHEMICAL- SOIL AND ROCK	Clay	Arsenic	Ministry of agriculture Manual
577	CHEMICAL- SOIL AND ROCK	Clay	Barium	Ministry of agriculture Manual
578	CHEMICAL- SOIL AND ROCK	Clays	Cadmium	Ministry of agriculture Manual
579	CHEMICAL- SOIL AND ROCK	Clays	Calcium	Ministry of agriculture Manual
580	CHEMICAL- SOIL AND ROCK	Clays	Chromium	Ministry of agriculture Manual
581	CHEMICAL- SOIL AND ROCK	Clays	Cobalt	Ministry of agriculture Manual
582	CHEMICAL- SOIL AND ROCK	Clays	Copper	Ministry of agriculture Manual
583	CHEMICAL- SOIL AND ROCK	Clays	Iron	Ministry of agriculture Manual
584	CHEMICAL- SOIL AND ROCK	Clays	Lead	Ministry of agriculture Manual
585	CHEMICAL- SOIL AND ROCK	Clays	Magnesium	Ministry of agriculture Manual

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 32 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
586	CHEMICAL- SOIL AND ROCK	Clays	Manganese	Ministry of agriculture Manual
587	CHEMICAL- SOIL AND ROCK	Clays	Mercury	Ministry of agriculture Manual
588	CHEMICAL- SOIL AND ROCK	Clays	Nickel	Ministry of agriculture Manual
589	CHEMICAL- SOIL AND ROCK	Clays	Potassium	Ministry of agriculture Manual
590	CHEMICAL- SOIL AND ROCK	Clays	Selenium	Ministry of agriculture Manual
591	CHEMICAL- SOIL AND ROCK	Clays	Silver	Ministry of agriculture Manual
592	CHEMICAL- SOIL AND ROCK	Clays	Sodium	Ministry of agriculture Manual
593	CHEMICAL- SOIL AND ROCK	Clays	Zinc	Ministry of agriculture Manual
594	CHEMICAL- SOIL AND ROCK	Rock	Aluminium	Ministry of agriculture Manual
595	CHEMICAL- SOIL AND ROCK	Rock	Antimony	Ministry of agriculture Manual
596	CHEMICAL- SOIL AND ROCK	Rock	Arsenic	Minisatry of agricultral Manual
597	CHEMICAL- SOIL AND ROCK	Rock	Barium	Minisatry of agricultral Manual
598	CHEMICAL- SOIL AND ROCK	Rock	Cadmium	Minisatry of agricultral Manual
599	CHEMICAL- SOIL AND ROCK	Rock	Calcium	Minisatry of agricultral Manual
600	CHEMICAL- SOIL AND ROCK	Rock	Chromium	Minisatry of agricultral Manual
601	CHEMICAL- SOIL AND ROCK	Rock	Cobalt	Minisatry of agricultral Manual
602	CHEMICAL- SOIL AND ROCK	Rock	Copper	Minisatry of agricultral Manual
603	CHEMICAL- SOIL AND ROCK	Rock	Iron	Minisatry of agricultral Manual
604	CHEMICAL- SOIL AND ROCK	Rock	Lead	Minisatry of agricultral Manual

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 33 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
605	CHEMICAL- SOIL AND ROCK	Rock	Magnesium	Minisatry of agricultral Manual
606	CHEMICAL- SOIL AND ROCK	Rock	Manganese	Minisatry of agricultral Manual
607	CHEMICAL- SOIL AND ROCK	Rock	Mercury	Minisatry of agricultral Manual
608	CHEMICAL- SOIL AND ROCK	Rock	Nickel	Minisatry of agricultral Manual
609	CHEMICAL- SOIL AND ROCK	Rock	Potassium	Minisatry of agricultral Manual
610	CHEMICAL- SOIL AND ROCK	Rock	Selenium	Minisatry of agricultral Manual
611	CHEMICAL- SOIL AND ROCK	Rock	Silver	Minisatry of agricultral Manual
612	CHEMICAL- SOIL AND ROCK	Rock	Sodium	Minisatry of agricultral Manual
613	CHEMICAL- SOIL AND ROCK	Rock	Zinc	Minisatry of agricultral Manual
614	CHEMICAL- SOIL AND ROCK	Soil	Aluminum	Ministry of agriculture Manual
615	CHEMICAL- SOIL AND ROCK	Soil	Antimony	inistry of agriculture Manual:
616	CHEMICAL- SOIL AND ROCK	Soil	Arsenic	Ministry of agriculture Manual
617	CHEMICAL- SOIL AND ROCK	Soil	Barium	Ministry of agriculture Manual
618	CHEMICAL- SOIL AND ROCK	Soil	Cadmium	Ministry of agriculture Manual
619	CHEMICAL- SOIL AND ROCK	Soil	Calcium	Ministry of agriculture Manual
620	CHEMICAL- SOIL AND ROCK	Soil	Chromium	Ministry of agriculture Manual
621	CHEMICAL- SOIL AND ROCK	Soil	Cobalt	Ministry of agriculture Manual
622	CHEMICAL- SOIL AND ROCK	Soil	Copper	Ministry of agriculture Manual
623	CHEMICAL- SOIL AND ROCK	Soil	Iron	Ministry of agriculture Manual

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 34 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
624	CHEMICAL- SOIL AND ROCK	Soil	Lead	Ministry of agriculture Manual
625	CHEMICAL- SOIL AND ROCK	Soil	Magnesium	Ministry of agriculture Manual
626	CHEMICAL- SOIL AND ROCK	Soil	Manganese	Ministry of agriculture Manual
627	CHEMICAL- SOIL AND ROCK	Soil	Mercury	Ministry of agriculture Manual
628	CHEMICAL- SOIL AND ROCK	Soil	Nickel	Ministry of agriculture Manual
629	CHEMICAL- SOIL AND ROCK	Soil	Potassium	Ministry of agriculture Manual
630	CHEMICAL- SOIL AND ROCK	Soil	Selenium	Ministry of agriculture Manual
631	CHEMICAL- SOIL AND ROCK	Soil	Silver	Ministry of agriculture Manual
632	CHEMICAL- SOIL AND ROCK	Soil	Sodium	Ministry of agriculture Manual
633	CHEMICAL- SOIL AND ROCK	Soil	Zinc	Ministry of agriculture Manual
634	CHEMICAL- WATER	Packed Natural Mineral Water	Alkalinity	IS 3025(PART-23)
635	CHEMICAL- WATER	Surface Water	Calcium	IS 3025(Part-40)
636	CHEMICAL- WATER	Bore Well Water	Sludge Volume Index	APHA 23rd ed-2710
637	CHEMICAL- WATER	Bore well water	Alkalinity	IS 3025(Part- 23)
638	CHEMICAL- WATER	Bore well water	Aluminium	IS 3025(Part -55)
639	CHEMICAL- WATER	Bore Well Water	Ammonia	IS 3025(Part34)
640	CHEMICAL- WATER	Bore Well Water	Anionic Detergent	IS 13428(Part - K)
641	CHEMICAL- WATER	Bore Well Water	Biological Oxygen Demand	IS 3025(Part-44)
642	CHEMICAL- WATER	Bore Well Water	Borate	IS 13428
643	CHEMICAL- WATER	Bore Well Water	Boron	IS 3025(Part -57)
644	CHEMICAL- WATER	Bore Well Water	Calcium	IS 3025(Part- 40)
645	CHEMICAL- WATER	Bore Well Water	Carbonate and Bicarbonate	IS 3025(Part -51)
646	CHEMICAL- WATER	Bore Well Water	Chemical Oxygen Demand	IS 3025(Part-58)
647	CHEMICAL- WATER	Bore Well Water	Chloride	IS 3025(Part- 32)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 35 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
648	CHEMICAL- WATER	Bore Well Water	Color	IS 3025(Part - 4)
649	CHEMICAL- WATER	Bore Well Water	Dissolved Oxygen	IS 3025(Part-38)
650	CHEMICAL- WATER	Bore Well Water	Fluoride	IS 3025(Part-60)
651	CHEMICAL- WATER	Bore Well Water	Free Carbon dioxide	APHA 23rd ed(4500-C)
652	CHEMICAL- WATER	Bore Well Water	Insoluble Matter Content	IS0 23241-2
653	CHEMICAL- WATER	Bore Well Water	Magnesium	IS 3025(Part-46)
654	CHEMICAL- WATER	Bore Well Water	Mineral Oil	IS 3025(Part-39)
655	CHEMICAL- WATER	Bore Well Water	Mixed Liquor Suspended Solids	APHA 23rd ed:
656	CHEMICAL- WATER	Bore Well Water	Mixed Liquor Volatile Suspended Solids	APHA 23rd ed:
657	CHEMICAL- WATER	Bore Well Water	Nitrate	IS 3025(Part-34)
658	CHEMICAL- WATER	Bore Well Water	Nitrite Nitrogen	IS 3025(Part-34)
659	CHEMICAL- WATER	Bore Well Water	Oil and Grease	IS 3025(Part-39)
660	CHEMICAL- WATER	Bore Well Water	Oxygen Absorbed In 4Hrs	IS 3025(Part- 63)
661	CHEMICAL- WATER	Bore Well Water	Permanganate Value	APHA 23rd ed(4500-B)
662	CHEMICAL- WATER	Bore Well Water	pH	IS 3025(Part-11)
663	CHEMICAL- WATER	Bore Well Water	Phenol	IS 3025(Part-43)
664	CHEMICAL- WATER	Bore Well Water	Phosphate Content	IS0 23241-2
665	CHEMICAL- WATER	Bore Well Water	Residual Free Chlorine	IS 3025(Part-26)
666	CHEMICAL- WATER	Bore Well Water	Settable Solids	APHA 23rd ed-2540
667	CHEMICAL- WATER	Bore Well Water	Settle Sludge Volume	APHA 23rd ed-2710
668	CHEMICAL- WATER	Bore Well Water	Specific Conductance	IS 3025(Part-14)
669	CHEMICAL- WATER	Bore Well Water	Sulphate	IS 3025(Part-24)
670	CHEMICAL- WATER	Bore Well Water	Sulphide	IS 3025(Part-29)
671	CHEMICAL- WATER	Bore Well Water	Sulphite	IS 3025(Part-28)
672	CHEMICAL- WATER	Bore Well Water	Temperature	IS 3025(Part-9)
673	CHEMICAL- WATER	Bore Well Water	Total Dissolved Solids	IS 3025(Part-16)
674	CHEMICAL- WATER	Bore well water	Total Hardness	IS 3025(Part -21)
675	CHEMICAL- WATER	Bore Well Water	Total Suspended Solids	IS 3025(Part-17)
676	CHEMICAL- WATER	Bore well water	Turbidity	IS 3025(Part -10)
677	CHEMICAL- WATER	Bore Well Water	Volatile and Fixed Residue	IS 3025(Part-18)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 36 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
678	CHEMICAL- WATER	Construction Water	Alkalinity	IS 3025(Part-23)
679	CHEMICAL- WATER	Construction Water	Aluminium	IS 3025(Part-55)
680	CHEMICAL- WATER	Construction Water	Ammonia	IS 3025(Part-34)
681	CHEMICAL- WATER	Construction Water	Anionic Detergent	IS 13428 (Part-K)
682	CHEMICAL- WATER	Construction Water	Biological Oxygen Demand	IS 30259Part-44)
683	CHEMICAL- WATER	Construction Water	Borate	IS 13428
684	CHEMICAL- WATER	Construction Water	Boron	IS 3025(Part-57)
685	CHEMICAL- WATER	Construction Water	Calcium	IS 3025(part-40)
686	CHEMICAL- WATER	Construction Water	Carbonate & Bicarbonate	Is 3025(Part-51)
687	CHEMICAL- WATER	Construction Water	Chemical Oxygen demand	IS 3025(Part-58)
688	CHEMICAL- WATER	Construction water	Chloride	IS 3025(Part-32)
689	CHEMICAL- WATER	Construction Water	Color	IS 3025(Part-4)
690	CHEMICAL- WATER	Construction Water	Dissolved Oxygen	IS 3025(part-4)
691	CHEMICAL- WATER	Construction Water	Fluoride	IS 3025(Part-60)
692	CHEMICAL- WATER	Construction Water	Free Carbon dioxide	APHA 23rd ed(4500-C)
693	CHEMICAL- WATER	Construction Water	Insoluble matter Content	IS0 23241-2
694	CHEMICAL- WATER	Construction Water	Magnesium	IS 3025(Part-46)
695	CHEMICAL- WATER	Construction water	Mineral Oil	IS 3025(part-39)
696	CHEMICAL- WATER	Construction Water	Mixed Liquor Suspended Solids	APHA 23rd ed:
697	CHEMICAL- WATER	Construction water	Mixed Liquor volatile Suspended Solids	APHA 23rd ed:
698	CHEMICAL- WATER	Construction Water	Nitrate	IS 3025(part-34)
699	CHEMICAL- WATER	Construction water	Nitrite Nitrogen	IS 3025(Part-34)
700	CHEMICAL- WATER	Construction Water	Oil & Grease	IS 3025(Part-39)
701	CHEMICAL- WATER	Construction Water	Oxygen absorbed in 4 hrs	IS 3025(Part-63)
702	CHEMICAL- WATER	Construction Water	Permanganate Value	APHA 23rd ed(4500-B)
703	CHEMICAL- WATER	Construction water	pH	IS 3025(Part-11)
704	CHEMICAL- WATER	Construction Water	Phenol	IS 3025(Part-43)
705	CHEMICAL- WATER	Construction Water	Phosphate Content	IS0 23241-2
706	CHEMICAL- WATER	Construction water	Residual Free Chlorine	IS 3025(Part-26)
707	CHEMICAL- WATER	Construction Water	Settable Solids	APHA 23rd ed-2540

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 37 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
708	CHEMICAL- WATER	Construction water	Settle Sludge volume	APHA-23rd ed-2710
709	CHEMICAL- WATER	Construction water	Sludge Volume Index	APHA 23rd ed-2710
710	CHEMICAL- WATER	Construction water	Specific Conductance	IS 3025(Part-14)
711	CHEMICAL- WATER	Construction water	Sulphate	IS 3025(Part-24)
712	CHEMICAL- WATER	Construction Water	Sulphide	IS 3025(Part-29)
713	CHEMICAL- WATER	Construction Water	Sulphite	IS 3025(Part-28)
714	CHEMICAL- WATER	Construction Water	Temperature	IS 3025(Part-9)
715	CHEMICAL- WATER	Construction water	Total Dissolved solids	IS 3025(part-16)
716	CHEMICAL- WATER	Construction Water	Total Hardness	IS 3025(Part-21)
717	CHEMICAL- WATER	Construction Water	Total Suspended solids	IS 3025(part-17)
718	CHEMICAL- WATER	Construction Water	Turbidity	IS 3025(Part-10)
719	CHEMICAL- WATER	Construction Water	Volatile & Fixed Residue	IS 3025(Part-18)
720	CHEMICAL- WATER	Dinking Water	Total Hardness	IS 3025(PART-21)
721	CHEMICAL- WATER	Dinking Water	Turbidity	IS 3025(PART-10)
722	CHEMICAL- WATER	Drinking Water	Aldehyde Content	IS0 23241-2
723	CHEMICAL- WATER	Drinking Water	Alkalinity	IS 3025(PART-23)
724	CHEMICAL- WATER	Drinking Water	Aluminium	IS 3025(PART-55)
725	CHEMICAL- WATER	Drinking Water	Ammonia	IS 3025(PART-34)
726	CHEMICAL- WATER	Drinking Water	Anionic Detergent	IS 13428(PART-K)
727	CHEMICAL- WATER	Drinking Water	Biological Oxygen Demand	IS 3025(PART-44)
728	CHEMICAL- WATER	Drinking water	Biuret Content	ISO 23241-2
729	CHEMICAL- WATER	Drinking Water	Borate	IS 13428
730	CHEMICAL- WATER	Drinking Water	Boron	IS 3025(Part-57)
731	CHEMICAL- WATER	Drinking Water	Bromide	Apha 23rd ed(4500-B)
732	CHEMICAL- WATER	Drinking water	Calcium	IS 3025(PART-40)
733	CHEMICAL- WATER	Drinking water	Carbonate & Bicarbonate	IS 3025(Part 51)
734	CHEMICAL- WATER	Drinking Water	Chemical oxygen demand	IS 3025(PART-58)
735	CHEMICAL- WATER	Drinking Water	Chloride	IS 3025(PART-32)
736	CHEMICAL- WATER	Drinking Water	Color	IS 3025(PART-4)
737	CHEMICAL- WATER	Drinking Water	Dissolved oxygen	IS 3025(PART-38)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 38 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
738	CHEMICAL- WATER	Drinking Water	Fluoride	IS 3025(PART-60)
739	CHEMICAL- WATER	Drinking Water	Free Carbon dioxide	APHA-23rd ed(4500-C)
740	CHEMICAL- WATER	Drinking water	Insoluble Matter Content	ISO 23241-2
741	CHEMICAL- WATER	Drinking Water	Magnesium	IS 3025(PART-46)
742	CHEMICAL- WATER	Drinking Water	Mineral oil	IS 3025(PART-39)
743	CHEMICAL- WATER	Drinking water	Mixed Liquor Suspended Solids	APHa 23rd Ed
744	CHEMICAL- WATER	Drinking water	Mixed Liquor Volatile Suspended solids	APHA 23rd ed
745	CHEMICAL- WATER	Drinking Water	Nitrate	IS 3025(PART-34)
746	CHEMICAL- WATER	Drinking Water	Nitrite Nitrogen	IS 3025(Part-34)
747	CHEMICAL- WATER	Drinking water	Oil & Grease	IS-3025(PART-39)
748	CHEMICAL- WATER	Drinking water	Oxygen absorbed in 4 hrs	IS-3025(Part-63)
749	CHEMICAL- WATER	Drinking water	Permanganate Value	APHA 23rd ed(4500-B)
750	CHEMICAL- WATER	Drinking Water	pH	IS 3025 (Part-11)
751	CHEMICAL- WATER	Drinking Water	Phenol	IS 3025(PART-43)
752	CHEMICAL- WATER	Drinking Water	Phosphate Content	ISO 23241-2
753	CHEMICAL- WATER	Drinking water	Refractive Index	ISO 23241-2
754	CHEMICAL- WATER	Drinking Water	Relative Density	ISO 3675
755	CHEMICAL- WATER	Drinking Water	Residual Free Chlorine	IS 3025 (PART-26)
756	CHEMICAL- WATER	Drinking Water	Residual Hydrazine	IS 3025
757	CHEMICAL- WATER	Drinking Water	Settable Solids	APHA-23rd edition-2540
758	CHEMICAL- WATER	Drinking Water	Settle Sludge volume	APHA-23rd ed-2710
759	CHEMICAL- WATER	Drinking Water	Sludge Volume Index	APHA-23rd ed-2710
760	CHEMICAL- WATER	Drinking Water	Sodium Absortion Ration (SAR)	IS 11624
761	CHEMICAL- WATER	Drinking Water	Specific Conductance	IS 3025 (PART 14)
762	CHEMICAL- WATER	Drinking Water	Sulphate	IS 3025(PART-24)
763	CHEMICAL- WATER	Drinking Water	Sulphide	IS 3025 (Part-29)
764	CHEMICAL- WATER	Drinking water	Sulphite	IS 3025(Part-28)
765	CHEMICAL- WATER	Drinking Water	Temperature	IS-3025(PART-9)
766	CHEMICAL- WATER	Drinking water	TKN	IS 3025(Part-34)
767	CHEMICAL- WATER	Drinking water	Total Dissolved Solids	IS 3025(PART-16)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 39 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
768	CHEMICAL- WATER	Drinking Water	Total Suspended Solids	IS 3025(PART-17)
769	CHEMICAL- WATER	Drinking Water	Volatile & Fixed Residue	IS 3025(PART-18)
770	CHEMICAL- WATER	Drinking water	Volatile Fatty Acid	APHA 23rd ed(5560-B)
771	CHEMICAL- WATER	Ground Water	Aldehyde Content	IS0 23241-2
772	CHEMICAL- WATER	Ground water	Alkalinity	IS 3025(Part-23)
773	CHEMICAL- WATER	Ground water	Aluminium	IS 3025(Part-55)
774	CHEMICAL- WATER	Ground Water	Ammonia	IS 3025([Part-34)
775	CHEMICAL- WATER	Ground water	Anionic Detergent	S 13428(PART-K)
776	CHEMICAL- WATER	Ground Water	Biological Oxygen Demand	IS 3025(PART-44)
777	CHEMICAL- WATER	Ground water	Biuret Content	IS0 23241-2
778	CHEMICAL- WATER	Ground water	Borate	IS 13428
779	CHEMICAL- WATER	Ground Water	Boron	IS 3025(PART-57)
780	CHEMICAL- WATER	Ground Water	Bromide	APHA 23rd ed(4500-B)
781	CHEMICAL- WATER	Ground water	Calcium	IS 3025(Part-40)
782	CHEMICAL- WATER	Ground Water	Carbonate & Bicarbonate	IS 3025(Part-51)
783	CHEMICAL- WATER	Ground Water	Chemical Oxygen Demand	IS 3025(Part-58)
784	CHEMICAL- WATER	Ground Water	Chloride	IS 3025(PART-32)
785	CHEMICAL- WATER	Ground Water	Color	IS 3025(Part-4)
786	CHEMICAL- WATER	Ground Water	Dissolved Oxygen	IS 3025(Part-38)
787	CHEMICAL- WATER	Ground Water	Fluoride	IS 3025(Part-60)
788	CHEMICAL- WATER	Ground Water	Free Carbon dioxide	APHA 23rd ed(4500-C)
789	CHEMICAL- WATER	Ground water	Insoluble Matter Content	IS0 23241-2
790	CHEMICAL- WATER	Ground Water	Magnesium	IS 3025(Part-46)
791	CHEMICAL- WATER	Ground water	Mineral Oil	IS 3025(Part-39)
792	CHEMICAL- WATER	Ground water	Mixed Liquor Suspended Solids	APHA 23rd ed
793	CHEMICAL- WATER	Ground Water	Mixed Liquor Volatile Suspended solids	APHA 23rd ed
794	CHEMICAL- WATER	Ground Water	Nitrate	IS 3025(Part-34)
795	CHEMICAL- WATER	Ground water	Nitrite Nitrogen	IS 3025(Part-34)
796	CHEMICAL- WATER	Ground water	Oil & Grease	IS 3025(Part-39)
797	CHEMICAL- WATER	Ground Water	Oxygen absorbed in 4 hrs	IS 3025(Part-63)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 40 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
798	CHEMICAL- WATER	Ground Water	Permanganate Value	APHA 23rd ed(4500-B)
799	CHEMICAL- WATER	Ground water	pH	IS 3025(Part-11)
800	CHEMICAL- WATER	Ground Water	Phenol	IS 3025(Part-43)
801	CHEMICAL- WATER	Ground Water	Phosphate Content	IS0 23241-2
802	CHEMICAL- WATER	Ground water	Refractive Index	IS0 23241-2
803	CHEMICAL- WATER	Ground Water	Relative Density	ISO 3675
804	CHEMICAL- WATER	Ground Water	Residual Free Chlorine	IS 3025(Part-26)
805	CHEMICAL- WATER	Ground Water	Residual Hydrazine	IS 3025
806	CHEMICAL- WATER	Ground Water	Settable Solids	APHA 23rd ed-2540
807	CHEMICAL- WATER	Ground Water	Settle Sludge Volume	APHA 23rd ed-2710
808	CHEMICAL- WATER	Ground Water	Sludge Volume Index	APHA 23rd ed-2710
809	CHEMICAL- WATER	Ground water	Sodium Absorption Ration (SAR)	IS 11624
810	CHEMICAL- WATER	Ground Water	Specific Conductance	IS 3025(Part-14)
811	CHEMICAL- WATER	Ground Water	Sulphate	IS 3025(Part-24)
812	CHEMICAL- WATER	Ground Water	Sulphide	IS 3025(Part-29)
813	CHEMICAL- WATER	Ground Water	Sulphite	IS 3025(Part-28)
814	CHEMICAL- WATER	Ground Water	Temperature	IS 3025(Part-9)
815	CHEMICAL- WATER	Ground Water	TKN	IS 3025(Part-34)
816	CHEMICAL- WATER	Ground water	Total Dissolved Solids	IS 3025(Part-16)
817	CHEMICAL- WATER	Ground Water	Total Hardness	IS 3025(PART-21)
818	CHEMICAL- WATER	Ground Water	Total Suspended Solids	IS 3025(Part-17)
819	CHEMICAL- WATER	Ground Water	Turbidity	IS 3025(PART-10)
820	CHEMICAL- WATER	Ground Water	Volatile & Fixed Residue	IS 3025 (Part-18)
821	CHEMICAL- WATER	Ground Water	Volatile Fatty Acid	APHA 23rd ed(5560-B)
822	CHEMICAL- WATER	Industrial Water	Alkalinity	IS 3025(Part-23)
823	CHEMICAL- WATER	Industrial Water	Aluminium	IS 3025(Part-55)
824	CHEMICAL- WATER	Industrial Water	Ammonia	IS 3025(Part-34)
825	CHEMICAL- WATER	Industrial Water	Anionic Detergent	IS 13428(Part-K)
826	CHEMICAL- WATER	Industrial Water	Biological Oxygen Demand	IS 3025(Part-44)
827	CHEMICAL- WATER	Industrial Water	Borate	IS 13428

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 41 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
828	CHEMICAL- WATER	Industrial water	Boron	IS 3025(Part-57)
829	CHEMICAL- WATER	Industrial Water	Calcium	IS1.0 3025(Part-40)
830	CHEMICAL- WATER	Industrial water	Carbonate & Bicarbonate	IS 3025(part-51)
831	CHEMICAL- WATER	Industrial Water	Chemical Oxygen Demand	IS 3025(Part-58)
832	CHEMICAL- WATER	Industrial water	Chloride	IS 3025(Part-32)
833	CHEMICAL- WATER	Industrial water	Color	IS 3025(Part-4)
834	CHEMICAL- WATER	Industrial Water	Dissolved Oxygen	IS 3025(Part-38)
835	CHEMICAL- WATER	Industrial Water	Fluoride	IS 3025(Part-60)
836	CHEMICAL- WATER	Industrial Water	Free Carbon dioxide	APHA 23rd ed(4500-C)
837	CHEMICAL- WATER	Industrial Water	Insoluble Matter Content	IS0 23241-2
838	CHEMICAL- WATER	Industrial Water	Magnesium	IS 3025(Part-46)
839	CHEMICAL- WATER	Industrial Water	Mineral Oil	IS 3025(Part-39)
840	CHEMICAL- WATER	Industrial Water	Mixed Liquor Suspended Solids	APHA 23rd ed
841	CHEMICAL- WATER	Industrial Water	Mixed Liquor Volatile Suspended Solids	APHA 23rd ed
842	CHEMICAL- WATER	Industrial Water	Nitrate	IS 3025(Part-34)
843	CHEMICAL- WATER	Industrial water	Nitrite Nitrogen	IS 3025(Part-34)
844	CHEMICAL- WATER	Industrial water	Oil & Grease	IS 3025(Part-39)
845	CHEMICAL- WATER	Industrial Water	Oxygen absorbed in 4 hrs	IS 3025(Part-63)
846	CHEMICAL- WATER	Industrial Water	Permanganate Value	APHA 23rd ed(4500-B)
847	CHEMICAL- WATER	Industrial water	pH	IS 3025(Part-11)
848	CHEMICAL- WATER	Industrial Water	Phenol	IS 3025(Part-43)
849	CHEMICAL- WATER	Industrial Water	Phosphate Content	IS0 23241-2
850	CHEMICAL- WATER	Industrial water	Residual Free Chlorine	IS 3025(Part-26)
851	CHEMICAL- WATER	Industrial water	Settable Solids	APHA 23rd ed-2540
852	CHEMICAL- WATER	Industrial Water	Settle Sludge Volume	APHA 23rd ed-2710
853	CHEMICAL- WATER	Industrial water	Sludge Volume Index	APHA 23rd ed-2710
854	CHEMICAL- WATER	Industrial Water	Specific Conductance	IS 3025(Part-14)
855	CHEMICAL- WATER	Industrial water	Sulphate	IS 3025(Part-24)
856	CHEMICAL- WATER	Industrial Water	Sulphide	IS 3025(Part-29)
857	CHEMICAL- WATER	Industrial Water	Sulphite	IS 3025(Part-28)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 42 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
858	CHEMICAL- WATER	Industrial Water	Temperature	IS 3025(Part-9)
859	CHEMICAL- WATER	Industrial Water	Total Dissolved Solids	IS 3025(Part-16)
860	CHEMICAL- WATER	Industrial Water	Total Hardness	IS 3025(Part-21)
861	CHEMICAL- WATER	Industrial Water	Total Suspended Solids	IS 3025(Part-17)
862	CHEMICAL- WATER	Industrial water	Turbidity	IS 3025(Part-10)
863	CHEMICAL- WATER	Industrial Water	Volatile & Fixed Residue	IS 3025(Part-18)
864	CHEMICAL- WATER	Irrigation Water	Alkalinity	IS 3025(Part-23)
865	CHEMICAL- WATER	Irrigation Water	Aluminium	IS 3025(Part-55)
866	CHEMICAL- WATER	Irrigation Water	Ammonia	IS 3025(Part-34)
867	CHEMICAL- WATER	Irrigation water	Anionic Detergent	IS 13428(Part-K)
868	CHEMICAL- WATER	Irrigation Water	Biological Oxygen Demand	IS 3025(Part-44)
869	CHEMICAL- WATER	Irrigation water	Borate	IS 13428
870	CHEMICAL- WATER	Irrigation Water	Boron	IS 30259Part-57)
871	CHEMICAL- WATER	Irrigation Water	Calcium	IS 3025(Part-40)
872	CHEMICAL- WATER	Irrigation water	Carbonate & Bicarbonate	IS 3025(Part-51)
873	CHEMICAL- WATER	Irrigation water	Chemical oxygen Demand	IS 3025(Part-58)
874	CHEMICAL- WATER	Irrigation water	Chloride	IS 3025(Part-32)
875	CHEMICAL- WATER	Irrigation water	Color	IS 3025 (Part-4)
876	CHEMICAL- WATER	Irrigation Water	Dissolved Oxygen	IS 3025(Part-38)
877	CHEMICAL- WATER	Irrigation water	Fluoride	IS 3025(Part-60)
878	CHEMICAL- WATER	Irrigation water	Free Carbon dioxide	APHA 23rd ed(4500-C)
879	CHEMICAL- WATER	irrigation Water	Insoluble Matter Content	IS0 23241-2
880	CHEMICAL- WATER	Irrigation Water	Magnesium	IS 3025(Part-46)
881	CHEMICAL- WATER	Irrigation Water	Mineral Oil	IS 3025(Part-39)
882	CHEMICAL- WATER	Irrigation water	Mixed Liquor Suspended Solids	APHA 23rd ed:
883	CHEMICAL- WATER	Irrigation Water	Mixed liquor Volatile Suspended Solids	APHA 23rd ed:
884	CHEMICAL- WATER	Irrigation water	Nitrate	IS 3025(Part-34)
885	CHEMICAL- WATER	Irrigation water	Nitrite Nitrogen	IS 3025(pat-34)
886	CHEMICAL- WATER	Irrigation water	Oil & Grease	IS 3025(Part-39)
887	CHEMICAL- WATER	Irrigation Water	Oxygen Absorbed in 4 Hrs	IS 3025(Part-63)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 43 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
888	CHEMICAL- WATER	Irrigation Water	Permanganate Value	APHA 23rd ed(4500-B)
889	CHEMICAL- WATER	Irrigation Water	pH	IS 3025(Part-11)
890	CHEMICAL- WATER	Irrigation Water	Phenol	IS 3025(Part-43)
891	CHEMICAL- WATER	Irrigation Water	Phosphate Content	IS0 23241-2
892	CHEMICAL- WATER	Irrigation Water	Residual Free Chlorine	IS 3025(Part-26)
893	CHEMICAL- WATER	Irrigation water	Settable Solids	APHA 23rd ed-2540
894	CHEMICAL- WATER	Irrigation water	Settle Sludge Volume	APHA 23rd ed-2710
895	CHEMICAL- WATER	Irrigation Water	Sludge Volume index	APHA 23rd ed-2710
896	CHEMICAL- WATER	Irrigation water	Specific Conductance	IS 3025(Part-14)
897	CHEMICAL- WATER	Irrigation water	Sulphate	IS 3025(Part-24)
898	CHEMICAL- WATER	Irrigation Water	Sulphide	IS 3025(Part-29)
899	CHEMICAL- WATER	Irrigation water	Sulphite	IS 3025(Part-28)
900	CHEMICAL- WATER	Irrigation Water	Temperature	IS 3025(Part-9)
901	CHEMICAL- WATER	Irrigation water	Total Dissolved Solids	IS 3025(Part-16)
902	CHEMICAL- WATER	Irrigation Water	Total Hardness	IS 3025(Part-21)
903	CHEMICAL- WATER	Irrigation Water	Total Suspended Solids	IS 3025(Part-17)
904	CHEMICAL- WATER	Irrigation Water	Turbidity	IS 3025(Part-10)
905	CHEMICAL- WATER	Irrigation Water	Volatile & Fixed Residue	IS 3025(Part-18)
906	CHEMICAL- WATER	Packaged Drinking Institute	Oil & Grease	IS-3025(PART-39)
907	CHEMICAL- WATER	Packaged Drinking Water	Ammonia	IS 3025(PART-34)
908	CHEMICAL- WATER	Packaged Drinking water	Borate	S 13428
909	CHEMICAL- WATER	Packaged Drinking Water	Alkalinity	IS 3025(PART-23)
910	CHEMICAL- WATER	Packaged Drinking Water	Aluminium	IS 3025(PART-55)
911	CHEMICAL- WATER	Packaged Drinking Water	Anionic Detergent	IS 13428(PART-K)
912	CHEMICAL- WATER	Packaged Drinking Water	Biological Oxygen Demand	IS 3025(PART-44)
913	CHEMICAL- WATER	packaged Drinking water	Boron	IS 3025(Part-57)
914	CHEMICAL- WATER	Packaged Drinking Water	Calcium	IS 3025(PART-40)
915	CHEMICAL- WATER	Packaged Drinking water	Carbonate & Bicarbonate	IS 3025(Part 51)
916	CHEMICAL- WATER	Packaged Drinking water	Chemical oxygen Demand	IS 3025(PART-58)
917	CHEMICAL- WATER	Packaged Drinking Water	Chloride	IS 3025(PART-32)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 44 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
918	CHEMICAL- WATER	Packaged Drinking water	Color	IS 3025(PART-4)
919	CHEMICAL- WATER	Packaged Drinking water	Dissolved Oxygen	IS 3025(PART-38)
920	CHEMICAL- WATER	Packaged Drinking Water	Fluoride	IS 3025(PART-60)
921	CHEMICAL- WATER	Packaged Drinking Water	Free Carbon Dioxide	APHA-23rd ed(4500-C)
922	CHEMICAL- WATER	Packaged Drinking Water	Insoluble Matter Content	ISO 23241-2
923	CHEMICAL- WATER	Packaged Drinking water	Magnesium	IS 3025(PART-46)
924	CHEMICAL- WATER	Packaged Drinking water	Mineral Oil	IS 3025(PART-39)
925	CHEMICAL- WATER	Packaged Drinking water	Mixed Liquor Suspended Solids	APHA 23rd Ed:
926	CHEMICAL- WATER	Packaged Drinking water	Mixed Liquor Volatile Suspended solids	APHA 23rd ed
927	CHEMICAL- WATER	Packaged Drinking Water	Nitrate	IS 3025(PART-34)
928	CHEMICAL- WATER	Packaged Drinking water	Nitrite Nitrogen	IS 3025(Part-34)
929	CHEMICAL- WATER	Packaged Drinking Water	Oxygen absorbed in 4 hrs	IS-3025(Part-63)
930	CHEMICAL- WATER	Packaged Drinking water	Permanganate Value	APHA 23rd ed(4500-B)
931	CHEMICAL- WATER	Packaged Drinking water	pH	IS 3025 (Part-11)
932	CHEMICAL- WATER	Packaged Drinking water	Phenol	IS 3025(PART-43)
933	CHEMICAL- WATER	Packaged Drinking water	Phosphate Content	ISO 23241-2
934	CHEMICAL- WATER	Packaged Drinking water	Residual Free Chlorine	IS 3025 (PART-26)
935	CHEMICAL- WATER	Packaged Drinking Water	Settable solids	APHA-23RD ED-2540
936	CHEMICAL- WATER	Packaged Drinking Water	Settle Sludge volume	APHA-23rd edition-2710
937	CHEMICAL- WATER	Packaged Drinking water	Sludge Volume Index	APHA-23rd ed-2710
938	CHEMICAL- WATER	Packaged Drinking Water	Specific Conductance	IS 3025(PART-14)
939	CHEMICAL- WATER	Packaged Drinking Water	Sulphate	IS 3025(Part-24)
940	CHEMICAL- WATER	Packaged Drinking Water	Sulphide	IS 3025(Part-29)
941	CHEMICAL- WATER	Packaged Drinking Water	Sulphite	IS 3025(PART-28)
942	CHEMICAL- WATER	Packaged Drinking water	Total Dissolved Solids	IS 3025(PART-16)
943	CHEMICAL- WATER	Packaged Drinking Water	Total Hardness	IS 3025(PART-21)
944	CHEMICAL- WATER	Packaged Drinking water	Total Suspended Solids	IS 3025(PART-17)
945	CHEMICAL- WATER	Packaged Drinking Water	Turbidity	IS 3025(PART-10)
946	CHEMICAL- WATER	Packaged Drinking water	Volatile Suspended Solids	IS 3025(PART-18)
947	CHEMICAL- WATER	Packed Drinking Water	Temperature	IS 3025(PART-9)

SCOPE OF ACCREDITATION

Laboratory Name :	NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6366	**Page No**	45 of 53
Validity	03/08/2022 to 02/08/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
948	CHEMICAL- WATER	Packed Natural Mineral Water	Aluminium	IS 3025(PART-55)
949	CHEMICAL- WATER	Packed Natural Mineral Water	Ammonia	IS 3025(PART-34)
950	CHEMICAL- WATER	Packed Natural Mineral Water	Anionic Detergent	IS 13428(PART-K)
951	CHEMICAL- WATER	Packed Natural Mineral Water	Biological Oxygen Demand	IS 3025(PART-44)
952	CHEMICAL- WATER	Packed Natural Mineral Water	Borate	IS 13428
953	CHEMICAL- WATER	Packed Natural Mineral Water	Boron	IS 3025(PART-57)
954	CHEMICAL- WATER	Packed Natural Mineral Water	Calcium	IS 3025 (Part-40)
955	CHEMICAL- WATER	Packed Natural Mineral water	Chemical Oxygen Demand	IS 3025(PART-58)
956	CHEMICAL- WATER	Packed Natural Mineral water	Chloride	IS 3025(Part-32)
957	CHEMICAL- WATER	Packed Natural Mineral water	Color	IS 3025(Part-4)
958	CHEMICAL- WATER	Packed Natural Mineral water	Dissolved Oxygen	IS 3025(PART-38)
959	CHEMICAL- WATER	Packed Natural Mineral water	Fluoride	IS 3025(Part-60)
960	CHEMICAL- WATER	Packed Natural Mineral water	Free Carbon dioxide	Apha-23rd ed (4500-C)
961	CHEMICAL- WATER	Packed Natural Mineral water	Insoluble Matter Content	IS0 23241-2
962	CHEMICAL- WATER	Packed Natural Mineral water	Magnesium	IS 3025(Part-46)
963	CHEMICAL- WATER	Packed Natural Mineral water	Mineral Oil	IS 3025(Part-39)
964	CHEMICAL- WATER	Packed Natural Mineral water	Mixed Liquor Suspended Solids	Apha 23rd ed
965	CHEMICAL- WATER	Packed Natural Mineral water	Mixed Liquor Volatile Suspended Solids	APHA 23rd ed
966	CHEMICAL- WATER	Packed Natural Mineral water	Nitrate	IS 3025(Part-34)
967	CHEMICAL- WATER	Packed Natural Mineral water	Nitrite Nitrogen	IS 3025(Part-34)
968	CHEMICAL- WATER	Packed Natural Mineral water	Oil & Grease	IS 3025(Part-39)
969	CHEMICAL- WATER	Packed Natural Mineral water	Oxygen absorbed in 4 hrs	IS 3025(Part-63)
970	CHEMICAL- WATER	Packed Natural Mineral water	Permanganate Value	APHA 23rd ed(4500-B)
971	CHEMICAL- WATER	Packed Natural Mineral water	pH	IS 3025(Part-11)
972	CHEMICAL- WATER	Packed Natural Mineral water	Phenol	IS 3025(Part-43)
973	CHEMICAL- WATER	Packed Natural Mineral water	Phosphate Content	IS0 23241-2
974	CHEMICAL- WATER	Packed Natural Mineral water	Residual Free Chlorine	IS 3025(Part-26)
975	CHEMICAL- WATER	Packed Natural Mineral Water	Settle Sludge Volume	APHA 23rd ed-2710
976	CHEMICAL- WATER	Packed Natural Mineral Water	Sludge Volume Index	APHA 23rd ed-2170
977	CHEMICAL- WATER	Packed Natural Mineral Water	Specific Conductance	IS 3025(Part-14)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 46 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
978	CHEMICAL- WATER	Packed Natural Mineral Water	Sulphide	IS 3025(Part-29)
979	CHEMICAL- WATER	Packed Natural Mineral Water	Sulphite	IS 3025(PART-28)
980	CHEMICAL- WATER	Packed Natural Mineral Water	Temperature	IS 3025(PART-9)
981	CHEMICAL- WATER	Packed Natural Mineral Water	Total Dissolved Solids	IS 3025(Part-16)
982	CHEMICAL- WATER	Packed Natural Mineral Water	Total Suspended Solids	IS 3025(Part-17)
983	CHEMICAL- WATER	Packed Natural Mineral Water	Turbidity	IS 3025(PART-10)
984	CHEMICAL- WATER	Packed Natural Mineral Water	Volatile & Fixed Residue	IS 3025(Part-18)
985	CHEMICAL- WATER	Packed Natural Mineral Water	Sulphate	IS 3025(Part-24)
986	CHEMICAL- WATER	Packed Natural Mineral water	Carbonate & Bicarbonate	IS 3025(PART-51)
987	CHEMICAL- WATER	Packed Natural Mineral Water	Settable Solids	APHA 23rd ed-2540
988	CHEMICAL- WATER	Packed Natural Mineral Water	Specific Conductance	IS 3025(PART-21)
989	CHEMICAL- WATER	Process Water	Aldehyde Content	IS0 23241-2
990	CHEMICAL- WATER	Process Water	Alkalinity	IS 3025(Part-23)
991	CHEMICAL- WATER	Process Water	Aluminium	IS 3025(Part-55)
992	CHEMICAL- WATER	Process Water	Ammonia	IS 3025(Part-34)
993	CHEMICAL- WATER	Process Water	Anionic Detergent	IS 13428(Part-K)
994	CHEMICAL- WATER	Process Water	Biological Oxygen Demand	IS 3025(Part-44)
995	CHEMICAL- WATER	Process Water	Biuret Content	IS0 23241-2
996	CHEMICAL- WATER	Process Water	Borate	IS 13428
997	CHEMICAL- WATER	Process Water	Boron	IS 3025(Part-57)
998	CHEMICAL- WATER	Process Water	Bromide	APHA 23rd ed(4500-B)
999	CHEMICAL- WATER	Process Water	Calcium	IS 3025(Part-40)
1000	CHEMICAL- WATER	Process Water	Carbonate & Bicarbonate	IS 3025(Part-51)
1001	CHEMICAL- WATER	Process water	Chemical Oxygen Demand	IS 3025(Part-58)
1002	CHEMICAL- WATER	Process Water	Chloride	IS 3025(Part-32)
1003	CHEMICAL- WATER	Process Water	Color	IS 3025(Part-4)
1004	CHEMICAL- WATER	Process Water	Dissolved Oxygen	IS 3025(Part-38)
1005	CHEMICAL- WATER	Process Water	Fluoride	IS 3025(Part-60)
1006	CHEMICAL- WATER	Process water	Free Carbon dioxide	APHA 23rd ed(4500-C
1007	CHEMICAL- WATER	Process Water	Insoluble Matter Content	IS0 23241-2

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 47 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1008	CHEMICAL- WATER	Process Water	Magnesium	IS 3025(Part-46)
1009	CHEMICAL- WATER	Process Water	Mineral Oil	IS 3025(Part-39)
1010	CHEMICAL- WATER	Process water	Mixed Liquor Suspended Solids	APHA 23rd ed:
1011	CHEMICAL- WATER	Process Water	Mixed Liquor Volatile Suspended Solids	APHA 23rd ed:
1012	CHEMICAL- WATER	Process Water	Nitrate	IS 3025(Part-34)
1013	CHEMICAL- WATER	Process Water	Nitrite Nitrogen	IS 3025(Part-34)
1014	CHEMICAL- WATER	Process Water	Oil & Grease	IS 3025(Part-39)
1015	CHEMICAL- WATER	Process Water	Oxygen absorbed In 4 hrs	IS 3025(Part-63)
1016	CHEMICAL- WATER	Process Water	Permanganate Value	APHA 23rd ed(4500-B)
1017	CHEMICAL- WATER	Process water	pH	IS 3025(Part-11)
1018	CHEMICAL- WATER	Process Water	Phenol	IS 3025(Part-43)
1019	CHEMICAL- WATER	Process Water	Phosphate Content	IS0 23241-2
1020	CHEMICAL- WATER	Process Water	Refractive Index	IS0 23241-2
1021	CHEMICAL- WATER	Process Water	Relative Density	ISO 3675
1022	CHEMICAL- WATER	Process Water	Residual Free Chlorine	IS 3025(Part-26)
1023	CHEMICAL- WATER	Process Water	Residual Hydrazine	IS 3025
1024	CHEMICAL- WATER	Process Water	Settable Solids	APHA 23rd ed-2540
1025	CHEMICAL- WATER	Process water	Settle Sludge Volume	APHA 23rd ed-2710
1026	CHEMICAL- WATER	Process Water	Sludge Volume Index	APHA 23rd ed:-2710
1027	CHEMICAL- WATER	Process Water	Sodium Absorption Ration (SAR)	IS 11624
1028	CHEMICAL- WATER	Process Water	Specific Conductance	IS 3025(Part-14)
1029	CHEMICAL- WATER	Process Water	Sulphate	IS 3025(Part-24)
1030	CHEMICAL- WATER	Process Water	Sulphide	IS 3025(Part-29)
1031	CHEMICAL- WATER	Process Water	Sulphite	IS 3025(Part-28)
1032	CHEMICAL- WATER	Process Water	Temperature	IS 3025(Part-9)
1033	CHEMICAL- WATER	Process Water	TKN	IS 3025(Part-34)
1034	CHEMICAL- WATER	Process Water	Total Dissolved Solids	IS 3025(Part-16)
1035	CHEMICAL- WATER	Process Water	Total Hardness	IS 3025(Part-21)
1036	CHEMICAL- WATER	Process Water	Total Suspended Solids	IS 3025(Part-17)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 48 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1037	CHEMICAL- WATER	Process Water	Turbidity	IS 3025(part-10)
1038	CHEMICAL- WATER	Process water	Volatile & Fixed Residue	IS 3025(Part-18)
1039	CHEMICAL- WATER	Process Water	Volatile Fatty Acid	APHA 23rd ed(5560-B)
1040	CHEMICAL- WATER	Surface Water	Alkalinity	IS 3025(Part-23)
1041	CHEMICAL- WATER	Surface Water	Aluminium	IS 3025(Part-55)
1042	CHEMICAL- WATER	Surface water	Ammonia	IS 3025(Part-34)
1043	CHEMICAL- WATER	Surface Water	Anionic Detergent	IS 13428(Part-K)
1044	CHEMICAL- WATER	Surface Water	Biological Oxygen Demand	IS 3025(Part-44)
1045	CHEMICAL- WATER	Surface Water	Borate	IS 13428
1046	CHEMICAL- WATER	Surface water	Boron	IS 3025(Part-57)
1047	CHEMICAL- WATER	Surface Water	Carbonate & Bicarbonate	IS 3025(Part-51)
1048	CHEMICAL- WATER	Surface Water	Chemical Oxygen Demand	IS 3025(Part-58)
1049	CHEMICAL- WATER	Surface Water	Chloride	IS 3025(Part-32)
1050	CHEMICAL- WATER	Surface Water	Color	IS 3025(Part-4)
1051	CHEMICAL- WATER	Surface Water	Dissolved Oxygen	IS 3025(Part-38)
1052	CHEMICAL- WATER	Surface Water	Fluoride	IS 3025(Part-60)
1053	CHEMICAL- WATER	Surface Water	Free Carbon dioxide	APHA 23rd ed(4500-C)
1054	CHEMICAL- WATER	Surface Water	Insoluble Matter Content	IS0 23241-2
1055	CHEMICAL- WATER	Surface Water	Magnesium	IS 3025(Part-46)
1056	CHEMICAL- WATER	Surface Water	Mineral Oil	IS 3025(Part-39)
1057	CHEMICAL- WATER	Surface Water	Mixed Liquor Suspended Solids	APHA 23rd ed:
1058	CHEMICAL- WATER	Surface Water	Mixed Liquor Volatile Suspended Solids	APHA 23rd ed:
1059	CHEMICAL- WATER	Surface Water	Nitrate	IS 3025(Part-34)
1060	CHEMICAL- WATER	Surface Water	Nitrite Nitrogen	IS 3025(Part-34)
1061	CHEMICAL- WATER	Surface Water	Oil & Grease	IS 3025(Part-39)
1062	CHEMICAL- WATER	Surface Water	Oxygen Absorbed in 4 hrs	IS 3025(Part-63)
1063	CHEMICAL- WATER	Surface Water	Permanganate Value	APHA 23rd ed(4500-B)
1064	CHEMICAL- WATER	Surface Water	pH	IS 3025(Part-11)
1065	CHEMICAL- WATER	Surface Water	Phenol	IS 3025(Part-43)
1066	CHEMICAL- WATER	Surface Water	Phosphate Content	IS0 23241-2

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 49 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1067	CHEMICAL- WATER	Surface water	Residual Free Chlorine	IS 3025(Part-26)
1068	CHEMICAL- WATER	Surface Water	Settable Solids	APHA 23rd ed-2540
1069	CHEMICAL- WATER	Surface Water	Settle Sludge Volume	APHA 23rd ed-2710
1070	CHEMICAL- WATER	Surface Water	Sludge Volume Index	APHA 23rd ed-2710
1071	CHEMICAL- WATER	Surface Water	Specific Conductance	IS 3025(Part-14)
1072	CHEMICAL- WATER	Surface Water	Sulphate	IS 3025(Part-24)
1073	CHEMICAL- WATER	Surface Water	Sulphide	IS 3025(Part-29)
1074	CHEMICAL- WATER	Surface Water	Sulphite	IS 3025(Part-28)
1075	CHEMICAL- WATER	Surface Water	Temperature	IS 3025(Part-9)
1076	CHEMICAL- WATER	Surface Water	Total Dissolved Solids	IS 3025(Part-16)
1077	CHEMICAL- WATER	Surface Water	Total Hardness	IS 3025(Part-21)
1078	CHEMICAL- WATER	Surface Water	Total Suspended Solids	IS 3025(Part-17)
1079	CHEMICAL- WATER	Surface Water	Turbidity	IS 3025(Part-10)
1080	CHEMICAL- WATER	Surface Water	Volatile & Fixed Residue	IS 3025(Part-18)
1081	CHEMICAL- WATER	Swimming Pool Water	Alkalinity	IS 3025(Part-23)
1082	CHEMICAL- WATER	Swimming Pool Water	Aluminium	IS 3025(Part-55)
1083	CHEMICAL- WATER	Swimming Pool Water	Ammonia	IS 3025(Part-34)
1084	CHEMICAL- WATER	Swimming Pool water	Anionic Detergent	IS 13428(Part-K)
1085	CHEMICAL- WATER	Swimming Pool water	Biological Oxygen Demand	IS 3025(Part-44)
1086	CHEMICAL- WATER	Swimming Pool Water	Borate	IS 13428
1087	CHEMICAL- WATER	Swimming Pool Water	Boron	IS 3025(Part-57)
1088	CHEMICAL- WATER	Swimming Pool Water	Calcium	IS 3025(part-40)
1089	CHEMICAL- WATER	Swimming Pool Water	Carbonate & Bicarbonate	IS 3025(Part-51)
1090	CHEMICAL- WATER	Swimming Pool Water	Chemical Oxygen Demand	IS 3025(Part-58)
1091	CHEMICAL- WATER	Swimming Pool Water	Chloride	IS 3025(Part-32)
1092	CHEMICAL- WATER	Swimming Pool Water	Color	IS 3025(Part-4)
1093	CHEMICAL- WATER	Swimming Pool Water	Dissolved Oxygen	IS 3025(Part-38)
1094	CHEMICAL- WATER	Swimming Pool Water	Fluoride	IS 3025(Part-60)
1095	CHEMICAL- WATER	Swimming Pool Water	Free Carbon dioxide	APHA 23rd ed(4500-C)
1096	CHEMICAL- WATER	Swimming Pool Water	Insoluble Matter Content	IS0 23241-2

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 50 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1097	CHEMICAL- WATER	Swimming Pool Water	Magnesium	IS 3025(Part-46)
1098	CHEMICAL- WATER	Swimming Pool Water	Mineral oil	IS 3025(Part-39)
1099	CHEMICAL- WATER	Swimming Pool Water	Mixed Liquor Suspended Solids	APHA 23rd ed:
1100	CHEMICAL- WATER	Swimming Pool water	Mixed Liquor Volatile Suspended Solids	APHA 23rd ed:
1101	CHEMICAL- WATER	Swimming Pool water	Nitrate	IS 3025(Part-34)
1102	CHEMICAL- WATER	Swimming Pool water	Nitrite Nitrogen	IS 3025(Part-34)
1103	CHEMICAL- WATER	Swimming Pool Water	Oil & Grease	IS 3025(Part-39)
1104	CHEMICAL- WATER	Swimming Pool water	Oxygen Absorbed in 4 Hrs	IS 3025(Part-63)
1105	CHEMICAL- WATER	Swimming Pool water	Permanganate Value	APHA 23rd ed(4500-B)
1106	CHEMICAL- WATER	Swimming Pool Water	pH	IS 3025(Part-11)
1107	CHEMICAL- WATER	Swimming Pool Water	Phenol	IS 3025(Part-43)
1108	CHEMICAL- WATER	Swimming Pool Water	Phosphate Content	IS0 23241-2
1109	CHEMICAL- WATER	Swimming Pool Water	Residual Free Chlorine	IS 3025(Part-26)
1110	CHEMICAL- WATER	Swimming Pool Water	Settable Solids	APHA 23rd ed:-2540
1111	CHEMICAL- WATER	Swimming Pool Water	Settle Sludge Volume	APHA 23rd ed-2710
1112	CHEMICAL- WATER	Swimming Pool Water	Sludge Volume Index	APHA 23rd ed-2710
1113	CHEMICAL- WATER	Swimming Pool Water	Specific Conductance	IS 3025(Part-14)
1114	CHEMICAL- WATER	Swimming Pool Water	Sulphate	IS 3025(Part-24)
1115	CHEMICAL- WATER	Swimming Pool Water	Sulphide	IS 3025(Part-29)
1116	CHEMICAL- WATER	Swimming Pool Water	Sulphite	IS 3025(Part-28)
1117	CHEMICAL- WATER	Swimming Pool Water	Temperature	IS 3025(Part-9)
1118	CHEMICAL- WATER	Swimming Pool Water	Total Dissolved Solids	IS 3025(Part-16)
1119	CHEMICAL- WATER	Swimming Pool Water	Total Hardness	IS 3025(Part-21)
1120	CHEMICAL- WATER	Swimming Pool Water	Total Suspended Solids	IS 3025(Part-17)
1121	CHEMICAL- WATER	Swimming Pool water	Turbidity	IS 3025(Part-10)
1122	CHEMICAL- WATER	Swimming Pool Water	Volatile & Fixed Residue	IS 3025(Part-18)
1123	CHEMICAL- WATER	Tube well Water	Insoluble Matter content	IS0 23241-2
1124	CHEMICAL- WATER	Tube well Water	Alkalinity	IS 3025(Part-23)
1125	CHEMICAL- WATER	Tube Well Water	Aluminium	IS 3025(Part-55)
1126	CHEMICAL- WATER	Tube Well Water	Ammonia	IS 3025(Part-34)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 51 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1127	CHEMICAL- WATER	Tube Well water	Anionic Detergent	IS 13428(PART-K)
1128	CHEMICAL- WATER	Tube Well Water	Biological Oxygen Demand	IS 3025(Part-44)
1129	CHEMICAL- WATER	Tube Well Water	Borate	IS 13428
1130	CHEMICAL- WATER	Tube Well water	Boron	IS 3025(Part-57)
1131	CHEMICAL- WATER	Tube well Water	Calcium	IS 3025(Part-40)
1132	CHEMICAL- WATER	Tube well Water	Carbonate & Bicarbonate	IS 3025(Part 51)
1133	CHEMICAL- WATER	Tube Well Water	Chemical Oxygen Demand	IS 3025(PART-58)
1134	CHEMICAL- WATER	Tube well water	Chloride	IS 3025(Part-32)
1135	CHEMICAL- WATER	Tube well Water	Color	iS 3025(Part-4)
1136	CHEMICAL- WATER	Tube well Water	Dissolved oxygen	Is 3025(Part-38)
1137	CHEMICAL- WATER	Tube Well Water	Fluoride	IS 3025(Part-60)
1138	CHEMICAL- WATER	Tube well water	Free Carbon dioxide	APHA 23rd ed(4500-C)
1139	CHEMICAL- WATER	Tube Well water	Magnesium	IS 3025(Part-46)
1140	CHEMICAL- WATER	Tube well Water	Mineral Oil	IS 3025(Part-39)
1141	CHEMICAL- WATER	Tube Well Water	Mixed Liquor Suspended Solids	APHA 23rd Ed
1142	CHEMICAL- WATER	Tube well Water	Mixed Liquor Volatile Suspended solids	APHA 23rd ed:
1143	CHEMICAL- WATER	Tube Well Water	Nitrate	IS 3025(Part-34)
1144	CHEMICAL- WATER	Tube Well Water	Nitrite Nitrogen	IS 3025(Part-34)
1145	CHEMICAL- WATER	Tube Well Water	Oil & Grease	IS 30259(Part-39)
1146	CHEMICAL- WATER	Tube well water	Oxygen Absorbed In 4 Hrs	IS 3025(Part-63)
1147	CHEMICAL- WATER	Tube well Water	Permanganate Value	APHA 23rd ed(4500-B)
1148	CHEMICAL- WATER	Tube well water	pH	IS 3025(Part-11)
1149	CHEMICAL- WATER	Tube well Water	Phenol	IS 3025(Part-43)
1150	CHEMICAL- WATER	Tube well Water	Phosphate content	IS0 23241-2
1151	CHEMICAL- WATER	Tube well Water	Residual Free Chlorine	IS 3025(Part26)
1152	CHEMICAL- WATER	Tube well water	Settable Solids	APHA-23rd edition-2540
1153	CHEMICAL- WATER	Tube well Water	Settle Sludge Volume	APHA 23rd ed-2710
1154	CHEMICAL- WATER	Tube well water	Sludge Volume Index	APHA 23rd ed-2710
1155	CHEMICAL- WATER	Tube Well Water	Specific Conductance	IS 3025(Part-14)
1156	CHEMICAL- WATER	Tube well water	Sulphate	IS 3025(Part-24)

SCOPE OF ACCREDITATION

Laboratory Name : NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6366 **Page No** 52 of 53

Validity 03/08/2022 to 02/08/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1157	CHEMICAL- WATER	Tube well Water	Sulphide	IS 3025(Part-29)
1158	CHEMICAL- WATER	Tube well water	Sulphite	IS 3025(Part-28)
1159	CHEMICAL- WATER	Tube Well Water	Temperature	IS 3025(Part-9)
1160	CHEMICAL- WATER	Tube Well Water	Total Dissolved Solids	IS 3025(Part-16)
1161	CHEMICAL- WATER	Tube well Water	Total Hardness	IS 3025(Part-21)
1162	CHEMICAL- WATER	Tube Well water	Total Suspended Solids	Is 3025(Part17)
1163	CHEMICAL- WATER	Tube Well Water	Turbidity	IS 3025(Part-10)
1164	CHEMICAL- WATER	Tube well water	Volatile & Fixed Residue	IS 3025(Part-18)
1165	CHEMICAL- WATER	Water from purifiers	Alkalinity	IS 3025(PART-23)
1166	CHEMICAL- WATER	Water from purifiers	Aluminium	IS 3025(PART-55)
1167	CHEMICAL- WATER	Water from purifiers	Ammonia	IS 3025(PART-34)
1168	CHEMICAL- WATER	Water from purifiers	Anionic Detergent	IS 13428(PART-K)
1169	CHEMICAL- WATER	Water from purifiers	Biological Oxygen Demand	IS 3025(PART-44)
1170	CHEMICAL- WATER	Water from purifiers	Borate	IS 13428
1171	CHEMICAL- WATER	Water from purifiers	Boron	IS 3025(PART-57)
1172	CHEMICAL- WATER	Water from purifiers	Calcium	IS 3025(PART-40)
1173	CHEMICAL- WATER	Water from purifiers	Carbonate & Bicarbonate	IS 3025(Part 51)
1174	CHEMICAL- WATER	Water from purifiers	Chemical Oxygen Demand	IS 3025(PART-58)
1175	CHEMICAL- WATER	Water from purifiers	Chloride	IS 3025(PART-32)
1176	CHEMICAL- WATER	Water from purifiers	Color	IS 3025(PART-4)
1177	CHEMICAL- WATER	Water from purifiers	Dissolved Oxygen	IS 3025(PART-38)
1178	CHEMICAL- WATER	Water from purifiers	Fluoride	IS 3025(PART-60)
1179	CHEMICAL- WATER	Water from purifiers	Free Carbon Dioxide	APHA-23rd ed(4500-C)
1180	CHEMICAL- WATER	Water from purifiers	Insoluble Matter Content	ISO 23241-2
1181	CHEMICAL- WATER	Water from purifiers	Magnesium	IS 3025(PART-46)
1182	CHEMICAL- WATER	Water from purifiers	Mineral Oil	IS 3025(PART-39)
1183	CHEMICAL- WATER	Water from purifiers	Mixed Liquor Suspended Solids	APHA 23rd Ed
1184	CHEMICAL- WATER	Water from purifiers	Mixed Liquor Volatile Suspended solids	APHA 23rd ed
1185	CHEMICAL- WATER	Water from purifiers	Nitrate	IS 3025(PART-34)
1186	CHEMICAL- WATER	Water from purifiers	Nitrite Nitrogen	IS 3025(PART-34)

National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	NITYA LABORATORIES, 43, SECTOR-1A EXT., BHALLA ENCLAVE, CHANNI HIMMAT, JAMMU, JAMMU AND KASHMIR, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6366	**Page No**	53 of 53
Validity	03/08/2022 to 02/08/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1187	CHEMICAL- WATER	Water from purifiers	Oil & Grease	IS 3025(PART-39)
1188	CHEMICAL- WATER	Water from purifiers	Oxygen absorbed in 4 hrs	IS 3025(PART-63)
1189	CHEMICAL- WATER	Water from purifiers	Permanganate Value	APHA 23rd ed(4500-B)
1190	CHEMICAL- WATER	Water from purifiers	pH	IS 3025(PART-11)
1191	CHEMICAL- WATER	Water from purifiers	Phenol	IS 3025(PART-43)
1192	CHEMICAL- WATER	Water from purifiers	Phosphate content	ISO 23241-2
1193	CHEMICAL- WATER	Water from purifiers	Residual Free Chlorine	IS 3025(PART-26)
1194	CHEMICAL- WATER	Water from purifiers	Settable Solids	APHA-23rd edition-2540
1195	CHEMICAL- WATER	Water from purifiers	Settle Sludge Volume	APHA-23rd ed-2710
1196	CHEMICAL- WATER	Water from purifiers	Sludge Volume Index	APHA-23rd ed-2710
1197	CHEMICAL- WATER	Water from purifiers	Specific Conductance	IS 3025(PART-14)
1198	CHEMICAL- WATER	Water from purifiers	Sulphate	IS 3025(PART-24)
1199	CHEMICAL- WATER	Water from purifiers	Sulphide	IS 3025(PART-28)
1200	CHEMICAL- WATER	Water from purifiers	Sulphide	IS 3025(PART-29)
1201	CHEMICAL- WATER	Water from purifiers	Temperature	IS 3025(PART-9)
1202	CHEMICAL- WATER	Water from purifiers	Total Dissolved Solids	IS 3025(PART-16)
1203	CHEMICAL- WATER	Water from purifiers	Total Hardness	IS 3025(PART-21)
1204	CHEMICAL- WATER	Water from purifiers	Total suspended solids	IS 3025(PART-17)
1205	CHEMICAL- WATER	Water from purifiers	Turbidity	IS 3025(PART-10)
1206	CHEMICAL- WATER	Water from purifiers	Volatile & Fixed Residue	IS 3025(PART-18)

NOTE- The Laboratory has demonstrated competence for the stated scope for WATER. This however does not fully cover the specification requirements of BIS for the Packaged Drinking Water as per IS 14543 and the Packaged Natural Mineral Water IS 13428.