# National Accreditation Board for Testing and Calibration Laboratories

## SCOPE OF ACCREDITATION

**Laboratory Name :** EMC TEST CENTRE, QUALITY ASSURANCE DIVISION, BHARAT ELECTRONICS LTD., JALAHALLI POST, BENGALURU, KARNATAKA, INDIA

**Accreditation Standard** ISO/IEC 17025:2017

**Certificate Number** TC-7372 **Page No** 1 of 8

**Validity** 22/07/2022 to 21/07/2024 **Last Amended on** 03/08/2022

| S.No | Discipline / Group | Materials or Products tested | Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed | Test Method Specification against which tests are performed and / or the techniques / equipment used |
|---|---|---|---|---|
| Permanent Facility | | | | |
| 1 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Magnetic & Electric Fields, Spikes & Power Frequencies | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-461C (RS02) |
| 2 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Magnetic & Electric Fields, Spikes & Power Frequencies | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-462 (RS02) |
| 3 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - DC Magnetic Field | DC Magnetic Field | ISO 11452- 8:2015 |
| 4 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Electric Field | Radiated Emission | "Withdrawn Standard" MIL-STD-461C (UM03) |
| 5 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Electric Field | Radiated Emission | "Withdrawn Standard" MIL-STD-461C (UM04) |
| 6 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Electric Field | Radiated Emission | "Withdrawn Standard" MIL-STD-461C (UM05) |
| 7 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Electric Field | RF Radiated Susceptibility | IEC 61000-4-3 |
| 8 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Magnetic Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-462D (RS101) |
| 9 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Magnetic Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-461C (RS01) |
| 10 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Magnetic Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-461D (RS101) |
| 11 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Magnetic Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-461F (RS101) |
| 12 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-461E (CE101) |
| 13 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-461C(CE03) |
| 14 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-461C(UM05) |
| 15 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-461D (CE101) |
| 16 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-461D (CE102) |
| 17 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-461E (CE102) |
| 18 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-461F (CE101) |

# SCOPE OF ACCREDITATION

| | | | |
|---|---|---|---|
| **Laboratory Name :** | EMC TEST CENTRE, QUALITY ASSURANCE DIVISION, BHARAT ELECTRONICS LTD., JALAHALLI POST, BENGALURU, KARNATAKA, INDIA | | |
| **Accreditation Standard** | ISO/IEC 17025:2017 | | |
| **Certificate Number** | TC-7372 | **Page No** | 2 of 8 |
| **Validity** | 22/07/2022 to 21/07/2024 | **Last Amended on** | 03/08/2022 |

| S.No | Discipline / Group | Materials or Products tested | Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed | Test Method Specification against which tests are performed and / or the techniques / equipment used |
|---|---|---|---|---|
| 19 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-461F (CE102) |
| 20 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-462 (CE01) |
| 21 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-462 (CE03) |
| 22 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-462D (CE102) |
| 23 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | MIL-STD- 461G (CE102) |
| 24 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | MIL-STD-461G (CE101) |
| 25 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461C (CS03) |
| 26 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461C (CS04) |
| 27 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461C (CS05) |
| 28 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461D (CS104) |
| 29 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461E (CS103) |
| 30 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461E (CS105) |
| 31 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461F (CS103) |
| 32 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-462 (CS04) |
| 33 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-462D (CS104) |
| 34 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461E (CS104) |
| 35 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461F (CS104) |
| 36 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461D (CS103) |
| 37 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461D (CS103) |

# SCOPE OF ACCREDITATION

| | | | |
|---|---|---|---|
| **Laboratory Name :** | EMC TEST CENTRE, QUALITY ASSURANCE DIVISION, BHARAT ELECTRONICS LTD., JALAHALLI POST, BENGALURU, KARNATAKA, INDIA | | |
| **Accreditation Standard** | ISO/IEC 17025:2017 | | |
| **Certificate Number** | TC-7372 | **Page No** | 3 of 8 |
| **Validity** | 22/07/2022 to 21/07/2024 | **Last Amended on** | 03/08/2022 |

| S.No | Discipline / Group | Materials or Products tested | Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed | Test Method Specification against which tests are performed and / or the techniques / equipment used |
|---|---|---|---|---|
| 38 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461D (CS105) |
| 39 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461F (CS105) |
| 40 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-462 (CS03) |
| 41 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-462 (CS05) |
| 42 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-462D (CS105) |
| 43 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | MIL-STD- 461G (CS104) |
| 44 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | MIL-STD-461G (CS103) |
| 45 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Bulk Cable Injection | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461F (CS115) |
| 46 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Bulk Cable Injection | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461D (CS114) |
| 47 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Bulk Cable Injection | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461D (CS115) |
| 48 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Bulk Cable Injection | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461E (CS115) |
| 49 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Bulk Cable Injection | Conducted RF Susceptibility | MIL-STD- 461G (CS115) |
| 50 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Forward Power Interconnecting Control Leads | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461C (CS02) |
| 51 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Forward Power Interconnecting Control Leads | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-462 (CS02) |
| 52 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Magnetic Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-462: (RS01) |
| 53 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Magnetic Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-461E (RS101) |
| 54 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Magnetic Field | RF Radiated Susceptibility | MIL-STD-461G (RS101) |
| 55 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Power Leads | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461C (CS101) |
| 56 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Power Leads | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461D (CS101) |

# SCOPE OF ACCREDITATION

| | | | |
|---|---|---|---|
| **Laboratory Name :** | EMC TEST CENTRE, QUALITY ASSURANCE DIVISION, BHARAT ELECTRONICS LTD., JALAHALLI POST, BENGALURU, KARNATAKA, INDIA | | |
| **Accreditation Standard** | ISO/IEC 17025:2017 | | |
| **Certificate Number** | TC-7372 | **Page No** | 4 of 8 |
| **Validity** | 22/07/2022 to 21/07/2024 | **Last Amended on** | 03/08/2022 |

| S.No | Discipline / Group | Materials or Products tested | Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed | Test Method Specification against which tests are performed and / or the techniques / equipment used |
|---|---|---|---|---|
| 57 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Power Leads | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461E (CS101) |
| 58 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Power Leads | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461F (CS101) |
| 59 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Power Leads | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-462 (CS101) |
| 60 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Power Leads | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-462D (CS101) |
| 61 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Power Leads | Conducted RF Susceptibility | MIL-STD-461G (CS101) |
| 62 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Power Leads Spikes Time Domain | Conducted Emission | "Withdrawn Standard" MIL-STD-461C (CE07) |
| 63 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Spikes Power Lead | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461C (CS06) |
| 64 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Spikes Power Lead | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-462 (CS06) |
| 65 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Structure (CM) Current | Conducted RF Susceptibility | MIL-STD- 461G (CS109) |
| 66 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment- Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-461C (CE101) |
| 67 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Electrical Fast Transient Burst for Signal and Power lines | IEC-61000-4-4 |
| 68 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Electrostatic Discharge | IEC 61000-4-2 |
| 69 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Electrostatic Discharge | MIL-STD- 461G (CS118) |
| 70 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Power Quality | "Withdrawn Standard" MIL-STD-704E |
| 71 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Power Quality | "Withdrawn Standard" MIL-STD-704D |
| 72 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Power Quality | MIL-STD-704F |
| 73 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Power Quality-Starting disturbance limits - Envelope of surge | "Withdrawn Standard" MIL-STD-1275D |
| 74 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Power Quality-Starting disturbance limits - Injected voltage Surges | MIL-STD-1275E |

# SCOPE OF ACCREDITATION

| | | | |
|---|---|---|---|
| **Laboratory Name :** | EMC TEST CENTRE, QUALITY ASSURANCE DIVISION, BHARAT ELECTRONICS LTD., JALAHALLI POST, BENGALURU, KARNATAKA, INDIA | | |
| **Accreditation Standard** | ISO/IEC 17025:2017 | | |
| **Certificate Number** | TC-7372 | **Page No** | 5 of 8 |
| **Validity** | 22/07/2022 to 21/07/2024 | **Last Amended on** | 03/08/2022 |

| S.No | Discipline / Group | Materials or Products tested | Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed | Test Method Specification against which tests are performed and / or the techniques / equipment used |
|---|---|---|---|---|
| 75 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Pulsed magnetic field | "Withdrawn Standard" IEC 61000-4-9 |
| 76 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Ring Wave Power lines | IEC 61000-4-12 |
| 77 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Surge for Power lines<br>Voltage:Rise time / Pulse width<br>Current:Rise time / Pulse width | IEC 61000-4-5 |
| 78 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Voltage Dips, Short interruption & Voltage Variation | IEC 61000-4-11 |
| 79 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment | Voltage Dips, Short interruption & Voltage Variation | IEC 61000-4-29 |
| 80 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - HEMP Filters | Pulsed Current Injection | PCI MIL-STD-188-125-2 |
| 81 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - HEMP Filters | Pulsed Current Injection | PCI MIL-STD-188-125-1 |
| 82 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - HEMP Filters | Shielding Effectiveness-Magnetic field-Electric field | MIL-STD-285 |
| 83 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-461C (UM04) |
| 84 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment - Power Leads | Conducted Emission | "Withdrawn Standard" MIL-STD-462D (CE101) |
| 85 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Antenna Ports | Conducted RF Susceptibility | MIL-STD-461G (CS105) |
| 86 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Bulk Cable Injection | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461E (CS114) |
| 87 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Bulk Cable Injection | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461F (CS114) |
| 88 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Bulk Cable Injection | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-462D (CS114) |
| 89 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Bulk Cable Injection | Conducted RF Susceptibility | MIL-STD- 461G (CS114) |
| 90 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Bulk Cable Injection | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-462D (CS115) |
| 91 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Bulk Cable Injection | Conducted RF Susceptibility Test | MIL-STD- 461G (CS116) |
| 92 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Power Leads Spikes Time Domain | Conducted Emission | "Withdrawn Standard" MIL-STD-462 (CE07) |

# SCOPE OF ACCREDITATION

| | | | |
|---|---|---|---|
| **Laboratory Name :** | EMC TEST CENTRE, QUALITY ASSURANCE DIVISION, BHARAT ELECTRONICS LTD., JALAHALLI POST, BENGALURU, KARNATAKA, INDIA | | |
| **Accreditation Standard** | ISO/IEC 17025:2017 | | |
| **Certificate Number** | TC-7372 | **Page No** | 6 of 8 |
| **Validity** | 22/07/2022 to 21/07/2024 | **Last Amended on** | 03/08/2022 |

| S.No | Discipline / Group | Materials or Products tested | Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed | Test Method Specification against which tests are performed and / or the techniques / equipment used |
|---|---|---|---|---|
| 93 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Spikes Power Lead | Conducted RF Susceptibility | MIL-STD-461F (CS106) |
| 94 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Structure (CM) Current | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD- 461C (CS09) |
| 95 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Structure (CM) Current | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD- 461D (CS109) |
| 96 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Structure (CM) Current | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD- 462D (CS109) |
| 97 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Structure (CM) Current | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461C (CS09) |
| 98 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Structure (CM) Current | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461F (CS109) |
| 99 | ELECTRONICS- EMC TEST FACILITY | Electrical & Electronic Equipment -Structure (CM) Current | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD-461E (CS109) |
| 100 | ELECTRONICS- EMC TEST FACILITY | Electrical / Electronic Systems | External RF EME for ground systems | MIL-STD-464C |
| 101 | ELECTRONICS- EMC TEST FACILITY | Electrical / Electronic Systems | External RF EME for ground systems | "Withdrawn Standard" MIL-STD-464A |
| 102 | ELECTRONICS- EMC TEST FACILITY | Electrical / Electronic Systems | External RF EME for ground systems | "Withdrawn Standard" MIL-STD-464B |
| 103 | ELECTRONICS- EMC TEST FACILITY | Electrical /Electronic Equipment -Damped Sinusoidal Transients, Cable and Power Leads | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD- 461D (CS116) |
| 104 | ELECTRONICS- EMC TEST FACILITY | Electrical /Electronic Equipment -Damped Sinusoidal Transients, Cable and Power Leads | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD- 461E (CS116) |
| 105 | ELECTRONICS- EMC TEST FACILITY | Electrical /Electronic Equipment -Damped Sinusoidal Transients, Cable and Power Leads | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD- 461F (CS116) |
| 106 | ELECTRONICS- EMC TEST FACILITY | Electrical /Electronic Equipment -Damped Sinusoidal Transients, Cable and Power Leads | Conducted RF Susceptibility | "Withdrawn Standard" MIL-STD- 462D (CS116) |
| 107 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment - Electric Field | Radiated Emission | "Withdrawn Standard" MIL-STD-461C (RE02) |
| 108 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment - Electric FIELD | Radiated Emission | "Withdrawn Standard" MIL-STD-461D (RE102) |
| 109 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment - Electric Field | Radiated Emission | "Withdrawn Standard" MIL-STD-461E (RE102) |
| 110 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment - Electric Field | Radiated Emission | "Withdrawn Standard" MIL-STD-461F (RE102) |
| 111 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment - Electric Field | Radiated Emission | "Withdrawn Standard" MIL-STD-462 (RE02) |

# SCOPE OF ACCREDITATION

| | | | |
|---|---|---|---|
| **Laboratory Name :** | EMC TEST CENTRE, QUALITY ASSURANCE DIVISION, BHARAT ELECTRONICS LTD., JALAHALLI POST, BENGALURU, KARNATAKA, INDIA | | |
| **Accreditation Standard** | ISO/IEC 17025:2017 | | |
| **Certificate Number** | TC-7372 | **Page No** | 7 of 8 |
| **Validity** | 22/07/2022 to 21/07/2024 | **Last Amended on** | 03/08/2022 |

| S.No | Discipline / Group | Materials or Products tested | Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed | Test Method Specification against which tests are performed and / or the techniques / equipment used |
|---|---|---|---|---|
| 112 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment - Electric Field | Radiated Emission | "Withdrawn Standard" MIL-STD-462D (RE102) |
| 113 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment - Electric Field | Radiated Emission | MIL-STD-461G (RE102) |
| 114 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment -Magnetic Field | Radiated Emission | "Withdrawn Standard" MIL-STD-461E (RE101) |
| 115 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment -Magnetic Field | Radiated Emission | "Withdrawn Standard" MIL-STD-461F (RE101) |
| 116 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment -Magnetic Field | Radiated Emission | "Withdrawn Standard" MIL-STD-462D (RE101) |
| 117 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment -Magnetic Field | Radiated Emission | "Withdrawn Standard" MIL-STD-461C (RE01) |
| 118 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment -Magnetic Field | Radiated Emission | "Withdrawn Standard" MIL-STD-461D (RE101) |
| 119 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment -Magnetic Field | Radiated Emission | "Withdrawn Standard" MIL-STD-462 (RE01) |
| 120 | ELECTRONICS- EMC TEST FACILITY | Electrical& Electronic Equipment -Magnetic Field | Radiated Emission | MIL-STD-461G (RE101) |
| 121 | ELECTRONICS- EMC TEST FACILITY | Electrical/Electronic Equipment - Electric Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-461C (RS03) |
| 122 | ELECTRONICS- EMC TEST FACILITY | Electrical/Electronic Equipment - Electric Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-462 (RS03) |
| 123 | ELECTRONICS- EMC TEST FACILITY | Electrical/Electronic Equipment - Electric Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-461D (RS103) |
| 124 | ELECTRONICS- EMC TEST FACILITY | Electrical/Electronic Equipment – Electric Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-461C (UM03) |
| 125 | ELECTRONICS- EMC TEST FACILITY | Electrical/Electronic Equipment – Electric Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-461C (UM04) |
| 126 | ELECTRONICS- EMC TEST FACILITY | Electrical/Electronic Equipment – Electric Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-461C (UM05) |
| 127 | ELECTRONICS- EMC TEST FACILITY | Electrical/Electronic Equipment – Electric Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-461E (RS103) |
| 128 | ELECTRONICS- EMC TEST FACILITY | Electrical/Electronic Equipment – Electric Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-461F (RS103) |
| 129 | ELECTRONICS- EMC TEST FACILITY | Electrical/Electronic Equipment – Electric Field | RF Radiated Susceptibility | "Withdrawn Standard" MIL-STD-462D (RS103) |
| 130 | ELECTRONICS- EMC TEST FACILITY | Electrical/Electronic Equipment – Electric Field | RF Radiated Susceptibility | MIL-STD-461G (RS103) |

# SCOPE OF ACCREDITATION

| | | | |
|---|---|---|---|
| **Laboratory Name :** | EMC TEST CENTRE, QUALITY ASSURANCE DIVISION, BHARAT ELECTRONICS LTD., JALAHALLI POST, BENGALURU, KARNATAKA, INDIA | | |
| **Accreditation Standard** | ISO/IEC 17025:2017 | | |
| **Certificate Number** | TC-7372 | **Page No** | 8 of 8 |
| **Validity** | 22/07/2022 to 21/07/2024 | **Last Amended on** | 03/08/2022 |

| S.No | Discipline / Group | Materials or Products tested | Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed | Test Method Specification against which tests are performed and / or the techniques / equipment used |
|---|---|---|---|---|
| 131 | ELECTRONICS- EMC TEST FACILITY | Electronic Equipment Conducted Emissions- Antenna Terminals | Conducted Emission | "Withdrawn Standard" MIL-STD-461D (CE106) |
| 132 | ELECTRONICS- EMC TEST FACILITY | Electronic Equipment Conducted Emissions-Antenna Terminals | Conducted Emission | "Withdrawn Standard" MIL-STD-461E (CE106) |
| 133 | ELECTRONICS- EMC TEST FACILITY | Electronic Equipment Conducted Emissions-Antenna Terminals | Conducted Emission | "Withdrawn Standard" MIL-STD-461C (CE06) |
| 134 | ELECTRONICS- EMC TEST FACILITY | Electronic Equipment Conducted Emissions-Antenna Terminals | Conducted Emission | "Withdrawn Standard" MIL-STD-461F (CE106) |
| 135 | ELECTRONICS- EMC TEST FACILITY | Electronic Equipment - Antenna Terminals | Conducted Emission | "Withdrawn Standard" MIL-STD-462D (CE106) |
| 136 | ELECTRONICS- EMC TEST FACILITY | Electronic Equipment Conducted Emissions-Antenna Terminals | Conducted Emission | "Withdrawn Standard" MIL-STD-462 (CE06) |
| 137 | ELECTRONICS- EMC TEST FACILITY | Electronic Equipment- Antenna Terminals | Conducted Emission | MIL-STD- 461G (CE106) |
| 138 | ELECTRONICS- EMC TEST FACILITY | Shielded Enclosures/Containers for Housing Electronic Equipment/Subsystems | Shielding Effectiveness-Magnetic field-Electric field | MIL-STD-188-125-1 |
| 139 | ELECTRONICS- EMC TEST FACILITY | Shielded Enclosures/Containers for Housing Electronic Equipment/Subsystems | Shielding Effectiveness-Magnetic field-Electric field | MIL-STD-188-125-2 |
| 140 | ELECTRONICS- EMC TEST FACILITY | Shielded Enclosures/Containers for Housing Electronic Equipment/Subsystems | Shielding Effectiveness-Magnetic field-Electric field | IEEE 299 |