National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 1 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	EN 61000-4-6
2	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IS 14700 (Part 4 /Sec VI)
3	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 61000-4-6
4	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 61000-4-4
5	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61000-4-4
6	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IS 14700 (Part 4/Sec IV)
7	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61000-4-2
8	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Electrostatic Discharge Immunity Test (2kV to 30kV)	IS 14700 (Part 4/ Sec 2)
9	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Electrostatic Discharge Immunity Test(2kV to 30kV)	EN 61000-4-2
10	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Harmonic Current Emission (Up to 40th Harmonics)	EN 61000-3-2, Clause 6.2
11	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61000-3-2+AMD1 (Clause 7.4.3)
12	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Harmonic Current Emission (Up to 40th Harmonics)	IS 14700 (Part 3/Sec 2),Clause.7
13	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61000-4-5 + Amd1
14	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61000-4-5 + Amd 1
15	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IS 14700 (Part 4 /Sec V)

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 2 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
16	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61000-3-3, Clause no.5
17	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61000-3-3+AMD1+A2, Clause no.5
18	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IS 14700 (Part 3/Sec 2)
19	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product Industrial, scientific and medical equipment	Conducted Emission Test	Clause 6.2.1.3 ,CISPR11+AMD1+AMD2
20	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product Industrial, scientific and medical equipment	Conducted Emission Test	EN 55011 (Clause 5.1)+A2
21	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60730-1+ A1 (Clause H.26)
22	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60730-1 +A1+A2, (Clause H 26)
23	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60730-2-9+ A1+A2 (clause H 26)
24	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Click test	EN 60730-1 +A1 (Clause 23)
25	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Click test	IEC 60730-1 +A1+A2 (Clause 23)
26	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Click test	IEC 60730-2-9 +A1+A2 (Clause 23)
27	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Conducted Emission Test	EN 60730-1+ A1 (Clause 23)
28	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Conducted Emission Test	EN 60730-1+ A1, (Clause 26)
29	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Conducted Emission Test	IEC 60730-2-9 +A1+ A2, (Clause 23)
30	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Conducted RF Immunity Test ((150 kHz to 230 MHz, Up to 15Vrms)	EN 60730-1+ A1, (Clause 26)
31	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 60730-1+ A1+A2 (Clause 24,H24,h 12, H 26, Annex J)
32	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 60730-2-9 +A1+ A2 (Clause 12 & clause H 26,27)

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 3 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
33	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 60730-1+A1 (Clause H 26)
34	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60730-1 + A1+A2, (Clause H 26)
35	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60730-2-9 + A1+ A2 (Clause H 26, 23)
36	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Harmonic Current Emission (Up to 40th Harmonics)	EN 60730-1+A1 (Clause no 23)
37	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Harmonic Current Emission (Up to 40th Harmonics)	IEC 60730-1+A1+A2, (Clause 23)
38	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Harmonic Current Emission (Up to 40th Harmonics)	IEC 60730-2-9 +A1+ A2 (Cl. 12)
39	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 60730-1+A1 (Clause H 26)
40	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60730-1 +A1+A2 (Clause H 26)
41	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Magnetic Field Immunity Test (1A/m- 100A/m)	IEC 60730-2-9+A1+ A2 (Cl. H 26)
42	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 60730-1+A1 (Cl. 26.14)
43	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 607301+A1 +A2 (Cl. 26.14)
44	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60730-1+A1 (Cl. H 26)
45	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60730-1+ A1+A2, (Cl H 26)
46	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60730-2-9 +A1+ A2, (Cl. H 26)
47	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 60730-1+A1, (Cl. H.23)
48	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 60730-1 +A1 +A2 (Cl. H.23)

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 4 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
49	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 60730-2-9+ A1 +A2 (Cl. H23)
50	ELECTRONICS- EMC TEST FACILITY	Automotive Vehicle and Electronic Sub Assembly (ESA)	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	ECE R10 Rev 5 (Clause 7.9)
51	ELECTRONICS- EMC TEST FACILITY	Automotive Vehicle and Electronic Sub Assembly (ESA)	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	ECE-R10 Rev 5.0 (Annex 12): 2014
52	ELECTRONICS- EMC TEST FACILITY	Automotive Vehicle and Electronic Sub Assembly (ESA)	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61800-3
53	ELECTRONICS- EMC TEST FACILITY	Automotive Electronic Sub Assembly (ESA)	Electrostatic Discharge Immunity Test (2kV to 30kV)	ISO 10605, Amd. 1
54	ELECTRONICS- EMC TEST FACILITY	Automotive Electronic Sub Assembly (ESA)	Electrostatic Discharge Immunity Test (2kV to 30kV)	SAE J1113
55	ELECTRONICS- EMC TEST FACILITY	Digital Equipment	Conducted Emission Test	FCC (Part 15) B
56	ELECTRONICS- EMC TEST FACILITY	Digital Equipment	Conducted Emission Test	FCC (Part 18)
57	ELECTRONICS- EMC TEST FACILITY	Electric vehicle conductive charging system	Conducted Emission Test	IEC 61851-21-2
58	ELECTRONICS- EMC TEST FACILITY	Electric vehicle conductive charging system	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61851-21-2
59	ELECTRONICS- EMC TEST FACILITY	Electric vehicle conductive charging system	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61851-21-2
60	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment’s	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61131-2
61	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment’s	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 60255-26
62	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment’s	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61800-3, Clause 3.1
63	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment’s	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 50121-3-2+A1 (Clause No. 8)
64	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment’s	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 50121-5+A1, Clause 1,2,3
65	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment’s	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 60945, Clause 10
66	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment’s	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61800-3, Clause 3.1

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	5 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
67	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61439-1,Clause 3.1.1, EN 61439-1
68	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	EN 50121-4 (Clause No.6.2) + A1
69	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	EN 61439-1, Clause 3.1.1
70	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	EN 50155, clause 1,2,3,4,5,9,11,13
71	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 60255-1
72	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 60945, Clause 10
73	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	EN 60255-1
74	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 60571
75	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 61131-2
76	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 62236-3-2 (Cl. 8)
77	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 60255-1
78	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61131-2
79	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61439-1
80	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60255-1

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	6 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
81	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60255-26
82	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60571
83	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60945
84	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61800-3
85	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 50121-3-2+A1 (Clause No. 8)
86	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 50121-4+A1 (Clause No.6.2)
87	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 50121-5:(Clause No.6)+A1
88	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 50155 (Clause No. 13.4.8)
89	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 60945, Clause 10
90	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61800-3 (Clause 5.3)
91	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61131-2 (Clause 7.3.1)
92	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61439-1 (Clause J.10.12.1)
93	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 62236-3-2 (Clause 8)
94	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60945

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 7 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
95	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61131-2
96	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61800-3 (Clause 5.3)
97	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60255-1: (Clause 6.15)
98	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61131-2: (Clause 8&9)
99	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61439-1 (Clause J.10.12.1)
100	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61800-3 (Clause 5.3)
101	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60255-1 (Clause 6.15)
102	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60255-26 (Clause 6&7)
103	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60945, Clause 10
104	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61439-1
105	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 60255-1
106	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61000-4-8
107	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61131-2
108	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 60255-1
109	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 60255-26

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 8 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
110	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61000-4-8
111	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	IS 14700 (Part 4 /Sec 8)
112	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	EN IEC 61439-1
113	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61131-2 (Clause 7.3.1)
114	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61439-1 (Clause J.10.12.1)
115	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61000-4-11 +Amd1
116	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61000-4-29
117	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61000-4-34
118	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61000-4- 34 + AMD1
119	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61000-4-29
120	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61000-4-11
121	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IS 14700 (Part 4 /Sec 11) (Clause 7)
122	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment’s	Conducted Emission Test	(Clause 7.2) IEC 61131-2
123	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment’s	Conducted Emission Test	(Clause No. 13.4.8) EN 50155
124	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment’s	Conducted Emission Test	Clause 7.1.3, IEC 60255-26
125	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment’s	Conducted Emission Test	Clause 8.2.3 EN 61131-2

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	9 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
126	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	Clause 9.2 EN 60945
127	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	EN 50121-3-2
128	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	EN 50121-4
129	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	EN 50121-5
130	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	EN 60255-1
131	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	EN 61439-1
132	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	EN 61800-3
133	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	IEC 60255-1
134	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	IEC 60945
135	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	IEC 61800-3
136	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	(Clause 7.2) IEC 61131-2
137	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	(Clause 7) IEC 62236-3-2
138	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	(Clause J.10.12.2) IEC 61439-1
139	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	IEC 60571
140	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 60255-1
141	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 50121-3-2+A1 Clause No. 8
142	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 50121-4+A1 Clause No.6.2

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 10 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
143	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 50121-5+A1, Clause No.6
144	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 50155 Clause No. 13.4.8
145	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 60945
146	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 61131-2
147	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 61439-1
148	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61800-3:2018 (Clause 5.3)
149	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60255-1
150	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60255-26
151	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60571, Clause 12.2.8.3
152	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60945, Clause 10
153	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61131-2
154	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61439-1, (Clause J.10.12.1)
155	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61800-3
156	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 62236-3-2 (Clause 8)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	11 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
157	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60255-1
158	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61439-1
159	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60255-1
160	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60255-26
161	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61800-3 (Clause 5.3)
162	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61800-3 (Clause 5.3)
163	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 50121-3-2 +A1 , (Clause No. 8)
164	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 50121-4,+A1 (Clause No.6.2)
165	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 50121-5+ A1 (Clause No.6)
166	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 50155
167	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60945, Clause 10
168	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61131-2
169	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60571, Clause 12.2.8.2
170	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60945, Clause 10
171	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61131-2
172	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61439-1: (Clause J.10.12.1)
173	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 62236-3-2 (Clause 8)
174	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Harmonic Current Emission (Up to 40th Harmonics)	EN 61800-3,Clause 3.1
175	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61800-3 (Clause 6.2.3)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	12 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
176	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipments	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61800-3
177	ELECTRONICS- EMC TEST FACILITY	Electrical and Electronic Products	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61000-4-8
178	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) EN 61326-2-6
179	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) EN IEC 61326-2-5
180	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) IEC 61326-2-6
181	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(clause:7&7.2) EN 61326-1
182	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-1 (Clause 6)
183	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) EN 61326-2-2
184	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) EN 61326-2-4
185	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) IEC 61326-2-2
186	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) IEC 61326-2-3
187	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) IEC 61326-2-4
188	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) IEC 61326-2-5
189	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(clause:7&7.2) IEC 61326-1
190	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Cluase 7) EN 61326-2-3
191	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	EN 61326-2-1
192	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	IEC 61326-2-1
193	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61326-2-1
194	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61326-2-6

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	13 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
195	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61326-2-2
196	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61326-2-3
197	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61326-2-2
198	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61326-2-3
199	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61326-2-4
200	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN IEC 61326-1 (Clause 7)
201	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61326-2-1 (Clause 6)
202	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61326-2-4 (Clause 6)
203	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61326-2-5 (Clause 6)
204	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61326-2-6 (Clause 6.2)
205	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	EN 61326-2-5
206	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 61326-1 (Clause 7)
207	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-1, clause:6.2
208	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-2-1
209	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-2-2
210	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-2-3

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	14 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
211	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-2-4
212	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-2-5
213	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-2-6
214	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-1, clause:6.2; (Clause No.6)
215	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-2-1, (Clause 6)
216	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-2-2, (Clause No.6)
217	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-2-3 (Clause No.6)
218	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-2-4, (Clause No.6)
219	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-2-5 (Clause 6)
220	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-2-6 (Clause 6.2)
221	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-1 (Clause 6)
222	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-2-1 (Clause 6)
223	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-2-2 (Clause 6)
224	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-2-3 (Clause 6)
225	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-2-4 (Clause 6)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	15 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
226	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-2-5 (Clause 6)
227	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-2-6 (Clause 6.2)
228	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-2-1 (Clause 6)
229	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-2-2 (Clause 6)
230	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-2-3 (Clause 6)
231	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-2-4 (Clause 6)
232	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-2-5 (Clause 6)
233	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-2-6 (Clause 6.2)
234	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	EN IEC 61326-1
235	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	EN IEC 61326-2-2, (Clause 7)
236	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	EN IEC 61326-2-3
237	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	EN IEC 61326-2-4, Clause 7
238	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	EN IEC 61326-2-5, Clause 7
239	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	EN IEC 61326-2-6, Clause 7
240	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-1 (Clause 6)
241	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-1 (Clause 7)
242	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-1 (Clause 7)
243	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-2: (Clause 7)
244	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-3: (Clause 7)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	16 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
245	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-4: (Clause 7)
246	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-5 (Clause 7)
247	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-6 (Clause 7)
248	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61326-2-3
249	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 61326-1
250	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 61326-2-1
251	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 61326-2-2
252	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 61326-2-4
253	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 61326-2-5
254	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 61326-2-6
255	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-1 (Clause 6)
256	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-1 (Clause 6), Clause 6.2
257	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-2-1 (Clause 6)
258	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-2-2 (Clause 6)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	17 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
259	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-2-3 (Clause 6)
260	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-2-4 (Clause 6)
261	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-2-5 (Clause 6)
262	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-2-6 (Clause 6.2)
263	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-2-4
264	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-2-1
265	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-2-6, Clause 6
266	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-1, Clause 6.2
267	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-1, Clause 6
268	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-2-1, Clause 6
269	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-2-2 , Clause 6
270	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-2-3 , Clause 6
271	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-2-5 , Clause 6
272	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-2-6, Clause 6.2
273	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-2-2 (Clause 6)
274	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-2-3 (Clause 6)
275	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-2-4, Clause 6

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	18 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
276	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-2-5 , Clause 6
277	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-2-3
278	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-2-4
279	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-2-5
280	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-1: (Clause 6)
281	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-2-2: (Clause 6)
282	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	(Clause 9) EN IEC 61326-1
283	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61326-2-2, Clause 6
284	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61326-2-3 (Clause 6)
285	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61326-2-4 (Clause 6)
286	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61326-2-5 (Clause 6): 2
287	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61326-2-6 (Clause 6.2)
288	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN IEC 61326-2-1
289	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-2-1 (Clause 6)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	19 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
290	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-2-6 (Clause 6.2)
291	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-1 (Clause 7)
292	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-2-1
293	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-2-2 (Clause 7)
294	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-2-3 (Clause 7)
295	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-2-4: (Clause 7)
296	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-2-5 (Clause 7)
297	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-2-6
298	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-1
299	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-2-1 (Clause 7)
300	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-2-2 (Clause 7)
301	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-2-3
302	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-2-4: (Clause 7)
303	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-2-5 (Clause 7)
304	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-2-6: (Clause 7)
305	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 61547 (Clause No. 5.5)
306	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	Test Clause 5.6 EN 61547

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 20 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
307	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 61547 (Clause No. 5.3)
308	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 61547: (clause no.5.8)
309	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61547: (Clause No.5.5)
310	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61547 (clause No. 5.2)
311	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61547 (clause No. 5.2)
312	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61547 (Clause No. 5.7)
313	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61547 (Clause No. 5.7)
314	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61547 (Clause No. 5.4)
315	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61547: (clause no.5.4)
316	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61547
317	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61547: (clause no.5.8)
318	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted Emission Test	ANSI/AAMI/IEC 60601-1-2
319	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted Emission Test	EN 60601-1-2
320	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted Emission Test	EN 60601-1-2 Test Clause 7.1.1;Clause 36.201 & Clause 6.1
321	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted Emission Test	IEC 60601-1-2

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 21 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
322	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted Emission Test	IEC 60601-1-2 Test Clause 7.1.1;Clause 36.201;Test Clause 7.1 & Clause 6.1
323	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted Emission Test	IEC/EN 60601-1-2
324	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test ((150 kHz to 230 MHz,Up to 15Vrms)	EN 60601-1-2 +AC
325	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 60601-1-2+A1 Clause 33.100.10, 33.100.20 and 11.040.01
326	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 60601-1-2+AMD1 clause 33.100.10, 33.100.20 and 11.040.01
327	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	ANSI/AAMI/IEC 60601-1-2 ,Clause 6.2 & Clause 36.202
328	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 60601-1-2 + Amd 1
329	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 60601-1-2
330	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC/ EN 60601-1-2 clause 6.2 & Clause 36
331	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	ANSI/AAMI/IEC 60601-1-2
332	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 60601-1-2 + AC
333	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC/ EN 60601-1-2 clause 6.2; Clause 36
334	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 60601-1-2+A1
335	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60601-1-2 +AMD1, (Clause 8.9)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	22 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
336	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60601-1-2, + AMD1 ((Clause 8.9)
337	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	ANSI/AAMI/IEC 60601-1-2
338	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60601-1-2 + Amd 1
339	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60601-1-2 +AC
340	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60601-1-2 +AMD1 (Clause 8.9)
341	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60601-1-2
342	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60601-1-2, +AMD1 (Clause 8.9)
343	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC/ EN 60601-1-2 clause 6.2
344	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	ANSI/AAMI/IEC 60601-1-2
345	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	EN 60601-1-2 , Clause 7.2.1
346	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	EN 60601-1-2 + Amd 1
347	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	EN 60601-1-2 +AC
348	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	IEC 60601-1-2 , Clause 7.2.1
349	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	IEC 60601-1-2, Clause 7.2.1
350	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	IEC/ EN 60601-1-2 , Clause 6.1
351	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	ANSI/AAMI/IEC 60601-1-2
352	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC/EN 60601-1-2

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 23 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
353	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 60601-1-2+A1, Test Clause 36.202
354	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 60601-1-2+A1,Test Clause 36.202
355	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60601-1-2+AMD1 (Clause 8.9)
356	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Magnetic Field Immunity Test (1A/m to 100A/m)	ANSI/AAMI/IEC 60601-1-2
357	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Magnetic Field Immunity Test (1A/m to 100A/m)	Clause 8.9 IEC 60601-1-2
358	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 60601-1-2 , Clause 8.9
359	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 60601-1-2 +AC
360	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 60601-1-2, Clause 8.9
361	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC/ EN 60601-1-2 Clause 6.2
362	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60601-1-2
363	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60601-1-2 + AC
364	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60601-1-2
365	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	ANSI/AAMI/IEC 60601-1-2 (Clause 6.2)
366	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60601-1-2 +A1
367	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60601-1-2 +A1

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 24 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
368	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC/ EN 60601-1-2 Clause 36.202
369	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	ANSI/AAMI/IEC 60601-1-2
370	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 60601-1-2 : 2015 Clause 7.2.2
371	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 60601-1-2 : 2015 Clause 7.2.2
372	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 60601-1-2 + AC
373	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 60601-1-2 : 2014 Clause 7.2.2
374	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 60601-1-2 : 2014 Clause 7.2.2
375	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC/EN 60601-1-2
376	ELECTRONICS- EMC TEST FACILITY	Electromagnetic compatibility of multimedia equipment	Conducted Emission Test	CISPR 32 (Clause No.A.3)
377	ELECTRONICS- EMC TEST FACILITY	Electromagnetic compatibility of multimedia equipment	Conducted Emission Test	EN 55032
378	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Click test	CISPR 14-1 (clause 4.4)
379	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Click test	EN 55014-1+A11 (Clause 4.4)
380	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Click test	IS 6873 (Part 2/Sec I), Clause 4.2
381	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Conducted Emission Test	(Clause 5.2, table 1) CISPR 14-1
382	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Conducted Emission Test	Clause 4.1;(Clause 4.3.2 &4.3.3) EN 55014-1
383	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Conducted RF Immunity Test ((150 kHz to 230 MHz,Up to 15Vrms)	(Clause 5.3&5.4) CISPR 14-2
384	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 55014-2

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	25 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
385	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	CISPR 14-2 (Clause 5.2)
386	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 55014-2, Clause 5.2
387	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Electrostatic Discharge Immunity Test (2kV to 30kV)	CISPR 14-2 (Clause 5.1)
388	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 55014-2 (Clause 5.1)
389	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	CISPR 14-2: (Clause 5.1,5.3,5.4 5.5,5.6)
390	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 55014-2
391	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Radiated RF Power	CISPR 14-1 (Clause 4.3.4.4, table 7)
392	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Radiated RF Power	EN 55014-1+ A11 (Clause 5.3.3 & 4.3.4)
393	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Radiated RF Power	IS 6873 (Part 2/Sec I), Clause 4.1.2.1
394	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	CISPR 14-2 (Clause 5.7)
395	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 55014-2 (Clause 5.7)
396	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Click test	Clause 10 EN 61000-6-4 (Clause 11)
397	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Click test	Clause 10 IEC 61000-6-4 (Clause 11)
398	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Conducted Emission Test	(Clause 9) IEC 61000-6-4
399	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Conducted Emission Test	Clause 10; (Clause 9) EN IEC 61000-6-4
400	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 61000-6-2 (Clause 9) Test Clause 8

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 26 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
401	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 61000-6-2 (Clause 9),Test Clause 8
402	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61000-6-2
403	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61000-6-2, Clause 8 (Clause 9)
404	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61000-6-2
405	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61000-6-2 (Clause 9)
406	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61000-6-2 (Clause 9)
407	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61000-6-2, table 1,table 4, annex A
408	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Magnetic Field Immunity Test (1A to 100A)	EN 61000-6-2 (Clause 9)
409	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61000-6-2,Clause 9
410	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61000-6-2 (Clause 9)
411	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61000-6-2: (Clause 9)
412	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Conducted Emission Test	CISPR 22 (Withdrawn Standard)
413	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Conducted Emission Test	EN 55022 +AC
414	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	CISPR 24: + Amd. 1
415	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 55024 + Amd. 1

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	27 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
416	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 55024 Clause 4.2.2
417	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	CISPR 24 + Amd. 1
418	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 55024, Amd. 1 , Clause 4.2.1
419	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	CISPR 24 + Amd. 1
420	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 55024 +Amd. 1
421	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	CISPR 24
422	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 55024
423	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	CISPR 24, Amd. 1 (Clause No.4)
424	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 55024, Amd. 1 Clause 4.5.6
425	ELECTRONICS- EMC TEST FACILITY	Information technology Equipment’s	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	CISPR 24, Amd. 1
426	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment’s	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	CISPR 35 (Clause No. 4.2.2.3)
427	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment’s	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	CISPR 35 (Clause No. 4.2.4)
428	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment’s	Electrostatic Discharge Immunity Test (2kV to 30kV)	CISPR 35 (Clause No. 4.2.1)
429	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment’s	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 55035 (Clause No.4.2.1)
430	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment’s	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	CISPR 35

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	28 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
431	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment's	Magnetic Field Immunity Test (1A/m to 100A/m)	CISPR 35 (Clause No. 4.2.3)
432	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	CISPR 35 (clause no.4.2.6)
433	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Click test	(Clause 10) EN 61000-6-3
434	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Click test	Clause 10 IEC 61000-6-3
435	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Conducted Emission Test	Clause 10 EN 61000-6-3
436	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Conducted Emission Test	(Clause 11) IEC 61000-6-3
437	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 61000-6-1 Clause 8 (Clause 9)
438	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 61000-6-1, Clause 8 (Clause 9)
439	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61000-6-1
440	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 61000-6-1
441	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61000-6-1
442	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61000-6-1: (Clause 9)
443	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61000-6-1
444	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61000-6-1 (Clause 9)
445	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61000-6-1, Clause 8
446	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61000-6-1, Clause 8

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	29 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
447	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61000-6-1 (Clause 9)
448	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61000-6-1 (Clause 9)
449	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Conducted Emission Test	Clause 4.2 CISPR 13
450	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Conducted Emission Test	Clause 4.2 EN 55013
451	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	CISPR 20: Amd. 1
452	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 55020: Amd. 11 + Amd.12
453	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	CISPR 20 + Amd1
454	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 55020: + Amd. 11: + Amd.12
455	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	CISPR 20 + Amd. 1
456	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 55020 + Amd. 11 + Amd.12
457	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	CISPR 20, Amd. 1
458	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 55020, Amd. 11, Amd.12
459	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical instalations	Conducted Emission Test	Clause 26.2 EN 60669-2-1
460	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical instalations	Conducted Emission Test	Clause 26.2 IEC 60669-2-1
461	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical instalations	Harmonic Current Emission (Up to 40th Harmonics)	Clause 26.2 EN 60669-2-1
462	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical instalations	Harmonic Current Emission (Up to 40th Harmonics)	IEC 60669-2-1

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 30 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
463	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 60669-2-1 + Amd. 12
464	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 60669-2-1 + Amd. 1 + Amd. 2
465	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 60669-2-1 + Amd. 12
466	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60669-2-1
467	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60669-2-1 + Amd. 12
468	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60669-2-1, Clause 19.106
469	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 60669-2-1 + Amd. 12
470	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60669-2-1,Clause 19.106
471	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 60669-2-1
472	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 60669-2-1
473	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60669-2-1, Amd. 12, Clause 26.1
474	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60669-2-1, Amd. 1 , Amd. 2, Clause 26.1.1
475	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 60669-2-1, Amd. 12, Clause 26.2
476	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 60669-2-1, Amd. 1 , Amd. 2 (Clause 26)
477	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	(Clause 4.1.1): GR 1089 Issue 4
478	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	EN 300386 V2.1.1

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	31 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
479	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	EN 301 489-1 V2.2.1
480	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	ICES 003 Issue 6 , Clause No.3.2.1
481	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	IS 14700 (Part 6/Sec III)
482	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	IS 15040
483	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	IS 6873 (Part 3)
484	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	IS 6873 (Part 4)
485	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	IS 6873 (Part 7)
486	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	IS 6873(Part 2/ Sec I)
487	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	TEC/SD/EMI-02/03
488	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	TEC/SD/RD/EMI- 002/02
489	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	GR 1089 Issue 4
490	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 300386 V2.1.1
491	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 301 489-1 V2.2.1
492	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	TEC/SD/EMI-02/03
493	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	TEC/SD/RD/EMI- 002/02
494	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 300386 V2.1.1

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	32 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
495	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 301 489-1 V2.2.1
496	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	GR 1089 Issue 4
497	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	TEC/SD/RD/EMI- 002/0
498	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	GR 1089 Issue 4
499	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	TEC/SD/EMI-02/03
500	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 300386 V2.1.1
501	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 301 489-1 V2.2.1
502	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	TEC/SD/EMI-02/03
503	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	TEC/SD/RD/EMI- 002/02
504	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	GR 1089 Issue 4 (Clause No.2.1)
505	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Harmonic Current Emission (Up to 40th Harmonics)	EN 300386 V2.1.1, (Clause No.6.1)
506	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Harmonic Current Emission (Up to 40th Harmonics)	EN 301 489-1 V2.2.1 (Clause No.8.5)
507	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Harmonic Current Emission (Up to 40th Harmonics)	TEC/SD/EMI-02/03
508	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Harmonic Current Emission (Up to 40th Harmonics)	TEC/SD/RD/EMI- 002/02
509	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 301 489-1 V2.2.1
510	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	TEC/SD/EMI-02/03

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	33 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
511	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	TEC/SD/RD/EMI- 002/02
512	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	ETSI EN 300 386 V2.2.0 , EN 300386 (clause no.3.2)
513	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	GR 1089 Issue 4
514	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 300386 V1.6.1
515	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 300386 V2.1.1
516	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	TEC/SD/EMI-02/03
517	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	TEC/SD/RD/EMI- 002/02
518	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 301489-1, Clause no.9.7
519	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	GR 1089 Issue 4
520	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 300386 V2.1.1
521	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 301 489-1 V2.2.1 Clause 9.7
522	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	TEC/SD/DD/EMC-221/05/OCT-16
523	ELECTRONICS- EMC TEST FACILITY	Uninterruptable Power systems (UPS)	Harmonic Current Emission (Up to 40th Harmonics)	Clause 6.4.5, EN IEC 62040-2
524	ELECTRONICS- EMC TEST FACILITY	Uninterruptable Power systems (UPS)	Harmonic Current Emission (Up to 40th Harmonics)	IEC 62040-2
525	ELECTRONICS- EMC TEST FACILITY	Uninterruptable Power systems (UPS)	Harmonic Current Emission (Up to 40th Harmonics)	IS 16242 (Part 2)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	34 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
526	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Conducted Emission Test	EN IEC 62040-2, Clause 6.4 (Clause No. 5.3.2)
527	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Conducted Emission Test	IEC 62040-2 (Clause No. 5.3.2)
528	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Conducted Emission Test	IS 16242 (Part 2)
529	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IS 16242 (Part 2)
530	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 62040-2 (Clause No. 6.3)
531	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 62040-2: (Clause No. 6.3) & Clause No. 7.3
532	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 62040-2, Clause 7.3 (Clause No. 6.3)
533	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 62040-2, (Clause 7.3) (Clause No. 6.3)
534	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IS 16242 (Part 2)
535	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 62040-2 clause No. 6.3
536	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 62040-2 (clause No. 6.3), 5.3.2.4
537	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Electrostatic Discharge Immunity Test (2kV to 30kV)	IS 16242 (Part 2)
538	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 62040-2
539	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 62040-2
540	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IS 16242 (Part 2)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	35 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
541	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 62040-2 (Clause No. 7.5)
542	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 62040-2 (Clause No. 7.5)
543	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Magnetic Field Immunity Test (1A/m to 100A/m)	IS 16242 (Part 2)
544	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 62040-2:2016 (Clause 7.3) (Clause No. 6.3)
545	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 62040-2
546	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IS 16242 (Part 2)
547	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 62040-2
548	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 62040-2
549	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IS 16242 (Part 2)

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 36 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Site Facility				
1	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	EN 61000-4-6
2	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IS 14700 (Part 4 /Sec VI)
3	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 61000-4-6
4	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 61000-4-4
5	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61000-4-4
6	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IS 14700 (Part 4/Sec IV)
7	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61000-4-2
8	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Electrostatic Discharge Immunity Test (2kV to 30kV)	IS 14700 (Part 4/ Sec 2)
9	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Electrostatic Discharge Immunity Test(2kV to 30kV)	EN 61000-4-2
10	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Harmonic Current Emission (Up to 40th Harmonics)	EN 61000-3-2, Clause 6.2
11	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61000-3-2+AMD1 (Clause 7.4.3)
12	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Harmonic Current Emission (Up to 40th Harmonics)	IS 14700 (Part 3/Sec 2),Clause.7
13	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61000-4-5 + Amd1
14	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61000-4-5 + Amd 1
15	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IS 14700 (Part 4 /Sec V)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	37 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
16	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61000-3-3, Clause no.5
17	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61000-3-3+AMD1+A2, Clause no.5
18	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IS 14700 (Part 3/Sec 2)
19	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product Industrial, scientific and medical equipment	Conducted Emission Test	Clause 6.2.1.3 ,CISPR11+AMD1+AMD2
20	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product Industrial, scientific and medical equipment	Conducted Emission Test	EN 55011 (Clause 5.1)+A2
21	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product Industrial, scientific and medical equipment	Radiated Emission Test (Class A equipment only) (30MHz to 6 GHz)	CISPR 11, Amd1 + Amd2
22	ELECTRONICS- EMC TEST FACILITY	Any Electrical / Electronic Product Industrial, scientific and medical equipment	Radiated Emission Test (Class A equipment only) (30MHz to 6 GHz)	EN 55011 +A1
23	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60730-1+ A1 (Clause H.26)
24	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60730-1 +A1+A2, (Clause H 26)
25	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60730-2-9+ A1+A2 (clause H 26)
26	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Click test	EN 60730-1 +A1 (Clause 23)
27	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Click test	IEC 60730-1 +A1+A2 (Clause 23)
28	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Click test	IEC 60730-2-9 +A1+A2 (Clause 23)
29	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Conducted Emission Test	EN 60730-1+ A1 (Clause 23)
30	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Conducted Emission Test	EN 60730-1+ A1, (Clause 26)
31	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Conducted Emission Test	IEC 60730-2-9 +A1+ A2, (Clause 23)
32	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Conducted RF Immunity Test ((150 kHz to 230 MHz, Up to 15Vrms)	EN 60730-1+ A1, (Clause 26)

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 38 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
33	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 60730-1+ A1+A2 (Clause 24,H24,h 12, H 26, Annex J)
34	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 60730-2-9 +A1+ A2 (Clause 12 & clause H 26,27)
35	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 60730-1+A1 (Clause H 26)
36	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60730-1 + A1+A2, (Clause H 26)
37	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60730-2-9 + A1+ A2 (Clause H 26, 23)
38	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Harmonic Current Emission (Up to 40th Harmonics)	EN 60730-1+A1 (Clause no 23)
39	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Harmonic Current Emission (Up to 40th Harmonics)	IEC 60730-1+A1+A2, (Clause 23)
40	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Harmonic Current Emission (Up to 40th Harmonics)	IEC 60730-2-9 +A1+ A2 (Cl. 12)
41	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 60730-1+A1 (Clause H 26)
42	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60730-1 +A1+A2 (Clause H 26)
43	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Magnetic Field Immunity Test (1A/m- 100A/m)	IEC 60730-2-9+A1+ A2 (Cl. H 26)
44	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 60730-1+A1 (Cl. 26.14)
45	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 607301+A1 +A2 (Cl. 26.14)
46	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60730-1+A1 (Cl. H 26)
47	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60730-1+ A1+A2, (Cl H 26)

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 39 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
48	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60730-2-9 +A1+ A2, (Cl. H 26)
49	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 60730-1+A1, (Cl. H.23)
50	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 60730-1 +A1 +A2 (Cl. H.23)
51	ELECTRONICS- EMC TEST FACILITY	Automatic electrical controls for household	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 60730-2-9+ A1 +A2 (Cl. H23)
52	ELECTRONICS- EMC TEST FACILITY	Automotive Vehicle and Electronic Sub Assembly (ESA)	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	ECE R10 Rev 5 (Clause 7.9)
53	ELECTRONICS- EMC TEST FACILITY	Automotive Vehicle and Electronic Sub Assembly (ESA)	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	ECE-R10 Rev 5.0 (Annex 12): 2014
54	ELECTRONICS- EMC TEST FACILITY	Automotive Vehicle and Electronic Sub Assembly (ESA)	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61800-3
55	ELECTRONICS- EMC TEST FACILITY	Automotive Electronic Sub Assembly (ESA)	Electrostatic Discharge Immunity Test (2kV to 30kV)	ISO 10605, Amd. 1
56	ELECTRONICS- EMC TEST FACILITY	Automotive Electronic Sub Assembly (ESA)	Electrostatic Discharge Immunity Test (2kV to 30kV)	SAE J1113
57	ELECTRONICS- EMC TEST FACILITY	Digital Equipment	Conducted Emission Test	FCC (Part 15) B
58	ELECTRONICS- EMC TEST FACILITY	Digital Equipment	Conducted Emission Test	FCC (Part 18)
59	ELECTRONICS- EMC TEST FACILITY	Electric vehicle conductive charging system	Conducted Emission Test	IEC 61851-21-2
60	ELECTRONICS- EMC TEST FACILITY	Electric vehicle conductive charging system	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61851-21-2
61	ELECTRONICS- EMC TEST FACILITY	Electric vehicle conductive charging system	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61851-21-2
62	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment’s	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61131-2
63	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment’s	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 60255-26
64	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment’s	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61800-3, Clause 3.1
65	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment’s	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 50121-3-2+A1 (Clause No. 8)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	40 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
66	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 50121-5+A1, Clause 1,2,3
67	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 60945, Clause 10
68	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61800-3, Clause 3.1
69	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61439-1,Clause 3.1.1, EN 61439-1
70	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	EN 50121-4 (Clause No.6.2) + A1
71	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	EN 61439-1, Clause 3.1.1
72	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	EN 50155, clause 1,2,3,4,5,9,11,13
73	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 60255-1
74	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 60945, Clause 10
75	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	EN 60255-1
76	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 60571
77	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 61131-2
78	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 62236-3-2 (Cl. 8)
79	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 60255-1
80	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61131-2

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	41 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
81	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61439-1
82	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60255-1
83	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60255-26
84	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60571
85	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60945
86	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61800-3
87	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 50121-3-2+A1 (Clause No. 8)
88	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 50121-4+A1 (Clause No.6.2)
89	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 50121-5:(Clause No.6)+A1
90	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 50155 (Clause No. 13.4.8)
91	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 60945, Clause 10
92	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61800-3 (Clause 5.3)
93	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61131-2 (Clause 7.3.1)
94	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61439-1 (Clause J.10.12.1)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	42 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
95	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 62236-3-2 (Clause 8)
96	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60945
97	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61131-2
98	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61800-3 (Clause 5.3)
99	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60255-1: (Clause 6.15)
100	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61131-2: (Clause 8&9)
101	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61439-1 (Clause J.10.12.1)
102	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61800-3 (Clause 5.3)
103	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60255-1 (Clause 6.15)
104	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60255-26 (Clause 6&7)
105	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60945, Clause 10
106	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61439-1
107	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 60255-1
108	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61000-4-8

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	43 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
109	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61131-2
110	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 60255-1
111	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 60255-26
112	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61000-4-8
113	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	IS 14700 (Part 4 /Sec 8)
114	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	EN IEC 61439-1
115	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61131-2 (Clause 7.3.1)
116	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61439-1 (Clause J.10.12.1)
117	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61000-4-11 +Amd1
118	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61000-4-29
119	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61000-4-34
120	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61000-4- 34 + AMD1
121	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61000-4-29
122	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61000-4-11
123	ELECTRONICS- EMC TEST FACILITY	Electrical / Electronic Product	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IS 14700 (Part 4 /Sec 11) (Clause 7)
124	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment’s	Conducted Emission Test	(Clause 7.2) IEC 61131-2

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	44 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
125	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	(Clause No. 13.4.8) EN 50155
126	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	Clause 7.1.3, IEC 60255-26
127	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	Clause 8.2.3 EN 61131-2
128	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	Clause 9.2 EN 60945
129	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	EN 50121-3-2
130	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	EN 50121-4
131	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	EN 50121-5
132	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	EN 60255-1
133	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	EN 61439-1
134	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	EN 61800-3
135	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	IEC 60255-1
136	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	IEC 60945
137	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	IEC 61800-3
138	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	(Clause 7.2) IEC 61131-2
139	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	(Clause 7) IEC 62236-3-2
140	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	(Clause J.10.12.2) IEC 61439-1
141	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Conducted Emission Test	IEC 60571
142	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 60255-1

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	45 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
143	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 50121-3-2+A1 Clause No. 8
144	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 50121-4+A1 Clause No.6.2
145	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 50121-5+A1, Clause No.6
146	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 50155 Clause No. 13.4.8
147	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 60945
148	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 61131-2
149	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 61439-1
150	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61800-3:2018 (Clause 5.3)
151	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60255-1
152	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60255-26
153	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60571, Clause 12.2.8.3
154	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60945, Clause 10
155	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61131-2
156	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61439-1, (Clause J.10.12.1)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	46 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
157	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61800-3
158	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 62236-3-2 (Clause 8)
159	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60255-1
160	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61439-1
161	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60255-1
162	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60255-26
163	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61800-3 (Clause 5.3)
164	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61800-3 (Clause 5.3)
165	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 50121-3-2 +A1 , (Clause No. 8)
166	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 50121-4,+A1 (Clause No.6.2)
167	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 50121-5+ A1 (Clause No.6)
168	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 50155
169	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60945, Clause 10
170	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61131-2
171	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60571, Clause 12.2.8.2
172	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60945, Clause 10
173	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61131-2
174	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61439-1: (Clause J.10.12.1)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	47 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
175	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 62236-3-2 (Clause 8)
176	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Harmonic Current Emission (Up to 40th Harmonics)	EN 61800-3,Clause 3.1
177	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipment's	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61800-3 (Clause 6.2.3)
178	ELECTRONICS- EMC TEST FACILITY	Electrical /Electronic Equipments	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61800-3
179	ELECTRONICS- EMC TEST FACILITY	Electrical and Electronic Products	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61000-4-8
180	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) EN 61326-2-6
181	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) EN IEC 61326-2-5
182	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) IEC 61326-2-6
183	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(clause:7&7.2) EN 61326-1
184	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-1 (Clause 6)
185	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) EN 61326-2-2
186	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) EN 61326-2-4
187	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) IEC 61326-2-2
188	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) IEC 61326-2-3
189	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) IEC 61326-2-4
190	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Clause 7) IEC 61326-2-5
191	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(clause:7&7.2) IEC 61326-1
192	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	(Cluase 7) EN 61326-2-3
193	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	EN 61326-2-1

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	48 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
194	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted Emission Test	IEC 61326-2-1
195	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61326-2-1
196	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61326-2-6
197	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61326-2-2
198	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61326-2-3
199	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61326-2-2
200	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61326-2-3
201	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN 61326-2-4
202	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	EN IEC 61326-1 (Clause 7)
203	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61326-2-1 (Clause 6)
204	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61326-2-4 (Clause 6)
205	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61326-2-5 (Clause 6)
206	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz)	IEC 61326-2-6 (Clause 6.2)
207	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	EN 61326-2-5
208	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 61326-1 (Clause 7)
209	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-1, clause:6.2
210	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-2-1

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 49 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
211	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-2-2
212	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-2-3
213	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-2-4
214	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-2-5
215	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61326-2-6
216	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-1, clause:6.2; (Clause No.6)
217	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-2-1, (Clause 6)
218	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-2-2, (Clause No.6)
219	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-2-3 (Clause No.6)
220	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-2-4, (Clause No.6)
221	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-2-5 (Clause 6)
222	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61326-2-6 (Clause 6.2)
223	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-1 (Clause 6)
224	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-2-1 (Clause 6)

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 50 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
225	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-2-2 (Clause 6)
226	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-2-3 (Clause 6)
227	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-2-4 (Clause 6)
228	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-2-5 (Clause 6)
229	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61326-2-6 (Clause 6.2)
230	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-2-1 (Clause 6)
231	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-2-2 (Clause 6)
232	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-2-3 (Clause 6)
233	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-2-4 (Clause 6)
234	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-2-5 (Clause 6)
235	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61326-2-6 (Clause 6.2)
236	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	EN IEC 61326-1
237	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	EN IEC 61326-2-2, (Clause 7)
238	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	EN IEC 61326-2-3
239	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	EN IEC 61326-2-4, Clause 7
240	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	EN IEC 61326-2-5, Clause 7
241	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	EN IEC 61326-2-6, Clause 7
242	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-1 (Clause 6)
243	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-1 (Clause 7)

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 51 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
244	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-1 (Clause 7)
245	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-2: (Clause 7)
246	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-3: (Clause 7)
247	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-4: (Clause 7)
248	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-5 (Clause 7)
249	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Harmonic Current Emission (Up to 40th Harmonics)	IEC 61326-2-6 (Clause 7)
250	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61326-2-3
251	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 61326-1
252	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 61326-2-1
253	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 61326-2-2
254	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 61326-2-4
255	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 61326-2-5
256	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 61326-2-6
257	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-1 (Clause 6)
258	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-1 (Clause 6), Clause 6.2

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	52 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
259	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-2-1 (Clause 6)
260	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-2-2 (Clause 6)
261	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-2-3 (Clause 6)
262	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-2-4 (Clause 6)
263	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-2-5 (Clause 6)
264	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61326-2-6 (Clause 6.2)
265	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-2-4
266	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-2-1
267	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-2-6, Clause 6
268	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-1, Clause 6.2
269	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-1, Clause 6
270	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-2-1, Clause 6
271	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-2-2 , Clause 6
272	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-2-3 , Clause 6
273	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-2-5 , Clause 6
274	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61326-2-6, Clause 6.2
275	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-2-2 (Clause 6)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	53 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
276	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-2-3 (Clause 6)
277	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-2-4, Clause 6
278	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61326-2-5 , Clause 6
279	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-2-3
280	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-2-4
281	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-2-5
282	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-1: (Clause 6)
283	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-2-2: (Clause 6)
284	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	(Clause 9) EN IEC 61326-1
285	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61326-2-2, Clause 6
286	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61326-2-3 (Clause 6)
287	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61326-2-4 (Clause 6)
288	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61326-2-5 (Clause 6): 2
289	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61326-2-6 (Clause 6.2)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	54 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
290	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN IEC 61326-2-1
291	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-2-1 (Clause 6)
292	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61326-2-6 (Clause 6.2)
293	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-1 (Clause 7)
294	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-2-1
295	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-2-2 (Clause 7)
296	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-2-3 (Clause 7)
297	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-2-4: (Clause 7)
298	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-2-5 (Clause 7)
299	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 61326-2-6
300	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-1
301	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-2-1 (Clause 7)
302	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-2-2 (Clause 7)
303	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-2-3
304	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-2-4: (Clause 7)
305	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-2-5 (Clause 7)
306	ELECTRONICS- EMC TEST FACILITY	Electrical equipment for measurement, control and laboratory use	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 61326-2-6: (Clause 7)

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 55 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
307	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 61547 (Clause No. 5.5)
308	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	Test Clause 5.6 EN 61547
309	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IEC 61547 (Clause No. 5.3)
310	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 61547: (clause no.5.8)
311	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61547: (Clause No.5.5)
312	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61547 (clause No. 5.2)
313	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61547 (clause No. 5.2)
314	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61547 (Clause No. 5.7)
315	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61547 (Clause No. 5.7)
316	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61547 (Clause No. 5.4)
317	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61547: (clause no.5.4)
318	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61547
319	ELECTRONICS- EMC TEST FACILITY	Electrical lighting and similar equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61547: (clause no.5.8)
320	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted Emission Test	ANSI/AAMI/IEC 60601-1-2
321	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted Emission Test	EN 60601-1-2

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 56 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
322	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted Emission Test	EN 60601-1-2 Test Clause 7.1.1;Clause 36.201 & Clause 6.1
323	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted Emission Test	IEC 60601-1-2
324	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted Emission Test	IEC 60601-1-2 Test Clause 7.1.1;Clause 36.201;Test Clause 7.1 & Clause 6.1
325	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted Emission Test	IEC/EN 60601-1-2
326	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test ((150 kHz to 230 MHz,Up to 15Vrms)	EN 60601-1-2 +AC
327	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 60601-1-2+A1 Clause 33.100.10, 33.100.20 and 11.040.01
328	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 60601-1-2+AMD1 clause 33.100.10, 33.100.20 and 11.040.01
329	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	ANSI/AAMI/IEC 60601-1-2 ,Clause 6.2 & Clause 36.202
330	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 60601-1-2 + Amd 1
331	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 60601-1-2
332	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC/ EN 60601-1-2 clause 6.2 & Clause 36
333	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	ANSI/AAMI/IEC 60601-1-2
334	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 60601-1-2 + AC
335	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 60601-1-2+A1

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	57 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
336	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60601-1-2 +AMD1, (Clause 8.9)
337	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	ANSI/AAMI/IEC 60601-1-2
338	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60601-1-2 + Amd 1
339	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60601-1-2 +AC
340	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60601-1-2 +AMD1 (Clause 8.9)
341	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60601-1-2
342	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60601-1-2, +AMD1 (Clause 8.9)
343	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC/ EN 60601-1-2 clause 6.2
344	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	ANSI/AAMI/IEC 60601-1-2
345	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	EN 60601-1-2 , Clause 7.2.1
346	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	EN 60601-1-2 + Amd 1
347	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	EN 60601-1-2 +AC
348	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	IEC 60601-1-2 , Clause 7.2.1
349	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	IEC 60601-1-2, Clause 7.2.1
350	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Harmonic Current Emission (Up to 40th Harmonics)	IEC/ EN 60601-1-2 , Clause 6.1
351	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	ANSI/AAMI/IEC 60601-1-2
352	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC/EN 60601-1-2

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 58 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
353	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 60601-1-2+A1, Test Clause 36.202
354	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 60601-1-2+A1,Test Clause 36.202
355	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60601-1-2+AMD1 (Clause 8.9)
356	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Magnetic Field Immunity Test (1A/m to 100A/m)	ANSI/AAMI/IEC 60601-1-2
357	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Magnetic Field Immunity Test (1A/m to 100A/m)	Clause 8.9 IEC 60601-1-2
358	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 60601-1-2 , Clause 8.9
359	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 60601-1-2 +AC
360	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 60601-1-2, Clause 8.9
361	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC/ EN 60601-1-2 Clause 6.2
362	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Radiated Emission Test (Permanently installed large ME equipment and large ME systems only) (30MHz to 6 GHz)	ANSI/AAMI/IEC 60601-1-2
363	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Radiated Emission Test Permanently installed large ME equipment and large ME systems only (30MHz to 6 GHz)	EN 60601-1-2
364	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Radiated Emission Test Permanently installed large ME equipment and large ME systems only (30MHz to 6 GHz)	EN 60601-1-2 +AC
365	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Radiated Emission Test Permanently installed large ME equipment and large ME systems only (30MHz to 6 GHz)	EN 60601-1-2 +Amd1
366	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Radiated Emission Test Permanently installed large ME equipment and large ME systems only (30MHz to 6 GHz)	IEC 60601-1-2

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 59 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
367	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Radiated Emission Test Permanently installed large ME equipment and large ME systems only (30MHz to 6 GHz)	IEC 60601-1-2 + Amd 1
368	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Radiated Emission Test Permanently installed large ME equipment and large ME systems only (30MHz to 6 GHz)	IEC/EN 60601-1-2
369	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60601-1-2
370	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60601-1-2 + AC
371	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60601-1-2
372	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	ANSI/AAMI/IEC 60601-1-2 (Clause 6.2)
373	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60601-1-2 +A1
374	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60601-1-2 +A1
375	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC/ EN 60601-1-2 Clause 36.202
376	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	ANSI/AAMI/IEC 60601-1-2
377	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 60601-1-2 : 2015 Clause 7.2.2
378	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 60601-1-2 : 2015 Clause 7.2.2
379	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 60601-1-2 + AC
380	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 60601-1-2 : 2014 Clause 7.2.2
381	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 60601-1-2 : 2014 Clause 7.2.2

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	60 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
382	ELECTRONICS- EMC TEST FACILITY	Electro medical devices	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC/EN 60601-1-2
383	ELECTRONICS- EMC TEST FACILITY	Electromagnetic compatibility of multimedia equipment	Conducted Emission Test	CISPR 32 (Clause No.A.3)
384	ELECTRONICS- EMC TEST FACILITY	Electromagnetic compatibility of multimedia equipment	Conducted Emission Test	EN 55032
385	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Click test	CISPR 14-1 (clause 4.4)
386	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Click test	EN 55014-1+A11 (Clause 4.4)
387	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Click test	IS 6873 (Part 2/Sec I), Clause 4.2
388	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Conducted Emission Test	(Clause 5.2, table 1) CISPR 14-1
389	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Conducted Emission Test	Clause 4.1;(Clause 4.3.2 &4.3.3) EN 55014-1
390	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Conducted RF Immunity Test ((150 kHz to 230 MHz,Up to 15Vrms)	(Clause 5.3&5.4) CISPR 14-2
391	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 55014-2
392	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	CISPR 14-2 (Clause 5.2)
393	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 55014-2, Clause 5.2
394	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Electrostatic Discharge Immunity Test (2kV to 30kV)	CISPR 14-2 (Clause 5.1)
395	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 55014-2 (Clause 5.1)
396	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	CISPR 14-2: (Clause 5.1,5.3,5.4 5.5,5.6)
397	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN IEC 55014-2
398	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Radiated RF Power	CISPR 14-1 (Clause 4.3.4.4, table 7)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	61 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
399	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Radiated RF Power	EN 55014-1+ A11 (Clause 5.3.3 & 4.3.4)
400	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Radiated RF Power	IS 6873 (Part 2/Sec I), Clause 4.1.2.1
401	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	CISPR 14-2 (Clause 5.7)
402	ELECTRONICS- EMC TEST FACILITY	Household appliances, electric tools and similar apparatus	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 55014-2 (Clause 5.7)
403	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Click test	Clause 10 EN 61000-6-4 (Clause 11)
404	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Click test	Clause 10 IEC 61000-6-4 (Clause 11)
405	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Conducted Emission Test	(Clause 9) IEC 61000-6-4
406	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Conducted Emission Test	Clause 10; (Clause 9) EN IEC 61000-6-4
407	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 61000-6-2 (Clause 9) Test Clause 8
408	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 61000-6-2 (Clause 9),Test Clause 8
409	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61000-6-2
410	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 61000-6-2, Clause 8 (Clause 9)
411	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61000-6-2
412	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61000-6-2 (Clause 9)
413	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61000-6-2 (Clause 9)
414	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61000-6-2, table 1,table 4, annex A

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 62 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
415	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Magnetic Field Immunity Test (1A to 100A)	EN 61000-6-2 (Clause 9)
416	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61000-6-2,Clause 9
417	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61000-6-2 (Clause 9)
418	ELECTRONICS- EMC TEST FACILITY	Industrial Equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61000-6-2: (Clause 9)
419	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Conducted Emission Test	CISPR 22 (Withdrawn Standard)
420	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Conducted Emission Test	EN 55022 +AC
421	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	CISPR 24: + Amd. 1
422	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 55024 + Amd. 1
423	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 55024 Clause 4.2.2
424	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	CISPR 24 + Amd. 1
425	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 55024, Amd. 1 , Clause 4.2.1
426	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	CISPR 24 + Amd. 1
427	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 55024 +Amd. 1
428	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	CISPR 24
429	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 55024
430	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	CISPR 24, Amd. 1 (Clause No.4)

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 63 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
431	ELECTRONICS- EMC TEST FACILITY	Information technology equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 55024, Amd. 1 Clause 4.5.6
432	ELECTRONICS- EMC TEST FACILITY	Information technology Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	CISPR 24, Amd. 1
433	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment's	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	CISPR 35 (Clause No. 4.2.2.3)
434	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment's	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	CISPR 35 (Clause No. 4.2.4)
435	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	CISPR 35 (Clause No. 4.2.1)
436	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment's	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 55035 (Clause No.4.2.1)
437	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment's	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	CISPR 35
438	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment's	Magnetic Field Immunity Test (1A/m to 100A/m)	CISPR 35 (Clause No. 4.2.3)
439	ELECTRONICS- EMC TEST FACILITY	Multimedia Equipment's	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	CISPR 35 (clause no.4.2.6)
440	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Click test	(Clause 10) EN 61000-6-3
441	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Click test	Clause 10 IEC 61000-6-3
442	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Conducted Emission Test	Clause 10 EN 61000-6-3
443	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Conducted Emission Test	(Clause 11) IEC 61000-6-3
444	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 61000-6-1 Clause 8 (Clause 9)
445	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 61000-6-1, Clause 8 (Clause 9)

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	64 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
446	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 61000-6-1
447	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 61000-6-1
448	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 61000-6-1
449	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 61000-6-1: (Clause 9)
450	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 61000-6-1
451	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 61000-6-1 (Clause 9)
452	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 61000-6-1, Clause 8
453	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 61000-6-1, Clause 8
454	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 61000-6-1 (Clause 9)
455	ELECTRONICS- EMC TEST FACILITY	Residential, commercial and light-industrial Equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 61000-6-1 (Clause 9)
456	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Conducted Emission Test	Clause 4.2 CISPR 13
457	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Conducted Emission Test	Clause 4.2 EN 55013
458	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	CISPR 20: Amd. 1
459	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 55020: Amd. 11 + Amd.12
460	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	CISPR 20 + Amd1
461	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 55020: + Amd. 11: + Amd.12

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 65 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
462	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	CISPR 20 + Amd. 1
463	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 55020 + Amd. 11 + Amd.12
464	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	CISPR 20, Amd. 1
465	ELECTRONICS- EMC TEST FACILITY	Sound and television broadcast receivers and associated equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 55020, Amd. 11, Amd.12
466	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical instalations	Conducted Emission Test	Clause 26.2 EN 60669-2-1
467	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical instalations	Conducted Emission Test	Clause 26.2 IEC 60669-2-1
468	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical instalations	Harmonic Current Emission (Up to 40th Harmonics)	Clause 26.2 EN 60669-2-1
469	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical instalations	Harmonic Current Emission (Up to 40th Harmonics)	IEC 60669-2-1
470	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 60669-2-1 + Amd. 12
471	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 60669-2-1 + Amd. 1 + Amd. 2
472	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 60669-2-1 + Amd. 12
473	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 60669-2-1
474	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 60669-2-1 + Amd. 12
475	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 60669-2-1, Clause 19.106
476	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 60669-2-1 + Amd. 12

SCOPE OF ACCREDITATION

Laboratory Name :	TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8918	**Page No**	66 of 70
Validity	20/04/2022 to 19/04/2024	**Last Amended on**	03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
477	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 60669-2-1,Clause 19.106
478	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 60669-2-1
479	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 60669-2-1
480	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 60669-2-1, Amd. 12, Clause 26.1
481	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 60669-2-1, Amd. 1 , Amd. 2, Clause 26.1.1
482	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 60669-2-1, Amd. 12, Clause 26.2
483	ELECTRONICS- EMC TEST FACILITY	Switches for household and similar fixed electrical installations	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 60669-2-1, Amd. 1 , Amd. 2 (Clause 26)
484	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	(Clause 4.1.1): GR 1089 Issue 4
485	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	EN 300386 V2.1.1
486	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	EN 301 489-1 V2.2.1
487	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	ICES 003 Issue 6 , Clause No.3.2.1
488	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	IS 14700 (Part 6/Sec III)
489	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	IS 15040
490	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	IS 6873 (Part 3)
491	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	IS 6873 (Part 4)
492	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	IS 6873 (Part 7)
493	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	IS 6873(Part 2/ Sec I)
494	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	TEC/SD/EMI-02/03

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 67 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
495	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted Emission Test	TEC/SD/RD/EMI- 002/02
496	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	GR 1089 Issue 4
497	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 300386 V2.1.1
498	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 301 489-1 V2.2.1
499	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	TEC/SD/EMI-02/03
500	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	TEC/SD/RD/EMI- 002/02
501	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 300386 V2.1.1
502	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN 301 489-1 V2.2.1
503	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	GR 1089 Issue 4
504	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	TEC/SD/RD/EMI- 002/0
505	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	GR 1089 Issue 4
506	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	TEC/SD/EMI-02/03
507	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 300386 V2.1.1
508	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 301 489-1 V2.2.1
509	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	TEC/SD/EMI-02/03

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 68 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
510	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	TEC/SD/RD/EMI- 002/02
511	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Electrostatic Discharge Immunity Test (2kV to 30kV)	GR 1089 Issue 4 (Clause No.2.1)
512	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Harmonic Current Emission (Up to 40th Harmonics)	EN 300386 V2.1.1, (Clause No.6.1)
513	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Harmonic Current Emission (Up to 40th Harmonics)	EN 301 489-1 V2.2.1 (Clause No.8.5)
514	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Harmonic Current Emission (Up to 40th Harmonics)	TEC/SD/EMI-02/03
515	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Harmonic Current Emission (Up to 40th Harmonics)	TEC/SD/RD/EMI- 002/02
516	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 301 489-1 V2.2.1
517	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	TEC/SD/EMI-02/03
518	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	TEC/SD/RD/EMI- 002/02
519	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	ETSI EN 300 386 V2.2.0 , EN 300386 (clause no.3.2)
520	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	GR 1089 Issue 4
521	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 300386 V1.6.1
522	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 300386 V2.1.1
523	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	TEC/SD/EMI-02/03
524	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	TEC/SD/RD/EMI- 002/02

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 69 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
525	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 301489-1, Clause no.9.7
526	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	GR 1089 Issue 4
527	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 300386 V2.1.1
528	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 301 489-1 V2.2.1 Clause 9.7
529	ELECTRONICS- EMC TEST FACILITY	Telecommunication network equipment	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	TEC/SD/DD/EMC-221/05/OCT-16
530	ELECTRONICS- EMC TEST FACILITY	Uninterruptable Power systems (UPS)	Harmonic Current Emission (Up to 40th Harmonics)	Clause 6.4.5, EN IEC 62040-2
531	ELECTRONICS- EMC TEST FACILITY	Uninterruptable Power systems (UPS)	Harmonic Current Emission (Up to 40th Harmonics)	IEC 62040-2
532	ELECTRONICS- EMC TEST FACILITY	Uninterruptable Power systems (UPS)	Harmonic Current Emission (Up to 40th Harmonics)	IS 16242 (Part 2)
533	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Conducted Emission Test	EN IEC 62040-2, Clause 6.4 (Clause No. 5.3.2)
534	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Conducted Emission Test	IEC 62040-2 (Clause No. 5.3.2)
535	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Conducted Emission Test	IS 16242 (Part 2)
536	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Conducted RF Immunity Test (150 kHz to 230 MHz, Up to 15Vrms)	IS 16242 (Part 2)
537	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	IEC 62040-2 (Clause No. 6.3)
538	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Conducted RF Immunity Test (150 kHz to 230 MHz,Up to 15Vrms)	EN 62040-2: (Clause No. 6.3) & Clause No. 7.3
539	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	EN IEC 62040-2, Clause 7.3 (Clause No. 6.3)
540	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IEC 62040-2, (Clause 7.3) (Clause No. 6.3)

SCOPE OF ACCREDITATION

Laboratory Name : TUV RHEINLAND (INDIA) PVT. LTD, MCCIA, J-462, MIDC, TELCO ROAD, BHOSARI, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8918 **Page No** 70 of 70

Validity 20/04/2022 to 19/04/2024 **Last Amended on** 03/06/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
541	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Electrical Fast Transient (EFT)/ Burst Immunity Test (250V to 5kV (32A))	IS 16242 (Part 2)
542	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Electrostatic Discharge Immunity Test (2kV to 30kV)	EN 62040-2 clause No. 6.3
543	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Electrostatic Discharge Immunity Test (2kV to 30kV)	IEC 62040-2 (clause No. 6.3), 5.3.2.4
544	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Electrostatic Discharge Immunity Test (2kV to 30kV)	IS 16242 (Part 2)
545	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	EN 62040-2
546	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IEC 62040-2
547	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	High Energy / Telecom Surge Immunity Test (250V to 6kV (32A))	IS 16242 (Part 2)
548	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Magnetic Field Immunity Test (1A/m to 100A/m)	EN 62040-2 (Clause No. 7.5)
549	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Magnetic Field Immunity Test (1A/m to 100A/m)	IEC 62040-2 (Clause No. 7.5)
550	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Magnetic Field Immunity Test (1A/m to 100A/m)	IS 16242 (Part 2)
551	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IEC 62040-2:2016 (Clause 7.3) (Clause No. 6.3)
552	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	EN 62040-2
553	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Voltage dips, short interruption & voltage variations Immunity (32A (3Ø, 400V AC))	IS 16242 (Part 2)
554	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	EN 62040-2
555	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IEC 62040-2
556	ELECTRONICS- EMC TEST FACILITY	Uninterruptible power systems (UPS)	Voltage Fluctuation & Flicker Test (Up to 16A, 1Ø)	IS 16242 (Part 2)