National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 1 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	CHEMICAL- ANIMAL FOOD & FEEDS	Animal Food	Acid Insoluble Ash (or) Sand and Silica	IS 7874 (Part - 1) ; Amds 1,2
2	CHEMICAL- ANIMAL FOOD & FEEDS	Animal Food	Color	SOP 26 ; Issue No 01; Issue date 02.02.2017
3	CHEMICAL- ANIMAL FOOD & FEEDS	Animal Food	Crude Fiber	IS 7874 (Part - 1) Amds., 1 & 2
4	CHEMICAL- ANIMAL FOOD & FEEDS	Animal Food	Moisture	IS 7874 (Part - 1) Amds. 1 & 2
5	CHEMICAL- ANIMAL FOOD & FEEDS	Animal Food	Oil Content	IS 7874 (Part - 1) Amds. 1 & 2
6	CHEMICAL- ANIMAL FOOD & FEEDS	Animal Food	Salt as NaCl	IS 7874 (Part - 2) Amds. 1 & 2
7	CHEMICAL- ANIMAL FOOD & FEEDS	Animal Food	Total Ash	IS 7874 (Part - 1) Amds. 1 & 2
8	CHEMICAL- ANIMAL FOOD & FEEDS	Poultry Feed	Acid Insoluble Ash (or) Sand and Silica	IS 7874 (Part - 1) Amds. 1 & 2
9	CHEMICAL- ANIMAL FOOD & FEEDS	Poultry Feed	Color	SOP 26; Issue No 01; Issue date 02.02.2017
10	CHEMICAL- ANIMAL FOOD & FEEDS	Poultry Feed	Crude Fiber	IS 7874 (Part - 1) Amds. 1 & 2
11	CHEMICAL- ANIMAL FOOD & FEEDS	Poultry Feed	Moisture	IS 7874 (Part - 1) Amds. 1 & 2
12	CHEMICAL- ANIMAL FOOD & FEEDS	Poultry Feed	Oil Content	IS 7874 (Part - 1) Amds. 1 & 2
13	CHEMICAL- ANIMAL FOOD & FEEDS	Poultry Feed	Salt as NaCl	IS 7874 (Part - 2) Amds. 1 & 2
14	CHEMICAL- ANIMAL FOOD & FEEDS	Poultry Feed	Total Ash	AOAC 942.05
15	CHEMICAL- ANIMAL FOOD & FEEDS	Poultry Feed	Total Ash	IS 7874 (Part - 1) Amds. 1 & 2
16	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Ammonia	APHA (Air & Air Sampling Methods) 3rd Edition Method 401
17	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Ammonia	APHA 3rd Edition (Air & Air Sampling Methods) Method 401

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 2 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
18	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Lead as Pb	USEPA Compendium Method IO 3.2
19	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Nickel as Ni	USEPA Compendium Method IO-3.2
20	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Nitrogen Dioxides as NO2	IS 5182 (Part - 6) Amd. 1
21	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Ozone as O3	SOP 39; Issue No 01; Issue date 02.04.2018
22	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Particulate Matter (size	IS 5182 (Part - 23)
23	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Particulate Matter (size	SOP 11; Issue No 02; Issue date 14.05.2018
24	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Sulphur Dioxides as SO2	IS 5182 (Part - 2) Amd.1
25	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Total Suspended Particulate Matter (TSPM)	IS 5182 : Part 4
26	CHEMICAL- ATMOSPHERIC POLLUTION	Process/Vent Emissions	Particulate Matter	IS 11255 : Part 1
27	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Acid Mist	USEPA (8A)
28	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Oxides of Nitrogen (NOx)	SOP 41; Issue No 01; Issue date 17.08.2018
29	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Particulate Matter	IS 11255 (Part - 1)
30	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Sulphur Dioxide as SO2	IS 11255 (Part 2)
31	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Atta	Acid Insoluble Ash	IS 1155
32	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Atta	Alcoholic Acidity	IS 1155
33	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Atta	Crude Fiber	IS 10226 (Part - 1)
34	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Atta	Dry Gluten	IS 1155

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 3 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
35	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Atta	Moisture	IS 1155
36	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Atta	Total Ash	IS 1155
37	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barley	Broken Kernels	IS 4333 : (Part - 1) Amd. 1
38	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barley	Damaged Including Discolored (Black Tipped/ Black Cornered Only)	IS 4333 : (Part - 1) Amd. 1
39	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barley	Foreign Matter (Organic / Inorganic)	IS 4333 : (Part - 1) Amd. 1
40	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barley	Insect Damaged / Weeviled	IS 4333 : (Part - 1) Amd. 1
41	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barley	Moisture	IS 4333 : (Part - 2)
42	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barley	Other Food Grains	IS 4333 : (Part - 1) Amd. 1
43	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Barley	TCW (Weight of Thousand Grains)	IS 4333 : (Part - 4)
44	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Besan Powder	Acid Insoluble Ash	IS 1009 Amds. 1 to 3
45	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Besan Powder	Alcoholic Acidity	IS 1009 Amds. 1 to 3
46	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Besan Powder	Crude Fiber	Annex D of IS 1158
47	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Besan Powder	Moisture	IS 1009 Amds. 1 to 3
48	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Besan Powder	Total Ash	IS 1009 Amds. 1 to 3

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 4 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
49	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Castor Seeds	Impurities (Foreign Matter) and Damaged Seeds	IS 3579 Amd.1
50	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Castor Seeds	Moisture	IS 3579 Amd. 1
51	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Castor Seeds	Oil Content	IS 3579 Amd. 1
52	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereals, Pulses & by-products	Alcoholic Acidity (as H2SO4)	IS 1155
53	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereals, Pulses & by-products	Free Acidity	IS 4706 (Part - 2)
54	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereals, Pulses & by-products	Gluten Content	IS 1155
55	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cereals, Pulses & by-products	Refractions	IS 4333 : (Part - 1) Amd. 1
56	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chana (Bengal Gram)	Brokens, Splits	IS 4333 : (Part - 1) Amd. 1
57	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chana (Bengal Gram)	Damaged Seeds	IS 4333 : (Part - 1) Amd. 1
58	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chana (Bengal Gram)	Foreign Matter (other than Varietal Admixture)	IS 4333 : (Part - 1) Amd. 1
59	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chana (Bengal Gram)	Green, Immature, Shrunken, Shrivelled Seeds	IS 4333 : (Part - 1) Amd. 1
60	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chana (Bengal Gram)	Moisture	IS 4333 : (Part - 2)
61	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chana (Bengal Gram)	Varietal Admixture	IS 4333 : (Part - 1) Amd. 1
62	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chana (Bengal Gram)	Weeiveled Seeds / Insect Damaged	IS 4333 : (Part - 1) Amd. 1

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 5 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
63	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chili Powder	Acid Insoluble Ash	IS 1797
64	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chili Powder	Crude Fiber	IS 10226 Part 1
65	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chili Powder	Moisture	IS 1797
66	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chili Powder	Total Ash	IS 1797
67	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chili Whole	Broken Chillies	IS 2322
68	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chili Whole	Color	IS 2322
69	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chili Whole	Extraneous Matter / Foreign Matter	IS 2322
70	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chili Whole	Flavour	IS 2322
71	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chili Whole	Free From Moulds, Insects, Etc.	IS 2322
72	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chili Whole	Moisture	IS 1797
73	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chili Whole	Odour	IS 2322
74	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Chili Whole	Unripe and Marked Fruits	IS 2322
75	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, Cocoa and by-products	Acid Insoluble Ash	IS 3077
76	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, Cocoa and by-products	Alkalinity of Soluble Ash in Acid	IS 3077

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 6 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
77	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, Cocoa and by-products	Moisture	IS 16030
78	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, Cocoa and by-products	Total Ash	IS 3077
79	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, Cocoa and by-products	Water Soluble Ash	IS 3077
80	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coffee, Cocoa and by-products	Water Soluble Matter	IS 3077
81	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coriander Whole & Powder	Acid Insoluble Ash	IS 1797
82	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coriander Whole & Powder	Coriander Splits	IS 2443
83	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coriander Whole & Powder	Crude Fiber	IS 1797
84	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coriander Whole & Powder	Damaged Discolored & Shrivelled Seeds	IS 2443
85	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coriander Whole & Powder	Foreign Matter	IS 2443
86	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coriander Whole & Powder	Moisture	IS 1797
87	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coriander Whole & Powder	Total Ash	IS 1797
88	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Coriander Whole & Powder	Weeviled Seeds	IS 2443
89	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cumin Seeds	Damaged, Discolored, Shrivelled and Immature Seeds	IS 2447
90	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cumin Seeds	Extraneous Matter / Foreign Particles	IS 2447

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 7 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
91	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Cumin Seeds	Moisture	IS 1797
92	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maida	Acid Insoluble Ash	IS 1009 Amds 1 to 3
93	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maida	Alcoholic Acidity	IS 1009 Amds 1 to 3
94	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maida	Crude Fiber	IS 10226 (Part - 1)
95	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maida	Dry Gluten	IS 1009 Amds 1 to 3
96	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maida	Moisture	IS 1009 Amds 1 to 3
97	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maida	Total Ash	IS 1009 Amds 1 to 3
98	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maize	Broken, Damaged, Slightly Damaged and Immature Kernels	IS 4333 : (Part - 1) Amd. 1
99	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maize	Count per 100g	IS 4333 : (Part - 4)
100	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maize	Foreign Matter	IS 4333 : (Part - 1) Amd. 1
101	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maize	Moisture	IS 4333 : (Part - 2)
102	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maize	Starch	IS 4706 (Part - 2)
103	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Maize	Weeviled Grains	IS 4333 : (Part - 1) Amd. 1
104	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mustard Seeds	Damaged and Shriveled	IS 3579 Amd.1

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 8 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
105	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mustard Seeds	Free Fatty Acid (as Oleic Acid)	IS 548 : (Part - 1) Sec.2 :
106	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mustard Seeds	Impurities (Foreign Matter)	IS 3579 Amd. 1
107	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mustard Seeds	Moisture	IS 3579 Amd. 01
108	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mustard Seeds	Oil Content	IS 3579 Amd. 01
109	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Mustard Seeds	Weevilled Seeds	IS 3579 Amd. 01
110	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil Cakes & De-Oiled Cakes	Acid Insoluble Ash (On Dry Basis)	IS 7874 (Part - 1) Amd. 1 & 2
111	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil Cakes & De-Oiled Cakes	Crude Fiber	IS 7874 (Part - 1) Amd. 1 & 2
112	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil Cakes & De-Oiled Cakes	Moisture	IS 7874 (Part - 1) Amds. 1 & 2
113	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil Cakes & De-Oiled Cakes	Oil Content / Crude Fat	IS 7874 (Part - 1) Amds. 1 & 2
114	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil Cakes & De-Oiled Cakes	Total Ash (On Dry basis)	IS 7874 (Part - 1) Amds. 1 & 2
115	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil Seed Meal Cake	Crude Fiber	IS 7874 (Part - 1) Amds. 1 & 2
116	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil Seed Meal Cake	Moisture	IS 7874 (Part - 1) Amds. 1 & 2
117	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil Seed Meal Cake	Oil Content	IS 7874 (Part - 1) Amds. 1 & 2
118	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil Seed Meal Cake	Sand and Silica or Acid Insoluble Ash	IS 7874 (Part - 1) Amds. 1 & 2

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 9 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
119	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Oil Seed Meal Cake	Total Ash	IS 7874 (Part - 1) Amds. 1 & 2
120	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pepper	Foreign Matter	IS 1797
121	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pepper	Light Berries	IS 1798 :
122	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Pepper	Moisture	IS 1797
123	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rawa	Acid Insoluble Ash	IS 1010 Amd. 1 to 3
124	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rawa	Alcoholic Acidity	IS 1010 Amd. 1 to 3
125	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rawa	Crude Fiber	IS 10226 (Part - 1)
126	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rawa	Dry Gluten	IS 1010 Amd. 1 to 3
127	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rawa	Moisture	IS 1010 Amd. 1 to 3
128	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Rawa	Total Ash	IS 1010 Amd. 1 to 3
129	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Soya Bean	Damaged Seeds	IS 4333 : (Part - 1) Amd. 1
130	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Soya Bean	Foreign Matter / Impurities	IS 4333 : (Part - 1) Amd. 1
131	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Soya Bean	Moisture	IS 4333 : (Part - 2) :
132	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Spices and Condiments	Acid Insoluble Ash	IS 1797

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 10 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
133	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Spices and Condiments	Crude Fiber	IS 1797
134	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Spices and Condiments	Moisture	IS 1797
135	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Spices and Condiments	Total Ash	IS 1797
136	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tea and Tea Products	Acid Insoluble Ash	IS 13857
137	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tea and Tea Products	Alkalinity of Water Soluble Ash as KOH	IS 13856
138	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tea and Tea Products	Crude Fiber	IS 10226 (Part - 1)
139	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tea and Tea Products	Dry Matter Content / Moisture	IS 13852
140	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tea and Tea Products	Total Ash	IS 13854
141	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tea and Tea Products	Water Extract	IS 13862
142	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tea and Tea Products	Water Insoluble Ash	IS 13855
143	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Tea and Tea Products	Water Soluble Ash	IS 13855
144	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Turmeric Powder	Acid Insoluble Ash	IS 1797
145	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Turmeric Powder	Moisture	IS 1797
146	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Turmeric Powder	Total Ash	IS 1797

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 11 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
147	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat	Damaged Kernels (other than Insect Damaged)	IS 4333 : (Part - 1) Amd. 1
148	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat	Foreign Matter	IS 4333 : (Part - 1) Amd. 1
149	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat	Insect Damaged Kernels	IS 4333 : (Part - 1) Amd. 1
150	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat	Moisture	IS 4333 : (Part - 2)
151	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat	Other Food Grains	IS 4333 : (Part - 1) Amd. 1
152	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat	Shrivelled & Broken Grains (Not Damaged)	IS 4333 : (Part - 1) Amd. 1
153	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Wheat	Total Defects Sum of Foreign Matter, Other Edible grains, Damaged Kernels, Shrivelled & Broken Grains	IS 4333 : (Part - 1) Amd. 1
154	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Available Boron as B	SOP 14; Issue No 01; Issue date 12.08.2015
155	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Available Calcium as Ca	SOP 35; Issue No 01; Issue date 02.04.2018
156	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Available Magnesium as Mg	SOP 36; Issue No 01; Issue date 02.04.2018
157	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Available Nitrogen as N	SOP 13; Issue No 01; Issue date 12.08.2015
158	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Available Phosphorous as P	SOP 20 Issue 03 January 10
159	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Available Potassium as K	SOP 17; Issue No 01; Issue date 12.08.2015
160	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Available Sodium as Na	SOP 17; Issue No 01; Issue date 12.08.2015
161	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Bicarbonate	SOP 48; Issue No 01; Issue date 10.01.2022
162	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Bulk Density	SOP 31; Issue No 01; Issue date 02.04.2018

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 12 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
163	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Cadmium	USEPA 3050B & USEPA 7000 B
164	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Calcium Carbonate	SOP 49; Issue No 01; Issue date 10.01.2022
165	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Carbon Nitrogen Ratio	SOP 46 ; Issue No 01; Issue date 12.08.2015
166	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Cation Exchange Capacity	SOP 47; Issue No 01; Issue date 10.01.2022
167	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Chloride	SOP 50; Issue No 01; Issue date 10.01.2022
168	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Clay	SOP 30; Issue No 01; Issue date 02.04.2018
169	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Cobalt	USEPA 3050B & 7000 B
170	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Color	SOP 51; Issue No 01; Issue date 10.01.2022
171	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Conductivity	SOP 15; Issue No 01; Issue date 12.08.2015
172	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Copper as Cu	USEPA 3050B & 7000 B
173	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Gypsum Requirement	SOP 52; Issue No 01; Issue date 10.01.2022
174	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Hexavalent Chromium as Cr+6	SOP 57; Issue No 01; Issue date 10.01.2022
175	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Iron as Fe	USEPA 3050B & 7000 B
176	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Lead as Pb	USEPA 3050B & 7000 B
177	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Manganese as Mn	USEPA 3050B & 7000 B
178	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Moisture	SOP 37; Issue No 01; Issue date 02.04.2018
179	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Nickel as Ni	USEPA 3050B & 7000 B
180	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Nitrate	SOP 53; Issue No 01; Issue date 10.01.2022
181	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Nitrite	SOP 56; Issue No 01; Issue date 10.01.2022

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 13 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
182	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Organic Carbon	SOP 18 Issue 02 Amd. 01 Dt. 01st February
183	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Organic Matter	SOP 18 Issue 02 Amd. 01 01st February
184	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Ortho Phosphate	SOP 20 Issue 03 dt. 10th January
185	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Particle Density	SOP 32; Issue No 01; Issue date 02.04.2018
186	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Particle Size Distribution / Grain Size Analysis - Coarse (5 to 10 mm)	SOP 58; Issue No 01; Issue date 10.01.2022
187	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Particle Size Distribution / Grain Size Analysis - Fine (1mm to 2 mm)	SOP 58 ; Issue No 01; Issue date 10.01.2022
188	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Particle Size Distribution / Grain Size Analysis - Medium (2mm to 5mm)	SOP 58; Issue No 01; Issue date 10.01.2022
189	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Particle Size Distribution / Grain Size Analysis - Very Coarse (> 10 mm)	SOP 58; Issue No 01; Issue date 10.01.2022
190	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Particle Size Distribution / Grain Size Analysis - Very Fine (	SOP 58; Issue No 01; Issue date 10.01.2022
191	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	pH	SOP 19 Issue 02 Amendment 1 February 01
192	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Phosphate (Total)	SOP 20 Issue 03 dt. 10th January
193	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Phosphorous as P2O5	SOP 20 Issue 03 dt. 10th January
194	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Porosity	SOP 33; Issue No 01; Issue date 02.04.2018
195	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Sand	SOP 30; Issue No 01; Issue date 02.04.2018
196	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Silt	SOP 30; Issue No 01; Issue date 02.04.2018
197	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Sodium Absorption Ratio (SAR)	SOP 34; Issue No 01; Issue date 02.04.2018
198	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Sulphate	SOP 54; Issue No 01; Issue date 10.01.2022

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 14 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
199	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Texture - Clay	SOP 30; Issue No 01; Issue date 02.04.2018
200	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Total Chromium as Cr	USEPA 3050B & 7000 B
201	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Total Kjheldahl Nitrogen as TKN	SOP 59; Issue No 01; Issue date 10.01.2022
202	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Total Water Soluble Salt	SOP 55; Issue No 01; Issue date 10.01.2022
203	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Water Holding Capacity	SOP 29; Issue No 01; Issue date 02.04.2018
204	CHEMICAL- POLLUTION & ENVIRONMENT	Soil	Zinc as Zn	USEPA 3050B & 7000 B
205	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Acidity	IS 3025 Part 22
206	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Aluminum	APHA 3500 Al B 23rd Edition
207	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Ammonia (as Total Ammonia - N)	APHA 4500 NH3 F 23rd Edition
208	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Ammonical Nitrogen as NH3-N	APHA 23rd Edition 4500 NH3 B
209	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Ammonical Nitrogen as NH3-N	IS 3025 (Part - 34)
210	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Barium as Ba	Annex F of IS 13428 Amds 1 to 10
211	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Bio Chemical Oxygen Demand (3 days at 27oC)	IS 3025 (Part - 44) Amd. 1
212	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Boron as B	APHA 23rd Edition 4500 - B B
213	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Cadmium as Cd	APHA 23rd Edition 3111 B
214	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Calcium as Ca	APHA 3500 Ca B 23rd Edition
215	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Calcium as Ca	IS 3025: Part 40 Amd. 1
216	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Calcium Hardness as CaCO3	APHA 3500 Ca B 23rd Edition
217	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Carbon Dioxide	IS 3025 : Part 61

SCOPE OF ACCREDITATION

Laboratory Name :	KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6355	**Page No**	15 of 35
Validity	28/11/2022 to 27/11/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
218	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Chemical Oxygen Demand	APHA 23rd Edition 5220 B
219	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Chemical Oxygen Demand	IS 3025 (Part - 58)
220	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Chloramines	APHA 4500 Cl G (by DPD Calorometric Method) 23rd Edition
221	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Chlorides as Cl	APHA 23rd Edition 4500 - Cl- B
222	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Chlorides as Cl	IS 3025 (Part - 32)
223	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Cobalt as Co	APHA 3111 B 23rd Edition
224	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Colour	APHA 2120 B 23rd Edition
225	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Colour	IS 3025 : Part 4
226	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Copper as Cu	APHA 23rd Edition 3111 B
227	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Cyanide as CN	APHA 23rd Edition 4500 - CN- C & E
228	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Dissolved Oxygen	APHA 4500-C 23rd Edition
229	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Dissolved Oxygen	IS 3025 : Part 38
230	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Electrical Coductivity	APHA 2510 B 23rd Edition
231	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Electrical Conductivity	IS 3025 : Part 14
232	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Fixed Solids	2540 E APHA 23rd Edition
233	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Fluoride as F-	APHA 23rd Edition 4500 F- D
234	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Hexavalent Chromium as Cr+6	APHA 23rd Edition 3500 Cr B
235	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Iron as Fe	APHA 3500 Fe B 23rd Edition

SCOPE OF ACCREDITATION

Laboratory Name :	KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6355	**Page No**	16 of 35
Validity	28/11/2022 to 27/11/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
236	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Iron as Fe	IS 3025 : Part 53
237	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Lead as Pb	APHA 23rd Edition 3111 B
238	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Magnesium as Mg	APHA 3500 Mg B 23rd Edition
239	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Manganese as Mn	APHA 3111 B 23rd Edition
240	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Nickel as Ni	APHA 23rd Edition 3111 B
241	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Nitrate as NO3	APHA 4500 NO3 B 23rd Edition
242	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Nitrite Nitrogen	4500 NO2 B 23rd Edition
243	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Non Carbonate Hardness as CaCO3	IS 3025 : Part 21
244	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Odor	IS 3025 : Part 5
245	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Oil and Grease	APHA 23rd Edition 5520 B
246	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Oil and Grease	IS 3025 : Part - 39
247	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	pH	APHA 23rd Edition 4500-H+ B
248	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	pH	IS 3025: Part - 11
249	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Phenol	APHA 22nd Edition 5530- D
250	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Phenol	IS 3025 : Part 43 : Sec 1
251	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Potassium as K	APHA 4500 K B 23rd Edition
252	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Potassium as K	IS 3025 : Part 45 Amd 1
253	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Residual Free Chlorine	APHA 4500 Cl B 23rd Edition (By Iodometric Method)
254	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Residual Free Chlorine	APHA 4500 Cl G 23rd Edition (by DPD Calorometric method)

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 17 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
255	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Settleable Solids	2540 F APHA 23rd Edition
256	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Silica as SiO2	APHA 4500 SiO2 C 23rd Edition
257	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Silica as SiO2	IS 3025 : Part 35
258	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Sludge Volume Index	2310 D APHA 23rd Edition
259	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Sodium as Na	APHA 4500 Na B 23rd Editrion
260	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Sodium as Na	IS 3025 : Part 45
261	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Sulphates as SO4	APHA 23rd Edition 4500 - SO4-2 E
262	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Sulphates as SO4	IS 3025 : Part - 24 Sec. 1
263	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Sulphide as S	APHA 4500 S2-F 23rd Edition
264	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Sulphite	4500 SO3-2 D 23rd Edition
265	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Tannin & Lignin	5550 B APHA 23rd Edition
266	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Temperature	IS 3025 (Part - 9)
267	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Total Alkalinity	APHA 2320 B 23rd Edition
268	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Total Alkalinity	IS 3025 : Part 23 Amendments 1 & 2
269	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Total Chromium as Cr	APHA 23rd Edition 3111 B
270	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Total Dissolved Solids	APHA 23rd Edition 2540 C
271	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Total Dissolved Solids	IS 3025 (Part - 16) Amd.1
272	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Total Hardness as CaCO3	APHA 2340 C 23rd Edition
273	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Total Hardness as CaCO3	IS 3025 : Part 21

SCOPE OF ACCREDITATION

Laboratory Name :	KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6355	**Page No**	18 of 35
Validity	28/11/2022 to 27/11/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
274	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Total Kjehldahl Nitrogen (TKN)	4500 Norg B 23rd Edition
275	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Total Phosphorous	APHA 4500 P D 23rd Edition
276	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Total Solids	2540 B APHA 23rd Edition
277	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Total Suspended Solids	APHA 23rd Edition 2540 D
278	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Total Suspended Solids	IS 3025 (Part - 17) Amd. 1
279	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Turbidity	APHA 2130 B 23rd Edition
280	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Turbidity	IS 3025 : Part 10
281	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Volatile Solids	2540 E APHA 23rd Edition
282	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water / Sewage	Zinc as Zn	APHA 23rd Edition 3111 B
283	CHEMICAL- POLLUTION & ENVIRONMENT	Wastes (Liquid/Slurry/Sludge/Solid/Semi-Solid)	Cadmium as Cd	USEPA 3050B & 7000B
284	CHEMICAL- POLLUTION & ENVIRONMENT	Wastes (Liquid/Slurry/Sludge/Solid/Semi-Solid)	Cobalt as Co	USEPA 3050B & 7000B
285	CHEMICAL- POLLUTION & ENVIRONMENT	Wastes (Liquid/Slurry/Sludge/Solid/Semi-Solid)	Lead as Pb	USEPA 3050B & 7000B
286	CHEMICAL- POLLUTION & ENVIRONMENT	Wastes [Liquid/Slurry/Sludge/Solid/Semi-Solid]	Copper as Cu	USEPA 3050B & 7000 B
287	CHEMICAL- POLLUTION & ENVIRONMENT	Wastes [Liquid/Slurry/Sludge/Solid/Semi-Solid]	Iron as Fe	USEPA 3050B & 7000 B
288	CHEMICAL- POLLUTION & ENVIRONMENT	Wastes [Liquid/Slurry/Sludge/Solid/Semi-Solid]	Manganese as Mn	USEPA 3050B & 7000 B
289	CHEMICAL- POLLUTION & ENVIRONMENT	Wastes [Liquid/Slurry/Sludge/Solid/Semi-Solid]	Nickel as Ni	USEPA 3050B & 7000 B
290	CHEMICAL- POLLUTION & ENVIRONMENT	Wastes [Liquid/Slurry/Sludge/Solid/Semi-Solid]	Total Chromium as Cr	USEPA 3050B & 7000 B
291	CHEMICAL- POLLUTION & ENVIRONMENT	Wastes [Liquid/Slurry/Sludge/Solid/Semi-Solid]	Zinc as Zn	USEPA 3050B & 7000 B
292	CHEMICAL- RESIDUES IN WATER	Drinking Water	Aluminium	3500 Al B APHA 23rd Edition

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 19 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
293	CHEMICAL- RESIDUES IN WATER	Drinking Water	Barium as Ba	IS 13428 Annex F Amds. 1 to 10
294	CHEMICAL- RESIDUES IN WATER	Drinking Water	Boron	4500 B APHA 23rd Edition
295	CHEMICAL- RESIDUES IN WATER	Drinking Water	Cadmium as Cd	3111 B APHA 23rd Edn
296	CHEMICAL- RESIDUES IN WATER	Drinking Water	Calcium as Ca	3500 Ca B APHA 23rd Edn
297	CHEMICAL- RESIDUES IN WATER	Drinking Water	Calcium as Ca	IS 3025: Part 40 Amd. 1
298	CHEMICAL- RESIDUES IN WATER	Drinking Water	Chromium as Cr	3111 B APHA 23rd Edn
299	CHEMICAL- RESIDUES IN WATER	Drinking Water	Cobalt as Co	3111 B APHA 23rd Edn
300	CHEMICAL- RESIDUES IN WATER	Drinking Water	Copper as Cu	3111 B APHA 23rd Edn
301	CHEMICAL- RESIDUES IN WATER	Drinking Water	Hexavalent Chromium as Cr+6	3500 Cr B APHA 23rd Edition
302	CHEMICAL- RESIDUES IN WATER	Drinking Water	Iron as Fe	3500 Fe B APHA 23rd Edn
303	CHEMICAL- RESIDUES IN WATER	Drinking Water	Iron as Fe	IS 3025: Part 53
304	CHEMICAL- RESIDUES IN WATER	Drinking Water	Lead as Pb	3111 B APHA 23rd Edn
305	CHEMICAL- RESIDUES IN WATER	Drinking Water	Magnesium as Mg	3500 Mg B APHA 23rd Edn
306	CHEMICAL- RESIDUES IN WATER	Drinking Water	Manganese as Mn	3111 B APHA 23rd Edn
307	CHEMICAL- RESIDUES IN WATER	Drinking Water	Nickel as Ni	3111 B APHA 23rd Edn
308	CHEMICAL- RESIDUES IN WATER	Drinking Water	Phenol	5530 D APHA 23rd Edn
309	CHEMICAL- RESIDUES IN WATER	Drinking Water	Potassium as K	4500 K B APHA 23rd Edn
310	CHEMICAL- RESIDUES IN WATER	Drinking Water	Potassium as K	IS 3025: Part 45 Amd. 1
311	CHEMICAL- RESIDUES IN WATER	Drinking Water	Sodium as Na	3500 Na B APHA 23rd Edn

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 20 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
312	CHEMICAL- RESIDUES IN WATER	Drinking Water	Sodium as Na	IS 3025: Part 45 Amd. 1
313	CHEMICAL- RESIDUES IN WATER	Drinking Water	Zinc as Zn	3111 B APHA 23rd Edn
314	CHEMICAL- RESIDUES IN WATER	Ground Water	Alumium	3500 Al B APHA 23rd Edition
315	CHEMICAL- RESIDUES IN WATER	Ground Water	Barium as Ba	IS 13428 Annex F Amds. 1 to 10
316	CHEMICAL- RESIDUES IN WATER	Ground Water	Boron	4500 B APHA 23rd Edition
317	CHEMICAL- RESIDUES IN WATER	Ground Water	Cadmium as Cd	3111 B APHA 23rd Edn
318	CHEMICAL- RESIDUES IN WATER	Ground Water	Calcium as Ca	3500 Ca B APHA 23rd Edn
319	CHEMICAL- RESIDUES IN WATER	Ground Water	Calcium as Ca	IS 3025: Part 40 Amd. 1
320	CHEMICAL- RESIDUES IN WATER	Ground Water	Cobalt as Co	3111 B APHA 23rd Edn
321	CHEMICAL- RESIDUES IN WATER	Ground Water	Copper as Cu	3111 B APHA 23rd Edn
322	CHEMICAL- RESIDUES IN WATER	Ground Water	Hexavalent Chromium as Cr+6	300 Cr B APHA 23rd Edition
323	CHEMICAL- RESIDUES IN WATER	Ground Water	Iron as Fe	3500 Fe B APHA 23rd Edn
324	CHEMICAL- RESIDUES IN WATER	Ground Water	Iron as Fe	IS 3025: Part 53
325	CHEMICAL- RESIDUES IN WATER	Ground Water	Lead as Pb	3111 B APHA 23rd Edn
326	CHEMICAL- RESIDUES IN WATER	Ground Water	Magnesium as Mg	3500 Mg B APHA 23rd Edn
327	CHEMICAL- RESIDUES IN WATER	Ground Water	Manganese as Mn	3111 B APHA 23rd Edn
328	CHEMICAL- RESIDUES IN WATER	Ground Water	Nickel as Ni	3111 B APHA 23rd Edn
329	CHEMICAL- RESIDUES IN WATER	Ground Water	Phenol	5530 D APHA 23rd Edn
330	CHEMICAL- RESIDUES IN WATER	Ground Water	Potassium as K	3500 K B APHA 23rd Edn

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 21 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
331	CHEMICAL- RESIDUES IN WATER	Ground Water	Potassium as K	IS 3025: Part 45 Amd. 1
332	CHEMICAL- RESIDUES IN WATER	Ground Water	Sodium as Na	3500 Na B APHA 23rd Edn
333	CHEMICAL- RESIDUES IN WATER	Ground Water	Sodium as Na	IS 3025: Part 45 Amd.1
334	CHEMICAL- RESIDUES IN WATER	Ground Water	Zinc as Zn	3111 B APHA 23rd Edn
335	CHEMICAL- RESIDUES IN WATER	Industrial Water	Aluminium	3500 Al B APHA 23rd Edition
336	CHEMICAL- RESIDUES IN WATER	Industrial Water	Barium as Ba	IS 13428 Annex F Amds. 1 to 10
337	CHEMICAL- RESIDUES IN WATER	Industrial Water	Boron	4500 B APHA 23rd Edition
338	CHEMICAL- RESIDUES IN WATER	Industrial Water	Cadmium as Ce	3111 B APHA 23rd Edn
339	CHEMICAL- RESIDUES IN WATER	Industrial Water	Calcium as Ca	3500 Ca B APHA 23rd Edn
340	CHEMICAL- RESIDUES IN WATER	Industrial Water	Calcium as Ca	IS 3025: Part 40 Amd. 1
341	CHEMICAL- RESIDUES IN WATER	Industrial Water	Chromium as Cr	3111 B APHA 23rd Edn
342	CHEMICAL- RESIDUES IN WATER	Industrial Water	Cobalt as Co	3111 B APHA 23rd Edn
343	CHEMICAL- RESIDUES IN WATER	Industrial Water	Copper as Cu	3111 B APHA 23rd Edn
344	CHEMICAL- RESIDUES IN WATER	Industrial Water	Hexavalent Chromium as Cr+6	3500 Cr B APHA 23rd Edition
345	CHEMICAL- RESIDUES IN WATER	Industrial Water	Iron as Fe	3111 Fe B APHA 23rd Edn
346	CHEMICAL- RESIDUES IN WATER	Industrial Water	Iron as Fe	3500 Fe B APHA 23rd Edn
347	CHEMICAL- RESIDUES IN WATER	Industrial Water	Lead as Pb	3111 b APHA 23rd Edn
348	CHEMICAL- RESIDUES IN WATER	Industrial Water	Magnesium as Mg	3500 Mg B APHA 23rd Edn
349	CHEMICAL- RESIDUES IN WATER	Industrial Water	Manganese as Mn	3111 B APHA 23rd Edn

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 22 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
350	CHEMICAL- RESIDUES IN WATER	Industrial Water	Nickel as Ni	3111 B APHA 23rd Edn
351	CHEMICAL- RESIDUES IN WATER	Industrial Water	Phenol	5530 D APHA 23rd Edn
352	CHEMICAL- RESIDUES IN WATER	Industrial Water	Potassium as K	3500 K B APHA 23rd Edn
353	CHEMICAL- RESIDUES IN WATER	Industrial Water	Potassium as K	IS 3025: Part 45 Amd. 1
354	CHEMICAL- RESIDUES IN WATER	Industrial Water	Sodium as Na	3500 Na B APHA 23rd Edn
355	CHEMICAL- RESIDUES IN WATER	Industrial Water	Sodium as Na	IS 3025: Part 45 Amd. 1
356	CHEMICAL- RESIDUES IN WATER	Industrial Water	Zinc as Zn	3111 B APHA 23rd Edn
357	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Aluminium	3500 Al B APHA 23rd Edition
358	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Barium as Ba	IS 13428 Annex F Amds. 1 to 10
359	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Boron	4500 B APHA 23rd Edition
360	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Cadmium as Cd	3111 B APHA 23rd Edn
361	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Calcium as Ca	3500 Ca B APHA 23rd Edn
362	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Calcium as Ca	IS 3025: Part 40 Amd.1
363	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Chromium as Cr	3111 B APHA 23rd Edn
364	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Cobalt as Co	3111 B APHA 23rd Edn
365	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Copper as Cu	3111 B APHA 23rd Edn
366	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Hexavalent Chromium as Cr+6	3500 Cr B APHA 23rd Edition
367	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Iron as Fe	3500 Fe B APHA 23rd Edn
368	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Iron as Fe	IS 3025: Part 53

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 23 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
369	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Lead as Pb	3111 B APHA 23rd Edn
370	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Magnesium as Mg	3500 Mg B APHA 23rd Edn
371	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Manganese as Mn	3111 B APHA 23rd Edn
372	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Nickel as Ni	3111 B APHA 23rd Edn
373	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Phenol	5530 D APHA 23rd Edn
374	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Potassium as K	3500 K B APHA 23rd Edn
375	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Potassium as K	IS 3025: Part 45 Amd.1
376	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Sodium as Na	3500 Na B APHA 23rd Edn
377	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Sodium as Na	IS 3025: Part 45 Amd. 1
378	CHEMICAL- RESIDUES IN WATER	Packaged Drinking Water	Zinc as Zn	3111 B APHA 23rd Edn
379	CHEMICAL- RESIDUES IN WATER	Surface Water	Aluminium	3500 Al B APHA 23rd Edition
380	CHEMICAL- RESIDUES IN WATER	Surface Water	Barium as Ba	IS 13428: Annex F Amds. 1 to 10
381	CHEMICAL- RESIDUES IN WATER	Surface Water	Boron	4500 B APHA 23rd Edition
382	CHEMICAL- RESIDUES IN WATER	Surface Water	Cadmium as Cd	3111 B APHA 23rd Edn
383	CHEMICAL- RESIDUES IN WATER	Surface Water	Calcium as Ca	3500 Ca B APHA 23rd Edn
384	CHEMICAL- RESIDUES IN WATER	Surface Water	Calcium as Ca	IS 3025: Part 40 Amd. 1
385	CHEMICAL- RESIDUES IN WATER	Surface Water	Chromium as Cr	3111 B APHA 23rd Edn
386	CHEMICAL- RESIDUES IN WATER	Surface Water	Cobalt as Co	3111 B APHA 23rd Edn
387	CHEMICAL- RESIDUES IN WATER	Surface Water	Copper as Cu	3111 B APHA 23rd Edn

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 24 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
388	CHEMICAL- RESIDUES IN WATER	Surface Water	Hexavalent Chromium as Cr+6	3500 Cr B APHA 23rd Edition
389	CHEMICAL- RESIDUES IN WATER	Surface Water	Iron as Fe	3500 Fe B APHA 23rd Edn
390	CHEMICAL- RESIDUES IN WATER	Surface Water	Iron as Fe	IS 3025: Part 53
391	CHEMICAL- RESIDUES IN WATER	Surface Water	Lead as Pb	3111 B APHA 23rd Edn
392	CHEMICAL- RESIDUES IN WATER	Surface Water	Magnesium as Mg	3500 Mg B APHA 23rd Edn
393	CHEMICAL- RESIDUES IN WATER	Surface Water	Manganese as Mn	3111 B APHA 23rd Edn
394	CHEMICAL- RESIDUES IN WATER	Surface Water	Nickel as Ni	3111 B APHA 23rd Edn
395	CHEMICAL- RESIDUES IN WATER	Surface Water	Phenol	5530 D APHA 23rd Edn
396	CHEMICAL- RESIDUES IN WATER	Surface Water	Potassium as K	3500 K B APHA 23rd Edn
397	CHEMICAL- RESIDUES IN WATER	Surface Water	Potassium as K	IS 3025: Part 45 Amd. 1
398	CHEMICAL- RESIDUES IN WATER	Surface Water	Sodium as Na	3500 Na B APHA 23rd Edn
399	CHEMICAL- RESIDUES IN WATER	Surface Water	Sodium as Na	IS 3025: Part 45 Amd. 1
400	CHEMICAL- RESIDUES IN WATER	Surface Water	Zinc as Zn	3111 B APHA 23rd Edn
401	CHEMICAL- RESIDUES IN WATER	Water for Swimming Pool	Aluminium	3500 Al B APHA 23rd Edition
402	CHEMICAL- WATER	Drinking Water	Ammonia (as Total Ammonia - N)	APHA 23rd Edition 4500 NH3 F
403	CHEMICAL- WATER	Drinking Water	Ammonical Nitrogen as NH3-N	APHA 4500 NH3 B 23rd Edition
404	CHEMICAL- WATER	Drinking Water	Ammonical Nitrogen as NH3-N	IS 3025 : Part 34
405	CHEMICAL- WATER	Drinking Water	Biochemical Oxygen Demand (3 days at 27oC)	IS 3025 (Part - 44) Amd. 1
406	CHEMICAL- WATER	Drinking Water	Calcium Hardness as CaCO3	APHA 3500 - Ca B 23rd Edition
407	CHEMICAL- WATER	Drinking Water	Chemical Oxygen Demand	APHA 23rd Edition 5220 B
408	CHEMICAL- WATER	Drinking Water	Chemical Oxygen Demand	IS 3025 (Part - 58)

SCOPE OF ACCREDITATION

Laboratory Name :	KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6355	**Page No**	25 of 35
Validity	28/11/2022 to 27/11/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
409	CHEMICAL- WATER	Drinking Water	Chloramines	APHA 4500 Cl G 23rd Edition (By DPD Calorometric method)
410	CHEMICAL- WATER	Drinking Water	Chlorides as Cl	APHA 4500 Cl- B 23rd Edition
411	CHEMICAL- WATER	Drinking Water	Chlorides as Cl	IS 3025 (Part - 32)
412	CHEMICAL- WATER	Drinking Water	Colour	APHA 2120 B 23rd Edition
413	CHEMICAL- WATER	Drinking Water	Colour	IS 3025 : Part - 4
414	CHEMICAL- WATER	Drinking Water	Cyanide as CN	APHA 4500- CN- C & E 23rd Edition
415	CHEMICAL- WATER	Drinking Water	Dissolved Oxygen	APHA 4500 - O- C 23rd Edition
416	CHEMICAL- WATER	Drinking Water	Dissolved Oxygen	IS 3025 (Part - 38)
417	CHEMICAL- WATER	Drinking Water	Electrical Conductivity	APHA 2510 B 23rd Edition
418	CHEMICAL- WATER	Drinking Water	Electrical Conductivity	IS 3025 (Part - 14)
419	CHEMICAL- WATER	Drinking Water	Fluoride as F	APHA 4500 F D 23rd Edition
420	CHEMICAL- WATER	Drinking Water	Nitrate as NO3	APHA 4500 NO3 B 23rd Edition
421	CHEMICAL- WATER	Drinking Water	Non Carbonate Hardness as CaCO3	IS 3025 (Part - 21)
422	CHEMICAL- WATER	Drinking Water	Odor	IS 3025 : Part - 5
423	CHEMICAL- WATER	Drinking Water	Oil and Grease	APHA 5520 B 23rd Edition
424	CHEMICAL- WATER	Drinking Water	Oil and Grease	IS 3025 : Part 39
425	CHEMICAL- WATER	Drinking Water	pH	APHA 4500 - H+ B 23rd Edition
426	CHEMICAL- WATER	Drinking Water	pH	IS 3025 : Part - 11
427	CHEMICAL- WATER	Drinking Water	Residual Free Chlorine	APHA 4500 Cl B 23rd Edition (By Iodometric Method)
428	CHEMICAL- WATER	Drinking Water	Residual Free Chlorine	APHA 4500 Cl G 23rd Edition (By DPD Calorometric Method)
429	CHEMICAL- WATER	Drinking Water	Silica as SiO2	APHA 4500 SiO2 C 23rd Edition
430	CHEMICAL- WATER	Drinking Water	Silica as SiO2	IS 3025 (Part - 35)
431	CHEMICAL- WATER	Drinking Water	Sulphate as SO4	APHA 4500 SO4-2 E 23rd Edition
432	CHEMICAL- WATER	Drinking Water	Sulphate as SO4	IS 3025 : Part - 24 Sec. 1 :
433	CHEMICAL- WATER	Drinking Water	Sulphide as S	APHA 4500 S2 - F 23rd Edition
434	CHEMICAL- WATER	Drinking Water	Temperature	IS 3025 : Part 9
435	CHEMICAL- WATER	Drinking Water	Total Alkalinity	APHA 2320 B 23rd Edition

SCOPE OF ACCREDITATION

Laboratory Name :	KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6355	**Page No**	26 of 35
Validity	28/11/2022 to 27/11/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
436	CHEMICAL- WATER	Drinking Water	Total Alkalinity	IS 3025 (Part - 23) Amds. 1 & 2
437	CHEMICAL- WATER	Drinking Water	Total Dissolved Solids	APHA 2540 C 23rd Edition
438	CHEMICAL- WATER	Drinking Water	Total Dissolved Solids	IS 3025 (Part - 16) Amd. 1
439	CHEMICAL- WATER	Drinking Water	Total Hardness as CaCO3	APHA 2340 C 23rd Edition
440	CHEMICAL- WATER	Drinking Water	Total Hardness as CaCO3	IS 3025 (Part - 21)
441	CHEMICAL- WATER	Drinking Water	Total Phosphorous	APHA 4500 - P D 23rd Edition
442	CHEMICAL- WATER	Drinking Water	Total Solids	2540 B APHA 23rd Edn
443	CHEMICAL- WATER	Drinking Water	Total Suspended Solids	APHA 2540 D 23rd Edition
444	CHEMICAL- WATER	Drinking Water	Total Suspended Solids	IS 3025: Part 17 Amd 1
445	CHEMICAL- WATER	Drinking Water	Turbidity	APHA 2130 B 23rd Edition
446	CHEMICAL- WATER	Drinking Water	Turbidity	IS 3025 (Part - 10)
447	CHEMICAL- WATER	Ground Water	Ammonia (as Total Ammonia-N)	APHA 23rd Edition 4500 NH3 F
448	CHEMICAL- WATER	Ground Water	Ammonical Nitrogen as NH3-N	APHA 4500 NH3 B 23rd Edition
449	CHEMICAL- WATER	Ground Water	Ammonical Nitrogen as NH3-N	IS 3025 : Part 34
450	CHEMICAL- WATER	Ground Water	Biochemical Oxygen Demand (3 days at 27oC)	IS 3025 (Part - 44) Amd. 1
451	CHEMICAL- WATER	Ground Water	Calcium Hardness as CaCO3	APHA 23rd Edition 3500 - Ca B
452	CHEMICAL- WATER	Ground Water	Chemical Oxygen Demand	APHA 23rd Edition 5220 B
453	CHEMICAL- WATER	Ground Water	Chemical Oxygen Demand	IS 3025 (Part - 58)
454	CHEMICAL- WATER	Ground Water	Chloramines	APHA 23rd Edition 4500 Cl G (By DPD Calorometric method)
455	CHEMICAL- WATER	Ground Water	Chlorides as Cl	APHA 23rd Edition 4500 Cl- B
456	CHEMICAL- WATER	Ground Water	Chlorides as Cl	IS 3025 (Part - 32)
457	CHEMICAL- WATER	Ground Water	Colour	APHA 23rd Edition 2120 B
458	CHEMICAL- WATER	Ground Water	Colour	IS 3025 : Part - 4
459	CHEMICAL- WATER	Ground Water	Cyanide as CN	APHA 23rd Edition 4500 - CN- C&E
460	CHEMICAL- WATER	Ground Water	Dissolved Oxygen	APHA 23rd Edition 4500 - O- C
461	CHEMICAL- WATER	Ground Water	Dissolved Oxygen	IS 3025 (Part - 38)
462	CHEMICAL- WATER	Ground Water	Electrical Conductivity	IS 3025 (Part - 14)
463	CHEMICAL- WATER	Ground Water	Electrical Conductivty	APHA 23rd Edition 2510 B

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 27 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
464	CHEMICAL- WATER	Ground Water	Fluoride as F	APHA 23rd Edition 4500 F- D
465	CHEMICAL- WATER	Ground Water	Nitrate as NO3	APHA 23rd Edition 4500 NO3 - B
466	CHEMICAL- WATER	Ground Water	Non Carbonate Hardness as CaCO3	IS 3025 (Part - 21)
467	CHEMICAL- WATER	Ground Water	Odor	IS 3025 : Part - 5
468	CHEMICAL- WATER	Ground Water	Oil and Grease	APHA 5520 B 23rd Edition
469	CHEMICAL- WATER	Ground Water	Oil and Grease	IS 3025 : Part 39
470	CHEMICAL- WATER	Ground Water	pH	APHA 23rd Edition 4500 H+ B
471	CHEMICAL- WATER	Ground Water	pH	IS 3025 : Part - 11
472	CHEMICAL- WATER	Ground Water	Residual Free Chlorine	APHA 23rd Edition 4500 Cl B (By Iodometric Method)
473	CHEMICAL- WATER	Ground Water	Residual Free Chlorine	APHA 23rd Edition 4500 Cl G (By DPD Calorometric Method)
474	CHEMICAL- WATER	Ground Water	Silica as SiO2	APHA 23rd Edition 4500 SiO2 C
475	CHEMICAL- WATER	Ground Water	Silica as SiO2	IS 3025 (Part - 35)
476	CHEMICAL- WATER	Ground Water	Sulphate as SO4	APHA 23rd Edition 4500 SO4 -2 E
477	CHEMICAL- WATER	Ground Water	Sulphate as SO4	IS 3025 : Part - 24 : Sec.1 :
478	CHEMICAL- WATER	Ground Water	Sulphide as S	APHA 23rd Edition 4500 S2- F
479	CHEMICAL- WATER	Ground Water	Temperature	IS 3025 : Part 9
480	CHEMICAL- WATER	Ground Water	Total Alkalinity	APHA 23rd Edition 2320 B
481	CHEMICAL- WATER	Ground Water	Total Alkalinity	IS 3025 (Part - 23) Amds. 1 & 2
482	CHEMICAL- WATER	Ground Water	Total Dissolved Solids	APHA 23rd Edition 2540 C
483	CHEMICAL- WATER	Ground Water	Total Dissolved Solids	IS 3025 (Part - 16) Amd. 1
484	CHEMICAL- WATER	Ground Water	Total Hardness as CaCO3	APHA 23rd Edition 2340 C
485	CHEMICAL- WATER	Ground Water	Total Hardness as CaCO3	IS 3025 (Part - 21)
486	CHEMICAL- WATER	Ground Water	Total Phosphorous	APHA 23rd Edition 4500 - P D
487	CHEMICAL- WATER	Ground Water	Total Solids	2540 B APHA 23rd Edn
488	CHEMICAL- WATER	Ground Water	Total Suspended Solids	APHA 2540 D 23rd Edition
489	CHEMICAL- WATER	Ground Water	Total Suspended Solids	IS 3025 : Part 17 Amendment 1
490	CHEMICAL- WATER	Ground Water	Turbidity	APHA 2130 B 23rd Edition

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 28 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
491	CHEMICAL- WATER	Ground Water	Turbidity	IS 3025 (Part - 10)
492	CHEMICAL- WATER	Industrial Water	Ammonia (as Total Ammonia-N)	APHA 4500 NH3 F 23rd Edition
493	CHEMICAL- WATER	Industrial Water	Ammonical Nitrogen as NH3-N	APHA 4500 NH3 B 23rd Edition
494	CHEMICAL- WATER	Industrial Water	Ammonical Nitrogen as NH3-N	IS 3025 : Part 34
495	CHEMICAL- WATER	Industrial Water	Biochemical Oxygen Demand (3 days at 27oC)	IS 3025 (Part - 44) Amd. 1
496	CHEMICAL- WATER	Industrial Water	Calcium Hardness as CaCO3	APHA 3500 - Ca B 23rd Edition
497	CHEMICAL- WATER	Industrial Water	Chemical Oxygen Demand	APHA 5220 B 23rd Edition
498	CHEMICAL- WATER	Industrial Water	Chemical Oxygen Demand	IS 3025 (Part - 58)
499	CHEMICAL- WATER	Industrial Water	Chloramines	APHA 4500 Cl G 23rd Edition (By DPD Colorometric Method)
500	CHEMICAL- WATER	Industrial Water	Chlorides as Cl	APHA 4500 Cl - B 23rd Edition
501	CHEMICAL- WATER	Industrial Water	Chlorides as Cl	IS 3025 (Part - 32)
502	CHEMICAL- WATER	Industrial Water	Colour	APHA 2120 B 23rd Edition
503	CHEMICAL- WATER	Industrial Water	Colour	IS 3025 : Part - 4
504	CHEMICAL- WATER	Industrial Water	Cyanide as CN	APHA 4500 - CN- C&E 23rd Edition
505	CHEMICAL- WATER	Industrial Water	Dissolved Oxygen	APHA 4500 - O- C 23rd Edition
506	CHEMICAL- WATER	Industrial Water	Dissolved Oxygen	IS 3025 (Part - 38)
507	CHEMICAL- WATER	Industrial Water	Electrical Conductivity	APHA 2510 B 23rd Edition
508	CHEMICAL- WATER	Industrial Water	Electrical Conductivity	IS 3025 (Part - 14)
509	CHEMICAL- WATER	Industrial Water	Fluoride as F	APHA 4500 F- D 23rd Edition
510	CHEMICAL- WATER	Industrial Water	Nitrate as NO3	APHA 4500 NO3- B 23rd Edition
511	CHEMICAL- WATER	Industrial Water	Non Carbonate Hardness as CaCO3	IS 3025 (Part - 21)
512	CHEMICAL- WATER	Industrial Water	Odor	IS 3025 : Part - 5
513	CHEMICAL- WATER	Industrial Water	Oil and Grease	APHA 5520 B 23rd Edition
514	CHEMICAL- WATER	Industrial Water	Oil and Grease	IS 3025 : Part 39
515	CHEMICAL- WATER	Industrial Water	pH	APHA 4500 - H+ B 23rd Edition
516	CHEMICAL- WATER	Industrial Water	pH	IS 3025 : Part - 11
517	CHEMICAL- WATER	Industrial Water	Residual Free Chlorine	APHA 4500 Cl B 23rd Edition (By Iodometric Method)

SCOPE OF ACCREDITATION

Laboratory Name :	KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6355	**Page No**	29 of 35
Validity	28/11/2022 to 27/11/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
518	CHEMICAL- WATER	Industrial Water	Residual Free Chlorine	APHA 4500 Cl G 23rd Edition (By DPD Calorometric Method)
519	CHEMICAL- WATER	Industrial Water	Silica as SiO2	APHA 4500 SiO2 C 23rd Edition
520	CHEMICAL- WATER	Industrial Water	Silica as SiO2	IS 3025 (Part - 35)
521	CHEMICAL- WATER	Industrial Water	Sulphate as SO4	APHA 4500 SO4-2 E 23rd Edition
522	CHEMICAL- WATER	Industrial Water	Sulphate as SO4	IS 3025 : Part - 24 : Sec. 1 :
523	CHEMICAL- WATER	Industrial Water	Sulphide as S	APHA 4500 S2- F 23rd Edition
524	CHEMICAL- WATER	Industrial Water	Temperature	IS 3025 : Part 9
525	CHEMICAL- WATER	Industrial Water	Total Alkalinity	APHA 2320 B 23rd Edition
526	CHEMICAL- WATER	Industrial Water	Total Alkalinity	IS 3025 (Part - 23) Amds.1 & 2
527	CHEMICAL- WATER	Industrial Water	Total Dissolved Solids	APHA 2540 C 23rd Edition
528	CHEMICAL- WATER	Industrial Water	Total Dissolved Solids	IS 3025 (Part - 16) Amd. 1
529	CHEMICAL- WATER	Industrial Water	Total Hardness as CaCO3	APHA 2340 C 23rd Edition
530	CHEMICAL- WATER	Industrial Water	Total Hardness as CaCO3	IS 3025 (Part - 21)
531	CHEMICAL- WATER	Industrial Water	Total Phosphorous	APHA 4500 - P D 23rd Edition
532	CHEMICAL- WATER	Industrial Water	Total Solids	2540 B APHA 23rd Edn
533	CHEMICAL- WATER	Industrial Water	Total Suspended Solids	APHA 2540 D 23rd Edition
534	CHEMICAL- WATER	Industrial Water	Total Suspended Solids	IS 3025 : Part 17 Amendment 1
535	CHEMICAL- WATER	Industrial Water	Turbidity	APHA 2130 B 23rd Edition
536	CHEMICAL- WATER	Industrial Water	Turbidity	IS 3025 (Part - 10)
537	CHEMICAL- WATER	Packaged Drinking Water	Ammonia (as Total Ammonia - N)	4500 NH3 F APHA 23rd Edn
538	CHEMICAL- WATER	Packaged Drinking Water	Ammonical Nitrogen as NH3-N	4500 NH3 B APHA 23rd Edn
539	CHEMICAL- WATER	Packaged Drinking Water	Ammonical Nitrogen as NH3-N	IS 3025: Part 34
540	CHEMICAL- WATER	Packaged Drinking Water	Biochemical Oxygen Demand-BOD (3 days at 27oC)	IS 3025: Part 44 Amd. 1
541	CHEMICAL- WATER	Packaged Drinking Water	Calcium Hardness as CaCO3	3500 - Ca B APHA 23rd Edn
542	CHEMICAL- WATER	Packaged Drinking Water	Chemical Oxygen Demand - COD	5220 B APHA 23rd Edn
543	CHEMICAL- WATER	Packaged Drinking Water	Chemical Oxygen Demand-COD	IS 3025: Part 58

SCOPE OF ACCREDITATION

Laboratory Name :	KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6355	**Page No**	30 of 35
Validity	28/11/2022 to 27/11/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
544	CHEMICAL- WATER	Packaged Drinking Water	Chloramines	4500 Cl G (By DPD Calorometric Method) APHA 23rd Edn
545	CHEMICAL- WATER	Packaged Drinking Water	Chlorides as Cl	4500 Cl- B APHA 23rd Edn
546	CHEMICAL- WATER	Packaged Drinking Water	Chlorides as Cl	IS 3025: Part 32
547	CHEMICAL- WATER	Packaged Drinking Water	Colour	2120 B APHA 23rd Edn
548	CHEMICAL- WATER	Packaged Drinking Water	Colour	IS 3025 : Part 4 :
549	CHEMICAL- WATER	Packaged Drinking Water	Cyanide as CN	4500 CN-C & E APHA 23rd Edn
550	CHEMICAL- WATER	Packaged Drinking Water	Dissolved Oxygen	4500 - O - C APHA 23rd Edn
551	CHEMICAL- WATER	Packaged Drinking Water	Dissolved Oxygen	IS 3025: Part 38
552	CHEMICAL- WATER	Packaged Drinking Water	Electrical Conductivity	IS 3025: Part 14
553	CHEMICAL- WATER	Packaged Drinking Water	Electrical Conductivty	2510 B APHA 23rd Edn
554	CHEMICAL- WATER	Packaged Drinking Water	Fluoride as F	4500 F D APHA 23rd Edn
555	CHEMICAL- WATER	Packaged Drinking Water	Nitrate as NO3	4500 NO3 B APHA 23rd Edn
556	CHEMICAL- WATER	Packaged Drinking Water	Non Carbonate Hardness as CaCO3	IS 3025: Part 21
557	CHEMICAL- WATER	Packaged Drinking Water	Odor	IS 3025 : Part 5 :
558	CHEMICAL- WATER	Packaged Drinking Water	Oil and Grease	5520 B APHA 23rd Edn
559	CHEMICAL- WATER	Packaged Drinking Water	Oil and Grease	IS 3025 : Part 39 :
560	CHEMICAL- WATER	Packaged Drinking Water	pH	4500 - H+ B APHA 23rd Edn
561	CHEMICAL- WATER	Packaged Drinking Water	pH	IS 3025 : Part 11 :
562	CHEMICAL- WATER	Packaged Drinking Water	Residual Free Chlorine	4500 Cl B (By Iodometric Method) APHA 23rd Edn
563	CHEMICAL- WATER	Packaged Drinking Water	Residual Free Chlorine	4500 Cl G (By DPD Calorometric method) APHA 23rd Edn
564	CHEMICAL- WATER	Packaged Drinking Water	Silica as SiO2	4500 SiO2 C APHA 23rd Edn
565	CHEMICAL- WATER	Packaged Drinking Water	Silica as SiO2	IS 3025: Part 35
566	CHEMICAL- WATER	Packaged Drinking Water	Sulphate as SO4	4500 SO4-2 E APHA 23rd Edn
567	CHEMICAL- WATER	Packaged Drinking Water	Sulphate as SO4	IS 3025 : Part 24 : Sec 1 :
568	CHEMICAL- WATER	Packaged Drinking Water	Sulphide as S	4500 S2- F APHA 23rd Edn
569	CHEMICAL- WATER	Packaged Drinking Water	Temperature	IS 3025: Part 9
570	CHEMICAL- WATER	Packaged Drinking Water	Total Alkalinity	2320 B APHA 23rd Edn

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 31 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
571	CHEMICAL- WATER	Packaged Drinking Water	Total Alkalinity	IS 3025: Part 23 Amds. 1 & 2
572	CHEMICAL- WATER	Packaged Drinking Water	Total Dissolved Solids	2540 C APHA 23rd Edn
573	CHEMICAL- WATER	Packaged Drinking Water	Total Dissolved Solids	IS 3025: Part 16 Amd. 1
574	CHEMICAL- WATER	Packaged Drinking Water	Total Hardness as CaCO3	2340 C APHA 23rd Edn
575	CHEMICAL- WATER	Packaged Drinking Water	Total Hardness as CaCO3	IS 3025: Part 21
576	CHEMICAL- WATER	Packaged Drinking Water	Total Phosphorous	4500 - P D APHA 23rd Edn
577	CHEMICAL- WATER	Packaged Drinking Water	Total Suspended Solids	2540 D APHA 23rd Edn
578	CHEMICAL- WATER	Packaged Drinking Water	Total Suspended Solids	IS 3025: Part 17 Amd. 1
579	CHEMICAL- WATER	Packaged Drinking Water	Turbidity	2130 B APHA 23rd Edn
580	CHEMICAL- WATER	Packaged Drinking Water	Turbidity	IS 3025: Part 10
581	CHEMICAL- WATER	Surface Water	Ammonia (as Total Ammonia-N)	APHA 23rd Edition 4500 NH3 F
582	CHEMICAL- WATER	Surface Water	Ammonical Nitrogen as NH3-N	APHA 4500 NH3 B 23rd Edition
583	CHEMICAL- WATER	Surface Water	Ammonical Nitrogen as NH3-N	IS 3025 : Part 34
584	CHEMICAL- WATER	Surface Water	Biochemical Oxygen Demand (3 days at 27oC)	IS 3025 (Part - 44) Amd. 1
585	CHEMICAL- WATER	Surface Water	Calcium Hardness as CaCO3	APHA 23rd Edition 3500 - Ca B
586	CHEMICAL- WATER	Surface Water	Chemical Oxygen Demand	APHA 23rd Edition 5220 B
587	CHEMICAL- WATER	Surface Water	Chemical Oxygen Demand	IS 3025 (Part - 58)
588	CHEMICAL- WATER	Surface Water	Chloramines	APHA 23rd Edition 4500 Cl G (By DPD Colorometric Method)
589	CHEMICAL- WATER	Surface Water	Chlorides as Cl	APHA 23rd Edition 4500 Cl- B
590	CHEMICAL- WATER	Surface Water	Chlorides as Cl	IS 3025 (Part - 32)
591	CHEMICAL- WATER	Surface Water	Colour	APHA 23rd Edition 2120 B
592	CHEMICAL- WATER	Surface Water	Colour	IS 3025 : Part - 4
593	CHEMICAL- WATER	Surface Water	Cyanide as CN	APHA 23rd Edition 4500 - CN- C&E
594	CHEMICAL- WATER	Surface Water	Dissolved Oxygen	APHA 23rd Edition 4500 - O-C
595	CHEMICAL- WATER	Surface Water	Dissolved Oxygen	IS 3025 (Part - 38)
596	CHEMICAL- WATER	Surface Water	Electrical Conductivity	APHA 23rd Edition 2510 B
597	CHEMICAL- WATER	Surface Water	Electrical Conductivity	IS 3025 (Part - 14)
598	CHEMICAL- WATER	Surface Water	Fluoride as F	APHA 23rd Edition 4500 F- D

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 32 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
599	CHEMICAL- WATER	Surface Water	Nitrate as NO3	APHA 23rd Edition 4500 NO3 - B
600	CHEMICAL- WATER	Surface Water	Non Carbonate Hardness as CaCO3	IS 3025 (Part - 21)
601	CHEMICAL- WATER	Surface Water	Odor	IS 3025 : Part - 5
602	CHEMICAL- WATER	Surface Water	Oil and Grease	APHA 5520 B 23rd Edition
603	CHEMICAL- WATER	Surface Water	Oil and Grease	IS 3025 : Part 39
604	CHEMICAL- WATER	Surface Water	pH	APHA 23rd Edition 4500 - H+ B
605	CHEMICAL- WATER	Surface Water	pH	IS 3025 : Part - 11
606	CHEMICAL- WATER	Surface Water	Residual Free Chlorine	APHA 23rd Edition 4500 Cl B (By Iodometric Method)
607	CHEMICAL- WATER	Surface Water	Residual Free Chlorine	APHA 23rd Edition 4500 Cl G (By DPD Calorometric Method)
608	CHEMICAL- WATER	Surface Water	Silica as SiiO2	IS 3025 (Part - 35)
609	CHEMICAL- WATER	Surface Water	Silica as SiO2	APHA 23rd Edition 4500 SiO2 C
610	CHEMICAL- WATER	Surface Water	Sulphate as SO4	APHA 23rd Edition 4500 SO4-2 E
611	CHEMICAL- WATER	Surface Water	Sulphate as SO4	IS 3025 : Part - 24 : Sec.1 :
612	CHEMICAL- WATER	Surface Water	Sulphide as S	APHA 23rd Edition 4500 S2- F
613	CHEMICAL- WATER	Surface Water	Temperature	IS 3025 : Part 9
614	CHEMICAL- WATER	Surface Water	Total Alkalinity	APHA 23rd Edition 2320 B
615	CHEMICAL- WATER	Surface Water	Total Alkalinity	IS 3025 (Part - 23) Amds. 1 & 2
616	CHEMICAL- WATER	Surface Water	Total Dissolved Solids	APHA 23rd Edition 2540 C
617	CHEMICAL- WATER	Surface Water	Total Dissolved Solids	IS 3025 (Part - 16) Amd. 1
618	CHEMICAL- WATER	Surface Water	Total Hardness as CaCO3	APHA 23rd Edition 2340 C
619	CHEMICAL- WATER	Surface Water	Total Hardness as CaCO3	IS 3025 (Part - 21)
620	CHEMICAL- WATER	Surface Water	Total Phosphorous	APHA 23rd Edition 4500 - P D
621	CHEMICAL- WATER	Surface Water	Total Solids	2540 D APHA 23rd Edn
622	CHEMICAL- WATER	Surface Water	Total Suspended Solids	APHA 2540 D 23rd Edition
623	CHEMICAL- WATER	Surface Water	Total Suspended Solids	IS 3025 : Part 17 Amendment 1
624	CHEMICAL- WATER	Surface Water	Turbidity	APHA 23rd Edition 2130 B
625	CHEMICAL- WATER	Surface Water	Turbidity	IS 3025 (Part - 10)

SCOPE OF ACCREDITATION

Laboratory Name : KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6355 **Page No** 33 of 35

Validity 28/11/2022 to 27/11/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
626	CHEMICAL- WATER	Water for Swimming Pool	Chloride as Cl	4500 Cl- B APHA 23rd Edn
627	CHEMICAL- WATER	Water for Swimming Pool	Chloride as Cl	IS 3025: Part 32
628	CHEMICAL- WATER	Water for Swimming Pool	Colour	2120 B APHA 23rd Edn
629	CHEMICAL- WATER	Water for Swimming Pool	Colour	IS 3025 : Part 4 :
630	CHEMICAL- WATER	Water for Swimming Pool	Odour	IS 3025 : Part 5 :
631	CHEMICAL- WATER	Water for Swimming Pool	Oxygen absorbed in 4 hrs	IS 3025: Part 63
632	CHEMICAL- WATER	Water for Swimming Pool	pH	IS 3025 : Part 11 :
633	CHEMICAL- WATER	Water for Swimming Pool	Residual Free Chlorine	4500 Cl B (By Iodometric Method) APHA 23rd Edn
634	CHEMICAL- WATER	Water for Swimming Pool	Residual Free Chlorine	4500 Cl G (By DPD Calorometric Method) APHA 23rd Edn
635	CHEMICAL- WATER	Water for Swimming Pool	Total Alkalinity	2320 B APHA 23rd Edn
636	CHEMICAL- WATER	Water for Swimming Pool	Total Alkalinity	IS 3025: Part 23 Amds. 1 & 2
637	CHEMICAL- WATER	Water for Swimming Pool	Total Dissolved Solids	2540 C APHA 23rd Edn
638	CHEMICAL- WATER	Water for Swimming Pool	Total Dissolved Solids	IS 3025: Part 16 Amd. 1
639	CHEMICAL- WATER	Water for Swimming Pool	Turbidity	2130 B APHA 23rd Edn
640	CHEMICAL- WATER	Water for Swimming Pool	Turbidity	IS 3025: Part 10

SCOPE OF ACCREDITATION

Laboratory Name :	KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6355	**Page No**	34 of 35
Validity	28/11/2022 to 27/11/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Site Facility				
1	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Carbon Monoxide as CO	SOP 38 Issue No 01; Issue date 02.04.2018 (Direct Measurement- by Electro-chemical Sensor)
2	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Total Hydrocarbons (expressed as CH4)	SOP 38; Issue No 01; Issue date 02.04.2018 (Instrument Operation Manual (Direct Measurement -by Electro-chemical sensor)
3	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Total Volatile Organic Compounds (expressed as Isobutylene)	SOP 40 Issue 02 based on Instrument Operation Manual (Direct Measurement) PID sensor based January 02
4	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Noise Levels	Leq	IS 9989
5	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Noise Levels	Lmax	IS 9989
6	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Noise Levels	Lmin	IS 9989
7	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Noise Levels	SPL	IS 9989
8	CHEMICAL- ATMOSPHERIC POLLUTION	Process/Vent Emissions	Ammonia as NH3	SOP 65; Issue No 01 ; Issue date 01.11.2022
9	CHEMICAL- ATMOSPHERIC POLLUTION	Process/Vent Emissions	Carbon Dioxide as CO2	SOP 63;; Issue No 01 ; Issue date 01.11.2022
10	CHEMICAL- ATMOSPHERIC POLLUTION	Process/Vent Emissions	Hydrochloric Acid (HCl)	SOP 65; Issue No 01 ; Issue date 01.11.2022
11	CHEMICAL- ATMOSPHERIC POLLUTION	Process/Vent Emissions	Oxygen as O2	SOP 63; Issue No 01 ; Issue date 01.11.2022
12	CHEMICAL- ATMOSPHERIC POLLUTION	Process/Vent Emissions	Relative Humidity	SOP 62; Amd. 1; Issue No 01; Issue date 10.01.2022
13	CHEMICAL- ATMOSPHERIC POLLUTION	Process/Vent Emissions	Temperature	SOP 62; Amd. 1 ; Issue No 01; Issue date 10.01.2022
14	CHEMICAL- ATMOSPHERIC POLLUTION	Process/Vent Emissions	Total Volatile Organic Compounds(TVOC)	SOP 66; Issue No 01 ; Issue date 01.11.2022
15	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Ammonia	SOP 61; Issue No 01; Issue date 10.01.2022
16	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Carbon Dioxide	SOP 60; Issue No 01; Issue date 10.01.2022

SCOPE OF ACCREDITATION

Laboratory Name :	KKB MICRO TESTING LABS PVT. LTD, 3 - 5 - 244, 2ND FLOOR, TARUN PLAZA, KRISHNA NAGAR COLONY, NFC MAIN ROAD, MOULA-ALI, HYDERABAD, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6355	**Page No**	35 of 35
Validity	28/11/2022 to 27/11/2024	**Last Amended on**	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
17	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Carbon Monoxide	SOP 61; Issue No 01; Issue date 10.01.2022
18	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Chlorine	SOP 61; Issue No 01; Issue date 10.01.2022
19	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Flow rate	IS 11255 (Part - 3)
20	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Fluoride (Gaseous)	SOP 61; Issue No 01; Issue date 10.01.2022
21	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Hydrochloric Acid (HCl)	SOP 61 ; Issue No 01; Issue date 10.01.2022
22	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Non Methane hydrocarbons	SOP 61; Issue No 01; Issue date 10.01.2022
23	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Oxygen	SOP 60; Issue No 01; Issue date 10.01.2022
24	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Stack Temperature	IS 11255 (Part - 3)
25	CHEMICAL- ATMOSPHERIC POLLUTION	Stack emission	Velocity	IS 11255 (Part - 3)
26	CHEMICAL- ATMOSPHERIC POLLUTION	Work Environment and Indoor Air Quality	Carbon Dioxide as CO2	SOP 64; Issue No 01 ; Issue date 01.11.2022
27	CHEMICAL- ATMOSPHERIC POLLUTION	Work Environment and Indoor Air Quality	Carbon Monoxide as CO	SOP 68; Issue No 01 ; Issue date 01.11.2022
28	CHEMICAL- ATMOSPHERIC POLLUTION	Work Environment and Indoor Air Quality	Oxygen as O2	SOP 64; Issue No 01 ; Issue date 01.11.2022
29	CHEMICAL- ATMOSPHERIC POLLUTION	Work Environment and Indoor Air Quality	Relative Humidity	SOP 67; Issue No 01 ; Issue date 01.11.2022
30	CHEMICAL- ATMOSPHERIC POLLUTION	Work Environment and Indoor Air Quality	Temperature	SOP 67; Issue No 01 ; Issue date 01.11.2022
31	CHEMICAL- ATMOSPHERIC POLLUTION	Work Environment and Indoor Air Quality	Total Volatile Organic Compounds (TVOC)	SOP 69; Issue No 01 ; Issue date 01.11.2022

NOTE- The Laboratory has demonstrated competence for the stated scope for WATER. This however does not fully cover the specification requirements of BIS for the Packaged Drinking Water as per IS 14543 and the Packaged Natural Mineral Water IS 13428.