National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 1 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	CHEMICAL- ADHESIVES	Extenders for use in Synthetic Resin adhesive	Fineness of Granules	IS 1508 (Clause 4.1)
2	CHEMICAL- ADHESIVES	Extenders for use in Synthetic Resin adhesive	Moisture Content	IS 1508 (Clause 4.2)
3	CHEMICAL- ADHESIVES	Synthetic Resin Adhesive	Acidity and Alkalinity (pH)	IS 848 (Clause 7.4)
4	CHEMICAL- BUILDING MATERIAL	admixture	ash content	IS 9103
5	CHEMICAL- BUILDING MATERIAL	admixture	CHLORIDE ION CONTENT	IS 6925
6	CHEMICAL- BUILDING MATERIAL	admixture	dry material content	IS 9103
7	CHEMICAL- BUILDING MATERIAL	admixture	pH value	IS 9103
8	CHEMICAL- BUILDING MATERIAL	admixture	relative density	IS 9103
9	CHEMICAL- BUILDING MATERIAL	Aggregate	Total Alkali content as Na2O and K2O equivalent (%)	IS 4032
10	CHEMICAL- BUILDING MATERIAL	Fly ash	LOSS ON IGNITION	IS 1727
11	CHEMICAL- BUILDING MATERIAL	Fly ash	Magnesium Oxide	IS 1727
12	CHEMICAL- BUILDING MATERIAL	Fly ash	SILICA	IS 1727
13	CHEMICAL- BUILDING MATERIAL	Fly ash	SULPHUR TRIOXIDE	IS 1727
14	CHEMICAL- BUILDING MATERIAL	Flyash	CALCIUM OXIDE	IS 1727
15	CHEMICAL- BUILDING MATERIAL	Flyash	COMBINED OXIDE (Al2O3 + Fe2O3)	IS 1727
16	CHEMICAL- BUILDING MATERIAL	Flyash	Total chloride	IS 4032
17	CHEMICAL- BUILDING MATERIAL	OPC /PPC/CLINKER	alumina	IS 4032
18	CHEMICAL- BUILDING MATERIAL	OPC /PPC/CLINKER	CALCIUM OXIDE	IS 4032
19	CHEMICAL- BUILDING MATERIAL	OPC /PPC/CLINKER	insoluble residue	IS 4032

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 2 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
20	CHEMICAL- BUILDING MATERIAL	OPC /PPC/CLINKER	iron oxide	IS 4032
21	CHEMICAL- BUILDING MATERIAL	OPC /PPC/CLINKER	LOSS ON IGNITION	IS 4032
22	CHEMICAL- BUILDING MATERIAL	OPC /PPC/CLINKER	Magnesium oxide	IS 4032
23	CHEMICAL- BUILDING MATERIAL	OPC /PPC/CLINKER	silica	IS 4032
24	CHEMICAL- BUILDING MATERIAL	OPC /PPC/CLINKER	sulphuric anhydride	IS 4032
25	CHEMICAL- BUILDING MATERIAL	OPC /PPC/CLINKER	Total chloride	IS 4032
26	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	Ferrous and Non Ferrous	Zinc coating	IS 6745
27	CHEMICAL- METALS & ALLOYS	Carbon (Low, Med and High)	Manganese	IS 228 (Part 2)
28	CHEMICAL- METALS & ALLOYS	Carbon Steel (Low, Med and High)	Nickel	IS 228 (Part 2)
29	CHEMICAL- METALS & ALLOYS	Carbon Steel (Low, Med and High)	Chromium	IS 228 (Part 6)
30	CHEMICAL- METALS & ALLOYS	Carbon Steel (Low, Med and High)	Copper	IS 228 (Part 15)
31	CHEMICAL- METALS & ALLOYS	Carbon Steel (Low, Med and High)	molybdenum	IS 228 (Part 7)
32	CHEMICAL- METALS & ALLOYS	Carbon Steel (Low, Med and High)	phosphorous	IS 228 (Part 3)
33	CHEMICAL- METALS & ALLOYS	Carbon Steel (Low, Med and High)	silicon	IS 228 (Part 8)
34	CHEMICAL- METALS & ALLOYS	Carbon Steel (Low, Med, High)	Sulphur	IS 228 (Part 9)
35	CHEMICAL- METALS & ALLOYS	carbon Steel (Low, Medium and High)	Carbon	IS 228 (Part 1)
36	CHEMICAL- METALS & ALLOYS	High Strength Deformed Steel Bar	Carbon	IS 228 (Part 1)
37	CHEMICAL- METALS & ALLOYS	High Strength Deformed Steel Bar	Chromium	IS 228 (Part 6)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 3 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
38	CHEMICAL- METALS & ALLOYS	High Strength Deformed Steel Bar	Copper	IS 228 (Part 15)
39	CHEMICAL- METALS & ALLOYS	High Strength Deformed Steel Bar	Manganese	IS 228 (Part 2)
40	CHEMICAL- METALS & ALLOYS	High Strength Deformed Steel Bar	molybdenum	IS 228 (Part 7)
41	CHEMICAL- METALS & ALLOYS	High Strength Deformed Steel Bar	nickel	IS 228 (Part 2)
42	CHEMICAL- METALS & ALLOYS	High Strength Deformed Steel Bar	phosphorous	IS 228 (Part 3)
43	CHEMICAL- METALS & ALLOYS	High Strength Deformed Steel Bar	silicon	IS 228 (Part 8)
44	CHEMICAL- METALS & ALLOYS	High Strength Deformed Steel Bar	Sulphur	IS 228 (Part 9)
45	CHEMICAL- METALS & ALLOYS	Low Alloy steel	Carbon	IS 228 (Part 1)
46	CHEMICAL- METALS & ALLOYS	Low Alloy steel	Chromium	IS 228 (Part 6)
47	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Copper	IS 228 (Part 15)
48	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Manganese	IS 228 (Part 2)
49	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Molybdenum	IS 228 (Part 7)
50	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Nickel	IS 228 (Part 2)
51	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Phosphorous	IS 228 (Part 3)
52	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Silicon	IS 228 (Part 3)
53	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Sulphur	IS 228 (Part 9)
54	CHEMICAL- METALS & ALLOYS	Plain and Hard Drawn Steel	Carbon	IS 228 (Part 1)
55	CHEMICAL- METALS & ALLOYS	Plain and Hard Drawn steel	Chromium	IS 228 (Part 6)
56	CHEMICAL- METALS & ALLOYS	Plain and Hard Drawn Steel	Copper	IS 228 (Part 15)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 4 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
57	CHEMICAL- METALS & ALLOYS	Plain and Hard Drawn Steel	Manganese	IS 228 (Part 2)
58	CHEMICAL- METALS & ALLOYS	Plain and Hard Drawn Steel	molybdenum	IS 228 (Part 7)
59	CHEMICAL- METALS & ALLOYS	Plain and Hard Drawn Steel	Nickel	IS 228 (Part 2)
60	CHEMICAL- METALS & ALLOYS	Plain and Hard Drawn Steel	phosphorous	IS 228 (Part 3)
61	CHEMICAL- METALS & ALLOYS	Plain and Hard Drawn Steel	Silicon	IS 228 (Part 8)
62	CHEMICAL- METALS & ALLOYS	Plain and Hard Drawn Steel	Sulphur	IS 228 (Part 9)
63	CHEMICAL- METALS & ALLOYS	Stainless Steel	carbon	IS 228 (Part 1)
64	CHEMICAL- METALS & ALLOYS	Stainless steel	chromium	IS 228 (Part 6)
65	CHEMICAL- METALS & ALLOYS	Stainless Steel	copper	IS 228 (Part 15)
66	CHEMICAL- METALS & ALLOYS	Stainless Steel	manganese	IS 228 (Part 2)
67	CHEMICAL- METALS & ALLOYS	Stainless Steel	molybdenum	IS 228 (Part 7)
68	CHEMICAL- METALS & ALLOYS	Stainless Steel	nickel	IS 228 (Part 2)
69	CHEMICAL- METALS & ALLOYS	Stainless Steel	phosphorus	IS 228 (Part 3)
70	CHEMICAL- METALS & ALLOYS	Stainless Steel	silicon	IS 228 (Part 8)
71	CHEMICAL- METALS & ALLOYS	Stainless Steel	sulphur	IS 228 (Part 9)
72	CHEMICAL- PAINTS & SURFACE COATING	Iron Oxide pigment	Residue on 45 micron	IS 33
73	CHEMICAL- PLASTIC & RESINS	UPVC / HDPE Pipe	Sulphated ash content	IS 12235 (Part 17)
74	CHEMICAL- RESIDUES IN WATER	Drinking Water	Mercury	IS 3025 (Part 48, Clause 5)
75	CHEMICAL- SOIL AND ROCK	Soil	pH	IS 2720 (Part 26)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 5 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
76	CHEMICAL- WATER	Construction Water	Acidity (Volume of 0.02 N-NaOH to Neutralize 100 ml of Water)	IS 3025 (Part 22)
77	CHEMICAL- WATER	Construction Water	Inorganic Solid	IS 3025 (Part 18)
78	CHEMICAL- WATER	Construction Water	pH Value	IS 3025 (Part 11)
79	CHEMICAL- WATER	Construction Water	Sulphate	IS 3025 (Part 24)
80	CHEMICAL- WATER	Construction Water	Suspended Solid	IS 3025 (Part 17)
81	CHEMICAL- WATER	Drinking Water	calcium	IS 3025 (Part 40)
82	CHEMICAL- WATER	Drinking Water	chloride	IS 3025 (Part 32)
83	CHEMICAL- WATER	Drinking Water	Color	IS 3025 (Part 4)
84	CHEMICAL- WATER	Drinking Water	iron	IS 3025 (Part 53)
85	CHEMICAL- WATER	Drinking Water	Magnese	IS 3025 (p 59)
86	CHEMICAL- WATER	Drinking Water	Magnesium	IS 3025 (Part 46)
87	CHEMICAL- WATER	Drinking Water	ODOUR	IS 3025 (Part 5) :
88	CHEMICAL- WATER	Drinking Water	pH	IS 3025 (Part 11)
89	CHEMICAL- WATER	Drinking Water	silica	IS 3025 (Part 35)
90	CHEMICAL- WATER	Drinking Water	sulphate	IS 3025 (Part 24)
91	CHEMICAL- WATER	Drinking Water	sulphite	IS 3025 (Part 28)
92	CHEMICAL- WATER	Drinking Water	TASTE RATING	IS 3025 (Part 8)
93	CHEMICAL- WATER	Drinking Water	TOTAL alkanity	IS 3025 (Part 23)
94	CHEMICAL- WATER	Drinking Water	Total hardness	IS 3025 (Part 21)
95	CHEMICAL- WATER	Drinking Water	turbidity	IS 3025 (Part 10)
96	CHEMICAL- WATER	Drinking Water	Zinc	IS 3025 (p 49)
97	MECHANICAL- BUILDINGS MATERIALS	Abrasive powder	Grain size analysis	IS 1237
98	MECHANICAL- BUILDINGS MATERIALS	Abrasive powder	shape and size	IS 1237
99	MECHANICAL- BUILDINGS MATERIALS	Abrasive powder	Specific gravity	IS 1122
100	MECHANICAL- BUILDINGS MATERIALS	Admixture	Air content	IS 1199 :
101	MECHANICAL- BUILDINGS MATERIALS	Admixture	Bleeding test	IS 9103

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 6 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
102	MECHANICAL- BUILDINGS MATERIALS	Admixture	Compressive strength	IS 516 :
103	MECHANICAL- BUILDINGS MATERIALS	Admixture	Drying Shrinkage	IS 1199
104	MECHANICAL- BUILDINGS MATERIALS	Admixture	Flexural strength	IS 516
105	MECHANICAL- BUILDINGS MATERIALS	Admixture	slump/loss of workability	IS 9103
106	MECHANICAL- BUILDINGS MATERIALS	Admixture	water content	IS 9103
107	MECHANICAL- BUILDINGS MATERIALS	Autoclave cellular blocks	block density (oven dry condition)	IS 6441 (Part 1)
108	MECHANICAL- BUILDINGS MATERIALS	Autoclave cellular blocks	compressive strength	IS 6441 (Part 5)
109	MECHANICAL- BUILDINGS MATERIALS	Autoclave cellular blocks	Dimension (a) Length	IS 2185 (Part 3)
110	MECHANICAL- BUILDINGS MATERIALS	Autoclave cellular blocks	Dimension (b) Width	IS 2185 (Part 3)
111	MECHANICAL- BUILDINGS MATERIALS	Autoclave cellular blocks	Dimension(c)Thickness	IS 2185 (Part 3)
112	MECHANICAL- BUILDINGS MATERIALS	Autoclave cellular blocks	Drying shrinkage	IS 6441 (Part 2)
113	MECHANICAL- BUILDINGS MATERIALS	bitumen & bituminous mix	ductility	IS 1208
114	MECHANICAL- BUILDINGS MATERIALS	bitumen & bituminous mix	Flash & fire point	IS 1448 (part 69)
115	MECHANICAL- BUILDINGS MATERIALS	bitumen & bituminous mix	Penetration	IS 1203
116	MECHANICAL- BUILDINGS MATERIALS	bitumen & bituminous mix	Softening point	IS 1205
117	MECHANICAL- BUILDINGS MATERIALS	Burnt clay bricks	Dimension test(a) Length	IS 1077
118	MECHANICAL- BUILDINGS MATERIALS	Burnt clay bricks	Dimension test(b) Width	IS 1077
119	MECHANICAL- BUILDINGS MATERIALS	Burnt clay bricks	Dimension test(c) Height	IS 1077
120	MECHANICAL- BUILDINGS MATERIALS	Burnt clay bricks/ fuel lime ash bricks	Compressive strength	IS 3495 (Part 1):

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 7 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
121	MECHANICAL- BUILDINGS MATERIALS	Burnt clay bricks/ fuel lime ash bricks	Drying Shrinkage (fly ash bricks)	IS 1199
122	MECHANICAL- BUILDINGS MATERIALS	Burnt clay bricks/ fuel lime ash bricks	Efflorescence	IS 3495 (Part 3)
123	MECHANICAL- BUILDINGS MATERIALS	Burnt clay bricks/ fuel lime ash bricks	water absorption	IS 3495 (Part 2)
124	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Compressive strength (a) 72 ± 1Hrs	IS 4031 (Part 6)
125	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Compressive strength(b) 168 ± 2Hrs	IS 4031 (Part 6)
126	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Compressive strength(c) 678 ± 4Hrs	IS 4031 (Part 6)
127	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	consistency	IS 4031 (Part 4)
128	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Density	IS 4031 (Part 11)
129	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Drying Shrinkage (PPC)	IS 4031 (Part 10)
130	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Final setting Time	IS 4031 (Part 5)
131	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Fineness by blaine permeability appratus	IS 4031 (Part 2)
132	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Initial setting Time	IS 4031 (Part 5)
133	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Soundness (Autoclave Method)	IS 4031 (Part 3)
134	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Soundness (Le chattlier Method)	IS 4031 (Part 3)
135	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Transverse Strength	IS 4031 (Part 8)
136	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	water absorption	IS 13801
137	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	Dimension (a) Length	IS 1237
138	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	Dimension (b) width	IS 1237
139	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	Dimension(a) Length	IS 13801

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 8 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
140	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	Dimension(b) Width	IS 13801
141	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	Dimension(c) Thickness	IS 13801
142	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	Perpendicularity	IS 1237
143	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	Perpendicularity	IS 13801
144	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	Resistance to Wear	IS 1237
145	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	Thickness of Wearing Layer	IS 1237
146	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	Water absorption	IS 1237
147	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	Wet Transverse Strength	IS 1237
148	MECHANICAL- BUILDINGS MATERIALS	chequered cement /cement concrete flooring tiles	WET TRANSVERSE STRENGTH	IS 13801
149	MECHANICAL- BUILDINGS MATERIALS	Chequred cement /cement concrete flooring tiles	Resistance to wear	IS 13801
150	MECHANICAL- BUILDINGS MATERIALS	Chequred cement /cement concrete flooring tiles	straightness	IS 13630 (Part 1)
151	MECHANICAL- BUILDINGS MATERIALS	Chequred cement /cement concrete flooring tiles	surface flatness	IS 13630 (Part 1)
152	MECHANICAL- BUILDINGS MATERIALS	Chequred cement /cement concrete flooring tiles	Thickness of wearing layer	IS 13801
153	MECHANICAL- BUILDINGS MATERIALS	chequred cement /cement concrete flooring tiles	Dimension (c) thickness	IS 1237
154	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	10% Fines value	IS 2386 (Part 4)
155	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Abrasion Value	IS 2386 (Part 4)
156	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Bulk Density	IS 2386 (Part 3)
157	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Crushing Value	IS 2386 (Part 4)
158	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Deleterious Material	IS 2386 (Part 2)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 9 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
159	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Elongation Index	IS 2386 (Part 1)
160	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Flakiness Index	IS 2386 (Part 1)
161	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Impact Value	IS 2386 (Part 4)
162	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Sieve Analysis (IS Sieve Size: 80mm, 63mm, 50mm, 40mm, 31.5mm, 25mm, 20mm, 16mm, 12.5mm, 10mm, 6.3mm, 4.75mm)	IS 2386 (Part 1)
163	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Soundness (Sodium Sulphate)	IS 2386 (Part 5)
164	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Specific Gravity	IS 2386 (Part 3)
165	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Water Absorption	IS 2386 (Part 3)
166	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Bulk Density	IS 2386 (Part 3)
167	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Deleterious Material	IS 2386 (Part 2)
168	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Material Finer than 75 µm	IS 2386 (Part 1)
169	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Organic Impurities	IS 2386 (Part 2)
170	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Sieve Analysis (IS Sieve Size: 10,4.75,2.36,1.18,0.600,0.300, 0.150 mm)	IS 2386 (Part 1)
171	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Soundness (Sodium Sulphate)	IS 2386 (Part 5)
172	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Specific Gravity	IS 2386 (Part 3)
173	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Water Absorption	IS 2386 (Part 3)
174	MECHANICAL- BUILDINGS MATERIALS	Fly ash	Compressive strength	IS 1727
175	MECHANICAL- BUILDINGS MATERIALS	Fly ash	Fineness by blaine permeability	IS 1727

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 10 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
176	MECHANICAL- BUILDINGS MATERIALS	Fly ash	Lime Reactivity	IS 1727
177	MECHANICAL- BUILDINGS MATERIALS	Fly ash	moisture content	IS 3812 (Part 1)
178	MECHANICAL- BUILDINGS MATERIALS	Fly ash	Residue on45 micron sieve(Wet sieving)	IS 1727
179	MECHANICAL- BUILDINGS MATERIALS	Fly ash	Soundness (Autoclave Method)	IS 1727
180	MECHANICAL- BUILDINGS MATERIALS	Fly ash	Specific Gravity	IS 1727
181	MECHANICAL- BUILDINGS MATERIALS	Fresh Concrete	Compressive Strength	IS 516
182	MECHANICAL- BUILDINGS MATERIALS	Fresh concrete	Time of setting (final setting)	IS 1199 (part 7)
183	MECHANICAL- BUILDINGS MATERIALS	Fresh concrete	Time of setting (Initial setting)	IS 1199 (Part 7)
184	MECHANICAL- BUILDINGS MATERIALS	fuel lime ash bricks	Dimension test(a) Length	IS 12894
185	MECHANICAL- BUILDINGS MATERIALS	fuel lime ash bricks	Dimension test(b) Width	IS 12894
186	MECHANICAL- BUILDINGS MATERIALS	fuel lime ash bricks	Dimension test(c) Height	IS 12894
187	MECHANICAL- BUILDINGS MATERIALS	Hardned Concrete	Compressive strength	IS 516
188	MECHANICAL- BUILDINGS MATERIALS	Hardned Concrete	Water permeability	IS 516 ((Part 2) SEC 1)
189	MECHANICAL- BUILDINGS MATERIALS	Lime (Class C)	Fineness	IS 6932 (Part 4)
190	MECHANICAL- BUILDINGS MATERIALS	Lime (Class C)	popping and pitting	IS 6932 (Part 10)
191	MECHANICAL- BUILDINGS MATERIALS	Lime (Class C)	Residue on slaking	IS 6932 (Part 3)
192	MECHANICAL- BUILDINGS MATERIALS	Lime (Class C)	volume yield	IS 6932 (Part 6)
193	MECHANICAL- BUILDINGS MATERIALS	Lime (Class C)	workability	IS 6932 (Part 8)
194	MECHANICAL- BUILDINGS MATERIALS	Manhole Cover	dimensions and tolerance	IS 12592

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 11 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
195	MECHANICAL- BUILDINGS MATERIALS	Manhole Cover	Load test	IS 12592
196	MECHANICAL- BUILDINGS MATERIALS	PRECAST CONCRETE CABLE COVER	Dimension(a)Length	IS 5820
197	MECHANICAL- BUILDINGS MATERIALS	PRECAST CONCRETE CABLE COVER	Dimension(b)Width	IS 5820
198	MECHANICAL- BUILDINGS MATERIALS	PRECAST CONCRETE CABLE COVER	Dimension(c)Thickness	IS 5820
199	MECHANICAL- BUILDINGS MATERIALS	PRECAST CONCRETE CABLE COVER	IMPACT STRENGTH	IS 5820
200	MECHANICAL- BUILDINGS MATERIALS	PRECAST CONCRETE CABLE COVER	Transverse strength	IS 5820
201	MECHANICAL- BUILDINGS MATERIALS	Precast Concrete Block for Paving	Abrasion Resistance	IS 15658
202	MECHANICAL- BUILDINGS MATERIALS	Precast Concrete Block for Paving	Compressive Strength	IS 15658
203	MECHANICAL- BUILDINGS MATERIALS	Precast Concrete Block for Paving	Dimension	IS 15658
204	MECHANICAL- BUILDINGS MATERIALS	Precast Concrete Block for Paving	Freeze-Thaw Durability	IS:15658, Annex H
205	MECHANICAL- BUILDINGS MATERIALS	Precast Concrete Block for Paving	Tensile Splitting Strength	IS 15658
206	MECHANICAL- BUILDINGS MATERIALS	Precast Concrete Block for Paving	Transverse Strength/Flexural Strength	IS 15658
207	MECHANICAL- BUILDINGS MATERIALS	Precast Concrete Block for Paving	Water Absorption	IS 15658
208	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	breaking strength	IS 13630 (Part 6)
209	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	Bulk Density	IS 13630 (Part 2)
210	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	Chemical Resistance	IS 13630 (Part 7)
211	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	chemical resistance	IS 13630 (Part 8)
212	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	Deep abrasion	IS 13630 : Part 12
213	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	modulus of rupture	IS 13630 (Part 6)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 12 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
214	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	moisture expansion	IS 13630 (Part 3)
215	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	Resistance to acid/alkali	IS 13630 (Part 7)
216	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	Resistance to house Hold chemical	IS 13630 (Part 7)
217	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	Resistance to house Hold chemical	IS 13630 (Part 8)
218	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	Resistance to staining	IS 13630 (Part 7)
219	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	Resistance to staining	IS 13630 (Part 8)
220	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	Resistance to acid/alkali	IS 13630 (Part 8)
221	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	Scratch Hardness	IS 13630 (Part 13)
222	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	surface abrasion	IS 13630 (Part 11)
223	MECHANICAL- BUILDINGS MATERIALS	pressed ceramic tiles	water absorption	IS 13630 (Part 2)
224	MECHANICAL- BUILDINGS MATERIALS	Water proofing compound	Compressive strength (a) 72 ± 1Hrs	IS 4031 (Part 6)
225	MECHANICAL- BUILDINGS MATERIALS	Water proofing compound	Compressive strength(b) 168 ± 2Hrs	IS 4031 (Part 6)
226	MECHANICAL- BUILDINGS MATERIALS	Water proofing compound	Final setting Time	IS 4031 (Part 5)
227	MECHANICAL- BUILDINGS MATERIALS	Water proofing compound	Initial setting Time	IS 4031 (Part 5)
228	MECHANICAL- BUILDINGS MATERIALS	Water proofing compound	Water permeability	IS 2645
229	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Carbon steel cast billet ingots, billets, blooms and slabs for Re-rolling into steel for general structural purpose	Bend test	IS 2830
230	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Carbon steel cast billet ingots, billets, blooms and slabs for Re-rolling into steel for general structural purpose	camber	IS 2830
231	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Carbon steel cast billet ingots, billets, blooms and slabs for Re-rolling into steel for general structural purpose	Dimension & tolerance	IS 2830

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 13 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
232	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Carbon steel cast billet ingots, billets, blooms and slabs for Re-rolling into steel for general structural purpose	Freedom from defects	IS 2830
233	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Carbon steel cast billet ingots, billets, blooms and slabs for Re-rolling into steel for general structural purpose/Carbon steel cast billet ingots, billets, blooms and slabs for Re-rolling into steel for (ordinary quality)	Macro examination	IS 11371
234	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Carbon steel cast billet ingots, billets, blooms and slabs for Re-rolling into steel for general structural purpose/Carbon steel cast billet ingots, billets, blooms and slabs for Re-rolling into steel for (ordinary quality)	Sulphur print test	IS 12037
235	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Carbon steel cast billet ingots, billets, blooms and slabs for Re-rolling into steel for (ordinary quality)	Bend test	IS 2831
236	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Carbon steel cast billet ingots, billets, blooms and slabs for Re-rolling into steel for (ordinary quality)	camber	IS 2831
237	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Carbon steel cast billet ingots, billets, blooms and slabs for Re-rolling into steel for (ordinary quality)	Dimension & tolerance	IS 2831
238	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Carbon steel cast billet ingots, billets, blooms and slabs for Re-rolling into steel for (ordinary quality)	Freedom from defects	IS 2831
239	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Galvanized steel strip and sheets(plain and corrugated)	Bend test	IS 277
240	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Galvanized steel strip and sheets(plain and corrugated)	Dimension and tolerance(a) Length	IS 277
241	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Galvanized steel strip and sheets(plain and corrugated)	Dimension and tolerance(b) Thickness	IS 277
242	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Galvanized steel strip and sheets(plain and corrugated)	elongation	IS 1608 (Part 1)
243	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Galvanized steel strip and sheets(plain and corrugated)	Freedom from defects	IS 277
244	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Galvanized steel strip and sheets(plain and corrugated)	Nominal mass	IS 277

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 14 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
245	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Galvanized steel strip and sheets(plain and corrugated)	Tensile strength	IS 1608 (Part 1)
246	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Galvanized steel strip and sheets(plain and corrugated)	yeild strength	IS 1608 (Part 1)
247	MECHANICAL-MECHANICAL PROPERTIES OF METALS	GI Wire barbed	Breaking load	IS 1608 (Part 1)
248	MECHANICAL-MECHANICAL PROPERTIES OF METALS	GI Wire barbed	Dimension and Tolerance(a) Length	IS 278
249	MECHANICAL-MECHANICAL PROPERTIES OF METALS	GI Wire barbed	Dimension and Tolerance(b) Thickness	IS 278
250	MECHANICAL-MECHANICAL PROPERTIES OF METALS	GI Wire barbed	Ductility test	IS 1755
251	MECHANICAL-MECHANICAL PROPERTIES OF METALS	GI Wire barbed	Freedom from defects	IS 278
252	MECHANICAL-MECHANICAL PROPERTIES OF METALS	GI Wire barbed	Tensile strength	IS 1608 (Part 1)
253	MECHANICAL-MECHANICAL PROPERTIES OF METALS	High strength deformed steel bars (TMT)	Bend Test	IS 1599
254	MECHANICAL-MECHANICAL PROPERTIES OF METALS	High strength deformed steel bars (TMT)	Elongation	IS 1786
255	MECHANICAL-MECHANICAL PROPERTIES OF METALS	High strength deformed steel bars (TMT)	Freedom from defects	IS 1786
256	MECHANICAL-MECHANICAL PROPERTIES OF METALS	High strength deformed steel bars (TMT)	Nominal mass / meter	IS 1786
257	MECHANICAL-MECHANICAL PROPERTIES OF METALS	High strength deformed steel bars (TMT)	Pull out test	IS 2770 (Part 1)
258	MECHANICAL-MECHANICAL PROPERTIES OF METALS	High strength deformed steel bars (TMT)	Re-bend Test	IS 1786

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 15 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
259	MECHANICAL-MECHANICAL PROPERTIES OF METALS	High strength deformed steel bars (TMT)	Total Elongation	IS 1786
260	MECHANICAL-MECHANICAL PROPERTIES OF METALS	High strength deformed steel bars (TMT)	Ultimate Tensile Strength	IS 1608 (Part 1)
261	MECHANICAL-MECHANICAL PROPERTIES OF METALS	High strength deformed steel bars (TMT)	Yield stress	IS 1608 (Part 1)
262	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Hot Rolled Medium and High Tensile Structure steel	Bend test	IS 1599
263	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Hot Rolled Medium and High Tensile Structure steel	Dimension and tolerance(a) length	IS 2062
264	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Hot Rolled Medium and High Tensile Structure steel	Dimension and tolerance(b) Thickness	IS 2062
265	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Hot Rolled Medium and High Tensile Structure steel	Elongation	IS 1608 (Part 1)
266	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Hot Rolled Medium and High Tensile Structure steel	Freedom from defects	IS 2062
267	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Hot Rolled Medium and High Tensile Structure steel	Mass per unit length	IS 2062
268	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Hot Rolled Medium and High Tensile Structure steel	Ultimate Tensile Strength	IS 1608 (Part 1)
269	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Hot Rolled Medium and High Tensile Structure steel	Y groove crackability test	IS 10842 (Part 1)
270	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Hot Rolled Medium and High Tensile Structure steel	Yield stress	IS 1608 (Part 1)
271	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Hot Rolled Medium and High Tensile Structure steel	Y groove crackability test	IS 10842 (Part 2)
272	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Hot Rolled Medium and High Tensile Structure steel	Y groove crackability test	IS 10842 (Part 3)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 16 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
273	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Mild and hard drawn steel bar	Elongation	IS 1608 (Part 1)
274	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Mild and hard drawn steel bar	Freedom from defects	IS 432 (Part 2)
275	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Mild and hard drawn steel bar	Nominal size	IS 432 (Part 2)
276	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Mild and hard drawn steel bar	Reverse Bend Test	IS 1716
277	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Mild and hard drawn steel bar	Ultimate tensile strength	IS 1608 (Part 1)
278	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Mild and hard drawn steel bar	Yield strength/0.2 % proof stress	IS 1608 (Part 1)
279	MECHANICAL-MECHANICAL PROPERTIES OF METALS	MS Wire	Bend Test	IS 280
280	MECHANICAL-MECHANICAL PROPERTIES OF METALS	MS Wire	Dimension and tolerance	IS 280
281	MECHANICAL-MECHANICAL PROPERTIES OF METALS	MS Wire	Freedom from defect	IS 280
282	MECHANICAL-MECHANICAL PROPERTIES OF METALS	MS Wire	Tensile strength	IS 1608 (Part 1)
283	MECHANICAL-MECHANICAL PROPERTIES OF METALS	MS Wire	Wrapping test	IS 1755
284	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Plain and hard drawn steel wire for prestressed concrete	ductility	IS 1716
285	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Plain and hard drawn steel wire for prestressed concrete	elongation	IS 1608 (Part 1)
286	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Plain and hard drawn steel wire for prestressed concrete	Nominal mass	IS 1785 (Part 1)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 17 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
287	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Plain and hard drawn steel wire for prestressed concrete	Nominal size, ovality and tolerance	IS 1785 (Part 1)
288	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Plain and hard drawn steel wire for prestressed concrete	proof stress	IS 1608 (Part 1)
289	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Plain and hard drawn steel wire for prestressed concrete	Susceptibility to stress corrosion	IS 1785 (Part 1)
290	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Plain and hard drawn steel wire for prestressed concrete	Tensile strength	IS 1608 (Part 1)
291	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Plain and hard drawn steel wire for prestressed concrete	Nominal Mass	IS 1785 (Part 2)
292	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Plain and hard drawn steel wire for prestressed concrete	Nominal size, ovality and tolerance	IS 1785 (Part 2)
293	MECHANICAL-MECHANICAL PROPERTIES OF METALS	SS wire	0.2 % proof stress/ yield strength	IS 1608 (Part 1)
294	MECHANICAL-MECHANICAL PROPERTIES OF METALS	SS wire	Dimension and tolerance	IS 6528
295	MECHANICAL-MECHANICAL PROPERTIES OF METALS	SS wire	elongation	IS 1608 (Part 1)
296	MECHANICAL-MECHANICAL PROPERTIES OF METALS	SS wire	Freedom from defects	IS 6528
297	MECHANICAL-MECHANICAL PROPERTIES OF METALS	SS wire	Reduction percentage	IS 1608 (Part 1)
298	MECHANICAL-MECHANICAL PROPERTIES OF METALS	SS wire	Reverse Bend Test	IS 1716
299	MECHANICAL-MECHANICAL PROPERTIES OF METALS	SS wire	Tensile strength	IS 1608 (Part 1)
300	MECHANICAL-MECHANICAL PROPERTIES OF METALS	SS wire	Wrapping Test	IS 1755

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 18 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
301	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless Steel butt hinge	Dimension and tolerance(a) Length	IS 12817
302	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless Steel butt hinge	Dimension and tolerance(b) Thickness	IS 12817
303	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless steel section , sheet and strips	0.2 % proof stress	IS 1608 (Part 1)
304	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless steel section , sheet and strips	Dimension and tolerance(a) Length	IS 6911
305	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless steel section , sheet and strips	Dimension and tolerance(b) Thickness	IS 6911
306	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless steel section , sheet and strips	elongation	IS 1608 (Part 1)
307	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless steel section , sheet and strips	Freedom from defects	IS 6911
308	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless steel section , sheet and strips	Tensile strength	IS 1608 (Part 1)
309	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless steel section , sheet and strips for utensil	0.2 % proof stress	IS 1608 (Part 1)
310	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless steel section , sheet and strips for utensil	Dimension and tolerance(a) Length	IS 5522
311	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless steel section , sheet and strips for utensil	Dimension and tolerance(b) Thickness	IS 5522
312	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless steel section , sheet and strips for utensil	elongation	IS 1608 (Part 1)
313	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless steel section , sheet and strips for utensil	Freedom from defects	IS 5522
314	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Stainless steel section , sheet and strips for utensil	Tensile strength	IS 1608 (Part 1)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 19 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
315	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes for Mechanical and General Engineering Purposes	Bend Test (strip)	IS 3601
316	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes for Mechanical and General Engineering Purposes	Bend Test (whole tube)	IS 2329
317	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes for Mechanical and General Engineering Purposes	crushing test	IS 3601
318	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes for Mechanical and General Engineering Purposes	Dimension and tolerance(a) Length	IS 3601
319	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes for Mechanical and General Engineering Purposes	Dimension and tolerance(b) Diameter	IS 3601
320	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes for Mechanical and General Engineering Purposes	Dimension and tolerance(c) Thickness	IS 3601
321	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes for Mechanical and General Engineering Purposes	Drift expansion test	IS 2335
322	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes for Mechanical and General Engineering Purposes	Flattening test	IS 2328
323	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes for Mechanical and General Engineering Purposes	Straightness	IS 3601
324	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes for Mechanical and General Engineering Purposes	Surface protection	IS 3601
325	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes for Mechanical and General Engineering Purposes	Ultimate Tensile Strength	IS 1608 (Part 1)
326	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes for Mechanical and General Engineering Purposes	Yield stress	IS 1608 (Part 1)
327	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Steel Tubes used for Water Wells	Total Elongation	IS 1608 (Part 1)
328	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Density	IS 12235 (Part 14)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 20 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
329	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Density	IS 13360 (Part -3, Sec-1)
330	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Dimensions and Tolerance(a) Diameter	IS 15778
331	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Dimensions and Tolerance(b) Thickness	IS 15778
332	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Dimensions and Tolerance(c) Length	IS 15778
333	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Flattening Test	IS 12235 (Part 19)
334	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Hydrostatic Characteristics	IS 15778
335	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Opacity	IS 12235 (Part 3)
336	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Pipe Ends	IS 15778
337	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Resistance to external blows at 0°C	IS 4985
338	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Reversion test	IS 12235 (Part 5)
339	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Tensile Strength	IS 12235 (Part 13)
340	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Thermal stability by hydrostatic pressure testing	IS 12235 (Part 8 / Sec 1)
341	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Verification of the Malfunction Temperature	IS 15778
342	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	CPVC PIPE FOR PORTABLE HOT & COLD WATER	Vicat softening temperature	IS12235 (Part 2)
343	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE FOR SEWERAGE	Carbon Black Content	IS 2530
344	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE FOR SEWERAGE	Carbon Black Dispersion	IS 2530
345	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE FOR SEWERAGE	Density	IS 7328
346	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE FOR SEWERAGE	Dimensions and Tolerance(a) Diameter	IS 14333
347	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE FOR SEWERAGE	Dimensions and Tolerance(b) Thickness	IS 14333

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 21 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
348	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE FOR SEWERAGE	Hydraulic characteristics	IS 2530
349	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE FOR SEWERAGE	Melt flow rate	IS 2530
350	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE FOR SEWERAGE	Reversion test	IS 14333
351	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	HDPE FOR SEWERAGE	Visual appearance	IS 14333
352	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Carbon Black Content	IS 2530
353	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Carbon Black Dispersion	IS 2530
354	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Density	IS 7328
355	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Dimension and Tolerance(a) Mean outside diameter	IS 4984
356	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Dimension and Tolerance(b) Wall Thickness	IS 4984
357	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Elongation at break	IS 4984
358	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Identification of Strips	IS 4984
359	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Internal pressure creep rupture test for pipe	IS 4984
360	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	length of straight pipe	IS 4984
361	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Longitudinal Reversion Test	IS 4984
362	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Melt Flow Rate	IS 2530
363	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Overall Migration test	IS 9845
364	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Oxidation induction time	IS 4984
365	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Slow crack growth rate test	IS 4984
366	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Tensile strength for butt fusion	IS 4984

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 22 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
367	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	visual appearance	IS 4984
368	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Volatile Matter	IS 4984
369	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	POLYETHYLENE PIPES FOR WATER SUPPLY	Coiling	IS 4984
370	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	Density	IS 12235 (Part 14)
371	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	Dimension and Tolerance(a) Mean Outside Diameter	IS 12235 (Part 1)
372	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	Dimension and Tolerance(b) Diameter at any point	IS 12235 (Part 1)
373	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	Dimension and Tolerance(c) Wall Thickness	IS 12235 (Part 1)
374	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	Dimension and Tolerance(d) Length	IS 4985
375	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	Hydrostatic Characteristics	IS 4985
376	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	opacity	IS 12235 (Part 3)
377	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	Resistance to external blows at 0°C	IS 4985
378	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	Reversion Test	IS 12235 (Part 5)
379	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	Sealing Ring hardness	IS 5382
380	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	Vicat softening temperature	IS 12235 (Part 2)
381	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	visual appearance	IS 4985
382	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR SOIL AND WASTE DISCHARGE	Axial shrinkage	IS 13592
383	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR SOIL AND WASTE DISCHARGE	Dimensions and Tolerance(a) Diameter	IS 12235 (Part 1)
384	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR SOIL AND WASTE DISCHARGE	Dimensions and Tolerance(b) Thickness	IS 12235 (Part 1)
385	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR SOIL AND WASTE DISCHARGE	Effect of sunlight	IS 12235 (Part 13)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 23 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
386	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR SOIL AND WASTE DISCHARGE	Resistance to external blows at 0°C	IS 12235 (Part 9)
387	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR SOIL AND WASTE DISCHARGE	Resistance to dichloromethane at specified temperature	IS 12235 (Part 11)
388	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR SOIL AND WASTE DISCHARGE	Reversion test	IS 12235 (Part 5)
389	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR SOIL AND WASTE DISCHARGE	Stress relief test	IS 12235 (Part 6)
390	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR SOIL AND WASTE DISCHARGE	Tensile Strength	IS 12235 (Part 13)
391	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR SOIL AND WASTE DISCHARGE	Vicat softening temperature	IS 12235 (Part 2)
392	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR SOIL AND WASTE DISCHARGE	visual appearance	IS 13592
393	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR SOIL AND WASTE DISCHARGE	Water tightness of joints	IS 13592
394	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC PIPES FOR PORTABLE WATER SUPPLIES	Coiling	IS 4985
395	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC SCREEN AND CASING PIPES FOR BORE	Density	IS 12235 (Part 14)
396	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC SCREEN AND CASING PIPES FOR BORE	Dimension and Tolerance(c) Length	IS 12235 (Part 1)
397	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC SCREEN AND CASING PIPES FOR BORE	Dimension for sealing element(a) Diameter	IS 12818
398	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC SCREEN AND CASING PIPES FOR BORE	Dimension for sealing element(b) Thickness	IS 12818
399	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC SCREEN AND CASING PIPES FOR BORE	Dimensions and Tolerance(a) Diameter	IS 12235 (Part 1)
400	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC SCREEN AND CASING PIPES FOR BORE	Dimensions and Tolerance(b) Thickness	IS 12235 (Part 1)
401	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC SCREEN AND CASING PIPES FOR BORE	Resistance to external blows at 0°C	IS 12235 (Part 9)
402	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC SCREEN AND CASING PIPES FOR BORE	Tensile Strength	IS 12235 (Part 13)
403	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC SCREEN AND CASING PIPES FOR BORE	Threading of screen and casing pipe	IS 12818
404	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC SCREEN AND CASING PIPES FOR BORE	Vicat softening temperature	IS 12235 (Part 2)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 24 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
405	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	UPVC SCREEN AND CASING PIPES FOR BORE	Visual Appearance	IS 12818
406	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber gasket	Accelerated ageing test Change in Tensile Strength	IS 3400 (Part 4)
407	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber gasket	Accelerated ageing test Change in Elongation	IS 3400 (Part 4)
408	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber gasket	Ageing at Oven (100 degree C)Change in Elongation	IS 3400 (Part 4)
409	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber gasket	Ageing at Oven (100 degree C)Change in Tensile Strength	IS 3400 (Part 4)
410	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber gasket	Compression Set	IS 3400 (Part 10)
411	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber gasket	Elongation at a given stress and stress at a given elongation	IS 3400 (Part 1)
412	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber gasket	Elongation at break	IS 3400 (Part 1)
413	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber gasket	Performance test	IS 7466
414	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber gasket	Tensile Strength	IS 3400 (Part 1)
415	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber gasket	Test for heavy metal	IS 7466
416	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber gasket	Volume	IS 3400 (Part 4)
417	MECHANICAL- SOIL AND ROCK	Building stone/Marble/sandstone	Compressive strength	IS 1121 (Part 1)
418	MECHANICAL- SOIL AND ROCK	Building stone/Marble/sandstone	moisture content	IS 13030
419	MECHANICAL- SOIL AND ROCK	Building stone/Marble/sandstone	Scratch hardness	IS 13630 (Part 13)
420	MECHANICAL- SOIL AND ROCK	Building stone/Marble/sandstone	Specific gravity	IS 1122
421	MECHANICAL- SOIL AND ROCK	Building stone/Marble/sandstone	water absorption	IS 1124 :
422	MECHANICAL- SOIL AND ROCK	soil	atterberg limits(a)Liquid limit	IS 2720 (Part 5)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 25 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
423	MECHANICAL- SOIL AND ROCK	Soil	atterberg limits(b)Plastic limit	IS 2720 (Part 5)
424	MECHANICAL- SOIL AND ROCK	Soil	CBR test	IS 2720 (Part 16)
425	MECHANICAL- SOIL AND ROCK	Soil	Direct shear test Cohesion intercept Cohesion Value	IS 2720 (Part 13)
426	MECHANICAL- SOIL AND ROCK	Soil	Direct shear test Internal friction f value	IS 2720 (Part 13)
427	MECHANICAL- SOIL AND ROCK	Soil	Grain size analysis	IS 2720 (Part 4)
428	MECHANICAL- SOIL AND ROCK	Soil	moisture content	IS 2720 (Part 2)
429	MECHANICAL- SOIL AND ROCK	Soil	Proctor test (Heavy Compaction)MDD	IS2720 (Part 8)
430	MECHANICAL- SOIL AND ROCK	Soil	Proctor test (Heavy Compaction)OMC	IS 2720 (Part 8)
431	MECHANICAL- SOIL AND ROCK	Soil	Proctor test (Light Compaction)MDD	IS 2720 (Part 7)
432	MECHANICAL- SOIL AND ROCK	Soil	Proctor test (Light Compaction)OMC	IS 2720 (Part 7)
433	MECHANICAL- SOIL AND ROCK	Soil	specific gravity	IS 2720 (Part 3/SEC 2)
434	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	Adhesion of Plies	IS 1659
435	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	Dimension and Tolerance (c) Width	IS 1659
436	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	Dimension and Tolerance(a) Length	IS 1659
437	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	Dimension and Tolerance(b) Thickness	IS 1659
438	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	Dimensional Changes caused by Humidity	IS 1659
439	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	Edge straightness	IS 1659
440	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	Modulus of elasticity	IS 1659
441	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	Modulus of Rupture	IS 1659

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 26 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
442	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	Mycological Test	IS 1659
443	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	Resistance to water	IS 1659
444	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	Spot test	IS 1659
445	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	squareness	IS 1659
446	MECHANICAL- WOOD AND WOOD PRODUCTS	BLOCK BOARDS	Thickness variation	IS 1659
447	MECHANICAL- WOOD AND WOOD PRODUCTS	FIRE RETARDANT PLYWOOD	Flame penetration	IS 1734 (Part 3)
448	MECHANICAL- WOOD AND WOOD PRODUCTS	FIRE RETARDANT PLYWOOD	Flammability	IS 1734 (Part 3)
449	MECHANICAL- WOOD AND WOOD PRODUCTS	FIRE RETARDANT PLYWOOD	Moisture Content	IS 1734 (Part 1)
450	MECHANICAL- WOOD AND WOOD PRODUCTS	FIRE RETARDANT PLYWOOD	Rate of burning	IS 1734 (Part 3)
451	MECHANICAL- WOOD AND WOOD PRODUCTS	FIRE RETARDANT PLYWOOD	squareness	IS 5509
452	MECHANICAL- WOOD AND WOOD PRODUCTS	FIRE RETARDANT PLYWOOD	Static Bending Strength modulus of rupture	IS 1734 (Part 11)
453	MECHANICAL- WOOD AND WOOD PRODUCTS	FIRE RETARDANT PLYWOOD	Static Bending StrengthModulus of elasticity	IS 1734 (Part 11)
454	MECHANICAL- WOOD AND WOOD PRODUCTS	FIRE RETARDANT PLYWOOD	Water Resistance Test	IS 1734 (Part 6)
455	MECHANICAL- WOOD AND WOOD PRODUCTS	Flush Door Shutters	Dimension and Tolerance (a) Length	IS 4020 (Part 2)
456	MECHANICAL- WOOD AND WOOD PRODUCTS	Flush Door Shutters	Dimension and Tolerance (c) Width	IS 4020 (Part 2)
457	MECHANICAL- WOOD AND WOOD PRODUCTS	Flush Door Shutters	Squareness	IS 4020
458	MECHANICAL- WOOD AND WOOD PRODUCTS	Flush Doors Shutters	Dimension and Tolerance (b) Thickness	IS 4020 (Part 2)
459	MECHANICAL- WOOD AND WOOD PRODUCTS	Flush Doors Shutters	End Immersion Test	IS 4020 (Part 13)
460	MECHANICAL- WOOD AND WOOD PRODUCTS	Flush Doors Shutters	Glue Adhesion	IS 4020 (Part 15)

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 27 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
461	MECHANICAL- WOOD AND WOOD PRODUCTS	Flush Doors Shutters	Knife Test	IS 4020 (Part 13)
462	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Dimension and Tolerance (c) Width	IS 710
463	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Dimension and Tolerance(a) Length	IS 710
464	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Dimension and Tolerance(b) Thickness	IS 710
465	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Edge straightness	IS 710
466	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Glue Adhesion in Dry State Adhesion of plies	IS 1734 (Part 4&5)
467	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Glue Adhesion in Dry StateGlue shear strength	IS 1734 (Part 4&5)
468	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Moisture Content	IS 1734 (Part 1)
469	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Mycological TestGlue shear strength	IS 1734 (Part 4)
470	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Mycological TestAdhesion of plies	IS 1734 (Part 5)
471	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	squareness	IS 710
472	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Static Bending StrengthModulus of elasticity	IS 1734 (Part 11)
473	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Static Bending Strengthmodulus of rupture	IS 1734 (Part 11)
474	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Water Resistance TestAdhesion of plies	IS 1734 (Part 5)
475	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Water Resistance TestGlue shear strength	IS 1734 (Part 4)
476	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Wet Bending StrengthModulus of elasticity	IS 1734 (Part 11)
477	MECHANICAL- WOOD AND WOOD PRODUCTS	Marine Plywood	Wet Bending Strengthmodulus of rupture	IS 1734 (Part 11)
478	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FORCONCRETESHUTTERINGWORKS	Dimension and Tolerance (c) Width	IS 4990
479	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Dimension and Tolerance(a) Length	IS 4990

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 28 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
480	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Dimension and Tolerance(b) Thickness	IS 4990
481	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Edge straightness	IS 4990
482	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Glue Adhesion in Dry StateAdhesion of plies	IS 1734 (Part 5)
483	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Glue Adhesion in Dry StateGlue shear strength	IS 1734 (Part 4)
484	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Moisture Content	IS 1734 (Part 1)
485	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Mycological testGlue shear strength	IS 1734 (Part 4)
486	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Plywood with plastic coating or overlay	IS 4990
487	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Resistance to Water TestAdhesion of plies	IS 1734 (Part 5)
488	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Resistance to Water TestGlue shear strength	IS 1734 (Part 4)
489	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	squareness	IS 4990
490	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Static Bending StrengthModulus of elasticity	IS 1734 (Part 11)
491	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Static Bending Strengthmodulus of rupture	IS 1734 (Part 11)
492	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Tensile strength	IS 1734 (Part 9)
493	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Wet Bending StrengthModulus of elasticity	IS 1734 (Part 11)
494	MECHANICAL- WOOD AND WOOD PRODUCTS	PLYWOOD FOR CONCRETE SHUTTERING WORKS	Wet Bending Strengthmodulus of rupture	IS 1734 (Part 11)
495	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood for General Purpose	Adhesion of plies	IS 1734 (Part 5)
496	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood for General Purpose	Dimension and Tolerance(a) Length	IS 303
497	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood for General Purpose	Dimension and Tolerance(b) Thickness	IS 303
498	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood for General Purpose	Edge straightness	IS 303

SCOPE OF ACCREDITATION

Laboratory Name : VERTEX TESTING LABORATORY PRIVATE LIMITED, C-44 PATELNAGAR II, GHAZIABAD, UTTAR PRADESH, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8502 **Page No** 29 of 29

Validity 16/05/2022 to 15/05/2024 **Last Amended on** 21/07/2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
499	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood for General Purpose	Modulus of elasticity	IS 1734 (Part 11)
500	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood for General Purpose	modulus of rupture	IS 1734 (Part 11)
501	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood for General Purpose	Moisture Content	IS 1734 (Part 1)
502	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood for General Purpose	Mycological Test	IS 1734 (Part 7)
503	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood for General Purpose	Quality requirements	IS 303 :
504	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood for General Purpose	squareness	IS 303
505	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood for General Purpose	Water Resistance Test	IS 1734 (Part 6)
506	MECHANICAL- WOOD AND WOOD PRODUCTS	Plywood for General Purpose	Dimension and Tolerance (c) Width	IS 303
507	MECHANICAL- WOOD AND WOOD PRODUCTS	VENEERED DECORATIVE PLYWOOD	Dimension and Tolerance(a) Length	IS 1328
508	MECHANICAL- WOOD AND WOOD PRODUCTS	VENEERED DECORATIVE PLYWOOD	Dimension and Tolerance(b) Thickness	IS 1328
509	MECHANICAL- WOOD AND WOOD PRODUCTS	VENEERED DECORATIVE PLYWOOD	Edge straightness	IS 1328
510	MECHANICAL- WOOD AND WOOD PRODUCTS	VENEERED DECORATIVE PLYWOOD	Moisture Content	IS 1734 (Part 1)
511	MECHANICAL- WOOD AND WOOD PRODUCTS	VENEERED DECORATIVE PLYWOOD	squareness	IS 1328
512	MECHANICAL- WOOD AND WOOD PRODUCTS	VENEERED DECORATIVE PLYWOOD	Water Resistance Test	IS 1734 (Part 6)
513	MECHANICAL- WOOD AND WOOD PRODUCTS	VENEERED DECORATIVE PLYWOOD	Dimension and Tolerance (c) Width	IS 1328