National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6017 **Page No** 1 of 16

Validity 21/03/2023 to 20/03/2025 **Last Amended on** 21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	CHEMICAL- LEATHER	footwears	pH	IS 15298 (Part 01)
2	CHEMICAL- LEATHER	footwears	pH	ISO 4045
3	CHEMICAL- LEATHER	footwears	RESISTANCE TO FUEL OIL	IS 15298 (Part 01)
4	CHEMICAL- LEATHER	Leather Products	Bound Organic Substances	IS: 582 (LC 21)
5	CHEMICAL- LEATHER	Leather Products	Chromium (as Cr2 O3) Content	IS: 582 (LC 10)
6	CHEMICAL- LEATHER	Leather Products	Degree of Tannage	IS: 582 (LC 21)
7	CHEMICAL- LEATHER	Leather Products	Hide Substances	IS: 582 (LC 21)
8	CHEMICAL- LEATHER	LEATHER PRODUCTS	MOISTURE CONTENTS	IS 582 (LC - 2)
9	CHEMICAL- LEATHER	Leather Products	pH Value of Water Solubles	IS: 582 (LC 18)
10	CHEMICAL- LEATHER	Leather Products	Solvent Extractable Substances	IS: 582 (LC 04)
11	CHEMICAL- LEATHER	Leather Products	Sulphated Ash of Water Solubles	IS: 582 (LC 07)
12	CHEMICAL- LEATHER	Leather Products	Total Ash	IS: 582 (LC 03)
13	CHEMICAL- LEATHER	Leather Products	volatile matter	IS:582 (LC 01)
14	CHEMICAL- LEATHER	Leather Products	Water Soluble matter	IS: 582 (LC 06)
15	CHEMICAL- METALS & ALLOYS	Aluminium & Aluminum Alloy	Beryllium	ASTM E 1251
16	CHEMICAL- METALS & ALLOYS	Aluminium & Aluminum Alloy	Chromium	ASTM E 1251
17	CHEMICAL- METALS & ALLOYS	Aluminium & Aluminum Alloy	Copper	ASTM E 1251
18	CHEMICAL- METALS & ALLOYS	Aluminium & Aluminum Alloy	Iron	ASTM E 1251
19	CHEMICAL- METALS & ALLOYS	Aluminium & Aluminum Alloy	Lead	ASTM E 1251
20	CHEMICAL- METALS & ALLOYS	Aluminium & Aluminum Alloy	Magnesium	ASTM E 1251
21	CHEMICAL- METALS & ALLOYS	Aluminium & Aluminum Alloy	Manganese	ASTM E 1251
22	CHEMICAL- METALS & ALLOYS	Aluminium & Aluminum Alloy	Nickel	ASTM E 1251
23	CHEMICAL- METALS & ALLOYS	Aluminium & Aluminum Alloy	Silicon	ASTM E 1251

SCOPE OF ACCREDITATION

Laboratory Name :	AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6017	**Page No**	2 of 16
Validity	21/03/2023 to 20/03/2025	**Last Amended on**	21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
24	CHEMICAL- METALS & ALLOYS	Aluminium & Aluminum Alloy	Tin	ASTM E 1251
25	CHEMICAL- METALS & ALLOYS	Aluminium & Aluminum Alloy	Titanium	ASTM E 1251
26	CHEMICAL- METALS & ALLOYS	Aluminium & Aluminum Alloy	Zinc	ASTM E 1251
27	CHEMICAL- METALS & ALLOYS	Carbon Steel	Aluminium	ASTM E 415
28	CHEMICAL- METALS & ALLOYS	Carbon Steel	Arsenic	ASTM E 415
29	CHEMICAL- METALS & ALLOYS	Carbon Steel	Boron	ASTM E 415
30	CHEMICAL- METALS & ALLOYS	Carbon Steel	Carbon	ASTM E 415
31	CHEMICAL- METALS & ALLOYS	Carbon Steel	Chromium	ASTM E 415
32	CHEMICAL- METALS & ALLOYS	Carbon Steel	Cobalt	ASTM E 415
33	CHEMICAL- METALS & ALLOYS	Carbon Steel	Copper	ASTM E 415
34	CHEMICAL- METALS & ALLOYS	Carbon Steel	Lead	IS 8811
35	CHEMICAL- METALS & ALLOYS	Carbon Steel	Manganese	ASTM E 415
36	CHEMICAL- METALS & ALLOYS	Carbon Steel	Molybdnum	ASTM E 415
37	CHEMICAL- METALS & ALLOYS	Carbon Steel	Neobiam	ASTM E 415
38	CHEMICAL- METALS & ALLOYS	Carbon Steel	Nickel	ASTM E 415
39	CHEMICAL- METALS & ALLOYS	Carbon Steel	Phosphorus	ASTM E 415
40	CHEMICAL- METALS & ALLOYS	Carbon Steel	Silicon	ASTM E 415
41	CHEMICAL- METALS & ALLOYS	Carbon Steel	Sulphur	ASTM E 415
42	CHEMICAL- METALS & ALLOYS	Carbon Steel	Tin	ASTM E 415

SCOPE OF ACCREDITATION

Laboratory Name :	AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6017	**Page No**	3 of 16
Validity	21/03/2023 to 20/03/2025	**Last Amended on**	21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
43	CHEMICAL- METALS & ALLOYS	Carbon Steel	Vanadium	ASTM E 415
44	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Aluminium	BSEN 15079
45	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Antimony	BSEN 15079
46	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Arsenic	BSEN 15079
47	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Bismuth	BSEN 15079
48	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Cobalt	BSEN 15079
49	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Iron	BSEN 15079
50	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Lead	BSEN 15079
51	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Manganese	BSEN 15079
52	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Nickle	BSEN 15079
53	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Phosphorus	BSEN 15079
54	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Sulphur	BSEN 15079
55	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Tin	BSEN 15079
56	CHEMICAL- METALS & ALLOYS	Copper & Copper Alloy	Zinc	BSEN 15079
57	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Aluminium	IS: 8811
58	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Carbon	IS: 8811
59	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Chromium	IS: 8811
60	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Copper	IS: 8811
61	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Manganese	IS: 8811

SCOPE OF ACCREDITATION

Laboratory Name :	AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6017	**Page No**	4 of 16
Validity	21/03/2023 to 20/03/2025	**Last Amended on**	21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
62	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Molybdenum	IS: 8811
63	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Nickel	IS: 8811
64	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Phosphorus	IS: 8811
65	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Silicon	IS: 8811
66	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Sulphur	IS: 8811
67	CHEMICAL- METALS & ALLOYS	Low Alloy Steel	Tin	IS: 8811
68	CHEMICAL- METALS & ALLOYS	Stainless Steel	Aluminum	IS 9879
69	CHEMICAL- METALS & ALLOYS	Stainless Steel	Arsenic	IS 9879
70	CHEMICAL- METALS & ALLOYS	Stainless Steel	Boron	ASTM E 1086
71	CHEMICAL- METALS & ALLOYS	Stainless Steel	Boron	IS 9879
72	CHEMICAL- METALS & ALLOYS	Stainless Steel	Carbon	ASTM E 1086
73	CHEMICAL- METALS & ALLOYS	Stainless Steel	Chromium	ASTM E 1086
74	CHEMICAL- METALS & ALLOYS	Stainless Steel	Cobalt	IS 9879
75	CHEMICAL- METALS & ALLOYS	Stainless Steel	Copper	ASTM E 1086
76	CHEMICAL- METALS & ALLOYS	Stainless Steel	Manganese	ASTM E 1086
77	CHEMICAL- METALS & ALLOYS	Stainless Steel	Molybdenum	ASTM E 1086
78	CHEMICAL- METALS & ALLOYS	Stainless Steel	Nickel	ASTM E 1086
79	CHEMICAL- METALS & ALLOYS	Stainless Steel	Niobium	IS 9879
80	CHEMICAL- METALS & ALLOYS	Stainless Steel	Phosphorus	ASTM E 1086

SCOPE OF ACCREDITATION

Laboratory Name : AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6017 **Page No** 5 of 16

Validity 21/03/2023 to 20/03/2025 **Last Amended on** 21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
81	CHEMICAL- METALS & ALLOYS	Stainless Steel	Silicon	ASTM E 1086
82	CHEMICAL- METALS & ALLOYS	Stainless Steel	Sulphur	ASTM E 1086
83	CHEMICAL- METALS & ALLOYS	Stainless Steel	Titanium	IS 9879
84	CHEMICAL- METALS & ALLOYS	Stainless Steel	Vanadium	IS 9879
85	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Resistance to liquids (liquid used as per IS code used)	IS: 3400 (Part 06)
86	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Resistance to liquids (liquid used as per ISO code used)	ISO: 1817
87	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Acetone Extract	IS: 6110 (Appendix C 01)
88	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Ash Content	ASTM D 297
89	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Ash Content	IS: 3400 (Part 22)
90	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Carbon Black Content	ASTM D 297
91	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Carbon Black Content	IS: 3400 (Part 22)
92	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Identification of Polymers	IS: 3400 (Part 22)
93	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Rubber Hydrocarbon Content (Natural Rubber Composition)	ASTM D 297
94	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Rubber Hydrocarbon Content (Natural Rubber Composition)	IS: 6110
95	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Rubber Polymer Content (Indirect Method)	IS: 3400 (Part 22)
96	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Rubber Polymer Content (Indirect Method)	IS: 5915
97	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Rubber Polymer Content (Indirect Method)	IS: 6110
98	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Zinc Oxide Content	ASTM D 297
99	CHEMICAL- RUBBER & RUBBER PRODUCTS	Vulcanised Rubber & Rubber Products	Zinc Oxide Content	IS: 3400 (Part 22)

SCOPE OF ACCREDITATION

Laboratory Name : AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6017 **Page No** 6 of 16

Validity 21/03/2023 to 20/03/2025 **Last Amended on** 21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
100	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Alumina Content	IS: 2089
101	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Ash Content of Textile Material	IS: 2089
102	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Ash Content of Textile Material	IS:199
103	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Chloride Content of Textile Material	IS: 4202
104	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Chromium Content of Textile Material	IS: 4655
105	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	colour fastness to hot pressing	IS/ISO 105 (X11)
106	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Colour fastness to Light	ISO 105 (B 02)
107	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Colour fastness to Washing	IS/ISO 105 (C10) (A1 or B2 or C3 or D4 or E5)
108	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non woven fabric	Dimensional Stability of fabric in Soaking in water	IS: 2977
109	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition	IS: 667
110	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Acrylic)	IS: 3421
111	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Cotton)	IS: 1889 (Part 01)
112	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Cotton)	IS: 6504
113	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Nylon)	IS: 2006
114	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Nylon)	IS: 3421
115	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Nylon)	IS: 6503
116	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Polyester)	IS: 3416 (Part 01)
117	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Viscose)	IS: 1889 (Part 01)
118	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Viscose)	IS: 3416 (Part 01)

SCOPE OF ACCREDITATION

Laboratory Name : AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6017 **Page No** 7 of 16

Validity 21/03/2023 to 20/03/2025 **Last Amended on** 21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
119	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Viscose)	IS: 6504
120	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Wool)	IS: 2006
121	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Wool)	IS: 6503
122	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Identification & Blend Composition (Wool)	IS: 6504
123	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Iron Content of Textile Material	IS: 4655
124	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	pH of Value of Aqueous Extract of Textile Material	IS: 1390
125	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Proofing Content Double Texture Rubberised Water Proof Fabric	IS: 6110 (Appendix D)
126	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Proofing Content Single Texture Rubberised Water Proof Fabric	IS: 5915 (Appendix C)
127	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Proofing Content Common Proofed Canvas / Duck and Paulin (Tarpaulin)	IS: 2089 (Appendix A, Cl 3.31 - 3.33 and 6)
128	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & non woven fabric	SCORING LOSS	IS 2360 (Appendix A6)
129	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Scouring Loss of Textile Material	IS:1383
130	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Scouring Loss of Textile Material, Y-Neck Plain Knitted, Worsted	IS: 2360 (A-6)
131	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Solvent Soluble Matter of Textile Material	IS: 4390
132	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Sulphate Content of Textile Material	IS: 4203
133	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Water Soluble Matter of Textile Material	IS: 3456
134	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Wool Content	IS: 8476
135	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Zinc/copper Content of Common Proofed Canvas/ Duck Paulin (Tarpaulin) (for Cu)	IS: 2089 (Appendix A 02)

SCOPE OF ACCREDITATION

Laboratory Name : AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6017 **Page No** 8 of 16

Validity 21/03/2023 to 20/03/2025 **Last Amended on** 21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
136	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Woven & Non Woven Fabric	Zinc/copper Content of Common Proofed Canvas/ Duck Paulin (Tarpaulin) (for Zn)	IS: 2089 (Appendix A 02)
137	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	WOVEN AND NON WOVEN FABRIC	ALKALI SOLUBILITY	IS 3429
138	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	WOVEN AND NON WOVEN FABRIC	MOISTURE CONTENT OF TEXTILE MATERIAL	IS 199
139	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	WOVEN AND NON WOVEN FABRIC	RESISTENCE TO PENETRATION BY WATER OF FABRICS BY STATIC PRESSURE HEAD TEST	IS 7940
140	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	WOVEN AND NON WOVEN FABRIC	SCOURING LOSS	IS 2783 (Appendix 7)
141	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	WOVEN AND NON WOVEN FABRIC	WATER ABSORBPTION PENETRATION OF FABRIC USING BUNDESMAN TYPE APPRATUS	IS 392
142	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Footwears	ABRASION RESISTANCE	IS 15298 (Part 01) Clause 6.12
143	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Absorption of Water (Gravimetric Method)	IS: 5914 (LP 11)
144	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Apparent Density	IS: 5914 (LP 05)
145	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Double Hole Stitch Tear Strength	IS: 5914 (LP 08)
146	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Flexing Endurance	IS: 5914 (LP - 19)
147	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Resistance to Cracking	IS: 5914 (LP - 13)
148	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Tearing Strength	IS: 5914 (LP - 7)
149	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Tensile Strength & Elongation at Break	IS: 5914 (LP - 6)
150	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Tensile Strength & Elongation at Break	IS: 5914 (LP - 6)
151	MECHANICAL- LEATHER AND LEATHER PRODUCTS	Leather Products	Thickness	IS: 5914 (LP - 1)
152	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Cast Iron	Rockwell Hardness HRB (1/16"/100kgf)	IS: 1586 (Part 01)

SCOPE OF ACCREDITATION

Laboratory Name :	AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6017	**Page No**	9 of 16
Validity	21/03/2023 to 20/03/2025	**Last Amended on**	21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
153	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Metal, Alloys	Rockwell Hardness (HRC, 150kgf)	IS: 1586 (Part 01)
154	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Metal, Alloys	Rockwell Hardness HRB (1/16"/100kgf)	IS: 1586 (Part 01)
155	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Metal, Alloys	Vickers Hardness (HV10)	IS: 1501 (Part 01)
156	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Metal, Alloys	Vickers Hardness (HV30)	ASTM E 92
157	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Metal, Alloys	Vickers Hardness (HV30)	IS: 1501 (Part 01)
158	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Metal, Alloys	Vickers Hardness (HV5)	ASTM E - 92
159	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Metal, Alloys	Vickers Hardness (HV5)	IS: 1501 (Part 01)
160	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous Metal, Alloys	Vickers Hardness HV10	ASTM E 92
161	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous, Non-Ferrous Metals, Alloys & Cast Iron	Brinell Hardness, BHN (at 187.5 Kgf /dia 2.5mm)	IS :1500 (Part-1)
162	MECHANICAL-MECHANICAL PROPERTIES OF METALS	High Strength Deformed Steel Bars	Tensile Strength	IS 1608 (Part 01)
163	MECHANICAL-MECHANICAL PROPERTIES OF METALS	High Strength Deformed Steel Bars	Yield Stress	IS:1608 (Part 01)
164	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metal Alloy (Ferrous/Non-Ferrous)	Elongation %	ASTM E8/E8M
165	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metal Alloy (Ferrous/Non-Ferrous)	Elongation %	IS1608 (Part 01)
166	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metal Alloy (Ferrous/Non-Ferrous)	Tensile Strength	ASTM E8/E8M

SCOPE OF ACCREDITATION

Laboratory Name :	AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6017	**Page No**	10 of 16
Validity	21/03/2023 to 20/03/2025	**Last Amended on**	21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
167	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metal Alloy (Ferrous/Non-Ferrous)	Tensile Strength	IS 1608 (Part 01)
168	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metal Alloy (Ferrous/Non-Ferrous)	Yield Strength	ASTM E8/E8M
169	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metal Alloy (Ferrous/Non-Ferrous)	Yield Strength	IS 1608 (Part 01)
170	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic Material	Rockwell Hardness (HRC, 150kgf)	ASTM E 18
171	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic Material	Rockwell Hardness HRB (1/16"/100kgf)	ASTM E 18
172	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic Metal	Bend Test	ASTM E290
173	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Metallic Metal	Bend Test	IS :1599
174	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Non-Ferrous Metal, Alloys	Micro Vickers Hardness (HV0.2)	ASTM E 384
175	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Non-Ferrous Metal, Alloys	Micro Vickers Hardness (HV0.2)	IS: 1501 (Part 01)
176	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Non-Ferrous Metal, Alloys	Micro Vickers Hardness (HV1)	ASTM E 384
177	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Non-Ferrous Metal, Alloys	Micro Vickers Hardness(HV1)	IS: 1501 (Part 01)
178	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Non-Ferrous Metal, Alloys	Rockwell Hardness (HRC , 150kgf)	IS: 1586 (Part 01)
179	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Non-Ferrous Metal, Alloys	Rockwell Hardness HRB (1/16"/100kgf)	IS: 1586 (Part 01)
180	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Non-Ferrous Metal, Alloys	Vickers Hardness (HV10)	ASTM E 92

SCOPE OF ACCREDITATION

Laboratory Name :	AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6017	**Page No**	11 of 16
Validity	21/03/2023 to 20/03/2025	**Last Amended on**	21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
181	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Non-Ferrous Metal, Alloys	Vickers Hardness (HV30)	ASTM E 92
182	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Non-Ferrous Metal, Alloys	Vickers Hardness (HV30)	IS: 1501 (Part 01)
183	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Non-Ferrous Metal, Alloys	Vickers Hardness (HV5)	ASTM E 92
184	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Non-Ferrous Metal, Alloys	Vickers Hardness (HV5)	IS: 1501 (Part 01)
185	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Non-Ferrous Metal, Alloys	Vickers Harndess (HV10)	IS: 1501 (Part 01)
186	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER AND RUBBER PRODUCT	COMPRESSION RESISTANCE	IS 15298 (Part 01)
187	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER AND RUBBER PRODUCT	IMPACT RESISTANCE	IS 15298 (Part 01)
188	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER AND RUBBER PRODUCT	INTERNAL TOE CAP LENGTH	IS 15298 (Part 01)
189	MECHANICAL- RUBBER AND RUBBER PRODUCTS	RUBBER AND RUBBER PRODUCT	RESISTENCE TO HOT CONTACT	IS 15298 (Part 01)
190	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Abrasion Resistance (Non - rotating test piece) Abrasion loss (Relative volume loss)	ISO: 4649 (Method A)
191	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Abrasion Resistance (Non - rotating test piece) Abrasion resistance index	IS: 3400 (Part 03)
192	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Abrasion Resistance (Non - rotating test piece) Abrasion resistance index	ISO: 4649 (Method A)
193	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Abrasion Resistance (Non - rotating test piece) Abrasion loss (Relative volume loss)	IS: 3400 (Part 03)
194	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Accelerated Ageing Test	IS: 3400 (Part 04)
195	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Accelerated Ageing Test	ISO: 188

SCOPE OF ACCREDITATION

Laboratory Name : AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6017 **Page No** 12 of 16

Validity 21/03/2023 to 20/03/2025 **Last Amended on** 21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
196	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Compression Set at Constant Strain	IS: 3400 (Part 10)
197	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Density	IS: 3400 (Part 09) (Method A)
198	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Density	ISO 2781
199	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Elongation at Break	IS: 3400 (Part 01)
200	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Elongation at Break	ISO: 37
201	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Flexing Resistance, cut growth at the end of 30,000 flex cycles (Bennewart Flexing)	IS: 15298 (Part 01) (Cl. 8.4.2)
202	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Hydrolysis Test, cut growth at the end of 1,50,000 flex cycles (at -5 degree C)	IS: 15298 (Part 01) (Cl. 8.5)
203	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Hydrolysis Test, cut growth at the end of 1,50,000 flex cycles (at -5 degree C)	ISO: 5423 (Annexure C & E)
204	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Insulation against heat/ Heat insulation of sole complex	IS: 15298 (Part 01) (Cl. 5.12)
205	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	IRHD Hardness	IS: 3400 (Part 02) (Method N)
206	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	IRHD Hardness	ISO 48
207	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Resistance to acid & alkali	IS: 5915
208	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Resistance to Cold 1) Number of crack 2) Length of crack	IND/TC/3841 (b)
209	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Resistance to Cold 1) Number of crack 2) Length of crack	IS: 7016 (Part 10)
210	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Resistance to Cold 1) Number of crack 2) Length of crack	ISO: 4675
211	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Resistance to Xylol	IS: 6110 (Cl.5.3.5)
212	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Shore-A Hardness	ASTM D 2240
213	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Shore-A Hardness	IS: 3400 (Part 23)

SCOPE OF ACCREDITATION

Laboratory Name : AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6017 **Page No** 13 of 16

Validity 21/03/2023 to 20/03/2025 **Last Amended on** 21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
214	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Shore-A Hardness	ISO 7619
215	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Specific Gravity	IS 3400 (Part 9)
216	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Specific Gravity	ISO 2781
217	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Tear Strength (Angular Test Piece)	IS: 3400 (Part 17)
218	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Tear Strength by Trouser Test Piece Method	IS: 15298 (Part 01) (Cl.8.2)
219	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Tear Strength by Trouser Test Price Method	ISO: 34 - 01 (Method A)
220	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Tensile Strength	IS: 3400 (Part 01)
221	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Tensile Strength	ISO: 37
222	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Thickness	IS: 15298 (Part 01) (Cl.8.1.2)
223	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Thickness	IS: 3400 (Part 01)
224	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Thickness	ISO 37
225	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Vulcanised Rubber & Allied Products	Upper/ Outsole Bond Strength and Interlayer Bond Strength (except Type - A)	IS: 15298 (Part 01) (Cl. 5.2.3.1)
226	MECHANICAL- TEXTILE MATERIALS	GEO TEXTILE NON WOVEN FABRIC	THICKNESS	ASTM D5199
227	MECHANICAL- TEXTILE MATERIALS	GEO TEXTILE NON WOVEN FABRIC	ELOGATATION AT BREAK	ASTM D 4595
228	MECHANICAL- TEXTILE MATERIALS	GEO TEXTILE NON WOVEN FABRIC	INDEX PUNCTURE	ASTM D 4833
229	MECHANICAL- TEXTILE MATERIALS	GEO TEXTILE NON WOVEN FABRIC	MASS OF UNIT AREA	ASTM D5261
230	MECHANICAL- TEXTILE MATERIALS	GEO TEXTILE NON WOVEN FABRIC	STATIC PUNCTURE	ASTM D 6241
231	MECHANICAL- TEXTILE MATERIALS	GEO TEXTILE NON WOVEN FABRIC	TENSILE STRENGTH	ASTM D 4595

SCOPE OF ACCREDITATION

Laboratory Name :	AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6017	**Page No**	14 of 16
Validity	21/03/2023 to 20/03/2025	**Last Amended on**	21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
232	MECHANICAL- TEXTILE MATERIALS	VELCRO TAPE	SHEAR STRENGTH	IS 8156
233	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Autoclaving Test of Single Texture Rubberrised Waterproof Fabric	IS: 5915 (Appendix B) (Cl. 4.3.8)
234	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Breaking Strength (Revelled Strip)	IS: 1969 (Part-1)
235	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Breaking Strength (Revelled Strip)	IS: 7016 (Part-2)
236	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Bursting Strength of fabric	IS: 1966 (Part 1)
237	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Cone Test	IS: 2089 (Cl. 3.3.7.2 & 6.3)
238	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Cone Test	IS: 6803 (Cl. 3.2.6.3)
239	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Cone Test	IS: 7941
240	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Count of yarn removed from fabrics	IS: 3442
241	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Crease Recovery Angle Test	IS: 4681
242	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Length & Width of Woven Fabric	IS: 1954
243	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Linear Density of yarn	IS: 1315
244	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Pilling Resistance Test	IS: 10971 (Part-A)
245	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Resistance to Cold	DMSRDE/TEX-3 (P)/ 2001/1 & Appendix A
246	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Resistance to Cold	IS: 5915 (Cl.4.3.9)
247	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Resistance to Cold	IS: 6110 (Cl. 5.2.4)
248	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Threads/ unit length of woven fabric (Weft)	IS: 1963
249	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Water Proofness Test	IS: 7016 (Part 7)

SCOPE OF ACCREDITATION

Laboratory Name : AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6017 **Page No** 15 of 16

Validity 21/03/2023 to 20/03/2025 **Last Amended on** 21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
250	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Water Repellency Test (Spray Test)	IS: 390
251	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Weight per unit area (For Textile)	IS:1964
252	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabric	Weight per unit length (For Textile)	IS:1964
253	MECHANICAL- TEXTILE MATERIALS	Woven & Non Woven Fabrics	Threads/ unit length of woven fabric (Warp)	IS: 1963
254	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABARIC	STREATCH ALONG AND LEG PORTION	IS 833 (Appendix 7)
255	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	COLOUR DIFFERENCE (COLOUR CAMPRISON)	AATCC TEST METHOD 173 2015 EP 7
256	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	COURSE	IS 2187 (Appendix A4)
257	MECHANICAL- TEXTILE MATERIALS	woven and non woven fabric	COURSE	IS 3326 (Appendix A2)
258	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	DIMENSION (as per Table 1 of IS 3100)	IS 3100 (Appendix A2)
259	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	DIMENSIONAL CHANGE	IS 3100 (Appendix A5)
260	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	DIMENSIONAL CHANGE (DUE TO FELTING)	IS 2783 (Appendix A6)
261	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	DIMENSIONAL CHANGE (DUE TO RELAXATION)	IS 2783 (Appendix A5)
262	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	DIMENTIONAL CHANGE	IS 2187 (Appendix 5)
263	MECHANICAL- TEXTILE MATERIALS	woven and non woven fabric	DIMENTIONAL CHANGE	IS 833 (Appendix 6)
264	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	ENDURANCE TEST	IS 8156
265	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	GRADE OF WOOL	IS 5911
266	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	MASS	IS 3100 (Appendix A3)
267	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	MASS OF 10 PAIR PCS	IS 2187
268	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	PEEL STRENGTH	IS 8156

SCOPE OF ACCREDITATION

Laboratory Name : AROMA LABORATORIES (INDIA) PVT. LTD., CC-1/CC-2, COMMUNITY CENTRE, LAWRENCE ROAD, NEW DELHI, DELHI, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6017 **Page No** 16 of 16

Validity 21/03/2023 to 20/03/2025 **Last Amended on** 21/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
269	MECHANICAL- TEXTILE MATERIALS	woven and non woven fabric	SCOURING LOSS	IS 3100 (Appendix A6)
270	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	THICKNESS OF TEXTILE MATERIAL	IS 7702
271	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	WALES	IS 3326 (Appendix A1)
272	MECHANICAL- TEXTILE MATERIALS	woven and non woven fabric	WALES AND COURSE	IS 3100 (Appendix A4)
273	MECHANICAL- TEXTILE MATERIALS	WOVEN AND NON WOVEN FABRIC	WALES AND COURSE	IS 833 (Appendix 4 & 5)
274	MECHANICAL- TEXTILE MATERIALS	YARN THREADS	ELONGATION AT BREAK	IS 1670
275	MECHANICAL- TEXTILE MATERIALS	YARN - THREADS	TENACITY OF THREADS	IS 1671
276	MECHANICAL- TEXTILE MATERIALS	YARN - THREADS	BREAKING STRENGTH OF YARN	IS 1670
277	MECHANICAL- TEXTILE MATERIALS	YARN - THREADS	LEA STRENGTH	IS 1671
278	MECHANICAL- TEXTILE MATERIALS	YARN - THREADS	LINEAR DENSITY	IS 1315