National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 1 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Bus bar trunking systems (bus ways)	Resistance of insulating material to abnormal heat and fire	BS EN 61439-6 Cl. 8 / IEC 61439-6 Cl. 8
2	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electric fans for household and similar purposes	Protection against access to live parts (IP)	BS EN 60335-2-80:2003+A2:2009, Cl. 8 / IEC 60335-2-80, Cl.8
3	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electric fans for household and similar purposes	Resistance to heat & fire (Glow wire test)	BS EN 60335-2-80:2003+A2:2009, Cl. 30.2.1 & 30.2.3/ IEC 60335-2-80Cl. 30.2.1 & 30.2.3
4	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	AC semiconductor motor controllers & starters	Needle flame Test	IEC 60947-4-2; Cl.8.1.2.2
5	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	AC semiconductor motor controllers & starters	Pull Out Test	IEC 60947-4-2;Cl.9.2
6	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Air-cleaning appliance	Resistance to heat & fire (Glow wire test)	IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl. 30.2.1 & 30.2.3
7	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Air-cleaning appliances	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-65:2003+A11:2012,Cl .15 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl.15
8	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Air-cleaning appliances	Protection against access to live parts (IP)	BS EN 60335-2-65:2003+A11:2012, Cl. 8/ IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl. 8
9	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Appliances for heating liquids	Protection against access to live parts (IP)	BS EN 60335-2-17:2013+A2:2021, Cl. 8/ IEC 60335-2-17, Cl. 8
10	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2- 17, Cl.15 / IEC 60335- 2-17, Cl.15
11	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Resistance to heat and fire (Glow wire test)	IEC 60335- 2-17, Cl. 30.2.1 & 30.2.3
12	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Assemblies for construction sites (ACS)	Resistance to corrosion	IEC 61439-4, Clause 10

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	2 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
13	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Assemblies for power distribution in public networks	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-5:2014/COR1, Cl.8.2.2
14	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Assemblies for power distribution in public networks	Resistance to corrosion	IEC 61439-5:2014/COR1, Clause 10.2.2
15	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-7, Cl.8.2.2
16	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Humidity Preconditioning	BS EN 61010-2-081,Cl. 6 / IEC 61010-2-081,Cl.6
17	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Protection against electrical shock	BS EN 61010-2- 081, Cl. 6 / IEC 61010- 2-081, Cl. 6
18	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Resistance to mechanical stresses	IEC 61010-2-81 Cl. 8
19	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Resistance to heat test, non - metallic enclosures (Mould stress test)	IEC 61010-2-081, Cl. 10
20	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical air flow water flow and water level sensing controls	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-2-15, Clause 21
21	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical air flow, water flow and water level sensing controls	Protection against electric shock (IP)	IEC 60730-2-15, Cl. 8
22	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical air flow, water flow and water level sensing controls	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2-15, Cl. 12, 16 , 22 & 21
23	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical burner control systems	Protection against electric shock (IP)	IEC 60730-2-5, Cl. 8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	3 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
24	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical burner control systems	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2-5, Cl.12,16, 22 & 21
25	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical burner control systems	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-2-5, Clause 21
26	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical Controls	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-1, Cl.12.2, 16.2, 22 & 21
27	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical controls	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-1, Clause 21.2.1, 21.2.2 & 21.2.3
28	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical controls	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-2-22, Clause 21
29	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical controls - Electrically operated door locks	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-2-12, Clause 21
30	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical controls for household and similar use - Thermal protectors for ballasts for tubular fluorescent lamps	Resistance to heat and fire	IEC 60730-2-3 Clause 21
31	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical Controls: General requirement	Protection against electric shock (IP)	IEC 60730-1, Cl. 8
32	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical controls: Humidity sensing controls	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-2-13, Clause 21
33	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical pressure sensing controls including mechanical requirement	Protection against electric shock (IP)	IEC 60730-2-6, Cl. 8
34	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical pressure sensing controls including mechanical requirements	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2-6, Cl. 12,16, 22 & 21
35	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Automatic electrical pressure sensing controls including mechanical requirements	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-2-6, Clause 21

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 4 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
36	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Battery chargers	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-29:2004+A11:2018, Cl.15 / IEC 60335-2-29:2016+AMD1, Cl.15
37	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Battery chargers	Protection against access to live parts	BS EN 60335-2- 29, Cl. 8 / IEC 60335- 2-29, Cl. 8
38	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Battery chargers	Resistance to heat & fire (Glow wire test)	IEC 60335-2-29:2016+AMD1, Cl. 30.2.1 & 30.2.3
39	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Bus bar trunking systems (bus ways)	Protection against contact with live parts, Ingress of solid foreign bodies	BS EN 61439-6, Cl. 8.2.2/ IEC 61439-6, Cl. 8
40	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Bus bar trunking systems (bus ways)	Resistance to corrosion	BS EN 61439-6,Clause 10/ IEC 61439-6, Clause 10
41	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Busbar trunking systems (busways)	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-6, Cl.8
42	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Circuit-breakers	Needle flame test	IEC 60947-2,Cl.8.2
43	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Circuit-breakers	Pull Out Test	IEC 60947-2; Cl.8.2
44	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Clothes dryers and towel rails	Moisture Resistance / Humidity Preconditioning	BS EN IEC 60335-2-43:2020+A11:2020, Cl.15/ IEC 60335-2-43, Cl.15
45	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Clothes dryers and towel rails	Protection against access to live parts	BS EN IEC 60335-2-43:2020+A11:2020, Cl. 8 / IEC 60335-2-43, Cl. 8
46	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial dispensing appliances & vending machines	Protection against access to live parts (IP)	BS EN 60335-2-75:2004+A2, Cl. 8
47	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial dispensing appliances and vending machine	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-75:2004+A2, Cl.15

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	5 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
48	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial dispensing appliances and vending machines	Resistance to heat & fire (Glow wire test)	BS EN 60335-2-75:2004+A2, Cl. 30.2.1 & 30.2.3
49	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial electric boiling pans	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-47:2003+A2:2019,Cl. 15 / IEC 60335-2-47,Cl.15
50	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial electric boiling pans	Protection against access to live parts (IP)	BS EN 60335-2-47:2003+A2:2019, Cl. 8 / IEC 60335-2-47, Cl. 8
51	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial electric boiling pans	Resistance to heat & fire (Glow wire test)	IEC 60335-2-47, Cl. 30.2.1 & 30.2.3
52	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-36:2002+A11:2012, Cl.15/ IEC 60335-2-36, Cl.15
53	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Resistance to heat & fire (Glow wire test)	IEC 60335-2-36, Cl. 30.2.1 & 30.2.3
54	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial electric rinsing sinks	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-62:2003+A1:2008,Cl. 15 / IEC 60335-2-62, Cl.15
55	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial electric rinsing sinks	Protection against access to live parts (IP)	BS EN 60335-2-62:2003+A1:2008, Cl. 8/ IEC 60335-2-62, Cl. 8
56	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial electric rinsing sinks	Resistance to heat & fire (Glow wire test)	IEC 60335-2-62, Cl. 30.2.1 & 30.2.3
57	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial microwave ovens	Moisture Resistance	BS EN IEC 60335-2-90:2021+A1:2021, Cl.15/ IEC 60335-2-90:2015+AMD1, Cl.15
58	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial microwave ovens	Protection against access to live parts (IP)	BS EN IEC 60335-2-90:2021+A1:2021, Cl. 8 / IEC 60335-2-90:2015+AMD1, Cl. 8
59	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Commercial microwave ovens	Resistance to heat & fire (Glow wire test)	BS EN IEC 60335-2-90:2021+A1:2021, Cl. 30.2.1, 30.2.2 & 30.2.3 / IEC 60335-2-90:2015+AMD1, Cl. 30.2.1, 30.2.2 & 30.2.3

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	6 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
60	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Contactors and motor-starters	Pull Out Test	IEC 60947-4-3,Cl.9.2
61	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Contactors and motor-starters - AC semiconductor controllers and contactors for non-motor load	Degree of protection of enclosed equipment	IEC 60947-4-3, Cl. 8.1.12
62	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Contactors and motor-starters - Electromechanical contactors and motor-starters	Degree of protection of enclosed equipment	IEC 60947-4- 1, Cl. 8.1.12
63	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Control & protective switching device (or equipment) (CPS)	Needle flame test	IEC 60947-6-2:2020/COR1, Cl.8.1.2.3
64	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Control and protective switching devices (or equipment) (CPS)	Glow Wire Test , Resistance to Heat & Fire	IEC 60947-6-2:2020/COR1, Cl.8.1.2.2
65	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Control and protective switching devices (or equipment) (CPS)	Pull Out Test	IEC 60947-6-2:2020/COR1, Cl.9.2.1
66	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Control circuit devices and switching elements - Electromechanical control circuit devices	Degree of protection of enclosed equipment	IEC 60947-5-1:2016/COR2, Cl. 8.2.3
67	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Control circuit devices and switching elements - Electromechanical control circuit devices	Test of materials to abnormal heat & fire	IEC 60947-5-1:2016/COR2, Cl. 8.2.1.1.1 & 8.2.1.1.2
68	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Control equipment	Humidity Preconditioning	BS EN 61010-2-201, Cl.6 / IEC 61010-2-201, Cl.6
69	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Control equipment	Protection against electrical shock	IEC 61010-2-201, Cl. 6
70	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Control equipment	Resistance to mechanical stresses	IEC 61010-2-201 Cl. 8.2.2
71	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Control equipment	Resistance to heat test, non - metallic enclosures (Mould stress test)	IEC 61010-2-201, Cl. 10.5.2
72	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Control units for built-in thermal protection (PTC) for rotating electrical machines	Needle flame test	IEC 60947-8;Cl.8.1.2.3
73	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Control units for built-in thermal protection (PTC) for rotating electrical machines	Pull Out Test	IEC 60947-8,Cl.9.2

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	7 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
74	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Deep fat fryers, frying pans and similar appliances	Resistance to heat and fire (Glow wire test)	IEC 60335-2-13, Cl. 30.2.1, 30.2.2 & 30.2.3
75	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Deep fat fryers, frying pans and similar appliances	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-13:2010+A1:2019, Cl.15 / IEC 60335-2-13, Cl.15
76	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Deep fat fryers, frying pans and Similar appliances	Protection against access to live parts (IP)	BS EN 60335-2-13:2010+A1:2019, Cl. 8 / IEC 60335-2-13, Cl. 8
77	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Degree of protection provided by enclosures (IP Code)	Test for protection against solid foreign objects indicated by first characteristic numeral	IEC 60529:1989+AMD1:1999+AMD2, Cl. 13.2,13.3
78	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Protection against contact with live parts, Ingress of solid foreign bodies	IEC 61439-3:2012/COR2, Cl. 8.2.2
79	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-3:2012/COR2, CL.8.2.2
80	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Resistance to corrosion	IEC 61439-3:2012/COR2, Clause 10
81	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Drives for vertically moving garage doors for residential use	Moisture Resistance	BS EN 60335-2-95:2015+A2:2019, Cl.15/ IEC 60335-2-95, Cl.15
82	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Drives for vertically moving garage doors for residential use	Protection against access to live parts (IP)	BS EN 60335-2-95:2015+A2:2019, Cl. 8/ IEC 60335-2-95, Cl. 8
83	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electric actuators	Protection against electric shock (IP)	IEC 60730-2-14, Cl. 8
84	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electric actuators	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2-14, Cl. 12, 16 , 22 & 21
85	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electric actuators	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-2-14, Clause 21

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	8 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
86	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electric irons	Resistance to heat & fire (Glow wire test)	BS EN 60335-2-3 :2016+A1 Cl. 30.2.1 & 30.2.3
87	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electric vehicle conductive charging system	Damp heat functional test	IEC 61851-1, Cl. 12.9
88	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electric vehicle conductive charging system	Durability of markings	IEC 61851-1 Cl. 16.5
89	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electric vehicle conductive charging system	IP degrees	IEC 61851-1, Cl. 12.4
90	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrical and Electronics equipment	Glow Wire test	IEC 60695-2-11
91	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrical and Electronics Equipments	Glow Wire test	IEC 60695-2-10
92	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrical equipment for measurement	Determination of accessible parts (IP)	BS EN 61010-1:2010+A1:2019, Cl. 6.2 / IEC 61010-1:2010/AMD1:2016/COR 1, Cl. 6.2
93	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrical equipment for measurement ,control, and laboratory use	Mechanical Impact Test, Mechanical strength	BS EN 61010-1:2010+A1:2019, Cl. 8.2.2 / IEC 61010-1:2010/AMD1:2016/COR 1. Cl. 8.2.2
94	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrical equipment for measurement, control, and laboratory use	Resistance to heat test, non - metallic enclosures (Mould stress test)	BS EN 61010-1:2010+A1:2019, Cl. 10.5.2 / IEC 61010-1:2010/AMD1:2016/COR 1, Cl. 10.5.2
95	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrical equipment for measurement, control, and laboratory use	Humidity Preconditioning	BS EN 61010-1:2010+A1:2019, Cl.6.8.2 / IEC 61010-1:2010/AMD1:2016/COR 1, Cl. 6.8.2
96	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrical Equipments/ Components	Damp Heat Test (Cyclic)	IEC 60068-2-30
97	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrical heat pumps, air conditioners and dehumidifiers	Protection against access to live parts	BS EN 60335-2-40:2003+A13:2012, Cl. 8 / IEC 60335-2-40, Cl. 8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	9 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
98	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrical heat pumps, air-conditioners and dehumidifier	Resistance to heat & fire (Glow wire test)	IEC 60335-2-40, Cl. 30.2.1 & 30.2.3
99	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-40:2003+A13:2012, Cl.15/ IEC 60335- 2-40, Cl.15
100	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrically operated door locks	Protection against electric shock (IP)	IEC 60730-2-12, Cl. 8
101	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrically operated door locks	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2-12, Cl. 12, 16 , 22 & 21
102	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrically operated water valves, including mechanical requirements	Protection against electric shock (IP)	IEC 60730-2-8, Cl. 8
103	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrically operated water valves, including mechanical requirements	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2-8, Cl.12,16, 22 & 21
104	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electrically operated water valves, including mechanical requirements	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-2-8, Clause 21
105	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electromechanical contactors & motor-starters	Needle flame	IEC 60947-4-1; Cl.8.1.2.3
106	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electromechanical contactors & motor-starters	Pull Out Test	IEC 60947-4-1; Cl.9.2
107	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electromechanical control circuit devices	Needle flame test	IEC 60947-5-1:2016/COR2, Cl.8.2.1.1.2
108	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Electromechanical control circuit devices	Pull Out Test	IEC 60947-5-1:2016/COR2, Cl.8.2.4.4
109	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Energy regulator	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2-11, Cl. 12, 16, 22 & 21

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	10 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
110	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Energy Regulators	Protection against electric shock (IP)	IEC 60730-2-11, Cl. 8
111	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Energy regulators electrically	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-2-11, Clause 21
112	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Equipment having testing or measuring circuits	Humidity Preconditioning	BS EN IEC 61010-2-030:2021+A11:2021, Cl.6 / IEC 61010-2-030, Cl.6
113	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Equipment having testing or measuring circuits	Protection against electrical shock	BS EN IEC 61010-2-030:2021+A11:2021, Cl. 6 / IEC 61010-2-030, Cl. 6
114	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Equipment having testing or measuring circuits	Resistance to mechanical stresses	BS EN IEC 61010-2-030:2021+A11:2021, Cl. 8 / IEC 61010-2- 030, Cl. 8
115	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Equipment having testing or measuring circuits	Resistance to heat test, non - metallic enclosures (Mould stress test)	IEC 61010-2-030, Cl. 10
116	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Fans	Moisture Resistance	BS EN 60335-2-80:2003+A2:2009, Cl.15 / IEC 60335-2-80, Cl.15
117	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Floor treatment machines and wet scrubbing machine	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2- 10, Cl.15 / IEC 60335- 2-10, Cl. 15
118	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Floor treatment machines and wet scrubbing machines	Protection against access to live parts (IP)	BS EN 60335-2-10:2003+A1:2008, Cl. 8 / IEC 60335-2-10, Cl. 8
119	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Floor treatment machines and wet scrubbing machines	Resistance to heat and fire (Glow wire test)	IEC 60335-2-10, Cl. 30.2.1 & 30.2.2
120	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Floor treatment machines with or without traction drive for commercial use	Resistance to heat & fire (Glow wire test)	IEC 60335-2-72, Cl. 30.2.1, 30.2.2 & 30.2.3
121	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Floor treatment machines with or without traction drive, for commercial use	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-72,Cl.15 / IEC 60335-2-72, Cl.15
122	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Floor treatment machines with or without traction drive, for commercial use	Protection against access to live parts (IP)	BS EN 60335-2-72, Cl. 8/ IEC 60335-2-72, Cl. 8
123	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Flow rate switches	Needle flame test	IEC 60947-5-9;CL.8.2

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	11 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
124	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Fuse terminal blocks	Glow Wire Test, Resistance to Heat & Fire	IEC 60947-7-3 Cl. 8.4.4.2
125	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Fuse terminal blocks	Needle flame	IEC 60947-7-3; Cl. 8.5.4
126	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Fuse terminal blocks	Pull Out Test	IEC 60947-7-3; Cl. 8.3.3.3
127	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hand- held multi-meters and other meters, for domestic and professional use, capable of measuring mains voltage	Resistance to mechanical stresses	BS EN IEC 61010-2-033:2021+A11:2021, Cl. 8 / IEC 61010-2-033, Cl. 8
128	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hand- held multi-meters and other meters, for domestic and professional use, capable of measuring mains voltage	Protection against electrical shock	BS EN IEC 61010-2-033:2021+A11:2021, Cl. 6 / IEC 61010-2-033, Cl. 6
129	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Humidity Preconditioning	IEC 61010-2-032, Cl.6
130	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Resistance to mechanical stresses	BS EN 61010-2-032 Cl. 8/ IEC 61010-2-032 Cl. 8
131	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Resistance to heat test, non - metallic enclosures (Mould stress test)	IEC 61010-2-032, Cl. 10
132	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	Determination of accessible parts (IP)	IEC 61010-2-031, Cl. 6.2
133	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	Humidity Preconditioning	IEC 61010-031:2015+AMD1, Cl. 6.6.2
134	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	Protection against electrical shock	BS EN 61010-2- 032, Cl. 6 / IEC 61010- 2-032, Cl. 6
135	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	Resistance to mechanical stresses	IEC 61010-031:2015+AMD1, Cl. 8.4
136	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	Resistance to heat test, non - metallic enclosures (Mould stress test)	IEC 61010-031:2015+AMD1, Cl. 10.2
137	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hand-held multi-meters and other meter for domestic and professional use, capable of measuring mains voltage	Resistance to heat test, non - metallic enclosures (Mould stress test)	IEC 61010-2-033, Cl. 10

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 12 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
138	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hand-held multi-meters and other meters, for domestic and professional use	Humidity Preconditioning	BS EN IEC 61010-2-033:2021+A11:2021, Cl.6 / IEC 61010-2-033, Cl.6
139	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hoisting machines	Protection against electric shock	BS EN 60204-32, Cl. 6/ IEC 60204 - 32, Cl. 6
140	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hoisting machines	Degrees of protection	IEC 60204-32, Cl. 11.3: 2008 / BS EN 60204-32, Cl.11.3
141	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Household and similar electrical appliance	Moisture Resistance / Humidity Preconditioning	IEC 60335-1:2020/COR1, Cl. 15.3
142	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Household and similar electrical appliances	Protection against access to live parts (IP)	IEC 60335-1:2020/COR1, Cl. 8
143	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Household and similar electrical appliances	Resistance to heat and fire (Glow wire test)	IEC 60335-1:2020/COR1, Cl. 30.1, 30.2.1, 30.2.2 & 30.2.3
144	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Household and similar electrical appliances	Glow wire test	IS 302-1 Cl.30.2
145	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Household and similar electrical appliances	Humidity Preconditioning	IS 302-1; Cl.15.3
146	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Household and similar electrical appliances	Impact Test	IS 302-1 ; Cl.21.1
147	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Household and similar electrical appliances	Protection against electric shock, Protection against contact with live parts, Ingress of solid foreign bodies, enclosure, Access probe test, Ingress protection (IP)	IS 302-1; Cl. 8.1.4
148	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Household and similar electrical appliances - Toilet appliances	Resistance to heat & fire (Glow wire test)	BS EN 60335-2-84:2003+A2:2019, Cl. 30.2.1,& 30.2.3/ IEC 60335-2-84 Cl. 30.2.1,& 30.2.3
149	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Household and similar electrical appliances -Drives for vertically moving garage doors for residential use	Resistance to heat & fire (Glow wire test)	BS EN 60335-2-95:2015+A2:2019, Cl. 30.2.1,& 30.2.3 / IEC 60335-2-95, Cl. 30.2.1 & 30.2.3

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	13 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
150	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Household and similar electrical appliances -Electric clothes dryers and towel rails	Resistance to heat & fire (Glow wire test)	IEC 60335-2-43, Cl. 30.2.1 & 30.2.3
151	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Household Refrigerating Appliances	Humidity preconditioning Test	IS 17550 part 1; Cl.16F
152	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Household Refrigerating Appliances	Protection against electric shock, Protection against contact with live parts, Ingress of solid foreign bodies, enclosure, Access probe test, Ingress protection (IP) (Accessibility probe test)	IS 17550 part 1; Cl.16A
153	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Humidity sensing controls	Protection against electric shock (IP)	IEC 60730-2-13, Cl. 8
154	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Humidity sensing controls	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2-13, Cl. 12, 16 , 22 & 21
155	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	In- vitro diagnostic (IVD) medical equipment	Humidity Preconditioning	IEC 61010-2-101,Cl.6
156	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	In- vitro diagnostic (IVD) medical equipment	Protection against electrical shock	IEC 61010-2-101, Cl. 6
157	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	In- vitro diagnostic (IVD) medical equipment	Resistance to heat test, non - metallic enclosures (Mould stress test)	IEC 61010-2-101, Cl. 10
158	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	In-vitro diagnostic (IVD) medical equipment	Resistance to mechanical stresses	IEC 61010-2-101 Cl. 8
159	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Inverters	Ingress protection (IP)	IEC 62109-2, Cl. 6
160	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Ironers	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-44:2002+A2:2012, Cl.15 / IEC 60335-2-44, Cl.15
161	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Ironers	Protection against access to live parts (IP)	BS EN 60335-2-44:2002+A2:2012, Cl. 8 / IEC 60335-2-44, Cl. 8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	14 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
162	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Ironers	Resistance to heat & fire (Glow wire test)	IEC 60335-2-44 Cl. 30.2.1, 30.2.2 & 30.2.3
163	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Laboratory equipment for the heating of materials	Mechanical Impact Test, Mechanical strength	BS EN 61010-2-010 Cl. 8.2.2 / IEC 61010-2-010 Cl. 8.2.2
164	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Laboratory equipment for the heating of materials	Protection against electrical shock	BSEN 61010-2- 010, Cl. 6 / IEC 61010- 2-010, Cl. 6
165	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Laboratory equipment for the heating of materials	Humidity Preconditioning	BS EN 61010-2 010,Cl.6 / IEC 61010-2-010, Cl.6
166	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Laboratory equipment for the heating of materials	Resistance to heat test, non - metallic enclosures (Mould stress test)	IEC 61010-2-010, Cl. 10
167	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low- voltage switchgear & controlgear-Part 1: General rules	Needle flame test	IEC 60947-1; Cl.8.1.2.3
168	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low- voltage switchgear & controlgear-Part 1: General rules	Pull Out Test	IEC 60947-1, Cl.9.2.5.4
169	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and control gear	Degree of protection of enclosed equipment	IEC 60947-1, Cl. 8.1.12
170	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and control gear	Test of materials to abnormal heat & fire	IEC 60947-1 Cl. 9.2.2
171	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and control gear assemblies	Protection against contact with live parts, Ingress of solid foreign bodies	IEC 61439-1:2020 Cl. 8.2.2
172	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and control gear assemblies	Resistance of insulating material to abnormal heat and fire	IEC 61439-1 : 2020 / COR1, Cl. 8.1.3.2.3 & 10.2.3.2
173	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and control gear assemblies	Resistance to corrosion	IEC 61439-1:2020; Clause 10.2.2
174	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and controlgear - Contactors and motor-starters - Electromechanical contactors and motor-starters	Glow Wire test	IEC 60947-4-1 Cl. 8.1.2.2
175	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and controlgear - Semiconductor controllers and semiconductor contactors for non-motor loads	Pull Out Test	IEC 60947-3; Cl.9.2.5

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	15 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
176	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and controlgear -Contactors and motor-starters - Semiconductor controllers and semiconductor contactors for non-motor loads	Glow Wire test	IEC 60947-4-3 Cl. 8.1.2.2
177	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and controlgear – Contactors and motor-starters – Semiconductor motor controllers, starters and soft-starters	Glow Wire test	IEC 60947-4-2 Cl. 8.1.2.2
178	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and controlgear assemblies	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-1:2020/COR1 Cl.8.2.2
179	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and controlgear assemblies - Assemblies for construction sites	Mechanical Impact Test	IEC 61439-4, Cl. 10.2.6.2
180	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and controlgear assemblies - Assemblies for construction sites (ACS)	Resistance of insulating material to abnormal heat and fire due to internal electric effect	IEC 61439-4 Cl. 8.1.3.2
181	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and controlgear assemblies - Assemblies for construction sites (ACS)	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-4, CL. 8.2.2
182	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and controlgear assemblies - Distribution boards intended to be operated by ordinary persons (DBO)	Resistance of insulating material to abnormal heat and fire	IEC 61439-3 : 2012 / COR2, Cl. 8
183	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Machinery	Protection against electric shock	BS EN 60204-1:2018, Cl. 6/ IEC 60204-1:2016+AMD1, Cl. 6
184	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Machinery - Electrical equipment of machines	Degree of protection	IEC 60204-1:2016+AMD1:2021 CSV, Cl.11.3: 2021/ BS EN 60204-1, Cl.11.3
185	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Massage appliances	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-32, Cl.15/ IEC 60335-2-32, Cl.15
186	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Massage appliances	Protection against access to live parts	BS EN 60335-2-32, Cl. 8 / IEC 60335-2-32, Cl. 8
187	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Massage appliances	Resistance to heat & fire (Glow wire test)	IEC 60335-2-32 Cl. 30.2.1 & 30.2.2

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	16 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
188	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Microwave ovens, including combination microwave oven	Protection against access to live parts	BS EN IEC 60335-2-25:2021+A11, Cl. 8
189	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Microwave ovens, including combination microwave ovens	Moisture Resistance / Humidity Preconditioning	BS EN IEC 60335-2-25:2021+A11:2021, Cl.15 / IEC 60335-2-25, Cl.15
190	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Microwave ovens, including combination microwave ovens	Resistance to heat & fire (Glow wire test)	IEC 60335-2-24:2020/COR1 Cl. 30.2.1, 30.2.2 & 30.2.3
191	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Motor-compressors	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-34, Cl.15
192	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Motor-Compressors Commercial electric cooking ranges, ovens, hobs and hob elements	Protection against access to live parts	IEC 60335-2-36, Cl.8
193	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Motor-starting relays	Protection against electric shock (IP)	IEC 60730-2-10, Cl. 8
194	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Motor-starting relays	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2-10, Cl.12, 16 , 22 & 21
195	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Motor-starting relays	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-2-10 Clause 21
196	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Multiple function equipment -Transfer switching equipment	Degree of protection of enclosed equipment	IEC 60947-6-1, Cl. 8.2.3
197	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Multiple function equipment -Transfer switching equipment	Test of materials to abnormal heat & fire	IEC 60947-6-1 Cl. 8.1.1
198	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	PCB terminal blocks for copper conductors	Glow Wire Test, Resistance to Heat & Fire	IEC 60947-7-4 Cl. 9.5
199	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Access probe test	IEC 62109-1, Cl. 7.3.4.2.3
200	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Protection against spread of fire	IEC 62109-1 Cl. 4.4.3.2

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	17 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
201	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Humidity Preconditioning	IEC 62109-1, Cl. 4.5
202	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Stress relief test (Mould stress test)	IEC 62109-1, Cl. 13.6.2.1
203	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Stress relief test (Mould stress test)	IEC 62109-2, Cl. 13
204	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Access probe test	IEC 62109-2, Cl. 7
205	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Humidity Preconditioning	IEC 62109-2, Cl. 4.5
206	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Ingress protection (IP)	IEC 62109-1, Cl. 6.3
207	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Protection against spread of fire	IEC 62109-2 Cl. 4.4.3.2
208	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power electronic converter systems and equipment	Mechanical Impact Test	IEC 62477-1 Cl. 5.2.2.4.3
209	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power electronic converter systems and equipment	Damp heat test, (steady state test)	IEC 60068-2-78 clause 5.2.6.3.2
210	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power electronic converter systems and equipment	Damp heat test, (steady state test)	IEC 62477-1;clause 5.2.6.3.2
211	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power electronic converter systems and equipment	Ingress protection (IP)	IEC 62477-1, Cl. 5.2.2.3
212	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power electronic converter systems and equipment	Mould stress relief distortion test (Mould stress test)	IEC 62477-1,cl. 5.2.2.4.5
213	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power electronic converter systems and equipment,	Dry heat test (Steady state test), Damp heat test (Steady state test)	IEC 62477-1; Cl. 5.2.6.3.1
214	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power switchgear and control gear assemblies	Resistance of insulating material to abnormal heat and fire	IEC 61439-2 Cl. 8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	18 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
215	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power switchgear and control gear assemblies	Protection against contact with live parts, Ingress of solid foreign bodies	IEC 61439-2, Cl. 8
216	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power switchgear and control gear assemblies	Resistance to corrosion	IEC 61439-2 Clause 10
217	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power switchgear and controlgear assemblies	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-2, Cl.8.2
218	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Protective conductor terminal blocks for copper conductors	Glow Wire Test, Resistance to Heat & Fire	IEC 60947-7-2 Cl.8.4.4
219	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Protective conductor terminal blocks for copper conductors	Needle flame	IEC 60947-7-2; Cl.8.5
220	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Protective conductor terminal blocks for copper conductors	Pull Out Test	IEC 60947-7-2; Cl.8.3
221	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Proximity device with defined behaviour under fault conditions (PDDB)	Needle flame test	IEC 60947-5-3; Cl.8.1.2
222	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Proximity devices (under fault conditions) (PDDB)	Glow Wire Test, Resistance to Heat & Fire	IEC 60947-5-3 Cl.8.1.2
223	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Proximity devices with defined behaviour under fault conditions (PDDB)	Pull Out Test	IEC 60947-5-3; Cl.8.2
224	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Proximity switches	Glow Wire Test, Resistance to Heat & Fire	IEC 60947-5-2 Cl. 9.2.2.1.1
225	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Proximity switches	Needle flame test	IEC 60947-5-2; Cl.9.2.2.1.2
226	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Refrigerating appliances, ice-cream appliances and ice makers	Protection against access to live parts (IP)	BS EN 60335-2-24:2010+A2:2019, Cl. 8/ IEC 60335-2-24:2020/COR1, Cl. 8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	19 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
227	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Refrigerating appliances, ice-cream appliances and ice makers, Storage water heaters	Moisture Resistance / Humidity Preconditioning	IEC 60335-2-24:2020/COR1, Cl.15
228	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Refrigerating appliances, ice-cream appliances and ice makers, Storage water heaters	Resistance to heat and fire (Glow wire test)	IEC 60335-2-24:2020/COR1, Cl. 30.2.1 & 30.2.3
229	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Semiconductor controllers and semiconductor contactors for non-motor loads	Needle flame test	IEC 60947-4-3;CL.8.1.2.3
230	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Sewing machines	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-28:2003+A11:2018, Cl.15 / IEC 60335-2-28, Cl.15
231	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Sewing Machines	Resistance to heat & fire (Glow wire test)	BS EN 60335-2-28:2003+A11:2018 Cl. 30.2.1 & 30.2.2
232	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Sewing machines	Protection against access to live parts	BS EN 60335-2-28:2003+A11:2018, Cl. 8 / IEC 60335-2-28, Cl. 8
233	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Spray extraction machines for commercial use	Resistance to heat & fire (Glow wire test)	IEC 60335-2-68 Cl. 30.2.1 & 30.2.2
234	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Spray extraction machines, for commercial use	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-68,Cl.15 / IEC 60335-2-68, Cl.15
235	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Spray extraction machines, for commercial use	Protection against access to live parts (IP)	BS EN 60335-2-68, Cl. 8/ IEC 60335-2-68, Cl. 8
236	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Moisture Resistance / Humidity Preconditioning	IEC 60335-2-6:2014+AMD1, Cl.15
237	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Resistance to heat and fire (Glow wire test)	IEC 60335-2-6:2014+AMD1, Cl. 30.2.1, 30.2.2 & 30.2.3
238	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-54,Cl.15 / IEC 60335-2-54, Cl.15
239	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Protection against access to live parts (IP)	BS EN 60335-2-54:2008+A1:2015, Cl. 8 / IEC 60335-2-54, Cl. 8
240	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Resistance to heat & fire (Glow wire test)	IEC 60335-2-54 Cl. 30.2.1 & 30.2.2

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	20 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
241	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Switches, disconnectors, switch-dis connectors and fuse-combination units	Degree of protection of enclosed equipment	IEC 60947-3, Cl. 8.1
242	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Switches, disconnectors, switch-disconnectors and fuse-combination units	Test of materials to abnormal heat & fire	IEC 60947-3 Cl. 9.2.2
243	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Switches, disconnectors, switch-disconnectors and fuse-combination units	Needle flame test	IEC 60947-3; Cl.8.2
244	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Temperature sensing control	Protection against electric shock (IP)	IEC 60730-2-9, Cl. 8
245	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Temperature sensing control	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2-9, Cl. 12,16 , 22 & 21
246	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Temperature sensing control	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-2-9, Clause 21
247	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Terminal block for copper conductor	Needle flame	IEC 60947-7-1; Cl.8.5
248	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Terminal block for copper conductor	Pull Out Test	IEC 60947-7-1; Cl.8.3.3.3
249	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Terminal blocks for aluminium conductors	Needle flame test	IEC 60947-7-5; Cl.9.5
250	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Terminal blocks for aluminium conductors	Pull Out Test	IEC 60947-7-5; Cl.9.3.3.3
251	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Terminal blocks for aluminum conductors	Glow Wire Test, Resistance to Heat & Fire	IEC 60947-7-5, Cl. 9.4.4
252	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Thermal Motor protectors	Protection against electric shock (IP)	IEC 60730-2-22, Cl. 8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	21 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
253	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Thermal motor protectors	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2- 22, Cl.12,16,21 & 22
254	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Thermal protectors for ballasts for tubular fluorescent lamps	Protection against electric shock (IP)	IEC 60730-2-3, Cl. 8
255	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Thermal protectors for ballasts for tubular fluorescent lamps	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2-3, Cl.12.2, 16, 22 & 21
256	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Three-position enabling switches	Needle flame test	IEC 60947-5-8;Cl.9.2
257	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Three-position enabling switches	Pull Out Test	IEC 60947-5-8, Cl.9.2.1
258	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Timers and Time switches	Protection against electric shock (IP)	IEC 60730-2-7, Cl. 8
259	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Timers and time switches	Protection against humid conditions, Environmental stress, Resistance to corrosion, Resistance to heat, fire & tracking	IEC 60730-2-7, Cl.12,16, 22 & 21
260	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Timers and time switches	Resistance to heat, fire & tracking (Glow wire test)	IEC 60730-2-7, Clause 21
261	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Toilet appliance	Moisture Resistance	BS EN 60335-2-84:2003+A2:2019, Cl.15 / IEC 60335-2-84, Cl.15
262	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Toilet appliances	Protection against access to live parts (IP)	BS EN 60335-2-84:2003+A2:2019, Cl. 8 / IEC 60335-2-84, Cl. 8
263	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Transfer switching equipment	Needle flame test	IEC 60947-6-1;Cl.8.2.3
264	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Transfer switching equipment	Pull Out Test	IEC 60947-6-1; Cl.9.2

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	22 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
265	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Tumble dryers	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-11:2010+A2:2018, Cl. 15/ IEC 60335-2-11, Cl.15
266	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Tumble dryers	Protection against access to live parts (IP)	BS EN 60335-2- 11, Cl. 8/ IEC 60335- 2-11, Cl. 8
267	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Tumble dryers	Resistance to heat and fire (Glow wire test)	IEC 60335-2-11, Cl. 30.2.1 & 30.2.3
268	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Uninterruptible power systems (UPS)	Protection against spread of fire	IEC 62040-1:2017+AMD1 Cl. 5.2.5.3
269	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Uninterruptible power systems (UPS)	Ingress protection (IP)	IEC 62040-1:2017/AMD1, Cl. 5.2
270	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Uninterruptible power systems (UPS)	Resistance to mechanical stresses	IEC 62040-1:2017/AMD1, Cl. 5.2
271	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Uninterruptible power systems (UPS)	Mould stress relief distortion test (Mould stress test)	IEC 62040-1:2017/AMD1, Cl. 5.2
272	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Vaporizers	Moisture Resistance	BS EN 60335-2-101:2002+A2:2014, Cl.15 / IEC 60335-2-101:2002+AMD1:2008+AMD2, Cl.15
273	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Vaporizers	Protection against access to live parts (IP)	BS EN 60335-2-101:2002+A2:2014, Cl. 8/ IEC 60335-2-101:2002+AMD1:2008+AMD2, Cl. 8
274	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Vaporizers	Resistance to heat & fire (Glow wire test)	BS EN 60335-2-101:2002+A2:2014, Cl. 30.2.1 & 30.2.3 / IEC 60335-2-101:2002+AMD1:2008+AMD2, Cl. 30.2.1 & 30.2.3
275	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Warming plates and similar appliances	Moisture Resistance / Humidity Preconditioning	BS EN 60335-2-12:2003+A2:2019, Cl.15 / IEC 60335-2-12:2002+AMD1:2008+AMD2, Cl.15

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	23 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
276	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Warming plates and similar appliances	Resistance to heat and fire (Glow wire test)	IEC 60335-2-12:2002+AMD1:2008 +AMD2, Cl. 30.2.1 & 30.2.3
277	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Warming plates and similar appliances	Protection against access to live parts (IP)	BS EN 60335-2-12:2003+A2:2019, Cl. 8 / IEC 60335-2-12:2002+ AMD1:2008+AMD2, Cl.8
278	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Resistance to heat & fire (Ball Pressure Test)	BS EN 60335-2-65:2003+A11:2012, Cl. 30/ IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl. 30
279	ELECTRICAL- SAFETY TESTING FACILITY	AC semiconductor motor controllers & starters	Protective earth continuity	IEC 60947-4-2;Cl.8.1.10
280	ELECTRICAL- SAFETY TESTING FACILITY	Active arc-fault mitigation systems- AC quenching device	Flexion Test	IEC 60947-9-1, Cl.9.2
281	ELECTRICAL- SAFETY TESTING FACILITY	Active arc-fault mitigation systems-Optical-based internal arc-detection & mitigation devices	Flexion Test	IEC 60947-9-2,Cl. 9.2
282	ELECTRICAL- SAFETY TESTING FACILITY	Adaptors	Flexion Test	IEC 60884-2-5, Cl.12
283	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliance	provision for earthing	BS EN 60335-2-65:2003+A11:2012, Cl.27 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl.27
284	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Creepage & Clearance	BS EN 60335-2-65:2003+A11:2012, Cl.29 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl.29
285	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Electric strength	BS EN 60335-2-65:2003+A11:2012, Cl.16 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl.16
286	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Electric strength operating temperature, electric strength	BS EN 60335-2-65:2003+A11:2012, Cl.13 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl.13

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	24 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
287	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Heating	BS EN 60335-2-65:2003+A11:2012, Cl.11/ IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl.11
288	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Leakage current	BS EN 60335-2-65:2003+A11:2012, Cl.16 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl.16
289	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Leakage current at operating temperature, Leakage current	BS EN 60335-2-65:2003+A11:2012,Cl .13 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl.13
290	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Markings & instructions	BS EN 60335-2-65:2003+A11:2012, Cl.7 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl.7
291	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Power input and current	BS EN 60335-2-65:2003+A11:2012, Cl.10 / IEC 60335-2-65:2002+AMD1:2008 +AMD2,Cl.10
292	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Resistance to heat & fire (Needle flame test)	BS EN 60335-2-65:2003+A11:2012, Cl.30 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl.30
293	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Stability & mechanical hazards	BS EN 60335-2-65:2003+A11:2012,Cl .20 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl.20
294	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Torque test	BS EN 60335-2-65, Cl.28 / IEC 60335-2-65,Cl.28
295	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances	Transient over voltages (impulse test)	BS EN 60335-2-65:2003+A11:2012,Cl .14 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl.14

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 25 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
296	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances,	Cord anchorage test (Power supply cord)	BS EN 60335-2-65:2003+A11:2012, Cl. 25: 2012 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl. 25
297	ELECTRICAL- SAFETY TESTING FACILITY	Air-cleaning appliances,	Voltage measurement	BS EN 60335-2-65:2003+A11:2012, Cl. 22 / IEC 60335-2-65:2002+AMD1:2008 +AMD2, Cl. 22
298	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment - Fuse terminal blocks	Temperature rise test	IEC 60947-7-3, Cl. 7.2.2.3
299	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment - Protective conductor terminal blocks for copper conductors	Clearances & Creepage distances	IEC 60947-7-2, Cl. 7.1.3
300	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment - Protective conductor terminal blocks for copper conductors	Dielectric withstand test	IEC 60947-7- 2, Cl. 7.2.2 & 8.4.3
301	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment - Protective conductor terminal blocks for copper conductors	Impulse withstand test	IEC 60947-7- 2, Cl. 7.2.2 & 8.4.3
302	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment - Safety requirements for fuse terminal blocks	Dielectric strength, Power frequency withstand voltage	IEC 60947-7-3, Cl. 7.2.2 & 8.4.3
303	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment - Safety requirements for fuse terminal blocks	Clearances & Creepage distances	IEC 60947-7-3, Cl. 7.1.3
304	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment - Safety requirements for fuse terminal blocks	Impulse withstand test	IEC 60947-7-3, Cl. 7.2.2.1 & 8.4.3
305	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment - Terminal blocks for copper conductors	Temperature rise test	IEC 60947-7-2, Cl. 7.2.1
306	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment - Terminal blocks for copper conductors	Attachment of terminal block	IEC 60947—7-1, Cl 8.3.2
307	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment - Terminal blocks for copper conductors	Clearances & Creepage distances	IEC 60947-7-1, Cl. 7.1.3
308	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment - Terminal blocks for copper conductors	Dielectric withstand test	IEC 60947-7-1, Cl. 7.2.2
309	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment - Terminal blocks for copper conductors	Impulse withstand test	IEC 60947-7-1, Cl. 7.2.2
310	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment- Protective conductor terminal block for copper conductor	Attachment of terminal block	IEC 60947-7-2, Cl.8.3
311	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment- Safety requirements for fuse terminal block	Attachment of terminal block	IEC 60947-7-3, Cl.8.3.2
312	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment- Terminal block for aluminium conductor	Attachment of terminal block	IEC 60947-7-5, Cl.9.3.2

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	26 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
313	ELECTRICAL- SAFETY TESTING FACILITY	Ancillary equipment- Terminal block for copper conductor	Flexion Test	IEC 60947-7-1, Cl. 8.3.3.2
314	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads,	Cord anchorage test (Power supply cord)	BS EN 60335-2-17:2013+A2:2021, Cl. 25: 2021 / IEC 60335-2-17, Cl. 25
315	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads,	Voltage measurement	BS EN 60335-2-17:2013+A2:2021, Cl. 22 / IEC 60335-2-17, Cl. 22
316	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Clearance & Creepage distances & solid insulation	BS EN 60335-2-17:2013+A2:2021, Cl. 29 / IEC 60335-2-17, Cl. 29
317	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Electric Strength	BS EN 60335-2-17:2013+A2:2021, Cl. 16 / IEC 60335-2-17, Cl. 16
318	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Electric strength at operating temperature, Electric strength	BS EN 60335-2-17:2013+A2:2021, Cl. 13 / IEC 60335-2-17, Cl. 13
319	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Leakage Current	BS EN 60335-2-17:2013+A2:2021, Cl. 16 / IEC 60335-2-17, Cl. 16
320	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Leakage current at operating temperature	BS EN 60335-2-17:2013+A2:2021, Cl. 13 / IEC 60335-2-17, Cl. 13
321	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Marking and Instructions	BS EN 60335-2-17:2013+A2:2021, Cl. 7 / IEC 60335-2-17, Cl. 7
322	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Power Input and current	BS EN 60335-2-17:2013+A2:2021, Cl. 10 / IEC 60335-2-17, Cl. 10
323	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Provision for earthing	BS EN 60335-2-17:2013+A2:2021, Cl. 27 / IEC 60335-2-17, Cl. 27
324	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Resistance to heat and fire (Needle flame test)	BS EN 60335-2-17:2013+A2:2021, Cl. 30 / IEC 60335-2-17, Cl. 30
325	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Stability and mechanical hazards	BS EN 60335-2-17:2013+A2:2021, Cl. 20 / IEC 60335-2-17, Cl. 20
326	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Torque Test	BS EN 60335-2-17:2013+A2:2021, Cl. 28 / IEC 60335-2-17, Cl. 28

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	27 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
327	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Transient over voltages (Impulse test)	BS EN 60335-2-17:2013+A2:2021, Cl. 14 / IEC 60335-2-17, Cl. 14
328	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for heating liquids, Blankets, pads, clothing and similar flexible heating appliances	Heating	BS EN 60335-2-17:2013+A2:2021, Cl. 11 / IEC 60335-2-17, Cl. 11
329	ELECTRICAL- SAFETY TESTING FACILITY	Appliances for skin exposure to optical radiation	Clearances & Creepage	BS EN 60335-2-27, Cl. 29 / IEC 60335-2-27, Cl. 29:
330	ELECTRICAL- SAFETY TESTING FACILITY	Arc quenching devices	Creepage & Clearances	IEC 60947-9-2,Cl.8.1.2
331	ELECTRICAL- SAFETY TESTING FACILITY	Arc quenching devices	Dielectric Strength Test, Power Frequency Withstand Test	IEC 60947-9-1;Cl.9.3.1.2.4
332	ELECTRICAL- SAFETY TESTING FACILITY	Arc quenching devices	Impulse Test	IEC 60947-9-1;Cl.9.3.1.2.4
333	ELECTRICAL- SAFETY TESTING FACILITY	Arc quenching devices	Mechanical strength test	IEC 60947-9-1;CL.9.2
334	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Di-electric properties	IEC 61439-4,Cl.11
335	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Di-electric strength test, Power frequency test, Alternative power-frequency voltage test, A.c or D.C Voltage test	IEC 61439-4,Cl.10 &11
336	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Requirements for earth continuity providing protection against consequences of faults within the assembly	IEC 61439-4,Cl.8
337	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Resistance of insulating material to abnormal heat & fire due to internal electric effects	IEC 61439-4, Cl.8
338	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Clearances & creepage distances	IEC 61439-4, Cl. 8
339	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Durability of Markings test	IEC 61439-4, Cl. 10
340	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Impulse withstand voltage test	IEC 61439-4, Cl. 10
341	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Temperature rise limits	IEC 61439-4, Cl. 9

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	28 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
342	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Di-electric strength test, Power frequency test, Alternative power-frequency voltage test, A.c or D.C Voltage test	IEC 61439-5:2014/COR1,Cl.10 &11
343	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Di-electric withstand test	IEC 61439-5:2014/COR1,Cl.11
344	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Requirements for earth continuity providing protection against consequences of faults within the assembly	IEC 61439-5:2014/COR1,Cl.8
345	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Resistance to heat and fire	IEC 61439-5, Cl.8
346	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Constructional requirement , Clearances & creepage distances	IEC 61439-5:2014/COR1, Cl.8
347	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Impulse withstand voltage test	IEC 61439-5:2014/COR1,Cl. 10
348	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Markings test	IEC 61439-5:2014/COR1,Cl. 10
349	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Temperature rise limits	IEC 61439-5:2014/COR1, Cl. 9
350	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle	Constructional requirement , Clearances & creepage distances	IEC 61439-7, Cl.8
351	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi- automatic laboratory equipment for analysis and other purposes	The impulse voltage test	BS EN 61010-2-081,Cl.6 / IEC 61010- 2-081 Cl. 6
352	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Cord anchorage test (Power supply cord)	BS EN IEC 61010-2-081, Cl. 6: 2020 / IEC 61010-2-081, Cl. 6
353	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purpose	Insulating materials	BS EN 61010-2-081,Cl.10 / IEC61010-2- 081,Cl.10
354	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Insulation requirements (creepage & clearance distances)	IEC 61010- 2-081 Cl. 6
355	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Levels in normal and single fault condition (leakage current)	IEC 61010- 2-081 Cl. 6
356	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Mains supply	BS EN 61010-2-061, Cl. 5 / IEC 61010- 2-081 Cl. 5
357	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Marking and documentation	BS EN 61010-2- 081, Cl.5 / IEC 61010- 2-081 Cl. 5

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 29 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
358	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Mechanical strength (drop test)	BS EN 61010-2- 081, Cl.8 / IEC 61010- 2-081 Cl. 8
359	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Protective bonding, Provision for earth	BS EN 61010-2- 081, Cl.6 / IEC 61010- 2-081 Cl. 6
360	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Stability	BS EN 61010-2-081;Cl.7 / IEC 61010- 2-081 Cl. 7
361	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Static test/ rigidity test	BS EN 61010-2-081,Cl.8 / IEC 61010- 2-081 Cl. 8
362	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Surface temperature limits for protection against burn, temperature of windings,o ther temperature measurements, conduct of temperature tests	BS EN 61010-2-081,Cl.10 / IEC 61010- 2-081 Cl. 10
363	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	The A.C Voltage Test, The 1 minute D.C Voltage test	BS EN 61010-2- 081, Cl.6 / IEC 61010- 2-081 Cl. 6
364	ELECTRICAL- SAFETY TESTING FACILITY	Automatic and semi-automatic laboratory equipment for analysis and other purposes	Torque Test	BS EN 61010-2- 081, Cl.6 / IEC 61010- 2-081 Cl.
365	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical air flow, water flow and water level sensing controls	Adequacy of earth connections	IEC 60730-2-15, Cl.9
366	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical air flow, water flow and water level sensing controls	Ball Pressure Test	IEC 60730-2-15, Cl.21
367	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical air flow, water flow and water level sensing controls	Creepage distances & Clearances distances through solid insulation	IEC 60730-2-15, Cl.20
368	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical air flow, water flow and water level sensing controls	Electric strength	IEC 60730-2-15, Cl.13
369	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical air flow, water flow and water level sensing controls	Foot actuated controls (Force Test)	IEC 60730-2-15, Cl.18
370	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical air flow, water flow and water level sensing controls	Heating	IEC 60730-2-15, Cl.14
371	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical air flow, water flow and water level sensing controls	Impulse	IEC 60730-2-15, Cl.20
372	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical air flow, water flow and water level sensing controls	Insulation Resistance	IEC 60730-2-15, Cl.13
373	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical air flow, water flow and water level sensing controls	Leakage current	IEC 60730-2-15, Cl.13
374	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical burner control systems	Adequacy of earth connections	IEC 60730-2-5,Cl.9

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 30 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
375	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical burner control systems	Ball Pressure Test	IEC 60730-2-5,Cl.21
376	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical burner control systems	Creepage distances & Clearances distances through solid insulation	IEC 60730-2-5,Cl.20
377	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical burner control systems	Electric strength	IEC 60730-2-5,Cl.13
378	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical burner control systems	Foot actuated controls (Force Test)	IEC 60730-2-5,Cl.18
379	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical burner control systems	Heating	IEC 60730-2-5,Cl.14
380	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical burner control systems	Impulse	IEC 60730-2-5,Cl.20
381	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical burner control systems	Insulation Resistance	IEC 60730-2-5,Cl.13
382	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical burner control systems	Leakage current	IEC 60730-2-5,Cl.13
383	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical Controls	Adequacy of earth connections	IEC 60730-1,Cl.9.3
384	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical Controls	Ball Pressure Test	IEC 60730-1,Cl.21.2.1, 21.2.2 & 21.2.3
385	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical Controls	Electric strength	IEC 60730-1, Cl.13.2
386	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical Controls	Heating	IEC 60730-1, Cl.14
387	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical Controls	Impulse	IEC 60730-1,Cl.20.1.12
388	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical Controls	Leakage current	IEC 60730-1,Cl.13.3.3
389	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical Controls	Creepage distances & Clearances distances through solid insulation	IEC 60730-1,Cl.20
390	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical Controls	Foot actuated controls (Force Test)	IEC 60730-1, Cl. 18.8
391	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical Controls	Insulation Resistance	IEC 60730-1, Cl.13.1
392	ELECTRICAL- SAFETY TESTING FACILITY	Automatic Electrical controls	Voltage measurement	IEC 60730-1; Cl.8.3.2.3

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	31 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
393	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical controls (Energy regulators)	Creepage distances & Clearances distances through solid insulation	IEC 60730-2-11, Cl.20
394	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical controls (Energy regulators)	Adequacy of earth connections	IEC 60730-2-11, Cl.9
395	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical controls (Energy regulators)	Ball Pressure Test	IEC 60730-2-11, Cl.21
396	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical controls (Energy regulators)	Electric strength	IEC 60730-2-11, Cl.13
397	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical controls (Energy regulators)	Foot actuated controls (Force Test)	IEC 60730-2-11, Cl.18
398	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical controls (Energy regulators)	Heating	IEC 60730-2-11, Cl.14
399	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical controls (Energy regulators)	Impulse Test	IEC 60730-2-11, Cl.20
400	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical controls (Energy regulators)	Insulation Resistance	IEC 60730-2-11, Cl.13
401	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical controls (Energy regulators)	Leakage current	IEC 60730-2-11, Cl.13
402	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical controls (Energy regulators)	Voltage measurement	IEC 60730-2-11;Cl. 8
403	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical pressure sensing controls including mechanical requirements	Adequacy of earth connections	IEC 60730-2-6 Cl. 9
404	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical pressure sensing controls including mechanical requirements	Ball Pressure Test	IEC 60730-2-6 Cl. 21
405	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical pressure sensing controls including mechanical requirements	Creepage distances & Clearances distances through solid insulation	IEC 60730-2-6Cl. 20
406	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical pressure sensing controls including mechanical requirements	Electric strength	IEC 60730-2-6 Cl. 13
407	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical pressure sensing controls including mechanical requirements	Foot actuated controls (Force Test)	IEC 60730-2-6Cl. 18
408	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical pressure sensing controls including mechanical requirements	Heating	IEC 60730-2-6Cl. 14
409	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical pressure sensing controls including mechanical requirements	Impulse	IEC 60730-2-6Cl. 20
410	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical pressure sensing controls including mechanical requirements	Insulation Resistance	IEC 60730-2-6 Cl. 13

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	32 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
411	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrical pressure sensing controls including mechanical requirements	Leakage current	IEC 60730-2-6Cl. 13
412	ELECTRICAL- SAFETY TESTING FACILITY	Automatic electrically pressure sensing controls including mechanical requirements,	Voltage measurement	IEC 60730-2-6;Cl.8
413	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Clearances & Creepage	BS EN 60335-2-29:2004+A11:2018, Cl. 29 / IEC 60335-2-29:2016+AMD1, Cl. 29
414	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Electric strength	BS EN 60335-2-29:2004+A11:2018, Cl. 16 / IEC 60335-2-29:2016+AMD1, Cl. 16
415	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Electric strength at operating temperature, electric strength	BS EN 60335-2-29:2004+A11:2018, Cl. 13/ IEC 60335-2-29:2016+AMD1, Cl. 13
416	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Heating	BS EN 60335-2-29:2004+A11:2018, Cl. 11 / IEC 60335-2-29:2016+AMD1, Cl. 11
417	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Leakage current	BS EN 60335-2-29:2004+A11:2018, Cl. 16 / IEC 60335-2-29:2016+AMD1, Cl. 16
418	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Leakage current at operating temperature, Leakage current	BS EN 60335-2-29:2004+A11:2018, Cl. 13 / IEC 60335-2-29:2016+AMD1, Cl. 13
419	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Markings & instructions	BS EN 60335-2-29:2004+A11:2018, Cl. 7 / IEC 60335-2-29:2016+AMD1, Cl. 7
420	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Power input & current	BS EN 60335-2-29:2004+A11:2018, Cl. 10 / IEC 60335-2-29:2016+AMD1, Cl. 10:

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	33 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
421	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Provision of earthing	BS EN 60335-2-29:2004+A11:2018, Cl. 27 /, IEC 60335-2-29:2016+AMD1, Cl. 27
422	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Resistance to heat & fire (Needle flame test)	BS EN 60335-2-29:2004+A11:2018, Cl. 30 / IEC 60335-2-29:2016+AMD1, Cl. 30
423	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Resistance to heat, ball pressure test	BS EN 60335-2-29:2004+A11:2018, Cl. 30 / IEC 60335-2-29:2016+AMD1, Cl. 30
424	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Stability & mechanical hazards	BS EN 60335-2-29:2004+A11:2018, Cl. 20 / IEC 60335-2-29:2016+AMD1, Cl. 20
425	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Torque test	BS EN 60335-2-29:2004+A11:2018, Cl. 28 / IEC 60335-2-29:2016+AMD1, Cl. 28
426	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers	Transient over voltage (Impulse test)	BS EN 60335-2-29:2004+A11:2018, Cl. 14 / IEC 60335-2-29:2016+AMD1, Cl. 14
427	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers,	Cord anchorage test (power supply cord)	BS EN 60335-2-29:2004+A11:2018, Cl.25: 2018 / IEC 60335-2-29:2016+AMD1, Cl.25
428	ELECTRICAL- SAFETY TESTING FACILITY	Battery chargers,	Voltage measurement	BS EN 60335-2-29:2004+A11:2018,Cl .22: 2018 / IEC 60335-2-29:2016+AMD1, Cl.22
429	ELECTRICAL- SAFETY TESTING FACILITY	Bus bar trunking systems (bus ways)	Impulse withstand voltage test	BS EN 61439-6, Cl. 10/ IEC 61439-6, Cl. 10
430	ELECTRICAL- SAFETY TESTING FACILITY	Bus bar trunking systems (bus ways)	Resistance of insulating material to abnormal heat & fire due to internal electric effects	BS EN 61439- 6,Cl 8 / IEC 61439-6, Cl. 8

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 34 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
431	ELECTRICAL- SAFETY TESTING FACILITY	Bus bar trunking systems (bus ways)	Di-electric properties	IEC61439-6,Cl.11
432	ELECTRICAL- SAFETY TESTING FACILITY	Bus bar trunking systems (bus ways)	Di-electric strength test, Power frequency test, Alternative power-frequency voltage test, A.c or D.C Voltage test	IEC 61439-6,Cl.10 & 11
433	ELECTRICAL- SAFETY TESTING FACILITY	Bus bar trunking systems (bus ways)	Requirements for earth continuity providing protection against consequences of faults within the assembly	BS EN 61439-6,Cl.8.4.3.2.3/ IEC61439- 6,Cl.8.4.3.2.3
434	ELECTRICAL- SAFETY TESTING FACILITY	Bus bar trunking systems (busways)	Temperature rise limits	BSEN 61439-6, Cl. 9.2 / IEC 61439-6, Cl.9.2
435	ELECTRICAL- SAFETY TESTING FACILITY	Busbar trunking systems (busways)	Constructional requirement , Clearances & creepage distances	IEC 61439-6, Cl.8.3.3
436	ELECTRICAL- SAFETY TESTING FACILITY	Busbar trunking systems (busways)	Markings test	BSEN 61439-6, Cl. 10 / IEC 61439-6, Cl. 10
437	ELECTRICAL- SAFETY TESTING FACILITY	Circuit breakers	Mechanical strength test	IEC 60947-2;CL.8.2
438	ELECTRICAL- SAFETY TESTING FACILITY	Circuit-breakers	Temperature rise test	IEC 60947-2, Cl. 7.2.2
439	ELECTRICAL- SAFETY TESTING FACILITY	Circuit-breakers	Clearances & Creepage distances	IEC 60947-2, Cl. 7.1.4
440	ELECTRICAL- SAFETY TESTING FACILITY	Circuit-breakers	Flexion Test	IEC 60947-2, Cl. 8.2
441	ELECTRICAL- SAFETY TESTING FACILITY	Circuit-breakers	Impulse withstand test	IEC 60947-2, Cl. 8.4.6
442	ELECTRICAL- SAFETY TESTING FACILITY	Circuit-breakers	Power frequency withstand voltage of the main auxiliary and control circuits, Dielectric properties	IEC 60947-2, Cl. 7.2.3.3 & 8.3.3.3
443	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Clearances & Creepage	BS EN IEC 60335-2-43:2020+A11:2020,Cl. 29 / IEC 60335-2-43:, Cl. 29
444	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Electric strength	BS EN IEC 60335-2-43:2020+A11:2020,Cl. 16/ IEC 60335-2-43:, Cl. 16
445	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Electric strength at operating temperature, electric strength	BS EN IEC 60335-2-43:2020+A11:2020,Cl. 13/ IEC 60335-2-43: Cl. 13

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	35 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
446	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Heating	BS EN IEC 60335-2-43:2020+A11:2020,Cl . 11 / IEC 60335-2-43:, Cl. 11
447	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Leakage current	BS EN IEC 60335-2-43:2020+A11:2020, Cl. 16 / IEC 60335-2-43: Cl. 16
448	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Leakage current at operating temperature, Leakage current	BS EN IEC 60335-2-43:2020+A11:2020,Cl . 13 / IEC 60335-2-43: Cl. 13
449	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Markings & instructions	BS EN IEC 60335-2-43:2020+A11:2020,Cl . 7 / IEC 60335-2-43:, Cl. 7:
450	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Power input & current	BS EN IEC 60335-2-43:2020+A11:2020,Cl . 10/ IEC 60335-2-43:, Cl. 10
451	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Provision of earthing	BS EN IEC 60335-2-43:2020+A11:2020,Cl . 27 / IEC 60335-2-43:, Cl. 27
452	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Resistance to heat & fire (Needle flame test)	BS EN IEC 60335-2-43:2020+A11:2020,Cl . 30 / IEC 60335-2-43:, Cl. 30
453	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Resistance to heat, ball pressure test	BS EN IEC 60335-2-43:2020+A11:2020,Cl . 30 / IEC 60335-2-43:, Cl. 30
454	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Stability & mechanical hazards	BS EN IEC 60335-2-43:2020+A11:2020,Cl . 20 / IEC 60335-2-43:, Cl. 20
455	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Torque test	BS EN IEC 60335-2-43:2020+A11:2020,Cl . 28/ IEC 60335-2-43:, Cl. 28
456	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails	Transient over voltage (Impulse test)	BS EN IEC 60335-2-43:2020+A11:2020,Cl . 14 / IEC 60335-2-43;Cl. 14:
457	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails,	Cord anchorage test (Power supply cord)	BS EN IEC 60335-2-43:2020+A11:2020, Cl.25 / IEC 60335-2-43, Cl.25
458	ELECTRICAL- SAFETY TESTING FACILITY	Clothes dryers and towel rails,	Voltage measurement	BS EN IEC 60335-2-43:2020+A11:2020, Cl. 22 / IEC 60335-2-43, Cl.22

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	36 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
459	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances & vending machines	Cord anchorage test (power supply cord)	BS EN 60335-2-75:2004+A2:2008, Cl.25 / IEC 60335-2-75:2012+AMD1:2015 +AMD2, Cl.25
460	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances & vending machines	Voltage measurement	BS EN 60335-2-75:2004+A2:2008, Cl.22 / IEC 60335-2-75:2012+AMD1:2015 +AMD2, Cl.22
461	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machine	Resistance to heat & fire (Ball Pressure Test)	BS EN 60335-2-75:2004+A2, Cl. 30
462	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Creepage & Clearance	BS EN 60335-2-75:2004+A2, Cl.29
463	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Electric strength	BS EN 60335-2-75:2004+A2, Cl.16
464	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Electric strength operating temperature, electric strength	BS EN 60335-2-75:2004+A2, Cl.13
465	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Heating	BS EN 60335-2-75:2004+A2, Cl.11
466	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Leakage current	BS EN 60335-2-75:2004+A2, Cl.16
467	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Leakage current at operating temperature, Leakage current	BS EN 60335-2-75:2004+A2, Cl.13
468	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Markings & instructions	BS EN 60335-2-75:2004+A2, Cl.7
469	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Power input and current	BS EN 60335-2-75:2004+A2, Cl.10
470	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Provision for earthing	BS EN 60335-2-75:2004+A2, Cl. 27
471	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Resistance to heat & fire (Needle flame test)	BS EN 60335-2-75:2004+A2, Cl.30
472	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Stability & mechanical hazards	BS EN 60335-2-75:2004+A2, Cl.20
473	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Torque test	BS EN 60335-2-75:2004+A2,Cl.28
474	ELECTRICAL- SAFETY TESTING FACILITY	Commercial dispensing appliances and vending machines	Transient over voltages (impulse test)	BS EN 60335-2-75:2004+A2,Cl.14

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	37 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
475	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric boiling pans,	Cord anchorage test (Power supply cord)	BS EN 60335-2-47:2003+A2:2019, Cl. 25 / IEC 60335-2-47, Cl. 25
476	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric boiling pans,	Voltage measurement	BS EN 60335-2-47:2003+A2:2019,, Cl. 22 / IEC 60335-2-47, Cl. 22
477	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric boiling pans	provision for earthing	BS EN 60335-2-47:2003+A2:2019, Cl. 27 /IEC 60335-2-47, Cl.27
478	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric boiling pans	Resistance to heat & fire (Ball Pressure Test)	BS EN 60335-2-47:2003+A2:2019, Cl. 30 / IEC 60335-2-47, Cl. 30
479	ELECTRICAL- SAFETY TESTING FACILITY	commercial electric boiling pans	Creepage & Clearance	BS EN 60335-2-47:2003+A2:2019, Cl.29 / IEC 60335-2-47, Cl.29
480	ELECTRICAL- SAFETY TESTING FACILITY	commercial electric boiling pans	Electric strength	BS EN 60335-2-47:2003+A2:2019, Cl.16 / IEC 60335-2-47, Cl.16
481	ELECTRICAL- SAFETY TESTING FACILITY	commercial electric boiling pans	Electric strength operating temperature, electric strength	BS EN 60335-2-47:2003+A2:2019, Cl.13 / IEC 60335-2-47, Cl.13
482	ELECTRICAL- SAFETY TESTING FACILITY	commercial electric boiling pans	Heating	BS EN 60335-2-47:2003+A2:2019, Cl.11 / IEC 60335-2-47, Cl.11
483	ELECTRICAL- SAFETY TESTING FACILITY	commercial electric boiling pans	Leakage current	BS EN 60335-2-47:2003+A2:2019, Cl.16 / IEC 60335-2-47, Cl.16
484	ELECTRICAL- SAFETY TESTING FACILITY	commercial electric boiling pans	Leakage current at operating temperature	BS EN 60335-2-47:2003+A2:2019, Cl.13 / IEC 60335-2-47, Cl.13
485	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric boiling pans	Markings & instructions	BS EN 60335-2-47:2003+A2:2019, Cl.7 / IEC 60335-2-47 , Cl.7
486	ELECTRICAL- SAFETY TESTING FACILITY	commercial electric boiling pans	Power input and current	BS EN 60335-2-47:2003+A2:2019,Cl. 10 / IEC 60335-2-47, Cl.10
487	ELECTRICAL- SAFETY TESTING FACILITY	commercial electric boiling pans	Resistance to heat & fire (Needle flame test)	BS EN 60335-2-47:2003+A2:2019,Cl. 30 / IEC 60335-2-47, Cl.30
488	ELECTRICAL- SAFETY TESTING FACILITY	commercial electric boiling pans	Stability & mechanical hazards	BS EN 60335-2-47:2003+A2:2019, Cl.20 / IEC 60335-2-47, Cl.20

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	38 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
489	ELECTRICAL- SAFETY TESTING FACILITY	commercial electric boiling pans	Torque test	BS EN 60335-2-47:2003+A2:2019, Cl.28 / IEC 60335-2-47, Cl.28
490	ELECTRICAL- SAFETY TESTING FACILITY	commercial electric boiling pans	Transient over voltages (impulse test)	BS EN 60335-2-47:2003+A2:2019, Cl.14 / IEC 60335-2-47, Cl.14
491	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Clearances & Creepage	BS EN 60335-2-36:2002+A11:2012, Cl. 29 / IEC 60335-2-36, Cl. 29
492	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Electric strength	BS EN 60335-2-36:2002+A11:2012 Cl. 16 /, IEC 60335-2-36, Cl. 16
493	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Electric strength at operating temperature, electric strength	BS EN 60335-2-36:2002+A11:2012, Cl. 13/ IEC 60335-2-36 Cl. 13
494	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Heating	BS EN 60335-2-36:2002+A11:2012, Cl. 11 / IEC 60335-2-36, Cl. 11
495	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Leakage current	BS EN 60335-2-36:2002+A11:2012, Cl. 16 / IEC 60335-2-36, Cl. 16
496	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Leakage current at operating temperature, Leakage current	BS EN 60335-2-36:2002+A11:2012, Cl. 13 / IEC 60335-2-36, Cl. 13
497	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Markings & instructions	BS EN 60335-2-36:2002+A11:2012, Cl. 7 / IEC 60335-2-36, Cl. 7
498	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Power input & current	BS EN 60335-2-36:2002+A11:2012, Cl. 10 / IEC 60335-2-36, Cl
499	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Provision of earthing	BS EN 60335-2-36:2002+A11:2012, Cl. 27 / IEC 60335-2-36, Cl. 27
500	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Resistance to heat & fire (Needle flame test)	BS EN 60335-2-36:2002+A11:2012, Cl. 30 / IEC 60335-2-36, Cl. 30
501	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Resistance to heat, ball pressure test	BS EN 60335-2-36:2002+A11:2012,Cl . 30 / IEC 60335-2-36, Cl. 30:
502	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Stability & mechanical hazards	BS EN 60335-2-36:2002+A11:2012, Cl. 20 / IEC 60335-2-36, Cl. 20

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	39 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
503	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Torque test	BS EN 60335-2-36:2002+A11:2012, Cl. 28 / IEC 60335-2-36, Cl. 28
504	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements	Transient over voltage (Impulse test)	BS EN 60335-2-36:2002+A11:2012, Cl. 14 / IEC 60335-2-36, Cl. 14
505	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements,	Cord anchorage test (Power supply cord)	BS EN 60335-2-36:2002+A11:2012, Cl.25: 2012 / IEC 60335-2-36, Cl.25
506	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric cooking ranges, ovens, hobs and hob elements,	Voltage measurement	BS EN 60335-2-36:2002+A11:2012, Cl. 22: 2012 / IEC 60335-2-36, Cl. 22
507	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Creepage & Clearance	BS EN 60335-2-62:2003+A1:2008, Cl.29 / IEC 60335-2-62, Cl.29
508	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Electric strength	BS EN 60335-2-62:2003+A1:2008, Cl.16 / IEC 60335-2-62, Cl.16
509	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Electric strength operating temperature, electric strength	BS EN 60335-2-62:2003+A1:2008, Cl.13 / IEC 60335-2-62, Cl.13
510	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Heating	BS EN 60335-2-62:2003+A1:2008, Cl.11 / IEC 60335-2-62, Cl.11
511	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Leakage current	BS EN 60335-2-62:2003+A1:2008, Cl.16 / IEC 60335-2-62, Cl.16
512	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Leakage current at operating temperature, Leakage current	BS EN 60335-2-62:2003+A1:2008, Cl.13 / IEC 60335-2-62, Cl.13
513	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Markings & instructions	BS EN 60335-2-62:2003+A1:2008, Cl.7 / IEC 60335-2-62 , Cl.7
514	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Power input and current	BS EN 60335-2-62:2003+A1:2008, Cl.10 / IEC 60335-2-62, Cl.10
515	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	provision for earthing	BS EN 60335-2-62:2003+A1:2008, Cl. 27 / IEC 60335-2-62, Cl. 27

National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 40 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
516	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Resistance to heat & fire (Needle flame test)	BS EN 60335-2-62:2003+A1:2008, Cl.30 / IEC 60335-2-62, Cl.30
517	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Resistance to heat & fire (Ball Pressure Test)	BS EN 60335-2-62:2003+A1:2008, Cl. 30 / IEC 60335-2-62, Cl. 30
518	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Stability & mechanical hazards	BS EN 60335-2-62:2003+A1:2008, Cl.20 / IEC 60335-2-62, Cl.20
519	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Torque test	BS EN 60335-2-62:2003+A1:2008, Cl.28 / IEC 60335-2-62, Cl.28
520	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks	Transient over voltages (impulse test)	BS EN 60335-2-62:2003+A1:2008, Cl.14 / IEC 60335-2-62 ,Cl.14
521	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks,	Cord anchorage test (Power supply cord)	BS EN 60335-2-62:2003+A1:2008, Cl. 25 / IEC 60335-2-62, Cl.25
522	ELECTRICAL- SAFETY TESTING FACILITY	Commercial electric rinsing sinks,	Voltage measurement	BS EN 60335-2-62:2003+A1:2008, Cl. 22 / IEC 60335-2-62, Cl. 22
523	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Leakage current at operating temperature (Leakage current)	BS EN IEC 60335-2-90:2021+A1:2021, Cl. 13 / IEC 60335-2-90:2015+AMD1, Cl. 13
524	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Resistance to heat, Ball Pressure Test	BS EN IEC 60335-2-90:2021+A1:2021, Cl. 30 / IEC 60335-2-90:2015+AMD1, Cl. 30
525	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Clearance & Creepage	BS EN IEC 60335-2-90:2021+A1:2021, Cl.29 / IEC 60335-2-90:2015+AMD1, Cl.29
526	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Electric strength	BS EN IEC 60335-2-90:2021+A1:2021,Cl. 16 / IEC 60335-2-90:2015+AMD1, Cl.16
527	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Electric strength at Operating temperature (Electric strength)	BS EN IEC 60335-2-90:2021+A1:2021,Cl. 13 / IEC 60335-2-90:2015+AMD1, Cl.13

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	41 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
528	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Leakage Current	BS EN IEC 60335-2-90:2021+A1:2021, Cl.16 / IEC 60335-2-90:2015+AMD1, Cl.16
529	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Markings and Instructions	BS EN IEC 60335-2-90:2021+A1:2021,Cl. 7 / IEC 60335-2-90:2015+AMD1, Cl.7
530	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Power Input and current	BS EN IEC 60335-2-90:2021+A1:2021, Cl.10 / IEC 60335-2-90:2015+AMD1, Cl.10
531	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Provision for earthing	BS EN IEC 60335-2-90:2021+A1:2021,Cl. 27 / IEC 60335-2-90:2015+AMD1, Cl.27
532	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Resistance to heat and fire (Needle Flame Test)	BS EN IEC 60335-2-90:2021+A1:2021,Cl. 30 / IEC 60335-2-90:2015+AMD1, Cl.30
533	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Stability and mechanical hazard	BS EN IEC 60335-2-90:2021+A1:2021,Cl. 20 / IEC 60335-2-90:2015+AMD1, Cl.20
534	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Torque Test	BS EN IEC 60335-2-90:2021+A1:2021,Cl. 28 / IEC 60335-2-90:2015+AMD1, Cl.28
535	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens	Transient over voltages (Impulse voltage)	BS EN IEC 60335-2-90:2021+A1:2021,Cl. 14 / IEC 60335-2-90:2015+AMD1, Cl.14
536	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens,	Cord anchorage cord (Power supply cord)	BS EN IEC 60335-2-90:2021+A1:2021, Cl.25 / IEC 60335-2-90:2015+AMD1, Cl.25
537	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens,	Voltage measurement	BS EN IEC 60335-2-90:2021+A1:2021, Cl. 22 / IEC 60335-2-90:2015+AMD1, Cl. 22

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	42 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
538	ELECTRICAL- SAFETY TESTING FACILITY	Commercial microwave ovens.	Heating	BS EN IEC 60335-2-90:2021+A1:2021,Cl. 11 / IEC 60335-2-90:2015+AMD1, Cl.11
539	ELECTRICAL- SAFETY TESTING FACILITY	Contactors & motor- starters-semiconductor motor controllers, starters & soft-starters	Temperature rise test	IEC 60947-4-2 Cl. 8.2.2
540	ELECTRICAL- SAFETY TESTING FACILITY	Contactors & motor-starter-AC semiconductor controllers & contactors for non-motor loads	Flexion Test	IEC 60947-4-3,Cl. 9.2
541	ELECTRICAL- SAFETY TESTING FACILITY	Contactors & motor-starters-AC semiconductor motor controllers & starters	Flexion Test	IEC 60947-4-2, Cl. 9.2
542	ELECTRICAL- SAFETY TESTING FACILITY	Contactors & motor-starters-Electromechanical contactors & motor-starters	Flexion Test	IEC 60947-4-1, Cl.9.2.1
543	ELECTRICAL- SAFETY TESTING FACILITY	Contactors and motor-starters - AC semiconductor controllers and contactors for non-motor loads	Temperature rise test	IEC 60947-4-3 Cl. 8.2.2
544	ELECTRICAL- SAFETY TESTING FACILITY	Contactors and motor-starters - Electromechanical contactors and motor-starters	Clearances & Creepage distances	IEC 60947-4-1, Cl. 8.1.4
545	ELECTRICAL- SAFETY TESTING FACILITY	Contactors and motor-starters - Electromechanical contactors and motor-starters	Dielectric withstand test	IEC 60947-4-1, Cl. 9.3.3.4.1
546	ELECTRICAL- SAFETY TESTING FACILITY	Contactors and motor-starters - Electromechanical contactors and motor-starters	Impulse withstand test	IEC 60947-4-1, Cl.8.2.3.1 & 9.3.3.4
547	ELECTRICAL- SAFETY TESTING FACILITY	Contactors and motor-starters - Semiconductor controllers and semiconductor contactors for non-motor loads	Clearances & Creepage distances	IEC 60947-4-3, Cl. 8.1.4
548	ELECTRICAL- SAFETY TESTING FACILITY	Contactors and motor-starters - Semiconductor controllers and semiconductor contactors for non-motor loads	Power frequency withstand voltage of the main auxiliary and control circuits, Dielectric properties	IEC 60947-4-3, Cl. 8.2.3.2 & 9.3.3.4.1
549	ELECTRICAL- SAFETY TESTING FACILITY	Contactors and motor-starters – Electromechanical contactors & motor-starters	Leakage currents of equipment suitable for isolation	IEC 60947-4-1 Cl. 8
550	ELECTRICAL- SAFETY TESTING FACILITY	Contactors and motor-starters – Electromechanical contactors & motor-starters	Temperature rise test	IEC 60947-4- 1 Cl. 8.2.2
551	ELECTRICAL- SAFETY TESTING FACILITY	Contactors and motor-starters – Semiconductor motor controllers, starters and soft-starters	Clearances & Creepage distances	IEC 60947-4- 2, Cl. 8.2.3.3 & 8.2.3.4
552	ELECTRICAL- SAFETY TESTING FACILITY	Contactors and motor-starters – Semiconductor motor controllers, starters and soft-starters	Impulse withstand test	IEC 60947-4- 2, Cl. 8.2.3.2 & 9.3.3.4
553	ELECTRICAL- SAFETY TESTING FACILITY	Contactors and motor-starters – Semiconductor motor controllers, starters and soft-starters	Power frequency withstand voltage of the main auxiliary and control circuits, Dielectric properties	IEC 60947-4- 2, Cl. 8.2.3.2 & 9.3.3.4.1

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	43 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
554	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	Levels in normal and single fault condition (leakage current)	IEC 61010-2-201 Cl.6
555	ELECTRICAL- SAFETY TESTING FACILITY	Control & protective switching device (or equipment) (CPS)	Mechanical strength test	IEC 60947-6-2:2020/COR1, CL.9.2
556	ELECTRICAL- SAFETY TESTING FACILITY	Control and protective switching devices	Mechanical strength test	IEC 60947-8;C.9.2
557	ELECTRICAL- SAFETY TESTING FACILITY	Control and protective switching devices (or equipment) (CPS)	Protective earth continuity	IEC 60947-6-2:2020/COR1, Cl.8.1.10
558	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit device & switching elements	Flexion Test	IEC 60947-5-3, Cl. 8.2
559	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit device & switching elements- Three-position enabling switches	Flexion Test	IEC 60947-5-8, Cl. 8.2
560	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit device & switching elements-Proximity switches	Flexion Test	IEC 60947-5-2, Cl. 8.2
561	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices & switching elements- Flow rate switches	Flexion Test	IEC 60947-5-9, Cl. 8.2
562	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements	Clearances & Creepage distances	IEC 60947-5-3, Cl. 7.1.3
563	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements	Dielectric withstand test	IEC 60947-5- 3, Cl. 8.3.3.4
564	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Electromechanical control circuit devices	Clearances & Creepage distances	IEC 60947-5-1:2016/COR2, Cl. 7.1.4
565	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Electromechanical control circuit devices	Dielectric withstand test	IEC 60947-5-1:2016/COR2, Cl. 8.3.3.4.1
566	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Electromechanical control circuit devices	Impulse withstand test	IEC 60947-5-1:2016/COR2, Cl. 7.2. & 8.3.3.4
567	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Flow rate switches	Temperature rise test	IEC 60947-5-9, Cl. 7.2.2
568	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Flow rate switches	Clearances & Creepage distances	IEC 60947-5-9, Cl. 7.1.3
569	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Flow rate switches	Dielectric withstand test	IEC 60947-5-9, Cl. 7.2.3.1 & 8.3.3.4
570	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Flow rate switches	Impulse withstand test	IEC 60947-5-9, Cl. 7.2.3. & 8.3.3.4
571	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Proximity switches	Clearances & Creepage distances	IEC 60947-5-2, Cl. 7.1.3

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 44 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
572	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Proximity switches	Dielectric withstand test	IEC 60947-5-2, Cl. 7.2.3 & 8.3.3.4
573	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Proximity switches	Impulse withstand test	IEC 60947-5-2, Cl. 8.2.3.2 & 9.3.3.4
574	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Three-position enabling switches	Temperature rise test	IEC 60947-5-8,Cl. 7
575	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Three-position enabling switches	Dielectric withstand test	IEC 60947-5-8, Cl. 8.3.3.4
576	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements - Three-position enabling switches	Impulse withstand test	IEC 60947-5-8, Cl.8.2.3 & 9.3.3.4
577	ELECTRICAL- SAFETY TESTING FACILITY	Control circuit devices and switching elements -Proximity switches	Temperature rise test	IEC 60947-5-2, Cl. 7.2
578	ELECTRICAL- SAFETY TESTING FACILITY	Control circuits devices & switching elements-Electromechanical control circuit devices	Flexion Test	IEC 60947-5-1:2016/COR2, Cl. 8.2.4.3
579	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	Insulation requirements (creepage & clearance distances)	IEC 61010-2-201 Cl. 6.7.2.1, 6.7.2.3 & 6.7.3.3
580	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	Mains supply	IEC 61010-2-201 Cl.5
581	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	Marking and documentation	IEC 61010-2-201 Cl.5
582	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	Mechanical strength (drop test)	IEC 61010-2-201 Cl.8.3
583	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	Protective bonding, Provision for earth	IEC 61010-2-201 Cl.6
584	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	Stability	IEC 61010-2-201 Cl.7
585	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	Static test/ rigidity test	IEC 61010-2-201 Cl.8
586	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	Surface temperature limits for protection against burn, temperature of windings, other temperature measurements, conduct of temperature tests	IEC 61010-2-201 Cl.10
587	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	The A.C Voltage Test, The 1 minute D.C Voltage test	IEC 61010-2-201 Cl.6
588	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	The impulse voltage test	IEC 61010-2-201 Cl.6

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	45 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
589	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	Torque Test	IEC 61010-2-201 Cl.6
590	ELECTRICAL- SAFETY TESTING FACILITY	Control equipment	Insulating materials	IEC 61010-2- 201,Cl.10
591	ELECTRICAL- SAFETY TESTING FACILITY	Control units for built-in thermal protection (PTC) for rotating electrical machines	Di-electric properties, Power-frequency or DC withstand verification of solid insulation	IEC 60947-8, Cl. 8.2.3 & 9.3.3.4
592	ELECTRICAL- SAFETY TESTING FACILITY	Control units for built-in thermal protection (PTC) for rotating electrical machines	Temperature rise test	IEC 60947-8 Cl. 8.2.4
593	ELECTRICAL- SAFETY TESTING FACILITY	Control units for built-in thermal protection (PTC) for rotating electrical machines	Flexion Test	IEC 60947-8, Cl. 9.2
594	ELECTRICAL- SAFETY TESTING FACILITY	Control units for built-in thermal protection (PTC) for rotating electrical machines	Clearances & Creepage distances	IEC 60947-8, Cl. 8.1.4
595	ELECTRICAL- SAFETY TESTING FACILITY	Control units for built-in thermal protection (PTC) for rotating electrical machines	Creepage & Clearances	IEC 60947-8,Cl.8.1.4
596	ELECTRICAL- SAFETY TESTING FACILITY	Control units for built-in thermal protection (PTC) for rotating electrical machines	Impulse withstand test	IEC 60947-8, Cl. 8.2.3 & 9.3.3.4
597	ELECTRICAL- SAFETY TESTING FACILITY	Control units for built-in thermal protection (PTC) for rotating electrical machines	Protective earth continuity	IEC 60947-8;Cl.8.1.10
598	ELECTRICAL- SAFETY TESTING FACILITY	Cord extension sets	Flexion Test	EC 60884-2-7:2011+AMD1, Cl. 12
599	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Clearance & Creepage distances & solid insulation	BS EN 60335-2-13:2010+A1:2019, Cl. 29/ IEC 60335-2-13, Cl.29
600	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Electric Strength	BS EN 60335-2-13:2010+A1:2019, Cl. 16/ IEC 60335-2-13, Cl.16
601	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Electric strength at operating temperature, Electric strength	BS EN 60335-2-13:2010+A1:2019, Cl. 13 / IEC 60335-2-13, Cl.13
602	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Heating	BS EN 60335-2-13:2010+A1:2019, Cl. 11/ IEC 60335-2-13, Cl.11
603	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Leakage Current	BS EN 60335-2-13:2010+A1:2019, Cl. 16/ IEC 60335-2-13, Cl.16
604	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Leakage current at operating temperature	BS EN 60335-2-13:2010+A1:2019, Cl. 13/ IEC 60335-2-13, Cl.13

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 46 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
605	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Marking and Instructions	BS EN 60335-2-13:2010+A1:2019, Cl. 7 / IEC 60335-2-13, Cl.7
606	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Power Input and current	BS EN 60335-2-13:2010+A1:2019, Cl. 10/ IEC 60335-2-13, Cl.10
607	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Provision for earthing	BS EN 60335-2-13:2010+A1:2019, Cl. 27/ IEC 60335-2-13, Cl.27
608	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Resistance to heat (Ball Pressure Test)	BS EN 60335-2-13:2010+A1:2019, Cl. 30 / IEC 60335-2-13, Cl.30
609	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Stability and mechanical hazards	BS EN 60335-2-13:2010+A1:2019, Cl. 20/ IEC 60335-2-13, Cl.20
610	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Torque Test	BS EN 60335-2-13:2010+A1:2019, Cl. 28/ IEC 60335-2-13, Cl.28
611	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances	Transient over voltages (Impulse test)	BS EN 60335-2-13:2010+A1:2019, Cl. 14 / IEC 60335-2-13, Cl.14
612	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances,	Cord anchorage test (Power supply cord)	BS EN 60335-2-13:2010+A1:2019, Cl. 25: 2019 / IEC 60335-2-13, Cl. 25
613	ELECTRICAL- SAFETY TESTING FACILITY	Deep fat fryers, frying pans and similar appliances,	Voltage measurement	BS EN 60335-2-13:2010+A1:2019, Cl. 22 / IEC 60335-2-13, Cl. 22
614	ELECTRICAL- SAFETY TESTING FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Di-electric properties	IEC 61439-3:2012/COR2, Cl.11
615	ELECTRICAL- SAFETY TESTING FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Di-electric strength test, Power frequency test, Alternative power-frequency voltage test, A.c or D.C Voltage test	IEC 61439-3:2012/COR2, Cl.10 &11
616	ELECTRICAL- SAFETY TESTING FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Requirements for earth continuity providing protection against consequences of faults within the assembly	IEC 61439-3:2012/COR2, Cl.8
617	ELECTRICAL- SAFETY TESTING FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Resistance of insulating material to abnormal heat & fire due to internal electric effects	IEC 61439-3:2012/COR2, Cl.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	47 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
618	ELECTRICAL- SAFETY TESTING FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Constructional requirement , Clearances & creepage distances	IEC 61439-3:2012/COR2, , Cl.8
619	ELECTRICAL- SAFETY TESTING FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Impulse withstand voltage test	IEC 61439-3:2012/COR2, Cl. 10
620	ELECTRICAL- SAFETY TESTING FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Markings test	IEC 61439-3:2012/COR2, Cl. 10.2.7
621	ELECTRICAL- SAFETY TESTING FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Temperature rise limits	IEC 61439-3:2012/COR2, Cl. 9
622	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use,	Voltage measurement	BS EN 60335-2-95:2015+A2:2019, Cl.22 / IEC 60335-2-95, Cl. 22
623	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use	Leakage current at operating temperature	BS EN 60335-2-95:2015+A2:2019, Cl. 13 / IEC 60335-2-95, Cl. 13
624	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use	Clearance & Creepage	BS EN 60335-2-95:2015+A2:2019, Cl. 29 / IEC 60335-2-95, Cl. 29
625	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use	Electric strength	BS EN 60335-2-95:2015+A2:2019, Cl.16 / IEC 60335-2-95, Cl.16
626	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use	Electric strength at Operating temperature (Electric strength)	BS EN 60335-2-95:2015+A2:2019, Cl.13 / IEC 60335-2-95, Cl.13
627	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use	Leakage Current	BS EN 60335-2-95:2015+A2:2019, Cl.16 / IEC 60335-2-95, Cl.16
628	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use	Markings and Instructions	BS EN 60335-2-95:2015+A2:2019, Cl. 7 / IEC 60335-2-95, Cl. 7
629	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use	Power Input and current	BS EN 60335-2-95:2015+A2:2019, Cl. 10 / IEC 60335-2-95, Cl. 10
630	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use	Provision for earthing	BS EN 60335-2-95:2015+A2:2019, Cl. 27 / IEC 60335-2-95, Cl. 27
631	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use	Stability and mechanical hazard	BS EN 60335-2-95:2015+A2:2019, Cl. 20 / IEC 60335-2-95, Cl. 20

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	48 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
632	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use	Torque Test	BS EN 60335-2-95:2015+A2:2019, Cl.28 / IEC 60335- 2-95, Cl. 28
633	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use	Transient over voltages (Impulse voltage)	BS EN 60335-2-95:2015+A2:2019, Cl.14 / IEC 60335-2-95, Cl.14
634	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use,	Cord anchorage test (Power supply cord)	BS EN 60335-2-95:2015+A2:2019, Cl.25 / IEC 60335-2-95, Cl.25
635	ELECTRICAL- SAFETY TESTING FACILITY	Drives for vertically moving garage doors for residential use.	Heating	BS EN 60335-2-95:2015+A2:2019, Cl. 11 / IEC 60335-2-95 ,Cl. 11
636	ELECTRICAL- SAFETY TESTING FACILITY	Electric actuators	Adequacy of earth connections	IEC 60730- 2-14,Cl. 9
637	ELECTRICAL- SAFETY TESTING FACILITY	Electric actuators	Ball Pressure Test	IEC 60730- 2-14,Cl. 21
638	ELECTRICAL- SAFETY TESTING FACILITY	Electric actuators	Creepage distances & Clearances distances through solid insulation	IEC 60730- 2-14,Cl. 20
639	ELECTRICAL- SAFETY TESTING FACILITY	Electric actuators	Electric strength	IEC 60730- 2-14,Cl. 13
640	ELECTRICAL- SAFETY TESTING FACILITY	Electric actuators	Foot actuated controls (Force Test)	IEC 60730- 2-14,Cl.18
641	ELECTRICAL- SAFETY TESTING FACILITY	Electric actuators	Heating	IEC 60730- 2-14,Cl.14
642	ELECTRICAL- SAFETY TESTING FACILITY	Electric actuators	Impulse Voltage Test	IEC 60730- 2-14,Cl. 20
643	ELECTRICAL- SAFETY TESTING FACILITY	Electric actuators	Insulation Resistance	IEC 60730- 2-14,Cl. 13
644	ELECTRICAL- SAFETY TESTING FACILITY	Electric actuators	Leakage current	IEC 60730- 2-14,Cl. 13
645	ELECTRICAL- SAFETY TESTING FACILITY	Electric actuators,	Voltage measurement	IEC 60730-2-14;Cl. 8
646	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Clearance & Creepage	BS EN 60335-2-80:2003+A2:2009, Cl.29 / IEC 60335-2-80, Cl.29
647	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Cord anchorage test (Power supply cord)	BS EN 60335-2-80:2003+A2:2009, Cl.25 / IEC 60335-2-80, Cl.25

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	49 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
648	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Electric strength	BS EN 60335-2-80:2003+A2:2009, Cl.16 / IEC 60335-2-80, Cl.16
649	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Electric strength test at operating temperature	BS EN 60335-2-80:2003+A2:2009, Cl.13 / IEC 60335-2-80, Cl.13
650	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Heating	BS EN 60335-2-80:2003+A2:2009, Cl.11 / IEC 60335-2-80, Cl.11
651	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Leakage Current	BS EN 60335-2-80:2003+A2:2009, Cl.16 / IEC 60335-2-80, Cl.16
652	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Leakage current at operating temperature (Leakage current)	BS EN 60335-2-80:2003+A2:2009, Cl.13 / IEC 60335-2-80, Cl.13
653	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Markings and Instructions	BS EN 60335-2-80:2003+A2:2009, Cl.7 / IEC 60335-2-80, Cl.7
654	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Power Input and current	BS EN 60335-2-80:2003+A2:2009, Cl.10 / IEC 60335-2-80, Cl.10
655	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Provision for earthing	BS EN 60335-2-80:2003+A2:2009, Cl.27 / IEC 60335-2-80, Cl.27
656	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Resistance to heat and fire (Needle Flame Test)	BS EN 60335-2-80:2003+A2:2009, Cl.30 / IEC 60335-2-80, Cl.30
657	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Resistance to heat, Ball Pressure Test	BS EN 60335-2-80:2003+A2:2009, Cl. 30 / IEC 60335-2-80 , Cl. 30
658	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Stability and mechanical hazard	BS EN 60335-2-80:2003+A2:2009, Cl.20 / IEC 60335-2-80, Cl.20
659	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Torque Test	BS EN 60335-2-80:2003+A2:2009, Cl.28 / IEC 60335-2-80, Cl.28
660	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Transient over voltages (Impulse voltage)	BS EN 60335-2-80:2003+A2:2009,Cl. 14/ IEC 60335-2-80,Cl.14
661	ELECTRICAL- SAFETY TESTING FACILITY	Electric fans for household and similar purposes	Voltage measurement	BS EN 60335-2-80:2003+A2:2009, Cl. 22 / IEC 60335-2-80, Cl. 22

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	50 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
662	ELECTRICAL- SAFETY TESTING FACILITY	Electric vehicle conductive charging system	Impulse dielectric withstand	IEC 61851-1, Cl. 12.7.2
663	ELECTRICAL- SAFETY TESTING FACILITY	Electric vehicle conductive charging system	AC withstand test	IEC 61851-1, Cl. 12.7.1
664	ELECTRICAL- SAFETY TESTING FACILITY	Electric vehicle conductive charging system	Clearances & Creepage	IEC 61851-1, Cl.12.3
665	ELECTRICAL- SAFETY TESTING FACILITY	Electric vehicle conductive charging system	Disconnection of plug connected EV supply equipment	IEC 61851-1, Cl. 8.2.1
666	ELECTRICAL- SAFETY TESTING FACILITY	Electric vehicle conductive charging system	Insulation resistance	IEC 61851-1, Cl.12.5
667	ELECTRICAL- SAFETY TESTING FACILITY	Electric vehicle conductive charging system	Loss of supply voltage to permanently connected EV equipment	IEC 61851-1, Cl.8.2.2
668	ELECTRICAL- SAFETY TESTING FACILITY	Electric vehicle conductive charging system	Mechanical strength	IEC 61851-1, Cl. 12.11
669	ELECTRICAL- SAFETY TESTING FACILITY	Electric vehicle conductive charging system	Temperature rise	IEC 61851-1, Cl. 12.8
670	ELECTRICAL- SAFETY TESTING FACILITY	Electric vehicle conductive charging system	Touch current – Leakage current test	IEC 61851-1, Cl. 12.6
671	ELECTRICAL- SAFETY TESTING FACILITY	Electrical & Electronics	Creepage & Clearances (Test and Measurements)	IEC 60664-1, Cl.6
672	ELECTRICAL- SAFETY TESTING FACILITY	Electrical Electronics Equipment	Ball pressure test	IEC 60695-10-2
673	ELECTRICAL- SAFETY TESTING FACILITY	Electrical emergency stop device with mechanical latching function	Dielectric Strength Test, Power Frequency Withstand Test	IEC 60947-5-5:1997+AMD1:2005+ AMD2, CL.7.1
674	ELECTRICAL- SAFETY TESTING FACILITY	Electrical emergency stop device with mechanical latching function	Impulse Test	IEC 60947-5-5:1997+AMD1:2005+ AMD2, Cl.7.1
675	ELECTRICAL- SAFETY TESTING FACILITY	Electrical emergency stop device with mechanical latching function	Temperature Rise Test	IEC 60947-5-5:1997+AMD1:2005+ AMD2, Cl.7.1
676	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement ,control, and laboratory use	Durability of Markings	BS EN 61010-1:2010+A1:2019, Cl.5.3 / IEC 61010-1:2010/AMD1:2016, Cl. 5.3

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	51 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
677	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement ,control, and laboratory use	Impulse voltage test	BS EN 61010-1:2010+A1:2019, Cl. 6.8.3.3 / IEC 61010-1:2010/AMD1:2016/COR 1, Cl. 6.8.3.3
678	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement ,control, and laboratory use	Mechanical strength (drop test)	BS EN 61010-1:2010+A1:2019, Cl.8.3 / IEC 61010-1:2010/AMD1:2016/COR 1, Cl. 8.3
679	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement ,control, and laboratory use	Protective bonding, Provision for earth	BS EN 61010-1:2010+A1:2019, Cl. 6.5.2 / IEC 61010-1:2010/AMD1:2016/COR 1, Cl. 6.5.2
680	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement ,control, and laboratory use	Stability	BS EN 61010-1:2010+A1:2019 Cl. 7.4 / IEC 61010-1:2010/AMD1:2016/COR 1, Cl. 7.4
681	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement ,control, and laboratory use	Static test / rigidity test	BS EN 61010-1:2010+A1:2019, Cl. 8.2.1 / IEC 61010-1:2010/AMD1:2016/COR 1, Cl. 8.2.1
682	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement ,control, and laboratory use	The A.C Voltage Test , The 1 minute D.C Voltage test	BS EN 61010-1:2010+A1:2019, Cl.6.8.3.1 / IEC 61010-1:2010/AMD1:2016/COR 1, Cl. 6.8.3.1
683	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement ,control, and laboratory use	Torque Test	BS EN 61010-1:2010+A1:2019, Cl. 6.5.2.3.J / IEC 61010-1:2010/AMD1:2016/COR 1, Cl. 6.5.2.3.J6:
684	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement, control & laboratory use	Cord anchorage test (Power supply cord)	IEC 61010-1:2010/AMD1:2016/COR 1:2019, Cl. 6.10.2.2 / BS EN 61010-1:2010+A1, Cl. 6.10.2.2
685	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement, control, and laboratory use	Insulating materials	BS EN 61010-1:2010+A1:2019, Cl.10.5.3 / IEC 61010-1:2010/AMD1:2016, Cl.10.5.3
686	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement, control, and laboratory use	Insulation requirements (creepage & clearance distances)	BS EN 61010-1:2010+A1:2019, Cl. 6.7.2.1, 6.7.3.2 & 6.7.3.3 / IEC 61010-1:2010/AMD1:2016/COR 1, Cl. 6.7.2.1, 6.7.3.2 & 6.7.3.3

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	52 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
687	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement, control, and laboratory use	Levels in normal and single fault condition (leakage current)	BS EN 61010-1:2010+A1:2019, Cl.6.3.1 a&b and 6.3.2 a & b / IEC 61010-1:2010/AMD1:2016/COR 1, Cl.6.3.1 a&b and 6.3.2 a & b
688	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment for measurement, control, and laboratory use	Surface temperature limits for protection against burn, temperature of windings, other temperature measurements, conduct of temperature tests	BS EN 61010-1:2010+A1:2019, Cl. 10.1, 10.2, 10.3 & 10.4 / IEC 61010-1:2010/AMD1:2016/COR 1, Cl. 10.1, 10.2, 10.3 & 10.4
689	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment of machines	Voltage test	IS 1356-1,Cl.11.2
690	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment of machines	Clearances & Creepage distances	IEC 60204-1:2016+AMD1:2021 CSV, Cl. 12.7.5, 12.7.6 / BS EN 60204-1, Cl.12.7.5, 12.7.6
691	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment of machines	Verification of continuity of protective bonding circuits	BS EN 60204-1:2018, Cl.18.2.2 test 1 / IEC 60204-1:2016+AMD1, Cl.18.2.2, Test 1
692	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment of machines	Voltage measurement	IEC 60204-1:2016+AMD1:2021 CSV, Cl.6.2.4 / BS EN 60204-1 Cl 6.2.4
693	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment of machines tools	Insulation resistance Test	IS 1356-1,Cl.11.1
694	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Clearances & Creepage	BS EN 60335-2- 40:, Cl. 29 / IEC 60335- 2-40:, Cl. 29:
695	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Cord anchorage test (Power supply cord)	BS EN 60335-2-40:2003+A13:2012, Cl.25 / IEC 60335-2-40, Cl.25
696	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Electric strength	BS EN 60335-2- 40:, Cl. 16 / IEC 60335- 2-40:, Cl. 16
697	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Electric strength at operating temperature, electric strength	BS EN 60335-2- 40:, Cl. 13/ IEC 60335- 2-40:, Cl. 13
698	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Heating	BS EN 60335-2- 40:, Cl. 11 / IEC 60335- 2-40:, Cl. 11
699	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Leakage current	BS EN 60335-2- 40:, Cl. 16 / IEC 60335- 2-40:, Cl. 16
700	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Leakage current at operating temperature, Leakage current	BS EN 60335-2- 40:, Cl. 13 / IEC 60335- 2-40: Cl. 13
701	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Markings & instructions	BS EN 60335-2- 40:, Cl. 7 / IEC 60335- 2-40:, Cl. 7

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	53 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
702	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Power input & current	BS EN 60335-2- 40:, Cl. 10 / IEC 60335- 2-40:, Cl. 10
703	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Provision of earthing	BS EN 60335-2- 40:, Cl. 27 / IEC 60335- 2-40:, Cl. 27
704	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Resistance to heat & fire (Needle flame test)	BS EN 60335-2- 40:, Cl. 30 / IEC 60335- 2-40:, Cl. 30
705	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Resistance to heat, ball pressure test	BS EN 60335-2- 40:, Cl. 30 / IEC 60335- 2-40:, Cl. 30
706	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Stability & mechanical hazards	BS EN 60335-2- 40:, Cl. 20 / IEC 60335- 2-40:, Cl. 20
707	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Torque test	BS EN 60335-2- 40:, Cl. 28 / IEC 60335- 2-40:, Cl. 28
708	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Transient over voltage (Impulse test)	BS EN 60335-2- 40:, Cl. 14 / IEC 60335- 2-40:, Cl. 14
709	ELECTRICAL- SAFETY TESTING FACILITY	Electrical heat pumps, air-conditioners and dehumidifiers	Voltage measurement	BS EN 60335-2-40:2003+A13:2012, Cl.22 / IEC 60335-2-40, Cl. 22
710	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated door locks	Adequacy of earth connections	IEC 60730-2-12,Cl.9
711	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated door locks	Ball Pressure Test	IEC 60730-2-12,Cl.21
712	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated door locks	Creepage distances & Clearances distances through solid insulation	IEC 60730-2-12,Cl.20
713	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated door locks	Electric strength	IEC 60730-2-12,Cl.13
714	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated door locks	Foot actuated controls (Force Test)	IEC 60730-2-12,Cl.18
715	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated door locks	Heating	IEC 60730-2-12,Cl.14
716	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated door locks	Impulse	IEC 60730-2-12,Cl.20
717	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated door locks	Insulation Resistance	IEC 60730-2-12,Cl.13
718	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated door locks	Leakage current	IEC 60730-2-12,Cl.13
719	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated door locks,	Voltage measurement	IEC 60730-2-12;Cl. 8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	54 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
720	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated water valves including mechanical requirements	Voltage measurement	IEC 60730-2-8;Cl. 8
721	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated water valves, including mechanical requirements	Adequacy of earth connections	IEC 60730-2-8,Cl. 9
722	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated water valves, including mechanical requirements	Ball Pressure Test	IEC 60730-2-8,Cl. 21
723	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated water valves, including mechanical requirements	Creepage distances & Clearances distances through solid insulation	IEC 60730-2-8,Cl. 20
724	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated water valves, including mechanical requirements	Electric strength	IEC 60730-2-8,Cl. 13
725	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated water valves, including mechanical requirements	Heating	IEC 60730-2-8,Cl. 14
726	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated water valves, including mechanical requirements	Impulse	IEC 60730-2-8,Cl. 20
727	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated water valves, including mechanical requirements	Insulation Resistance	IEC 60730-2-8,Cl. 13
728	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated water valves, including mechanical requirements	Leakage current	IEC 60730-2-8,Cl. 13
729	ELECTRICAL- SAFETY TESTING FACILITY	Electrically operated water valves,including mechanical requirements	Foot actuated controls (Force Test)	IEC 60730-2-8,Cl.18
730	ELECTRICAL- SAFETY TESTING FACILITY	Electromechanical contactors and motor-starters	Mechanical strength test	IEC 60947-4-1;CL.9.2.1
731	ELECTRICAL- SAFETY TESTING FACILITY	Electromechanical control circuit devices	Mechanical strength test	IEC 60947-5-1:2016/COR2, Cl.8.2.4.3
732	ELECTRICAL- SAFETY TESTING FACILITY	Electromechanical control circuit devices	Temperature Rise Test	IEC 60947-5-1:2016/COR2, Cl.8.3.3.3
733	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	Insulation requirements (creepage & clearance distances)	IEC 61010-2-030, Cl. 6
734	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	Levels in normal and single fault condition (leakage current)	BS EN IEC 61010-2-030:2021+A11:2021, Cl. 6 / IEC 61010-2-030, Cl. 6
735	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	Mains supply	BS EN IEC 61010-2-030:2021+A11:2021, Cl. 5 / IEC 61010-2-030, Cl. 5
736	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	Marking and documentation	BS EN IEC 61010-2-030:2021+A11:2021, Cl. 5 / IEC 61010-2-030, Cl. 5

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	55 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
737	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	Mechanical strength (drop test)	BS EN IEC 61010-2-030:2021+A11:2021, Cl. 8 / IEC 61010-2-030, Cl. 8
738	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	Protective bonding, Provision for earth	BS EN IEC 61010-2-030:2021+A11:2021, Cl. 6.5.2 / IEC 61010-2-030, Cl. 6.5.2
739	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	Stability	BS EN IEC 61010-2-030:2021+A11:2021, Cl. 7 / IEC 61010-2-030, Cl. 7
740	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	Static test/ rigidity test	BS EN IEC 61010-2-030:2021+A11:2021, Cl. 8 / IEC 61010-2-030, Cl. 8
741	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	Surface temperature limits for protection against burn, temperature of windings, other temperature measurements, conduct of temperature tests	IEC 61010-2-030, Cl. 10
742	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	The A.C Voltage Test , The 1 minute D.C Voltage test	BS EN IEC 61010-2-030:2021+A11:2021, Cl. 6 / IEC 61010-2-030, Cl. 6
743	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	The impulse voltage test	BS EN IEC 61010-2-030:2021+A11:2021, Cl. 6 / IEC 61010-2-030, Cl. 6
744	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	Torque Test	BS EN IEC 61010-2-030:2021+A11:2021, Cl. 6 / IEC 61010-2-030, Cl. 6
745	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	Cord anchorage test (Power supply cord)	BS EN IEC 61010-2-030, Cl. 6: 2021 / IEC 61010-2-030, Cl. 6
746	ELECTRICAL- SAFETY TESTING FACILITY	Equipment having testing or measuring circuits	Insulating materials	BS EN IEC 61010-2-030:2021+A11:2021, Cl.10 / IEC 61010-2- 030, Cl.10
747	ELECTRICAL- SAFETY TESTING FACILITY	Fire hazard testing (needle flame test)	Needle flame test	IEC 60695-11-5
748	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Clearance & Creepage distances & solid insulation	BS EN 60335-2-10:2003+A1:2008, Cl. 29 / IEC 60335-2-10, Cl. 29
749	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Electric Strength	BS EN 60335-2-10:2003+A1:2008, Cl. 16/ IEC 60335- 2-10, Cl. 16

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	56 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
750	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Electric strength at operating temperature, Electric strength	BS EN 60335-2-10:2003+A1:2008, Cl. 13/ IEC 60335-2-10, Cl. 13
751	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Heating	BS EN 60335-2-10:2003+A1:2008, Cl. 11 / IEC 60335-2-10, Cl. 11
752	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Leakage Current	BS EN 60335-2-10:2003+A1:2008, Cl. 16 / IEC 60335-2-10, Cl. 16
753	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Leakage current at operating temperature	BS EN 60335-2-10:2003+A1:2008, Cl. 13 / IEC 60335-2-10, Cl. 13
754	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Marking and Instructions	BS EN 60335-2-10:2003+A1:2008, Cl. 7 / IEC 60335-2-10, Cl. 7
755	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Power Input and current	BS EN 60335-2-10:2003+A1:2008, Cl. 10 / IEC 60335-2-10, Cl. 10
756	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Provision for earthing	BS EN 60335-2-10:2003+A1:2008, Cl. 27 / IEC 60335-2-10, Cl. 27
757	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Resistance to heat (Ball Pressure Test)	BS EN 60335-2-10:2003+A1:2008, Cl. 30 / IEC 60335-2-10, Cl. 30
758	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Resistance to heat and fire (Needle flame test)	BS EN 60335-2-10:2003+A1:2008, Cl. 30 / IEC 60335-2-10, Cl. 30
759	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Stability and mechanical hazards	BS EN 60335-2-10:2003+A1:2008, Cl. 20 / IEC 60335- 2-10, Cl. 20
760	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Torque Test	BS EN 60335-2-10:2003+A1:2008, Cl. 28/ IEC 60335- 2-10, Cl. 28
761	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machine	Transient over voltages (Impulse test)	BS EN 60335-2-10:2003+A1:2008, Cl. 14 / IEC 60335-2-10, Cl. 14
762	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machines,	Cord anchorage test (Power supply cord)	BS EN 60335-2-10, Cl.25: 2008 / IEC 60335-2-10, Cl.25
763	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines and wet scrubbing machines,	Voltage measurement	BS EN 60335-2-10:2003+A1:2008, Cl.22 / IEC 60335-2-10, Cl.22

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 57 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
764	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive	Creepage & Clearance	BS EN 60335-2-72, Cl.29 / IEC 60335-2-72, Cl.29
765	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive	Electric strength	BS EN 60335-2-72 / IEC 60335-2-72, Cl.16
766	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive	Electric strength operating temperature, electric strength	BS EN 60335-2-72, Cl.13 / IEC 60335-2-72, Cl.13
767	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive	Heating	BS EN 60335-2-72, Cl.11/ IEC 60335-2-72, Cl.11
768	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive	Leakage current	BS EN 60335-2-72, Cl.16/ IEC 60335-2-72, Cl.16
769	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive	Leakage current at operating temperature, Leakage current	BS EN 60335-2-72, Cl.13 / IEC 60335-2-72, Cl.13
770	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive	Markings & instructions	BS EN 60335-2-72 , Cl.7 / IEC 60335-2-72, Cl.7
771	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive	Power input and current	BS EN 60335-2-72, Cl.10 / IEC 60335-2-72 , Cl.10
772	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive	Resistance to heat & fire (Needle flame test)	BS EN 60335-2-72, Cl.30 / IEC 60335-2-72, Cl.30
773	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive	Stability & mechanical hazards	BS EN 60335-2-72, Cl.20 / IEC 60335-2-72, Cl.20
774	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive	Torque test	BS EN 60335-2-72, Cl.28 / IEC 60335-2-72, Cl.28
775	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive	Transient over voltages (impulse test)	BS EN 60335-2-72, Cl.14 / IEC 60335-2-72, Cl.14
776	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive, for commercial	provision for earthing	BS EN 60335-2-44:2002+A2:2012, Cl.27 /IEC 60335-2- 72, Cl.27
777	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive, for commercial use	Resistance to heat & fire (Ball Pressure Test)	BS EN 60335-2-72, Cl. 30/ IEC 60335-2-72, Cl. 30
778	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive, for commercial use,	Cord anchorage test (Power supply cord)	BS EN 60335-2-72; Cl.25: 2012 / IEC 60335-2-72, Cl. 25
779	ELECTRICAL- SAFETY TESTING FACILITY	Floor treatment machines with or without traction drive, for commercial use,	Voltage measurement	BS EN 60335-2-72:2012, Cl.22 / IEC 60335-2-72, Cl. 22
780	ELECTRICAL- SAFETY TESTING FACILITY	Flow rate switches	Mechanical strength test	IEC 60947-5-9;Cl.8
781	ELECTRICAL- SAFETY TESTING FACILITY	Fuse terminal blocks	Mechanical strength test	IEC 60947-7-3; Cl. 8.3.3.1

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	58 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
782	ELECTRICAL- SAFETY TESTING FACILITY	Fused plugs	Flexion Test	IEC 60884-2-1, Cl.12
783	ELECTRICAL- SAFETY TESTING FACILITY	Hand- Held multi-meters and other meters, for domestic and professional use, capable of measuring mains voltage	Insulation requirements (creepage & clearance distances)	IEC 61010-2-033, Cl. 6
784	ELECTRICAL- SAFETY TESTING FACILITY	Hand- held multi-meters and other meters, for domestic and professional use, capable of measuring mains voltage	Mains supply	IEC 61010-2-033 Cl. 5
785	ELECTRICAL- SAFETY TESTING FACILITY	Hand- held multi-meters and other meters, for domestic and professional use, capable of measuring mains voltage	Marking and documentation	BS EN IEC 61010-2-033:2021+A11:2021, Cl. 5 / IEC 61010-2-033, Cl. 5
786	ELECTRICAL- SAFETY TESTING FACILITY	Hand- held multi-meters and other meters, for domestic and professional use, capable of measuring mains voltage	Stability	BS EN 61010-2-033:2021+A11:2021, Cl. 7 / IEC 61010-2-033, Cl. 7
787	ELECTRICAL- SAFETY TESTING FACILITY	Hand- held multi-meters and other meters, for domestic and professional use, capable of measuring mains voltage	Static test/ rigidity test	BS EN IEC 61010-2-033:2021+A11:2021, Cl. 8 / IEC 61010-2-033, Cl. 8
788	ELECTRICAL- SAFETY TESTING FACILITY	Hand- held multi-meters and other meters, for domestic and professional use, capable of measuring mains voltage	The impulse voltage test	BS EN IEC 61010-2-033:2021+A11:2021, Cl. 6 / IEC 61010-2-033, Cl. 6
789	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	Levels in normal and single fault condition (leakage current)	IEC 61010-031:2015+AMD1, Cl.6.3.2 a& b, Cl. 6.3.3 a& b
790	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand- manipulated current sensors for electrical test and measurement	Insulation requirements (creepage & clearance distances)	IEC 61010-2-032 Cl.6
791	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Levels in normal and single fault condition (leakage current)	IEC 61010-2-032 Cl.6
792	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Mains supply	BS EN 61010-2-032, Cl. 5/ IEC 61010-2-032 Cl.5
793	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Marking and documentation	BS EN 61010-2- 032, Cl. 5 / IEC 61010-2-032 Cl.5
794	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Mechanical strength (drop test)	BS EN 61010-2- 032, Cl. 8 / IEC 61010-2-032 Cl.8
795	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Protective bonding, Provision for earth	BS EN 61010-2- 032, Cl. 6.5.2 / IEC 61010-2-032 Cl.6.5.2
796	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Stability	BS EN 61010-2-32; Cl. 7/ IEC 61010-2-032 Cl.7
797	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Static test/ rigidity test	BS EN 61010-2-032, Cl. 8/ IEC 61010-2-032 Cl.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	59 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
798	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Surface temperature limits for protection against burn, temperature of windings, other temperature measurements, conduct of temperature tests	BS EN 61010-2-032, Cl. 10/ IEC 61010-2-032 Cl.10
799	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	The A.C Voltage Test , The 1 minute D.C Voltage test	BS EN 61010-2- 032, Cl. 6 / IEC 61010-2-032 Cl.6
800	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	The impulse voltage test	BS EN 61010-2-032, Cl. 6/ IEC 61010-2-032 Cl.
801	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Torque Test	BS EN 61010-2- 032, Cl. 6 / IEC 61010-2-032 Cl.6
802	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated current sensors for electrical test and measurement	Insulating materials	BS EN 61010-2-032:,Cl.10.5/ IEC61010-2- 032:,Cl.10.5
803	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	Insulation requirements (creepage & clearance distances)	IEC 61010-031:2015+AMD1, Cl.6.5.2.2, 6.5.2.3 &6.5.2.4
804	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	Marking and documentation	IEC 61010-031:2015+AMD1:2018, Cl.5.3
805	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	Mechanical strength (drop test)	IEC 61010-031:2015+AMD1, Cl.8.3
806	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	Stability	IEC 61010-031:2015+AMD1, Cl.7
807	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	Static test/ rigidity test	IEC 61010-031:2015+AMD1, Cl.8.2
808	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	Surface temperature limits for protection against burn, temperature of windings, other temperature measurements, conduct of temperature tests	IEC 61010-031:2015+AMD1, Cl.10
809	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	The A.C Voltage Test, The 1 minute D.C Voltage test	IEC 61010-031:2015+AMD1, Cl.6.6.5.1
810	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held and hand-manipulated probe assemblies for electrical test and measurement	The impulse voltage test	IEC 61010-031:2015+AMD1, Cl.6
811	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held multi-meters and other meters, for domestic and professional use, capable of measuring mains voltage	Mechanical strength (drop test)	BS EN IEC 61010-2-033:2021+A11:2021, Cl. 8 / IEC 61010-2-033, Cl. 8
812	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held multi-meters and other meters, for domestic and professional use, capable of measuring mains voltage	Protective bonding, Provision for earth	BS EN IEC 61010-2-033:2021+A11:2021, Cl. 6.5.2 / IEC 61010-2-033, Cl. 6.5.2

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	60 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
813	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held multi-meters and other meters, for domestic and professional use, capable of measuring mains voltage	Surface temperature limits for protection against burn, temperature of windings, other temperature measurements, conduct of temperature tests	BS EN IEC 61010-2-033:2021+A11:2021, Cl. 10 / IEC 61010-2-033, Cl. 10
814	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held multi-meters and other meters, for domestic and professional use, capable of measuring mains voltage	Torque Test	BS EN IEC 61010-2-033:2021+A11:2021, Cl. 6 / IEC 61010-2-033, Cl. 6
815	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held multimeter	Cord anchorage test (Power supply cord)	BS EN IEC 61010-2-033:2021+A11:2021, Cl. 6 / IEC 61010-2-033, Cl. 6
816	ELECTRICAL- SAFETY TESTING FACILITY	Hand-held multimeters and other meters for domestic and professional use, capable of measuring mains voltage	Insulating materials	BS EN IEC 61010-2-033:2021+A11:2021, Cl.10 / IEC 61010-2-033, Cl.10
817	ELECTRICAL- SAFETY TESTING FACILITY	Handheld & hand manipulated current sensors for test & measurement	Cord anchorage test (Power supply cord)	BS EN 61010-2-032, Cl. 6: 2012 / IEC 61010-2-032, Cl. 6
818	ELECTRICAL- SAFETY TESTING FACILITY	Hoisting machines	Insulation resistance	BS EN 60204-32,Cl.18.3 / IEC 60204-32,Cl.18.3
819	ELECTRICAL- SAFETY TESTING FACILITY	Hoisting machines	Verification of continuity of protective bonding circuits	BS EN 60204-32:,Cl.18.2.2 test 1/ IEC 60204-32, Cl.18.2.2,Test 1
820	ELECTRICAL- SAFETY TESTING FACILITY	Hoisting machines	Voltage test	BS EN 60204-32,Cl.18.4 / IEC 60204-32,Cl.18.4
821	ELECTRICAL- SAFETY TESTING FACILITY	Hoisting machines	Clearances & Creepage distances	IEC 60204-32, Cl.12.7.5, 12.7.6: 2008 / BS EN 60204-32, Cl.12.7.5, 12.7.6
822	ELECTRICAL- SAFETY TESTING FACILITY	Hoisting machines,	Voltage measurement	IEC 60204-32:2008 Cl. 6 / BS EN 60204-32 Cl.6
823	ELECTRICAL- SAFETY TESTING FACILITY	Household & similar electrical appliances	Cord anchorage test (Power supply cord)	IEC 60335-1:2020/COR1:2021, Cl.25.15 / BS EN 60335-1:2012+A15, Cl. 25.15
824	ELECTRICAL- SAFETY TESTING FACILITY	Household & similar electrical appliances	Voltage measurement	IEC 60335-1:2020/COR1:2021, Cl.22.5 / BS EN 60335-1:2012+A15, Cl. 22.5
825	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances, Dishwashers	Voltage measurement	BS EN 60335-2-5:2015+A1:2020, Cl. 22 / IEC 60335-2-5:2012+AMD1, Cl.22
826	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Clearance & Creepage test	IEC 60335-1:2020/COR1, Cl. 29

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 61 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
827	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Electric Strength	IEC 60335-1:2020/COR1, Cl. 16.3
828	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Electric strength	IS 302-1, Cl.16
829	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	electric strength at operating temperature, Electric strength	IEC 60335-1:2020/COR1, Cl. 13.3
830	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Heating	IEC 60335-1:2020/COR1, Cl. 11
831	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Leakage Current	IEC 60335-1:2020/COR1, Cl. 16.2
832	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Leakage current at operating temperature	IEC 60335-1:2020/COR1, Cl. 13.2
833	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Marking and Instructions	IEC 60335-1:2020/COR1, Cl. 7.14
834	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Power Input and current	IEC 60335-1:2020/COR1, Cl. 10
835	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Provision for earthing	IEC 60335-1:2020/COR1, Cl. 27.5
836	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Resistance to heat (Ball Pressure Test)	IEC 60335-1:2020/COR1, Cl. 30.1
837	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Resistance to heat and fire (Needle flame test)	IEC 60335-1:2020/COR1, Cl. 30.2.4
838	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Stability and mechanical hazards	IEC 60335-1:2020/COR1, Cl. 20
839	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Torque Test	IEC 60335-1:2020/COR1, Cl. 28.1
840	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliance	Transient over voltages (Impulse test)	IEC 60335-1:2020/COR1, Cl. 14
841	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Electrical strength	IS 302-1, Cl.13 & 16
842	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Provision for earthing	IS 302- 1, Cl. 27.5
843	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Clearance & Creepage	IS 302-1, Cl. 29
844	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Cord Anchorage Test	IS 302-1, Cl. 25.15
845	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Electric strength at Operating temperature (Electric strength)	IS 302-1, Cl.13

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 62 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
846	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Heating	IS 302-1 Cl. 11
847	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Leakage current	IS 302-1, Cl.16.2
848	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Markings and Instructions	IS 302-1, Cl. 7
849	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Power Input and current	IS 302-1, Cl.10
850	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Push Test	IS 302-1, Cl.22.12
851	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Resistance to heat and fire (Needle Flame Test)	IS 302-1, Cl. 30
852	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Stability and mechanical hazard	IS 302-1, Cl. 20
853	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Transient over voltages (Impulse voltage)	IS 302-1, Cl.14
854	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances	Voltage Measurement Test	IS 302-1, Cl.22.5
855	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances Gas, oil and solid-fuel burning appliances having electrical connections	Leakage current at operating temperature, Leakage current	BS EN 60335- 2-102, Cl. 13 /IEC 60335-2-102 Cl. 13
856	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances Gas, oil and solid-fuel burning appliances having electrical connections	Resistance to heat, Ball Pressure Test	BS EN 60335- 2-102, Cl. 30 /IEC 60335-2-102 Cl. 30
857	ELECTRICAL- SAFETY TESTING FACILITY	Household and similar electrical appliances, Dishwashers	Cord anchorage test (Power supply cord)	BS EN 60335-2-5:2015+A1:2020, Cl. 25 / IEC 60335-2-5:2012+AMD1, Cl 25
858	ELECTRICAL- SAFETY TESTING FACILITY	Household Refrigerating Appliances	Dielectric Strength Test	IS 17550 part 1, Cl. 16D,6F
859	ELECTRICAL- SAFETY TESTING FACILITY	Household Refrigerating Appliances	Heating test	IS 17550: Part 1, Cl. 16C
860	ELECTRICAL- SAFETY TESTING FACILITY	Household Refrigerating Appliances	Leakage current	IS 17550: Part 1, Cl. 16D, 16F
861	ELECTRICAL- SAFETY TESTING FACILITY	Household Refrigerating Appliances	Power input & Current	IS 17550: Part 1, Cl. 16B
862	ELECTRICAL- SAFETY TESTING FACILITY	Humidity sensing control	Adequacy of earth connections	IEC 60730-2- 13,Cl. 9
863	ELECTRICAL- SAFETY TESTING FACILITY	Humidity sensing control	Ball Pressure Test	IEC 60730-2- 13,Cl. 21

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	63 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
864	ELECTRICAL- SAFETY TESTING FACILITY	Humidity sensing control	Creepage distances & Clearances distances through solid insulation	IEC 60730-2- 13,Cl. 20
865	ELECTRICAL- SAFETY TESTING FACILITY	Humidity sensing control	Electric strength	IEC 60730-2- 13,Cl. 13
866	ELECTRICAL- SAFETY TESTING FACILITY	Humidity sensing control	Foot actuated controls (Force Test)	IEC 60730-2- 13,Cl. 18
867	ELECTRICAL- SAFETY TESTING FACILITY	Humidity sensing control	Heating	IEC 60730-2- 13,Cl.14
868	ELECTRICAL- SAFETY TESTING FACILITY	Humidity sensing control	Impulse	IEC 60730-2- 13,Cl. 20
869	ELECTRICAL- SAFETY TESTING FACILITY	Humidity sensing control	Insulation Resistance	IEC 60730-2- 13,Cl. 13
870	ELECTRICAL- SAFETY TESTING FACILITY	Humidity sensing control	Leakage current	IEC 60730-2- 13,Cl. 13
871	ELECTRICAL- SAFETY TESTING FACILITY	Humidity sensing control,	Voltage measurement	IEC 60730-2-13;Cl. 8
872	ELECTRICAL- SAFETY TESTING FACILITY	In- vitro diagnostic (IVD) medical equipment	Levels in normal and single fault condition (leakage current)	IEC 61010-2-101 Cl.6
873	ELECTRICAL- SAFETY TESTING FACILITY	In- vitro diagnostic (IVD) medical equipment	Stability	IEC 61010-2-101 Cl.7
874	ELECTRICAL- SAFETY TESTING FACILITY	In- vitro diagnostic (IVD) medical equipment	Insulation requirements (creepage & clearance distances)	IEC 61010-2-101 Cl.6
875	ELECTRICAL- SAFETY TESTING FACILITY	In- vitro diagnostic (IVD) medical equipment	Mains supply	IEC 61010-2-101 Cl.5
876	ELECTRICAL- SAFETY TESTING FACILITY	In- vitro diagnostic (IVD) medical equipment	Marking and documentation	IEC 61010-2-101 Cl.5.3
877	ELECTRICAL- SAFETY TESTING FACILITY	In- vitro diagnostic (IVD) medical equipment	Mechanical strength (drop test)	IEC 61010-2-101 Cl.8
878	ELECTRICAL- SAFETY TESTING FACILITY	In- vitro diagnostic (IVD) medical equipment	Protective bonding, Provision for earth	IEC 61010-2-101 Cl.6
879	ELECTRICAL- SAFETY TESTING FACILITY	In- vitro diagnostic (IVD) medical equipment	Static test/ rigidity test	IEC 61010-2-101 Cl.8
880	ELECTRICAL- SAFETY TESTING FACILITY	In- vitro diagnostic (IVD) medical equipment	Surface temperature limits for protection against burn, temperature of windings, other temperature measurements, conduct of temperature tests	IEC 61010-2-101 Cl.10

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	64 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
881	ELECTRICAL- SAFETY TESTING FACILITY	In- vitro diagnostic (IVD) medical equipment	The A.C Voltage Test, The 1 minute D.C Voltage test	IEC 61010-2-101 Cl.6
882	ELECTRICAL- SAFETY TESTING FACILITY	In- vitro diagnostic (IVD) medical equipment	The impulse voltage test	IEC 61010-2-101 Cl.6
883	ELECTRICAL- SAFETY TESTING FACILITY	In- vitro diagnostic (IVD) medical equipment	Torque Test	IEC 61010-2-101 Cl.6
884	ELECTRICAL- SAFETY TESTING FACILITY	Inverters	Durability of markings	IEC 62109-2, Cl.5
885	ELECTRICAL- SAFETY TESTING FACILITY	Inverters	Impulse voltage test	IEC 62109-2, Cl.7
886	ELECTRICAL- SAFETY TESTING FACILITY	Inverters	Openings in bottom of fire enclosure	IEC 62109- 2,Cl. 9
887	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Creepage & Clearance	BS EN 60335-2-44:2002+A2:2012, Cl.29 / IEC 60335-2-44, Cl.29
888	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Electric strength	BS EN 60335-2-44:2002+A2:2012, Cl.16 / IEC 60335-2-44, Cl.16
889	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Electric strength operating temperature, electric strength	BS EN 60335-2-44:2002+A2:2012,Cl. 13 / IEC 60335-2-44, Cl.13
890	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Heating	BS EN 60335-2-44:2002+A2:2012, Cl.1 / IEC 60335-2-44, Cl.11
891	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Leakage current	BS EN 60335-2-44:2002+A2:2012,Cl. 16/ IEC 60335-2-44, Cl.16
892	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Leakage current at operating temperature, Leakage current	BS EN 60335-2-44:2002+A2:2012, Cl.13 / IEC 60335-2-44, Cl.13
893	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Markings & instructions	BS EN 60335-2-44:2002+A2:2012 / IEC 60335-2-44 , Cl.7
894	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Power input and current	BS EN 60335-2-44:2002+A2:2012, Cl.10 / IEC 60335-2-44, Cl.10
895	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Provision for earthing	BS EN 60335-2-44:2002+A2:2012, Cl.27 /IEC 60335-2-44, Cl. 27

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	65 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
896	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Resistance to heat & fire (Needle flame test)	BS EN 60335-2-44:2002+A2:2012, Cl.30 / IEC 60335-2-44
897	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Resistance to heat & fire (Ball Pressure Test)	BS EN 60335-2-44:2002+A2:2012, Cl. 30 / IEC 60335-2-44, Cl. 30
898	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Stability & mechanical hazards	BS EN 60335-2-44,Cl.20 / IEC 60335-2-44, Cl.20
899	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Torque test	BS EN 60335-2-44:2002+A2:2012, Cl.28 / IEC 60335-2-44, Cl.28
900	ELECTRICAL- SAFETY TESTING FACILITY	Ironers	Transient over voltages (impulse test)	BS EN 60335-2-44:2002+A2:2012, Cl.14 / IEC 60335-2-44, Cl.14
901	ELECTRICAL- SAFETY TESTING FACILITY	Ironers,	Cord anchorage test (Power supply cord)	BS EN 60335-2-44:2002+A2:2012, Cl.25 / IEC 60335-2-44, Cl.25
902	ELECTRICAL- SAFETY TESTING FACILITY	Ironers,	Voltage measurement	BS EN 60335-2-44:2002+A2:2012, Cl.22 / IEC 60335-2-44, Cl.22
903	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	Cord anchorage test (Power supply cord)	BS EN IEC 61010-2-010, Cl. 6: 2020 / IEC 61010-2-010, Cl. 6
904	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	Insulation requirements (creepage & clearance distances)	IEC 61010-2-010 Cl. 6
905	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	Levels in normal and single fault condition (leakage current)	BSEN 61010-2- 010, Cl.6.3.1 a&b and 6.3.2 a & b / IEC 61010-2-010 Cl.6.3.1 a&b and 6.3.2 a & b
906	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	Mains supply	BSEN 61010-2-010, Cl. 5.1.3/ IEC 61010-2-010 Cl. 5.1.3
907	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	Marking and documentation	BSEN 61010-2- 010, Cl.5 / IEC 61010-2-010 Cl.5
908	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	Mechanical strength (drop test)	BSEN 61010-2- 010, Cl.8 / IEC 61010-2-010 Cl.8
909	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	Protective bonding, Provision for earth	BSEN 61010-2- 010, Cl.6 / IEC 61010-2-010 Cl.6
910	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	Stability	BSEN 61010-2- 010, Cl. 7 / IEC 61010-2-010 Cl. 7

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	66 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
911	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	Static test/ rigidity test	BSEN 61010-2- 010, Cl. 8 / IEC 61010-2-010 Cl. 8
912	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	Surface temperature limits for protection against burn, temperature of windings, other temperature measurements, conduct of temperature tests	BSEN 61010-2- 010, Cl. 10 / IEC 61010-2-010 Cl. 10
913	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	The impulse voltage test	BSEN 61010-2- 010, Cl. 6 / IEC 61010-2-010 Cl. 6
914	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	Torque Test	BS EN 61010-2-010, Cl.6 / IEC 61010-2-010 Cl.6
915	ELECTRICAL- SAFETY TESTING FACILITY	Laboratory equipment for the heating of materials	Insulating materials	BSEN 61010-2-010:,Cl.10/ IEC61010- 2-010,Cl.10
916	ELECTRICAL- SAFETY TESTING FACILITY	Low Voltage Switchgear & Controlgear	Mechanical strength test	IEC 60947-1;Cl.9.2.5.2
917	ELECTRICAL- SAFETY TESTING FACILITY	Low- voltage Switchgear & Controlgear	Protective earth continuity	IEC 60947-1;Cl.9.2.9.2
918	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage Switchgear and Control gear assemblies	Requirements for earth continuity providing protection against consequences of faults within the assembly	IEC 61439- 1,Cl.8.4.3.2.2 & 10.5.2
919	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and control gear	Leakage currents of equipment suitable for isolation	IEC 60947-1, Cl. 7.2.7
920	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and control gear	Temperature rise test	IEC 60947-1, Cl. 7.2.2
921	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and control gear	Temperature rise test	IEC 60947-7-1, Cl. 7.2.1
922	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and control gear assemblies	Di-electric strength test, Power frequency test, Alternative power-frequency voltage test, A.c or D.C Voltage test	IEC 61439-1:2020/COR1 , Cl.11..9, 10.9.2, 10.9.3.3 & 10.9.3.4
923	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and control gear assemblies	Resistance of insulating material to abnormal heat & fire due to internal electric effects	IEC 61439-1:2020/COR1, Cl.8.1.3.2.3
924	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and controlgear	Clearances & Creepage distances	IEC 60947-1, Cl. 7.1.4
925	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and controlgear	Impulse withstand test	IEC 60947-1, Cl.8.2.3.2 & 9.3.3.4

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	67 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
926	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and controlgear	Power frequency withstand voltage of the main auxiliary and control circuits, Dielectric properties	IEC 60947-1, Cl.7.2.3.2 & 8.3.3.4
927	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage Switchgear and Controlgear assemblies	Di-electric properties (Dielectric Voltage Test)	IEC 61439-1:2020/COR1 ,Cl.11.9
928	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and controlgear assemblies	Constructional requirement , Clearances & creepage distances	IEC 61439-1:2020/COR1, Cl.8.3.3
929	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and controlgear assemblies	Impulse withstand voltage test	IEC 61439-1:2020/COR1,Cl. 10.9.3.2
930	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and controlgear assemblies	Markings test	IEC 61439-1:2020/COR1,Cl.10.2.7
931	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and controlgear assemblies	Temperature rise limits	IEC 61439-1:2020/COR1,Cl.9.2
932	ELECTRICAL- SAFETY TESTING FACILITY	Machines for general use	Insulation resistance	BS EN 60204-1:2018,Cl.18.3/ IEC 60204-1:2016+AMD1, Cl.18.3
933	ELECTRICAL- SAFETY TESTING FACILITY	Machines for general use	Resistance to earth	IS 1356-1, Cl.11.3
934	ELECTRICAL- SAFETY TESTING FACILITY	Machines for general use	Voltage test	BS EN 60204-1:2018,Cl.18.4 / IEC 60204-1:2016+AMD1, Cl.18.4
935	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Clearances & Creepage	BS EN 60335-2-32: Cl. 29 / IEC 60335-2-32:, Cl.29
936	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Electric strength	BS EN 60335-2-32: Cl. 16 / IEC 60335-2-32:, Cl.16
937	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Electric strength at operating temperature, electric strength	BS EN 60335-2-32: Cl. 13: 2015 / IEC 60335-2-32:, Cl.13
938	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Heating	BS EN 60335-2-32: Cl. 11/ IEC 60335-2-32:, Cl.11
939	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Leakage current	BS EN 60335-2-32: Cl. 16 / IEC 60335-2-32:, Cl.16
940	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Leakage current at operating temperature, Leakage current	BS EN 60335-2-32: Cl. 13 / IEC 60335-2-32:, Cl.13
941	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Markings & instructions	BS EN 60335-2-32: Cl. 7 / IEC 60335-2-32:, Cl.7:
942	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Power input & current	BS EN 60335-2-32: Cl. 10 / IEC 60335-2-32:, Cl.10

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 68 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
943	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Provision of earthing	BS EN 60335-2-32: Cl. 27 / IEC 60335-2-32:, Cl.27
944	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Resistance to heat & fire (Needle flame test)	BS EN 60335-2-32: Cl. 30 / IEC 60335-2-32:, Cl.30
945	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Resistance to heat, ball pressure test	BS EN 60335-2-32: Cl. 30 / IEC 60335-2-32:, Cl.30
946	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Stability & mechanical hazards	BS EN 60335-2-32: Cl. 20 / IEC 60335-2-32
947	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Torque test	BS EN 60335-2-32: Cl. 28 / IEC 60335-2-32:, Cl.28
948	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances	Transient over voltage (Impulse test)	BS EN 60335-2-32: Cl. 14 / IEC 60335-2-32:, Cl.14
949	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances, Motor- Compressors,	Voltage measurement	BS EN IEC 60335-2-32, Cl.22: 2021 / IEC 60335-2-32, Cl. 22
950	ELECTRICAL- SAFETY TESTING FACILITY	Massage appliances, Motor-Compressors,	Cord anchorage test (Power supply cord)	BS EN 60335-2-32, Cl.25: 2021 / IEC 60335-2-32, Cl. 25
951	ELECTRICAL- SAFETY TESTING FACILITY	Medical electrical equipment	Cord Anchorage Test	IS 13450: Part 1 , Cl. 8.10.4.1
952	ELECTRICAL- SAFETY TESTING FACILITY	Medical electrical equipment	Voltage Measurement test	IS 13450: Part 1 , Cl.8.4.3
953	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens,	Voltage measurement	BS EN IEC 60335-2-25:2021+A11:2021, Cl.22 / IEC 60335-2-25, Cl.22
954	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Clearances & Creepage	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 29 / IEC 60335-2-25, Cl. 29
955	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Electric strength	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 16 / IEC 60335-2-25, Cl. 16
956	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Electric strength at operating temperature, electric strength	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 13 / IEC 60335-2-25, Cl. 13
957	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Heating	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 11 / IEC 60335-2-25, Cl. 11
958	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Leakage current	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 16 / IEC 60335-2-25, Cl. 16

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	69 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
959	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Leakage current at operating temperature, Leakage current	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 13 / IEC 60335-2-25, Cl. 13
960	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Markings & instructions	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 7 / IEC 60335-2-25, Cl. 7
961	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Power input & current	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 10 / IEC 60335-2-25, Cl. 10
962	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Provision of earthing	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 27 / IEC 60335-2-25, Cl. 27
963	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Resistance to heat & fire (Needle flame test)	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 30 / IEC 60335-2-25, Cl. 30
964	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Resistance to heat, ball pressure test	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 30 / IEC 60335-2-25, Cl. 30
965	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Stability & mechanical hazards	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 20 / IEC 60335-2-25, Cl. 20
966	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens	Transient over voltage (Impulse test)	BS EN IEC 60335-2-25:2021+A11:2021, Cl. 14 / IEC 60335-2-25, Cl. 14
967	ELECTRICAL- SAFETY TESTING FACILITY	Microwave ovens, including combination microwave ovens,	Cord anchorage test (Power supply cord)	BS EN IEC 60335-2-25:2021+A11:2021, Cl.25 / IEC 60335-2-25, Cl.25
968	ELECTRICAL- SAFETY TESTING FACILITY	Motor starting relays	Voltage measurement	IEC 60730-2-10;Cl. 8
969	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Clearances & Creepage	BS EN 60335-2- 34:, Cl. 29
970	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Electric strength	BS EN 60335-2- 34:, Cl. 16
971	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Electric strength at operating temperature, electric strength	BS EN 60335-2- 34: Cl. 13
972	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Heating	BS EN 60335-2- 34:, Cl. 11
973	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Leakage current	BS EN 60335-2- 34:, Cl. 16

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 70 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
974	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Leakage current at operating temperature, Leakage current	BS EN 60335-2- 34,Cl. 13
975	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Markings & instructions	BS EN 60335-2- 34:, Cl. 7
976	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Power input & current	BS EN 60335-2- 34, Cl. 10
977	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Provision of earthing	BS EN 60335-2- 34:, Cl. 27
978	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Resistance to heat & fire (Needle flame test)	BS EN 60335-2- 34:, Cl. 30
979	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Resistance to heat, ball pressure test	BS EN 60335-2- 34:, Cl. 30
980	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Stability & mechanical hazards	BS EN 60335-2- 34:, Cl. 20
981	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Torque test	BS EN 60335-2- 34:, Cl. 28
982	ELECTRICAL- SAFETY TESTING FACILITY	Motor-compressors	Transient over voltage (Impulse test)	BS EN 60335-2- 34:, Cl. 14
983	ELECTRICAL- SAFETY TESTING FACILITY	motor-starters - Semiconductor controllers and semiconductor contactors for non-motor loads	Impulse withstand test	IEC 60947-4-3, Cl. 9.3.3.4
984	ELECTRICAL- SAFETY TESTING FACILITY	Motor-starting relays	Creepage distances & Clearances distances through solid insulation	IEC 60730-2-10,Cl.20
985	ELECTRICAL- SAFETY TESTING FACILITY	Motor-starting relays	Adequacy of earth connections	IEC 60730-2-10,Cl.9
986	ELECTRICAL- SAFETY TESTING FACILITY	Motor-starting relays	Ball Pressure Test	IEC 60730-2-10,Cl.21
987	ELECTRICAL- SAFETY TESTING FACILITY	Motor-starting relays	Electric strength	IEC 60730-2-10,Cl.13
988	ELECTRICAL- SAFETY TESTING FACILITY	Motor-starting relays	Foot actuated controls (Force Test)	IEC 60730-2-10,Cl.18
989	ELECTRICAL- SAFETY TESTING FACILITY	Motor-starting relays	Heating	IEC 60730-2-10,Cl.14
990	ELECTRICAL- SAFETY TESTING FACILITY	Motor-starting relays	Impulse	IEC 60730-2-10,Cl.20
991	ELECTRICAL- SAFETY TESTING FACILITY	Motor-starting relays	Insulation Resistance	IEC 60730-2-10,Cl.13

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	71 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
992	ELECTRICAL- SAFETY TESTING FACILITY	Motor-starting relays	Leakage current	IEC 60730-2-10,Cl.13
993	ELECTRICAL- SAFETY TESTING FACILITY	Multiple function equipment - Transfer switching equipment, Multiple function equipment -Control and protective switching devices (or equipment) (CPS)	Leakage currents of equipment suitable for isolation	IEC 60947-6-2, Cl. 8.2.7
994	ELECTRICAL- SAFETY TESTING FACILITY	Multiple function equipment - Control and protective switching devices (or equipment) (CPS)	Clearances & Creepage distances	IEC 60947-6-2, Cl. 8.1.3
995	ELECTRICAL- SAFETY TESTING FACILITY	Multiple function equipment - Control and protective switching devices (or equipment) (CPS)	Dielectric withstand test	IEC 60947-6-2, Cl. 8.2.3;
996	ELECTRICAL- SAFETY TESTING FACILITY	Multiple function equipment - Control and protective switching devices (or equipment) (CPS)	Impulse withstand test	IEC 60947-6-2, Cl. 8.2.3 & 9.3.3.4
997	ELECTRICAL- SAFETY TESTING FACILITY	Multiple function equipment - Transfer switching equipment	Dielectric withstand test	IEC 60947-6-1, Cl. 8.2.3
998	ELECTRICAL- SAFETY TESTING FACILITY	Multiple function equipment - Transfer switching equipment	Impulse withstand test	IEC 60947-6-1, Cl. 8.2.3 & 9.2.3.6
999	ELECTRICAL- SAFETY TESTING FACILITY	Multiple function equipment -Transfer switching equipment	Temperature rise test	IEC 60947-6-1 Cl. 8.2.2
1000	ELECTRICAL- SAFETY TESTING FACILITY	Multiple function equipment -Transfer switching equipment & Control and protective switching devices (or equipment) (CPS)	Temperature rise test	IEC 60947-6-2, Cl. 8.2.2
1001	ELECTRICAL- SAFETY TESTING FACILITY	Multiple function equipment- Control & protective switching device (or equipment) (CPS)	Flexion Test	IEC 60947-6-2, Cl. 9.2
1002	ELECTRICAL- SAFETY TESTING FACILITY	Multiple function equipment- Transfer switching equipment	Flexion Test	IEC 60947-6-1, Cl. 9.2
1003	ELECTRICAL- SAFETY TESTING FACILITY	Optical-based internal arc-detection and mitigation devices	Dielectric Strength Test, Power Frequency Withstand Test	IEC 60947-9-2;Cl.9.3.5
1004	ELECTRICAL- SAFETY TESTING FACILITY	Optical-based internal arc-detection and mitigation devices	Impulse Test	IEC 60947-9-2;Cl.9.3.5
1005	ELECTRICAL- SAFETY TESTING FACILITY	Optical-based internal arc-detection and mitigation devices	Mechanical strength test	IEC 60947-9-2;CL.9.2
1006	ELECTRICAL- SAFETY TESTING FACILITY	PCB terminal blocks for copper conductors	Creepage & Clearances	IEC 60947-7-4;Cl.9.4.2
1007	ELECTRICAL- SAFETY TESTING FACILITY	PCB terminal blocks for copper conductors	Dielectric Strength Test, Power Frequency Withstand Test	IEC 60947-7-4;Cl.9.4.3
1008	ELECTRICAL- SAFETY TESTING FACILITY	PCB terminal blocks for copper conductors	Impulse Test	IEC 60947-7-4;CL 9.4.3
1009	ELECTRICAL- SAFETY TESTING FACILITY	PCB terminal blocks for copper conductors	Temperature Rise Test	IEC 60947-7-4;Cl.9.4.5

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	72 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1010	ELECTRICAL- SAFETY TESTING FACILITY	Pedestrian controlled mains- operated lawnmower	Resistance to heat & fire (Ball Pressure Test)	BS EN 60335-2-77, Cl. 30 / IEC 60335-2-77, Cl. 30
1011	ELECTRICAL- SAFETY TESTING FACILITY	Pedestrian controlled mains- operated lawnmowers	Electric strength	IEC 60335-2- 77, Cl.16
1012	ELECTRICAL- SAFETY TESTING FACILITY	Pedestrian-controlled walk-behind electrically powered lawn mowers	Voltage measurement	BS EN 60335-2-77:2010, Cl. 22 / IEC 60335-2-77, Cl. 22
1013	ELECTRICAL- SAFETY TESTING FACILITY	Plugs & socket-outlets for household & similar purposes	Flexion Test	IEC 60884-1, Cl. 12.2.5
1014	ELECTRICAL- SAFETY TESTING FACILITY	Plugs & socket-outlets for SELV	Flexion Test	IEC 60884-2-4, Cl. 12
1015	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Maximum Temperature	IEC 62109-1 Cl. 4.3.2.
1016	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Openings in bottom of fire enclosure (Needle Flame Test)	IEC 62109-1, Cl. 9.1.4.3
1017	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Rating of protective bonding (GB Test)	IEC 62109-1, Cl. 7.3.6.3.3.1
1018	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Touch current measurement	IEC 62109-1 Cl. 7.5.4
1019	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Voltage Test (Dielectric strength)	IEC 62109-1, Cl. 7.5. 2
1020	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Creepage & clearance distances	IEC 62109-1,Cl. 7.3.7.4 & 7.3.7.5
1021	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Durability of markings	IEC 62109-1, Cl. 5.1.2
1022	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Impulse voltage test	IEC 62109-1, Cl.7.5.1
1023	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Mechanical strength drop test	IEC 62109-1, Cl. 13.7.4
1024	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Steady force test (30 N), 250 N deflection test for metal enclosure	IEC 62109-1, Cl. 13.7.2
1025	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Mechanical strength drop test	IEC 62109-2, Cl.13.7.4
1026	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Creepage & clearance distances	IEC 62109-2, Cl. 7
1027	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Maximum Temperature measurement	IEC 62109-2 Cl. 4

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	73 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1028	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Protection against electrical shock & energy hazards	IEC 62109-2, Cl. 7
1029	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Steady force test (30 N), 250 N deflection test for metal enclosure	IEC 62109-2, Cl.13
1030	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Touch current measurement	IEC 62109-2 Cl. 7
1031	ELECTRICAL- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Voltage Test (Dielectric strength)	IEC 62109-2, Cl.7
1032	ELECTRICAL- SAFETY TESTING FACILITY	Power converters systems & equipment	Protective equipotential bonding	IEC 62477-1, Cl. 5.2.3.11
1033	ELECTRICAL- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Maximum Temperature Rise, Temperature rise test	IEC 62477-1, Cl.4.6.4, 5.2.3.10
1034	ELECTRICAL- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	AC or DC voltage Test, Alternative to impulse voltage test	IEC 62477-1, Cl. 5.2.3.4, 5.2.3.3
1035	ELECTRICAL- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Creepage & clearance distances	IEC 62477-1, Cl. 4.4.7.4 & 4.4.7.5
1036	ELECTRICAL- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Mechanical strength drop test	IEC 62477-1, Cl. 5.2.2.4.4
1037	ELECTRICAL- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Openings in bottom of fire enclosure	IEC 62477- 1, Cl.4.6.3.3.3
1038	ELECTRICAL- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Protective impedance test, Touch current measurement	IEC 62477-1, Cl, 5.2.3.6, 5.2.3.7
1039	ELECTRICAL- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Steady force test (30 N), 250 N deflection test for metal enclosure	IEC 62477-1, Cl. 5.2.2.4.2.2 & 5.2.2.4.2.3
1040	ELECTRICAL- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Impulse voltage test	IEC 62477-1, Cl. 5.2.3.2
1041	ELECTRICAL- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	stability	IEC 62477-1,Cl.5.2.2.5
1042	ELECTRICAL- SAFETY TESTING FACILITY	Power switchgear and control gear assemblies	Di-electric properties	IEC 61439-2,Cl.11
1043	ELECTRICAL- SAFETY TESTING FACILITY	Power switchgear and control gear assemblies	Di-electric strength test, Power frequency test, Alternative power-frequency voltage test, A.c or D.C Voltage test	IEC 61439-2,Cl.10 & 11

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 74 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1044	ELECTRICAL- SAFETY TESTING FACILITY	Power switchgear and control gear assemblies	Requirements for earth continuity providing protection against consequences of faults within the assembly	IEC 61439- 2,Cl.8.4.3.2.2
1045	ELECTRICAL- SAFETY TESTING FACILITY	Power switchgear and control gear assemblies	Resistance of insulating material to abnormal heat & fire due to internal electric effects	IEC 61439-2, Cl.8
1046	ELECTRICAL- SAFETY TESTING FACILITY	Power switchgear and controlgear assemblies	Constructional requirement , Clearances & creepage distances	IEC 61439-2, Cl.8
1047	ELECTRICAL- SAFETY TESTING FACILITY	Power switchgear and controlgear assemblies	Impulse withstand voltage test	IEC 61439- 2, Cl. 10.9.3.2
1048	ELECTRICAL- SAFETY TESTING FACILITY	Power switchgear and controlgear assemblies	Markings test	IEC 61439- 2, Cl. 10
1049	ELECTRICAL- SAFETY TESTING FACILITY	Power switchgear and controlgear assemblies	Temperature rise limits	IEC 61439- 2, Cl. 9
1050	ELECTRICAL- SAFETY TESTING FACILITY	Protective conductor terminal blocks for copper conductors	Mechanical strength test	IEC 60947-7-2;CL.8.3.3.1
1051	ELECTRICAL- SAFETY TESTING FACILITY	Proximity devices with defined behaviour under fault conditions	Mechanical strength test	IEC 60947-5-3; Cl.8.2
1052	ELECTRICAL- SAFETY TESTING FACILITY	Proximity devices with defined behaviour under fault conditions (PDDB)	Leakage currents of equipment suitable for isolation	IEC 60947-5-3, Cl. 8.3.3.4
1053	ELECTRICAL- SAFETY TESTING FACILITY	Proximity devices with defined behaviour under fault conditions (PDDB)	Impulse Test	IEC 60947-5-3; Cl. 8.3.3.4
1054	ELECTRICAL- SAFETY TESTING FACILITY	Proximity devices with defined behaviour under fault conditions (PDDB)	Temperature Rise Test	IEC 60947-5-3; Cl. 8.3.3.3
1055	ELECTRICAL- SAFETY TESTING FACILITY	Proximity switches	Mechanical strength test	IEC 60947-5-2;CL.8.2
1056	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers	Electric strength at operating temperature, Electric strength	IEC 60335-2-24:2020/COR1, Cl.13
1057	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers	Leakage Current	BS EN 60335-2-24:2010+A2, Cl.16
1058	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers	Power Input and current	BS EN 60335-2-24:2010+A2:2019,Cl. 10 / IEC 60335-2-24:2020/COR1, Cl.10

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	75 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1059	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers	Stability and mechanical hazards	IEC 60335-2-24:2020/COR1,Cl.20 / IEC 60335-2-24:2020/COR1, Cl.20
1060	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers,	Cord anchorage test (Power supply cord)	IEC 60335-2-24:2020/COR1:2021, Cl.25: 2020 / BS EN 60335-2-24:2010+A2, Cl.25
1061	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers,	Voltage measurement	IEC 60335-2-24:2020/COR1:2021, Cl.22 / BS EN 60335-2-24:2010+A2, Cl.22
1062	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers, Storage water heaters	Clearance & Creepage distances & solid insulation	IEC 60335-2-24:2020/COR1, Cl.29
1063	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers, Storage water heaters	Electric Strength	BS EN 60335-2-24:2010+A2,Cl.16
1064	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers, Storage water heaters	Heating	IEC 60335-2-24:2020/COR1, Cl.11
1065	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers, Storage water heaters	Leakage current at operating temperature	IEC 60335-2-24:2020/COR1, Cl.13
1066	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers, Storage water heaters	Marking and Instructions	BS EN 60335-2-24:2010+A2:2019,Cl. 7 / IEC 60335-2-24:2020/COR1, Cl.7
1067	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers, Storage water heaters	Provision for earthing	IEC 60335-2-24:2020/COR1, Cl.27
1068	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers, Storage water heaters	Resistance to heat (Ball Pressure Test)	BS EN 60335-2-24:2010+A2:2019,Cl. 30.1 / IEC 60335-2-24:2020/COR1, Cl.30.1
1069	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers, Storage water heaters	Resistance to heat and fire (Needle flame test)	IEC 60335-2-24:2020/COR1, Cl.30
1070	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers, Storage water heaters	Torque Test	IEC 60335-2-24:2020/COR1,Cl.28 / IEC 60335-2-24:2020/COR1, Cl.28
1071	ELECTRICAL- SAFETY TESTING FACILITY	Refrigerating appliances, ice-cream appliances and ice makers, Storage water heaters	Transient over voltages (Impulse test)	IEC 60335-2-24:2020/COR1, Cl.14
1072	ELECTRICAL- SAFETY TESTING FACILITY	Semiconductor controllers and semiconductor contactors for non-motor loads	Mechanical strength test	IEC 60947-4-3;CL.9.2.1

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 76 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1073	ELECTRICAL- SAFETY TESTING FACILITY	Semiconductor motor controllers, starters and soft-starters	Mechanical strength test	IEC 60947-4-2;CL.9.2.1
1074	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Clearances & Creepage	BS EN 60335-2-28:2003+A11:2018, Cl. 29 / IEC 60335-2-28, Cl.29
1075	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Electric strength	BS EN 60335-2-28:2003+A11:2018, Cl. 16 / IEC 60335-2-28, Cl. 16
1076	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Electric strength at operating temperature, electric strength	BS EN 60335-2-28:2003+A11:2018, Cl. 13/ IEC 60335-2-28, Cl. 13:
1077	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Heating	BS EN 60335-2-28:2003+A11:2018, Cl. 11 / IEC 60335-2-28, Cl. 11
1078	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Leakage current	BS EN 60335-2-28:2003+A11:2018, Cl. 16 / IEC 60335-2-28 Cl. 16
1079	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Leakage current at operating temperature, Leakage current	BS EN 60335-2-28:2003+A11:2018, Cl. 13 / IEC 60335-2-28, Cl. 13
1080	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Markings & instructions	BS EN 60335-2-28:2003+A11:2018, Cl. 7 / IEC 60335-2-28, Cl.7
1081	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Power input & current	BS EN 60335-2-28:2003+A11:2018, Cl. 10 / IEC 60335-2-28, Cl. 10:
1082	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Provision of earthing	BS EN 60335-2-28:2003+A11:2018, Cl. 27 / IEC 60335-2-28, Cl. 27
1083	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Resistance to heat & fire (Needle flame test)	BS EN 60335-2-28:2003+A11:2018, Cl. 30 / IEC 60335-2-28, Cl.30:
1084	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Resistance to heat, ball pressure test	BS EN 60335-2-28:2003+A11:2018, Cl. 30 / IEC 60335-2-28, Cl. 30
1085	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Stability & mechanical hazards	BS EN 60335-2-28:2003+A11:2018, Cl. 20 / IEC 60335-2-28, Cl. 20:
1086	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Torque test	BS EN 60335-2-28:2003+A11:2018, Cl. 28 / IEC 60335-2-28, Cl. 28

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	77 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1087	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines	Transient over voltage (Impulse test)	BS EN 60335-2-28:2003+A11:2018, Cl. 14 / IEC 60335-2-28, Cl. 14
1088	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines,	Cord aanchorage test (Power supply cord)	BS EN 60335-2-28:2003+A11:2018, Cl.25: 2018 / IEC 60335-2-28, Cl.25
1089	ELECTRICAL- SAFETY TESTING FACILITY	Sewing machines,	Voltage measurement	BS EN 60335-2-28:2003+A11:2018,Cl .22: 2018 / IEC 60335-2-28, Cl.22
1090	ELECTRICAL- SAFETY TESTING FACILITY	Socket-outlets for appliances	Flexion Test	IEC 60884-2-2, Cl. 12
1091	ELECTRICAL- SAFETY TESTING FACILITY	Socket-outlets incorporating USB power supply	Flexion Test	IEC 60884-3-1, Cl. 12
1092	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines for commercial use	Creepage & Clearance	BS EN 60335- 2-68, Cl.29 / IEC 60335-2-68,Cl.29
1093	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines for commercial use	Electric strength	BS EN 60335- 2-68, Cl.16 / IEC 60335-2-68,Cl.16
1094	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines for commercial use	Electric strength operating temperature, electric strength	BS EN 60335- 2-68, Cl.13 / IEC 60335-2-68,Cl.13
1095	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines for commercial use	Heating	BS EN 60335- 2-68,Cl.11 / IEC 60335-2-68,Cl.11
1096	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines for commercial use	Leakage current	BS EN 60335- 2-68,Cl.16 / IEC 60335-2-68:,Cl.16
1097	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines for commercial use	Leakage current at operating temperature, Leakage current	BS EN 60335- 2-68, Cl.13 / IEC 60335-2-68,Cl.13
1098	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines for commercial use	Markings & instructions	BS EN 60335- 2-68, Cl.7 / IEC 60335-2-68,Cl.7
1099	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines for commercial use	Power input and current	BS EN 60335- 2-68,Cl.10 / IEC 60335-2-68,Cl.10
1100	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines for commercial use	Resistance to heat & fire (Needle flame test)	BS EN 60335- 2-68, Cl.30 / IEC 60335-2-68,Cl.30
1101	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines for commercial use	Stability & mechanical hazards	BS EN 60335- 2-68, Cl.20 / IEC 60335-2-68,Cl.20
1102	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines for commercial use	Torque test	BS EN 60335- 2-68, Cl.28 / IEC 60335-2-68,Cl.28
1103	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines for commercial use	Transient over voltages (impulse test)	BS EN 60335- 2-68,Cl.14 / IEC 60335-2 68, Cl.14

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	78 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1104	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines, for commercial use	provision for earthing	BS EN 60335-2-68, Cl. 27/IEC 60335- 2-68, Cl. 27
1105	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines, for commercial use	Resistance to heat & fire (Ball Pressure Test)	BS EN 60335-2- 68, Cl. 30/ IEC 60335- 2-68, Cl. 30
1106	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines, for commercial use,	Cord anchorage test (Power supply cord)	BS EN 60335-2-68, Cl.25: 2012 / IEC 60335-2-68, Cl.25
1107	ELECTRICAL- SAFETY TESTING FACILITY	Spray extraction machines, for commercial use,	Voltage measurement	BS EN 60335-2-68:2012, Cl.22 / IEC 60335-2-68, Cl.22
1108	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Clearance & Creepage distances & solid insulation	IEC 60335-2-6:2014+AMD1, Cl.29
1109	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Electric Strength	IEC 60335-2-6:2014+AMD1, Cl.16
1110	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Electric strength at operating temperature, Electric strength	IEC 60335-2-6:2014+AMD1, Cl.13
1111	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Heating	IEC 60335-2-6:2014+AMD1, Cl.11
1112	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Leakage Current	IEC 60335-2-6:2014+AMD1, Cl.16
1113	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Leakage current at operating temperature	IEC 60335-2-6:2014+AMD1, Cl.13
1114	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Marking and Instructions	IEC 60335-2-6:2014+AMD1, Cl.7
1115	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Power Input and current	IEC 60335-2-6:2014+AMD1, Cl.10
1116	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Provision for earthing	IEC 60335-2-6:2014+AMD1, Cl.27
1117	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Resistance to heat (Ball Pressure Test)	IEC 60335-2-6:2014+AMD1, Cl.30
1118	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Resistance to heat and fire (Needle flame test)	IEC 60335-2-6:2014+AMD1, Cl.30
1119	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Stability and mechanical hazards	IEC 60335-2-6:2014+AMD1, Cl.20
1120	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Torque Test	IEC 60335-2-6:2014+AMD1, Cl.28
1121	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances	Transient over voltages (Impulse test)	IEC 60335-2-6:2014+AMD1, Cl.14

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	79 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1122	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances,	Cord anchorage test (Power supply cord)	IEC 60335-2-6:2014+AMD1:2018, Cl.25 / BS EN 60335-2-6:2015+A11, Cl.25
1123	ELECTRICAL- SAFETY TESTING FACILITY	Stationary cooking ranges, hobs, ovens and similar appliances,	Voltage measurement	IEC 60335-2-6:2014+AMD1:2018, Cl.22 / BS EN 60335-2-6:2015+A11, Cl.22
1124	ELECTRICAL- SAFETY TESTING FACILITY	Sterilizers and washer-disinfectors used to treat medical materials	The impulse voltage test	BS EN 61010-2-040, Cl. 6 / IEC 61010-2-040 Cl.6
1125	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Voltage measurement	BS EN 60335-2-54:2008+A1:2015, Cl.22 / IEC 60335-2-54, Cl. 22
1126	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Creepage & Clearance	BS EN 60335-2-54:2008+A1:2015, Cl.29 / IEC 60335-2-54, Cl.29
1127	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Electric strength	BS EN 60335-2-54:2008+A1:2015, Cl.16 / IEC 60335-2-54, Cl.16
1128	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Electric strength operating temperature, electric strength	BS EN 60335-2-54:2008+A1:2015, Cl.13 / IEC 60335-2-54, Cl.13
1129	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Heating	BS EN 60335-2-54:2008+A1:2015, Cl.11 / IEC 60335-2-54, Cl.11
1130	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Leakage current	BS EN 60335-2-54:2008+A1:2015, Cl.16 / IEC 60335-2-54, Cl.16
1131	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Leakage current at operating temperature, Leakage current	BS EN 60335-2-54:2008+A1:2015, Cl.13 / IEC 60335-2-54, Cl.13
1132	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Markings & instructions	BS EN 60335-2-54:2008+A1:2015, Cl.7 / IEC 60335-2-54 , Cl.7
1133	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Power input and current	BS EN 60335-2-54:2008+A1:2015,Cl. 10 / IEC 60335-2-54,Cl.10
1134	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	provision for earthing	BS EN 60335-2-54:2008+A1:2015, Cl. 27 / IEC 60335-2-54, Cl.27

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	80 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1135	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Resistance to heat & fire (Needle flame test)	BS EN 60335-2-54:2008+A1:2015,Cl. 30 / IEC 60335-2-54, Cl.30
1136	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Resistance to heat & fire (Ball Pressure Test)	BS EN 60335-2-54:2008+A1:2015, Cl. 30 / IEC 60335-2-54, Cl. 30
1137	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Stability & mechanical hazards	BS EN 60335-2-54:2008+A1:2015,Cl. 20 / IEC 60335-2-54, Cl.20
1138	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Torque test	BS EN 60335-2-54:2008+A1:2015, Cl.28 / IEC 60335-2-54, Cl.28
1139	ELECTRICAL- SAFETY TESTING FACILITY	Surface-cleaning appliances for household use employing liquids or steam	Transient over voltages (impulse test)	BS EN 60335-2-54:2008+A1:2015, Cl.14 / IEC 60335-2-54, Cl.14
1140	ELECTRICAL- SAFETY TESTING FACILITY	Switched socket-outlets with interlock for fixed electrical installations	Flexion Test	IEC 60884-2-6, Cl. 12
1141	ELECTRICAL- SAFETY TESTING FACILITY	Switched socket-outlets without interlock for fixed installation	Flexion Test	IEC 60884-2-3, Cl. 12
1142	ELECTRICAL- SAFETY TESTING FACILITY	Switches, dis connectors, switch-dis connectors and fuse-combination units	Leakage currents of equipment suitable for isolation	IEC 60947-3 Cl.7.2.7 & 8.3.3.5
1143	ELECTRICAL- SAFETY TESTING FACILITY	Switches, disconnectons, switch-disconnectons & fuse-combination units	Flexion Test	IEC 60947-3, Cl. 8.2.4
1144	ELECTRICAL- SAFETY TESTING FACILITY	Switches, disconnectors, switch-dis connectors and fuse-combination units	Temperature rise test	IEC 60947-3 Cl.7
1145	ELECTRICAL- SAFETY TESTING FACILITY	Switches, disconnectors, switch-disconnectors and fuse-combination units	Clearances & Creepage distances	IEC 60947-3, Cl. 7.2.3.1
1146	ELECTRICAL- SAFETY TESTING FACILITY	Switches, disconnectors, switch-disconnectors and fuse-combination units	Impulse withstand test	IEC 60947-3, Cl. 8.2.3.2
1147	ELECTRICAL- SAFETY TESTING FACILITY	Switches, disconnectors, switch-disconnectors and fuse-combination units	Mechanical strength test	IEC 60947-3;CL.8.2
1148	ELECTRICAL- SAFETY TESTING FACILITY	Switches, disconnectors, switch-disconnectors and fuse-combination units	Power frequency withstand voltage of the main auxiliary and control circuits, Dielectric properties	IEC 60947-3, Cl.7.2.3.2 & 8.3.3.4
1149	ELECTRICAL- SAFETY TESTING FACILITY	Switchgear & Controlgear	Flexion Test	IEC 60947-1, Cl. 8.2.4.3
1150	ELECTRICAL- SAFETY TESTING FACILITY	Switchgear & Controlgear (Ancillary equipment) Protective conductor terminal blocks for copper conductors	Flexion Test	IEC 60947-7-3, Cl. 8.2

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	81 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1151	ELECTRICAL- SAFETY TESTING FACILITY	Switchgear & Controlgear (Ancillary equipment) Protective conductor terminal blocks for copper conductors	Flexion Test	IEC 60947-7-2, Cl.8.2
1152	ELECTRICAL- SAFETY TESTING FACILITY	Temperature sensing control	Adequacy of earth connections	IEC 60730-2-9,Cl.9
1153	ELECTRICAL- SAFETY TESTING FACILITY	Temperature sensing control	Ball Pressure Test	IEC 60730-2-9,Cl.21
1154	ELECTRICAL- SAFETY TESTING FACILITY	Temperature sensing control	Creepage distances & Clearances distances through solid insulation	IEC 60730-2-9,Cl.20
1155	ELECTRICAL- SAFETY TESTING FACILITY	Temperature sensing control	Electric strength	IEC 60730-2-9,Cl.13
1156	ELECTRICAL- SAFETY TESTING FACILITY	Temperature sensing control	Foot actuated controls (Force Test)	IEC 60730-2-9,Cl.18
1157	ELECTRICAL- SAFETY TESTING FACILITY	Temperature sensing control	Heating	IEC 60730-2-9,Cl.14
1158	ELECTRICAL- SAFETY TESTING FACILITY	Temperature sensing control	Impulse	IEC 60730-2-9,Cl.20
1159	ELECTRICAL- SAFETY TESTING FACILITY	Temperature sensing control	Insulation Resistance	IEC 60730-2-9,Cl.13
1160	ELECTRICAL- SAFETY TESTING FACILITY	Temperature sensing control	Leakage current	IEC 60730-2-9,Cl.13
1161	ELECTRICAL- SAFETY TESTING FACILITY	temperature sensing control,	Voltage measurement	IEC 60730-2-9;Cl. 8
1162	ELECTRICAL- SAFETY TESTING FACILITY	Terminal blocks for aluminium conductor	Dielectric Strength Test, Power Frequency Withstand Test	IEC 60947-7-5;Cl.9.4.3
1163	ELECTRICAL- SAFETY TESTING FACILITY	Terminal blocks for aluminium conductor	Impulse Test	IEC 60947-7-5;Cl.9.4.3
1164	ELECTRICAL- SAFETY TESTING FACILITY	Terminal blocks for aluminium conductors	Flexion Test	IEC 60947-7-5,Cl.9.3.3.2
1165	ELECTRICAL- SAFETY TESTING FACILITY	Terminal blocks for aluminium conductors	Mechanical strength test	IEC 60947-7-5;Cl.9.3.3.1
1166	ELECTRICAL- SAFETY TESTING FACILITY	Terminal blocks for aluminium conductors	Temperature Rise Test	IEC 60947-7-5;Cl.9.4.5
1167	ELECTRICAL- SAFETY TESTING FACILITY	Terminal blocks for aluminum conductors	Creepage & Clearances	IEC 60947-7-5,Cl.9.4.2
1168	ELECTRICAL- SAFETY TESTING FACILITY	Terminal blocks for copper conductors	Mechanical strength test	IEC 60947-7-1;CL.8.3.3.1

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	82 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1169	ELECTRICAL- SAFETY TESTING FACILITY	Thermal motor protector	Adequacy of earth connections	IEC 60730-2-22,Cl.9
1170	ELECTRICAL- SAFETY TESTING FACILITY	Thermal motor protector	Ball Pressure Test	IEC 60730-2-22,Cl.21
1171	ELECTRICAL- SAFETY TESTING FACILITY	Thermal motor protector	Creepage distances & Clearances distances through solid insulation	IEC 60730-2-22,Cl.20
1172	ELECTRICAL- SAFETY TESTING FACILITY	Thermal motor protector	Electric strength	IEC 60730-2-22,Cl.13
1173	ELECTRICAL- SAFETY TESTING FACILITY	Thermal motor protector	Foot actuated controls (Force Test)	IEC 60730-2-22,Cl.18
1174	ELECTRICAL- SAFETY TESTING FACILITY	Thermal motor protector	Heating	IEC 60730-2-22,Cl.14
1175	ELECTRICAL- SAFETY TESTING FACILITY	Thermal motor protector	Impulse	IEC 60730-2-22,Cl.20
1176	ELECTRICAL- SAFETY TESTING FACILITY	Thermal motor protector	Insulation Resistance	IEC 60730-2-22,Cl.13
1177	ELECTRICAL- SAFETY TESTING FACILITY	Thermal motor protector Thermal motor protector	Leakage current	IEC 60730-2-22,Cl.13
1178	ELECTRICAL- SAFETY TESTING FACILITY	Thermal motor protectors	Voltage measurement	IEC 60730-2-22;Cl. 8
1179	ELECTRICAL- SAFETY TESTING FACILITY	Thermal protections for ballasts for tubular fluorescent lamps,	Voltage measurement	IEC 60730-2-3;Cl. 8
1180	ELECTRICAL- SAFETY TESTING FACILITY	Thermal protectors for ballasts for tubular fluorescen lamps	Insulation Resistance	IEC 60730-2-3,Cl.13
1181	ELECTRICAL- SAFETY TESTING FACILITY	Thermal protectors for ballasts for tubular fluorescent lamps	Adequacy of earth connections	IEC 60730-2-3,Cl.9
1182	ELECTRICAL- SAFETY TESTING FACILITY	Thermal protectors for ballasts for tubular fluorescent lamps	Ball Pressure Test	IEC 60730-2-3,Cl.21
1183	ELECTRICAL- SAFETY TESTING FACILITY	Thermal protectors for ballasts for tubular fluorescent lamps	Creepage distances & Clearances distances through solid insulation	IEC 60730-2-3,Cl.20
1184	ELECTRICAL- SAFETY TESTING FACILITY	Thermal protectors for ballasts for tubular fluorescent lamps	Electric strength	IEC 60730-2-3,Cl.13
1185	ELECTRICAL- SAFETY TESTING FACILITY	Thermal protectors for ballasts for tubular fluorescent lamps	Foot actuated controls (Force Test)	IEC 60730-2-3,Cl.18
1186	ELECTRICAL- SAFETY TESTING FACILITY	Thermal protectors for ballasts for tubular fluorescent lamps	Heating	IEC 60730-2-3,Cl.14

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 83 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1187	ELECTRICAL- SAFETY TESTING FACILITY	Thermal protectors for ballasts for tubular fluorescent lamps	Impulse	IEC 60730-2-3,Cl.20
1188	ELECTRICAL- SAFETY TESTING FACILITY	Thermal protectors for ballasts for tubular fluorescent lamps	Leakage current	IEC 60730-2-3,Cl.13
1189	ELECTRICAL- SAFETY TESTING FACILITY	Three-position enabling switches	Creepage & Clearances	IEC 60947-5-8,Cl.8.1.4
1190	ELECTRICAL- SAFETY TESTING FACILITY	Three-position enabling switches	Mechanical strength test	IEC 60947-5-8;CL.8.2
1191	ELECTRICAL- SAFETY TESTING FACILITY	Three-position enabling switches	Protective earth continuity	IEC 60947-5-8;Cl.8.1.10
1192	ELECTRICAL- SAFETY TESTING FACILITY	Timers & time switches,	Voltage measurement	IEC 60730-2-7;Cl. 8
1193	ELECTRICAL- SAFETY TESTING FACILITY	Timers and Time switches	Adequacy of earth connections	IEC 60730-2-7,Cl. 9
1194	ELECTRICAL- SAFETY TESTING FACILITY	Timers and Time switches	Ball Pressure Test	IEC 60730-2-7,Cl. 21
1195	ELECTRICAL- SAFETY TESTING FACILITY	Timers and Time switches	Creepage distances & Clearances distances through solid insulation	IEC 60730-2-7,Cl. 20
1196	ELECTRICAL- SAFETY TESTING FACILITY	Timers and Time switches	Electric strength	IEC 60730-2-7,Cl. 13
1197	ELECTRICAL- SAFETY TESTING FACILITY	Timers and Time switches	Foot actuated controls (Force Test)	IEC 60730-2-7,Cl.18
1198	ELECTRICAL- SAFETY TESTING FACILITY	Timers and Time switches	Heating	IEC 60730-2-7,Cl. 14
1199	ELECTRICAL- SAFETY TESTING FACILITY	Timers and Time switches	Impulse	IEC 60730-2-7,Cl. 20
1200	ELECTRICAL- SAFETY TESTING FACILITY	Timers and Time switches	Insulation Resistance	IEC 60730-2-7,Cl. 13
1201	ELECTRICAL- SAFETY TESTING FACILITY	Timers and Time switches	Leakage current	IEC 60730-2-7,Cl. 13
1202	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Leakage current at operating temperature (Leakage current)	BS EN 60335-2-84:2003+A2:2019, Cl. 13/ IEC 60335-2-84 Cl. 13
1203	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Resistance to heat, Ball Pressure Test	BS EN 60335-2-84:2003+A2:2019, Cl. 30 / IEC 60335-2-84 Cl. 30

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	84 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1204	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Clearance & Creepage	BS EN 60335-2-84:2003+A2:2019, Cl.29 / IEC 60335-2-84,Cl.29
1205	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Electric strength	BS EN 60335-2-84:2003+A2:2019, Cl.16 / IEC 60335-2-84,Cl.16
1206	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Electric strength at Operating temperature (Electric strength)	BS EN 60335-2-84:2003+A2:2019, Cl.13 / IEC 60335-2-84,Cl.13
1207	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Heating	BS EN 60335-2-84:2003+A2:2019, Cl.11 / IEC 60335-2-84, Cl.11
1208	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Leakage Current	BS EN 60335-2-84:2003+A2:2019, Cl.16 / IEC 60335-2-84, Cl.16
1209	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Markings and Instructions	BS EN 60335-2-84:2003+A2:2019, Cl.7 / IEC 60335-2-84, Cl.7
1210	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Power Input and current	BS EN 60335-2-84:2003+A2:2019, Cl.10 / IEC 60335-2-84, Cl.10
1211	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Provision for earthing	BS EN 60335-2-84:2003+A2:2019, Cl.27 / IEC 60335-2-84, Cl.27
1212	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Resistance to heat and fire (Needle Flame Test)	BS EN 60335-2-84:2003+A2:2019, Cl.30 / IEC 60335-2- 84, Cl.30
1213	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Stability and mechanical hazard	BS EN 60335-2-84:2003+A2:2019, Cl.20/ IEC 60335-2-84, Cl.20
1214	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Torque Test	BS EN 60335-2-84:2003+A2:2019, Cl.28 / IEC 60335-2-84, Cl.28
1215	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances	Transient over voltages (Impulse voltage)	BS EN 60335-2-84:2003+A2:2019, Cl.14 / IEC 60335-2-84, Cl.14
1216	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances,	Cord anchorage test (Power supply cord)	BS EN 60335-2-84:2003+A2:2019, Cl.25: 2019 / IEC 60335-2-84, Cl.25

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	85 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1217	ELECTRICAL- SAFETY TESTING FACILITY	Toilet appliances,	Voltage measurement	BS EN 60335-2-84:2003+A2:2019, Cl. 22 / IEC 60335-2-84, Cl. 22
1218	ELECTRICAL- SAFETY TESTING FACILITY	Transfer switching equipment	Creepage & Clearances	IEC 60947-6-1,Cl.8.1.6
1219	ELECTRICAL- SAFETY TESTING FACILITY	Transfer switching equipment	Mechanical strength test	IEC 60947-6-1;CL.9.2
1220	ELECTRICAL- SAFETY TESTING FACILITY	Transfer switching equipment	Protective earth continuity	IEC 60947-6-1;Cl.8.1.7
1221	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Clearance & Creepage distances & solid insulation	BS EN 60335-2-11:2010+A2:2018, Cl. 29/ IEC 60335-2-11, Cl.29
1222	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Electric Strength	BS EN 60335-2-11:2010+A2:2018, Cl. 16/ IEC 60335-2-11, Cl.16
1223	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Electric strength at operating temperature, Electric strength	BS EN 60335-2-11:2010+A2:2018, Cl. 13 / IEC 60335-2-11, Cl.13
1224	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Heating	BS EN 60335-2-11:2010+A2:2018, Cl. 11/ IEC 60335-2-11, Cl. 11
1225	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Leakage Current	BS EN 60335-2-11:2010+A2:2018, Cl. 16 / IEC 60335-2-11, Cl.16
1226	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Leakage current at operating temperature	BS EN 60335-2-11:2010+A2:2018, Cl. 13 / IEC 60335-2-11, Cl.13
1227	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Marking and Instructions	BS EN 60335-2-11:2010+A2:2018, Cl. 7 / IEC 60335-2-11, Cl.7
1228	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Power Input and current	BS EN 60335-2-11:2010+A2:2018, Cl. 10 / IEC 60335-2-11, Cl.10
1229	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Provision for earthing	BS EN 60335-2-11:2010+A2:2018, Cl. 27 / IEC 60335-2-11, Cl.27
1230	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Resistance to heat (Ball Pressure Test)	BS EN 60335-2-11:2010+A2:2018, Cl. 30 / IEC 60335-2-11, Cl.30

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	86 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1231	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Resistance to heat and fire (Needle flame test)	BS EN 60335-2-11:2010+A2:2018, Cl. 30 / IEC 60335-2-11, Cl.30
1232	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Stability and mechanical hazards	BS EN 60335-2-11:2010+A2:2018, Cl. 20/ IEC 60335-2-11, Cl.20
1233	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Torque Test	BS EN 60335-2-11:2010+A2:2018, Cl. 28 / IEC 60335-2-11, Cl.28
1234	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers	Transient over voltages (Impulse test)	BS EN 60335-2-11:2010+A2:2018, Cl. 14/ IEC 60335-2-11, Cl.14
1235	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers,	Cord anchorage test (Power supply cord)	BS EN 60335-2-11:2010+A2:2018, Cl. 25 / IEC 60335-2-11, Cl. 25
1236	ELECTRICAL- SAFETY TESTING FACILITY	Tumble dryers,	Voltage measurement	BS EN 60335-2-11:2010+A2:2018:2018, Cl.22 / IEC 60335-2-11, Cl.22
1237	ELECTRICAL- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	AC or DC voltage Test, Alternative to impulse voltage test	IEC 62040-1:2017/AMD1, Cl. 5.2
1238	ELECTRICAL- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Creepage & clearance distances	IEC 62040-1:2017/AMD1, Cl.7
1239	ELECTRICAL- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	General provision for earth leakage	IEC 62040-1:2017/AMD1, Cl. 5.2
1240	ELECTRICAL- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Maximum Temperature Rise, Temperature rise test	IEC 62040-1:2017/AMD1, Cl. 4.6.4 & 5.2.3.10
1241	ELECTRICAL- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Mechanical strength drop test	IEC 62040-1:2017/AMD1, Cl. 5.2.2.4.4
1242	ELECTRICAL- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Protective equipotential bonding	IEC 62040-1:2017/AMD1, Cl. 5.2
1243	ELECTRICAL- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Steady force test (30 N), 250 N deflection test for metal enclosure	IEC 62040-1:2017/AMD1, Cl. 5.2
1244	ELECTRICAL- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Impulse voltage test	IEC 62040-1:2017/AMD1, Cl.5.2
1245	ELECTRICAL- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Information & marking requirement	IEC 62040-1:2017/AMD1,Cl.6.1.10

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	87 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1246	ELECTRICAL- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	stability	IEC 62040-1:2017/AMD1, Cl.5.2
1247	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Clearance & Creepage	BS EN 60335-2-101:2002+A2:2014,Cl .29 / IEC 60335-2-101:2002+AMD1:200 8+AMD2, Cl.29
1248	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Electric strength	BS EN 60335-2-101,Cl.16 / IEC 60335-2-101, Cl.16
1249	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Electric strength at Operating temperature (Electric strength)	BS EN 60335-2-101,Cl.13 / IEC 60335-2-101, Cl.13
1250	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Heating	BS EN 60335-2-101,Cl.11 / IEC 60335-2-101, Cl.11
1251	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Leakage Current	BS EN 60335-2-101,Cl.16 / IEC 60335-2-101, Cl.16
1252	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Leakage current at operating temperature	BS EN 60335-2-101 Cl.13/ IEC 60335-2-101 Cl. 13
1253	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Markings and Instructions	BS EN 60335-2- 101,Cl.7 / IEC 60335- 2-101, Cl.7
1254	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Power Input and current	BS EN 60335-2-101,Cl.10 / IEC 60335-2-101, Cl.10
1255	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Provision for earthing	BS EN 60335-2-101,Cl.27 / IEC 60335-2-101, Cl.27
1256	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Resistance to heat and fire (Needle Flame Test)	BS EN 60335-2-101,Cl.30 /IEC 60335-2-101, Cl.30
1257	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Resistance to heat, Ball Pressure Test	BS EN 60335-2-101 Cl.30/ IEC 60335-2-101 Cl. 30
1258	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Stability and mechanical hazard	BS EN 60335-2-101,Cl.20 / IEC 60335-2-101, Cl.20
1259	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Torque Test	BS EN 60335-2-101,Cl.28 / IEC 60335-2-101, Cl.28
1260	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers	Transient over voltages (Impulse voltage)	BS EN 60335-2-101,Cl.14 /IEC 60335-2-101, Cl.14
1261	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers,	Cord anchorage test (Power supply cord)	BS EN 60335-2-101, Cl.25: 2014 / IEC 60335-2-101, Cl.25
1262	ELECTRICAL- SAFETY TESTING FACILITY	Vaporizers,	Voltage measurement	BS EN 60335-2-101:2002+A2:2014, Cl.22: 2014 / IEC 60335-2-101:2002+AMD1:200 8+AMD2, Cl. 22

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	88 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1263	ELECTRICAL- SAFETY TESTING FACILITY	Vitro diagnostic (IVD) medical equipment	Insulating materials	IEC 60335-2-101:2002+AMD1:2008+AMD2, Cl.10
1264	ELECTRICAL- SAFETY TESTING FACILITY	Vitro diagnostic (IVD) medical,	Cord anchorage test (Power supply cord)	IEC 60335-2-101:2002+AMD1:2008+AMD2, Cl. 6
1265	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Clearance & Creepage distances & solid insulation	BS EN 60335-2-12:2003+A2:2019, Cl. 29 / IEC 60335-2-12:2002+AMD1:2008+AMD2,Cl.29
1266	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Electric Strength	BS EN 60335-2-12:2003+A2:2019, Cl. 16 / IEC 60335-2-12:2002+AMD1:2008+AMD2,Cl.16
1267	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Electric strength at operating temperature, Electric strength	BS EN 60335-2-12:2003+A2:2019, Cl. 13 / IEC 60335-2-12:2002+AMD1:2008+AMD2,Cl.13
1268	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Heating	BS EN 60335-2-12:2003+A2:2019, Cl. 11 / IEC 60335-2-12:2002+AMD1:2008+AMD2,Cl. 11
1269	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Leakage Current	BS EN 60335-2-12:2003+A2:2019, Cl. 16 / IEC 60335-2-12:2002+AMD1:2008+AMD2,Cl.16
1270	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Leakage current at operating temperature	BS EN 60335-2-12:2003+A2:2019, Cl. 13 / IEC 60335-2-12:2002+AMD1:2008+AMD2,Cl.13
1271	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Marking and Instructions	BS EN 60335-2-12:2003+A2:2019, Cl. 7 / IEC 60335-2-12:2002+AMD1:2008+AMD2,Cl.7

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	89 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1272	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Power Input and current	BS EN 60335-2-12:2003+A2:2019, Cl. 10 / IEC 60335-2-12:2002+AMD1:2008 +AMD2,Cl.10
1273	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Provision for earthing	BS EN 60335-2-12:2003+A2:2019, Cl. 27/ IEC 60335-2-12:2002+AMD1:2008 +AMD2, Cl.27
1274	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Resistance to heat and fire (Needle flame test)	BS EN 60335-2-12:2003+A2:2019, Cl. 30/ IEC 60335-2-12:2002+AMD1:2008 +AMD2, Cl.30
1275	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Torque Test	BS EN 60335-2-12:2003+A2:2019, Cl. 28 / IEC 60335-2-12:2002+AMD1:2008 +AMD2,Cl.28
1276	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Transient over voltages (Impulse test)	BS EN 60335-2-12:2003+A2:2019, Cl. 14 / IEC 60335-2-12:2002+AMD1:2008 +AMD2, Cl.14
1277	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances	Stability and mechanical hazards	BS EN 60335-2-12:2003+A2:2019, Cl. 20 / IEC 60335-2-12:2002+AMD1:2008 +AMD2,Cl.20
1278	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances,	Cord anchorage test (Power supply cord)	BS EN 60335-2-12:2003+A2:2019, Cl.25 / IEC 60335-2-12:2002+AMD1:2008 +AMD2, Cl. 25
1279	ELECTRICAL- SAFETY TESTING FACILITY	Warming plates and similar appliances,	Voltage measurement	BS EN 60335-2-12:2003+A2:2019, Cl. 22 / IEC 60335-2-12:2002+AMD1:2008 +AMD2, Cl. 22
1280	ELECTRICAL- SAFETY TESTING FACILITY	water flow & water level sensing controls,	Voltage measurement	IEC 60730-2-15;Cl. 8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	90 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1281	ELECTRICAL- SAFETY TESTING FACILITY	Whirlpool baths and whirlpool spas	Creepage & Clearance	BS EN 60335-2-60:2003+A12:2010, Cl.29 / IEC 60335-2-60, Cl.29
1282	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Information Technology Equipment	Drop test	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl. 4.2.6
1283	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Information Technology Equipment	Stress relief test	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl. 4.2.7
1284	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Information Technology Equipment	Stress relief test	IS 13252, Cl.4.2.7
1285	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Deep Freezers	Accessible part, test finger, test pin, test hook, ingress protection, access probe test	IS 7872, Cl.6.1
1286	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Deep Freezers	Humidity preconditioning	IS 7872, Cl.6.1
1287	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Deep Freezers-Specification	Glow wire test, Resistance to fire, Touch current and protective conductor current	IS 7872, Cl.6.1
1288	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Deep Freezers-Specification	Needle flame test	IS 7872, Cl.6.1
1289	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical & Electronics Equipment	Test for protection against solid foreign objects indicated by first characteristic numeral	IEC 60529:1989+AMD1:1999+AMD 2, Cl.13.2,13.3
1290	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical and Electronics Equipment	Ingress Protection - IPX3	IEC 60529:1989+AMD1:1999+AMD 2, Cl.14.2.3
1291	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical and Electronics Equipment	Ingress Protection - IPX4	IEC 60529:1989+AMD1:1999+AMD 2, Cl. 14.2.4
1292	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electrical Electronics Equipments	Damp Heat Test	IEC 60068-2-78, Cl.4.4
1293	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electroacoustic-Audiometric equipment (Equipment for pure-tone & speech audiometry)	Accessible part, test finger, test pin, test hook, ingress protection, access probe test	IEC 60645-1, Cl. 201.5
1294	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electroacoustic-Audiometric equipment (Equipment for pure-tone & speech audiometry)	Drop Test	IEC 60645-1,Cl.201.15

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	91 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1295	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electroacoustic-Audiometric Equipment (Equipment for pure-tone & speech audiometry)	Stress relief test, mould stress relief test	IEC 60645-1, Cl. 201.15
1296	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electroacoustic-Audiometric equipment- Equipment for pure-tone & speech audiometry	Humidity preconditioning	IEC 60645-1, Cl. 201.5
1297	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electroacoustic-Audiometric equipment- Part 1: Equipment for pure-tone & speech audiometry	Impact Test, Mechanical strength, Construction of ME equipment	IEC 60645-1, Cl. 201.15
1298	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Electronics Equipments/Components	Damp Heat (Cyclic) Test	IEC 60068-2-30
1299	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Household & similar electrical appliances (Commercial refrigerating appliances & ice-makers with an incorporated or remote)	Glow wire test	IEC 60335-2-89, Cl.30
1300	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Household & similar electrical appliances (Commercial refrigerating appliances & ice-makers with an incorporated or remote)	Needle flame test	IEC 60335-2-89, Cl.30
1301	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Household & similar electrical appliances (Commercial refrigerating appliances & ice-makers with an incorporated or remote) refrigerant unit or motor-compressor	Accessible part, test finger, test pin, test hook, ingress protection, access probe test	IEC 60335-2-89, Cl.8
1302	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Household & similar electrical appliances-commercial refrigerating appliances & ice-makers with an incorporated or remote	Humidity preconditioning	IEC 60335-2-89, Cl.15
1303	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Information Technology Equipment	Access to energized part	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl. 2.1.1.1
1304	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Information Technology Equipment	Access to energized part	IS 13252-1,Cl.2.1.1.1
1305	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Information technology equipment	Drop Test	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl. 4.2.6
1306	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Information Technology Equipment	Drop Test	IS 13252, Cl.4.2.6
1307	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Information Technology Equipment	Drop test	IS 13252,Cl.4.2.6
1308	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Information Technology Equipment	Humidity preconditioning	IEC 60950-1:2005 AMD1:2009 AMD2 ,Cl. 2.9.2

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	92 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1309	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Information Technology Equipment	Humidity preconditioning	IS 13252-1,Cl.2.9.2
1310	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Lamp control gear - Particular requirements for d.c. or a.c. supplied electronic control gear for LED modules	Moisture Resistance, Resistance to corrosion	IEC 61347-2-13, Cl. 11&20
1311	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Lamp control gear - Particular requirements for d.c. or a.c. supplied electronic control gear for LED modules	Protection against accidental contact with live part	IEC 61347-2- 13, Cl. 8
1312	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Lamp Controlgear	Moisture Resistance	IEC 61347-1:2015+AMD1, Cl. 11 & 19
1313	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Lamp controlgear	Protection against accidental contact with live part	IEC 61347-1:2015+AMD1, Cl. 10
1314	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Medical Supply Units	Impact Resistance Test	ISO 11197, Cl. 201.9.1.102
1315	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Humidity Preconditioning	IEC 62109-1, Cl. 4.5
1316	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Ingress protection (Access probe test)	IEC 62109-1, Cl. 6.3 & 7.3.4.2.3
1317	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Mechanical resistance to deflection, impact, or drop	IEC 62109- 2,Cl.13.7.4
1318	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Mechanical resistance to deflection, impact, or drop	IEC 62109- 2,Cl.13.7.4
1319	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Mechanical resistance to deflection, impact, or drop	IEC 62109-1, Cl.13.7.4
1320	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Mechanical resistance to deflection, impact, or drop	IEC 62109-1, Cl.13.7.4
1321	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Mechanical Test	IEC 62477-1, Cl.5.2.2
1322	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Stress relief test	IEC 62109- 2,Cl.13

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	93 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1323	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Stress relief test	IEC 62109-1, Cl.13.2.6.1
1324	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems - Inverters	Humidity preconditioning	IEC 62109-2, Cl.4.5
1325	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems inverters	Ingress protection, Access probe test	IEC 62109-2,Cl.6
1326	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power electronic converter systems and equipment	Ingress Protection (IP) test	IEC 62477- 1, Cl.5.2.2.3
1327	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power electronic converter systems and equipment	Damp Heat Test	IEC 62477-1,Cl. 5.2.6.3.2
1328	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power electronic converter systems and equipment	Dry heat test	IEC 62477-1, Cl. 5.2.6.3.1
1329	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power electronic converter systems and equipment	Impact Test	IEC 62477-1, Cl.5.2.2.4.3
1330	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Power electronic converter systems and equipment	Stress relief test	IEC 62477-1, Cl.5.2.2.4.5
1331	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Uninterruptible power systems (UPS)	Drop Test	IEC 62040-1:2017/AMD1, Cl.5.2.2.4.4
1332	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Uninterruptible power systems (UPS) - Part 1: Safety requirements	Stress relief test	IEC 62040-1:2017/AMD1, Cl.5.2
1333	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Uninterruptible power systems (UPS) - Part 1: Safety requirements.	Drop test	IEC 62040-1:2017/AMD1, Cl.5.2.2.4.4
1334	ELECTRONICS-ENVIRONMENTAL TEST FACILITY	Uninterruptible power systems (UPS)	Ingress Protection (IP) test	IEC 62040- 1, Cl.5.2
1335	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Humidity Preconditioning	IEC 80601-2-35,Cl.201.5
1336	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Instability over balance	IEC 60601-2-35, Cl.201.9

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	94 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1337	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Power input	IEC 60601-2-35, Cl.201.4
1338	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Tensile safety factor	IEC 80601-2- 35,Cl.201.9
1339	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Power input	IEC 60601-2-50, Cl. 201.4
1340	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Push Test	IEC 60601-2-75, Cl. 201. 15
1341	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Creepage & Clearance distances	BS EN 60601-2-3,Cl.201.8 / IEC 60601-2-3, Cl. 201.8
1342	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Humidity Preconditioning Treatment	IEC 60601-2-47,Cl.201.5
1343	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Instability overbalance, Stability	IEC 60601-2- 47,Cl.9
1344	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Leakage current & patient auxiliary current	IEC 60601-2-47, Cl. 201.8
1345	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Power input	IEC 60601-2-47,Cl.201.4
1346	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Strength of patient or operator support or suspension system	IEC 60601-2-47,Cl.201.9
1347	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Tensile safety factor test	IEC 60601-2-47,Cl.201.9
1348	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Accessible parts- test finger, Test Pin, Test Hook	IEC 60601-2-47,Cl.201.5
1349	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Creepage & Clearance distances	IEC 60601-2-47,Cl.201.8
1350	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Dielectric Strength	IEC 60601-2-47,Cl.201.8
1351	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory Electrocardiographic systems	Mechanical strength and resistance to heat	IEC 60601-2- 47, Cl.201.8
1352	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Push Test	IEC 60601-2-47,Cl.201.15
1353	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Temperature rise, Protection against excessive temperature, Protection against excessive temperature and other hazards	IEC 60601-2-47,Cl.201.11

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	95 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1354	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory Electrocardiographic systems	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 60601-2-47, Cl. 201.8
1355	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory Electrocardiographic Systems	Cord anchorage test (Power supply cord)	IEC. 60601-2-47,Cl.201.8
1356	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Drop test, Construction of ME equipment	IEC 60601-2-47,Cl.201.15.3.4.2
1357	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Durability of markings	IEC 60601-2- 47,Cl.7
1358	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Impact Test, Construction of ME equipment	IEC 60601-2-47,Cl.201.15.3.4.2
1359	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory electrocardiographic systems	Mould Stress relief test	IEC 60601-2-47,Cl.201.15.3.4.2
1360	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ambulatory Electrocardiographic Systems	Voltage measurement	IEC. 60601-2-47,Cl.201.8
1361	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic Work Station	Drop test	ISO 80601- 2-13,Cl.201.15
1362	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic Work Station	Impact Test	ISO 80601- 2-13,Cl.201.15
1363	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic Work Station	Mould Stress Test	ISO 80601- 2-13,Cl.201.15
1364	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic workstation	Instability over balance	ISO 80601-2- 13,Cl.201.9
1365	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic Workstation	Movement over a threshold	ISO 80601-2-13, Cl.201.9
1366	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic workstation	Power input	ISO 80601-2- 13,Cl.201.4
1367	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic Workstation	Rough handling	ISO 80601-2-13, Cl.201.15
1368	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic workstation	Di electric Strength Test	ISO 80601-2- 13,Cl.201.8
1369	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic workstation	Protection against Excessive temperatures & other hazards	ISO 80601-2- 13,Cl.201.11
1370	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic Workstation	Cord anchorage test (Power supply cord)	ISO 80601-2-13 , Cl.201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	96 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1371	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic workstation	Durability of markings	ISO 80601-2- 13,Cl.201.7
1372	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic workstation	Impedance and current carrying capability	ISO 80601-2- 13,Cl.201.8
1373	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic workstation	Impedance and current carrying capability	ISO 80601-2- 13,Cl.201.8
1374	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic workstation	Instability over balance	ISO 80601-2- 13,Cl.201.9
1375	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic workstation	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	ISO 80601-2- 13,Cl.201.8
1376	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic Workstation	Movement over a threshold	ISO 80601-2-13, Cl.201.9
1377	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic workstation	Power input	ISO 80601-2- 13,Cl.201.4
1378	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic Workstation	Rough handling	ISO 80601-2-13, Cl.201.15
1379	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anaesthetic Workstation	Voltage measurement	ISO 80601-2-13 , Cl.201.8
1380	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anesthetic workstation	Leakage current and Patient auxiliary current	ISO 80601-2- 13, Cl.201.8
1381	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anesthetic workstation	Strength of patient or Operator support or suspension system	ISO 80601-2- 13,Cl.201.9
1382	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anesthetic workstation	Accessible parts , Test finger & Test Hook Test	ISO 80601-2- 13,Cl.201.5
1383	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anesthetic workstation	Cord anchorage test (Power supply cord)	ISO 80601-2- 13,Cl.201.8
1384	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anesthetic workstation	Creepage and clearance	ISO 80601-2- 13,Cl.201.8
1385	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anesthetic workstation	Leakage current and Patient auxiliary current	ISO 80601-2- 13,Cl.201.8
1386	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anesthetic workstation	Push Test	ISO 80601-2- 13,Cl.201.15
1387	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anesthetic workstation	Strength of patient or Operator support or suspension system	ISO 80601-2- 13,Cl.201.9
1388	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anesthetic workstation	Tensile safety factor	ISO 80601-2- 13,Cl.201.9 : 2011

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	97 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1389	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anesthetic workstation	Tensile safety factor	ISO 80601-2- 13,Cl.201.9
1390	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Anesthetic workstation	Voltage measurement	ISO 80601-2 -13,Cl.201.8
1391	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometer	Drop test, Construction of ME equipment	IEC 80601-2-30,Cl.201.15
1392	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometer	Impact Test, Construction of ME equipment	IEC 80601-2-30,Cl.201.15
1393	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometer	Mould Stress relief test	IEC 80601-2-30,Cl.201.15
1394	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometers	Accessible parts- test finger, Test Pin, Test Hook	IEC 80601-2- 30,Cl.201.5
1395	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometers	Dielectric Withstand Strength	IEC 80601-2-30, Cl.201.8
1396	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometers	Humidity Preconditioning Treatment	IEC 80601-2- 30,Cl.201.5
1397	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometers	Push Test	IEC 80601-2- 30,Cl.201.15
1398	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometers	Temperature rise, Protection against excessive temperature, Protection against excessive temperature and other hazards	IEC 80601-2- 30,Cl.201.11
1399	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometers	Mechanical strength and resistance to heat	EC 80601-2-30, Cl.201.8
1400	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometers	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 80601-2-30, Cl. 201.8
1401	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated Non-Invasive Sphygmomanometers	Cord anchorage test (Power supply cord)	ISO 80601-2-30 ,Cl.201.8
1402	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometers	Durability of markings	IEC 80601-2- 30,Cl.201.7
1403	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometers	Instability overbalance, Stability	IEC 80601-2-30,Cl.201.9
1404	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive Sphygmomanometers	Leakage current & patient auxiliary current	IEC 80601-2-30, Cl. 201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	98 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1405	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometers	Power input	IEC 80601-2- 30,Cl.201.4
1406	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometers	Strength of patient or operator support or suspension system	IEC 80601-2- 30,Cl.201.9
1407	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated non-invasive sphygmomanometers	Tensile safety factor test	IEC 80601-2- 30,Cl.201.9
1408	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Automated Non-Invasive Sphygmomanometers	Voltage measurement	ISO 80601-2-30 ,Cl.201.8
1409	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Di electric strength Test	IEC 60601-2-4 , Cl. 201.8
1410	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Humidity Preconditioning	IEC 60601-2-4 , Cl. 201.5
1411	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Power input	IEC 60601-2-4, Cl. 201.4
1412	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac Defibrillators	Drop test	IEC 60601-2-4, Cl.201.15
1413	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Accessible parts test, Test finger and hook test	IEC 60601-2-4, Cl. 201.5
1414	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Protection against Excessive temperature & other hazards	IEC 60601-2-4 , Cl. 201.11
1415	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Push Test	IEC 60601-2-4 , Cl. 201.15
1416	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac Defibrillators	Cord anchorage test (Power supply cord)	IEC 60601-2-4, Cl.201.8
1417	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Creepage and clearance distances	IEC 60601-2-4 , Cl. 201.8
1418	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Durability of Markings	IEC 60601-2-4, Cl. 201.7
1419	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac Defibrillators	Impact test	IEC 60601-2-4, Cl.201.15
1420	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Impedance and current carrying capability	IEC 60601-2-4, Cl. 201.8
1421	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Instability overbalance	IEC 60601-2-4, Cl. 201.9
1422	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Leakage current and patient auxillary currents	IEC 60601-2-4 , Cl. 201.8.7

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	99 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1423	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Mechanical strength and resistance to heat (ball pressure test)	IEC 60601-2-4, Cl. 201.8
1424	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac Defibrillators	Mould stress relief test	IEC 60601-2-4, Cl.201.15
1425	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Strength of patient or operator support or suspension system	IEC 60601-2-4 , Cl. 201.9
1426	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac defibrillators	Tensile safety factor	IEC 60601-2-4, Cl. 201.9
1427	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Cardiac Defibrillators	Voltage measurement	IEC 60601-2-4, Cl.201.8
1428	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilator	Di electric Strength Test	ISO 80601-2- 12,Cl. 201.8
1429	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilators	Protection against Excessive temperatures & other hazards	ISO 80601-2- 12,Cl. 201.11
1430	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilators	Accessible parts , Test finger & Test Hook Test	ISO 80601-2-12, Cl. 201.5
1431	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical Care Ventilators	Cord anchorage test (Power supply cord)	ISO 80601-2-12; Cl. 201.8
1432	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilators	Creepage and clearance	ISO 80601-2-12, Cl. 201.8
1433	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical Care Ventilators	Drop test	ISO 80601-2-12,Cl.201.15
1434	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilators	Durability of markings	ISO 80601-2- 12,Cl. 201.7
1435	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical Care Ventilators	Impact Test	ISO 80601-2-12,Cl.201.15
1436	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilators	Impedance and current carrying capability	ISO 80601-2- 12,Cl. 201.8
1437	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilators	Impedance and current carrying capability	ISO 80601-2-12,Cl. 201.8
1438	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilators	Instability over balance	ISO 80601-2-12,Cl. 201.9
1439	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilators	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	ISO 80601-2- 12,Cl. 201.8
1440	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical Care Ventilators	Mould Stress Test	ISO 80601-2-12, Cl.201.15

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 100 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1441	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilators	Power input	ISO 80601-2- 12,Cl. 201.4
1442	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilators	Push Test	ISO 80601-2-12, Cl. 201.15
1443	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilators	Strength of patient or Operator support or suspension system	ISO 80601-2-12, Cl. 201.9
1444	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical Care Ventilators	Voltage measurement	ISO 80601-2-12; Cl. 201.8
1445	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Critical care ventilators	Volume control inflation type	ISO 80601-2-12 Cl. 201.12.1.101
1446	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Accessible parts , Test finger & Test Hook Test	IEC 80601-2-60, Cl. 201.5
1447	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Cord anchorage test (Power supply cord)	IEC 80601-2-60, Cl. 201.8
1448	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Creepage and clearance	IEC 80601-2-60, Cl. 201.8
1449	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Creepage and clearance	IEC 80601-2-60, Cl. 201.8
1450	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Di electric Strength Test	IEC 80601-2-60, Cl. 201.8.8.3
1451	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental Equipment	Drop test	IEC 80601-2-60,Cl.201.15
1452	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Durability of markings	IEC 80601-2- 60,Cl. 201.7
1453	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Humidity Preconditioning	IEC 80601-2-60,Cl. 201.5
1454	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental Equipment	Impact Test	IEC 80601-2-60,Cl.201.15
1455	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Impedance and current carrying capability	IEC 80601-2- 60,Cl. 201.8
1456	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Instability over balance	IEC 80601-2- 60 (Cl. 201.9.8.2)
1457	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Leakage current and Patient auxiliary current	IEC 80601-2-60, Cl. 201.8.7
1458	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	IEC 80601-2- 60,Cl. 201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	101 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1459	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental Equipment	Mould Stress Test	IEC 80601-2-60,Cl.201.15
1460	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Power input	IEC 80601-2- 60,Cl. 201.4
1461	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Protection against Excessive temperatures & other hazards	IEC 80601-2-60,Cl. 201.11
1462	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Push Test	IEC 80601-2-60, Cl. 201.15
1463	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Strength of patient or Operator support or suspension system	IEC 80601-2-60, Cl. 201.9
1464	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Voltage measurement	IEC 80601-2-60,Cl. 201.8
1465	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Accessible parts , Test finger & Test Hook Test	IEC 80601-2-60, Cl. 201.5
1466	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Cord anchorage test (Power supply cord)	IEC 80601-2-60, Cl. 201.8
1467	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Di electric Strength Test	IEC 80601-2-60, Cl. 201.8.8.3
1468	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental Equipment	Drop test	IEC 80601-2-60,Cl.201.15
1469	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Durability of markings	IEC 80601-2- 60,Cl. 201.7
1470	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	dental equipment	Humidity Preconditioning	IEC 80601-2-60,Cl. 201.5
1471	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental Equipment	Impact Test	IEC 80601-2-60,Cl.201.15
1472	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Impedance and current carrying capability	IEC 80601-2- 60,Cl. 201.8
1473	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Impedance and current carrying capability	IEC 80601-2- 60,Cl. 201.8
1474	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Instability over balance	IEC 80601-2- 60,Cl. 201.9.8.2
1475	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Leakage current and Patient auxiliary current	IEC 80601-2-60, Cl. 201.8.7
1476	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	IEC 80601-2- 60,Cl. 201.8

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 102 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1477	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental Equipment	Mould Stress Test	IEC 80601-2-60,Cl.201.15
1478	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Protection against Excessive temperatures & other hazards	IEC 80601-2-60,Cl. 201.11
1479	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Push Test	IEC 80601-2-60, Cl. 201.15
1480	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Strength of patient or Operator support or suspension system	IEC 80601-2-60, Cl. 201.9
1481	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Tensile safety factor	IEC 80601-2-60, Cl. 201.9.8.2
1482	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Tensile safety factor	IEC 80601-2-60, Cl. 201.9.8.2
1483	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Dental equipment	Voltage measurement	IEC 80601-2-60,Cl. 201.8
1484	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring	Power Input	IEC 60601-2- 27, Cl. 201.4
1485	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring	Push Test, 250 N deflection	IEC 60601-2- 27, Cl. 201.15
1486	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring	Humidity preconditioning	IEC 60601-2- 27, Cl. 201.5
1487	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring equipment	Leakage current & patient auxiliary current	IEC 60601-2-27, Cl. 201.8
1488	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring equipment	Strength of patient or Operator support or suspension system	IEC 60601-2- 27, Cl. 201.9
1489	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring equipment	Tensile safety factor test	IEC 60601-2- 27, Cl. 201.7
1490	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring Equipment	Creepage & Clearance distances	IEC 60601-2- 27, Cl. 201.8
1491	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring equipment	Dielectric Strength	IEC 60601-2- 27, Cl. 201.8.8.3
1492	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring equipment	Resistance to abnormal heat(Ball Pressure Test)	IEC 60601-2- 27,Cl.201.8
1493	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring equipment	Test for Protective Earthing	IEC 60601-2-27, Cl. 201.8

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 103 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1494	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic Monitoring Equipment	Thermal requirement, Temperature rise, maximum Temperature, Protection against Excessive temperature, Transformer Heating, Protection against Excessive temperature and other hazards	IEC 60601-2- 27, Cl. 201.11
1495	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring equipment	Accessible parts- test finger, Test Pin, Test Hook	IEC 60601-2- 27,Cl.201.5
1496	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic Monitoring Equipment	Cord anchorage test (Power supply cord)	IEC 60601-2-27,Cl.201.8
1497	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring equipment	Drop test	IEC 60601-2- 27,Cl.201.15.3.4
1498	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring equipment	Durability of Markings	IEC 60601-2- 27,Cl.201.7
1499	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring equipment	Impact Test	IEC 60601-2- 27,Cl.201.15.3.4
1500	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic monitoring equipment	Mould Stress relief test	IEC 60601-2- 27,Cl.201.15.3.4
1501	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographic Monitoring Equipment	Voltage measurement	IEC 60601-2-27,Cl.201.8
1502	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Humidity preconditioning	IEC 60601-2-25,Cl. 201.5
1503	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Instability, overbalance, Stability	IEC 60601-2- 25:,Cl.201.9
1504	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Power Input	IEC 60601-2-25, Cl. 201.4
1505	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Strength of patient or Operator support or suspension system	IEC 60601-2-25, Cl. 201.9
1506	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Accessible parts- test finger, Test Pin, Test Hook	IEC 60601-2-25,Cl. 201.5
1507	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Cord anchorage test (Power supply cord)	IEC 60601-2- 25,Cl.201.8
1508	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Creepage & Clearance distances	IEC 60601-2-25,Cl. 201.8
1509	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Dielectric Strength	IEC 60601-2-25,Cl. 201.8
1510	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Drop test	IEC 60601-2-25,Cl. 201.15

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 104 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1511	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Durability of Markings	IEC 60601-2- 25,Cl.201.7
1512	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Impact Test	IEC 60601-2-25,Cl. 201.15
1513	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Mould Stress relief test	IEC 60601-2-25,Cl. 201.15
1514	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Push Test, 250 N deflection	IEC 60601-2-25, Cl. 201.15
1515	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Resistance to abnormal heat(Ball Pressure Test)	IEC 60601-2- 25,Cl.201.8
1516	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Tensile safety factor test	IEC 60601-2-25, Cl. 201.9
1517	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Test for Protective Earthing	IEC 60601-2-25, Cl. 201.8
1518	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Thermal requirement, Temperature rise, maximum Temperature, Protection against Excessive temperature, Transformer Heating, Protection against Excessive temperature and other hazards	IEC 60601-2-25,Cl. 201.11
1519	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs	Voltage measurement	IEC 60601-2- 25,Cl.201.8
1520	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electrocardiographs,	Leakage current & patient auxiliary current	IEC 60601-2-25, Cl.201.8
1521	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response	Strength of patient or operator support or suspension system	IEC 60601-2- 40, Cl. 201.9
1522	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Accessible parts test, Test finger and hook test	IEC 60601-2- 40, Cl. 201.5
1523	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Creepage and clearance distances	IEC 60601-2- 40, Cl. 201.8
1524	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Di electric strength Test	IEC 60601-2- 40, Cl. 201.8.8.3
1525	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Protection against Excessive temperature & other hazards	IEC 60601-2- 40, Cl. 201.11
1526	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs And Evoked Response Equipment	Cord anchorage test (Power supply cord)	IEC 60601-2-40,Cl.201.8
1527	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs And Evoked Response Equipment	Cord anchorage test (Power supply cord)	IEC 60601-2-40,Cl.201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	105 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1528	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs And Evoked Response Equipment	Drop test	IEC 60601-2-40,Cl.201.15
1529	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Durability of Markings	IEC 60601-2- 40, Cl. 201.7
1530	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Humidity Preconditioning	IEC 60601-2- 40, Cl. 201.5
1531	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs And Evoked Response Equipment	Impact test	IEC 60601-2-40,Cl.201.15
1532	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Impedance and current carrying capability	IEC 60601-2- 40, Cl. 201.8
1533	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Instability overbalance	IEC 60601-2- 40, Cl. 201.9
1534	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Leakage current and patient auxiliary currents	IEC 60601-2- 40, Cl. 201.8
1535	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Mechanical strength and resistance to heat (ball pressure test)	IEC 60601-2- 40, Cl. 201.8
1536	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs And Evoked Response Equipment	Mould stress relief test	IEC 60601-2-40,Cl.201.15
1537	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs And Evoked Response Equipment	Movement over a threshold	IEC 60601-2-40, Cl.201.9
1538	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Power input	IEC 60601-2- 40, Cl. 201.4
1539	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Push Test	IEC 60601-2- 40, Cl. 201.15
1540	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs and evoked response equipment	Tensile safety factor	IEC 60601-2- 40, Cl. 201.9
1541	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Electromyographs And Evoked Response Equipment	Voltage measurement	IEC 60601-2-40,Cl.201.8
1542	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Creepage & Clearance distances	IEC 60601-2-18,Cl. 201.8.9
1543	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Dielectric Strength	IEC 60601-2-18,Cl. 201.8.8.3
1544	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Mould Stress relief test	IEC 60601-2-18,Cl.201.15
1545	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Push Test, 250 N deflection	IEC 60601-2-18, Cl. 201.15

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 106 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1546	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Resistance to abnormal heat(Ball Pressure Test)	IEC 60601-2-18,Cl.201.8
1547	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Thermal requirement, Temperature rise, maximum Temperature, Protection against Excessive temperature, Transformer Heating, Protection against Excessive temperature and other hazards	IEC 60601-2-18, Cl. 201.11
1548	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Test for Protective Earthing	IEC 60601-2 -18, Cl.201.8
1549	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic Equipment	Cord anchorage test (Power supply cord)	IEC 60601-2-18,Cl.201.8
1550	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Durability of Markings	IEC 60601-2-18,Cl.201.7
1551	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Humidity preconditioning	IEC 60601-2-18,Cl. 201.5.7
1552	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Instability, overbalance, Stability	IEC 60601-2- 18:,Cl.201.9.4
1553	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Leakage current & patient auxiliary current	IEC 60601-2-18, Cl.201.8
1554	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Power Input	IEC 60601-2-18,Cl. 201.4
1555	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Strength of patient or Operator support or suspension system	IEC 60601-2-18, Cl. 201.9
1556	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic equipment	Tensile safety factor test	IEC 60601-2-18, Cl. 201.9
1557	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Endoscopic Equipment	Voltage measurement	IEC 60601-2-18,Cl.201.8
1558	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Accessible parts test, Test finger and hook test	IEC 60601-2-31, Cl. 201.5
1559	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Creepage and clearance distances	IEC 60601-2-31, Cl. 201.8
1560	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Di electric strength Test	IEC 60601-2-31, Cl. 201.8
1561	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Humidity Preconditioning	IEC 60601-2-31, Cl. 201.5
1562	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Protection against Excessive temperature & other hazards	IEC 60601-2-31, Cl. 201.11

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	107 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1563	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Push Test	IEC 60601-2-31, Cl. 201.15
1564	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External Cardiac Pacemakers With Internal Power Source	Cord anchorage test (Power supply cord)	IEC 60601-2-31,Cl.201.8
1565	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External Cardiac Pacemakers With Internal Power Source	Drop test	IEC 60601-2-31,Cl.201.15
1566	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Durability of Markings	IEC 60601-2- 31, Cl. 201.7
1567	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External Cardiac Pacemakers With Internal Power Source	Impact test	IEC 60601-2-31,Cl.201.15
1568	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Impedance and current carrying capability	IEC 60601-2- 31, Cl. 201.8
1569	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Instability overbalance	IEC 60601-2- 31, Cl. 201.9
1570	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Leakage current and patient auxillary currents	IEC 60601-2-31, Cl. 201.8
1571	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Mechanical strength and resistance to heat (ball pressure test)	IEC 60601-2- 31, Cl. 201.8
1572	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External Cardiac Pacemakers With Internal Power Source	Mould stress relief test	IEC 60601-2-31,Cl.201.15
1573	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Power input	IEC 60601-2- 31, Cl. 201.4
1574	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Strength of patient or operator support or suspension system	IEC 60601-2-31, Cl. 201.9
1575	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External cardiac pacemakers with internal power source	Tensile safety factor	IEC 60601-2-31, Cl. 201.9
1576	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	External Cardiac Pacemakers With Internal Power Source	Voltage measurement	IEC 60601-2-31,Cl.201.8
1577	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Haemodialysis, Haemodiafiltration And Haemofiltration Equipment	Cord anchorage test (Power supply cord)	IEC 60601-2- 16, Cl. 201.8
1578	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing aids and hearing aid systems	Cord anchorage test (Power supply cord)	IEC 60601-2-66, Cl.201.8
1579	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing aids and hearing aid systems	Durability of marking	IEC 60601-2-66, Cl. 201.7
1580	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing aids and hearing aid systems	Instability overbalance	IEC 60601-2-66, Cl. 201.9

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	108 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1581	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing aids and hearing aid systems	Mechanical strength and resistance to heat (Ball pressure test)	IEC 60601-2-66, Cl. 201.8
1582	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing aids and hearing aid systems	Power input	IEC 60601-2-66, Cl. 201.4
1583	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing aids and hearing aid systems	Test for protective earthing	IEC 60601-2-66, Cl. 201.8
1584	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing aids and hearing aid systems	Voltage measurement	IEC 60601-2-66, Cl.201.8
1585	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing instruments and hearing instrument systems	Accessible parts , Test Hook and Test Finger test	IEC 60601-2-66, Cl. 201.5.9
1586	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing instruments and hearing instrument systems	Creepage and Clearance	IEC 60601-2-66, Cl. 201.8
1587	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing instruments and hearing instrument systems	Di electric strength Test	IEC 60601-2-66, Cl. 201.8
1588	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing instruments and hearing instrument systems	Humidity Preconditioning	IEC 60601-2-66, Cl. 201.5.7
1589	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing instruments and hearing instrument systems	Protection against Excessive temperature & other hazards	IEC 60601-2-66, Cl. 201.11
1590	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing instruments and hearing instrument systems	Push Test	IEC 60601-2-66, Cl. 201.15
1591	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing Instruments And Hearing Instrument Systems	Drop Test	IEC 60601-2- 66, Cl. 201.15.3.4
1592	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing Instruments And Hearing Instrument Systems	Impact Test	IEC 60601-2-66, Cl. 201.15.3.4
1593	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing instruments and hearing instrument systems	Leakage current and auxiliary currents	IEC 60601-2-66, Cl. 201.8
1594	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing Instruments And Hearing Instrument Systems	Mould Stress Relief Test	IEC 60601-2- 66, Cl. 201.15.3.4
1595	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing instruments and hearing instrument systems	Strength of patient or operator support or suspension system	IEC 60601-2-66, Cl. 201.9
1596	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Hearing instruments and hearing instrument systems	Tensile safety factor	IEC 60601-2-66, Cl. 201.9
1597	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Accessible parts , Test finger & Test Hook Test	IEC 80601-2- 35,Cl.201.5
1598	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Creepage and clearance	IEC 80601-2- 35,Cl.201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	109 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1599	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Di electric Strength Test	IEC 80601-2- 35,Cl.201.8
1600	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Protection against Excessive temperatures & other hazards	IEC 80601-2- 35,Cl.201.11
1601	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Push Test	IEC 80601-2- 35,Cl.201.15
1602	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating Devices Using Blankets, Pads And Mattresses And Intended For Heating In Medical Use	Cord anchorage test (Power supply cord)	IEC 80601-2-35,Cl.201.8
1603	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating Devices Using Blankets, Pads And Mattresses And Intended For Heating In Medical Use	Drop test	IEC 80601-2-35,Cl.201.15
1604	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Durability of markings	IEC 60601-2-35, Cl.201.7
1605	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating Devices Using Blankets, Pads And Mattresses And Intended For Heating In Medical Use	Impact Test	IEC 80601-2-35,Cl.201.15
1606	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Impedance and current carrying capability	IEC 60601-2-35, Cl.201.8
1607	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Impedance and current carrying capability	IEC 60601-2-35, Cl.201.8
1608	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Leakage current and Patient auxiliary current	IEC 80601-2- 35,Cl.201.8
1609	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	IEC 60601-2-35, Cl.201.8
1610	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating Devices Using Blankets, Pads And Mattresses And Intended For Heating In Medical Use	Mould Stress Test	IEC 80601-2-35,Cl.201.15
1611	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating devices using blankets, pads and mattresses and intended for heating in medical use	Strength of patient or Operator support or suspension system	IEC 80601-2- 35,Cl.201.9
1612	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Heating Devices Using Blankets, Pads And Mattresses And Intended For Heating In Medical Use	Voltage measurement	IEC 80601-2-35,Cl.201.8
1613	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories,	Resistance to abnormal heat(Ball Pressure Test)	IEC 60601- 2-2,Cl.201.8
1614	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Creepage & Clearance distances	IEC 60601-2- 2,Cl.201.8
1615	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Dielectric Strength	IEC 60601-2- 2,Cl.201.8.8.3
1616	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Humidity preconditioning	IEC 60601-2-2, Cl.201.5

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 110 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1617	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Push Test, 250 N deflection	IEC 60601-2- 2,Cl.201.15
1618	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Thermal requirement, Temperature rise, maximum Temperature, Protection against Excessive temperature, Transformer Heating, Protection against Excessive temperature and other hazards	IEC 60601-2- 2,Cl.201.11
1619	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Accessible parts- test finger, Test Pin, Test Hook	IEC 60601-2-2,Cl.201.5
1620	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High Frequency Surgical Equipment And High Frequency Surgical Accessories	Cord anchorage test (Power supply cord)	IEC 60601-2-2, Cl.201.8
1621	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Durability of Markings	IEC 60601- 2-2,Cl.201.7
1622	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Impact Test	IEC 60601-2-2, Cl.201.15
1623	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Instability, overbalance, Stability	IEC 60601-2-2:,Cl.201.9
1624	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical Accessories	Leakage current & patient auxiliary current	IEC 60601-2-2: 2017,Cl. 201.8
1625	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Mould Stress relief test	IEC 60601-2-2,Cl.201.15
1626	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Power Input	IEC 60601-2- 2,Cl.201.4
1627	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Strength of patient or Operator support or suspension system	IEC 60601-2- 2,Cl.201.9
1628	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Tensile safety factor test	IEC 60601-2- 2,Cl.201.9
1629	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories	Test for Protective Earthing	IEC 60601- 2-2: Cl. 201.8
1630	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High Frequency Surgical Equipment And High Frequency Surgical Accessories	Voltage measurement	IEC 60601-2-2, Cl.201.8
1631	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High frequency surgical equipment and high frequency surgical accessories.	Drop test	IEC 60601-2-2,Cl.201.15
1632	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Accessible parts , Test Hook and Test Finger test	IEC 60601-2-62, Cl. 201.5
1633	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Creepage and Clearance	IEC 60601-2-62, Cl. 201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	111 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1634	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Di electric strength Test	IEC 60601-2-62, Cl. 201.8.8.3
1635	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Humidity Preconditioning	IEC 60601-2-62, Cl. 201.5
1636	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Protection against Excessive temperature & other hazards	IEC 60601-2-62, Cl. 201.11
1637	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Push Test	IEC 60601-2-62, Cl. 201.15
1638	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High Intensity Therapeutic Ultrasound (HITU) Equipment	Cord anchorage test (power supply cord)	IEC 60601-2-62, Cl. 201.8
1639	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High Intensity Therapeutic Ultrasound (HITU) Equipment	Drop Test	IEC 60601-2- 62, Cl. 201.15
1640	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Durability of marking	IEC 60601-2-62, Cl. 201.7
1641	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High Intensity Therapeutic Ultrasound (HITU) Equipment	Impact Test	IEC 60601-2-62, Cl. 201.15
1642	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Instability overbalance	IEC 60601-2-62, Cl. 201.9
1643	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Leakage current and auxillary currents	IEC 60601-2-62, Cl. 201.8
1644	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Mechanical strength and resistance to heat (Ball pressure test)	IEC 60601-2-62, Cl. 201.8
1645	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High Intensity Therapeutic Ultrasound (HITU) Equipment	Mould Stress Relief Test	IEC 60601-2-62, Cl. 201.15
1646	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Power input	IEC 60601-2-62, Cl. 201.4
1647	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Tensile safety factor	IEC 60601-2-62, Cl. 201.9
1648	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensity therapeutic ultrasound (HITU) equipment	Test for protective earthing	IEC 60601-2-62, Cl. 201.8
1649	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High Intensity Therapeutic Ultrasound (HITU) Equipment	Voltage measurement	IEC 60601-2-62, Cl. 201.8
1650	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	High intensitytherapeutic ultrasound (HITU) equipment	Strength of patient or operator support or suspension system	IEC 60601-2-62, Cl. 201.9
1651	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home Healthcare Environment Ventilators For Ventilator Dependent Patients	Drop test	ISO 80601-2 -72,C l.201.15

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 112 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1652	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home Healthcare Environment Ventilators For Ventilator Dependent Patients	Impact Test	ISO 80601-2-72,C l.201.15
1653	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home Healthcare Environment Ventilators For Ventilator Dependent Patients	Mould Stress Test	ISO 80601-2-72,C l.201.15
1654	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Creepage and clearance	ISO 80601-2- 72,Cl.201.8
1655	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Strength of patient or Operator support or suspension system	ISO 80601-2- 72,Cl.201.9
1656	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Accessible parts , Test finger & Test Hook Test	ISO 80601-2- 72,Cl.201.5
1657	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Di electric Strength Test	ISO 80601-2- 72,Cl.201.8
1658	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Protection against Excessive temperatures & other hazards	ISO 80601-2- 72,Cl.201.11
1659	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Push Test	ISO 80601-2- 72,Cl.201.15
1660	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Durability of markings	ISO 80601-2- 72,Cl.201.7
1661	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Humidity Preconditioning	ISO 80601-2-72,Cl.201.5
1662	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Impedance and current carrying capability	ISO 80601-2- 72,Cl.201.8
1663	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Impedance and current carrying capability	ISO 80601-2- 72,Cl.201.8
1664	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Instability over balance	ISO 80601-2-72,Cl.201.9
1665	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Leakage current and Patient auxiliary current	ISO 80601-2- 72,Cl.201.8
1666	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	ISO 80601-2- 72,Cl.201.8
1667	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Power input	ISO 80601-2- 72,Cl.201.4
1668	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home healthcare environment ventilators for ventilator-dependent patients	Tensile safety factor	ISO 80601-2- 72,Cl.201.9
1669	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Instability overbalance	IEC 60601-2-83, Cl. 201.9

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 113 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1670	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Leakage current and auxillary currents	IEC 60601-2-83, Cl. 201.8
1671	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Power input	IEC 60601-2-83, Cl. 201.4
1672	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Strength of patient or operator support or suspension system	IEC 60601-2-83, Cl. 201.9
1673	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Tensile safety factor	IEC 60601-2-83, Cl. 201.9
1674	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Accessible parts , Test Hook and Test Finger test	IEC 60601-2-83, Cl. 201.5
1675	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Creepage and Clearance	IEC 60601-2-83, Cl. 201.8
1676	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Di electric strength Test	IEC 60601-2-83, Cl. 201.8
1677	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Humidity Preconditioning	IEC 60601-2-83, Cl. 201.5
1678	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Protection against Excessive temperature & other hazards	IEC 60601-2-83, Cl. 201.11
1679	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Push Test	IEC 60601-2-83, Cl. 201.15
1680	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home Light Therapy Equipment	Cord anchorahe test (Power supply cord)	IEC 60601-2-83, Cl. 201.8
1681	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Durability of marking	IEC 60601-2-83, Cl. 201.7
1682	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Instability overbalance	IEC 60601-2-83, Cl. 201.9
1683	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Leakage current and auxillary currents	IEC 60601-2-83, Cl. 201.8
1684	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Mechanical strength and resistance to heat (Ball pressure test)	IEC 60601-2-83, Cl. 201.8
1685	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Power input	IEC 60601-2-83, Cl. 201.4
1686	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Strength of patient or operator support or suspension system	IEC 60601-2-83, Cl. 201.9
1687	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Tensile safety factor	IEC 60601-2-83, Cl. 201.9

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 114 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1688	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home light therapy equipment	Test for protective earthing	IEC 60601-2-83, Cl. 201.8:
1689	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Home Light Therapy Equipment	Voltage measurement	IEC 60601-2-83, Cl. 201.8
1690	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Homelight therapy equipment	Drop Test	IEC 60601-2- 83, Cl. 201.15
1691	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Homelight therapy equipment	Impact Test	IEC 60601-2-83, Cl. 201.15
1692	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Homelight therapy equipment	Mould Stress Relief Test	IEC 60601-2- 83, Cl. 201.15
1693	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Accessible parts test, Test finger and hook test	IEC 60601-2-19, Cl. 201.5
1694	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Creepage and clearance distances	IEC 60601-2-19, Cl. 201.8
1695	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Di electric strength Test	IEC 60601-2-19, Cl. 201.8
1696	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Protection against Excessive temperature & other hazards	IEC 60601-2-19, Cl. 201.11
1697	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Push Test	IEC 60601-2-19, Cl. 201.15
1698	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Incubators	Drop test	IEC 60601-2-19,Cl.201.15
1699	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Durability of Markings	IEC 60601-2-19, Cl. 201.7
1700	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Humidity Preconditioning	IEC 60601-2-19, Cl. 201.5
1701	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Incubators	Impact test	IEC 60601-2-19,Cl.201.15
1702	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Impedance and current carrying capability	IEC 60601-2-19, Cl. 201.8
1703	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Leakage current and patient auxiliary currents	IEC 60601-2-19, Cl. 201.8
1704	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Mechanical strength and resistance to heat (ball pressure test)	IEC 60601-2-19, Cl. 201.8
1705	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Incubators	Mould stress relief test	IEC 60601-2-19,Cl.201.15

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 115 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1706	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Power input	IEC 60601-2-19, Cl. 201.4
1707	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Strength of patient or operator support or suspension system	IEC 60601-2-19, Cl. 201.9
1708	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant incubators	Tensile safety factor	IEC 60601-2-19, Cl. 201.9
1709	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Accessible parts , Test Hook and Test Finger test	IEC 60601-2-50, Cl. 201.5
1710	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Creepage and Clearance	IEC 60601-2-50, Cl. 201.8
1711	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Di electric strength Test	IEC 60601-2-50, Cl. 201.8
1712	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Protection against Excessive temperature & other hazards	IEC 60601-2-50, Cl. 201.11
1713	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Push Test	IEC 60601-2-50, Cl. 201.15
1714	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Phototherapy Equipment	Cord anchorage test (Power supply cord)	IEC 60601-2-50, Cl.201.8
1715	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Phototherapy Equipment	Drop Test	IEC 60601-2-50, Cl. 201.15
1716	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Durability of marking	IEC 60601-2-50, Cl. 201.7
1717	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Humidity Preconditioning	IEC 60601-2-50, Cl. 201.5
1718	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Phototherapy Equipment	Impact Test	IEC 60601-2-50, Cl. 201.15
1719	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Instability overbalance	IEC 60601-2-50, Cl. 201.9
1720	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Leakage current and auxillary currents	IEC 60601-2-50, Cl. 201.8
1721	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Mechanical strength and resistance to heat (Ball pressure test)	IEC 60601-2-50, Cl. 201.8
1722	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Phototherapy Equipment	Mould Stress Relief Test	IEC 60601-2-50, Cl. 201.15
1723	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Strength of patient or operator support or suspension system	IEC 60601-2-50, Cl. 201.9

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	116 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1724	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Tensile safety factor	IEC 60601-2-50, Cl. 201.9
1725	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant phototherapy equipment	Test for protective earthing	IEC 60601-2-50, Cl. 201.8
1726	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Phototherapy Equipment	Voltage measurement	IEC 60601-2-50, Cl.201.8
1727	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Accessible parts test, Test finger and hook test	IEC 60601-2- 21, Cl. 201.5
1728	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Creepage and clearance distances	IEC 60601-2- 21, Cl. 201.8
1729	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Di electric strength Test	IEC 60601-2- 21, Cl. 201.8
1730	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Protection against Excessive temperature & other hazards	IEC 60601-2- 21, Cl. 201.11
1731	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Push Test	IEC 60601-2- 21, Cl. 201.15
1732	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Radiant Warmers	Cord anchorage test (Power supply cord)	IEC 60601-2-21,Cl.201.8
1733	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Radiant Warmers	Drop test	IEC 60601-2-21,Cl.201.15
1734	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Durability of Markings	IEC 60601-2- 21, Cl. 201.7
1735	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Humidity Preconditioning	IEC 60601-2-21, Cl. 201.5
1736	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Radiant Warmers	Impact test	IEC 60601-2-21,Cl.201.15
1737	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Impedance and current carrying capability	IEC 60601-2- 21, Cl. 201.8
1738	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Instability overbalance	IEC 60601-2-21, Cl. 201.9
1739	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Leakage current and patient auxillary currents	IEC 60601-2- 21, Cl. 201.8
1740	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Mechanical strength and resistance to heat (ball pressure test)	IEC 60601-2- 21, Cl. 201.8
1741	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Radiant Warmers	Mould stress relief test	IEC 60601-2-21,Cl.201.15

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 117 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1742	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Power input	IEC 60601-2- 21, Cl. 201.4
1743	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	infant radiant warmers	Strength of patient or operator support or suspension system	IEC 60601-2- 21, Cl. 201.9
1744	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant radiant warmers	Tensile safety factor	IEC 60601-2- 21, Cl. 201.9
1745	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Radiant Warmers	Voltage measurement	IEC 60601-2-21,Cl.201.8
1746	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Accessible parts test, Test finger and hook test	IEC 60601-2-20, Cl. 201.5
1747	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Creepage and clearance distances	IEC 60601-2-20, Cl. 201.8
1748	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Di electric strength Test	IEC 60601-2-20, Cl. 201.8
1749	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Protection against Excessive temperature & other hazards	IEC 60601-2-20, Cl. 201.11
1750	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Push Test	EC 60601-2-20, Cl. 201.15
1751	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Transport Incubators	Cord anchorage test (Power supply cord)	IEC 60601-2-20, Cl. 201.8
1752	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Transport Incubators	Drop test	IEC 60601-2-20,Cl.201.15
1753	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Durability of Markings	IEC 60601-2-20, Cl. 201.7
1754	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Humidity Preconditioning	IEC 60601-2-20, Cl. 201.5
1755	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Transport Incubators	Impact test	IEC 60601-2-20,Cl.201.15
1756	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Impedance and current carrying capability	IEC 60601-2-20, Cl. 201.8
1757	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Instability overbalance	IEC 60601-2-20, Cl. 201.9
1758	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Leakage current and patient auxillary currents	IEC 60601-2-20, Cl. 201.8
1759	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Mechanical strength and resistance to heat (ball pressure test)	IEC 60601-2-20, Cl. 201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	118 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1760	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Transport Incubators	Mould stress relief test	IEC 60601-2-20,Cl.201.15
1761	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Power input	IEC 60601-2-20, Cl. 201.4
1762	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	infant transport incubators	Strength of patient or operator support or suspension system	IEC 60601-2-20, Cl. 201.9
1763	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant transport incubators	Tensile safety factor	EC 60601-2-20, Cl. 201.9
1764	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infant Transport Incubators	Voltage measurement	IEC 60601-2-20, Cl. 201.8
1765	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Leakage current & patient auxiliary current	IEC 60601-2-24, Cl. 201.8
1766	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Power Input	IEC 60601-2-24:Cl. 201.4
1767	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Strength of patient or Operator support or suspension system	IEC 60601-2-24:Cl. 201.9
1768	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Tensile safety factor test	IEC 60601-2-24:Cl. 201.9
1769	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Creepage & Clearance distances	IEC 60601-2-24:Cl. 201.8
1770	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Dielectric Strength	IEC 60601-2-24:Cl. 201.8
1771	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Push Test, 250 N deflection	IEC 60601-2-24:Cl. 201.15
1772	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Resistance to abnormal heat(Ball Pressure Test)	IEC 60601-2-24:Cl.201.8
1773	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Thermal requirement, Temperature rise, maximum Temperature, Protection against Excessive temperature, Transformer Heating, Protection against Excessive temperature and other hazards	IEC 60601-2-24:Cl. 201.11
1774	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Test for Protective Earthing	IEC 60601-2-24, Cl. 201.8
1775	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Accessible parts- test finger, Test Pin, Test Hook	IEC 60601-2-24:Cl.201.5
1776	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion Pumps And Controllers	Cord anchorage test (Power supply cord)	IEC 60601-2-24:Cl.201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	119 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1777	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Drop test	IEC 60601-2-24:Cl.201.15
1778	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Durability of Markings	IEC 60601-2-24:Cl.201.7
1779	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Humidity preconditioning	IEC 60601-2-24:Cl. 201.5
1780	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Impact Test	IEC 60601-2-24:Cl.201.15
1781	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Instability, overbalance, Stability	IEC 60601-2- 24:,Cl.201.9
1782	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion pumps and controllers	Mould Stress relief test	IEC 60601-2-24:Cl.201.15
1783	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Infusion Pumps And Controllers	Voltage measurement	IEC 60601-2-24:Cl.201.8
1784	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive Arterial Blood Pressure (IBP)	Temperature rise, Protection against excessive temperature, Protection against excessive temperature and other hazards	IEC 60601-2-34,Cl.201.11
1785	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Leakage current & patient auxiliary current	IEC 60601-2-34, Cl. 201.8
1786	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Power input	IEC 60601-2-34,Cl.201.4
1787	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Tensile safety factor test	IEC 60601-2-34,Cl.201.9
1788	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 60601-2-34, Cl. 201.8
1789	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Accessible parts- test finger, Test Pin, Test Hook	IEC 60601-2-34,Cl.201.5
1790	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Creepage & Clearance distances	IEC 60601-2-34,Cl.201.8
1791	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Creepage Distance & Air Clearances	IEC 60601-2-34, Cl.201.8
1792	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Dielectric Strength	IEC 60601-2-34,Cl.201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	120 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1793	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Push Test	IEC 60601-2-34,Cl.201.15
1794	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive Blood Pressure Monitoring Equipment	Cord anchorage test (Power supply cord)	IEC 60601-2-34, Cl.201.8
1795	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Drop test, Construction of ME equipment	BS EN 60601-2-34, Cl.201.15.3.4/ IEC 60601-2-34, Cl.201.15.3.4
1796	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Durability of markings	IEC 60601-2- 34,Cl.201.7
1797	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Humidity Preconditioning Treatment	BS EN 60601-2-34,Cl.201.5/IEC 60601-2-34,Cl.201.5
1798	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Impact Test, Construction of ME equipment.	BS EN 60601-2-34, Cl.201.15/ IEC 60601-2-34, Cl.201.15
1799	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Instability overbalance, Stability	IEC 60601-2- 34,Cl.201.9
1800	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Mould Stress relief test	BS EN 60601-2-34, Cl.201.15.3.4/ IEC 60601-2-34, Cl.201.15.3.4
1801	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive blood pressure monitoring equipment	Strength of patient or operator support or suspension system	IEC 60601-2-34,Cl.201.9
1802	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Invasive Blood Pressure Monitoring Equipment	Voltage measurement	IEC 60601-2-34, Cl.201.8
1803	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Humidity Preconditioning	IEC 80601-2-58,Cl. 201.5
1804	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Instability over balance	IEC 80601- 2-58, Cl. 201.9
1805	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Leakage current and Patient auxiliary current	IEC 80601-2-58, Cl. 201.8
1806	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Power input	IEC 80601- 2-58, Cl. 201.4
1807	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Strength of patient or Operator support or suspension system	IEC 80601-2-58, Cl. 201.9
1808	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Tensile safety factor	IEC 80601-2-58, Cl. 201.9
1809	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Accessible parts , Test finger & Test Hook Test	IEC 80601-2-58, Cl. 201.5
1810	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Creepage and clearance	IEC 80601-2-58, Cl. 201.8

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 121 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1811	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Di electric Strength Test	IEC 80601-2-58, Cl. 201.8
1812	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Protection against Excessive temperatures & other hazards	IEC 80601-2-58,Cl. 201.11
1813	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Push Test	IEC 80601-2-58, Cl. 201.15
1814	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens Removal Devices And Vitrectomy Devices For Ophthalmic Surgery	Cord anchorage test (Power supply cord)	IEC 80601-2-58,Cl.201.8
1815	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens Removal Devices And Vitrectomy Devices For Ophthalmic Surgery	Drop test	IEC 80601-2-58,Cl.201.15
1816	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Durability of markings	IEC 80601- 2-58, Cl. 201.7
1817	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Humidity Preconditioning	IEC 80601-2-58,Cl. 201.5
1818	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens Removal Devices And Vitrectomy Devices For Ophthalmic Surgery	Impact Test	IEC 80601-2-58,Cl.201.15
1819	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Impedance and current carrying capability	IEC 80601- 2-58, Cl. 201.8
1820	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Impedance and current carrying capability	IEC 80601- 2-58, Cl. 201.8
1821	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Instability over balance	IEC 80601- 2-58, Cl. 201.9
1822	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Leakage current and Patient auxiliary current	IEC 80601-2-58, Cl. 201.8
1823	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	IEC 80601- 2-58, Cl. 201.8
1824	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens Removal Devices And Vitrectomy Devices For Ophthalmic Surgery	Mould Stress Test	IEC 80601-2-58,Cl.201.15
1825	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Power input	IEC 80601- 2-58, Cl. 201.4
1826	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Strength of patient or Operator support or suspension system	IEC 80601-2-58, Cl. 201.9
1827	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens removal devices and vitrectomy devices for ophthalmic surgery	Tensile safety factor	IEC 80601-2-58, Cl. 201.9
1828	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Lens Removal Devices And Vitrectomy Devices For Ophthalmic Surgery	Voltage measurement	IEC 80601-2-58,Cl.201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	122 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1829	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Humidity Preconditioning Treatment	IEC 60601-2- 52,Cl. 201.5
1830	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Accessible parts- test finger, Test Pin, Test Hook	IEC 60601-2- 52,Cl. 201.5
1831	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Creepage & Clearance distances	IEC 60601-2- 52,Cl. 201.8
1832	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Dielectric Strength	IEC 60601-2- 52,Cl. 201.8
1833	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Push Test	IEC 60601-2- 52,Cl. 201.15
1834	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Temperature rise, Protection against excessive temperature, Protection against excessive temperature and other hazards	IEC 60601-2- 52,Cl. 201.11
1835	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Beds	Cord anchorage test (Power supply cord)	IEC 60601- 2-52,Cl. 201.8
1836	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Drop test, Construction of ME equipment	IEC 60601-2- 52,Cl. 201.15
1837	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Durability of markings	IEC 60601-2-52,Cl. 201.7
1838	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Humidity Preconditioning Treatment	IEC 60601-2- 52,Cl. 201.5
1839	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Impact Test, Construction of ME equipment	IEC 60601-2- 52,Cl. 201.15
1840	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Instability overbalance, Stability	IEC 60601-2-52,Cl. 201.9
1841	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Leakage current & patient auxiliary current	IEC 60601-2-52, Cl. 201.8
1842	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Mould Stress relief test	IEC 60601-2- 52,Cl. 201.15
1843	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Power input	IEC 60601-2- 52,Cl. 201.4
1844	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Strength of patient or operator support or suspension system	IEC 60601-2- 52,Cl. 201.9
1845	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Tensile safety factor test	IEC 60601-2- 52,Cl. 201.9

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	123 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1846	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 60601-2-52, Cl. 201.8
1847	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Beds	Voltage measurement	IEC 60601- 2-52,Cl. 201.8
1848	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical beds Automated non-invasive sphygmomanometers	Creepage & Clearance distances	IEC 80601-2- 30,Cl.201.8
1849	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Accessible parts - test finger, Test Pin, Test Hook	IS 13450 : Part 1 , Cl. 5.9.2.1 & 5.9.2.2.
1850	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Accessible parts- test finger, Test Pin, Test Hook	IEC 60601-1:2005+AMD1:2012+AMD2, Cl.5.9.2.1 & 5.9.2.2
1851	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Cord anchorage test (Power supply cord)	IEC 60601-1:2005+AMD1:2012+AMD2, Cl. 8.11.3.5
1852	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Creepage & Clearance distances	IS 13450 : Part 1 , Cl. 8.9
1853	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Creepage & Clearance distances	IEC 60601-1:2005+AMD1:2012+AMD2, Cl. 8.9
1854	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Dielectric Strength - Withstand test	IEC 60601-1:2005+AMD1:2012+AMD2, Cl. 8.8.3
1855	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Dielectric Withstand Strength	IS 13450 : Part 1 , Cl. 8.8.3
1856	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Drop test	IEC 60601-1:2005+AMD1:2012+AMD2, Cl.15.3.4
1857	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Drop test, Construction of ME equipment	IS 13450 : Part 1 , Cl. 15.3.4
1858	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Durability of Markings	IEC 60601-1:2005+AMD1:2012+AMD2, Cl.7.1.3
1859	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Durability of markings	IS 13450 : Part 1 , Cl. 15.3.4

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	124 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1860	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Humidity preconditioning	IEC 60601-1:2005+AMD1:2012+AMD2, Cl. 5.7
1861	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Humidity Preconditioning Treatment	IS 13450 : Part 1 , Cl. 15.3.4
1862	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Impact Test	IEC 60601-1:2005+AMD1:2012+AMD2, Cl.15.3.4
1863	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Impact Test	IS 13450-1, Cl. 15.3.3
1864	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Instability overbalance - Stability test	IS 13450-1, Cl. 15.3.4
1865	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Instability, overbalance, Stability	IEC 60601-1:2005+AMD1:2012+AMD2, Cl.9.4.2.1 & 9.4.2.2
1866	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Leakage current & patient auxiliary current	IEC 60601-1:2005+AMD1:2012+AMD2, Cl. 8.7
1867	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Leakage current & patient auxiliary current	IS 13450-1, Cl. 8.7
1868	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Mechanical strength and resistance to heat	IS 13450-1, Cl. 8.8.4.1
1869	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Mould Stress relief test	IEC 60601-1:2005+AMD1:2012+AMD2, Cl.15.3.6
1870	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Mould Stress relief test	IS 13450-1, Cl. 15.3.4
1871	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Power Input	IEC 60601-1:2005+AMD1:2012+AMD2, Cl. 4.11
1872	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Power input	IS 13450 : Part 1 , Cl. 4.11
1873	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Push Test	IS 13450 : Part 1 , Cl. 15.3.2
1874	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Push Test, 250 N deflection	IEC 60601-1:2005+AMD1:2012+AMD2, Cl. 15.3.2
1875	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Resistance to abnormal heat (Ball Pressure Test)	IEC 60601-1:2005+AMD1:2012+AMD2, Cl. 8.8.4.1

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	125 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1876	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Strength of patient or operator support or suspension system	IS 13450 : Part 1 , Cl. 9.8.3
1877	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Temperature rise, Protection against excessive temperature, Protection against excessive temperature and other hazards	IS 13450 : Part 1 , Cl. 11
1878	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Tensile safety factor test	IEC 60601-1:2005+AMD1:2012+AMD2 ,Cl. 9.8.2
1879	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Tensile safety factor test	IS 13450 : Part 1 , Cl. 9.8.2
1880	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment	Test for Protective Earthing	IEC 60601-1:2005+AMD1:2012+AMD2, Cl. 8.6.4
1881	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IS 13450-1, Cl. 8.6.4
1882	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Electrical Equipment	Voltage measurement	IEC 60601-1:2005+AMD1:2012+AMD2, Cl. 8.4.3
1883	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment - Home healthcare environment	Accessible parts- test finger, Test Pin, Test Hook	IEC 60601-1-11, Cl.5
1884	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical equipment - Home healthcare environment	Push Test, 250 N deflection	IEC 60601-1-11, Cl. 10.1.1
1885	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical systems used in the home healthcare environment	Accessible parts- test finger, Test Pin, Test Hook	IEC 60601-1-11, Cl. 5
1886	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical systems used in the home healthcare environment	Drop test	IEC 60601-1-11, Cl. 10.1.1
1887	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical electrical systems used in the home healthcare environment	Impact Test	IEC 60601-1-11, Cl. 10.1.1
1888	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Accessible parts- test finger, Test Pin, Test Hook	ISO 11197, Cl.201.5
1889	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Creepage & Clearance distances	ISO 11197, Cl.201.8
1890	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Dielectric Strength	ISO 11197, Cl.201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	126 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1891	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Mechanical strength and resistance to heat	ISO 11197, Cl.201.8
1892	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Push Test	ISO 11197, Cl.201.15
1893	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Temperature rise, Protection against excessive temperature, Protection against excessive temperature and other hazards	ISO 11197, Cl.201.11
1894	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Drop test, Construction of ME equipment	ISO 11197, Cl.201.15
1895	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Durability of markings	ISO 11197, Cl.201.15
1896	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Humidity Preconditioning Treatment	ISO 11197, Cl.201.15
1897	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Impact Test	ISO 11197, Cl.201.15
1898	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Instability overbalance, Stability	ISO 11197, Cl.201.15
1899	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Leakage current & patient auxiliary current	ISO 11197, Cl. 201.8
1900	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Mould Stress relief test	ISO 11197, Cl.201.15
1901	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Power input	ISO 11197, Cl.201.4
1902	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Strength of patient or operator support or suspension system	ISO 11197, Cl.201.9
1903	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Tensile safety factor test	ISO 11197, Cl.201.9.8.2
1904	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Medical Supply Units	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	ISO 11197, Cl.201.8
1905	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction Patient monitor	Leakage current & patient auxiliary current	IEC 80601-2- 49, Cl.201.8
1906	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Humidity Preconditioning Treatment	IEC 80601-2- 49,Cl.201.5

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 127 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1907	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Instability overbalance, Stability	IEC 80601-2- 49,Cl.201.9
1908	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Power input	IEC 80601-2- 49,Cl.201.4
1909	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Strength of patient or operator support or suspension system	IEC 80601-2- 49,Cl.201.15
1910	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Accessible parts- test finger, Test Pin, Test Hook	IEC 80601-2- 49,Cl.201.5
1911	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Creepage & Clearance distances	IEC 80601-2- 49,Cl.201.8
1912	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Dielectric Strength	IEC 80601-2- 49,Cl.201.8
1913	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Push Test	IEC 80601-2- 49,Cl.201.15
1914	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Temperature rise, Protection against excessive temperature, Protection against excessive temperature and other hazards	IEC 80601-2- 49,Cl.201.11
1915	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Mechanical strength and resistance to heat	IEC 80601-2-49, Cl.201.8
1916	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 80601-2-49, Cl. 201.8
1917	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction Patient Monitors	Cord anchorage test (Power supply cord)	IEC 80601-2-49,Cl.201.8
1918	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Drop test, Construction of ME equipment	IEC 80601-2- 49,Cl.201.15
1919	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Durability of markings	IEC 80601-2- 49,Cl.201.7
1920	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Impact Test, Construction of ME equipment	IEC 80601-2- 49,Cl.201.15
1921	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Mould Stress relief test	IEC 80601-2- 49,Cl.201.15
1922	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Tensile safety factor test	IEC 80601-2- 49,Cl.201.15

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 128 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1923	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Multifunction patient monitors	Voltage measurement	IEC 80601-2-49,Cl.201.8
1924	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Leakage current & patient auxiliary current	IEC 60601-2-10, Cl. 201.8
1925	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Tensile safety factor test	IEC 60601-2- 10,Cl.201.9
1926	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Creepage & Clearance distances	IEC 60601-2- 10,Cl.201.8
1927	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Dielectric Strength	IEC 60601-2- 10,Cl.201.8
1928	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Humidity preconditioning	IEC 60601-2- 10,Cl.201.5
1929	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Push Test, 250 N deflection	IEC 60601-2- 10,Cl.201.15
1930	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Push Test, 250 N deflection	IEC 60601-2-11,Cl. 201.15
1931	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Resistance to abnormal heat(Ball Pressure Test)	IEC 60601-2- 10,Cl.201.8
1932	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Test for Protective Earthing	IEC 60601-2-10, Cl. 201.8
1933	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Thermal requirement, Temperature rise, maximum Temperature, Protection against Excessive temperature, Transformer Heating, Protection against Excessive temperature and other hazards	IEC 60601-2- 10,Cl.201.11
1934	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Accessible parts- test finger, Test Pin, Test Hook	IEC 60601-2- 10,Cl.201.5
1935	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve And Muscle stimulators	Cord anchorage test (Power supply cord)	IEC 60601-2-10, Cl.201.8
1936	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Drop test	IEC 60601-2- 10,Cl.201.15
1937	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Durability of Markings	IEC 60601-2- 10,Cl.201.7
1938	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Electrode test	IEC 60601-2-10, Cl 201.12.2.101
1939	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Impact Test	IEC 60601-2- 10,Cl.201.15

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 129 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1940	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Instability, overbalance, Stability	IEC 60601-2- 10,Cl.201.9
1941	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Leakage current & patient auxiliary current	IEC 60601-2-10, Cl. 201.8
1942	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Limitation of output parameters	IEC 60601-2-10:Cl.201.12.4.104
1943	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Mould Stress relief test	IEC 60601-2- 10,Cl.201.15
1944	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Power Input	IEC 60601-2- 10, Cl.201.4 .11
1945	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Power Input	IEC 60601-2- 10,Cl.201.4 .11
1946	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve And Muscle stimulators	Pulse Parameters	IEC 60601-2-10, Cl.201.12.1.102
1947	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Strength of patient or Operator support or suspension system	IEC 60601-2- 10,Cl.201.9
1948	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve And Muscle stimulators	Supply voltage fluctuations	IEC 60601-2-10, Cl.201.12.4.101
1949	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve and muscle stimulators	Tensile safety factor test	IEC 60601-2- 10,Cl.201.9
1950	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Nerve And Muscle stimulators	Voltage measurement	IEC 60601-2-10, Cl.201.8
1951	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Accessible parts , Test Hook and Test Finger test	IEC 60601-2- 57, Cl. 201.5
1952	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Creepage and Clearance	IEC 60601-2- 57, Cl. 201.8
1953	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Di electric strength Test	IEC 60601-2- 57, Cl. 201.8
1954	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Protection against Excessive temperature & other hazards	IEC 60601-2- 57, Cl. 201.11
1955	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Push Test	IEC 60601-2- 57, Cl. 201.15
1956	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-Laser Light Source Equipment Intended For Therapeutic, Diagnostic, Monitoring And Cosmetic/Aesthetic Use	Cord anchorage test (Power supply cord)	IEC 60601-2-57, Cl.201.8
1957	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-Laser Light Source Equipment Intended For Therapeutic, Diagnostic, Monitoring And Cosmetic/Aesthetic Use	Drop Test	IEC 60601-2-57, Cl. 201.15

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 130 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1958	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Durability of marking	IEC 60601-2- 57, Cl. 201.7
1959	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Humidity Preconditioning	IEC 60601-2-57, Cl. 201.5
1960	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-Laser Light Source Equipment Intended For Therapeutic, Diagnostic, Monitoring And Cosmetic/Aesthetic Use	Impact Test	IEC 60601-2-57, Cl. 201.15
1961	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Instability overbalance	IEC 60601-2- 57, Cl. 201.9
1962	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Leakage current and auxillary currents	IEC 60601-2- 57, Cl. 201.8
1963	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Mechanical strength and resistance to heat (Ball pressure test)	IEC 60601-2- 57, Cl. 201.8
1964	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-Laser Light Source Equipment Intended For Therapeutic, Diagnostic, Monitoring And Cosmetic/Aesthetic Use	Mould Stress Relief Test	IEC 60601-2-57, Cl. 201.15
1965	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Power input	IEC 60601-2- 57, Cl. 201.4
1966	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Strength of patient or operator support or suspension system	IEC 60601-2- 57, Cl. 201.9
1967	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Tensile safety factor	IEC 60601-2- 57, Cl. 201.9
1968	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use	Test for protective earthing	IEC 60601-2- 57, Cl. 201.8
1969	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Non-Laser Light Source Equipment Intended For Therapeutic, Diagnostic, Monitoring And Cosmetic/Aesthetic Use	Voltage measurement	IEC 60601-2-57, Cl.201.8
1970	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Accessible parts , Test Hook and Test Finger test	IEC 60601-2- 46, Cl. 201.5
1971	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Creepage and Clearance	IEC 60601-2- 46, Cl. 201.8
1972	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Di electric strength Test	IEC 60601-2- 46, Cl. 201.8
1973	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Protection against Excessive temperature & other hazards	IEC 60601-2- 46, Cl. 201.11
1974	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Push Test	IEC 60601-2- 46, Cl. 201.15

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	131 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1975	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating Tables	Cord anchorage test (Power supply cord)	IEC 60601-2-46, Cl. 201.8
1976	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating Tables	Drop Test	IEC 60601-2- 46, Cl. 201.15
1977	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Durability of markings	IEC 60601-2- 46, Cl. 201.7
1978	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Humidity Preconditioning	IEC 60601-2- 46, Cl. 201.5
1979	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating Tables	Impact Test	IEC 60601-2- 46, Cl. 201.15
1980	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Instability overbalance	IEC 60601-2-46, Cl. 201.9
1981	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Leakage current and auxillary currents	IEC 60601-2- 46, Cl. 201.8
1982	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Mechanical strength and resistance to heat (Ball pressure test)	IEC 60601-2- 46, Cl. 201.8
1983	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating Tables	Mould Stress Relief Test	IEC 60601-2- 46, Cl. 201.15
1984	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Power input	IEC 60601-2- 46, Cl. 201.4
1985	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Strength of patient or operator support or suspension system	IEC 60601-2- 46, Cl. 201.9
1986	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Tensile safety factor	IEC 60601-2- 46, Cl. 201.9
1987	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating tables	Test for protective earthing	IEC 60601-2- 46, Cl. 201.8
1988	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Operating Tables	Voltage measurement	IEC 60601-2-46, Cl. 201.8
1989	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Accessible parts , Test finger & Test Hook Test	ISO 80601-2- 69,Cl.201.5
1990	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Creepage and clearance	ISO 80601-2- 69,Cl.201.8
1991	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Di electric Strength Test	ISO 80601-2- 69,Cl.201.8
1992	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Humidity Preconditioning	ISO 80601-2- 69,Cl.201.5

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	132 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1993	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Protection against Excessive temperatures & other hazards	ISO 80601-2- 69,Cl.201.11
1994	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	oxygen concentrator equipment	Push Test	ISO 80601-2- 69,Cl.201.15
1995	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Accuracy of continuous flow rate	ISO 80601-2-69, Cl. 201.12.1.101
1996	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Cord anchorage test (Power supply cord)	ISO 80601-2-69,Cl.201.8
1997	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen Concentrator Equipment	Drop test	ISO 80601-2-69,Cl.201.15
1998	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Durability of markings	ISO 80601-2- 69,Cl.201.7
1999	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen Concentrator Equipment	Impact Test	ISO 80601-2-69,Cl.201.15
2000	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Impedance and current carrying capability	ISO 80601-2- 69,Cl.201.8
2001	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Impedance and current carrying capability	ISO 80601-2- 69,Cl.201.8
2002	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Instability over balance	ISO 80601-2- 69,Cl.201.9
2003	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Leakage current and Patient auxiliary current	ISO 80601-2- 69,Cl.201.8
2004	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	ISO 80601-2- 69,Cl.201.8
2005	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen Concentrator Equipment	Mould Stress Test	ISO 80601-2-69,Cl.201.15
2006	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Power input	ISO 80601-2- 69,Cl.201.4
2007	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Strength of patient or Operator support or suspension system	ISO 80601-2- 69,Cl.201.9
2008	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Tensile safety factor	ISO 80601-2- 69,Cl.201.9
2009	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen concentrator equipment	Voltage measurement	ISO 80601- 2-69,Cl.201.8
2010	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen Conserving Equipment	Drop test	ISO 80601 -2-67,C l.201.15

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 133 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2011	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen Conserving Equipment	Impact Test	ISO 80601-2-67,C l.201.15
2012	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen Conserving Equipment	Mould Stress Test	ISO 80601 -2-67,C l.201.15
2013	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Accessible parts , Test finger & Test Hook Test	ISO 80601-2- 67,Cl.201.5
2014	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Creepage and clearance	ISO 80601-2- 67,Cl.201.8
2015	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Di electric Strength Test	ISO 80601-2- 67,Cl.201.8
2016	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Humidity Preconditioning	ISO 80601-2- 67,Cl.201.5
2017	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Protection against Excessive temperatures & other hazards	ISO 80601-2- 67,Cl.201.11
2018	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Push Test	ISO 80601-2- 67,Cl.201.15
2019	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Durability of markings	ISO 80601-2- 67,Cl.201.7
2020	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Impedance and current carrying capability	ISO 80601-2- 67,Cl.201.8
2021	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Impedance and current carrying capability	ISO 80601-2- 67,Cl.201.8
2022	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Instability over balance	ISO 80601-2- 67,Cl.201.9
2023	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	oxygen-conserving equipment	Leakage current and Patient auxiliary current	ISO 80601-2- 67,Cl.201.8
2024	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	ISO 80601-2- 67,Cl.201.8
2025	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Power input	ISO 80601-2- 67,Cl.201.4
2026	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Strength of patient or Operator support or suspension system	ISO 80601-2- 67,Cl.201.9
2027	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Oxygen-conserving equipment	Tensile safety factor	ISO 80601-2- 67,Cl.201.9
2028	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Instability overbalance	IEC 60601-2- 39, Cl. 201.9

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 134 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2029	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Power input	IEC 60601-2- 39, Cl. 201.4
2030	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Strength of patient or operator support or suspension system	IEC 60601-2-39, Cl. 201.9
2031	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Tensile safety factor	IEC 60601-2-39, Cl. 201.9
2032	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Accessible parts test, Test finger and hook test	IEC 60601-2-39, Cl. 201.5
2033	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Creepage and clearance distances	IEC 60601-2-39, Cl. 201.8
2034	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Di electric strength Test	IEC 60601-2-39, Cl. 201.8
2035	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Protection against Excessive temperature & other hazards	IEC 60601-2-39, Cl. 201.11
2036	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal Dialysis Equipment	Cord anchorage test (Power supply cord)	IEC 60601-2-39,Cl.201.8
2037	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal Dialysis Equipment	Drop test	IEC 60601-2 -39, Cl.201.15
2038	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Durability of Markings	IEC 60601-2- 39, Cl. 201.7
2039	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Humidity Preconditioning	IEC 60601-2-39, Cl. 201.5
2040	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal Dialysis Equipment	Impact test	IEC 60601-2 -39, Cl.201.15
2041	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Impedance and current carrying capability	IEC 60601-2- 39, Cl. 201.8
2042	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Leakage current and patient auxillary currents	IEC 60601-2-39, Cl. 201.8
2043	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Mechanical strength and resistance to heat (ball pressure test)	IEC 60601-2- 39, Cl. 201.8
2044	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal Dialysis Equipment	Mould stress relief test	IEC 60601-2 -39, Cl.201.15
2045	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal dialysis equipment	Push Test	IEC 60601-2-39, Cl. 201.15
2046	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Peritoneal Dialysis Equipment	Voltage measurement	IEC 60601-2-39,Cl.201.8

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 135 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2047	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Accessible parts , Test Hook and Test Finger test	IEC 60601-2-75, Cl. 201.5
2048	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Creepage and Clearance	IEC 60601-2-75, Cl. 201.8
2049	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Di electric strength Test	IEC 60601-2-75, Cl. 201.8
2050	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Protection against Excessive temperature & other hazards	IEC 60601-2-75, Cl. 201. 11
2051	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic Therapy And Photodynamic Diagnosis Equipment	Cord anchorage test (Power supply cord)	IEC 60601-2-75, Cl. 201.8
2052	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic Therapy And Photodynamic Diagnosis Equipment	Drop Test	IEC 60601-2- 75, Cl. 201.15
2053	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Durability of marking	IEC 60601-2-75, Cl. 201.7
2054	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Humidity Preconditioning	IEC 60601-2-75, Cl. 201.5
2055	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic Therapy And Photodynamic Diagnosis Equipment	Impact Test	IEC 60601-2-75, Cl. 201.15
2056	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Instability overbalance	IEC 60601-2-75, Cl. 201.9
2057	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Leakage current and auxillary currents	IEC 60601-2-75, Cl. 201.8
2058	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Mechanical strength and resistance to heat (Ball pressure test)	IEC 60601-2-75, Cl. 201.8
2059	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic Therapy And Photodynamic Diagnosis Equipment	Mould Stress Relief Test	IEC 60601-2- 75, Cl. 201.15
2060	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Power input	IEC 60601-2-75, Cl. 201.4
2061	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Strength of patient or operator support or suspension system	IEC 60601-2-75, Cl. 201. 9
2062	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Tensile safety factor	IEC 60601-2-75, Cl. 201. 9
2063	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic therapy and photodynamic diagnosis equipment	Test for protective earthing	IEC 60601-2-75, Cl. 201.8
2064	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Photodynamic Therapy And Photodynamic Diagnosis Equipment	Voltage measurement	IEC 60601-2-75, Cl. 201.8

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 136 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2065	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse Oximeter	Voltage measurement	ISO 80601-2-61,Cl.201.8
2066	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Accessible parts , Test finger & Test Hook Test	ISO 80601-2-61, Cl. 201.5
2067	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Creepage and clearance	ISO 80601-2- 61,Cl.201.8
2068	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Di electric Strength Test	ISO 80601-2-61, Cl. 201.8
2069	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Humidity Preconditioning	ISO 80601-2-61,Cl. 201.5
2070	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Protection against Excessive temperatures & other hazards	ISO 80601-2-61,Cl. 201.11
2071	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Push Test	ISO 80601-2-61, Cl. 201.15
2072	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse Oximeter Equipment	Cord anchorage test (Power supply cord)	ISO 80601-2-61,Cl.201.8
2073	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse Oximeter Equipment	Drop test	ISO 80601- 2 -61,Cl.201.15
2074	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Durability of markings	ISO 80601-2-61,Cl. 201.7
2075	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse Oximeter Equipment	Impact Test	ISO 80601-2-61,Cl.201.15
2076	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Impedance and current carrying capability	ISO 80601-2-61,Cl. 201.8
2077	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Impedance and current carrying capability	ISO 80601-2-61,Cl. 201.8
2078	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Instability over balance	ISO 80601-2-61,Cl. 201.9
2079	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Leakage current and Patient auxiliary current	ISO 80601-2-61,Cl. 201.8
2080	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	ISO 80601-2-61,Cl. 201.8
2081	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse Oximeter Equipment	Mould Stress Test	ISO 80601- 2 -61,Cl.201.15
2082	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Power input	ISO 80601-2-61,Cl. 201.4

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	137 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2083	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Strength of patient or Operator support or suspension system	ISO 80601-2-61, Cl. 201.9
2084	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Pulse oximeter equipment	Tensile safety factor	ISO 80601-2-61, Cl. 201.9
2085	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Radiotherapy simulators	Power Input	IEC 60601-2-29,Cl. 201.4
2086	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Radiotherapy simulators	Power Input	IEC 60601-2-29,Cl. 201.4
2087	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitor	Voltage measurement	ISO 80601-2-55, cl. 201.8
2088	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Accessible parts , Test finger & Test Hook Test	ISO 80601-2- 55,Cl.201.5
2089	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory Gas Monitors	Cord anchorage test (Power supply cord)	ISO 80601-2-55, cl. 201.8
2090	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Creepage and clearance	ISO 80601-2- 55,Cl.201.8
2091	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Di electric Strength Test	ISO 80601-2- 55,Cl.201.8
2092	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory Gas Monitors	Drop test	ISO 80601-2-55,Cl.201.15
2093	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Durability of markings	ISO 80601-2- 55,Cl.201.7
2094	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Humidity Preconditioning	ISO 80601-2-55,Cl.201.5
2095	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory Gas Monitors	Impact Test	ISO 80601-2-55,Cl.201.15
2096	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Impedance and current carrying capability	ISO 80601-2- 55,Cl.201.8
2097	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Impedance and current carrying capability	ISO 80601-2-55,Cl.201.8
2098	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Instability over balance	ISO 80601-2- 55,Cl.201.9
2099	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Leakage current and Patient auxiliary current	ISO 80601-2- 55,Cl.201.8
2100	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	ISO 80601-2- 55,Cl.201.8

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 138 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2101	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory Gas Monitors	Mould Stress Test	ISO 80601-2-55,Cl.201.15
2102	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Power input	ISO 80601-2- 55,Cl.201.4
2103	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Protection against Excessive temperatures & other hazards	ISO 80601-2- 55,Cl.201.11
2104	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Push Test	ISO 80601-2- 55,Cl.201.15
2105	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Strength of patient or Operator support or suspension system	ISO 80601-2- 55,Cl.201.9
2106	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory gas monitors	Tensile safety factor	ISO 80601-2- 55,Cl.201.9
2107	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Instability over balance	ISO 80601-2-74 ,Cl.201.9
2108	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Power input	ISO 80601-2-74 ,Cl.201.4
2109	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Tensile safety factor	ISO 80601-2-74 ,Cl.201.9
2110	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Accessible parts , Test finger & Test Hook Test	ISO 80601-2-74 ,Cl.201.5
2111	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Creepage and clearance	ISO 80601-2-74 ,Cl.201.8
2112	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Di electric Strength Test	ISO 80601-2-74 ,Cl.201.8
2113	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Humidity Preconditioning	ISO 80601-2-74 ,Cl.201.5
2114	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Protection against Excessive temperatures & other hazards	ISO 80601-2-74 ,Cl.201.11
2115	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Push Test	ISO 80601-2-74 ,Cl.201.15
2116	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory Humidifying Equipment	Cord anchorage test (Power supply cord)	ISO 80601-2-74,Cl.201.8
2117	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory Humidifying Equipment	Drop test	ISO 80601-2-74 ,Cl.201.15
2118	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Durability of markings	ISO 80601-2-74 ,Cl.201.7
2119	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory Humidifying Equipment	Impact Test	ISO 80601-2-74 ,Cl.201.15

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 139 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2120	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Impedance and current carrying capability	ISO 80601-2-74 ,Cl.201.8;
2121	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Impedance and current carrying capability	ISO 80601-2-74 ,Cl.201.8
2122	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Instability over balance	ISO 80601-2-74 ,Cl.201.9
2123	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Leakage current and Patient auxiliary current	ISO 80601-2-74 ,Cl.201.8
2124	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Leakage current and Patient auxiliary current	ISO 80601-2-74 ,Cl.201.8
2125	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	ISO 80601-2-74 ,Cl.201.8
2126	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory Humidifying Equipment	Mould Stress Test	ISO 80601-2-74 ,Cl.201.15
2127	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Power input	ISO 80601-2-74 ,Cl.201.4
2128	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Strength of patient or Operator support or suspension system	ISO 80601-2-74 ,Cl.201.9
2129	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory humidifying equipment	Tensile safety factor	ISO 80601-2-74 ,Cl.201.9
2130	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Respiratory Humidifying Equipment	Voltage measurement	ISO 80601-2-74,Cl.201.8
2131	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening Thermo Graphs For Human Febrile Temperature Screening	Drop test	IEC 80601-2-59,Cl.201.15
2132	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening Thermo Graphs For Human Febrile Temperature Screening	Mould Stress Test	IEC 80601-2-59,Cl.201.15
2133	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening Thermo Graphs For Human Febrile Temperature Screening.	Impact Test	IEC 80601-2-59,Cl.201.15
2134	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Accessible parts , Test finger & Test Hook Test	IEC 80601-2- 59,Cl. 201.5 / IEC 80601-2- 59,Cl. 201.5
2135	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Creepage and clearance	IEC 80601-2- 59,Cl. 201.8
2136	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Di electric Strength Test	IEC 80601-2- 59,Cl. 201.8
2137	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	screening thermographs for human febrile temperature screening	Humidity Preconditioning	IEC 80601-2- 59,Cl. 201.5

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	140 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2138	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Protection against Excessive temperatures & other hazards	IEC 80601-2- 59,Cl. 201.11
2139	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Push Test	IEC 80601-2- 59,Cl. 201.15
2140	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Cord anchorage test (Power supply cord)	IEC 80601-2- 59,Cl. 201.8
2141	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Durability of markings	IEC 80601-2-59, Cl. 201.7
2142	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Impedance and current carrying capability	IEC 80601-2-59, Cl. 201.8
2143	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Impedance and current carrying capability	IEC 80601-2-59, Cl. 201.8
2144	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Instability over balance	IEC 80601-2-59, Cl. 201.9
2145	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Leakage current and Patient auxiliary current	IEC 80601-2- 59,Cl. 201.8
2146	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	IEC 80601-2-59, Cl. 201.8
2147	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Power input	IEC 80601-2-59, Cl. 201.4
2148	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Strength of patient or Operator support or suspension system	IEC 80601-2- 59,Cl. 201.9
2149	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening	Tensile safety factor	IEC 80601-2- 59,Cl. 201.9
2150	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Screening thermographs for human febrile temperature screening,	Voltage measurement	IEC 80601-2- 59,Cl. 201.8
2151	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Push Test, 250 N deflection	IEC 60601-2-3, Cl. 201.15
2152	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Resistance to abnormal heat(Ball Pressure Test)	BS EN 60601-2-3,Cl.201.8/ IEC 60601-2-3, Cl.201.8
2153	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Thermal requirement, Temperature rise, maximum Temperature, Protection against Excessive temperature, Transformer Heating, Protection against Excessive temperature and other hazards	BS EN 60601-2-3,Cl.201.11 / IEC 60601-2-3, Cl. 201.11
2154	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Test for Protective Earthing	IEC 60601-2-3, Cl. 201.8

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 141 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2155	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Accessible parts- test finger, Test Pin, Test Hook	BS EN 60601-2- 3,Cl.201.5/ IEC 60601-2-3, Cl.201.5
2156	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-Wave Therapy Equipment	Cord anchorage test (Power supply cord)	IEC 60601-2-3,Cl.201.8
2157	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Dielectric Strength	BS EN 60601-2-3,Cl.201.8 / IEC 60601-2-3, Cl. 201.8
2158	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Drop test	BS EN 60601-2- 3,Cl.201.15/ IEC 60601-2-3, Cl.201.15
2159	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Durability of Markings	BS EN 60601-2-3,Cl.201.7 / IEC 60601-2-3, Cl.201.7
2160	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Humidity preconditioning	BS EN 60601-2-3,Cl.201.5 / IEC 60601-2-3, Cl. 201.5
2161	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Impact Test	BS EN 60601-2-3,Cl.201.15/ IEC 60601-2-3, Cl.201.15
2162	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Leakage current & patient auxiliary current	IEC 60601-2-3, Cl. 201.8
2163	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Mould Stress relief test	BS EN 60601-2-3, Cl.201.15/ IEC 60601-2-3, Cl.201.15
2164	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Power Input	BS EN 60601-2-3,Cl.201.4 / IEC 60601-2-3, Cl. 201.4
2165	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Short-wave therapy equipment	BS EN 60601-2-3,Cl.201.9 / IEC 60601-2-3,Cl.201.9
2166	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Strength of patient or Operator support or suspension system	BS EN 60601-2-3,Cl.201.9 / IEC 60601-2-3, Cl. 201.9
2167	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-wave therapy equipment	Tensile safety factor test	BS EN 60601-2-3,Cl.201.9 / IEC 60601-2-3, Cl. 201.9
2168	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Short-Wave Therapy Equipment	Voltage measurement	IEC 60601-2-3,Cl.201.8
2169	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep Apnoea Breathing Therapy Equipment	Cord anchorage test (Power supply cord)	ISO 80601-2-70 cl.201.8
2170	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep Apnoea Breathing Therapy Equipment	Drop test	ISO 80601-2-70,C l.201.15
2171	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Durability of markings	ISO 80601-2- 70,Cl.201.7
2172	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep Apnoea Breathing Therapy Equipment	Impact Test	ISO 80601-2-70,C l.201.15
2173	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Impedance and current carrying capability	ISO 80601-2- 70,Cl.201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	142 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2174	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Impedance and current carrying capability	ISO 80601-2- 70,Cl.201.8: 2020
2175	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Instability over balance	ISO 80601-2- 70,Cl.201.9
2176	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	ISO 80601-2- 70,Cl.201.8
2177	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep Apnoea Breathing Therapy Equipment	Movement over a threshold	ISO 80601-2-70, Cl.201.9
2178	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Power input	ISO 80601-2- 70,Cl.201.4
2179	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Protection against Excessive temperatures & other hazards	ISO 80601-2- 70,Cl.201.11
2180	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Push Test	ISO 80601-2- 70,Cl.201.15
2181	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Strength of patient or Operator support or suspension system	ISO 80601-2- 70,Cl.201.9
2182	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Tensile safety factor	ISO 80601-2- 70,Cl.201.9
2183	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep Apnoea Breathing Therapy Equipment	Voltage measurement	ISO 80601-2-70 cl.201.8
2184	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Accessible parts, Test finger & Test Hook Test	ISO 80601-2-70,Cl.201.5
2185	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Creepage and clearance	ISO 80601-2- 70,Cl.201.8
2186	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Di electric Strength Test	ISO 80601-2- 70,Cl.201.8
2187	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Humidity Preconditioning	ISO 80601-2- 70,Cl.201.5
2188	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep apnoea breathing therapy equipment	Leakage current and Patient auxiliary current	ISO 80601-2- 70,Cl.201.8
2189	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Sleep Apnoea Breathing Therapy Equipment	Mould Stress Test	ISO 80601-2-70,C l.201.15
2190	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Accessible parts test, Test finger and hook test	IEC 60601-2-41, Cl. 201.5
2191	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Creepage and clearance distances	IEC 60601-2-41, Cl. 201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	143 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2192	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Di electric strength Test	IEC 60601-2-41, Cl. 201.8
2193	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Protection against Excessive temperature & other hazards	IEC 60601-2-41, Cl. 201.11
2194	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Push Test	IEC 60601-2-41, Cl. 201.15
2195	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical Luminaires And Luminaires For Diagnosis	Cord anchorage test (Power supply cord)	IEC 60601-2-41, Cl. 201.8
2196	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical Luminaires And Luminaires For Diagnosis	Drop test	IEC 60601-2-41,Cl.201.15
2197	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Durability of Markings	IEC 60601-2-41, Cl. 201.7
2198	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Humidity Preconditioning	IEC 60601-2-41, Cl. 201.5
2199	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical Luminaires And Luminaires For Diagnosis	Impact test	IEC 60601-2-41,Cl.201.15
2200	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Impedance and current carrying capability	IEC 60601-2-41, Cl. 201.8
2201	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Instability overbalance	IEC 60601-2-41, Cl. 201.9
2202	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Leakage current and patient auxillary currents	IEC 60601-2-41, Cl. 201.8
2203	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Mechanical strength and resistance to heat (ball pressure test)	IEC 60601-2-41, Cl. 201.8
2204	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical Luminaires And Luminaires For Diagnosis	Mould stress relief test	IEC 60601-2-41,Cl.201.15
2205	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Power input	IEC 60601-2-41, Cl. 201.4
2206	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Strength of patient or operator support or suspension system	IEC 60601-2-41, Cl. 201.9
2207	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical luminaires and luminaires for diagnosis	Tensile safety factor	IEC 60601-2-41, Cl. 201.9
2208	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Surgical Luminaires And Luminaires For Diagnosis	Voltage measurement	IEC 60601-2-41, Cl. 201.8
2209	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Therapeutic X- ray equipment operating in the range 10 kV to 1 MV	Resistance to abnormal heat(Ball Pressure Test)	IEC 60601-2-8,Cl.201.8

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	144 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2210	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Instability overbalance	IEC 60601-2-23, Cl. 201.9
2211	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Power input	IEC 60601-2-23, Cl. 201.4
2212	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	transcutaneous partial pressure monitoring equipment	Strength of patient or operator support or suspension system	IEC 60601-2-23, Cl. 201.9
2213	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Tensile safety factor	IEC 60601-2-23, Cl. 201.9
2214	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Accessible parts test, Test finger and hook test	IEC 60601-2-23, Cl. 201.5
2215	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Creepage and clearance distances	IEC 60601-2-23, Cl. 201.8
2216	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Di electric strength Test	IEC 60601-2-23, Cl. 201.8
2217	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Protection against Excessive temperature & other hazards	IEC 60601-2-23, Cl. 201.11
2218	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Push Test	IEC 60601-2-23, Cl. 201.15
2219	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous Partial Pressure Monitoring Equipment	Cord anchorage test (Power supply cord)	IEC 60601-2- 23, Cl. 201.8
2220	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous Partial Pressure Monitoring Equipment	Drop test	IEC 60601-2-23,Cl.201.15
2221	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Durability of Markings	IEC 60601-2-23, Cl. 201.7
2222	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Humidity Preconditioning	IEC 60601-2-23, Cl. 201.5
2223	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous Partial Pressure Monitoring Equipment	Impact test	IEC 60601-2-23,Cl.201.15
2224	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Impedance and current carrying capability	IEC 60601-2-23, Cl. 201.8
2225	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Leakage current and patient auxillary currents	IEC 60601-2-23, Cl. 201.8
2226	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous partial pressure monitoring equipment	Mechanical strength and resistance to heat (ball pressure test)	IEC 60601-2-23, Cl. 201.8
2227	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous Partial Pressure Monitoring Equipment	Mould stress relief test	IEC 60601-2-23,Cl.201.15

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 145 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2228	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Transcutaneous Partial Pressure Monitoring Equipment	Voltage measurement	IEC 60601-2- 23, Cl. 201.8
2229	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Creepage & Clearance distances	IEC 60601-2- 5,Cl. 201.8
2230	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Dielectric Strength	IEC 60601-2- 5,Cl. 201.8.8.3
2231	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Humidity preconditioning	IEC 60601-2-5,Cl. 201.5
2232	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Push Test, 250 N deflection	IEC 60601-2- 5,Cl. 201.15
2233	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Resistance to abnormal heat(Ball Pressure Test)	IEC 60601- 2-5,Cl.201.8
2234	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Thermal requirement, Temperature rise, maximum Temperature, Protection against Excessive temperature, Transformer Heating, Protection against Excessive temperature and other hazards	IEC 60601-2- 5,Cl. 201.11
2235	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Test for Protective Earthing	IEC 60601-2-5, Cl.201.8
2236	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Accessible parts- test finger, Test Pin, Test Hook	IEC 60601-2- 5,Cl.201.5
2237	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Drop test	IEC 60601-2- 5,Cl.201.15
2238	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Durability of Markings	IEC 60601- 2-5,Cl.201.7
2239	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Impact Test	IEC 60601-2-5, Cl.201.15
2240	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Instability, overbalance, Stability	IEC 60601-2-5, Cl.201.9
2241	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Leakage current & patient auxiliary current	IEC 60601-2-5, Cl.201.8
2242	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Mould Stress relief test	IEC 60601-2- 5,Cl.201.15
2243	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Power Input	IEC 60601-2- 5,Cl. 201.11
2244	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Strength of patient or Operator support or suspension system	IEC 60601-2- 5,Cl. 201.9

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 146 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2245	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ultrasonic physiotherapy equipment	Tensile safety factor test	IEC 60601-2- 5,Cl. 201.9
2246	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilators For Ventilator-Dependent Patients	Cord anchorage test (Power supply cord)	ISO 80601-2-72,Cl.201.8
2247	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilators For Ventilator-Dependent Patients	Voltage measurement	ISO 80601-2-72,Cl.201.8
2248	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment fo ventilatory insufficiency	Tensile safety factor	ISO 80601-2-80,Cl.201.9
2249	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Accessible parts , Test finger & Test Hook Test	ISO 80601- 2-79,Cl.201.5
2250	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Creepage and clearance	ISO 80601- 2-79,Cl.201.8
2251	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Di electric Strength Test	ISO 80601- 2-79,Cl.201.8
2252	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Protection against Excessive temperatures & other hazards	ISO 80601- 2-79,Cl.201.11
2253	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Push Test	ISO 80601- 2-79,Cl.201.15
2254	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory Support Equipment For Ventilatory Impairment	Drop test	ISO 80601-2-79 ,Cl.201.15
2255	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Durability of markings	ISO 80601- 2-79,Cl.201.7
2256	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Humidity Preconditioning	ISO 80601-2-79,Cl.201.5
2257	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory Support Equipment For Ventilatory Impairment	Impact Test	ISO 80601-2-79 ,Cl.201.15
2258	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Impedance and current carrying capability	ISO 80601- 2-79,Cl.201.8
2259	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Impedance and current carrying capability	ISO 80601- 2-79,Cl.201.8
2260	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Instability over balance	ISO 80601- 2-79,Cl.201.9
2261	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Leakage current and Patient auxiliary current	ISO 80601- 2-79,Cl.201.8
2262	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	ISO 80601- 2-79,Cl.201.8

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 147 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2263	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory Support Equipment For Ventilatory Impairment	Mould Stress Test	ISO 80601-2-79 ,Cl.201.15
2264	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Power input	ISO 80601- 2-79,Cl.201.4
2265	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Strength of patient or Operator support or suspension system	ISO 80601- 2-79,Cl.201.9
2266	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Tensile safety factor	ISO 80601- 2-79,Cl.201.9
2267	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment	Voltage measurement	ISO 80601-2- 79,Cl.201.8
2268	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory impairment,	Cord anchorage test (Power supply cord)	ISO 80601-2- 79,Cl.201.8
2269	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Accessible parts , Test finger & Test Hook Test	ISO 80601-2-80,Cl.201.5
2270	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Creepage and clearance	ISO 80601-2-80,Cl.201.8
2271	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Di electric Strength Test	ISO 80601-2-80,Cl.201.8
2272	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Protection against Excessive temperatures & other hazards	ISO 80601-2-80,Cl.201.11
2273	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Push Test	ISO 80601-2-80,Cl.201.15
2274	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Cord anchorage test (Power supply cord)	ISO 80601- 2-80,Cl.201.8
2275	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory Support Equipment For Ventilatory Insufficiency	Drop test	ISO 80601-2-80 ,Cl.201.15
2276	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Durability of markings	ISO 80601-2-80,Cl.201.7
2277	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Humidity Preconditioning	ISO 80601-2-80, Cl. 201.5
2278	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory Support Equipment For Ventilatory Insufficiency	Impact Test	ISO 80601-2-80 ,Cl.201.15
2279	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Impedance and current carrying capability	ISO 80601-2-80,Cl.201.8
2280	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Impedance and current carrying capability	ISO 80601-2-80,Cl.201.8
2281	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Instability over balance	ISO 80601-2-80, Cl.201.9

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 148 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2282	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Leakage current and Patient auxiliary current	ISO 80601-2-80,Cl.201.8
2283	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Mechanical Strength And Resistance to Heat(Ball Pressure Test)	ISO 80601-2-80,Cl.201.8
2284	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory Support Equipment For Ventilatory Insufficiency	Mould Stress Test	ISO 80601-2-80 ,Cl.201.15
2285	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Power input	ISO 80601-2-80,Cl.201.4
2286	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Strength of patient or Operator support or suspension system	ISO 80601-2-80,Cl.201.9
2287	ELECTRONICS- MEDICAL ELECTRICAL EQUIPMENT	Ventilatory support equipment for ventilatory insufficiency	Voltage measurement	ISO 80601- 2-80,Cl.201.8
2288	ELECTRONICS- SAFETY TESTING FACILITY	Transfer Switching Equipment (TSE)	Flexion Test	IEC 60947-6-1, Cl. 9.2
2289	ELECTRONICS- SAFETY TESTING FACILITY	Abnormal heat - Ball Pressure Test	Ball pressure test	IEC 60695- 10-2,Cl.8.1
2290	ELECTRONICS- SAFETY TESTING FACILITY	Adaptors	Flexion Test	IEC 60884-2-5, Cl.12
2291	ELECTRONICS- SAFETY TESTING FACILITY	Circuit-breakers	Flexion Test	IEC 60947-2, Cl. 8.2
2292	ELECTRONICS- SAFETY TESTING FACILITY	Contactors & motor-starter-AC semiconductor controllers & contactors for non-motor loads	Flexion Test	IEC 60947-4-3,Cl. 9.2
2293	ELECTRONICS- SAFETY TESTING FACILITY	Contactors & motor-starters-AC semiconductor motor controllers & starters	Flexion Test	IEC 60947-4-2, Cl. 9.2
2294	ELECTRONICS- SAFETY TESTING FACILITY	Contactors & motor-starters-Electromechanical contactors & motor-starters	Flexion Test	IEC 60947-4-2, Cl.9.2.1
2295	ELECTRONICS- SAFETY TESTING FACILITY	Control circuit device & switching elements	Flexion Test	IEC 60947-5-3, Cl. 8.2
2296	ELECTRONICS- SAFETY TESTING FACILITY	Control circuit device & switching elements- Three-position enabling switches	Flexion Test	IEC 60947-5-8, Cl. 8.2
2297	ELECTRONICS- SAFETY TESTING FACILITY	Control circuit device & switching elements-Proximity switches	Flexion Test	IEC 60947-5-2, Cl. 8.2
2298	ELECTRONICS- SAFETY TESTING FACILITY	Control circuit devices & switching elements- Flow rate switches	Flexion Test	IEC 60947-5-9, Cl. 8.2
2299	ELECTRONICS- SAFETY TESTING FACILITY	Control circuits devices & switching elements-Electromechanical control circuit devices	Flexion Test	IEC 60947-5-1:2016/COR2, Cl. 8.2.4.3

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	149 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2300	ELECTRONICS- SAFETY TESTING FACILITY	Control units for built-in thermal protection (PTC) for rotating electrical machines	Flexion Test	IEC 60947-8, Cl. 9.2
2301	ELECTRONICS- SAFETY TESTING FACILITY	Cord extension sets	Flexion Test	EC 60884-2-7:2011+AMD1, Cl. 12
2302	ELECTRONICS- SAFETY TESTING FACILITY	D.C. or A.C. supplied electronic controlgear for LED modules,	Voltage measurement	IEC 61347-2-13.Cl.10
2303	ELECTRONICS- SAFETY TESTING FACILITY	D.c. or a.c. Supplied electronic controlgear for led modules	Durability of markings	IEC 61347-2-13, Cl. 7,:2014+A1
2304	ELECTRONICS- SAFETY TESTING FACILITY	Deep Freezers	Creepage & clearance distances	IS 7872, Cl. 6.1
2305	ELECTRONICS- SAFETY TESTING FACILITY	Deep Freezers	Electric strength test, Voltage test	IS 7872, Cl.6.1
2306	ELECTRONICS- SAFETY TESTING FACILITY	Deep Freezers	Impulse withstand test	IS 7872, Cl.6.1
2307	ELECTRONICS- SAFETY TESTING FACILITY	Deep Freezers	In-stability overbalance, stability	IS 7872, Cl.6.1
2308	ELECTRONICS- SAFETY TESTING FACILITY	Deep Freezers	Leakage current & patient auxiliary current, Touch current measurements, Touch current & protective against electrical hazards from ME equipments	IS 7872, Cl.6.1
2309	ELECTRONICS- SAFETY TESTING FACILITY	Deep Freezers	Mechanical strength Test	IS 7872, Cl.6.1
2310	ELECTRONICS- SAFETY TESTING FACILITY	Deep Freezers	Power input, Electrical rating test, input current	IS 7872, Cl.6.1
2311	ELECTRONICS- SAFETY TESTING FACILITY	Deep Freezers	Protection against excessive temperature & other hazards	IS 7872, Cl.6.1
2312	ELECTRONICS- SAFETY TESTING FACILITY	Deep Freezers	Resistance to abnormal heat (ball pressure test)	IS 7872, Cl.6.1
2313	ELECTRONICS- SAFETY TESTING FACILITY	Deep Freezers	Test for protective earthing, provision for earthing & bonding, Requirement of protective bonding, Resistance of earthing conductors & their terminations, protection against electrical hazards from ME equipment & earthing	IS 7872, Cl.6.1
2314	ELECTRONICS- SAFETY TESTING FACILITY	Deep Freezers	Voltage Measurement Test	IS 7872, Cl.6.1

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 150 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2315	ELECTRONICS- SAFETY TESTING FACILITY	Electrical & Electronics Equipment	Glow Wire Test, Resistance to fire, Protection against spread of fire, resistance to heat & fire.	IEC 60695-2-10
2316	ELECTRONICS- SAFETY TESTING FACILITY	Electrical & Electronics Equipment	Needle flame test	IEC 60695-11-5, Cl.8
2317	ELECTRONICS- SAFETY TESTING FACILITY	Electroacoustic-Audiometric equipment (Equipment for pure-tone & speech audiometry)	Push test	IEC 60645-1, Cl. 201.15
2318	ELECTRONICS- SAFETY TESTING FACILITY	Fused plugs	Flexion Test	IEC 60884-2-1, Cl.12
2319	ELECTRONICS- SAFETY TESTING FACILITY	Glow wire Test	Glow Wire Test, Resistance to fire, Protection against spread of fire, resistance to heat & fire.	IEC 60695-2-11
2320	ELECTRONICS- SAFETY TESTING FACILITY	Household & similar electrical appliances (Commercial refrigerating appliances & ice-makers with an incorporated or remote)	Electric strength test, Voltage test	IEC 60335-2-89, Cl.13, 16
2321	ELECTRONICS- SAFETY TESTING FACILITY	Household & similar electrical appliances (Commercial refrigerating appliances & ice-makers with an incorporated or remote)	Impulse withstand test	IEC 60335-2-89, Cl.14
2322	ELECTRONICS- SAFETY TESTING FACILITY	Household & similar electrical appliances (Commercial refrigerating appliances & ice-makers with an incorporated or remote)	In-stability overbalance, stability	IEC 60335-2-89, Cl.20
2323	ELECTRONICS- SAFETY TESTING FACILITY	Household & similar electrical appliances (Commercial refrigerating appliances & ice-makers with an incorporated or remote)	Mechanical strength Test	IEC 60335-2-89, Cl.21
2324	ELECTRONICS- SAFETY TESTING FACILITY	Household & similar electrical appliances (Commercial refrigerating appliances & ice-makers with an incorporated or remote)	Power input, Electrical rating test, Input current	IEC 60335-2-89, Cl.10
2325	ELECTRONICS- SAFETY TESTING FACILITY	Household & similar electrical appliances (Commercial refrigerating appliances & ice-makers with an incorporated or remote)	Protection against excessive temperature & other hazards	IEC 60335-2-89, Cl.11
2326	ELECTRONICS- SAFETY TESTING FACILITY	Household & similar electrical appliances (Commercial refrigerating appliances & ice-makers with an incorporated or remote)	Resistance to abnormal heat (ball pressure test)	IEC 60335-2-89, Cl.30
2327	ELECTRONICS- SAFETY TESTING FACILITY	Household & similar electrical appliances (Commercial refrigerating appliances & ice-makers with an incorporated or remote)	Voltage Measurement Test	IEC 60335-2-89, Cl.22.5
2328	ELECTRONICS- SAFETY TESTING FACILITY	Household & similar electrical appliances - commercial refrigerating appliances & ice-makers with an incorporated or remote	Creepage & clearance distances	IEC 60335-2-89, Cl.29

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 151 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2329	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Glow Wire Test, Resistance to fire, Protection against spread of fire, resistance to heat & fire.	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl. 4.7
2330	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Resistance to abnormal heat	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl. 4.5.5
2331	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Resistance to abnormal heat	IS 13252-1, Cl 4.5.5
2332	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl.2.6
2333	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IS 13252-1, Cl. 2.6
2334	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Touch current & protective conductor currents	IS 13252-1, Cl. 5.1
2335	ELECTRONICS- SAFETY TESTING FACILITY	Information Technology Equipment	Electric strength	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl. 5.2
2336	ELECTRONICS- SAFETY TESTING FACILITY	Information Technology Equipment	Electric strength	IS 13252-1,Cl.5.2
2337	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Insulation Resistance	IEC 60950- 1,Cl.6.2.2.3
2338	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Measurement of transient voltage	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl. 2.10.3.9.a
2339	ELECTRONICS- SAFETY TESTING FACILITY	Information Technology Equipment	Mechanical strength, Steady force test. 30N, Steady force test, 250N	IS 13252-1, Cl.4.2.2, 4.2.3 & 4.2.4
2340	ELECTRONICS- SAFETY TESTING FACILITY	Information Technology Equipment	Resistance to fire	IS 13252-1, Cl . 4.7.3.6
2341	ELECTRONICS- SAFETY TESTING FACILITY	Information Technology Equipment	Thermal requirement	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl. 4.5

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	152 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2342	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Touch current & protective conductor currents	IEC 60950-1:2005 +AMD1:2009+AMD2, Cl. 5.1
2343	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Voltage measurement	IEC 60950-1:2005 +AMD1:2009+AMD2, Cl. 2.1.1.7
2344	ELECTRONICS- SAFETY TESTING FACILITY	Information Technology Equipment	Creepage & Clearance distances	IS 13252-1,Cl.2.10
2345	ELECTRONICS- SAFETY TESTING FACILITY	Information Technology Equipment	Glow Wire Test, Resistance to fire, Protection against spread of fire, resistance to heat & fire.	IS 13252-1, Cl. 4.7
2346	ELECTRONICS- SAFETY TESTING FACILITY	Information Technology Equipment	Input current	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl. 1.6.2
2347	ELECTRONICS- SAFETY TESTING FACILITY	Information Technology Equipment	Input current	IS 13252-1,Cl.1.6.2
2348	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Mechanical strength, Steady force test. 30N, Steady force test, 250N	IEC 60950- 1, Cl. .4.2.2, 4.2.3 & 4.2.4
2349	ELECTRONICS- SAFETY TESTING FACILITY	Information Technology Equipment	Thermal requirement	IS 13252-1,Cl.4.5
2350	ELECTRONICS- SAFETY TESTING FACILITY	Information Technology Equipment	Creepage & Clearance distances	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl. 2.10
2351	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Durability of markings	IS 13252-1, Cl 1.7.11
2352	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Instability overbalance, Stability	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl.4.1
2353	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Instability overbalance, Stability	IS 13252-1, Cl. 4.1
2354	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Resistance to fire	IEC 60950-1:2005 +AMD1:2009+AMD2,Cl.4.7.3.6
2355	ELECTRONICS- SAFETY TESTING FACILITY	Information technology Equipment to be installed outdoors	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 60950-22, Cl. 8.1
2356	ELECTRONICS- SAFETY TESTING FACILITY	Inverters	Cord anchorage test (Power supply cord)	IEC 62109-2, Cl.13; BSEN 62109-2, Cl. 13

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 153 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2357	ELECTRONICS- SAFETY TESTING FACILITY	Inverters	Instability overbalance, Stability	IEC 62109-2,Cl.8
2358	ELECTRONICS- SAFETY TESTING FACILITY	Inverters Information technology equipment	Durability of markings	IEC 62109-2,Cl.5
2359	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear	Electric strength	IEC 61347-1:2015+AMD1, Cl. 12
2360	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear	Glow Wire Test, Resistance to fire, Protection against spread of fire, resistance to heat	IEC 61347-1, Cl. 18.3
2361	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear	Insulation Resistance	IEC 61347-1:2015+AMD1, Cl.11
2362	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear	Maximum output voltage	IEC 61347-1:2015+AMD1, Cl.21
2363	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear	Creepage & Clearance distances	IEC 61347-1:2015+AMD1, Cl. 16
2364	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear	Resistance to heat and fire	IEC 61347-1:2015+AMD1, Cl. 18.1
2365	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 61347-1:2015+AMD1,Cl.9.5.2
2366	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear	Resistance to heat, fire and tracking	IEC 61347- 1,Cl. 18.4
2367	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear (D.c. or A.c. supplied electronic control gear for LED modules)	Resistance to heat, fire and tracking	IEC 61347-2-13 , Cl. 19
2368	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear (LED modules)	Creepage & Clearance distances	IEC 61347-2-13, Cl. 17
2369	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear (LED modules)	Electric strength	IEC 61347-2-13, Cl. 12
2370	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear (LED modules)	Glow Wire Test, Resistance to fire, Protection against spread of fire, resistance to heat & fire.	IEC 61347-2-13, Cl. 19
2371	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear (LED modules)	Insulation Resistance	IEC 61347-2-13,Cl.11

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 154 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2372	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear (LED modules)	No load output voltage	IEC 61347-2-13,Cl. 20
2373	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear (LED modules)	Transformer Heating	IEC 61347-2-13, Cl. 15
2374	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear (LED modules)	Resistance to heat and fire	IEC 61347-1:2015+AMD1, Cl. 18.1
2375	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear (LED modules)	Resistance to heat and fire	IEC 61347-2- 13, Cl. 19
2376	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear (LED modules)	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 61347-2-13, Cl. 9
2377	ELECTRONICS- SAFETY TESTING FACILITY	Lamp Control-gear	Voltage measurement	IEC 61347- 1.Cl.10.2
2378	ELECTRONICS- SAFETY TESTING FACILITY	Lamp controlgear	Durability of markings	IEC 61347-1:2015+AMD1, Cl. 7.2
2379	ELECTRONICS- SAFETY TESTING FACILITY	Low voltage switchgear & controlgea	Flexion Test	IEC 60947-1, Cl. 8.2.4.3
2380	ELECTRONICS- SAFETY TESTING FACILITY	Low Voltage Switchgear & Controlgear (Ancillary equipment- Protective conductor terminal blocks for copper conductors)	Flexion Test	IEC 60947-7-2, Cl.8.2
2381	ELECTRONICS- SAFETY TESTING FACILITY	Low Voltage Switchgear & Controlgear (Ancillary equipment- safety requirements for fuse terminal blocks)	Flexion Test	IEC 60947-7-3, Cl. 8.2
2382	ELECTRONICS- SAFETY TESTING FACILITY	Low Voltage Switchgear & Controlgear (Ancillary equipment- Terminal block for copper conductor)	Flexion Test	IEC 60947-7-1, Cl. 8.3.3.2
2383	ELECTRONICS- SAFETY TESTING FACILITY	Medical electrical equipment	Cord Anchorage Test	IS 13450 : Part 1 , Cl. 8.10.4.1
2384	ELECTRONICS- SAFETY TESTING FACILITY	Medical electrical equipment	Voltage Measurement Test	IS 13450 : Part 1 , Cl. 8.4.3
2385	ELECTRONICS- SAFETY TESTING FACILITY	Medical Supply Units	Static Force test, Static load test	ISO 11197, Cl. 201.9.1.103 & 201.9.1.104
2386	ELECTRONICS- SAFETY TESTING FACILITY	Multiple function equipment- Control & protective switching device (or equipment) (CPS)	Flexion Test	IEC 60947-6-2:2020/COR1, Cl. 9.2
2387	ELECTRONICS- SAFETY TESTING FACILITY	Plugs & socket-outlets for household & similar purposes	Flexion Test	IEC 60884-1, Cl. 12.2.5

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	155 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2388	ELECTRONICS- SAFETY TESTING FACILITY	Plugs & socket-outlets for SELV	Flexion Test	IEC 60884-2-4, Cl. 12
2389	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for photovoltaic power systems	Creepage & Clearance distances	IEC 62109-2,Cl. 7
2390	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for photovoltaic power systems	Creepage & Clearance distances	IEC 62477-1, Cl.4.4.7.4 & 4.4.7.5
2391	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Creepage & Clearance distances	IEC 62109-1, Cl. 7.3.7.4 & 7.3.7.5
2392	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Glow Wire Test, Resistance to fire, Protection against spread of fire, resistance to heat & fire.	IEC 62109-1,Cl. 4.4.3.2
2393	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 62109-1, Cl. 7.3.6.3.3.1
2394	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Electrical Ratings tests	IEC 62109-1, Cl. 4.7.1
2395	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Durability of markings	IEC 62109-1,Cl.5.1.2
2396	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Impulse Voltage test	IEC 62109-1,Cl.7.5.1
2397	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Instability overbalance, Stability	IEC 62109-1,Cl.8.3
2398	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Maximum Temperature	IEC 62109-1,Cl. 4.3.2
2399	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Protection against electrical hazards from ME equipments	IEC 62477-1, Cl.5.2.3.3 & 5.2.3.4
2400	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Push Test, 250 N deflection	IEC 62109-1, Cl.13.7.2
2401	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Resistance to fire	IEC 62109-1,Cl. 9.1.4.3
2402	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems	Voltage Test (Dielectric Strength)	IEC 62109-1,Cl. 7.5.2
2403	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Electrical Ratings tests	IEC 62109-2,Cl.4.7

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 156 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2404	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Glow Wire Test, Resistance to fire, Protection against spread of fire, resistance to heat & fire.	IEC 62109- 2,Cl.4
2405	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Maximum Temperature	IEC 62109-2,Cl.4
2406	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Push Test, 250 N deflection	IEC 62109- 2,Cl.13
2407	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Resistance to fire	IEC 62109- 2,Cl. 9
2408	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Touch current measurements	IEC 62109-2, Cl. 7
2409	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Voltage Test (Dielectric Strength)	IEC 62109-2,Cl. 7
2410	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Cord anchorage test (Power supply cord)	IEC 62109-1, Cl.13.3.2.5; BSEN 62109-1, Cl.13.3.2.5
2411	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 62109-2, Cl. 7
2412	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Touch current measurements	IEC 62109-1, Cl. 7.5.4
2413	ELECTRONICS- SAFETY TESTING FACILITY	Power converters for use in photovoltaic power systems(Inverters)	Impulse Voltage test	IEC 62109-2,Cl. 7
2414	ELECTRONICS- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Protective impedance , Touch current measurements	IEC 62477-1, Cl. 5.2.3.6 & 5.2.3.7
2415	ELECTRONICS- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 62477-1, Cl. 5.2.3.11
2416	ELECTRONICS- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Glow Wire Test, Resistance to fire, Protection against spread of fire, resistance to heat & fire.	IEC 62477-1,Cl. 5.2.5.3

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 157 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2417	ELECTRONICS- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Impulse Voltage test	IEC 62477-1,Cl. 5.2.3.2
2418	ELECTRONICS- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Instability overbalance, Stability	IEC 62477-1, Cl.5.2.2.5
2419	ELECTRONICS- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Mechanical strength, Steady force test. 30N, Steady force test, 250N	IEC 62477-1,Cl. 5.2.2.4.2.2 & 5.2.2.4.2.3
2420	ELECTRONICS- SAFETY TESTING FACILITY	Power electronic converter systems and equipment	Needle flame test	IEC 62477-1,Cl. 4.6.3.3.3
2421	ELECTRONICS- SAFETY TESTING FACILITY	Socket-outlets for appliances	Flexion Test	IEC 60884-2-2, Cl. 12
2422	ELECTRONICS- SAFETY TESTING FACILITY	Socket-outlets incorporating USB power supply	Flexion Test	IEC 60884-3-1, Cl. 12
2423	ELECTRONICS- SAFETY TESTING FACILITY	Switched socket-outlets with interlock for fixed electrical installations	Flexion Test	IEC 60884-2-6, Cl. 12
2424	ELECTRONICS- SAFETY TESTING FACILITY	Switched socket-outlets without interlock for fixed installation	Flexion Test	IEC 60884-2-3, Cl. 12
2425	ELECTRONICS- SAFETY TESTING FACILITY	Switches, disconnectons, switch-disconnectons & fuse-combination units	Flexion Test	IEC 60947-3, Cl. 8.2.4
2426	ELECTRONICS- SAFETY TESTING FACILITY	Terminal blocks for aluminium conductors	Flexion Test	IEC 60947-7-5, Cl.9.3.3.2
2427	ELECTRONICS- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Test for Protective Earthing, Provision for earthing and bonding, Requirement of protective bonding, Resistance of earthing conductors and their terminations, Protection against electrical hazards from ME equipment & Earthing	IEC 62040-1:2017/AMD1, Cl. 5.2
2428	ELECTRONICS- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Glow Wire Test, Resistance to fire, Protection against spread of fire, resistance to heat & fire.	IEC 60204-1:2016+AMD1, Cl.5.2
2429	ELECTRONICS- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Protection against electrical hazards from ME equipments	IEC 62040-1:2017/AMD1, Cl.5.2
2430	ELECTRONICS- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Protection against fire & thermal hazards	IEC 62040-1:2017/AMD1, Cl. 4.6
2431	ELECTRONICS- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Protection against fire & thermal hazards	IEC 62040-1:2017/AMD1, Cl.4.6.4

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	158 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2432	ELECTRONICS- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Protective impedance , Touch current measurements	IEC 62040-1:2017/AMD1, Cl. 5.2
2433	ELECTRONICS- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Mechanical strength, Steady force test. 30N, Steady force test, 250N	IEC 62040-1:2017/AMD1, Cl. 5.2
2434	ELECTRONICS- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Cord anchorage test (Power supply cord)	IEC 62040-1:2017/AMD1.Cl.4.11.101.2
2435	ELECTRONICS- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Creepage & Clearance distances	IEC 62040-1:2017/AMD1, Cl.4.4
2436	ELECTRONICS- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Impulse Voltage test	IEC 62040-1:2017/AMD1, Cl. 5.2
2437	ELECTRONICS- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Instability overbalance, Stability	IEC 62040- 1, Cl.5.2

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 159 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Site Facility				
1	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Assemblies for power distribution in public networks	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-5:2014/COR1, Cl.8.2.2
2	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-7, Cl.8.2.2
3	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Bus bar trunking systems (bus ways)	Protection against contact with live parts, Ingress of solid foreign bodies	BS EN 61439-6, Cl. 8.2.2/ IEC 61439-6, Cl. 8
4	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Degree of protection provided by enclosures (IP Code)	Test for protection against solid foreign objects indicated by first characteristic numeral	IEC 60529:1989+AMD1:1999+AMD 2, Cl. 13.2,13.3
5	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Protection against contact with live parts, Ingress of solid foreign bodies	IEC 61439-3:2012/COR2, Cl. 8.2.2
6	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-3:2012/COR2, CL.8.2.2
7	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hoisting machines	Protection against electric shock	BS EN 60204-32, Cl. 6/ IEC 60204 - 32, Cl. 6
8	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Hoisting machines	Degrees of protection	IEC 60204-32, Cl. 11.3: 2008 / BS EN 60204-32, Cl.11.3
9	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Inverters	Ingress protection (IP)	IEC 62109-2, Cl. 6
10	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and control gear assemblies	Protection against contact with live parts, Ingress of solid foreign bodies	IEC 61439-1:2020 Cl. 8.2.2

SCOPE OF ACCREDITATION

Laboratory Name :	SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6330	**Page No**	160 of 164
Validity	24/09/2022 to 23/09/2024	**Last Amended on**	06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
11	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and controlgear assemblies	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-1:2020/COR1 Cl.8.2.2
12	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Low-voltage switchgear and controlgear assemblies - Assemblies for construction sites (ACS)	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-4, CL. 8.2.2
13	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Machinery	Protection against electric shock	BS EN 60204-1:2018, Cl. 6/ IEC 60204-1:2016+AMD1, Cl. 6
14	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Machinery - Electrical equipment of machines	Degree of protection	IEC 60204-1:2016+AMD1:2021 CSV, Cl.11.3: 2021/ BS EN 60204-1, Cl.11.3
15	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems	Access probe test	IEC 62109-1, Cl. 7.3.4.2.3
16	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Access probe test	IEC 62109-2, Cl. 7
17	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power converters for use in photovoltaic power systems (Inverters)	Ingress protection (IP)	IEC 62109-1, Cl. 6.3
18	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power electronic converter systems and equipment	Ingress protection (IP)	IEC 62477-1, Cl. 5.2.2.3
19	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power switchgear and control gear assemblies	Protection against contact with live parts, Ingress of solid foreign bodies	IEC 61439-2, Cl. 8
20	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Power switchgear and controlgear assemblies	Constructional requirement, Degree of protection provided by an assembly enclosure, Protection against contact with live parts, ingress of solid foreign bodies and water	IEC 61439-2, Cl.8.2
21	ELECTRICAL-ENVIRONMENTAL TEST FACILITY	Uninterruptible power systems (UPS)	Ingress protection (IP)	IEC 62040-1:2017/AMD1, Cl. 5.2

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 161 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
22	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Di-electric properties	IEC 61439-4,Cl.11
23	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Di-electric strength test, Power frequency test, Alternative power-frequency voltage test, A.c or D.C Voltage test	IEC 61439-4,Cl.10 &11
24	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Requirements for earth continuity providing protection against consequences of faults within the assembly	IEC 61439-4,Cl.8
25	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Clearances & creepage distances	IEC 61439-4, Cl. 8
26	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for construction sites (ACS)	Temperature rise limits	IEC 61439-4, Cl. 9
27	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Di-electric strength test, Power frequency test, Alternative power-frequency voltage test, A.c or D.C Voltage test	IEC 61439-5:2014/COR1,Cl.10 &11
28	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Di-electric withstand test	IEC 61439-5:2014/COR1,Cl.11
29	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Requirements for earth continuity providing protection against consequences of faults within the assembly	IEC 61439-5:2014/COR1,Cl.8
30	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Constructional requirement , Clearances & creepage distances	IEC 61439-5:2014/COR1, Cl.8
31	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for power distribution in public networks	Temperature rise limits	IEC 61439-5:2014/COR1, Cl. 9
32	ELECTRICAL- SAFETY TESTING FACILITY	Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle	Constructional requirement , Clearances & creepage distances	IEC 61439-7, Cl.8
33	ELECTRICAL- SAFETY TESTING FACILITY	Bus bar trunking systems (bus ways)	Di-electric properties	IEC61439-6,Cl.11
34	ELECTRICAL- SAFETY TESTING FACILITY	Bus bar trunking systems (bus ways)	Di-electric strength test, Power frequency test, Alternative power-frequency voltage test, A.c or D.C Voltage test	IEC 61439-6,Cl.10 & 11
35	ELECTRICAL- SAFETY TESTING FACILITY	Bus bar trunking systems (bus ways)	Requirements for earth continuity providing protection against consequences of faults within the assembly	BS EN 61439-6,Cl.8.4.3.2.3/ IEC61439- 6,Cl.8.4.3.2.3

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 162 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
36	ELECTRICAL- SAFETY TESTING FACILITY	Bus bar trunking systems (busways)	Temperature rise limits	BSEN 61439-6, Cl. 9.2 / IEC 61439-6, Cl.9.2
37	ELECTRICAL- SAFETY TESTING FACILITY	Busbar trunking systems (busways)	Constructional requirement , Clearances & creepage distances	IEC 61439-6, Cl.8.3.3
38	ELECTRICAL- SAFETY TESTING FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Di-electric properties	IEC 61439-3:2012/COR2, Cl.11
39	ELECTRICAL- SAFETY TESTING FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Di-electric strength test, Power frequency test, Alternative power-frequency voltage test, A.c or D.C Voltage test	IEC 61439-3:2012/COR2, Cl.10 &11
40	ELECTRICAL- SAFETY TESTING FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Requirements for earth continuity providing protection against consequences of faults within the assembly	IEC 61439-3:2012/COR2, Cl.8
41	ELECTRICAL- SAFETY TESTING FACILITY	Distribution boards intended to be operated by ordinary persons (DBO)	Temperature rise limits	IEC 61439-3:2012/COR2, Cl. 9
42	ELECTRICAL- SAFETY TESTING FACILITY	Electrical & Electronics	Creepage & Clearances (Test and Measurements)	IEC 60664-1, Cl.6
43	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment of machines	Voltage test	IS 1356-1,Cl.11.2
44	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment of machines	Clearances & Creepage distances	IEC 60204-1:2016+AMD1:2021 CSV, Cl. 12.7.5, 12.7.6 / BS EN 60204-1, Cl.12.7.5, 12.7.6
45	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment of machines	Verification of continuity of protective bonding circuits	BS EN 60204-1:2018, Cl.18.2.2 test 1 / IEC 60204-1:2016+AMD1, Cl.18.2.2, Test 1
46	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment of machines	Voltage measurement	IEC 60204-1:2016+AMD1:2021 CSV, Cl.6.2.4 / BS EN 60204-1 Cl 6.2.4
47	ELECTRICAL- SAFETY TESTING FACILITY	Electrical equipment of machines tools	Insulation resistance Test	IS 1356-1,Cl.11.1
48	ELECTRICAL- SAFETY TESTING FACILITY	Hoisting machines	Insulation resistance	BS EN 60204-32,Cl.18.3 / IEC 60204-32,Cl.18.3
49	ELECTRICAL- SAFETY TESTING FACILITY	Hoisting machines	Verification of continuity of protective bonding circuits	BS EN 60204-32:,Cl.18.2.2 test 1/ IEC 60204-32, Cl.18.2.2,Test 1
50	ELECTRICAL- SAFETY TESTING FACILITY	Hoisting machines	Voltage test	BS EN 60204-32,Cl.18.4 / IEC 60204-32,Cl.18.4

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 163 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
51	ELECTRICAL- SAFETY TESTING FACILITY	Hoisting machines	Clearances & Creepage distances	IEC 60204-32, Cl.12.7.5, 12.7.6: 2008 / BS EN 60204-32, Cl.12.7.5, 12.7.6
52	ELECTRICAL- SAFETY TESTING FACILITY	Hoisting machines,	Voltage measurement	IEC 60204-32:2008 Cl. 6 / BS EN 60204-32 Cl.6
53	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage Switchgear and Control gear assemblies	Requirements for earth continuity providing protection against consequences of faults within the assembly	IEC 61439- 1,Cl.8.4.3.2.2 & 10.5.2
54	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and control gear assemblies	Di-electric strength test, Power frequency test, Alternative power-frequency voltage test, A.c or D.C Voltage test	IEC 61439-1:2020/COR1 , Cl.11..9, 10.9.2, 10.9.3.3 & 10.9.3.4
55	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage Switchgear and Controlgear assemblies	Di-electric properties (Dielectric Voltage Test)	IEC 61439-1:2020/COR1 ,Cl.11.9
56	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and controlgear assemblies	Constructional requirement , Clearances & creepage distances	IEC 61439-1:2020/COR1, Cl.8.3.3
57	ELECTRICAL- SAFETY TESTING FACILITY	Low-voltage switchgear and controlgear assemblies	Temperature rise limits	IEC 61439-1:2020/COR1,Cl.9.2
58	ELECTRICAL- SAFETY TESTING FACILITY	Machines for general use	Insulation resistance	BS EN 60204-1:2018,Cl.18.3/ IEC 60204-1:2016+AMD1, Cl.18.3
59	ELECTRICAL- SAFETY TESTING FACILITY	Machines for general use	Voltage test	BS EN 60204-1:2018,Cl.18.4 / IEC 60204-1:2016+AMD1, Cl.18.4
60	ELECTRICAL- SAFETY TESTING FACILITY	Power converters systems & equipment	Protective equipotential bonding	IEC 62477-1, Cl. 5.2.3.11
61	ELECTRICAL- SAFETY TESTING FACILITY	Power switchgear and control gear assemblies	Di-electric properties	IEC 61439-2,Cl.11
62	ELECTRICAL- SAFETY TESTING FACILITY	Power switchgear and control gear assemblies	Di-electric strength test, Power frequency test, Alternative power-frequency voltage test, A.c or D.C Voltage test	IEC 61439-2,Cl.10 & 11
63	ELECTRICAL- SAFETY TESTING FACILITY	Power switchgear and control gear assemblies	Requirements for earth continuity providing protection against consequences of faults within the assembly	IEC 61439- 2,Cl.8.4.3.2.2
64	ELECTRICAL- SAFETY TESTING FACILITY	Power switchgear and controlgear assemblies	Temperature rise limits	IEC 61439- 2, Cl. 9

National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : SWEN KONFORMITY, GOKUL RH 1, S. NO 22, VISHAL NAGAR, PIMPLE NILAKH, PUNE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6330 **Page No** 164 of 164

Validity 24/09/2022 to 23/09/2024 **Last Amended on** 06/04/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
65	ELECTRICAL- SAFETY TESTING FACILITY	Uninterruptible power systems (UPS)	Protective equipotential bonding	IEC 62040-1:2017/AMD1, Cl. 5.2
66	ELECTRONICS- ENVIRONMENTAL TEST FACILITY	Electrical & Electronics Equipment	Test for protection against solid foreign objects indicated by first characteristic numeral	IEC 60529:1989+AMD1:1999+AMD 2, Cl.13.2,13.3
67	ELECTRONICS- ENVIRONMENTAL TEST FACILITY	Electrical and Electronics Equipment	Ingress Protection - IPX3	IEC 60529:1989+AMD1:1999+AMD 2, Cl.14.2.3
68	ELECTRONICS- ENVIRONMENTAL TEST FACILITY	Electrical and Electronics Equipment	Ingress Protection - IPX4	IEC 60529:1989+AMD1:1999+AMD 2, Cl. 14.2.4
69	ELECTRONICS- SAFETY TESTING FACILITY	Information technology equipment	Voltage measurement	IEC 60950-1:2005 +AMD1:2009+AMD2, Cl. 2.1.1.7
70	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear	Maximum output voltage	IEC 61347-1:2015+AMD1, Cl.21
71	ELECTRONICS- SAFETY TESTING FACILITY	Lamp control gear (LED modules)	No load output voltage	IEC 61347-2-13,Cl. 20