



SCOPE OF ACCREDITATION

Laboratory Name:

STERLING ACCURIS DIAGNOSTICS, A DIVISION OF STERLING ACCURIS WELLNESS PVT. LTD., STERLING HOSPITAL, PHASE II, 1ST FLOOR, RACE COURSE CIRCLE

WEST, VADODARA, GUJARAT, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2692

Page No

1 of 12

24/05/2022

Validity

27/03/2022 to 26/03/2024

Last Amended on

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
	LOCATION 1-STE	RLING HOSPITAL, PHASE II, 1ST FLOOR, RA Permanent		JJARAT, INDIA
1	CLINICAL BIOCHEMISTRY	EDTA Whole Blood	HBA1c	HPLC
2	CLINICAL BIOCHEMISTRY	EDTA Whole Blood	Mean Blood Glucose	Calculated
3	CLINICAL BIOCHEMISTRY	Plasma	Glucose	GOD-POD
4	CLINICAL BIOCHEMISTRY	Serum	25-OH Vitamin D	CLIA
5	CLINICAL BIOCHEMISTRY	Serum	A/G ratio	Calculated
6	CLINICAL BIOCHEMISTRY	Serum	Albumin	BCG
7	CLINICAL BIOCHEMISTRY	Serum	Alkaline Phosphatase	PNPP, AMP Buffer
8	CLINICAL BIOCHEMISTRY	Serum	Bicarbonate	PEP Carboxylase
9	CLINICAL BIOCHEMISTRY	Serum	Bilirubin, Delta	Calculated
10	CLINICAL BIOCHEMISTRY	Serum	Bilirubin, Direct (Conjugated)	Cationic Mordant Binding
11	CLINICAL BIOCHEMISTRY	Serum	Bilirubin, Indirect (Unconjugated)	Cationic Mordant Binding
12	CLINICAL BIOCHEMISTRY	Serum	Bilirubin, Total	Azobilirubin Chromophores
13	CLINICAL BIOCHEMISTRY	Serum	BUN	Calculated
14	CLINICAL BIOCHEMISTRY	Serum	Chloride	ISE Direct
15	CLINICAL BIOCHEMISTRY	Serum	Cholesterol	Cholesterol Oxidase, Cholesterol Esterase Hydrolase, Peroxidase
16	CLINICAL BIOCHEMISTRY	Serum	Cholesterol LDL	Direct measure
17	CLINICAL BIOCHEMISTRY	Serum	Cholesterol/HDL ratio	Calculated
18	CLINICAL BIOCHEMISTRY	Serum	Creatinine	Creatinine amidohydrolase
19	CLINICAL BIOCHEMISTRY	Serum	CRP (C Reactive Protein)	Immuno-Rate
20	CLINICAL BIOCHEMISTRY	Serum	dLDL/HDL ratio	Calculated
21	CLINICAL BIOCHEMISTRY	Serum	Ferritin	CLIA
22	CLINICAL BIOCHEMISTRY	Serum	Gamma GT	Gamma G-P-N
23	CLINICAL BIOCHEMISTRY	Serum	Globulin	Calculated
24	CLINICAL BIOCHEMISTRY	Serum	HDL Cholesterol	PTA/MgCl2 enzymatic
25	CLINICAL BIOCHEMISTRY	Serum	hs Troponin - I	CLIA
26	CLINICAL BIOCHEMISTRY	Serum	Magnesium	Formazan dye
27	CLINICAL BIOCHEMISTRY	Serum	Potassium	ISE Direct
28	CLINICAL BIOCHEMISTRY	Serum	Procalcitonine	CLIA





SCOPE OF ACCREDITATION

Laboratory Name:

STERLING ACCURIS DIAGNOSTICS, A DIVISION OF STERLING ACCURIS WELLNESS PVT. LTD., STERLING HOSPITAL, PHASE II, 1ST FLOOR, RACE COURSE CIRCLE

WEST, VADODARA, GUJARAT, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2692

Page No

2 of 12

Validity

27/03/2022 to 26/03/2024

Last Amended on

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
29	CLINICAL BIOCHEMISTRY	Serum	SGOT (AST)	UV with P5P
30	CLINICAL BIOCHEMISTRY	Serum	SGPT (ALT)	UV with P5P
31	CLINICAL BIOCHEMISTRY	Serum	Sodium	ISE Direct
32	CLINICAL BIOCHEMISTRY	Serum	Total protein	Copper tartrate to color complex
33	CLINICAL BIOCHEMISTRY	Serum	Total PSA	CLIA
34	CLINICAL BIOCHEMISTRY	Serum	Total T3	CLIA
35	CLINICAL BIOCHEMISTRY	Serum	Total T4	CLIA
36	CLINICAL BIOCHEMISTRY	Serum	Triglyceride	GK/GPO/POD
37	CLINICAL BIOCHEMISTRY	Serum	TSH	CLIA
38	CLINICAL BIOCHEMISTRY	Serum	Urea	Urease
39	CLINICAL BIOCHEMISTRY	Serum	Vitamin B12	CLIA
40	CLINICAL BIOCHEMISTRY	Serum	VLDL	Calculated
41	CLINICAL PATHOLOGY	Stool	Occult Blood	Two Field Guaiac Method
42	CLINICAL PATHOLOGY	Urine	Amorphous Material	Wet mount & Microscopy
43	CLINICAL PATHOLOGY	Urine	Bacteria	Wet mount & Microscopy
44	CLINICAL PATHOLOGY	Urine	Bilirubin	Diazo Reaction
45	CLINICAL PATHOLOGY	Urine	Bilirubin	Fouchet's Test
46	CLINICAL PATHOLOGY	Urine	Blood	Peroxidase Based Method
47	CLINICAL PATHOLOGY	Urine	Casts	Wet mount & Microscopy
48	CLINICAL PATHOLOGY	Urine	Colour	Naked Eye
49	CLINICAL PATHOLOGY	Urine	Crystals	Wet mount & Microscopy
50	CLINICAL PATHOLOGY	Urine	Epithalial Cells	Wet mount & Microscopy
51	CLINICAL PATHOLOGY	Urine	Glucose	Benedict's Test
52	CLINICAL PATHOLOGY	Urine	Glucose	GOD-POD
53	CLINICAL PATHOLOGY	Urine	Ketones	Nitroprusside Reaction
54	CLINICAL PATHOLOGY	Urine	Leucocyte	Leucocyte Esterase
55	CLINICAL PATHOLOGY	Urine	Nitrite	Nitrite to Nitrate reaction
56	CLINICAL PATHOLOGY	Urine	рН	Double Indicator
57	CLINICAL PATHOLOGY	Urine	Protein	Protein Error of Indicators
58	CLINICAL PATHOLOGY	Urine	Protein	Sulfosalicylic Acid Precipitation Test (SSA)





SCOPE OF ACCREDITATION

Laboratory Name:

STERLING ACCURIS DIAGNOSTICS, A DIVISION OF STERLING ACCURIS WELLNESS PVT. LTD., STERLING HOSPITAL, PHASE II, 1ST FLOOR, RACE COURSE CIRCLE

WEST, VADODARA, GUJARAT, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2692

Page No

3 of 12

Validity

27/03/2022 to 26/03/2024

Last Amended on

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
59	CLINICAL PATHOLOGY	Urine	Pus Cells	Wet mount & Microscopy
60	CLINICAL PATHOLOGY	Urine	RBCs	Wet mount & Microscopy
61	CLINICAL PATHOLOGY	Urine	Specific Gravity	Polylectrolyte Based Reaction
62	CLINICAL PATHOLOGY	Urine	Spermatozoa	Wet mount & Microscopy
63	HAEMATOLOGY	Citrated Plasma	APTT	Electromagnetic
64	HAEMATOLOGY	Citrated Plasma	APTT	Opto-magnetic
65	HAEMATOLOGY	Citrated Plasma	Prothrombin Time	Electromagnetic
66	HAEMATOLOGY	Citrated Plasma	Prothrombin time	Opto-magnetic
67	HAEMATOLOGY	EDTA Whole Blood	Absolute Basophil count	Calculated
68	HAEMATOLOGY	EDTA Whole Blood	Absolute Eosinophil count	Calculated
69	HAEMATOLOGY	EDTA Whole Blood	Absolute Lymphocyte count	Calculated
70	HAEMATOLOGY	EDTA Whole Blood	Absolute Monocyte count	Calculated
71	HAEMATOLOGY	EDTA Whole Blood	Absolute Neutrophil count	Calculated
72	HAEMATOLOGY	EDTA Whole Blood	Basophil	Giemsa Staining & Microscopy
73	HAEMATOLOGY	EDTA Whole Blood	Eosinophil	Giemsa Staining & Microscopy
74	HAEMATOLOGY	EDTA Whole Blood	Haemoglobin	SLS Haemoglobin Detection
75	HAEMATOLOGY	EDTA Whole Blood	НСТ	Calculated
76	HAEMATOLOGY	EDTA Whole Blood	нст	RBC Cumulative Pulse Height Detection
77	HAEMATOLOGY	EDTA Whole Blood	Hemoglobin	Non Cyanide Method
78	HAEMATOLOGY	EDTA Whole Blood	Lymphocyte	Giemsa Staining & Microscopy
79	HAEMATOLOGY	EDTA Whole Blood	Malaria Parasite	Giemsa Staining & Microscopy
80	HAEMATOLOGY	EDTA Whole Blood	Malarial Parasite	Giemsa Staining - Thin & Thick Smear
81	HAEMATOLOGY	EDTA Whole Blood	МСН	Calculated
82	HAEMATOLOGY	EDTA Whole Blood	мсн	Calculated
83	HAEMATOLOGY	EDTA Whole Blood	МСНС	Calculated
84	HAEMATOLOGY	EDTA Whole Blood	МСНС	Calculated
85	HAEMATOLOGY	EDTA Whole Blood	MCV	Calculated
86	HAEMATOLOGY	EDTA Whole Blood	MCV	Derived
87	HAEMATOLOGY	EDTA Whole Blood	Monocyte	Giemsa Staining & Microscopy
88	HAEMATOLOGY	EDTA Whole Blood	MPV	Calculated





SCOPE OF ACCREDITATION

Laboratory Name:

STERLING ACCURIS DIAGNOSTICS, A DIVISION OF STERLING ACCURIS WELLNESS PVT. LTD., STERLING HOSPITAL, PHASE II, 1ST FLOOR, RACE COURSE CIRCLE

WEST, VADODARA, GUJARAT, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2692

Page No

4 of 12

Validity

27/03/2022 to 26/03/2024

Last Amended on

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
89	HAEMATOLOGY	EDTA Whole Blood	Neutrophil	Giemsa Staining & Microscopy
90	HAEMATOLOGY	EDTA Whole Blood	Platelet	Electrical Impedance
91	HAEMATOLOGY	EDTA Whole Blood	Platelet	Electrical Impedence
92	HAEMATOLOGY	EDTA Whole Blood	Platelet Morphology - PS study	Giemsa Staining & Microscopy
93	HAEMATOLOGY	EDTA Whole Blood	RBC	Electrical Impedance
94	HAEMATOLOGY	EDTA Whole Blood	RBC	Electrical Impedance
95	HAEMATOLOGY	EDTA Whole Blood	RBC Morphology - PS study	Giemsa Staining & Microscopy
96	HAEMATOLOGY	EDTA Whole Blood	RDW -CV	Calculated
97	HAEMATOLOGY	EDTA Whole Blood	RDW-CV	Calculated
98	HAEMATOLOGY	EDTA Whole Blood	Sickle Test	Microscopy (Sodium Dithionite & disodium Hydrogen Phosphate Dehydrate)
99	HAEMATOLOGY	EDTA Whole Blood	WBC	Flowcytometry
100	HAEMATOLOGY	EDTA Whole Blood	WBC	Flowcytometry
101	HAEMATOLOGY	EDTA Whole Blood	WBC Morphology - PS study	Giemsa Staining & Microscopy
102	HAEMATOLOGY	EDTA Whole Blood, Serum	Blood Group & Rh Antigen	Tube Agglutination - Forward & Reverse Grouping
103	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Bacterial Isolate From Clinical Specimen	Antibiotic Sensitivity Test	Automated & Manual Disc Diffusion Method
104	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Blood, CSF, Pleural, Ascitic, Peritoneal, Pericardial, Synovial Fluids	Aerobic Culture - Bacterial Identification	Culture By Automated Blood Culture System & Identification By Automated Method
105	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	ET, TT, Sputum, Pus, Tissue, Stool, ENT Swab, Vaginal Swab, Semen, Urine, BAL, CSF, Pleural, Ascitic, Peritoneal, Pericardial, Synovial Fluids	Aerobic Culture - Bacterial Identification	Culture By Conventional Method; Identification by Automated Method
106	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HBsAg	CLIA
107	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HCV Antibody	CLIA
108	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV 1 & 2 Antibody	Immunochromatography
109	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV 1 & 2 Antibody	Immunofiltration
110	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV 1 & 2 Antibody & p24 Antigen	CLIA





SCOPE OF ACCREDITATION

Laboratory Name:

STERLING ACCURIS DIAGNOSTICS, A DIVISION OF STERLING ACCURIS WELLNESS

PVT. LTD., STERLING HOSPITAL, PHASE II, 1ST FLOOR, RACE COURSE CIRCLE

WEST, VADODARA, GUJARAT, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2692

Page No

5 of 12

Validity

27/03/2022 to 26/03/2024

Last Amended on

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
111	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Sputum, Pus, BAL, T.T/ET Secretion, Scrapings Material, Tissue, CSF, Pleural Fluid, Ascitic Fluid, Drain Fluid and Aspirated Fluid	Gram Staining	Microscopy
112	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Sputum, Pus, BAL, T.T/ET Secretion, Scrapings Material, Tissue, CSF, Pleural Fluid, Ascitic Fluid, Drain Fluid and Aspirated Fluid	Ziehl Neelsen Staining	Microscopy
113	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Urine	Aerobic Culture - Bacterial Identification	Calibrated Loop Method and Identification By Automated Method
114	MOLECULAR TESTING	Nasopharyngeal swab / oropharyngeal swab in VTM/ ET secretions / BAL in VTM	SARS – CoV-2 RNA Qualitative	Real Time RT PCR (Open System)





SCOPE OF ACCREDITATION

Laboratory Name:

STERLING ACCURIS DIAGNOSTICS, A DIVISION OF STERLING ACCURIS WELLNESS PVT. LTD., STERLING HOSPITAL, PHASE II, 1ST FLOOR, RACE COURSE CIRCLE

WEST, VADODARA, GUJARAT, INDIA

27/03/2022 to 26/03/2024

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2692

Page No

6 of 12

Validity

Last Amended on

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification agains which tests are performed and / or the techniques / equipment used
	LOCATION 2 - 58,	GROUND FLOOR, MEMORIES HOUSE, SAMP Permanent		GUJARAT, INDIA
1	CLINICAL BIOCHEMISTRY	EDTA Whole Blood	HbA1c	HPLC
2	CLINICAL BIOCHEMISTRY	EDTA Whole Blood	Mean Blood Glucose	Calculated
3	CLINICAL BIOCHEMISTRY	Plasma	Glucose	GOD-POD
4	CLINICAL BIOCHEMISTRY	Serum	A/G ratio	Calculated
5	CLINICAL BIOCHEMISTRY	Serum	Albumin	BCG
6	CLINICAL BIOCHEMISTRY	Serum	Alkaline Phosphatase	PNPP-AMP buffer
7	CLINICAL BIOCHEMISTRY	Serum	ALT (SGPT)	UV with P5P
3	CLINICAL BIOCHEMISTRY	Serum	AST (SGOT)	UV with P5P
9	CLINICAL BIOCHEMISTRY	Serum	Bilirubin, Delta	Calculated
10	CLINICAL BIOCHEMISTRY	Serum	Bilirubin, Direct (Conjugated)	Cationic Mordant Binding
11	CLINICAL BIOCHEMISTRY	Serum	Bilirubin, Indirect (Unconjugated)	Cationic Mordant Bnding
L2	CLINICAL BIOCHEMISTRY	Serum	Bilirubin, Total	Azobilirubin Chromophores
13	CLINICAL BIOCHEMISTRY	Serum	BUN	Calculated
14	CLINICAL BIOCHEMISTRY	Serum	Calcium	Arsenazo III
15	CLINICAL BIOCHEMISTRY	Serum	Cholesterol HDL	PTA/MgCl2 enzymatic
16	CLINICAL BIOCHEMISTRY	Serum	Cholesterol LDL	Calculated
17	CLINICAL BIOCHEMISTRY	Serum	Cholesterol Total	Cholesterol oxidase, Cholesterol Esterase Hydrolase, Peroxidase
18	CLINICAL BIOCHEMISTRY	Serum	Cholesterol/HDL ratio	Calculated
L9	CLINICAL BIOCHEMISTRY	Serum	Creatinine	Creatinine amidohydrolase
20	CLINICAL BIOCHEMISTRY	Serum	GGT	Gamma G-P-N
21	CLINICAL BIOCHEMISTRY	Serum	Globulin	Calculated
22	CLINICAL BIOCHEMISTRY	Serum	LDL/HDL ratio	Calculated
23	CLINICAL BIOCHEMISTRY	Serum	Protein Total	Copper Tartrate to Color Complex
24	CLINICAL BIOCHEMISTRY	Serum	T3, total	CMIA
25	CLINICAL BIOCHEMISTRY	Serum	T4, total	CMIA
26	CLINICAL BIOCHEMISTRY	Serum	Thyroid stimulating hormone (TSH)	CMIA
27	CLINICAL BIOCHEMISTRY	Serum	Triglyceride	GK/GPO/POD
28	CLINICAL BIOCHEMISTRY	Serum	Uric acid	Uricase





SCOPE OF ACCREDITATION

Laboratory Name:

STERLING ACCURIS DIAGNOSTICS, A DIVISION OF STERLING ACCURIS WELLNESS PVT. LTD., STERLING HOSPITAL, PHASE II, 1ST FLOOR, RACE COURSE CIRCLE

WEST, VADODARA, GUJARAT, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2692

Page No

7 of 12

Validity

27/03/2022 to 26/03/2024

Last Amended on

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
29	CLINICAL BIOCHEMISTRY	Serum	VLDL	Calculated
30	CLINICAL PATHOLOGY	Urine	Amorphous material	Wet mount & Microscopy
31	CLINICAL PATHOLOGY	Urine	Bacteria	Wet mount & Microscopy
32	CLINICAL PATHOLOGY	Urine	Bilirubin	Diazo reaction
33	CLINICAL PATHOLOGY	Urine	Bilirubin	Fouchet's test
34	CLINICAL PATHOLOGY	Urine	Casts	Wet mount & Microscopy
35	CLINICAL PATHOLOGY	Urine	Clarity	Naked Eye Examination
36	CLINICAL PATHOLOGY	Urine	Colour	Naked Eye Examination
37	CLINICAL PATHOLOGY	Urine	Crystals	Wet mount & Microscopy
38	CLINICAL PATHOLOGY	Urine	Epithelial cells	Wet mount & Microscopy
39	CLINICAL PATHOLOGY	Urine	Glucose	Benedict's test
40	CLINICAL PATHOLOGY	Urine	Glucose	GOD-POD
41	CLINICAL PATHOLOGY	Urine	Ketone	Nitroprusside reaction
42	CLINICAL PATHOLOGY	Urine	Leucocytes	Esterase Reaction
43	CLINICAL PATHOLOGY	Urine	Monilia	Wet mount & Microscopy
44	CLINICAL PATHOLOGY	Urine	Nitrate	Nitrite reaction
45	CLINICAL PATHOLOGY	Urine	рН	Double indicator
46	CLINICAL PATHOLOGY	Urine	Protein	Protein error of indicators
47	CLINICAL PATHOLOGY	Urine	Protein	Sulfosalicylic Acid Precipitation Test (SSA)
48	CLINICAL PATHOLOGY	Urine	Pus cells	Wet mount & Microscopy
49	CLINICAL PATHOLOGY	Urine	Red Blood Cells	Wet mount & Microscopy
50	CLINICAL PATHOLOGY	Urine	Specific Gravity	Polyelectrolyte based reaction
51	CLINICAL PATHOLOGY	Urine	Spermatozoa	Wet mount & Microscopy
52	CLINICAL PATHOLOGY	Urine	Urobilinogen	Modified Ehrlich reaction
53	HAEMATOLOGY	EDTA Whole Blood	Absolute Basophil count	Calculated
54	HAEMATOLOGY	EDTA Whole Blood	Absolute Eosinophil count	Calculated
55	HAEMATOLOGY	EDTA Whole Blood	Absolute Lymphocyte count	Calculated
56	HAEMATOLOGY	EDTA Whole Blood	Absolute Monocyte count	Calculated
57	HAEMATOLOGY	EDTA Whole Blood	Absolute Neutrophil count	Calculated
58	HAEMATOLOGY	EDTA Whole Blood	Basophils	Giemsa staining & Microscopy





SCOPE OF ACCREDITATION

Laboratory Name:

STERLING ACCURIS DIAGNOSTICS, A DIVISION OF STERLING ACCURIS WELLNESS PVT. LTD., STERLING HOSPITAL, PHASE II, 1ST FLOOR, RACE COURSE CIRCLE

WEST, VADODARA, GUJARAT, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2692

Page No

8 of 12

Validity

27/03/2022 to 26/03/2024

Last Amended on

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
59	HAEMATOLOGY	EDTA Whole Blood	Blood Parasite - PS Study	Giemsa staining & Microscopy
60	HAEMATOLOGY	EDTA Whole Blood	Eosinophils	Giemsa staining & Microscopy
61	HAEMATOLOGY	EDTA Whole Blood	Haemoglobin	Cyanide free lytic method
62	HAEMATOLOGY	EDTA Whole Blood	Hematocrit	Calculated
63	HAEMATOLOGY	EDTA Whole Blood	Lymphocytes	Giemsa staining & Microscopy
64	HAEMATOLOGY	EDTA Whole Blood	Malarial parasite	Giemsa Staining (Thin & Thick smear) & Microscopy
65	HAEMATOLOGY	EDTA Whole Blood	МСН	Calculated
66	HAEMATOLOGY	EDTA Whole Blood	мснс	Calculated
67	HAEMATOLOGY	EDTA Whole Blood	MCV	Derived from RBC histogram
68	HAEMATOLOGY	EDTA Whole Blood	Monocytes	Giemsa staining & Microscopy
69	HAEMATOLOGY	EDTA Whole Blood	MPV	Derived from PLT histogram
70	HAEMATOLOGY	EDTA Whole Blood	Neutrophils	Giemsa staining & microscopy
71	HAEMATOLOGY	EDTA Whole Blood	Platelet	Electrical impedance
72	HAEMATOLOGY	EDTA Whole Blood	Platelet Morphology - PS study	Giemsa staining & Microscopy
73	HAEMATOLOGY	EDTA Whole Blood	RBC	Electrical Impedance
74	HAEMATOLOGY	EDTA Whole Blood	RBC Morphology - PS study	Giemsa staining & Microscopy
75	HAEMATOLOGY	EDTA Whole Blood	RDW-CV	Derived from RBC histogram
76	HAEMATOLOGY	EDTA Whole Blood	WBC	Flowcytometry
77	HAEMATOLOGY	EDTA Whole Blood	WBC Morphology - PS Study	Giemsa staining & Microscopy
78	HAEMATOLOGY	EDTA Whole Blood, Serum	Blood group & Rh antigen	Tube agglutination (Forward & Reverse)
79	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Anti HCV	СМІА
80	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HBsAg	СМІА
81	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV I & II	СМІА
82	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV I & II	Immunochromatography
83	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV I & II	Immunofilteration





SCOPE OF ACCREDITATION

Laboratory Name:

STERLING ACCURIS DIAGNOSTICS, A DIVISION OF STERLING ACCURIS WELLNESS

PVT. LTD., STERLING HOSPITAL, PHASE II, 1ST FLOOR, RACE COURSE CIRCLE

WEST, VADODARA, GUJARAT, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2692

Page No

9 of 12

Validity

27/03/2022 to 26/03/2024

Last Amended on

24/05/2022

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility,Location	Address of Sample Collection Center /Facility
0002918	Kaka Lab (Sterling Accuris Diagnostics),Fatehganj	GF-1, Sneh dhara Apartment, Sadar Bazar, Fatehganj - 390002, Vadodara







SCOPE OF ACCREDITATION

Laboratory Name:

STERLING ACCURIS DIAGNOSTICS, A DIVISION OF STERLING ACCURIS WELLNESS

PVT. LTD., STERLING HOSPITAL, PHASE II, 1ST FLOOR, RACE COURSE CIRCLE WEST,

VADODARA, GUJARAT, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2692

Page No

10 of 12

Validity

27/03/2022 to 26/03/2024

Last Amended on

24/05/2022

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility,Location	Address of Sample Collection Center /Facility
0002921	Shiv Diagnostics (Sterling Accuris Diagnostics), Waghodia	102, 1st Floor, Shyamal Complex, Waghodia Road, Vadodara-390025







SCOPE OF ACCREDITATION

Laboratory Name:

STERLING ACCURIS DIAGNOSTICS, A DIVISION OF STERLING ACCURIS WELLNESS

PVT. LTD., STERLING HOSPITAL, PHASE II, 1ST FLOOR, RACE COURSE CIRCLE WEST,

VADODARA, GUJARAT, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2692

Page No

11 of 12

Validity

27/03/2022 to 26/03/2024

Last Amended on

24/05/2022

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility,Location	Address of Sample Collection Center /Facility
0002924	Vinay Pathlology (Sterling Accuris Diagnostics), Subhanpura	FF-5, Panchratna Building, Subhanpura Road, Vadodara-390023







SCOPE OF ACCREDITATION

Laboratory Name:

STERLING ACCURIS DIAGNOSTICS, A DIVISION OF STERLING ACCURIS WELLNESS PVT. LTD., STERLING HOSPITAL, PHASE II, 1ST FLOOR, RACE COURSE CIRCLE WEST,

VADODARA, GUJARAT, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2692

Page No

12 of 12

Validity

27/03/2022 to 26/03/2024

Last Amended on

24/05/2022

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility,Location	Address of Sample Collection Center /Facility
0002926	Accurate Diagnostic (Sterling Accuris Diagnostics),Jambubet	2, Durvankur Apartment, Kharivav Road, Jambubet, Vadodara-390001

